

# CITATION REPORT

List of articles citing

**Power electronics as efficient interface in dispersed power generation systems**

**DOI: 10.1109/tpel.2004.833453**

**IEEE Transactions on Power Electronics, 2004, 19, 1184-1194.**

**Source:** <https://exaly.com/paper-pdf/36951630/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1815	Heat savings in energy systems with substantial distributed generation. <b>2003</b> , 23, 169-176		13
1814	Online grid measurement and ENS detection for PV inverter running on highly inductive grid. <b>2004</b> , 2, 77-82		58
1813	Photovoltaics literature survey (no. 34). <b>2004</b> , 12, 623-626		
1812	Flexible control of small wind turbines with grid failure detection operating in stand-alone and grid-connected mode. <i>IEEE Transactions on Power Electronics</i> , <b>2004</b> , 19, 1323-1332	7.2	283
1811	Transient stability of DFIG wind turbines at an external short-circuit fault. <b>2005</b> , 8, 345-360		109
1810	A Transient Signal Based Protective Relay in Power Systems with Power Electronic Converters.		1
1809	Impact of fuel cell-based embedded generation on distribution networks. <b>2005</b> ,		
1808	Modeling and Control of a Small Scale Grid-connected PEM Fuel Cell System. <b>2005</b> ,		6
1807	A digital controlled PV-inverter with grid impedance estimation for ENS detection. <i>IEEE Transactions on Power Electronics</i> , <b>2005</b> , 20, 1480-1490	7.2	177
1806	. <b>2005</b> , 41, 1292-1306		2018
1805	A Multi-Functional Power Electronic Converter in Distributed Generation Power Systems.		10
1804	Effect of distributed generator on the allocation D-STATCOM in distribution network.		6
1803	Flicker study on variable speed wind turbines with doubly fed induction generators. <b>2005</b> , 20, 896-905		134
1802	Implementation and test of an online embedded grid impedance estimation technique for PV inverters. <b>2005</b> , 52, 1136-1144		126
1801	Fuel-efficiency of hydrogen and heat storage technologies for integration of fluctuating renewable energy sources. <b>2005</b> ,		2
1800	Issues of Connecting Wind Farms into Power Systems.		34
1799	Recent development in the topologies for photovoltaic module integrated converters.		3

1798	Parallel interleaved inverters for reactive power and harmonic compensation.		34
1797	PLL algorithm for power generation systems robust to grid voltage faults.		44
1796	Linear and Nonlinear Control of Distributed Power Generation Systems. <b>2006,</b>		18
1795	Maximum-Power-Extraction Algorithm for Grid-Connected PMSG Wind Generation System. <b>2006,</b>		6
1794	Power Electronics in Wind Turbine Systems. <b>2006,</b>		18
1793	Parallel Operation of Distributed Generation in Weak Distribution Systems. <b>2006,</b>		
1792	Independent synchronization and control of three phase grid converters.		9
1791	Reliability: A New Approach in Design of Inverters for PV Systems. <b>2006,</b>		19
1790	Modeling of DC/DC Converter for DC Load Flow Calculation. <b>2006,</b>		1
1789	Loss of Generation Ratio Analysis for Offshore Wind Farms. <b>2006,</b>		3
1788	Power Electronics for Modern Wind Turbines. <b>2006, 1, 1-68</b>		40
1787	Stability of photovoltaic and wind turbine grid-connected inverters for a large set of grid impedance values. <i>IEEE Transactions on Power Electronics, 2006, 21, 263-272</i>	7.2	673
1786	Dual-Module-Based Maximum Power Point Tracking Control of Photovoltaic Systems. <b>2006, 53, 1036-1047</b>		110
1785	Guest Editorial. <b>2006, 53, 1394-1397</b>		
1784	Implementation of Novel Maximum-Power- Extraction Algorithm for PMSG Wind Generation System without Mechanical Sensors. <b>2006,</b>		2
1783	Power Electronics in Renewable Energy Systems. <b>2006,</b>		31
1782	. <b>2006,</b>		2
1781	Universal digital controller for power quality and distributed generation systems.		6

1780	Control Strategies for Distributed Power Generation Systems Operating on Faulty Grid. <b>2006,</b>	58
1779	Voltage Control of an Autonomous Hybrid Generation Scheme Based on PV Array and Wind-Driven Induction Generators. <b>2006, 34, 759-773</b>	14
1778	Overview of Control and Grid Synchronization for Distributed Power Generation Systems. <b>2006, 53, 1398-1409</b>	2825
1777	Application of voltage- and current-controlled voltage source inverters for distributed generation systems. <b>2006, 21, 782-792</b>	113
1776	Grid code compliance of grid-side converter in wind turbine systems.	16
1775	Multilevel transformerless topologies for single-phase grid-connected converters. <b>2006,</b>	45
1774	Grid support of a wind farm with active stall wind turbines and AC grid connection. <b>2006, 9, 341-359</b>	13
1773	Probabilistic capacity of a grid connected wind farm based on optimization method. <b>2006, 31, 2171-2187</b>	70
1772	Adaptive resonant controller for grid-connected converters in distributed power generation systems.	32
1771	Centralised power control of wind farm with doubly fed induction generators. <b>2006, 31, 935-951</b>	309
1770	ENS detection algorithm and its implementation for PV inverters. <b>2006, 153, 206</b>	13
1769	Power Conditioning and Control of Fuel Cell Systems. <b>2006, 253-275</b>	
1768	Power converters for fuel-cells based UPS to improve power quality.	1
1767	Decoupling Current Control and Maximum Power Point Control in Small Power Network with Photovoltaic Source. <b>2006,</b>	15
1766	Enhanced Voltage-Boost Inverter and Rectifier. <b>2006,</b>	
1765	Synchronous and Induction Wind Power Generators as Renewable Power Energy Sources. <b>2006,</b>	2
1764	Generation Control with Modified Maximum Power Point Tracking in Small Isolated Power Network with Photovoltaic Source. <b>2007,</b>	2
1763	Custom Power Interfaces for Renewable Energy Sources. <b>2007,</b>	11

1762	Online grid impedance estimation for single-phase grid-connected systems using PQ variations. <b>2007,</b>	70
1761	Low-Cost Wind Generator for Supplying Isolated DC loads. <b>2007,</b>	
1760	Assessing the Impact of SiC MOSFETs on Converter Interfaces for Distributed Energy Resources. <b>2007,</b>	1
1759	. <b>2007,</b> 54, 2583-2592	466
1758	Power Electronics for Renewable Energy Sources. <b>2007,</b> 673-716	6
1757	AC Versus DC Distribution Systems Did We Get it Right?. <b>2007,</b>	77
1756	Modelling and control of a 100kW photovoltaic inverter with an LCL grid filter for distributed power systems. <b>2007,</b>	1
1755	On-line grid impedance estimation based on harmonic injection for grid-connected PV inverter. <b>2007,</b>	52
1754	Multiobjective Programming for the Optimal Sizing and Siting of Power-Electronic Interfaced Dispersed Generators. <b>2007,</b>	3
1753	Natural Adaptive Observers-Based Estimation Unit for Robust Grid-Voltage Sensorless Control Characteristics in Inverter-Based DG Units. <b>2007,</b>	4
1752	Power Electronics and Control of Renewable Energy Systems. <b>2007,</b>	22
1751	. <b>2007,</b>	21
1750	Stability Improvement of Micro-grids with Coordinate Control of Fuel Cell and Ultracapacitor. <b>2007,</b>	11
1749	A Three-Level Full-Bridge Zero-Voltage Zero-Current Switching Converter With a Simplified Switching Scheme. <b>2007,</b>	
1748	Series-connected DC-DC power converters for low-voltage dc source in distributed generation. <b>2007,</b>	3
1747	Control of a Solid Oxide Fuel Cell Power Plant in a Grid-Connected System. <b>2007,</b> 22, 405-413	60
1746	Design of a Two-stage Fuel Cell Based Single-phase Utility-interactive Inverter. <b>2007,</b>	
1745	Power Converters for Fuel-Cells Based Micro-Cogeneration Units. <b>2007,</b>	1

1744	Two-Sliding Mode Control for Efficiency Improvement in Variable Speed Small Wind Turbine Systems. <b>2007</b> ,		0
1743	Generation Ratio Availability Assessment of Electrical Systems for Offshore Wind Farms. <b>2007</b> , 22, 755-763		29
1742	Synthesis and Integration of Future Electronic Power Distribution Systems. <b>2007</b> ,		28
1741	Dynamic Analysis of Three-phase Photovoltaic Inverters with a High Order Grid Filter. <b>2007</b> ,		4
1740	Eliminating ground current in a transformerless photovoltaic application. <b>2007</b> ,		18
1739	Interactions Between Fuel Cells and Power Converters: Influence of Current Harmonics on a Fuel Cell Stack. <i>IEEE Transactions on Power Electronics</i> , <b>2007</b> , 22, 670-678	7.2	178
1738	ZVS-ZCS full-bridge DC-DC converter for voltage step-up in fuel cell distributed generation systems. <b>2007</b> ,		5
1737	An optimal control strategy for power quality enhancement in a competitive environment. <b>2007</b> , 29, 514-525		15
1736	Comparative evaluation of two models of UPQC for suitable interface to enhance power quality. <b>2007</b> , 77, 821-830		62
1735	Novel maximum-power-extraction algorithm for PMSG wind generation system. <b>2007</b> , 1, 275		72
1734	A Current Fed Two-Inductor Boost Converter With an Integrated Magnetic Structure and Passive Lossless Snubbers for Photovoltaic Module Integrated Converter Applications. <i>IEEE Transactions on Power Electronics</i> , <b>2007</b> , 22, 309-321	7.2	92
1733	A Single-Stage Grid Connected Inverter Topology for Solar PV Systems With Maximum Power Point Tracking. <i>IEEE Transactions on Power Electronics</i> , <b>2007</b> , 22, 1928-1940	7.2	331
1732	Advanced DCDC converter for power conditioning in hydrogen fuel cell systems. <b>2008</b> , 33, 3215-3219		30
1731	Slow-Scale and Fast-Scale Instabilities in Voltage-Mode Controlled Full-Bridge Inverter. <b>2008</b> , 27, 811-831		39
1730	Centralised and distributed electricity systems. <b>2008</b> , 36, 4504-4508		101
1729	Modeling and control of DFIG-based variable-speed wind-turbine. <b>2008</b> , 78, 1841-1849		82
1728	Investigation on the role of power electronic controlled constant power loads for voltage support in distributed AC systems. <b>2008</b> ,		16
1727	Overview of different wind generator systems and their comparisons. <b>2008</b> , 2, 123-138		621

1726	An Integrated Hybrid Power Supply for Distributed Generation Applications Fed by Nonconventional Energy Sources. <b>2008</b> , 23, 622-631		127
1725	A Review of the Single Phase Photovoltaic Module Integrated Converter Topologies With Three Different DC Link Configurations. <i>IEEE Transactions on Power Electronics</i> , <b>2008</b> , 23, 1320-1333	7.2	735
1724	High-Efficiency Power Conversion System for Kilowatt-Level Stand-Alone Generation Unit With Low Input Voltage. <b>2008</b> , 55, 3702-3714		115
1723	Adaptive Discrete-Time Grid-Voltage Sensorless Interfacing Scheme for Grid-Connected DG-Inverters Based on Neural-Network Identification and Deadbeat Current Regulation. <i>IEEE Transactions on Power Electronics</i> , <b>2008</b> , 23, 308-321	7.2	56
1722	Control of the single-phase customer-end inverter in a low-voltage DC distribution network. <b>2008</b> ,		2
1721	Two inputs DC/DC Converter applicable in clean-energy resources. <b>2008</b> ,		
1720	Analysis and design of a grid connected wind generating system with VSC. <b>2008</b> ,		1
1719	Hybrid Variable-Structure Control With Evolutionary Optimum-Tuning Algorithm for Fast Grid-Voltage Regulation Using Inverter-Based Distributed Generation. <i>IEEE Transactions on Power Electronics</i> , <b>2008</b> , 23, 1334-1341	7.2	28
1718	Hybrid DC- and AC-Linked Microgrids: Towards Integration of Distributed Energy Resources. <b>2008</b> ,		45
1717	Single-phase inverter with power quality features for distributed generation systems. <b>2008</b> ,		6
1716	Power electronics control of wind energy in distributed power systems. <b>2008</b> ,		13
1715	Output filtering of the customer-end inverter in a low-voltage DC distribution network. <b>2008</b> ,		4
1714	Universal Single-Stage Grid-Connected Inverter. <b>2008</b> , 23, 128-137		97
1713	Multifunctional Grid-Connected Multimodule Power Converters Capable of Operating in Single-Pulse and PWM Switching Modes. <i>IEEE Transactions on Power Electronics</i> , <b>2008</b> , 23, 1228-1238	7.2	5
1712	Hierarchical microgrid paradigm for integration of distributed energy resources. <b>2008</b> ,		36
1711	Current Source Topology for Wind Turbines With Decreased Mains Current Harmonics, Further Reducible via Functional Minimization. <i>IEEE Transactions on Power Electronics</i> , <b>2008</b> , 23, 1143-1155	7.2	43
1710	A Survey of Systems to Integrate Distributed Energy Resources and Energy Storage on the Utility Grid. <b>2008</b> ,		17
1709	. <i>IEEE Transactions on Power Electronics</i> , <b>2008</b> , 23, 2806-2816	7.2	806

1708	Z-source inverter based wind power generation system. <b>2008,</b>		21
1707	Multilevel Diode-Clamped Converter for Photovoltaic Generators With Independent Voltage Control of Each Solar Array. <b>2008,</b> 55, 2713-2723		179
1706	DC-DC converters in a multi-string configuration for stand-alone photovoltaic systems. <b>2008,</b>		10
1705	Robust High Bandwidth Discrete-Time Predictive Current Control with Predictive Internal Model Unified Approach for Voltage-Source PWM Converters. <i>IEEE Transactions on Power Electronics,</i> <b>2008,</b> 23, 126-136	7.2	120
1704	A nonlinear adaptive synchronization technique for single-phase grid-connected converters. <b>2008,</b>		15
1703	Dynamic Performance of Microturbine Generation System Connected to a Grid. <b>2008,</b> 36, 1031-1047		11
1702	. <b>2008,</b>		0
1701	Power quality behavior of single phase fed adjustable speed drive supplied from grid of PV generation. <b>2008,</b>		1
1700	Photovoltaic-battery powered DC Bus system for common portable electronic devices. <b>2008,</b>		
1699	A single-phase adaptive synchronization tool for grid-connected converters. <b>2008,</b>		10
1698	Design of modular inverter for distributed power generation. <b>2008,</b>		
1697	An adaptive grid-voltage sensorless interfacing scheme for inverter-based distributed generation. <b>2008,</b>		0
1696	Fast-Scale Period-Doubling Bifurcation in Voltage-Mode Controlled Full-Bridge Inverter. <b>2008,</b>		
1695	A double input DC/DC Converter for photovoltaic/wind systems. <b>2008,</b>		4
1694	Accurate and less-disturbing active anti-islanding method based on PLL for grid-connected PV Inverters. <b>2008,</b>		31
1693	Single-phase power conditioner with reduced low-frequency current ripple for fuel cells in distributed Generation Applications. <b>2008,</b>		2
1692	A new modeling approach of electrical signals for power systems. <b>2008,</b>		1
1691	Wideband Current Transducer for Measuring AC Signals With Limited DC Offset. <i>IEEE Transactions on Power Electronics,</i> <b>2009,</b> 24, 1776-1787	7.2	7



1690	Evaluation of AFD islanding detection methods based on NDZs described in power mismatch space. <b>2009,</b>	1
1689	A simple power converter for variable speed wind turbine. <b>2009,</b>	0
1688	Power electronics intensive solutions for integrated urban building renewable energy systems. <b>2009,</b>	2
1687	The grid-connected technology of micro turbine for dual mode operation. <b>2009,</b>	
1686	Design of grid-connected photovoltaic system using soft cut-in control. <b>2009,</b>	
1685	A Novel, PWM-Inverter Scheme for Grid Connected WEGS for Power Quality Measure. <b>2009,</b>	3
1684	Systematic Control Design for Multifunctional Grid Connected Converters. <b>2009,</b>	0
1683	Simulation and performance evaluation of 10 kW two stage power electronic interface for fuel cell based power supply system. <b>2009,</b>	
1682	The Application of Fuzzy Technology to Solar Home System. <b>2009,</b>	3
1681	. <b>2009,</b>	3
1680	. <b>2009,</b> 97, 1786-1817	670
1679	Modeling, control and simulation of a PV/FC/UC based hybrid power generation system for stand-alone applications. <b>2009,</b> 34, 509-520	224
1678	Wind farm power source in future power systems. <b>2009,</b> 13, 1288-1300	86
1677	Overview of the state of technique for PV inverters used in low voltage grid-connected PV systems: Inverters below 10kW. <b>2009,</b> 13, 1541-1550	50
1676	A review on fuel cell technologies and power electronic interface. <b>2009,</b> 13, 2430-2440	594
1675	A review of power electronics interfaces for distributed energy systems towards achieving low-cost modular design. <b>2009,</b> 13, 2323-2335	88
1674	Control and protection of power electronics interfaced distributed generation systems in a customer-driven microgrid. <b>2009,</b>	93
1673	A Review of the State of the Art of Power Electronics for Wind Turbines. <i>IEEE Transactions on Power Electronics,</i> <b>2009,</b> 24, 1859-1875	7.2 851

1672	High Step-Up Active-Clamp Converter With Input-Current Doubler and Output-Voltage Doubler for Fuel Cell Power Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 108-115	7.2	157
1671	A Three-Level Full-Bridge Zero-Voltage Zero-Current Switching Converter With a Simplified Switching Scheme. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 329-338	7.2	29
1670	The design of control system and power conditioning system for a 25-kW active-control based wind turbine system. <b>2009</b> ,		2
1669	Mitigation of harmonic distortion by power electronic interface connecting distributed generation sources to a weak grid. <b>2009</b> ,		4
1668	Control of grid-connected DC-AC converters in distributed generation: Experimental comparison of different schemes. <b>2009</b> ,		5
1667	DC-link Voltage Control of a Full Power Converter for Wind Generator Operating in Weak-Grid Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 2178-2192	7.2	142
1666	High efficiency converter with charge pump and coupled inductor for wide input photovoltaic AC module applications. <b>2009</b> ,		6
1665	Z-source inverter with grid connected for wind power system. <b>2009</b> ,		11
1664	A Fast and Accurate Synchronization Technique for Extraction of Symmetrical Components. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 674-684	7.2	170
1663	Analysis of the Non-detection Zone with Passive Islanding Detection Methods for Current Control DG System. <b>2009</b> ,		3
1662	A Systematic Approach to Synthesizing Multi-Input DCDC Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 116-127	7.2	211
1661	A Study on the Operating Characteristics of SMES for the Dispersed Power Generation System. <b>2009</b> , 19, 2028-2031		39
1660	. <b>2009</b> ,		6
1659	Power electronics for renewable energy systems. <b>2009</b> ,		4
1658	A novel integrated three-phase, switched multi-winding power electronic transformer converter for wind power generation system. <b>2009</b> ,		19
1657	Adaptive nonlinear maximum power point tracker for a WECS based on permanent magnet synchronous generator fed by a matrix converter. <b>2009</b> ,		3
1656	Assessing the Impact of SiC MOSFETs on Converter Interfaces for Distributed Energy Resources. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 260-270	7.2	48
1655	A model reference adaptive controller for a wind energy conversion system based on a permanent magnet synchronous generator fed by a matrix converter. <b>2009</b> ,		4

1654	Evaluation of Current Controllers for Distributed Power Generation Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 654-664	7.2	570
1653	Active power $\mathbb{V}$ oltage control scheme for islanding operation of inverter-interfaced microgrids. <b>2009</b> ,		20
1652	Control of Power Electronic Interface for renewable energy sources under distorted grid voltage. <b>2009</b> ,		1
1651	Design and Implementation of a Robust Current Controller for VSI Connected to the Grid Through an LCL Filter. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 1444-1452	7.2	241
1650	Virtual frequency-voltage frame control of inverter based low voltage microgrid. <b>2009</b> ,		21
1649	Adaptive Grid-Voltage Sensorless Control Scheme for Inverter-Based Distributed Generation. <b>2009</b> , 24, 683-694		33
1648	Wind-solar resource complementarity and its combined correlation with electricity load demand. <b>2009</b> ,		9
1647	Analysis of self-excited induction generator feeding DC loads for low-cost renewable energy applications. <b>2009</b> ,		4
1646	A Single-Stage Single-Phase Transformer-Less Doubly Grounded Grid-Connected PV Interface. <b>2009</b> , 24, 93-101		125
1645	Photovoltaic-Battery-Powered DC Bus System for Common Portable Electronic Devices. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 849-855	7.2	114
1644	Design of storage system for a hybrid renewable power system. <b>2009</b> ,		3
1643	A nonlinear approach to control instantaneous power for single-phase grid-connected photovoltaic systems. <b>2009</b> ,		4
1642	Dynamic current limiting control of voltage source inverters. <b>2009</b> ,		1
1641	Voltage Oriented Control of a Single-Phase LVDC Distribution Network Inverter. <b>2009</b> ,		3
1640	H $\mathbb{I}$ epetitive current controller for grid-connected inverters. <b>2009</b> ,		10
1639	A single-switch three-phase boost rectifier to reduce the generator losses in wind energy conversion systems. <b>2009</b> ,		7
1638	Modeling the stochastic dependencies in a probabilistic load flow including wind generation. <b>2009</b> ,		4
1637	The control strategy of grid-connected converters in microgrids with unbalanced load. <b>2009</b> ,		

1636	Implementation of a stand-alone photovoltaic system based on decentralized dc-dc converters. <b>2009,</b>			8
1635	A grid connected current source inverter.. <b>2009,</b>			1
1634	Decentralized, agent-based control of low and moderate power DC-DC converters. <b>2009,</b>			2
1633	A Novel Control Scheme for Current-Source-Converter-Based PMSG Wind Energy Conversion Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 963-972	7.2		144
1632	. <b>2009</b> , 56, 2629-2643			56
1631	Decoupled power control for an inverter based low voltage microgrid in autonomous operation. <b>2009,</b>			4
1630	Maximum power point tracking in the PV grid-connected inverters of 5 kW. <b>2009,</b>			2
1629	Power Exchanging Control of DG Units on Faulty Grid and Time-Varying Frequency Environments. <b>2009,</b>			
1628	. <b>2009,</b>			3
1627	A brushless DC generator & synchronous rectifier for isolated telecommunication stations. <b>2009,</b>			5
1626	Future electronic power distribution systems a contemplative view. <b>2010,</b>			297
1625	Maximum power point tracking of a Wind Energy Conversion System using adaptive nonlinear approach. <b>2010,</b>			13
1624	. <i>IEEE Transactions on Power Electronics</i> , <b>2010</b> , 25, 1761-1774	7.2		45
1623	A Soft-Switching DC/DC Converter With High Voltage Gain. <i>IEEE Transactions on Power Electronics</i> , <b>2010</b> , 25, 1193-1200	7.2		62
1622	PushBull Forward Three-Level Converter With Reduced Rectifier Voltage Stress. <b>2010</b> , 57, 2815-2821			8
1621	Intelligent soft-starter-based grid-integrated induction generator for pitch-regulated wind turbine system. <b>2010</b> , 92, 57-68			5
1620	Five-level Z-source diode-clamped inverter. <b>2010</b> , 3, 500			44
1619	Distributed Generation: Toward a New Energy Paradigm. <b>2010</b> , 4, 52-64			279

1618	Single-stage sine-wave inverter for an autonomous operation of solar photovoltaic energy conversion system. <b>2010</b> , 35, 275-282		31
1617	Simplified models of a single-phase power electronic inverter for railway power system stability analysisDevelopment and evaluation. <b>2010</b> , 80, 204-214		39
1616	Hybrid solarWind system with battery storage operating in grid-connected and standalone mode: Control and energy management Experimental investigation. <b>2010</b> , 35, 2587-2595		156
1615	Design of a Grid-Connected Inverter for a Hybrid Renewable Power System. <b>2010</b> , 108-111, 1471-1476		
1614	A predictive control strategy for grid-connected inverters based on a new electrical signal modeling. <b>2010</b> ,		0
1613	A novel gain scheduling method for distributed power generation systems with a LCL-filter by estimating grid impedance. <b>2010</b> ,		1
1612	A matrix converter utility interface for grid resources with a high-frequency bus. <b>2010</b> ,		1
1611	Effects of Switching Asymmetry on an Isolated Full-Bridge Boost Converter. <i>IEEE Transactions on Power Electronics</i> , <b>2010</b> , 25, 2033-2044	7.2	16
1610	Investigation to power conversion topology for fuel cell power generation system. <b>2010</b> ,		3
1609	Single-phase single-stage grid-interactive photovoltaic system with active filter functions. <b>2010</b> ,		6
1608	New DC-DC converter with reduced low-frequency current ripple for Fuel Cell in Single-Phase Distributed Generation. <b>2010</b> ,		15
1607	Combined Operation of AC and DC Distribution System with Distributed Generation Units. <b>2010</b> , 61, 193-204		2
1606	A current feed inverter for grid integration of a variable speed wind turbine. <b>2010</b> ,		1
1605	A Novel Scheme for Rapid Tracking of Maximum Power Point in Wind Energy Generation Systems. <b>2010</b> , 25, 228-236		116
1604	A Systems Approach for a Stand-Alone Residential Fuel Cell Power Inverter Design. <b>2010</b> , 25, 741-749		13
1603	Control of grid interactive AC microgrids. <b>2010</b> ,		16
1602	Distributed energy resources in grid interactive AC microgrids. <b>2010</b> ,		23
1601	An Enhanced Inverter Controller for PV Applications Using the dSPACE Platform. <b>2010</b> , 2010, 1-10		47

1600	Impact of unbalanced grid conditions on PV systems. <b>2010,</b>		4
1599	Impact of nonsinusoidalness on Efficiency of alternative electricity generation systems. <b>2010,</b>		2
1598	Dispersed generation and storage systems for providing ancillary services in distribution systems. <b>2010,</b>		4
1597	Half-bridge-type inverter with hysteresis current control and unipolar modulation. <b>2010,</b>		2
1596	Design of an Inverter Array for Distributed Generations With Flexible Capacity Operations. <b>2010,</b> 57, 3927-3934		9
1595	Design of a 28 V-to-300 V/12 kW Multicell Interleaved Flyback Converter Using Intercell Transformers. <i>IEEE Transactions on Power Electronics</i> , <b>2010</b> , 25, 1966-1974	7.2	19
1594	Eliminating Ground Current in a Transformerless Photovoltaic Application. <b>2010</b> , 25, 140-147		281
1593	. <b>2010</b> , 57, 2553-2580		2198
1592	High-efficiency inverter with H6-type configuration for photovoltaic non-isolated ac module applications. <b>2010,</b>		61
1591	Seamless Transfer of Single-Phase Grid-Interactive Inverters Between Grid-Connected and Stand-Alone Modes. <i>IEEE Transactions on Power Electronics</i> , <b>2010</b> , 25, 1597-1603	7.2	154
1590	Enhanced power quality control strategy for single-phase inverters in distributed generation systems. <b>2010,</b>		6
1589	Estimator based neuro-fuzzy control for maximum power extraction from wind electrical power generation system. <b>2010,</b>		
1588	. <b>2010</b> , 57, 3685-3694		71
1587	Analysis and design of a high efficiency current fed multi-resonant converter for high step-up power conversion in renewable energy harvesting. <b>2010,</b>		4
1586	A Novel Controller Design for Grid-side Converter of Doubly Fed Induction Generator for Wind Power Interface: An Experimental Investigation. <b>2010</b> , 38, 1531-1545		9
1585	Power losses reduction using solar photovoltaic generation in the rural grid of Hij-Oman. <b>2010,</b>		5
1584	A Three-Phase High-Frequency Semiconrolled Rectifier for PM WECS. <i>IEEE Transactions on Power Electronics</i> , <b>2010</b> , 25, 677-685	7.2	77
1583	Operating Characteristic Analysis of HTS SMES for Frequency Stabilization of Dispersed Power Generation System. <b>2010</b> , 20, 1334-1338		30

1582	Power electronics and controls for wind turbine systems. <b>2010,</b>	20
1581	Design considerations for distributed micro-storage systems in residential applications. <b>2010,</b>	2
1580	Trends in power electronics and control of renewable energy systems. <b>2010,</b>	43
1579	Study of a simple control strategy for grid connected VSI using SVPWM and p-q theory. <b>2010,</b>	3
1578	Power electronics applications in wind energy conversion system: A review. <b>2010,</b>	7
1577	Isolated Buck-Boost DC/DC converter for PV grid-connected system. <b>2010,</b>	2
1576	Dynamic performance of adaptive hysteresis current controller for mains-connected inverter system. <b>2010,</b>	2
1575	Grid-connected inverter with inner output impedance and governor-free characteristics. <b>2010,</b>	2
1574	Large scale wind energy conversion system using DFIG in sub-synchronous and super-synchronous speed ranges. <b>2010,</b>	0
1573	DSP controlled DC/DC boost converter for renewable/green power applications. <b>2010,</b>	2
1572	Variable speed wind turbine based on multiple generators drive-train configuration. <b>2010,</b>	1
1571	Impact of Virtual Flux reference frame orientation on voltage source inverters in weak grids. <b>2010,</b>	6
1570	An active and reactive power regulating system based on a cascaded-converter. <b>2010,</b>	5
1569	Grid connected photovoltaic topologies with current harmonic compensation. <b>2010,</b>	2
1568	Improved phase-locked loop for distributed power generation systems. <b>2011,</b>	1
1567	Simulation research on a novel distributed generation system. <b>2011,</b>	1
1566	Comparison and performance evaluation of renewable to grid integration schemes: Single-phase high-frequency fuel cells and PV inverters applications. <b>2011,</b>	
1565	. <b>2011,</b>	4

1564	Power Electronics for Renewable Energy Sources. <b>2011</b> , 1-79		2
1563	Grid interconnection of distributed generation system with power quality improvement features. <b>2011</b> ,		5
1562	. <b>2011</b> ,		
1561	Design of three-phase photovoltaic grid-connected inverter based on DSP. <b>2011</b> ,		
1560	Bacterial foraging-based PI controller of inverter-based distributed generators. <b>2011</b> ,		1
1559	. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 3790-3803	7.2	60
1558	Change of paradigm in power electronic converters used in renewable energy applications. <b>2011</b> ,		4
1557	Integrated ZVS DCDC converter with continuous input current and high voltage gain. <b>2011</b> , 98, 1199-1214		5
1556	Effect of minimizing input capacitance in VSI-based renewable energy source converters. <b>2011</b> ,		8
1555	Plug and play power electronics interface applied in microgrid. <b>2011</b> ,		1
1554	A review of the main inverter topologies applied on the integration of renewable energy resources to the grid. <b>2011</b> ,		7
1553	Control of parallel-connected bidirectional AC-DC converters in stationary frame for microgrid application. <b>2011</b> ,		16
1552	A centralized control architecture for harmonic voltage suppression in islanded microgrids. <b>2011</b> ,		13
1551	Decoupling control for transformerless grid-connected inverters in parallel operation. <b>2011</b> ,		
1550	. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 3853-3864	7.2	32
1549	Power devices loading in multilevel converters for 10 MW wind turbines. <b>2011</b> ,		6
1548	Modeling and design of a new bi-directional buck-boost cascade inverter. <b>2011</b> ,		1
1547	A Zero-Voltage-Switching DCDC Converter With High Voltage Gain. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 1578-1586	7.2	17



1546	A family of single-stage single-switch PV MICs with steep conversion gain. <b>2011,</b>		
1545	A high step-up current fed multi-resonant converter with coupled inductor. <b>2011,</b>		
1544	Power Electronics for Renewable Energy Sources. <b>2011,</b> 723-766		5
1543	High-Efficiency MOSFET Inverter with H6-Type Configuration for Photovoltaic Nonisolated AC-Module Applications. <i>IEEE Transactions on Power Electronics</i> , <b>2011,</b> 26, 1253-1260	7.2	215
1542	Power electronic systems as a crucial part of Smart Grid infrastructure - a survey. <b>2011,</b> 59, 455-473		11
1541	Performance improvement of single-phase grid Connected PWM inverter using PI with hysteresis current controller. <b>2011,</b>		7
1540	Self-start evaluation in lift-type vertical axis wind turbines: Methodology and computational tool applied to asymmetrical airfoils. <b>2011,</b>		4
1539	Low cost single-phase semi-Z-source inverter. <b>2011,</b>		9
1538	Analysis of PI and PR controllers for distributed power generation system under unbalanced grid faults. <b>2011,</b>		14
1537	Newly-constructed single-phase multistring multilevel inverter for fuel-cell microgrid. <b>2011,</b>		1
1536	Power quality improvement of unbalanced power system with distributed generation units. <b>2011,</b>		4
1535	. <b>2011,</b>		6
1534	Smart grid and renewable energy systems. <b>2011,</b>		21
1533	Cascaded H-bridge multilevel converter multistring topology for large scale photovoltaic systems. <b>2011,</b>		127
1532	New converter topology to improve performance of photovoltaic power generation system under shading conditions. <b>2011,</b>		16
1531	Energy Sources. <b>2011,</b> 1289-1330		3
1530	Power electronics - key technology for renewable energy systems. <b>2011,</b>		29
1529	On-field performance assessment of power converters of solar PV system under different operating conditions. <b>2011,</b>		2

1528	Modulation for three-phase transformerless neutral point clamped inverter in photovoltaic systems. <b>2011,</b>		5
1527	Comparative Evaluation of Three-Phase Current Source Inverters for Grid Interfacing of Distributed and Renewable Energy Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 2304-2318	7.2	79
1526	Power electronics converters for wind turbine systems. <b>2011,</b>		19
1525	A New Nine-Level Active NPC (ANPC) Converter for Grid Connection of Large Wind Turbines for Distributed Generation. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 961-972	7.2	129
1524	An offshore wind farm with DC grid connection and its performance under power system transients. <b>2011,</b>		13
1523	Design considerations for energy storage power electronics interfaces for high penetration of renewable energy sources. <b>2011,</b>		4
1522	Power quality improvement for distributed generation employing photovoltaic-inverter. <b>2011,</b>		1
1521	Performance Evaluation of Active Islanding-Detection Algorithms in Distributed-Generation Photovoltaic Systems: Two Inverters Case. <b>2011</b> , 58, 1185-1193		64
1520	Aspects of the integration of alternative sources of energy for application in distributed generation systems. <b>2011,</b>		1
1519	Quasi-Z-Source inverter with energy storage for Photovoltaic power generation systems. <b>2011,</b>		31
1518	New trends in photovoltaic energy systems. <b>2011,</b>		
1517	. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 983-996	7.2	38
1516	A Modular Grid-Connected Photovoltaic Generation System Based on DC Bus. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 523-531	7.2	174
1515	Thermal analysis of multilevel grid side converters for 10 MW wind turbines under Low Voltage Ride Through. <b>2011,</b>		9
1514	Power Flow Stabilization and Control of Microgrid with Wind Generation by Superconducting Magnetic Energy Storage. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 910-922	7.2	111
1513	Control and Operation of a DC Microgrid With Variable Generation and Energy Storage. <b>2011</b> , 26, 2513-2522		359
1512	. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 3514-3523	7.2	129
1511	Small-signal modeling of PWM Z-source converter by circuit-averaging technique. <b>2011,</b>		11

1510	. <b>2011</b> , 26, 728-736		34
1509	PSO based frequency controller for wind-solar-diesel hybrid energy generation/energy storage system. <b>2011</b> ,		16
1508	Tools for Analysis and Design of Distributed ResourcesPart II: Tools for Planning, Analysis and Design of Distribution Networks With Distributed Resources. <b>2011</b> , 26, 1653-1662		23
1507	Transition control strategy between standalone and grid connected operation of voltage source inverters. <b>2011</b> ,		1
1506	Three-phase photovoltaic grid-connected inverter using dSPACE DS1104 platform. <b>2011</b> ,		2
1505	Fault models of inverter-interfaced distributed generators: Experimental verification and application to fault analysis. <b>2011</b> ,		39
1504	Multiple input DC-DC topologies in renewable energy systems - A general review. <b>2011</b> ,		13
1503	Quantitative Evaluation of DC Microgrids Availability: Effects of System Architecture and Converter Topology Design Choices. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 835-851	7.2	200
1502	Improved droop control of parallel inverter system in standalone microgrid. <b>2011</b> ,		6
1501	Fuzzy Logic Based-SVPWM Current Controller for Inverter-Interfaced Distributed Generation System. <b>2011</b> ,		
1500	Experimental study on adaptive hysteresis current controller for inverter-interfaced 1-Grid connected system. <b>2011</b> ,		4
1499	Tools for Analysis and Design of Distributed ResourcesPart I: Tools for Feasibility Studies. <b>2011</b> , 26, 1643-1652		14
1498	Performance Analysis of a Toroid-Type HTS SMES Adopted for Frequency Stabilization. <b>2011</b> , 21, 1367-1370		17
1497	Reactive power compensation in inverter-interfaced distributed generation. <b>2011</b> ,		0
1496	Comparison of central vs distributed inverters: application to photovoltaic systems. <b>2011</b> ,		9
1495	Analysis, design and experimental results of a floating-output interleaved-input boost-derived DCDC high-gain transformer-less converter. <b>2011</b> , 4, 168		95
1494	A high step-up current fed multi-resonant converter with output voltage doubler. <b>2011</b> ,		9
1493	Advanced power electronics enabled distribution architectures: Design, operation, and control. <b>2011</b> ,		25

1492	Comparison of Dual-Buck Full-Bridge Inverter with Different Inductor Structures. <b>2011</b> ,	9
1491	A novel dual-input isolated current-fed DC-DC converter for renewable energy system. <b>2011</b> ,	8
1490	Photovoltaic DC-Building-Module-Based BIPV System Concept and Design Considerations. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 1418-1429	7.2 151
1489	Centralized MPPT with string current diverter for solving the series connection problem in photovoltaic power generation system. <b>2011</b> ,	14
1488	Taiwan's First Large-Scale Offshore Wind Farm Connection A Real Project Case Study With a Comparison of Wind Turbine. <b>2011</b> , 47, 1461-1469	21
1487	Analysis, Design, and Implementation of Virtual Impedance for Power Electronics Interfaced Distributed Generation. <b>2011</b> , 47, 2525-2538	421
1486	Multiresonant Frequency-Locked Loop for Grid Synchronization of Power Converters Under Distorted Grid Conditions. <b>2011</b> , 58, 127-138	648
1485	Reliability Estimation of Three Single-Phase Topologies in Grid-Connected PV Systems. <b>2011</b> , 58, 2683-2689	73
1484	Steady-State and Dynamic State-Space Model for Fast and Efficient Solution and Stability Assessment of ASDs. <b>2011</b> , 58, 2836-2847	12
1483	Design and Practical Implementation of a Novel Variable-Speed Generation System. <b>2011</b> , 58, 5032-5040	6
1482	Operation and control of multiple Distributed Generation systems in the microgrid. <b>2011</b> , 7, 325	2
1481	Dispersed generation units providing system ancillary services in distribution networks by a centralised control. <b>2011</b> , 5, 311	21
1480	Analysis of a hybrid controlled three-phase grid-connected inverter with harmonics compensation in synchronous reference frame. <b>2011</b> , 4, 743	31
1479	Active-clamp soft-switching step-up converter with high-voltage gain. <b>2011</b> , 4, 1043	5
1478	Power Management of Inverter Interfaced Autonomous Microgrid Based on Virtual Frequency-Voltage Frame. <b>2011</b> , 2, 30-40	261
1477	. <b>2011</b> , 2, 352-362	225
1476	Research on photovoltaics: Review, trends and perspectives. <b>2011</b> ,	25
1475	Modulation for Three-Phase Transformerless Z-Source Inverter to Reduce Leakage Currents in Photovoltaic Systems. <b>2011</b> , 58, 5385-5395	112

1474	Non-linear load compensation in Fuel Cell grid interfaced system using active power filter. <b>2011,</b>		0
1473	Design and Implementation of Low Power Smart PV Energy System for Portable Applications Using Synchronous Buck Converter. <b>2011,</b>		2
1472	Enhanced Power Quality Control Strategy for Single-Phase Inverters in Distributed Generation Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 798-806	7.2	204
1471	Newly-Constructed Simplified Single-Phase Multistring Multilevel Inverter Topology for Distributed Energy Resources. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 2386-2392	7.2	83
1470	Isolated BuckBoost DC/DC Converters Suitable for Wide Input-Voltage Range. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 2599-2613	7.2	79
1469	A Class of High-Input Low-Output Voltage Single-Step Converters with Low Voltage Stress on the Primary-Side Switches and High Output Current Capacity. <i>IEEE Transactions on Power Electronics</i> , <b>2011</b> , 26, 1659-1672	7.2	17
1468	HTS SMES Application for the Frequency Stabilization of Grid-Connected Wind Power Generation System. <b>2011</b> , 24, 1007-1014		6
1467	Comparative study of power converter topologies and control strategies for the harmonic performance of variable-speed wind turbine generator systems. <b>2011</b> , 36, 520-529		51
1466	Modern power-electronics installations in the Polish electrical power network. <b>2011</b> , 15, 236-251		17
1465	Overview of the state of technique for PV inverters used in low voltage grid-connected PV systems: Inverters above 10kW. <b>2011</b> , 15, 1250-1257		34
1464	Advancements in power electronics and drives in interface with growing renewable energy resources. <b>2011</b> , 15, 1816-1827		75
1463	Modeling of a new multiple input converter configuration for PV/battery system with MPPT. <b>2011,</b>		1
1462	A weighted efficiency enhancement control for modular grid-tied photovoltaic generation system. <b>2011,</b>		
1461	Active and reactive power control of Proton Electrolyte Membrane Fuel Cell based Distributed Generation System. <b>2011,</b>		
1460	Rdson behavior in various MOSFET families. <b>2011,</b>		8
1459	Requirements for the control system of an SOFC power conversion unit in stationary power generation. <b>2011,</b>		
1458	A current controller of grid-connected converter for harmonic damping in a distribution network. <b>2011,</b>		
1457	Study on the Economic Model of the Household Wind Turbine and Grid Joint Power Supply System. <b>2011</b> , 347-353, 2386-2389		

1456	The Research on Equivalence Network Concentrated with Wind Farms. <b>2011,</b>	
1455	Probabilistic analysis in normal operation of distribution system with distributed generation. <b>2011,</b>	1
1454	The Impact of Power Switching Devices on the Thermal Performance of a 10 MW Wind Power NPC Converter. <b>2012, 5, 2559-2577</b>	42
1453	Transient Analysis of Large Scale PV Systems with Floating DC Section. <b>2012, 5, 3736-3752</b>	15
1452	Simulation and Analysis of Two-Level Photovoltaic Grid-Connected System. <b>2012, 433-440, 1406-1411</b>	
1451	The Design of Embedded PV Inverter Grid-Connected System. <b>2012, 608-609, 155-159</b>	
1450	Using photovoltaic systems to improve voltage control in low voltage networks. <b>2012,</b>	6
1449	Multifunctional shunt compensator for power quality and power flow control for wind generator directly connected to the grid. <b>2012,</b>	2
1448	Study on the over-voltage and over-current of grid-connected inverters in non-fault conditions. <b>2012,</b>	1
1447	A general-purpose integrated battery energy module for non-isolated energy storage system applications. <b>2012,</b>	
1446	Electric resonance-rectifier circuit for renewable energy conversion. <b>2012, 100, 043511</b>	4
1445	Effect of interfacial reaction on electrical conduction across the interface between n-type gallium nitride and contact materials. <b>2012, 379, 012020</b>	2
1444	Electrical properties and structure of contact interface between Ti3SiC2 and p-type GaN. <b>2012, 379, 012021</b>	
1443	Resolution-Level-Controlled WM Inverter for PMG-Based Wind Energy Conversion System. <b>2012, 48, 750-763</b>	22
1442	Synthesis of Variable Harmonic Impedance in Inverter-Interfaced Distributed Generation Unit for Harmonic Damping Throughout a Distribution Network. <b>2012, 48, 1407-1417</b>	50
1441	. <b>2012, 59, 3881-3889</b>	92
1440	Nondissipative String Current Diverter for Solving the Cascaded DCDC Converter Connection Problem in Photovoltaic Power Generation System. <i>IEEE Transactions on Power Electronics</i> , <b>2012, 27, 1249-1258</b>	7.2 59
1439	Dual-input isolated full-bridge boost dc/dc converter based on the distributed transformers. <b>2012, 5, 1074-1083</b>	47

1438	Optimized design of resonant controller for stator current harmonic compensation in DFIG wind turbine systems. <b>2012,</b>	9
1437	High efficiency quadratic boost converter. <b>2012,</b>	6
1436	Control Issues in Single-Stage Photovoltaic Systems: MPPT, Current and Voltage Control. <b>2012, 8, 241-254</b>	189
1435	Control of five-level flying capacitor based active-neutral-point-clamped converter for grid connected wind energy applications. <b>2012,</b>	7
1434	Microgrid Generation Capacity Design With Renewables and Energy Storage Addressing Power Quality and Surety. <b>2012, 3, 2019-2027</b>	170
1433	Decoupled Double Synchronous Reference Frame current controller for unbalanced grid voltage conditions. <b>2012,</b>	8
1432	Sliding-mode indirect control of the quadratic boost converter operating in continuous conduction mode or discontinuous conduction mode. <b>2012,</b>	6
1431	A novel H6-type transformerless inverter for grid-connected photovoltaic application. <b>2012,</b>	12
1430	Control and Dynamic Analysis of Grid Connected Variable Speed SCIG Based Wind Energy Conversion System. <b>2012,</b>	0
1429	High gain DC/DC converter for the grid integration of large-scale PV systems. <b>2012,</b>	3
1428	Operation and thermal loading of three-level Neutral-Point-Clamped wind power converter under various grid faults. <b>2012,</b>	6
1427	Symmetric multilevel inverter with reduced components based on non-insulated dc voltage sources. <b>2012, 5, 571</b>	89
1426	Accurate Matlab/Simulink model of a power generation system based on fuel cells. <b>2012,</b>	0
1425	Properties of reactive current injection by AC power electronic systems for loss minimization. <b>2012,</b>	2
1424	Synchronization of variable speed PMSG based wind energy conversion system to the grid with power quality improvement features. <b>2012,</b>	1
1423	Thermal analysis of multi-MW two-level wind power converter. <b>2012,</b>	9
1422	Predictive control of a single-phase cascaded h-bridge photovoltaic energy conversion system. <b>2012,</b>	21
1421	Current controller considering harmonics compensation for grid connected converter in DPGS applications. <b>2012,</b>	2

1420	Optimization of Photovoltaic energy system: A case study of Hanoi city. <b>2012,</b>	
1419	Investigations on fault behaviour of grid connected DFIG based wind energy conversion systems. <b>2012,</b>	2
1418	Coordinated Control Research of Grid-Connected Two-Stage Power Converter System. <b>2012,</b>	
1417	Voltage harmonic control of weak utility grid through distributed energy systems. <b>2012,</b>	1
1416	. <b>2012,</b>	
1415	Synthesis of variable harmonic impedance in inverter-interfaced distributed generation unit for harmonic damping throughout a distribution network. <b>2012,</b>	1
1414	Maximum power point matching of solar arrays to arbitrary loads. <b>2012,</b>	1
1413	Loss and thermal redistributed modulation methods for three-level neutral-point-clamped wind power inverter undergoing Low Voltage Ride Through. <b>2012,</b>	7
1412	Performance analysis of variable speed wind energy conversion system in grid connected mode. <b>2012,</b>	
1411	SoC-based dynamic power sharing method with AC-bus voltage restoration for microgrid applications. <b>2012,</b>	22
1410	A low-cost non-mechanical maximum power point tracking scheme for grid-tied single-phase induction generators. <b>2012,</b>	1
1409	A cascade control scheme for a grid connected Battery Energy Storage System (BESS). <b>2012,</b>	7
1408	Power electronics for renewable energy systems: Wind turbine and photovoltaic systems. <b>2012,</b>	6
1407	Improved grid synchronization algorithm for DG system using DSRF PLL under grid disturbances. <b>2012,</b>	2
1406	A lifetime improved single phase grid connected photovoltaic inverter. <b>2012,</b>	7
1405	Comparative study between unipolar and bipolar switching scheme with LCL filter for single-phase grid connected inverter system. <b>2012,</b>	4
1404	Average current-mode control of Boost converters with bidirectional power transfer capabilities. <b>2012,</b>	4
1403	Analysis, Design and Experimental Results of Wide Range ZVS Active-Clamped L-L Type Current-Fed DC/DC Converter for Fuel Cells to Utility Interface. <b>2012, 59, 473-485</b>	97



1402	Power Electronics Converters for Wind Turbine Systems. <b>2012</b> , 48, 708-719		520
1401	Control Scheme for Photovoltaic Three-Phase Inverters to Minimize Peak Currents During Unbalanced Grid-Voltage Sags. <i>IEEE Transactions on Power Electronics</i> , <b>2012</b> , 27, 4262-4271	7.2	154
1400	Enhanced Decoupled Double Synchronous Reference Frame Current Controller for Unbalanced Grid-Voltage Conditions. <i>IEEE Transactions on Power Electronics</i> , <b>2012</b> , 27, 3934-3943	7.2	196
1399	Eliminating Leakage Currents in Neutral Point Clamped Inverters for Photovoltaic Systems. <b>2012</b> , 59, 435-443		165
1398	Selection of converter topologies for distributed energy resources. <b>2012</b> ,		21
1397	High efficiency transformerless photovoltaic inverter with wide-range power factor capability. <b>2012</b> ,		25
1396	Electrolytic capacitor-less PV converter for full lifetime guarantee interfaced with DC distribution. <b>2012</b> ,		1
1395	Research of Novel Measuring Method in Photovoltaic Grid-Connected Regulation and Control System. <b>2012</b> , 16, 1472-1478		
1394	Reactive power influence on the thermal cycling of multi-MW wind power inverter. <b>2012</b> ,		5
1393	A Stationary Reference Frame Grid Synchronization System for Three-Phase Grid-Connected Power Converters Under Adverse Grid Conditions. <i>IEEE Transactions on Power Electronics</i> , <b>2012</b> , 27, 99-112	7.2	448
1392	. <i>IEEE Transactions on Power Electronics</i> , <b>2012</b> , 27, 87-98	7.2	84
1391	. <i>IEEE Transactions on Power Electronics</i> , <b>2012</b> , 27, 1401-1413	7.2	6
1390	Design for reliability of power electronic systems. <b>2012</b> ,		127
1389	Review of DC technology in future smart distribution grid. <b>2012</b> ,		7
1388	Determining MPPT and anti-islanding techniques in a grid-tie PV inverter. <b>2012</b> ,		6
1387	Comparison of power fluctuation between Optislip and DFIG controlled wind turbines. <b>2012</b> ,		2
1386	Transition Control Strategy Between Standalone and Grid-Connected Operations of Voltage-Source Inverters. <b>2012</b> , 48, 1516-1525		51
1385	The effect of load condition on stability in isolated Microgrids. <b>2012</b> ,		2

1384	Power electronics and reliability in renewable energy systems. <b>2012,</b>	55
1383	Optimal design of NPC and Active-NPC transformerless PV inverters. <b>2012,</b>	1
1382	Advanced power conditioner using sinewave modulated buckBoost converter cascaded polarity changing inverter. <b>2012,</b> 43, 280-289	12
1381	GA based frequency controller for solar thermal/diesel/wind hybrid energy generation/energy storage system. <b>2012,</b> 43, 262-279	267
1380	DC (direct current) voltage source reduction in stacked multicell converter based energy systems. <b>2012,</b> 46, 649-663	21
1379	Modeling and Control of DC-AC Power Converters of Distributed Energy Resources in Microgrids. <b>2012,</b> 341-366	1
1378	Thermal optimised modulation methods of three-level neutral-point-clamped inverter for 10 MW wind turbines under low-voltage ride through. <b>2012,</b> 5, 920-927	53
1377	Resonance propagation of parallel-operated DC-AC converters with LCL filters. <b>2012,</b>	8
1376	Reactive power control methods for improved reliability of wind power inverters under wind speed variations. <b>2012,</b>	9
1375	High boost ratio hybrid transformer DC-DC converter for photovoltaic module applications. <b>2012,</b>	7
1374	Linear quadratic optimal control of a single-phase grid-connected inverter with an LCL filter. <b>2012,</b>	1
1373	Impacts of inverter-based distributed generation control modes on short-circuit currents in distribution systems. <b>2012,</b>	2
1372	Generalized microgrid harmonic compensation strategies using DG unit interfacing converters. <b>2012,</b>	4
1371	An improved design of virtual output impedance loop for droop-controlled parallel three-phase voltage source inverters. <b>2012,</b>	12
1370	Analysis and implementation of a zero-voltage-switching cascade boost converter. <b>2012,</b> 99, 623-641	6
1369	. <i>IEEE Transactions on Power Electronics,</i> <b>2012,</b> 27, 3310-3318	7.2 64
1368	. <i>IEEE Transactions on Power Electronics,</i> <b>2012,</b> 27, 276-283	7.2 94
1367	Single DC-link cascaded H-bridge multilevel multistring photovoltaic energy conversion system with inherent balanced operation. <b>2012,</b>	44

1366	Control and Circuit Techniques to Mitigate Partial Shading Effects in Photovoltaic Arrays. <b>2012</b> , 2, 532-546		304
1365	Decoupled sliding mode control for three-phase LCL VSI operating at fixed switching frequency. <b>2012</b> ,		3
1364	Stator Current Harmonic Control With Resonant Controller for Doubly Fed Induction Generator. <i>IEEE Transactions on Power Electronics</i> , <b>2012</b> , 27, 3207-3220	7.2	208
1363	Power management of a hybrid PEMFC-PV and ultracapacitor for stand-alone and grid connected applications. <b>2012</b> ,		1
1362	Low cost transformer isolated boost half-bridge micro-inverter for single-phase grid-connected photovoltaic system. <b>2012</b> ,		25
1361	. <b>2012</b> , 59, 964-978		49
1360	An islanding microgrid reactive power sharing scheme enhanced by programmed virtual impedances. <b>2012</b> ,		2
1359	New chaotic phenomena occurring during voltage sags in small wind turbine systems based on back-to-back converters. <b>2012</b> ,		
1358	An overview of power topologies for micro-hydro turbines. <b>2012</b> ,		21
1357	10 kW grid-connected three-phase inverter system: Control, simulation and experimental results. <b>2012</b> ,		8
1356	A seamless operation mode transition control strategy for a microgrid based on master-slave control. <b>2012</b> , 55, 1644-1654		32
1355	Modeling and control of photovoltaic energy conversion connected to the grid. <b>2012</b> , 6, 35-46		4
1354	Comparison among nonlinear excitation control strategies used for damping power system oscillations. <b>2012</b> , 53, 55-67		32
1353	An integrative approach to the design methodology for 3-phase power conditioners in Photovoltaic Grid-Connected systems. <b>2012</b> , 56, 80-95		34
1352	Control strategy for distributed integration of photovoltaic and energy storage systems in DC micro-grids. <b>2012</b> , 45, 96-110		94
1351	Microgrid Stability Characterization Subsequent to Fault-Triggered Islanding Incidents. <b>2012</b> , 27, 658-669		139
1350	An Educational Laboratory for Digital Control and Rapid Prototyping of Power Electronic Circuits. <b>2012</b> , 55, 263-270		23
1349	Comparision between symmetric & new model asymmetric Z-source cascaded multilevel inverter fed IM for selective harmonic minimization & THD reduction with PV Cell input. <b>2013</b> ,		

1348	Modeling and performance analysis of multilevel inverter for single-phase grid connected photovoltaic modules. <b>2013,</b>	3
1347	A Survey of Control Issues in PMSG-Based Small Wind-Turbine Systems. <b>2013, 9, 1211-1221</b>	139
1346	. <b>2013, 28, 452-459</b>	60
1345	New power electronics converter interfacing a DG system with hybrid dc/ac microgrid. <b>2013,</b>	0
1344	Intergrid: A Future Electronic Energy Network?. <b>2013, 1, 127-138</b>	146
1343	Single phase utility interactive Switched Boost Inverter for renewable energy based residential power applications. <b>2013,</b>	1
1342	Dual-input soft-switched DC-DC converter with isolated current-fed half-bridge and voltage-fed full-bridge for fuel cell or photovoltaic systems. <b>2013,</b>	2
1341	A MPPT vector control of electric network connected Wind Energy Conversion System employing PM Synchronous Generator. <b>2013,</b>	15
1340	Improvement of load-margin and bus voltage of Bangladesh power system with the penetration of PV based generation. <b>2013,</b>	3
1339	Zero voltage switching floating output high gain interleaved DC-DC converter. <b>2013,</b>	1
1338	An overview on doubly fed induction generators? controls and contributions to wind based electricity generation. <b>2013, 27, 692-708</b>	96
1337	Sliding-mode control of a transformer-less dual-stage grid-connected photovoltaic micro-inverter. <b>2013,</b>	6
1336	Low-voltage ride-through concept in flyback inverter-based alternating current photovoltaic modules. <b>2013, 6, 1436-1448</b>	42
1335	Series-connected T-type Inverters for single-phase grid-connected Photovoltaic Energy System. <b>2013,</b>	10
1334	Future on Power Electronics for Wind Turbine Systems. <b>2013, 1, 139-152</b>	525
1333	Improved Current Control of Three-Phase Grid-Connected Inverter Systems Under the Grid Voltage Distortions. <b>2013,</b>	1
1332	A single-phase to three-phase direct AC/AC modular multilevel cascade converter based on double-star bridge-cells (MMCC-DSBC). <b>2013,</b>	10
1331	. <b>2013, 28, 1082-1092</b>	56

1330	Advanced methods for the assessment of time varying waveform distortions caused by wind turbine systems. Part I: Teoretical aspects. <b>2013,</b>	2
1329	Power flow control of intertied ac microgrids. <b>2013, 6, 1329-1338</b>	29
1328	Grid integration of solar PV power using shunt connected VSC. <b>2013,</b>	4
1327	Maximum power point matching versus maximum power point tracking for solar generators. <b>2013, 19, 11-17</b>	20
1326	Control strategy for DC micro grid to supply AC loads. <b>2013,</b>	0
1325	Power electronics - Key technology for renewable energy systems - Status and future. <b>2013,</b>	35
1324	Micro-inverters in small scale PV systems: A review and future directions. <b>2013,</b>	19
1323	Parameter estimation of solar cells and modules using an improved adaptive differential evolution algorithm. <b>2013, 112, 185-193</b>	198
1322	Composite Nonlinear Feedback Control and Stability Analysis of a Grid-Connected Voltage Source Inverter With LCL Filter. <b>2013, 60, 5059-5074</b>	84
1321	Microgrid reactive and harmonic power sharing using enhanced virtual impedance. <b>2013,</b>	7
1320	Simulation for power generation related to variable wind speed using Matlab. <b>2013,</b>	
1319	Power electronics enabled energy management systems. <b>2013,</b>	3
1318	An improved current control scheme for grid-connected DG unit based distribution system harmonic compensation. <b>2013,</b>	3
1317	Risk Management Model of a Micro-Grid Wind Farm. <b>2013, 19, 1404-1417</b>	4
1316	. <b>2013,</b>	
1315	An adaptive Phase-Locked Loop algorithm for faster fault ride through performance of interconnected renewable energy sources. <b>2013,</b>	6
1314	Design and optimization of 99% CEC efficiency soft-switching photovoltaic inverter. <b>2013,</b>	17
1313	. <b>2013,</b>	1

1312	Evaluation of power losses in a short string of series-connected and parallel-connected photovoltaic modules for low power application. <b>2013,</b>	7
1311	Thermal analysis of two-level wind power converter under symmetrical grid fault. <b>2013,</b>	2
1310	A new control method for microgrid power management. <b>2013,</b>	5
1309	Evaluation and enhancement of dynamic performance of a microgrid including PV and wind generation systems. <b>2013, 19, 201-219</b>	7
1308	Improving the voltage profile of a medium voltage grid using distributed generation units. <b>2013,</b>	2
1307	Energy storage system by means of improved thermal performance of a 3 MW grid side wind power converter. <b>2013,</b>	1
1306	Multi-modular cascaded DC-DC converter for HVDC grid connection of large-scale photovoltaic power systems. <b>2013,</b>	42
1305	An accurate autonomous islanding microgrid reactive power, imbalance power and harmonic power sharing scheme. <b>2013,</b>	3
1304	Thermal analysis of multi-MW two-level generator side converters with reduced common-mode-voltage modulation methods for wind turbines. <b>2013,</b>	
1303	On extending the energy balancing limit of multilevel cascaded H-bridge converters for large-scale photovoltaic farms. <b>2013,</b>	23
1302	Current distortion correction in dual buck photovoltaic inverter with a novel PWM modulation and control method. <b>2013,</b>	11
1301	Hybrid switch use for light load efficiency improvement of a power inverter for stand-alone residential renewable energy system. <b>2013,</b>	4
1300	Control of Single-Phase Grid-Connected Inverters With Nonlinear Loads. <b>2013, 60, 1384-1389</b>	53
1299	Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems. <b>2013, 60, 1367-1383</b>	129
1298	High Boost Ratio Hybrid Transformer DCDC Converter for Photovoltaic Module Applications. <i>IEEE Transactions on Power Electronics</i> , <b>2013, 28, 2048-2058</b>	7.2 85
1297	Simulation model linked PV inverter implementation utilizing dSPACE DS1104 controller. <b>2013, 57, 65-73</b>	14
1296	Half-Wave Cycloconverter-Based Photovoltaic Microinverter Topology With Phase-Shift Power Modulation. <i>IEEE Transactions on Power Electronics</i> , <b>2013, 28, 2700-2710</b>	7.2 41
1295	Analysis of induction generators and advanced power electronic converters for wind energy conversion technology. <b>2013,</b>	2

1294	Thermal behavior optimization in multi-MW wind power converter by reactive power circulation. <b>2013,</b>			1
1293	Modular multilevel converter for large-scale multistring photovoltaic energy conversion system. <b>2013,</b>			44
1292	An overview of inverter topologies for photovoltaic electrical energy. <b>2013,</b>			2
1291	Solid oxide fuel cell based grid connected operation. <b>2013,</b>			0
1290	An improved reactive power control strategy for inverters in microgrids. <b>2013,</b>			5
1289	Distributed secondary control for dc microgrid applications with enhanced current sharing accuracy. <b>2013,</b>			4
1288	Thermal Analysis of Multilevel Grid-Side Converters for 10-MW Wind Turbines Under Low-Voltage Ride Through. <b>2013,</b> 49, 909-921			41
1287	Control Scheme With Voltage Support Capability for Distributed Generation Inverters Under Voltage Sags. <i>IEEE Transactions on Power Electronics</i> , <b>2013,</b> 28, 5252-5262	7.2		105
1286	Small-Signal Modeling of Open-Loop PWM Z-Source Converter by Circuit-Averaging Technique. <i>IEEE Transactions on Power Electronics</i> , <b>2013,</b> 28, 1286-1296	7.2		81
1285	A Control Technique for Integration of DG Units to the Electrical Networks. <b>2013,</b> 60, 2881-2893			39
1284	A Family of Neutral Point Clamped Full-Bridge Topologies for Transformerless Photovoltaic Grid-Tied Inverters. <i>IEEE Transactions on Power Electronics</i> , <b>2013,</b> 28, 730-739	7.2		212
1283	Selective compensation of voltage harmonics in grid-connected microgrids. <b>2013,</b> 91, 211-228			37
1282	A New DC Anti-Islanding Technique of Electrolytic Capacitor-Less Photovoltaic Interface in DC Distribution Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2013,</b> 28, 1632-1641	7.2		54
1281	An Islanding Microgrid Power Sharing Approach Using Enhanced Virtual Impedance Control Scheme. <i>IEEE Transactions on Power Electronics</i> , <b>2013,</b> 28, 5272-5282	7.2		322
1280	Optimal Integration of Distributed Energy Storage Devices in Smart Grids. <b>2013,</b> 4, 985-995			179
1279	Reactive Power Control of Permanent-Magnet Synchronous Wind Generator With Matrix Converter. <b>2013,</b> 28, 575-584			45
1278	Topologies and control strategies of multi-functional grid-connected inverters for power quality enhancement: A comprehensive review. <b>2013,</b> 24, 223-270			208
1277	A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations. <b>2013,</b> 60, 3775-3783			24

1276	Double-port interface for small scale renewable sources integration. <b>2013,</b>			1
1275	Modular Power Electronics. <b>2013,</b> 429-467			
1274	. <i>IEEE Transactions on Power Electronics,</i> <b>2013,</b> 28, 4511-4524	7.2		47
1273	Soft-Switched Dual-Input DCDC Converter Combining a Boost-Half-Bridge Cell and a Voltage-Fed Full-Bridge Cell. <i>IEEE Transactions on Power Electronics,</i> <b>2013,</b> 28, 4897-4902	7.2		30
1272	Simple control strategy for inverter-based distributed generator to enhance microgrid stability in the presence of induction motor loads. <b>2013,</b> 7, 1155-1162			21
1271	Current-Fed DC/DC topology based inverter. <b>2013,</b>			6
1270	A grid side converter current controller for accurate current injection under normal and fault ride through operation. <b>2013,</b>			21
1269	New overall control strategy for wind energy conversion systems in MPPT and stall regions. <b>2013,</b>			7
1268	A high efficiency and reliability single-phase photovoltaic micro-inverter with high magnetics utilization for nonisolated AC-module applications. <b>2013,</b>			4
1267	Improvement the performance of switched-inductor Z-source inverter. <b>2013,</b>			5
1266	A recurrent neural approach for modeling non-reproducible behavior of PEM fuel cell stacks. <b>2013,</b>			3
1265	Smart DC Power Management System Based on Software-Configurable Power Modules. <i>IEEE Transactions on Power Electronics,</i> <b>2013,</b> 28, 1571-1586	7.2		49
1264	Interleaved boost-half-bridge dual-input DC-DC converter with a PWM plus phase-shift control for fuel cell applications. <b>2013,</b>			4
1263	. <i>IEEE Transactions on Power Electronics,</i> <b>2013,</b> 28, 221-233	7.2		61
1262	Cascade Cockcroft-Walton Voltage Multiplier Applied to Transformerless High Step-Up DCDC Converter. <b>2013,</b> 60, 523-537			123
1261	Hybrid Voltage and Current Control Approach for DG-Grid Interfacing Converters With LCL filters. <b>2013,</b> 60, 1797-1809			103
1260	. <i>IEEE Transactions on Power Electronics,</i> <b>2013,</b> 28, 314-324	7.2		76
1259	High-Efficiency DCDC Converter With Fast Dynamic Response for Low-Voltage Photovoltaic Sources. <i>IEEE Transactions on Power Electronics,</i> <b>2013,</b> 28, 706-716	7.2		33



1258	Mitigation of Low-Frequency Current Ripple in Fuel-Cell Inverter Systems Through Waveform Control. <i>IEEE Transactions on Power Electronics</i> , <b>2013</b> , 28, 779-792	7.2	134
1257	Interfacial microstructure between thick aluminium wires and aluminium alloy pads formed by ultrasonic bonding. <b>2013</b> , 18, 103-107		18
1256	Global Harmonic Current Rejection of Nonlinear Backstepping Control with Multivariable Adaptive Internal Model Principle for Grid-Connected Inverter under Distorted Grid Voltage. <b>2013</b> , 2013, 1-15		1
1255	Control Method for Reducing the THD of Grid Current of Three-Phase Grid-Connected Inverters Under Distorted Grid Voltages. <b>2013</b> , 13, 712-718		5
1254	Application of a C-Type Filter Based LCFL Output Filter to Shunt Active Power Filters. <b>2013</b> , 13, 1058-1069		17
1253	Application of Coordinated SOFC and SMES Robust Control for Stabilizing Tie-Line Power. <b>2013</b> , 6, 1902-1917		12
1252	Design and Implementation of Microgrid SCADA Platform. <b>2013</b> , 732-733, 1358-1364		2
1251	A Comprehensive Overview of Different Protection Schemes in Micro-Grids. <b>2013</b> , 14, 327-332		11
1250	An active damper for stabilizing power electronics-based AC systems. <b>2013</b> ,		5
1249	Design for reliability in power electronics in renewable energy systems †status and future. <b>2013</b> ,		15
1248	An algorithm for boost converter efficiency optimization. <b>2013</b> ,		3
1247	Modeling and analysis of harmonic resonance in a power electronics based AC power system. <b>2013</b> ,		7
1246	Thermal profile analysis of Doubly-Fed induction generator based wind power converter with air and liquid cooling methods. <b>2013</b> ,		6
1245	. <b>2013</b> ,		1
1244	The efficiency in interleaved structures based on VSI topologies. <b>2013</b> ,		0
1243	Multiple inverters modulation technique for photovoltaic systems. <b>2013</b> ,		1
1242	Resonance analysis in parallel voltage-controlled Distributed Generation inverters. <b>2013</b> ,		21
1241	A multi-port converter topology with simultaneous isolated and non-isolated outputs. <b>2013</b> ,		6

1240	Design and analysis of a high performance three-phase voltage source inverter based on fuzzy logic controller. <b>2013,</b>	1
1239	Practical Coupled Resonators in Domino Arrangements for Power Transmission and Distribution: Replacing Step-Down Power Transformers and Their Branches across the Power Grid. <b>2013, 2013, 1-25</b>	2
1238	Performance Analysis of a Shunt Compensator Controlled Using Modified Synchronous Reference Theory. <b>2014, 2014, 1-10</b>	
1237	An overview of power electronics applications in fuel cell systems: DC and AC converters. <b>2014, 2014, 103709</b>	13
1236	Multilevel multichannel interleaved AC-DC converter for high current applications. <b>2014,</b>	2
1235	. <b>2014,</b>	2
1234	A novel DC/DC converter for wind turbines with power quality using P-Q algorithm. <b>2014,</b>	
1233	A novel nonlinear current control technique for a grid-connected DC/AC inverter used in renewable energy power conditioning systems. <b>2014,</b>	0
1232	High power wind generator designs with less or no PMs: An overview. <b>2014,</b>	14
1231	Analyzing the effect of inverter efficiency improvement in wind turbine systems. <b>2014,</b>	3
1230	Hybrid current control of three-phase grid-connected converter for marine current power generation system. <b>2014,</b>	2
1229	Control of hybrid AC/DC microgrid under islanding operational conditions. <b>2014, 2, 223-232</b>	67
1228	High efficient power electronic inverter topology with SPWM technique for single phase transformerless utility interactive photovoltaic system. <b>2014,</b>	1
1227	Grid-connected control of high-speed permanent magnetic generator based on Z-source inverter. <b>2014,</b>	
1226	Harmonic stability assessment for multi-paralleled, grid-connected inverters. <b>2014,</b>	9
1225	A hierarchical control strategy of micro-grid based on grid-friendly distributed generation technology. <b>2014,</b>	
1224	The Control Algorithm of Three-Level NPC Inverter under Unbalanced Input Voltage Conditions. <b>2014,</b>	
1223	Control of a 19 level cascaded H-bridge multilevel converter photovoltaic system. <b>2014,</b>	3

1222	Impedance-source galvanically isolated DC/DC converters: State of the art and future challenges. <b>2014,</b>	9
1221	Improved power quality control strategy for distributed generation systems. <b>2014,</b>	1
1220	Improvement of High-Current Density PCB Design With PSU Load Balance and Redundancy on a High End Server System. <b>2014,</b> 37, 203-211	1
1219	Simulation of a-Si PV system linked to the grid by DC-DC boost and two-level converter. <b>2014,</b>	3
1218	Novel family of quasi-Z-source DC/DC converters derived from current-fed push-pull converters. <b>2014,</b>	10
1217	A high step-up converter based on switched-capacitor voltage accumulator. <b>2014,</b>	3
1216	Dynamics and Control of Lateral Tower Vibrations in Offshore Wind Turbines by Means of Active Generator Torque. <b>2014,</b> 7, 7746-7772	51
1215	Soft switched coupled inductor based high step up converter for distributed energy resources. <b>2014,</b>	3
1214	An Improved Fuzzy Logic Controller Design for PV Inverters Utilizing Differential Search Optimization. <b>2014,</b> 2014, 1-14	22
1213	Power management in dc-grid through two-input dc-dc converter. <b>2014,</b>	1
1212	Thermal impedance model of high power IGBT modules considering heat coupling effects. <b>2014,</b>	22
1211	Reactive power requirements for cascaded H-Bridge photovoltaic systems. <b>2014,</b>	2
1210	Evaluation of current stresses in nine-switch energy conversion systems. <b>2014,</b> 7, 2877-2886	11
1209	Optimized design of damped proportional-resonant controllers for grid-connected inverters through genetic algorithm. <b>2014,</b>	1
1208	. <b>2014,</b>	3
1207	Distribution System Harmonic Compensation Methods: An Overview of DG-Interfacing Inverters. <b>2014,</b> 8, 18-31	95
1206	Modeling and Simulation of Wind Shear and Tower Shadow on Wind Turbines. <b>2014,</b> 17, 471-477	12
1205	Enhanced torque control in a DFIG connected to a DC grid by a diode rectifier. <b>2014,</b>	4

1204	Non-isolated multi-input single-output DC/DC converter for photovoltaic power generation systems. <b>2014</b> , 7, 2806-2816	111
1203	Y-source impedance-network-based isolated boost DC/DC converter. <b>2014</b> ,	6
1202	Transformerless full bridge neutral point clamped inverter topology for renewable energy sources. <b>2014</b> ,	
1201	Magnetically coupled high-gain Y-source isolated DC/DC converter. <b>2014</b> , 7, 2817-2824	22
1200	A Hybrid Resonant Converter Utilizing a Bidirectional GaN AC Switch for High-Efficiency PV Applications. <b>2014</b> , 50, 3468-3475	44
1199	On the derivation of control-to-output voltage of PWM current-mode controlled modular DC-DC converters: A PSIM-supported proof. <b>2014</b> ,	0
1198	PV System with Maximum Power Point Tracking: Modeling, Simulation and Experimental Results. <b>2014</b> , 17, 495-501	2
1197	Optimal zero sequence injection in multilevel cascaded H-bridge converter under unbalanced photovoltaic power generation. <b>2014</b> ,	16
1196	A systematic method to synthesize new transformerless full-bridge grid-tied inverters. <b>2014</b> ,	5
1195	Input current ripple cancellation of current-fed switched inverter. <b>2014</b> ,	6
1194	Introduction to Renewable Energy Systems. <b>2014</b> , 3-40	1
1193	Solid State Transformer Interface Based on Multilevel Inverter for Fuel Cell Power Generation and Management. <b>2014</b> , 15, 485-500	1
1192	Design for Reliability of Power Electronics in Renewable Energy Systems. <b>2014</b> , 295-338	3
1191	Comparative Analysis of Inverter Topology for Highly Efficient Single-Phase Photovoltaic Generation System. <b>2014</b> , 1070-1072, 20-23	
1190	Pole-modulated PM direct-drive generator for wave energy conversion. <b>2014</b> ,	4
1189	An improved power sharing control scheme of distributed generation converters in microgrid. <b>2014</b> ,	0
1188	A novel frequency restoring strategy of hydro-PV hybrid microgrid. <b>2014</b> ,	0
1187	Design and development of controller for PMSG based Wind Energy Conversion system. <b>2014</b> ,	4

1186	Adaptive notch filter based synchronization technique for integration of distributed generation systems to utility grid. <b>2014,</b>		9
1185	Impedance Modeling and Analysis of Grid-Connected Voltage-Source Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 1254-1261	7.2	565
1184	Adaptive Vectorial Filter for Grid Synchronization of Power Converters Under Unbalanced and/or Distorted Grid Conditions. <b>2014</b> , 61, 1355-1367		101
1183	Performance improvement in an Indian wind farm by implementing design modifications in yaw and hub hydraulic systemsA case study. <b>2014</b> , 32, 67-75		6
1182	Modelling, simulation and experimental verification for renewable agents connected to a distorted utility grid using a Real-Time Digital Simulation Platform. <b>2014</b> , 84, 108-121		14
1181	H6 Transformerless Full-Bridge PV Grid-Tied Inverters. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 1229-1238	7.2	233
1180	. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 603-616	7.2	42
1179	. <b>2014</b> , 50, 433-440		36
1178	An Improved Droop Control Method for DC Microgrids Based on Low Bandwidth Communication With DC Bus Voltage Restoration and Enhanced Current Sharing Accuracy. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 1800-1812	7.2	582
1177	. <b>2014</b> , 5, 683-692		252
1176	Active Harmonic Filtering Using Current-Controlled, Grid-Connected DG Units With Closed-Loop Power Control. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 642-653	7.2	147
1175	Investigation of the Dynamic Stability of Microgrid. <b>2014</b> , 29, 698-706		122
1174	Stator Frequency Regulation in a Field-Oriented Controlled DFIG Connected to a DC Link. <b>2014</b> , 61, 5930-5939		63
1173	Power converters and control of wind energy conversion systems. <b>2014</b> ,		1
1172	Inner Control Method and Frequency Regulation of a DFIG Connected to a DC Link. <b>2014</b> , 29, 435-444		38
1171	Power control for grid connected applications based on the phase shifting of the inverter output voltage with respect to the grid voltage. <b>2014</b> , 57, 250-260		31
1170	Modeling and control of microgrid: An overview. <b>2014</b> , 351, 2822-2859		143
1169	. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 3318-3329	7.2	213

1168	Reference voltage optimizer for maximum power point tracking in triphase grid-connected photovoltaic systems. <b>2014</b> , 60, 293-301		22
1167	Coordinated Control of Grid-Connected Photovoltaic Reactive Power and Battery Energy Storage Systems to Improve the Voltage Profile of a Residential Distribution Feeder. <b>2014</b> , 10, 967-977		221
1166	Distributed charge/discharge control of energy storages in a renewable-energy-based DC micro-grid. <b>2014</b> , 8, 45-57		119
1165	. <b>2014</b> , 61, 4680-4690		114
1164	Distributed PV-battery architectures with reconfigurable power conversion units. <b>2014</b> ,		5
1163	A wind energy conversion system with enhanced power harvesting capability for low cut-in speeds. <b>2014</b> ,		
1162	Modeling and Analysis of Harmonic Stability in an AC Power-Electronics-Based Power System. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 6421-6432	7.2	452
1161	. <b>2014</b> , 2, 97-114		433
1160	Experimental Verification of a Modular Multilevel Cascade Inverter Based on Double-Star Bridge Cells. <b>2014</b> , 50, 509-519		87
1159	Overview of power inverter topologies and control structures for grid connected photovoltaic systems. <b>2014</b> , 30, 796-807		152
1158	A general wireless strategy for load sharing among dissimilar paralleled inverters. <b>2014</b> ,		
1157	Single phase grid-connected PV inverter applying a boost coupled inductor. <b>2014</b> ,		
1156	Harmonic mitigation performance of the power inverter based DG in a AC microgrid. <b>2014</b> ,		
1155	Reduced cost of reactive power in doubly fed induction generator wind turbine system with optimized grid filter. <b>2014</b> ,		1
1154	Analysis and implementation of a high boost DC-DC converter for renewable energy power systems. <b>2014</b> ,		1
1153	Single-Phase Grid Voltage Attributes Tracking for the Control of Grid Power Converters. <b>2014</b> , 2, 1041-1048		29
1152	Thermal behavior of doubly-fed induction generator wind turbine system during balanced grid fault. <b>2014</b> ,		2
1151	Supervisory control for interleaved boost converters using HiLeS-designer. <b>2014</b> ,		2

1150	A simulation of integrated photovoltaic conversion into electric grid. <b>2014</b> , 110, 578-594		8
1149	A System-Level Control Strategy of Photovoltaic Grid-Tied Generation Systems for European Efficiency Enhancement. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 3445-3453	7.2	34
1148	Application of a digital ANF-based power processor for micro-grids power quality enhancement. <b>2014</b> ,		4
1147	Effective dspace inverter controller for PV application. <b>2014</b> ,		3
1146	Control Scheme for a Single-Phase Grid-Tied Voltage Source Converter With Reduced Number of Sensors. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 3758-3765	7.2	18
1145	Optimal geometric control of Dc microgrids. <b>2014</b> ,		1
1144	Modeling and control of flexible HEV charging station upgraded with flywheel energy storage. <b>2014</b> ,		3
1143	Boost-Derived Hybrid Converter With Simultaneous DC and AC Outputs. <b>2014</b> , 50, 1082-1093		76
1142	Cascaded dual buck inverter with sensorless current control method for grid connected photo voltaic systems. <b>2014</b> ,		0
1141	Operating and Loading Conditions of a Three-Level Neutral-Point-Clamped Wind Power Converter Under Various Grid Faults. <b>2014</b> , 50, 520-530		36
1140	A comparative study on characteristics of major topologies of voltage source multilevel inverters. <b>2014</b> ,		7
1139	Optimal Sizing and Siting of Distributed Generators by a Weighted Exhaustive Search. <b>2014</b> , 42, 1131-1142		14
1138	Reduction of waveform distortion in grid-injection current from single-phase utility interactive PV-inverter. <b>2014</b> , 85, 212-226		6
1137	Photovoltaic plant with reduced output current harmonics using generation-side active power conditioner. <b>2014</b> , 8, 817-826		21
1136	A review of the state of the art of generators and power electronics for wind energy conversion systems. <b>2014</b> ,		8
1135	Power electronics - The key technology for Renewable Energy Systems. <b>2014</b> ,		15
1134	High efficient power modules for dispersed generation units using reverse blocking IGBTs. <b>2014</b> ,		
1133	Adaptive-frequency Resonant Harmonic-Compensator structure for a 3-phase grid-connected photovoltaic system. <b>2014</b> , 87, 328-337		11

1132	Rapid prototyping of power electronics converters for photovoltaic system application using Xilinx System Generator. <b>2014</b> , 7, 2269-2278	47
1131	Matrix converter interfaces two three-phase AC systems as a component of smart-grid. <b>2014</b> ,	
1130	Operation and design issues of a doubly fed induction generator stator connected to a dc net by a diode rectifier. <b>2014</b> , 8, 310-319	37
1129	Transformerless DC/AC Converter for Grid-Connected PV Power Generation System. <b>2014</b> , 39, 7945-7956	5
1128	. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 6319-6331	7.2 291
1127	Elimination of Harmonics in a Modular Multilevel Converter Using Particle Swarm Optimization-Based Staircase Modulation Strategy. <b>2014</b> , 61, 5311-5322	70
1126	Comparative analysis of LCL filter with active and passive damping methods for grid-interactive inverter system. <b>2014</b> ,	2
1125	Repetitive controller for improving grid-connected photovoltaic systems. <b>2014</b> , 7, 1466-1474	36
1124	Microgrid frequency regulation using wind turbine controls. <b>2014</b> ,	6
1123	Fuzzy logic controlled MPPT assisted PV-FC power generation for motor driven water pumping system. <b>2014</b> ,	10
1122	Performance study of a synchronization algorithm for a 3-phase photovoltaic grid-connected system under harmonic distortions and unbalances. <b>2014</b> , 116, 252-265	23
1121	An active damping method based on biquad digital filter for parallel grid-interfacing inverters with LCL filters. <b>2014</b> ,	9
1120	An active damper to suppress multiple resonances with unknown frequencies. <b>2014</b> ,	14
1119	Exergetic life cycle assessment of a grid-connected, polycrystalline silicon photovoltaic system. <b>2014</b> , 19, 1716-1732	9
1118	Grid current control methods by using compensation voltages under distorted and unbalanced grid voltages. <b>2014</b> ,	1
1117	A hybrid resonant converter utilizing a bidirectional GaN AC switch for high-efficiency PV applications. <b>2014</b> ,	10
1116	Flexible Microgrid Power Quality Enhancement Using Adaptive Hybrid Voltage and Current Controller. <b>2014</b> , 61, 2784-2794	113
1115	A Bidirectional-Switch-Based Wide-Input Range High-Efficiency Isolated Resonant Converter for Photovoltaic Applications. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 3473-3484	7.2 115



1114	. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 5157-5171	7.2	33
1113	Maximum Power Extraction From a Partially Shaded PV Array Using Shunt-Series Compensation. <b>2014</b> , 4, 1128-1137		42
1112	. <b>2014</b> , 2, 949-961		22
1111	Fundamental impedance identification method for grid-connected voltage source inverters. <b>2014</b> , 7, 1099-1105		16
1110	High Power Electronics: Key Technology for Wind Turbines. <b>2014</b> , 136-159		6
1109	Photovoltaic Energy Conversion Systems. <b>2014</b> , 160-198		9
1108	Hysteresis current control technique of VSI for compensation of grid-connected unbalanced loads. <b>2014</b> , 96, 27-35		12
1107	Low-Order Dominant Harmonic Estimation Using Adaptive Wavelet Neural Network. <b>2014</b> , 61, 428-435		60
1106	Modulation Methods for Neutral-Point-Clamped Wind Power Converter Achieving Loss and Thermal Redistribution Under Low-Voltage Ride-Through. <b>2014</b> , 61, 835-845		107
1105	Supervisory Control of an Adaptive-Droop Regulated DC Microgrid With Battery Management Capability. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 695-706	7.2	477
1104	Modified hysteresis current-controlled PWM strategy for Single phase grid connected inverters. <b>2015</b> ,		0
1103	Performance comparison of hysteresis and resonant current controllers for a Multifunctional Grid Connected Inverter. <b>2015</b> ,		
1102	Current-fed two-inductor bi-directional DC/DC converter with wide output voltage range. <b>2015</b> ,		2
1101	. <b>2015</b> ,		3
1100	Design and validation of SVPWM algorithm for thermal protection of T-type three-level inverters. <b>2015</b> ,		7
1099	Loss analysis of current-fed two inductor bi-directional DC-DC converter using resonance. <b>2015</b> ,		
1098	Analysis on the harmonics and inter-harmonics of a variable speed wind turbine. <b>2015</b> , 7, 043132		1
1097	Analysis of oscillation modes in a VSC-HVDC system. <b>2015</b> ,		

1096	An accurate deadbeat control method for grid-tied converter using weighted average current sensing. <b>2015,</b>	1
1095	Global synchronous pulse width modulation of distributed inverters. <b>2015,</b>	4
1094	Study on Harmonic Current Detection in Grid-Connected PV Generation Systems. <b>2015,</b>	1
1093	Interconnection of microgrid with utility grid at distribution level using power electronic converter system. <b>2015,</b>	
1092	Design of a multistage 0.1/12 kV DC-DC matrix converter using Cockcroft-Walton voltage multiplier topology. <b>2015,</b>	
1091	Battery-ultracapacitor storage devices to mitigate power fluctuations for grid connected PV system. <b>2015,</b>	8
1090	Study on harmonic and reactive current detection in grid-connected PV Power stations. <b>2015,</b>	0
1089	Converters for Distributed Power Generation Systems. <b>2015,</b> 1-14	
1088	A series-LC-filtered active damper for ac power electronics based power systems. <b>2015,</b>	0
1087	Hybrid double flying capacitor multicell converter for renewable energy integration. <b>2015,</b>	1
1086	. <b>2015,</b> 103, 740-788	413
1085	Control Methods for Microgrids. <b>2015,</b> 89-157	
1084	A three-phase NPC grid-connected inverter for photovoltaic applications using neural network MPPT. <b>2015,</b> 49, 1171-1179	52
1083	Stand Alone Performance of Permanent Magnet Synchronous Wind Power Generator with Current Source Matrix Converter. <b>2015,</b> 43, 1018-1027	2
1082	. <b>2015,</b> 62, 7228-7236	84
1081	A MOSFET transformerless inverter with reactive power capability for micro-inverter applications. <b>2015,</b>	2
1080	Atomic origin of high-temperature electron trapping in metal-oxide-semiconductor devices. <b>2015,</b> 106, 143504	18
1079	A novel approach for fuzzy logic PV inverter controller optimization using lightning search algorithm. <b>2015,</b> 168, 435-453	28

1078	New ESPRIT-based method for an efficient assessment of waveform distortions in power systems. <b>2015</b> , 122, 130-139	12
1077	A novel 3D thermal impedance model for high power modules considering multi-layer thermal coupling and different heating/cooling conditions. <b>2015</b> ,	10
1076	A novel adaptive current harmonic control strategy applied in multifunctional single-phase solar inverters. <b>2015</b> ,	3
1075	Impedance analysis of control modes in cascaded converter. <b>2015</b> ,	
1074	Passivity enhancement of grid-tied converter by series LC-filtered active damper. <b>2015</b> ,	4
1073	The control strategy of interleaved full-bridge inverter with a common DC-bus. <b>2015</b> ,	0
1072	Suppressing the effect of the DC-link voltage ripple on the current control of a sliding-mode controlled microinverter. <b>2015</b> ,	4
1071	Methodology for optimal bus placement to integrate wind farm optimizing power flows. <b>2015</b> ,	0
1070	Current sensorless maximum power point tracking in a cascaded h-bridge photovoltaic power system. <b>2015</b> ,	1
1069	Modeling and control of distributed generation under distorted and unbalanced conditions. <b>2015</b> ,	
1068	Coordinated secondary control for balanced discharge rate of energy storage system in islanded microgrids. <b>2015</b> ,	5
1067	Short circuit study of fixed speed wind turbines with STATCOM in distribution networks. <b>2015</b> ,	2
1066	Minimum variance adaptive speed estimation technique for vector control of Doubly Fed Induction Generator. <b>2015</b> ,	5
1065	Quasi-Y-source inverter. <b>2015</b> ,	6
1064	Trans-inverse ( $T_{x1}$ ) high step-up DC-DC converter. <b>2015</b> ,	
1063	Achieving high efficiency using SiC MOSFETs and reduced output filter for grid-connected V2G inverter. <b>2015</b> ,	9
1062	Research on the multi-function equipment of custom power park. <b>2015</b> ,	
1061	Derivation of a global model of a two-stage photovoltaic microinverter using sliding-mode control. <b>2015</b> ,	2

1060	Performance analysis of global synchronous pulsewidth modulation for distributed inverters. <b>2015,</b>	7
1059	Switched-capacitor/switched-inductor $\pi$ k-derived hybrid converter for nanogrid applications. <b>2015,</b>	2
1058	PV architectures for DC microgrids using buck or boost exclusive microconverters. <b>2015,</b>	3
1057	Reliability enhancement of multilevel inverters through SVPWM-based thermal management methodology. <b>2015,</b>	4
1056	Managed DC voltage utilization technique for the renewable energy source based on the star-connected cascaded H-bridges converter. <b>2015,</b>	6
1055	A network delay-based sensitivity analysis of information-embedded power electronic converter systems. <b>2015,</b>	1
1054	Duty cycle-based three-level space-vector pulse-width modulation with overmodulation and neutral-point balancing capabilities for three-phase neutral-point clamped inverters. <b>2015, 8, 1931-1940</b>	20
1053	A Modular Single-phase Multistring Multilevel Inverter Topology for Distributed Energy Resources. <b>2015, 21, 569-574</b>	2
1052	Fault analysis on conventional parallel inverter systems. <b>2015,</b>	
1051	Full soft-switching bidirectional current-fed DC-DC converter. <b>2015,</b>	11
1050	Modeling of 1.6 kWp single-phase grid-connected photovoltaic system. <b>2015,</b>	1
1049	Design and Implementation of LLC Resonant Converter for Photovoltaic Battery Charging Application. <b>2015, 785, 101-105</b>	
1048	A modulation scheme for a 3L-NPC converter in transformerless PV applications. <b>2015,</b>	2
1047	Ramp control of active power electronics loads in microgrid. <b>2015,</b>	1
1046	Integrated hybrid output converter as power router for renewable-based nanogrids. <b>2015,</b>	5
1045	Electrical energy recovery from network water pressure. <b>2015,</b>	3
1044	Voltage sensorless predictive direct power control for renewable energy integration under grid fault conditions. <b>2015,</b>	2
1043	Enhancement of the stability and the transient response of inverter based DG unit in isolated micro-grids. <b>2015,</b>	

1042	On determining the control techniques embedded in a commercial single-phase grid-tied PV inverter. <b>2015,</b>		
1041	Selective operation of three-level NPC inverter based on synchronous reference frame method supplying nonlinear loads in microgrid system. <b>2015,</b>		2
1040	Influence of modulation method on using LC-traps with single-phase voltage source inverters. <b>2015</b>		2
1039	A high-efficiency hybrid series resonant DC-DC converter with boost converter as secondary for photovoltaic applications. <b>2015,</b>		6
1038	Analysis on controller of grid-connected inverter by using virtual circuit. <b>2015,</b>		5
1037	. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 6604-6616	7.2	14
1036	Air-Gap Power-Based Sensorless Control in a DFIG Connected to a DC Link. <b>2015</b> , 30, 367-375		22
1035	Single phase transformerless inverter topologies for grid-tied photovoltaic system: A review. <b>2015</b> , 45, 69-86		135
1034	Study and Handling Methods of Power IGBT Module Failures in Power Electronic Converter Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 2517-2533	7.2	319
1033	Virtual-Impedance-Based Control for Voltage-Source and Current-Source Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 7019-7037	7.2	277
1032	AC/AC power electronic converters without DC energy storage: A review. <b>2015</b> , 92, 483-497		31
1031	Proportional-Resonant Current Controllers Design Based on Desired Transient Performance. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 5341-5345	7.2	96
1030	Grid-integrated permanent magnet synchronous generator based wind energy conversion systems: A technology review. <b>2015</b> , 51, 1288-1305		111
1029	Photovoltaic inverters technology. <b>2015,</b>		
1028	Soft-Switching DC/DC Converter for Distributed Energy Sources With High Step-Up Voltage Capability. <b>2015</b> , 62, 7039-7050		80
1027	Power Electronic Drives, Controls, and Electric Generators for Large Wind Turbines—An Overview. <b>2015</b> , 43, 1406-1421		30
1026	Renewable Energy Devices and Systems [State-of-the-Art Technology, Research and Development, Challenges and Future Trends. <b>2015</b> , 43, 1319-1328		63
1025	Multilevel operation of a PV fed grid connected current fed inverter under equal and unequal DC link currents. <b>2015,</b>		

1024	Galvanically isolated quasi-Z-source DC-DC converters with combined energy transfer for renewable energy sources integration. <b>2015,</b>	7
1023	Photovoltaic multi-level inverters technology. <b>2015,</b>	6
1022	Hybrid double flying capacitor multicell converter and its application in grid-tied renewable energy resources. <b>2015, 9, 947-956</b>	15
1021	Control strategies of grid interfaced wind energy conversion system: An overview. <b>2015, 47, 983-996</b>	68
1020	Some advanced parametric methods for assessing waveform distortion in a smart grid with renewable generation. <b>2015, 2015,</b>	5
1019	A Self-Sensing Stator-Current-Based Control System of a DFIG Connected to a DC-Link. <b>2015, 62, 6140-6150</b>	29
1018	Double synchronous frame current regulation of distributed generation systems under unbalanced voltage conditions without sequence current separation. <b>2015,</b>	2
1017	Stationary-frame-based generalized control diagram for PWM AC-DC front-end converters with unbalanced grid voltage in renewable energy systems. <b>2015,</b>	3
1016	Harmonics mitigation of dead time effects in PWM converters using a repetitive controller. <b>2015,</b>	21
1015	Photovoltaic single-stage grid tied inverter with One-Cycle Control. <b>2015,</b>	2
1014	Smooth mode transition of A DC bus voltage controlled PV inverter using a novel phase locked loop method. <b>2015,</b>	4
1013	Comprehensive dynamic analysis of photovoltaic generator interfacing DCDC boost power stage. <b>2015, 9, 306-314</b>	34
1012	Grid-Connected Photovoltaic Systems: An Overview of Recent Research and Emerging PV Converter Technology. <b>2015, 9, 47-61</b>	570
1011	Control and synchronization algorithms for a grid-connected photovoltaic system under harmonic distortions, frequency variations and unbalances. <b>2015, 80, 380-395</b>	7
1010	Multi-functional distributed generation unit for power quality enhancement. <b>2015, 8, 467-476</b>	22
1009	A Rotating Speed Controller Design Method for Power Leveling by Means of Inertia Energy in Wind Power Systems. <b>2015, 30, 1052-1060</b>	13
1008	Reduced Cost of Reactive Power in Doubly Fed Induction Generator Wind Turbine System With Optimized Grid Filter. <i>IEEE Transactions on Power Electronics</i> , <b>2015, 30, 5581-5590</b>	7.2 47
1007	Management & control of hybrid power system. <b>2015,</b>	0

1006	Three-Phase power flow controler with AC/AC converter based on matrix-reactance chopper. <b>2015,</b>	1
1005	Boost Derived Hybrid Converter implementation using fuzzy controller. <b>2015,</b>	0
1004	Phase shifted maximum power point tracking in a cascaded H-Bridge photovoltaic power system. <b>2015,</b>	1
1003	Direct impedance control of grid-connected inverter. <b>2015,</b>	0
1002	A universal controller for grid-connected and autonomous operation of three-phase DC/AC converters. <b>2015,</b>	5
1001	Interaction and aggregated modeling of multiple paralleled inverters with LCL filter. <b>2015,</b>	13
1000	Fuel-cell energy processing using a quadratic boost converter for high conversion ratios. <b>2015,</b>	3
999	Controller design for three-phase inverter with power unbalanced loads applied in microgrids. <b>2015</b>	2
998	Communication-less harmonic compensation in a multi-bus microgrid through autonomous control of distributed generation grid-interfacing converters. <b>2015, 3, 597-609</b>	8
997	Multipurpose Power Converter for Non-Grid-Connected Microsystems. <b>2015, 16, 165-179</b>	0
996	Simple digital current control strategy for single-phase grid-connected converters. <b>2015, 8, 245-254</b>	6
995	Design and control of a quasi-Z-source inverter based for wind power generation using PMSG. <b>2015</b>	5
994	Simulation and Hardware Development of a New Electronic Simulator of Photovoltaic Generators. <b>2015, 43, 2223-2233</b>	1
993	Power quality enhancement using Distributed Generation inverters with active power control. <b>2015</b>	0
992	2D nanosheet molybdenum disulphide (MoS <sub>2</sub> ) modified electrodes explored towards the hydrogen evolution reaction. <b>2015, 7, 18152-68</b>	93
991	Benchmarking of phase locked loop based synchronization techniques for grid-connected inverter systems. <b>2015,</b>	25
990	Impedance coordinative control for cascaded converter in bidirectional application. <b>2015,</b>	2
989	The impact of line resistance on load sharing and an improved droop control of DC microgrid. <b>2015,</b>	4

988	AC voltage transforming circuits in power systems. <b>2015,</b>			1
987	Current fed switched inverter with improved modulation index. <b>2015,</b>			
986	Hybrid converter based on $\pi$ k topology to supply both AC and DC loads. <b>2015,</b>			1
985	Introduction. <b>2015,</b> 3-45			0
984	State space modeling and stability assessment for a microgrid. <b>2015,</b>			2
983	Sliding mode control for improving the performance of PV inverter with MPPT [A comparison between SM and PI control. <b>2015,</b>			5
982	A comparison study between series resonant and zero-voltage-resonant-transition DC-DC converters. <b>2015,</b>			2
981	Improvement of DC and AC side performance of renewable source inverters under fault conditions. <b>2015,</b>			1
980	A Simple Differential Mode EMI Suppressor for the $\$LLCL\$$ -Filter-Based Single-Phase Grid-Tied Transformerless Inverter. <b>2015,</b> 62, 4141-4147			24
979	A Series-LC-Filtered Active Damper With Grid Disturbance Rejection for AC Power-Electronics-Based Power Systems. <i>IEEE Transactions on Power Electronics,</i> <b>2015,</b> 30, 4037-4041	7.2		52
978	An Adaptive Tuning Mechanism for Phase-Locked Loop Algorithms for Faster Time Performance of Interconnected Renewable Energy Sources. <b>2015,</b> 51, 1792-1804			36
977	A novel reference current generation strategy for multifunction DG-grid interface, using C-RLS algorithm. <b>2015,</b> 25, 2877-2896			4
976	Assessment and performance evaluation of DC-side interactions of voltage-source inverters interfacing renewable energy systems. <b>2015,</b> 1, 28-44			5
975	Y-Source Boost DC/DC Converter for Distributed Generation. <b>2015,</b> 62, 1059-1069			84
974	A Scheme for the Power Control in a DFIG Connected to a DC Bus via a Diode Rectifier. <i>IEEE Transactions on Power Electronics,</i> <b>2015,</b> 30, 1286-1296	7.2		40
973	Optimized Reactive Power Flow of DFIG Power Converters for Better Reliability Performance Considering Grid Codes. <b>2015,</b> 62, 1552-1562			63
972	A High-Efficiency MOSFET Transformerless Inverter for Nonisolated Microinverter Applications. <i>IEEE Transactions on Power Electronics,</i> <b>2015,</b> 30, 3610-3622	7.2		77
971	Control strategies for a hybrid renewable energy system: A review. <b>2015,</b> 42, 597-608			119



970	Torque Ripple Reduction in a DFIG-DC System by Resonant Current Controllers. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 4244-4254	7.2	62
969	Energy Sources. <b>2015</b> , 81-154		2
968	Intertied ac/dc microgrids with autonomous power import and export. <b>2015</b> , 65, 385-393		26
967	An Enhanced Islanding Microgrid Reactive Power, Imbalance Power, and Harmonic Power Sharing Scheme. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 3389-3401	7.2	230
966	Universal Integrated Synchronization and Control for Single-Phase DC/AC Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 1544-1557	7.2	64
965	Analysis of Phase-Locked Loop Low-Frequency Stability in Three-Phase Grid-Connected Power Converters Considering Impedance Interactions. <b>2015</b> , 62, 310-321		300
964	An Adaptive Droop DC-Bus Voltage Controller for a Grid-Connected Voltage Source Inverter With LCL Filter. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 547-560	7.2	64
963	. <b>2015</b> , 6, 104-114		35
962	A multiple-loop feedback control strategy suitable for different operation modes of microgrid. <b>2015</b> , 25, 1059-1074		4
961	Robust Sliding-Mode Control Design for a Voltage Regulated Quadratic Boost Converter. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 2313-2327	7.2	116
960	Modeling and Stability Analysis of Islanded DC Microgrids Under Droop Control. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 4597-4607	7.2	178
959	Control Methods and Objectives for Electronically Coupled Distributed Energy Resources in Microgrids: A Review. <b>2016</b> , 10, 446-458		98
958	A Nature-Inspired Optimization-Based Optimum Fuzzy Logic Photovoltaic Inverter Controller Utilizing an eZdsp F28335 Board. <b>2016</b> , 9, 120		18
957	Communication-Theoretic Model of Power Talk for a Single-Bus DC Microgrid. <b>2016</b> , 7, 18		2
956	2D molybdenum disulphide (2D-MoS <sub>2</sub> ) modified electrodes explored towards the oxygen reduction reaction. <b>2016</b> , 8, 14767-77		70
955	Multifunctional Capabilities of Grid Connected Distributed Generation System with Non-Linear Loads. <b>2016</b> , 18, 1537-1545		2
954	An isolated AC module for photovoltaic energy conversion. <b>2016</b> , 13, 1460-1466		2
953	Hybrid Split Pi converter. <b>2016</b> ,		3

952	Design of a proportional resonant controller for packed U cell 5 level inverter for grid-connected applications. <b>2016,</b>	12
951	Passivity enhancement by series LC filtered active damper with zero current reference. <b>2016,</b>	
950	A novel proposal of cooperation between a cage induction generator and the three-phase grid. <b>2016, 10, 00096</b>	
949	A high voltage gain current fed non-isolated dc-dc converter. <b>2016,</b>	3
948	Fault ride-through capability for grid-supporting inverters. <b>2016,</b>	2
947	A series-ZC-filtered active trap filter for high power voltage source inverter. <b>2016,</b>	1
946	Approaching repetitive short circuit tests on MW-scale power modules by means of an automatic testing setup. <b>2016,</b>	
945	A unified impedance model of voltage-source converters with phase-locked loop effect. <b>2016,</b>	19
944	Extended stable boundary of LCL-filtered grid-connected inverter based on an improved grid-voltage feedforward control. <b>2016,</b>	2
943	A series active damper with closed-loop control for stabilizing single-phase power-electronics-based power system. <b>2016,</b>	0
942	A survey on voltage boosting techniques for step-up DC-DC converters. <b>2016,</b>	13
941	Photovoltaic H6-type transformerless inverter topology. <b>2016,</b>	
940	Design of zero-voltage-switching three-phase grid inverter. <b>2016,</b>	1
939	Control of single phase power inverter using model predictive controller for grid integrated renewable energy systems. <b>2016,</b>	2
938	A nested control strategy for single phase power inverter integrating renewable energy systems in a microgrid. <b>2016,</b>	2
937	Power management in double-input DC/DC converter. <b>2016,</b>	1
936	Harmonic stability analysis of inverter-fed power systems using Component Connection Method. <b>2016,</b>	3
935	Robust control based on state observer applied to grid-connected converters. <b>2016,</b>	1

934	On-line Visualization and Long-Term Monitoring of a Single-Phase Photovoltaic Generator Using SCADA. <b>2016</b> , 295-307		2
933	Resonance identification and damping in AC-grids by means of multi MW grid converters. <b>2016</b> ,		3
932	Multilevel inverter configuration for standalone photovoltaic generation system using three phase two-level inverters. <b>2016</b> ,		0
931	Single-phase inverter for solar energy conversion controlled with DSpace DS1104. <b>2016</b> ,		1
930	An overheating-tolerant space vector modulation algorithm for multilevel inverters. <b>2016</b> , 11, S75-S83		5
929	Adaptive current control strategy based on system sensitivity for grid-connected LCL-filter inverter in weak grid. <b>2016</b> ,		1
928	Effects of large scale photovoltaic source on low voltage network under ambient disturbances and different distribution line distance. <b>2016</b> ,		
927	Linear quadratic optimal control of solar photovoltaic system: An experimental validation. <b>2016</b> , 8, 053502		5
926	Comparison and verification of boost control methods for full soft-switching bidirectional current-fed isolated full-bridge DC-DC converter. <b>2016</b> ,		0
925	Tracking performance oriented design of proportional-resonant controllers under finite control bandwidth and actuator delay. <b>2016</b> ,		2
924	Control loop interaction in parallel connected high frequency grid converters. <b>2016</b> ,		4
923	Couplings in Phase Domain Impedance Modeling of Grid-Connected Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 1-1	7.2	131
922	New Flying-Capacitor-Based Multilevel Converter With Optimized Number of Switches and Capacitors for Renewable Energy Integration. <b>2016</b> , 31, 846-859		29
921	Reduction of harmonics in grid-connected inverters using variable switching frequency. <b>2016</b> , 82, 242-251		15
920	Ultra-step-up DC-DC converter with integrated autotransformer and coupled inductor. <b>2016</b> ,		7
919	Electrochemical and Electrostatic Energy Storage and Management Systems for Electric Drive Vehicles: State-of-the-Art Review and Future Trends. <b>2016</b> , 4, 1117-1134		132
918	An autonomous power management strategy based on DC bus signaling for solid-state transformer interfaced PMSG wind energy conversion system. <b>2016</b> ,		5
917	Low leakage current single-phase PV inverters with universal neutral-point-clamping method. <b>2016</b> ,		4

916	Technical and economic analysis of different configurations of stand-alone hybrid renewable power systems [A case study. <b>2016</b> , 62, 941-953	49
915	Investigation of Parallel Active Filters[Limitations for Power Decoupling on Single-Stage/Single-Phase Microinverters. <b>2016</b> , 4, 1096-1106	16
914	Improvement of PV grid-tied inverters operation under asymmetrical fault conditions. <b>2016</b> , 133, 363-371	19
913	Analysis of Fast-Scale Bifurcation in Peak Current Controlled Buck-Boost Inverter Based on Unified Averaged Model. <b>2016</b> , 26, 1650074	13
912	Power electronics for potential distribution dc power evolution: A review. <b>2016</b> ,	2
911	Implementation of transformerless step - up converter and H6 inverter for single phase AC applications. <b>2016</b> ,	0
910	Indirect voltage regulation of double input Y-source DC-DC converter based on sliding mode control. <b>2016</b> ,	4
909	Multi-Modular Cascaded phase-shifted full-bridge converter for DC grid connection of Large-Scale Photovoltaic Power Systems. <b>2016</b> ,	
908	DC-link voltage stability analysis for single-stage photovoltaic VSIs connected to weak grid. <b>2016</b> ,	
907	Study and implementation of synchronization algorithm in three phase grid connected PV system. <b>2016</b> ,	2
906	Dynamic droop scheme considering effect of intermittent renewable energy source. <b>2016</b> ,	3
905	. <b>2016</b> , 4, 1342-1353	37
904	Dual mode control of inverter to integrate solar-wind hybrid fed DC-grid with distributed AC grid. <b>2016</b> ,	0
903	Control method for increasing efficiency of current-fed isolated bi-directional dual half-bridge converter using resonant switch. <b>2016</b> ,	
902	Direct microgrid harmonic current compensation and seamless operation mode transfer using coordinated triple-loop current-voltage-current controller. <b>2016</b> ,	6
901	Background and Current Status. <b>2016</b> , 1-19	2
900	Smart load distribution in AC µGrid: Operation and control. <b>2016</b> ,	
899	AC voltage sensors-less control strategies for dual-mode micro-grid interfacing converters. <b>2016</b> ,	

898	Three-phase power flow controller based on hybrid transformer with matrix converter. <b>2016,</b>	1
897	The frequency fluctuation impact analysis for droop controlled grid-connecting inverter in microgrid. <b>2016,</b>	
896	Laboratory model for design and verification of synchronous generator excitation control algorithms. <b>2016,</b>	1
895	A control method for stable operation of distributed generation resources with active power filter capability. <b>2016,</b>	4
894	Closed loop system of a flying capacitor multilevel inverter using POD-PWM. <b>2016,</b>	1
893	Cost effective design of bidirectional energy management topology. <b>2016,</b>	
892	. <b>2016,</b> 52, 5019-5028	25
891	On the design of proportional resonant controllers for single-phase grid-connected inverters. <b>2016,</b>	10
890	Zero-voltage switching galvanically isolated current-fed full-bridge DC-DC converter. <b>2016,</b>	4
889	PV microinverter topology based on phase shift power modulation technique using frequency conversion circuit. <b>2016,</b>	0
888	Modelling and Simulation of Hybrid Transformer Less Grid-tied Inverters for Dye Sensitized Photovoltaic System. <b>2016,</b> 85, 616-625	1
887	A novel current control strategy for three-phase grid-connected inverters. <b>2016,</b>	
886	Quad quadrant bidirectional DC/DC converter for electric vehicles with high gain voltage. <b>2016,</b>	0
885	. <b>2016,</b>	0
884	Hybrid damping adaptive control scheme for grid-connected inverters in a weak grid. <b>2016,</b> 9, 2760-2768	8
883	PV harmonic distribution analysis for various conditions. <b>2016,</b>	
882	Adaptive notch filter based multipurpose control scheme for grid-interfaced three-phase four-wire DG inverter. <b>2016,</b>	3
881	Loss distribution analysis of a three-port converter for low-power stand-alone light-to-light systems. <b>2016,</b>	1

880 . 2016,

879 Grid interconnection of distributed generation units at distribution level using feedback linearization technique. **2016**, 2

878 A low-voltage ride-through strategy for three-phase distributed generation inverters during voltage sags. **2016**,

877 Practical implementation of global synchronous pulse width modulation with time delay compensation and distributed calculation capabilities. **2016**, 1

876 Performance comparison of most prevalent wind energy conversion systems. **2016**, 4

875 Interconnection of renewables to the utility grid by three phase pulse width modulated voltage source inverter without phase locked loop. **2016**,

874 Development of 10 kW Three-Phase Grid Connected Inverter. **2016**, 57, 319-328 4

873 . **2016**, 52, 4084-4095 8

872 Self-synchronization operation of global synchronous pulsewidth modulation with communication fault tolerant and simplified calculation capabilities. **2016**, 6

871 A stability analysis and efficiency improvement of synchronverter. **2016**, 13

870 Three-phase multiple harmonic sequence detection based on Generalized Delayed Signal Superposition. **2016**, 1

869 Multiuser Communication Through Power Talk in DC MicroGrids. **2016**, 34, 2006-2021 18

868 Leakage current generation in view of circuit topology of non-isolated full-bridge neutral point clamped grid-tied photovoltaic inverters. **2016**, 9, 1571-1580 6

867 . **2016**, 4, 1397-1405 52

866 A proportional integral synthesis for a variable speed wind energy conversion system using a permanent magnet synchronous generator. **2016**, 8, 166-172

865 Multi-input Step-Up Converters Based on the Switched-Diode-Capacitor Voltage Accumulator. *IEEE Transactions on Power Electronics*, **2016**, 31, 381-393 7.2 53

864 . *IEEE Transactions on Power Electronics*, **2016**, 31, 675-687 7.2 507

863 . *IEEE Transactions on Power Electronics*, **2016**, 31, 452-460 7.2 38

862	. <b>2016</b> , 31, 2957-2964		10
861	Global synchronous discontinuous pulse width modulation method with fast calculation capability for distributed three-phase inverters. <b>2016</b> , 4, 103-112		2
860	Performance Analysis of a Variable-speed Wind and Fuel Cell-based Hybrid Distributed Generation System in Grid-connected Mode of Operation. <b>2016</b> , 44, 142-151		9
859	A comprehensive review of low-voltage-ride-through methods for fixed-speed wind power generators. <b>2016</b> , 55, 823-839		48
858	Advanced Accelerated Power Cycling Test for Reliability Investigation of Power Device Modules. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 1-1	7.2	71
857	A single phase photovoltaic inverter control for grid connected system. <b>2016</b> , 41, 15-30		23
856	Power decoupling strategy based on virtual negative resistor for inverters in low-voltage microgrids. <b>2016</b> , 9, 1037-1044		39
855	A Common Grounded Z-Source DC/DC Converter With High Voltage Gain. <b>2016</b> , 63, 2925-2935		53
854	Examination of the grid-connected polymer electrolyte membrane fuel cell's electrical behaviour and control. <b>2016</b> , 10, 388-398		9
853	Prototype development of an SPWM inverter for PV application on dSPACE platform. <b>2016</b> ,		
852	Optimal design of battery energy storage system for a wind/diesel off-grid power system in a remote Canadian community. <b>2016</b> , 10, 608-616		18
851	Global Synchronous Pulse Width Modulation of Distributed Inverters. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 31, 6237-6253	7.2	28
850	. <b>2016</b> , 7, 1088-1096		61
849	Stability Analysis and Dynamic Performance Evaluation of a Power Electronics-Based DC Distribution System With Active Stabilizer. <b>2016</b> , 4, 93-102		54
848	Generalized Predictive Current Control (GPCC) for Grid-Tie Three-Phase Inverters. <b>2016</b> , 63, 4475-4484		52
847	. <b>2016</b> , 12, 322-337		12
846	Power Converters and Control of Grid-Connected Photovoltaic Systems. <b>2016</b> , 497-504		1
845	Cost on Reliability and Production Loss for Power Converters in the Doubly Fed Induction Generator to Support Modern Grid Codes. <b>2016</b> , 44, 152-164		2

844	Distributed solar battery systems providing primary control reserve. <b>2016</b> , 10, 63-70		45
843	Sliding-Mode Control of PWM Dual Inverter-Based Grid-Connected PV System: Modeling and Performance Analysis. <b>2016</b> , 4, 435-444		83
842	A survey on the critical issues in smart grid technologies. <b>2016</b> , 54, 396-405		148
841	A Novel Pulse-Width Modulation Method for Reactive Power Generation on a CoolMOS- and SiC-Diode-Based Transformerless Inverter. <b>2016</b> , 63, 1539-1548		15
840	Hybrid Discontinuous/Boundary Conduction Mode of Flyback Microinverter for AC PV Modules. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 31, 4195-4205	7.2	43
839	A Measurement Method to Solve a Problem of Using DG Interfacing Converters for Selective Load Harmonic Filtering. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 31, 1852-1856	7.2	13
838	High-Efficiency Bidirectional DAB Inverter Using a Novel Hybrid Modulation for Stand-Alone Power Generating System With Low Input Voltage. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 31, 4138-4147	7.2	48
837	A novel optimizing power control strategy for centralized wind farm control system. <b>2016</b> , 86, 399-408		33
836	Control Strategy to Maximize the Power Capability of PV Three-Phase Inverters During Voltage Sags. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 31, 3314-3323	7.2	89
835	A control approach for the operation of DG units under variations of interfacing impedance in grid-connected mode. <b>2016</b> , 74, 1-8		11
834	Control of Single-Phase Power Converters Connected to Low-Voltage Distorted Power Systems With Variable Compensation Objectives. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 31, 2039-2052	7.2	38
833	. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 31, 2919-2936	7.2	28
832	Impedance-Based Analysis of Grid-Synchronization Stability for Three-Phase Paralleled Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 31, 26-38	7.2	260
831	A Series-Parallel Current-Driven Full-Bridge DC/DC Converter. <i>IEEE Transactions on Power Electronics</i> , <b>2016</b> , 31, 1275-1293	7.2	21
830	Control and Performance Analysis of a Single-Stage Utility-Scale Grid-Connected PV System. <b>2017</b> , 11, 1601-1611		49
829	Non-linear control of the output stage of a solar microinverter. <b>2017</b> , 90, 90-109		3
828	Resonance Interaction of Multiparallel Grid-Connected Inverters With LCL Filter. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 894-899	7.2	90
827	Comparison of reduced part count multilevel inverters (RPC-MLIs) for integration to the grid. <b>2017</b> , 84, 214-224		35



826	Deadbeat Weighted Average Current Control With Corrective Feed-Forward Compensation for Microgrid Converters With Nonstandard LCL Filter. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 2661-2674	7.2	25
825	Simultaneous Microgrid Voltage and Current Harmonics Compensation Using Coordinated Control of Dual-Interfacing Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 2647-2660	7.2	37
824	Passivity Enhancement of Grid-Tied Converters by Series LC-Filtered Active Damper. <b>2017</b> , 64, 369-379		31
823	. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 2427-2451	7.2	364
822	Modeling and Optimization of a Zero-Voltage Switching Inverter for High Efficiency and Miniaturization. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 150-163	7.2	18
821	. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 1138-1155	7.2	86
820	A Family of Neutral-Point-Clamped Circuits of Single-Phase PV Inverters: Generalized Principle and Implementation. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 4307-4319	7.2	35
819	Optimized hierarchical power oscillations control for distributed generation under unbalanced conditions. <b>2017</b> , 194, 343-352		49
818	Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 4140-4144	7.2	46
817	Power quality enhancement of single phase grid tied inverters with model predictive current controller. <b>2017</b> , 9, 015301		9
816	Modeling of Grid-Connected VSCs for Power System Small-Signal Stability Analysis in DC-Link Voltage Control Timescale. <b>2017</b> , 32, 3981-3991		140
815	A Concise Discrete Adaptive Filter for Frequency Estimation Under Distorted Three-Phase Voltage. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 9400-9412	7.2	17
814	An Active Trap Filter for Switching Harmonic Attenuation of Low-Pulse-Ratio Inverters. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 9078-9092	7.2	7
813	Mass-producible 2D-MoSe <sub>2</sub> bulk modified screen-printed electrodes provide significant electrocatalytic performances towards the hydrogen evolution reaction. <b>2017</b> , 1, 74-83		34
812	. <b>2017</b> , 53, 1358-1371		28
811	Grid connected Photovoltaic system. <b>2017</b> ,		9
810	. <b>2017</b> , 53, 4015-4027		46
809	Enhanced Performance of an Asynchronous Motor Drive with a New Modified Adaptive Neuro-Fuzzy Inference System-Based MPPT Controller in Interfacing with dSPACE DS-1104. <b>2017</b> , 19, 1950-1965		8

808	Modelling, simulation and experimentation of grid tied inverter for wind energy conversion systems. <b>2017,</b>	2
807	. <b>2017,</b>	6
806	Design and Test of Superconducting Magnet in a 50 kW Superconducting Synchronous Generator. <b>2017, 27, 1-7</b>	2
805	A novel transformerless photovoltaic grid-connected current source inverter with ground leakage current elimination. <b>2017,</b>	1
804	. <b>2017,</b>	3
803	Application of soft computing techniques for maximum power point tracking of SPV system. <b>2017, 141, 182-202</b>	45
802	Wind Energy Systems. <b>2017, 105, 2116-2131</b>	97
801	A semi-two-stage dual-buck transformerless PV grid-tied inverter. <b>2017,</b>	3
800	Comprehensive comparison of THD and common mode leakage current of bipolar, unipolar and hybrid modulation schemes for single phase grid connected full bridge inverters. <b>2017,</b>	7
799	Harmonic analysis and mitigation of low-frequency switching voltage source inverter with series LC filtered VSI. <b>2017,</b>	2
798	Comprehensive review of gate-controlled series capacitor and applications in electrical systems. <b>2017, 11, 1085-1093</b>	9
797	Generation cost minimization based distributed coordination control in DC microgrids. <b>2017,</b>	5
796	Modelling and control of an interface power converter for the operation of small diesel gen-sets in grid-connected and stand-alone modes. <b>2017, 150, 177-187</b>	9
795	Lifetime prediction of IGBT modules based on linear damage accumulation. <b>2017,</b>	3
794	. <b>2017, 53, 5014-5030</b>	127
793	Experimental Validation of Improved Control Strategy of Grid-interactive Power Converter for Wind Power System. <b>2017, 2, 1</b>	2
792	Passivity Enhancement in Renewable Energy Source Based Power Plant With Paralleled Grid-Connected VSIs. <b>2017, 53, 3793-3802</b>	33
791	. <b>2017, 32, 1090-1098</b>	25

790	Evolution of PV systems in Greece and review of applicable solutions for higher penetration levels. <b>2017</b> , 109, 487-499		43
789	Design and Implementation of a Sensorless Multilevel Inverter With Reduced Part Count. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 6677-6683	7.2	49
788	Integration and Management Technique of Renewable Energy Resources in Microgrid. <b>2017</b> , 393-421		5
787	Passivity-Based Stability Analysis and Damping Injection for Multiparalleled VSCs with LCL Filters. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 8922-8935	7.2	107
786	Wide Input Voltage Range Photovoltaic Microconverter With Reconfigurable BuckBoost Switching Stage. <b>2017</b> , 64, 5974-5983		39
785	. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 8544-8558	7.2	81
784	An improved second-order sliding mode control for the distributed generation system in stand-alone and grid-connected modes. <b>2017</b> , 27, e2419		3
783	FCS-MPC for grid-tied three-phase three-level NPC inverter with experimental validation. <b>2017</b> ,		5
782	Introduction. <b>2017</b> , 1-26		
781	Modeling and Analysis of a Novel Boost Derived Multilevel Hybrid Converter. <b>2017</b> , 117, 19-26		3
780	High efficiency three level transformerless inverter based on SiC MOSFETs for PV applications. <b>2017</b> ,		2
779	. <b>2017</b> , 5, 1761-1770		51
778	Stability identification for grid-connected inverters with LCL filters considering grid-voltage feedforward regulator. <b>2017</b> ,		2
777	Power Talk. <b>2017</b> , 311-340		
776	An advanced current controller with reduced complexity and improved performance under abnormal grid conditions. <b>2017</b> ,		13
775	A suitable to the microgrid analysis approach for nonlinear modeling and control of an inverter interface. <b>2017</b> ,		0
774	Voltage estimation in an islanded micro-grid using transient state estimation technique. <b>2017</b> ,		
773	Coordinate control of distributed generation and active power electronics loads in islanding microgrid. <b>2017</b> ,		

772	Compensation of current harmonics caused by local nonlinear load for grid-connected converter. <b>2017,</b>	
771	Analytical comparison of dual-input isolated dc-dc converter with an ac or dc inductor for renewable energy systems. <b>2017,</b>	2
770	Average-value model of energy conversion system consisting of PMSG, diode bridge rectifier and DPC-SVM controlled inverter. <b>2017,</b>	4
769	DC microgrid islands on ships. <b>2017,</b>	4
768	The Application of Vector Fitting to Eigenvalue-Based Harmonic Stability Analysis. <b>2017, 5, 1487-1498</b>	13
767	An enhanced hierarchical control strategy for the Internet of Things-based home scale microgrid. <b>2017,</b>	7
766	Integrating high levels of variable renewable energy into electric power systems. <b>2017, 5, 831-837</b>	54
765	Efficient single-phase cooling techniques for durable power electronics module. <b>2017,</b>	
764	Power Electronic Converters. <b>2017, 23-49</b>	
763	Modified high voltage gain switched boost inverter. <b>2017, 10, 1655-1664</b>	13
762	Optimal fixed reconfiguration scheme for PV arrays power enhancement under mutual shading conditions. <b>2017, 11, 1456-1463</b>	36
761	A transformer-less single phase inverter for photovoltaic systems. <b>2017,</b>	
760	Analysis of solar energy embeded to distribution grid for active & reactive power supply to grid. <b>2017,</b>	2
759	Strategy to enhance the low-voltage ride-through in photovoltaic system during multi-mode transition. <b>2017, 153, 744-754</b>	18
758	Comparison of PV based Embedded Z-source inverter fed three phase induction motor with PI controller and PID controller based closed loop systems. <b>2017,</b>	
757	Overview and comparative study of two control strategies used in 3-phase grid-connected inverters for renewable systems. <b>2017, 19-20, 75-89</b>	4
756	PV Microgeneration Perspective in Brazil: Approaching Interconnection Procedures and Equipment Certification. <b>2017,</b>	1
755	Neutral Point Clamped MOSFET Inverter With Full-Bridge Configuration for Nonisolated Grid-Tied Photovoltaic System. <b>2017, 5, 445-457</b>	13

754	A Simplified Space-Vector Modulation Algorithm for Four-Leg NPC Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 8371-8380	7.2	9
753	A review of inverter topologies for single-phase grid-connected photovoltaic systems. <b>2017</b> , 72, 1256-1270		93
752	A Comprehensive Review on Cascaded H-bridge Inverter-Based Large-Scale Grid-Connected Photovoltaic. <b>2017</b> , 34, 463-477		25
751	Three-Phase Current-Fed Isolated DC/DC Converter With Zero-Current Switching. <b>2017</b> , 53, 242-250		22
750	. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 3402-3412	7.2	25
749	Adaptive current control strategy for harmonic compensation in single-phase solar inverters. <b>2017</b> , 142, 84-95		33
748	A Dual-Input Central Capacitor DC/DC Converter for Distributed Photovoltaic Architectures. <b>2017</b> , 53, 305-318		16
747	Hybrid Z-Source Boost DC/DC Converters. <b>2017</b> , 64, 310-319		69
746	Circuit Configuration and Control of a Grid-Tie Small-Scale Wind Generation System for Expanded Wind Speed Range. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 5227-5247	7.2	12
745	Harmonic current control for LCL-filtered VSCs connected to ultra-weak grids. <b>2017</b> ,		7
744	Harmonic resonance analysis method based on singular value decomposition theory. <b>2017</b> ,		0
743	Multilevel inverter for interfacing renewable energy sources with low/medium- and high-voltage grids. <b>2017</b> , 11, 1822-1831		48
742	Adaptive droop control for accurate power sharing in islanded microgrid using virtual impedance. <b>2017</b> ,		4
741	. <b>2017</b> , 5, 19782-19798		4
740	Wind energy conversion system based on DFIG with series grid side converter without transformer. <b>2017</b> ,		4
739	Torque control of a wind power permanent magnet generator in a flux weakening region. <b>2017</b> ,		0
738	Notice of Violation of IEEE Publication Principles: Phase shift and duty cycle control of interleaved boost three port converter with multiplier rectifier. <b>2017</b> ,		1
737	. <b>2017</b> ,		0

736	Autonomous control of active power electronics loads for frequency control of islanded microgrid. <b>2017,</b>	1
735	Design and implementation of power electronic converters in wind turbine system. <b>2017,</b>	1
734	Reconfigurable DC Links for Restructuring Existing Medium Voltage AC Distribution Grids. <b>2017,</b> 45, 1739-1746	7
733	PCC voltage power quality restoring strategy based on the droop controlled grid-connecting microgrid. <b>2017, 2017, 1399-1403</b>	4
732	. <b>2017,</b>	0
731	Voltage regulation of quadratic boost converter with fixed frequency sliding mode controller. <b>2017</b>	0
730	Power quality enhancement in microgrid using artificial intelligence controller. <b>2017,</b>	1
729	A method to generate the reactive power on single-phase photovoltaic inverter. <b>2017,</b>	
728	Harmonics compensation for grid-connected inverter caused by local nonlinear load. <b>2017,</b>	2
727	High bandwidth sensorless synchronisation strategies for current regulated grid connected converters. <b>2017,</b>	1
726	Sliding mode assisted MPPT technique using quadratic boost converter for solar PV based DC water pumping system. <b>2017,</b>	1
725	Evaluation of low-and high-voltage GaN transistors in soft-switching DC-DC converter. <b>2017,</b>	4
724	A family of cost-effective magnetically-coupled impedance source inverters. <b>2017,</b>	3
723	A quasi-Z source network with multiple switch-inductor cells and Cockroft-walton voltage multipliers. <b>2017,</b>	0
722	. <b>2017,</b>	
721	Genetic algorithm based optimized load frequency control for storageless photo voltaic generation in a two area multi-agent system. <b>2017,</b>	0
720	. <b>2017,</b>	2
719	Operation and control of a new grid-connected PV systems based on common DC bus. <b>2017,</b>	0

718	Study on the Economic Evaluation Model of Wind, Solar and Energy Storage Combined Power Generation Unit. <b>2017,</b>	1
717	Review of PV Generator as an Input Source for Power Electronic Converters. <b>2017, 10, 1076</b>	17
716	. <b>2017,</b>	
715	Series phase-shifted full-bridge DC-DC converters in a new type of full scale photovoltaic DC power generation system. <b>2017,</b>	1
714	Combinational control scheme for utility interactive inverter system. <b>2017,</b>	1
713	Transformerless grid tied inverter using neutral point clamped full bridge topologies and hybrid filter for THD reduction. <b>2017,</b>	
712	A new type of full scale photovoltaic DC power generation system and its control strategy of modular multilevel converter. <b>2017,</b>	
711	Tracking Control for Mobile Robots Considering the Dynamics of All Their Subsystems: Experimental Implementation. <b>2017, 2017, 1-18</b>	12
710	Design of A Grid Integrated PV System with MPPT Control and Voltage Oriented Controller using MATLAB/PLECES. <b>2017, 225, 012249</b>	1
709	A computationally efficient current controller for simultaneous injection of both positive and negative sequences. <b>2017,</b>	7
708	Large Signal Stabilization of Hybrid AC/DC Micro-Grids Using Nonlinear Robust Controller. <b>2017, 10, 1985</b>	2
707	Grid Integration of Wind Energy Systems: Control Design, Stability, and Power Quality Issues. <b>2017, 239-335</b>	3
706	PMSG based wind power generation for an isolated irrigation system with inbuilt frequency regulation capability. <b>2017,</b>	1
705	The single equivalent inverter admittance model of three-phase grid-connected inverter system considering frequency coupling. <b>2017,</b>	4
704	A q-axis voltage feedforward control method to improve the stability of VSI in a weak grid. <b>2017,</b>	2
703	A novel DC-DC converter applied in solar energysystems for low & high voltage DC applications. <b>2017,</b>	
702	Stability performance of multi-connected inverters with global synchronous pulse width modulation. <b>2017,</b>	3
701	Simplified hybrid nine-level stacked multiceli converter with reduced part count for grid-connected applications. <b>2017,</b>	1

700	Overview of offshore wind farm configurations. <b>2017</b> , 93, 012009	2
699	Modeling of a Smart Grid Monitoring System using Power Line Communication. <b>2017</b> ,	4
698	Releasing more capacity for EV integration by DC medium voltage distribution lines. <b>2017</b> , 10, 2116-2123	1
697	DC- DC Boost Converter Controller Design for PV Applications. <b>2017</b> ,	4
696	Design of a dynamic phasors-based droop controller for PV-based islanded microgrids. <b>2018</b> , 28, e2559	9
695	Two-Layer Global Synchronous Pulse Width Modulation Method for Attenuating Circulating Leakage Current in PV Station. <b>2018</b> , 65, 8005-8017	14
694	Flexible Power Control of Photovoltaic Systems. <b>2018</b> , 207-229	2
693	A Panorama of Future Interdependent Networks: From Intelligent Infrastructures to Smart Cities. <b>2018</b> , 1-10	8
692	Impact of government subsidies on economic feasibility of offshore wind system: Implications for Taiwan energy policies. <b>2018</b> , 217, 336-345	13
691	Control of a PMSG Wind-Turbine Under Asymmetrical Voltage Sags Using Sliding Mode Approach. <b>2018</b> , 5, 47-55	5
690	High voltage gain dual active bridge converter with an extended operation range for renewable energy systems. <b>2018</b> ,	7
689	Analysis and Mitigation of Dead-Time Harmonics in the Single-Phase Full-Bridge PWM Converter With Repetitive Controllers. <b>2018</b> , 54, 5343-5354	39
688	Optimal Allocation of Flexible AC Transmission System Controllers in Electric Power Networks. <b>2018</b> , 3, 41-64	4
687	On Stability of Voltage Source Inverters in Weak Grids. <b>2018</b> , 6, 4427-4439	85
686	Online Detection of Fundamental and Interharmonics in AC Mains for Parallel Operation of Multiple Grid-Connected Power Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 9318-9330 <sup>7-2</sup>	7
685	ANN-based adaptive current controller for on-grid DG system to meet frequency deviation and transient load challenges with hardware implementation. <b>2018</b> , 12, 61-71	12
684	High quality model predictive control for single phase grid-connected photovoltaic inverters. <b>2018</b> , 158, 115-125	15
683	Harmonic Analysis and Mitigation of Low-Frequency Switching Voltage Source Inverter With Auxiliary VSI. <b>2018</b> , 6, 1355-1365	9



682	. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 10449-10466	7.2	18
681	. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 9375-9386	7.2	48
680	Improving performance of LVRT capability in single-phase grid-tied PV inverters by a model-predictive controller. <b>2018</b> , 98, 176-188		23
679	Highly efficient three-phase grid-connected parallel inverter system. <b>2018</b> , 6, 1079-1089		7
678	Simplified transformer-based multilevel inverter topology and generalisations for renewable energy applications. <b>2018</b> , 11, 708-718		13
677	Switched-Boost-Modified Z-Source Inverter Topologies With Improved Voltage Gain Capability. <b>2018</b> , 6, 2227-2244		28
676	. <b>2018</b> ,		4
675	Modeling and stability analysis for multiple parallel grid-connected inverters system. <b>2018</b> ,		4
674	A transformerless single-phase symmetrical Z-source HERIC inverter with reduced leakage currents for PV systems. <b>2018</b> ,		4
673	Analysis and Mitigation of Power Quality Issues in Distributed Generation Systems Using Custom Power Devices. <b>2018</b> , 6, 16816-16833		114
672	. <b>2018</b> , 9, 1599-1612		69
671	Smale Horseshoes and Symbolic Dynamics in the BuckBoost DCDC Converter. <b>2018</b> , 65, 800-809		14
670	Graphical Evaluation of Time-Delay Compensation Techniques for Digitally Controlled Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 2601-2614	7.2	48
669	An Enhanced Power Regulation and Seamless Operation Mode Transfer Control Through Cooperative Dual-Interfacing Converters. <b>2018</b> , 9, 5576-5587		10
668	Power Cycling Test Methods for Reliability Assessment of Power Device Modules in Respect to Temperature Stress. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 2531-2551	7.2	83
667	Optimization of the Sudoku based reconfiguration technique for PV arrays power enhancement under mutual shading conditions. <b>2018</b> , 159, 1037-1046		62
666	. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 3567-3574	7.2	10
665	An Accurate Power-Sharing Control Method Based on Circulating-Current Power Phasor Model in Voltage-Source Inverter Parallel-Operation System. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 4458-4476	7.2	9

664	Novel Nonlinear Droop Control Techniques to Overcome the Load Sharing and Voltage Regulation Issues in DC Microgrid. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 4477-4487	7.2	79
663	A PLL-Based Controller for Three-Phase Grid-Connected Power Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 911-916	7.2	25
662	Analyzing effectiveness of LVRT techniques for DFIG wind turbine system and implementation of hybrid combination with control schemes. <b>2018</b> , 81, 2487-2501		18
661	A Modified Multifrequency Passivity-Based Control for Shunt Active Power Filter With Model-Parameter-Adaptive Capability. <b>2018</b> , 65, 760-769		29
660	Grid Synchronization With Selective Harmonic Detection Based on Generalized Delayed Signal Superposition. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 3938-3949	7.2	17
659	Recent progress and development on power DC-DC converter topology, control, design and applications: A review. <b>2018</b> , 81, 205-230		100
658	Review of FACTS technologies and applications for power quality in smart grids with renewable energy systems. <b>2018</b> , 82, 502-514		125
657	. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 5967-5982	7.2	168
656	Effect of Control-Loops Interactions on Power Stability Limits of VSC Integrated to AC System. <b>2018</b> , 33, 301-310		26
655	Fast-scale non-linear distortion analysis of peak-current-controlled buckBoost inverters. <b>2018</b> , 105, 274-288		2
654	Validation of Lifetime Prediction of IGBT Modules Based on Linear Damage Accumulation by Means of Superimposed Power Cycling Tests. <b>2018</b> , 65, 3520-3529		40
653	Soft-Switched Interleaved DC/DC Converter as Front-End of Multi-Inverter Structure for Micro Grid Applications. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 7645-7655	7.2	27
652	An adaptive current control-detuned harmonics elimination schemes for enhancement of power quality in RES interfaced AC-grid network. <b>2018</b> , 25, 11-23		7
651	Hybrid Converter with Simultaneous DC and AC Outputs using Fuzzy Controllers. <b>2018</b> ,		0
650	Effective Utilisation of Solar Energy Conversion System with Energy Storage in AC Microgrid. <b>2018</b> ,		
649	Design of Photovoltaic and Fuel Cells based Distributed Generation System: Entire System Survey. <b>2018</b> ,		0
648	Performance Analysis of Hybrid Solar-Wind-Microhydro System in Islanded Mode. <b>2018</b> ,		2
647	Closed-loop Elimination of Low-order Sideband Harmonics in Parallel-Connected Low-Pulse Ratio VSIs. <b>2018</b> ,		0

646	Performance Evaluation of a Semi-Dual-Active-Bridge with PPWM Plus SPS Control. <b>2018</b> , 7, 184	1
645	Adaptive Control of Power Electronics Load Considering User Intention in Islanded Microgrid. <b>2018</b> ,	
644	Decoupled Multi-Port Impedance Modelling Method of Transmission Network in Inverter-Fed Power Plant. <b>2018</b> ,	4
643	Two-Stage Power Converter Design and Control for Renewable Energy Systems. <b>2018</b> ,	
642	The Grid Impedance Adaptation Dual Mode Control Strategy In Weak Grid. <b>2018</b> ,	5
641	Analysis and Design of a dc-dc Converter Using Visual Aid. <b>2018</b> ,	1
640	A New Topology for the Large-Scale Photovoltaic Systems Grid Connection Based on Modular Multilevel Converter. <b>2018</b> ,	1
639	Comparative Analysis of MPPT Methods for PV System with DC-DC Three-Level Converter. <b>2018</b> ,	0
638	Comparison of Three-Phase Grid-Connected Inverters Topologies for Reactive Power Compensation and PV Power Injection. <b>2018</b> ,	1
637	Adaptive Delay-Tolerant Robust Predictive Current Control. <b>2018</b> ,	
636	Performance Evaluation of a Proportional-Integral with Proportional-Derivative Feedforward Voltage Control for UPSs. <b>2018</b> ,	
635	Relative Influence of Intelligent Current Controllers on Power Quality in Grid-Interactive Solar Inverter System. <b>2018</b> ,	
634	An Impedance Analysis based Active Damping Control Strategy for parallel Voltage-Controlled Inverters. <b>2018</b> ,	
633	A Review of DSTATCOM Used in Solar Photovoltaic System. <b>2018</b> ,	0
632	A Semi-Two-Stage H5 Inverter with Improved Efficiency and Low Leakage Current. <b>2018</b> ,	1
631	The Bidirectional AC/DC Power Converter with Capability of Suppressing the Harmonic Current in Hybrid Micro Grid. <b>2018</b> ,	3
630	Influence of Reactive Power Flow on the DC-Link Voltage Control in Voltage-Source Converters. <b>2018</b> ,	6
629	Power Loss Analysis of a Multiport DC/DC Converter for DC Grid Applications. <b>2018</b> ,	5

628	PIL Test for Voltage Source Inverter control used in Off-grid PV system. <b>2018,</b>	2
627	Load harmonics extraction based decoupled control of grid connected solar photovoltaic system. <b>2018, 396, 012049</b>	0
626	Stability Analysis of Grid-Connected Converters with Different Implementations of Adaptive PR Controllers under Weak Grid Conditions. <b>2018, 11, 2004</b>	7
625	Control of SCIG Based Distributed Power Generation Scheme Supplying Nonlinear and Unbalanced Load. <b>2018,</b>	1
624	. <b>2018,</b>	
623	. <b>2018,</b>	2
622	Energy System Planning towards Renewable Power System: Energy Matrix Change in Cuba by 2030. <b>2018, 51, 522-527</b>	6
621	A Novel Power Conditioner System for Isolated DC Microgrid System. <b>2018,</b>	0
620	LQR based PI Controller Tuning for Transport Delay-Phase Locked Loop (TD-PLL). <b>2018,</b>	1
619	IAE and ISE Performance Criterion Based Loop Filter Tuning of Transport Delay-Phase Locked Loop (TD-PLL) for Single Phase Grid Connected Inverters. <b>2018,</b>	1
618	Comparative Evaluation of different PD of TD-PLL Using Small Signal Modelling for Single Phase Grid Tied Inverters under Grid Disturbances. <b>2018,</b>	
617	Dual-input Single Inductor Current -Fed Isolated Soft-switched High Gain DC to DC Converter for Hybrid Energy Systems. <b>2018,</b>	0
616	Reactive Power Dispatching for Microgrid Voltage Stability with High Penetration of Renewable Energy Resources. <b>2018,</b>	
615	Passivity-based LCL Filter Design of Grid-Connected VSCs with Converter Side Current Feedback. <b>2018,</b>	1
614	A grid-tie PV inverter with the ability to improve power quality under unbalanced and distorted source voltage conditions. <b>2018, 41, 622-634</b>	1
613	Shunt Active Power Filter for Harmonic Reduction in Microgrid Exploiting Distinctive Compensation Theory: A Technical and Eminence Review. <b>2018,</b>	0
612	. <b>2018,</b>	2
611	A Comparative Study on Neural Network Based Controllers Used in Grid-Interactive Solar System. <b>2018, 19,</b>	1

610	Stability Influence of Filter Components Parasitic Resistance on LCL-Filtered Grid Converters. <b>2018,</b>	1
609	Analysis of Combined Z-Source Boost DC-DC Converter for Distributed Generation Systems. <b>2018,</b>	1
608	Sequential Direct Model Predictive Control for Grid-Tied Three-Level NPC Power Converters. <b>2018,</b>	7
607	optimized Operation and Control of Microgrid based on Multi-objective Genetic Algorithm. <b>2018,</b>	6
606	. <b>2018,</b>	
605	Review of High Voltage DC/DC Modular Multilevel Converters. <b>2018,</b>	3
604	Wind Energy Conversion System Based On DFIG With Three-Phase Series Active Filter And Single DC-Link. <b>2018,</b>	
603	Wind Energy Conversion System Based on DFIG with Three-Phase Series Active Filter Operating with Floating Capacitors. <b>2018,</b>	3
602	Effective Power quality improvement using Dynamic Activate compensation system with Renewable grid interfaced sources. <b>2018, 9, 2897-2905</b>	12
601	Feeding Type and Forming Type Unit Behavior in Power Electronics Interface for Interconnected or Isolated Microgeneration. <b>2018,</b>	
600	Lyapunov- and Eigenvalue-based Stability Assessment of the Grid-connected Voltage Source Converter. <b>2018,</b>	8
599	On Optimal Cost Planning of Low Voltage Direct Current Power Distribution Networks. <b>2018, 46, 1019-1028</b>	1
598	Grid Integration of Small-Scale Photovoltaic Systems-A Review. <b>2018,</b>	4
597	Novel Reactive Power Compensation Technique for Fixed Speed Wind Turbine Generators. <b>2018,</b>	2
596	Decoupled DSOGI-PLL for Improved Three Phase Grid Synchronisation. <b>2018,</b>	8
595	Analysis and Comparison of dc/dc Topologies in Partial Power Processing Configuration for Energy Storage Systems. <b>2018,</b>	6
594	Three-phase multilevel inverter for grid-connected distributed photovoltaic systems based in three three-phase two-level inverters. <b>2018, 174, 1026-1034</b>	20
593	Coordinated control of parallel operated renewable-energy-based DG systems. <b>2018, 12, 1623-1632</b>	8

592	A Modified RBF Neuro-Sliding Mode Control Technique for a Grid Connected PMSG Based Variable Speed Wind Energy Conversion System. <b>2018</b> , 2018, 1-19	0
591	Design of Decentralized Droop Control Structure of DC Microgrid with Constant Power Loads and Source Disturbances. <b>2018</b> ,	0
590	Power sharing adaptive control strategy for a microgrid with multiple storage and renewable energy sources. <b>2018</b> , 32, 1607-1628	3
589	A Novel Stability Improvement Strategy for a Multi-Inverter System in a Weak Grid Utilizing Dual-Mode Control. <b>2018</b> , 11, 2144	10
588	Designing a Controller Circuit for Three Phase Inverter in PV application. <b>2018</b> ,	1
587	Algorithm for islanding detection in photovoltaic generator network connected to low-voltage grid. <b>2018</b> , 12, 2280-2287	23
586	Design of an advanced PLL for accurate phase angle extraction under grid voltage HIHs and DC offset. <b>2018</b> , 11, 995-1008	27
585	Experimentally evaluation and comparison of control methods applied to three phase four-leg inverter for stand-alone applications. <b>2018</b> ,	0
584	A new power flow control approach for power converters in single-phase microgrids. <b>2018</b> ,	2
583	Functional-Rotation-Based Active Dampers in AC Microgrids With Multiple Parallel Interface Inverters. <b>2018</b> , 54, 5206-5215	6
582	Cascading collapse of a large-scale mixed source microgrid caused by fast-acting inverter-based distributed energy resources. <b>2018</b> ,	2
581	Enhanced proportional power sharing strategy based on adaptive virtual impedance in low-voltage networked microgrid. <b>2018</b> , 12, 2566-2576	20
580	Introduction. <b>2018</b> , 1-20	
579	Energy-Recovery Pressure-Reducer in District Heating System. <b>2018</b> , 10, 787	3
578	Optimal PI microcontroller-based realization for technical trends of single-stage single-phase grid-tied PV. <b>2018</b> , 21, 945-956	7
577	Modeling framework of voltage-source converters based on equivalence with synchronous generator. <b>2018</b> , 6, 1291-1305	14
576	Theoretical Assessment of DC/DC Power Converters Basic Topologies. A Common Static Model. <b>2018</b> , 8, 19	8
575	A Load Flow Analysis for AC/DC Hybrid Distribution Network Incorporated with Distributed Energy Resources for Different Grid Scenarios. <b>2018</b> , 11, 367	9

574	Symmetric Fuzzy Logic and IBFOA Solutions for Optimal Position and Rating of Capacitors Allocated to Radial Distribution Networks. <b>2018</b> , 11, 766	11
573	Evaluation of the Reactive Power Support Capability and Associated Technical Costs of Photovoltaic Farms Operation. <b>2018</b> , 11, 1567	6
572	Power Electronics for Renewable Energy Sources. <b>2018</b> , 783-827	2
571	Design for Reliability of Power Electronic Systems. <b>2018</b> , 1423-1440	18
570	Energy Sources. <b>2018</b> , 725-765	3
569	A comprehensive review on inverter topologies and control strategies for grid connected photovoltaic system. <b>2018</b> , 94, 1120-1141	94
568	Cascading Collapse of a Large-Scale Mixed Source Microgrid Caused by Fast-Acting Inverter-Based Distributed Energy Resources. <b>2018</b> , 54, 5727-5735	13
567	Analytical Model of Small Hydropower Plant Working at Variable Speed. <b>2018</b> , 33, 1886-1894	17
566	Loss analysis of GaN based partial parallel isolated bidirectional full bridge boost converter. <b>2018</b> ,	
565	Phillips-Heffron model for current-controlled power electronic generation unit. <b>2018</b> , 6, 582-594	9
564	Performance evaluation of continuous and discontinuous pulse width modulation techniques for grid-connected PWM converter. <b>2018</b> , 28, e2609	3
563	Power Electronics Converters An Overview. <b>2018</b> , 3-29	6
562	Control of Single-Phase and Three-Phase DC/AC Converters. <b>2018</b> , 153-173	5
561	Dual Mode Control of a Three-Phase Inverter Using Minimum Variance Adaptive Architecture. <b>2018</b> , 54, 3868-3880	15
560	Current control strategies for single phase grid integrated inverters for photovoltaic applications-a review. <b>2018</b> , 92, 554-569	26
559	A Novel D-CLT Multiresonant DCDC Converter With Reduced Voltage Stresses for Wide Frequency Variation Applications. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 1-1	7.2 2
558	Simultaneous DC and three phase output using hybrid converter. <b>2018</b> , 1000, 012072	
557	Fault Analysis and Fault-Tolerant Design for Parallel Redundant Inverter Systems in Case of IGBT Short-Circuit Failures. <b>2018</b> , 6, 2031-2041	13

556	Computer-aided engineering simulations. <b>2018</b> , 199-223		2
555	Instantaneous Symmetrical Component Theory Based Parallel Grid Side Converter Control Strategy for Microgrid Power Management. <b>2019</b> , 10, 682-692		16
554	. <b>2019</b> , 7, 1243-1257		18
553	Active Cross-Correlation Anti-Islanding Scheme for PV Module-Integrated Converters in the Prospect of High Penetration Levels and Weak Grid Conditions. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 2258-2274	7.2	25
552	Impedance-Based Analysis of DC-Link Voltage Dynamics in Voltage-Source Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 3973-3985	7.2	66
551	Ripple-Free Input Current High Voltage Gain DCDC Converters With Coupled Inductors. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 3418-3428	7.2	35
550	Fractional Charging Converter With High Efficiency and Low Cost for Electrochemical Energy Storage Devices. <b>2019</b> , 55, 7461-7470		15
549	Powering the 21st century by wind energy Options, facts, figures. <b>2019</b> , 6, 031303		27
548	. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 10398-10402	7.2	12
547	Isolated bidirectional DC-to-three-phase AC converter for integration of renewable energy sources to electric grid. <b>2019</b> , 12, 2058-2068		4
546	Comparative analysis of PI and PR based Current Controllers for Grid Connected Photovoltaic Micro-inverters. <b>2019</b> ,		1
545	Control of distributed generation systems for microgrid applications: A technological review. <b>2019</b> , 29, e12072		39
544	Diffusion-Based Distributed Coordination Control of Power Converters in MG for Efficiency Improvement. <b>2019</b> , 7, 53347-53357		1
543	Autonomous Control of Active Power Electronics Loads Considering Response Cost in Islanded Microgrid. <b>2019</b> ,		
542	Stability Analysis of Multi-Paralleled VSCs with Mismatched Parameters. <b>2019</b> ,		1
541	A new method for avoiding critical current degradation of YBCO coils using ice impregnation. <b>2019</b> , 32, 105011		7
540	Harmonic Stability Analysis for Multi-Parallel Inverter-Based Grid-Connected Renewable Power System Using Global Admittance. <b>2019</b> , 12, 2687		9
539	Wide Load Range Capacitor Clamped ZVZCS Half Bridge Three-level DC-DC Converter with Two Unsymmetrical Bi-directional Switches. <b>2019</b> , 12, 2362		3



538	Topology and Control of Hybrid Nine-Level Inverter. <b>2019</b> , 111-118	
537	An Intelligent Battery Energy Storage-Based Controller for Power Quality Improvement in Microgrids. <b>2019</b> , 12, 2112	11
536	RENEWABLE ENERGY SYSTEMS WITH WIND POWER. <b>2019</b> , 315-345	1
535	Power converter solutions and controls for green energy. <b>2019</b> , 357-387	3
534	A practical design procedure for robust H2 controllers applied to grid-connected inverters. <b>2019</b> , 92, 104157	10
533	Optimized FPGA Implementation of PWAM-Based Control of Three-Phase Nine-Level Quasi Impedance Source Inverter. <b>2019</b> , 7, 137279-137290	3
532	Power Quality Improvement in Microgrids Under Critical Disturbances Using an Intelligent Decoupled Control Strategy Based on Battery Energy Storage System. <b>2019</b> , 7, 147314-147326	17
531	A Review on Transformerless Step-Up Single-Phase Inverters with Different DC-Link Voltage for Photovoltaic Applications. <b>2019</b> , 12, 3626	6
530	Power Supply of Resistance Welding Machine as Shunt Active Power Filter. <b>2019</b> ,	
529	Impact of Nonlinear Dynamics on Converter DQ Impedance Measurement. <b>2019</b> ,	2
528	Design and Analysis of a Novel Trans-inverse DC-DC Converter. <b>2019</b> ,	
527	Impact of Feed-forward and Decoupling Terms on Stability of Grid-Connected Inverters. <b>2019</b> ,	5
526	Genetic Optimization of Thermal Management Systems for EV Power Electronics via ANSYS Multiphysics. <b>2019</b> ,	2
525	Design and Development of an Experimental Test-bench based on Multi-pulse and Multilevel Converters. <b>2019</b> ,	
524	Stability Analysis and Optimization of Dual Active Bridge Converter with LC Input Filter. <b>2019</b> ,	
523	Autonomous Soft Open Point Control for Active Distribution Network Voltage Level Management. <b>2019</b> ,	4
522	Stabilizing AC Distributed Power Systems with Constant-Power Loads Using Tunable Active Damping. <b>2019</b> ,	1
521	A Robust Prognostic Indicator for Renewable Energy Technologies: A Novel Error Correction Grey Prediction Model. <b>2019</b> , 66, 9312-9325	51

520	Damping performance improvement for PV-integrated power grids via retrofit control. <b>2019</b> , 84, 92-101	4
519	PV power conditioning system using a three-phase multilevel pulse width modulation inverter employing cascaded Scott transformers. <b>2019</b> , 12, 102-111	8
518	Single stationary domain equivalent inverter admittance for three-phase grid-inverter system considering the interaction between grid and inverter. <b>2019</b> , 12, 1593-1602	1
517	Dynamic Analysis of Grid-Connected Droop-Controlled Converters and Synchronverters. <b>2019</b> , 30, 741-753	5
516	Energy Management and Control Strategy of Photovoltaic/Battery Hybrid Distributed Power Generation Systems With an Integrated Three-Port Power Converter. <b>2019</b> , 7, 82838-82847	24
515	Coordinative impedance damping control for back-to-back converter in solar power integration system. <b>2019</b> , 13, 1484-1492	2
514	A New Power Flow Control Method for Energy Storage Systems in Microgrids (MGs). <b>2019</b> ,	
513	A Model Predictive Voltage Control using Virtual Space Vectors for Grid-Forming Energy Storage Converters. <b>2019</b> ,	2
512	Impedance Shaping of Isolated Two-Stage AC-DC-DC Converter for Stability Improvement. <b>2019</b> , 7, 18601-18610	10
511	MPPT performance enhancement of low-cost PV microconverters. <b>2019</b> , 187, 156-166	13
510	Research on Superconducting Magnet in a Superconducting Synchronous Generator. <b>2019</b> , 32, 3385-3395	3
509	Sensorless DC-link control approach for three-phase grid integrated PV system. <b>2019</b> , 112, 309-318	5
508	Novel Robust Methodology for Controller Design Aiming to Ensure DC Microgrid Stability Under CPL Power Variation. <b>2019</b> , 7, 64206-64222	17
507	Impact of Cooling System Capacity on Lifetime of Power Module in Adjustable Speed Drives. <b>2019</b> , 7, 1768-1776	6
506	Performance Analysis of Distributed Energy Resource-Based LV Distribution Grid. <b>2019</b> , 100, 477-488	3
505	Common Switch Fault Diagnosis for Two-Stage DC-DC Converters Used in Energy Harvesting Applications. <b>2019</b> , 8, 293	7
504	Optimal control strategies for a hybrid renewable energy system: an ALANN/RNN technique. <b>2019</b> , 23, 13459-13475	8
503	Cascaded Hybrid Device Multilevel Converters for Wind Mill Applications. <b>2019</b> , 93-101	1

502	Recent trends in solar PV inverter topologies. <b>2019</b> , 183, 57-73		56
501	Optimal design of photovoltaic solar systems considering shading effect and hourly radiation using a modified PSO algorithm. <b>2019</b> , 95, 931-939		6
500	Compact Single-Stage Micro-Inverter with Advanced Control Schemes for Photovoltaic Systems. <b>2019</b> , 12, 1234		1
499	An Adaptive Virtual Impedance Control Scheme Based on Small-AC-Signal Injection for Unbalanced and Harmonic Power Sharing in Islanded Microgrids. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 12333-12355	7.2	54
498	Liquid-Cooled Aluminum Silicon Carbide Heat Sinks for Reliable Power Electronics Packages. <b>2019</b> , 141,		3
497	A Carrier Synchronization Method for Global Synchronous Pulsewidth Modulation Application Using Phase-Locked Loop. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 10720-10732	7.2	11
496	Fuzzy Logic Inverter Controller in Photovoltaic Applications: Issues and Recommendations. <b>2019</b> , 7, 24934-24955		4
495	. <b>2019</b> , 66, 6549-6559		8
494	Loop Shaping by Single-Resonant Controllers for Prescribed Tracking of Sinusoidal References. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 11352-11360	7.2	7
493	Z-Source Inverter for Photovoltaic Microgeneration. <b>2019</b> ,		0
492	Frequency Couplings in Impedance Modeling of Voltage Source Converters. <b>2019</b> ,		
491	Cost Effective Design & Control of DC-DC Converter for Solar PV System with MPPT. <b>2019</b> ,		
490	Unidirectional isolated high-frequency link DC/AC converter for grid integration of DC sources. <b>2019</b> , 13, 2880-2887		1
489	Rotational-Inertia-and-Voltage-Stiffness Compensator to Improve Grid Voltage Dynamic. <b>2019</b> ,		1
488	On Bidirectional DC Nano-Grids: Design Considerations and an Architecture Proposal. <b>2019</b> , 12, 3715		4
487	An adaptive Virtual Impedance Control Method to Enhance PCC Voltage Quality of Islanded Microgrid. <b>2019</b> ,		
486	Parallel grid-tied Converters line current harmonic reduction through decentralized interleaving PWM modulation. <b>2019</b> ,		
485	Z-Source Inverters for Asymmetrical Six-Phase Drives with Reduced Switching Losses. <b>2019</b> ,		1

484	Series-type Active Ripple Suppression and Damping Control of a Novel Grid-Connected Inverter. <b>2019,</b>	
483	Optimization of Active and Reactive Power Dispatch among Multi-Paralleled Grid-Connected Inverters Considering Low-Frequency Stability. <b>2019,</b>	4
482	A Delay Compensation Method to Improve the Current Control Performance of the LCL-Type Grid-Connected Inverter. <b>2019,</b>	1
481	DC Faults Detection in Bipolar Cascaded Modular H7 Current Source Converter for HVDC application. <b>2019,</b>	
480	Thermal Modeling of Converters for Wind Conversion Systems Employing DFIG Technology. <b>2019,</b>	
479	Mathematical Analysis of the Small Signal Model for Voltage-Source Inverter in SPMSM Drive Systems. <b>2019,</b>	1
478	Power Sharing in an Islanded Microgrid without Synchronous Generators. <b>2019,</b>	0
477	Designing and Simulation of Enhanced Power Generation Device by Employing Footbridge System. <b>2019,</b>	
476	Synchronization Control Stability Analysis of Power Converters with High Renewable Energy Penetration. <b>2019,</b>	
475	Analysis, Design and Simulation of an On-Chip DC/DC/AC Conversion System for PV Applications. <b>2019,</b>	0
474	Multi-stage coordination optimisation control in hybrid AC/DC distribution network with high-penetration renewables based on SOP and VSC. <b>2019,</b> 2019, 2725-2731	3
473	Analysis and Control of Integrated Dual-Boost Topology for Solar-Battery Integration. <b>2019,</b>	0
472	Energy Management through Electromagnetic Conversion. <b>2019,</b>	
471	. <b>2019,</b>	1
470	A Novel Phase-Locked Loop with Positive and Negative Sequence Detection Capability. <b>2019,</b>	
469	Time-Domain Analysis of Power Quality Adverse Effects of Grid Interconnected Photovoltaic Generation. <b>2019,</b>	
468	Performance Analysis of Switched-Boost DC to DC Converter for Distributed Generation system. <b>2019,</b>	
467	Failure Rate Basics for a Case Study on Grid Connected Photovoltaic Plant. <b>2019,</b>	

466	Reliability Evaluation of Voltage Source Converters for MVDC Applications. <b>2019,</b>	2
465	Optimization of Grid Connected PV System by Partial Shading Mppt Using Modified PSO Algorithm. <b>2019,</b>	
464	Non-Isolated Dual Switch Based High Gain DC-DC Converter. <b>2019,</b>	1
463	Extended Modulus Optimum Method for Off-Grid Inverter Voltage Control System. <b>2019,</b>	
462	Modeling and Analysis of Multi-Input Hybrid DC-DC Converter in an Integrated System. <b>2019,</b>	
461	Computational Implementation and Comparative Analysis of Phase-Locked Loop (PLL) Methods Under Different Power Quality Disturbances. <b>2019,</b>	1
460	Mode Conversion in DC-DC Converters with Unbalanced Busbars. <b>2019,</b>	3
459	A Closed-loop Global Synchronous PWM Method for Immunizing Parameters Uncertainty in Distributed Parallel-Connected VSIs. <b>2019,</b>	
458	Synthesizing a Family of Converters for a Specified Conversion Ratio Using Flux Balance Principle. <b>2019,</b>	2
457	Improved Cockcroft-Walton Single Stage High Voltage Gain Inverter. <b>2019,</b>	
456	A Symmetrical Transformerless Hybrid Converter with Leakage Current Suppression. <b>2019,</b>	2
455	Small Signal Dynamic Model and Stability Analysis of a Self-Synchronizing Grid-Tied Current Regulated Inverter. <b>2019,</b>	3
454	AC-DC Power Conversion Systems for Open-End Winding PMSM Based on Vienna Rectifiers. <b>2019,</b>	1
453	A Single-Phase dc-ac Dual-Active-Bridge Based Resonant Converter For Grid-Connected Photovoltaic (PV) Applications. <b>2019,</b>	1
452	A Flexible Harmonic Voltage and Current Compensation Method for A Single-Phase Multi-Bus System. <b>2019,</b>	
451	Analytical Design of LC Filter Inductance for Two-Level Inverters Based on Maximum Ripple Current. <b>2019,</b>	3
450	Impact of the Grid Impedance on the Single-Phase Grid-Tied Inverter Output Impedance Concerning the Frequency-Coupling Effect of the PLL. <b>2019,</b>	0
449	Use of Integrated Photovoltaic-Electric Spring System as a Power Balancer in Power Distribution Networks. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 5312-5324	7.2 18

448	A Digital Active DC-Eliminating Method for DC/DC Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 3014-3019	7.2	5
447	Interleaved, switched-inductor, multi-phase, multi-device DC/DC boost converter for non-isolated and high conversion ratio fuel cell applications. <b>2019</b> , 44, 12783-12792		13
446	Impact Analysis and Mitigation of Synchronization Dynamics for DQ Impedance Measurement. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 8797-8807	7.2	18
445	Fuzzy-Logic-Based Mean Time to Failure (MTTF) Analysis of Interleaved Dc-Dc Converters Equipped with Redundant-Switch Configuration. <b>2019</b> , 9, 88		11
444	Artificial Intelligence Aided Automated Design for Reliability of Power Electronic Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 7161-7171	7.2	58
443	Model Predictive Control of DCDC Converters to Mitigate the Effects of Pulsed Power Loads in Naval DC Microgrids. <b>2019</b> , 66, 5676-5685		69
442	Large Signal Synchronizing Instability of PLL-Based VSC Connected to Weak AC Grid. <b>2019</b> , 34, 3220-3229		83
441	. <b>2019</b> , 34, 426-434		6
440	. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 6399-6410	7.2	22
439	On the Inertia of Future More-Electronics Power Systems. <b>2019</b> , 7, 2130-2146		163
438	Application of finite-time control Lyapunov function in low-power PMSG wind energy conversion systems for sensorless MPPT. <b>2019</b> , 106, 169-182		15
437	Weighting Factor Design in Model Predictive Control of Power Electronic Converters: An Artificial Neural Network Approach. <b>2019</b> , 66, 8870-8880		113
436	A Boost-Type Nine-Level Switched Capacitor Inverter. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 6522-6532	7.2	53
435	Three-phase step-up/step-down isolated dc-dc converter with wide-range duty cycle for low dc renewable energy sources applications. <b>2019</b> , 47, 275-293		3
434	Study of Hybrid Photovoltaic/Fuel Cell System for Stand-Alone Applications. <b>2019</b> , 213-234		1
433	Robust $\mathcal{H}_{\infty}$ State Feedback Controllers Based on Linear Matrix Inequalities Applied to Grid-Connected Converters. <b>2019</b> , 66, 6021-6031		30
432	Supply Voltage and Grid Current Harmonics Compensation Using Multi-Port Interfacing Converter Integrated Into Two-AC-Bus Grid. <b>2019</b> , 10, 3057-3070		6
431	Grid-Current Control of a Differential Boost Inverter With Hidden LCL Filters. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 889-903	7.2	14

430	Improved virtual synchronous control for grid-connected VSCs under grid voltage unbalanced conditions. <b>2019</b> , 7, 174-185		8
429	Asymmetric H-Bridge Single-Phase Seven-Level Inverter Topology with Proportional Resonant Controller. <b>2019</b> , 65, 19-32		2
428	Grid-Connected Wind-Solar Cogeneration Using Back-to-Back Voltage-Source Converters. <b>2020</b> , 11, 315-325		35
427	A Design Method of Phase-Locked Loop for Grid-Connected Converters Considering the Influence of Current Loops in Weak Grid. <b>2020</b> , 8, 2420-2429		22
426	Control of Single-Phase Solar Power Generation System With Universal Active Power Filter Capabilities Using Least Mean Mixed-Norm (LMMN)-Based Adaptive Filtering Method. <b>2020</b> , 11, 879-893		15
425	Bidirectional DCDC Converter for Modular Residential Battery Energy Storage Systems. <b>2020</b> , 67, 1944-1955		26
424	Implementation of high-gain nonisolated DC-DC converter for PV-fed applications. <b>2020</b> , 30, e12165		5
423	Dynamic model reduction of power electronic interfaced generators based on singular perturbation. <b>2020</b> , 178, 106030		3
422	Recursive Smooth Variable Structure Filter for Estimation Processes in Direct Power Control Scheme Under Balanced and Unbalanced Power Grid. <b>2020</b> , 14, 971-982		11
421	Balanced Power Device Currents Based Modulation Strategy for Full-Bridge Three-Level DC/DC Converter. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 2008-2022	7.2	4
420	Distributed Energy Resources and Microgrid Infrastructure. <b>2020</b> , 69-86		2
419	Analysis and Design of a Single-Switch High Step-Up Coupled-Inductor Boost Converter. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 535-545	7.2	32
418	. <b>2020</b> , 8, 4191-4208		4
417	Impedance Modeling and Analysis of Three-Phase Voltage-Source Converters Viewing From DC Side. <b>2020</b> , 8, 3906-3916		1
416	. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 6419-6435	7.2	7
415	Energy Management System for Small Scale Hybrid Wind Solar Battery Based Microgrid. <b>2020</b> , 8, 8336-8345		48
414	Cause, Classification of Voltage Sag, and Voltage Sag Emulators and Applications: A Comprehensive Overview. <b>2020</b> , 8, 1922-1934		28
413	Power balancing of grid connected PV system based on MMC under different irradiation conditions. <b>2020</b> , 117, 105717		2

412	Impedance-Decoupled Modeling Method of Multiport Transmission Network in Inverter-Fed Power Plant. <b>2020</b> , 56, 611-621	9
411	Mitigation of circulating currents for proportional current sharing and voltage stability of isolated DC microgrid. <b>2020</b> , 180, 106123	6
410	Self-Synchronizing VSM With Seamless Operation During Unintentional Islanding Events. <b>2020</b> , 16, 5680-5690	3
409	Industrial Applications of Power Electronics. <b>2020</b> , 9, 1534	5
408	Dynamic performance evaluation of automated QFT robust controller for grid-tied fuel cell under uncertainty conditions. <b>2020</b> , 42, 100800	
407	The Impacts of Chemical Modification on the Initial Surface Creepage Discharge Behaviors of Polyimide Insulating Film in Power Electronics. <b>2020</b> , 2, 3418-3425	3
406	A Modified DQ Impedance Model of Three-Phase Grid-Connected Inverter-Grid System Considering Coupling between Inverter and Grid. <b>2020</b> ,	0
405	Research on Parallel Control Technology of Three-phase Inverter Based on Multiple Proportional Resonance Controller. <b>2020</b> , 1549, 052129	0
404	Control Strategy of VSG Considering Coordinated Energy Management of PV and ES. <b>2020</b> , 1574, 012134	
403	Improved multifunctional controller for power quality enhancement in grid integrated solar photovoltaic systems. <b>2020</b> , 17, 585-598	0
402	Power System Stability with Power-Electronic Converter Interfaced Renewable Power Generation: Present Issues and Future Trends. <b>2020</b> , 13, 3441	18
401	. <b>2020</b> ,	0
400	A coordinated control strategy for battery/supercapacitor hybrid energy storage system to eliminate unbalanced voltage in a standalone AC microgrid. <b>2020</b> , 1, 3-23	1
399	Two-Tier Converter: A New Structure of High Gain DC-DC Converter with Reduced Voltage Stress. <b>2020</b> ,	2
398	Predictive Adaptive Filter for Reducing Total Harmonics Distortion in PV Systems. <b>2020</b> , 13, 3286	10
397	Advanced Variable Switching Frequency Control for Improving Weighted Efficiency of Distributed Renewable Generation Systems. <b>2020</b> , 1-1	1
396	Assessment of Technical Parameters of Renewable Energy System : An Overview. <b>2020</b> ,	1
395	Single Magnetic Element-Based High Step-Up Converter for Energy Storage and Photovoltaic System with Reduced Device Count. <b>2020</b> , 2020, 1-19	1



394	DC Series Arc Fault Detection Algorithm for Distributed Energy Resources Using Arc Fault Impedance Modeling. <b>2020</b> , 8, 179039-179046	10
393	The New Topology of Multilevel Inverter with Reduced Number of Switches. <b>2020</b> ,	0
392	Control Scheme and Performance Analysis of Dual-Frequency Single-Phase Grid-Connected Inverter Interfaced With Weak and Distorted Grids. <b>2020</b> , 8, 178639-178650	4
391	A Battery Storage System for PMG-based WECSs. <b>2020</b> ,	
390	Power Loss Analysis of Solar Photovoltaic Integrated Model Predictive Control Based On-Grid Inverter. <b>2020</b> , 13, 4669	4
389	Small-Signal Modelling Analysis of Three-Phase Power Converters for EV Applications. <b>2020</b> , 77-101	
388	Harmonic Resonance Analysis for Wind Integrated Power System and Optimized Filter Design. <b>2020</b> ,	
387	A New Three-Phase Multi-Level Asymmetrical Inverter With Optimum Hardware Components. <b>2020</b> , 8, 212515-212528	6
386	Game and Contract Theory-Based Energy Transaction Management for Internet of Electric Vehicle. <b>2020</b> , 8, 203478-203487	6
385	A Review on Transverse Flux Permanent Magnet Machines for Wind Power Applications. <b>2020</b> , 8, 216543-216565	5
384	Frequency Scanning-Based Contributions Identification of Current Control Loop and PLL on DQ Impedance Characteristics of Three-Phase Grid-Connected Inverter. <b>2020</b> ,	
383	A Comprehensive Review of Recent Advances in Smart Grids: A Sustainable Future with Renewable Energy Resources. <b>2020</b> , 13, 6269	36
382	Studies of Current Modulation in the DC Voltage Link of the Frequency Converter during its Operation with Asynchronous Load. <b>2020</b> , 795, 012014	
381	Mathematical Modeling of the Electric Drive with Universal Power Semiconductor Converter. <b>2020</b> , 795, 012015	1
380	Switch Open-Fault Detection for a Three-Phase Hybrid Active Neutral-Point-Clamped Rectifier. <b>2020</b> , 9, 1437	3
379	Secondary-control-based harmonics compensation scheme for voltage- and current-controlled inverters in islanded microgrids. <b>2020</b> , 14, 2176-2182	2
378	Performance Analysis of New Family of Modified Hybrid ZSB DC-DC Converter. <b>2020</b> ,	
377	. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 9813-9823	7.2 14

376	Mapping the Academic Landscape of the Renewable Energy Field in Electrical and Electronic Disciplines. <b>2020</b> , 10, 2879		3
375	Implementation of Designed PV Integrated Controlled Converter System. <b>2020</b> , 8, 100905-100915		0
374	Evolutionary Design Automation of High Efficiency Series Resonant Converter for Photovoltaic Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 11332-11343	7.2	3
373	Combined Control of Machine & Grid Side Converters for PMSGs in Wind Energy Conversion Systems with Fast and Robust Performance. <b>2020</b> ,		2
372	Review of Isolated Matrix Inverters: Topologies, Modulation Methods and Applications. <b>2020</b> , 13, 2394		9
371	Grid Integration of Small-Scale Photovoltaic Systems in Secondary Distribution Network Review. <b>2020</b> , 56, 3178-3195		43
370	A New Energy Management Control Method for Energy Storage Systems in Microgrids. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 11612-11624	7.2	16
369	A Topology Synthesis Method for Single-Phase, Full-Bridge, Transformerless Inverter with Leakage Current Suppression Part II. <b>2020</b> , 13, 446		2
368	Validation of Novel PLL-driven PI Control Schemes on Supporting VSIs in Weak AC-Connections. <b>2020</b> , 13, 1373		4
367	Parallel-Converter System Grid Current Switching Ripples Reduction Using a Simple Decentralized Interleaving PWM Approach. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 8581-8592	7.2	5
366	Parameters Uncertainty Immunization of Global Synchronous Pulsewidth Modulated VSIs With Round P&O Algorithm. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 11281-11286	7.2	2
365	. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 6636-6648	7.2	22
364	Analytical Approach to Calculate Inductor Current Ripple Cancellation in Two-Phase Interleaved Single-phase Inverter. <b>2020</b> ,		2
363	Sign Regressor LMS Algorithm Based Adaptive Control Algorithm for Multi-objective Solar PV Generator System Connected to Grid. <b>2020</b> ,		2
362	Optimal Location and Sizing of PV Sources in DC Networks for Minimizing Greenhouse Emissions in Diesel Generators. <b>2020</b> , 12, 322		18
361	Optimal Voltage Regulator for Inverter Interfaced Distributed Generation Units Part II Control System. <b>2020</b> , 11, 2813-2824		10
360	A Topology Synthesis Method for Single-Phase, Full-Bridge, Transformerless Inverter with Leakage Current Suppression Part I. <b>2020</b> , 13, 434		3
359	Slow-Scale and Fast-Scale Instabilities in Parallel-Connected Single-Phase H-Bridge Inverters: A Design-Oriented Study. <b>2020</b> , 30, 2050005		5

358	Effect of Reactive Power Characteristic of Offshore Wind Power Plant on Low-Frequency Stability. <b>2020</b> , 35, 837-853		13
357	Genetic algorithm assisted fixed frequency sliding mode controller for quadratic boost converter in fuel cell vehicle. <b>2020</b> , 10, 81-88		5
356	DC-link loop bandwidth selection strategy for grid-connected inverters considering power quality requirements. <b>2020</b> , 119, 105879		6
355	Inherent Interaction Analysis for Harmonic Oscillations in the Multi-Paralleled Grid-Connected Inverter System Using a Sum Type Criterion: Global Admittance (GA). <b>2020</b> , 8, 8275-8285		3
354	High Step-Up DCDC Converter With Zero Voltage Switching and Low Input Current Ripple. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 9416-9429	7.2	23
353	Limitations, challenges, and solution approaches in grid-connected renewable energy systems. <b>2020</b> , 44, 4132-4162		37
352	Unified Modular State-Space Modeling of Grid-Connected Voltage-Source Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 9700-9715	7.2	27
351	Optimized Design for AC Filter and Switching Frequency of Parallel-Connected Inverters With Global Synchronous Pulsewidth Modulation. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 11843-11854	7.2	0
350	Enhanced Power Decoupling Strategy for Virtual Synchronous Generator. <b>2020</b> , 8, 73601-73613		17
349	Joint energy and reserve scheduling of renewable powered microgrids accommodating price responsive demand by scenario: A risk-based augmented epsilon-constraint approach. <b>2020</b> , 262, 121365		21
348	Synthesizing a Family of Converters for a Specified Conversion Ratio Using Flux Balance Principle. <b>2021</b> , 68, 3854-3864		9
347	Generalized Switch Current Stress Reduction Technique for Coupled-Inductor-Based Single-Switch High Step-Up Boost Converter. <b>2021</b> , 9, 1863-1875		7
346	Review of Harmonic Mitigation Methods in Microgrid: From a Hierarchical Control Perspective. <b>2021</b> , 9, 3044-3060		12
345	An Improved ADMM-Based Distributed Optimal Operation Model of AC/DC Hybrid Distribution Network Considering Wind Power Uncertainties. <b>2021</b> , 15, 2201-2211		4
344	Stability Region Based Robust Controller Design for High-Gain Boost DCDC Converter. <b>2021</b> , 68, 2246-2256		6
343	Generalized Three-Winding Switched-Coupled-Inductor Impedance Networks With Highly Flexible Gain. <b>2021</b> , 68, 2130-2141		1
342	Second Harmonic Current Reduction for Flying Capacitor Clamped Boost Three-Level Converter in Photovoltaic Grid-Connected Inverter. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 1669-1679	7.2	9
341	Virtual Power-Based Control for Operation and Grid Synchronization of Induction Generator. <b>2021</b> , 15, 2168-2175		0

340	Control and fault analysis of multiport converters for low voltage DC distribution systems. <b>2021</b> , 124, 106335		2
339	. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 2420-2431	7.2	12
338	Fractional order harmonic disturbance observer control for three-phase LCL-type inverter. <b>2021</b> , 107, 104697		3
337	Decentralized Carrier Phase Shifting for Optimal Harmonic Minimization in Asymmetric Parallel-Connected Inverters. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 5915-5925	7.2	3
336	Interface Displacement and Dynamic Phasor Mapping Equivalence Based Hybrid Simulation for HVAC/DC Power Grids. <b>2021</b> , 36, 1932-1942		1
335	The Impact of VSFPWM on DQ Current Control and a Compensation Method. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 3563-3572	7.2	3
334	. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 2914-2931	7.2	3
333	Frequency Stabilization of Solar Thermal-Photovoltaic Hybrid Renewable Power Generation Using Energy Storage Devices. <b>2021</b> , 45, 597-617		10
332	High Performance Flexible Structure Three-Level DC-DC Converter: A Candidate DC Interface for Microgrids With Distributed Energy Resources. <b>2021</b> , 9, 1032-1043		0
331	Positive Sequence Voltage Control, Full Negative Sequence Cancellation and Current Limitation for Static Compensators. <b>2021</b> , 1-1		7
330	Power Balancing in Cascaded H-Bridge and Modular Multilevel Converters Under Unbalanced Operation: A Review. <b>2021</b> , 9, 110525-110543		4
329	Hierarchical control-I. <b>2021</b> , 139-148		
328	Multi-Functional DC Collector for Future All-DC Offshore Wind Power System: Concept, Scheme, and Implement. <b>2021</b> , 1-1		2
327	Monte Carlo-based Reliability Estimation Methods for Power Devices in Power Electronics Systems. <b>2021</b> , 1-1		2
326	Adaptive Virtual Flux Droop Control based on Virtual Impedance in Islanded AC Microgrids. <b>2021</b> , 1-1		4
325	Soft-switching Bidirectional Switched-Capacitor DC-DC Converter with Multiple Phase-Shift Control Methods. <b>2021</b> , 1-1		2
324	Improvement of a High-Current-Density Power Backplane Design With a PID Fan Control Cooling System on an Enterprise Server. <b>2021</b> , 44, 1-9		1
323	Multilevel converters for renewable energy systems. <b>2021</b> , 155-184		2

322	Modern electrical power system and the role of distributed generation. <b>2021</b> , 1-35		
321	A High-Step-Up Low-Ripple and High-Efficiency DC-DC Converter for Fuel-Cell Vehicles. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 1-1	7.2	5
320	Advanced power control of photovoltaic systems. <b>2021</b> , 447-469		0
319	Effective Design and Implementation of Three Port Hybrid Converter for Hybrid Power Sources. <b>2021</b> , 1717, 012051		1
318	Electromagnetic Oscillation Origin Location in Multiple-Inverter-Based Power Systems Using Components Impedance Frequency Responses. <b>2021</b> , 2, 1-20		4
317	A High-Efficiency Isolated PFC AC-DC Topology with Reduced Number of Semiconductor Devices. <b>2021</b> , 1-1		1
316	Artificial-Intelligence-Based Design (AI-D) for Circuit Parameters of Power Converters. <b>2021</b> , 1-1		5
315	Assessment and Mitigation of Dynamic Instabilities in Single-Stage Grid-Connected Photovoltaic Systems With Reduced DC-Link Capacitance. <b>2021</b> , 9, 55522-55536		3
314	An Architectural and Control Overview of DC-Microgrid for Sustainable Remote Electrification. <b>2021</b> , 241-260		0
313	Overview of stability analysis methods in power electronics. <b>2021</b> , 169-197		
312	Performance assessment of distinct configurations for squirrel cage induction generator based wind energy conversion systems. <b>2021</b> ,		1
311	Development of Controller HIL Test-bed for Solar-battery integration. <b>2021</b> ,		0
310	Wind Distributed Generation with the Power Distribution Network for Power Quality Control. <b>2021</b> , 131-149		
309	Multi-Mode Operation and Control of a Z-Source Virtual Synchronous Generator in PV Systems. <b>2021</b> , 9, 53003-53012		1
308	Unified Modeling and Analysis of Dynamic Power Coupling for Grid-Forming Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 1-1	7.2	7
307	A New Approach for Power Losses Evaluation of IGBT/Diode Module. <b>2021</b> , 10, 280		7
306	Integrated Hybrid Converter Topology with Single DC Input and Simultaneous DC and AC Outputs using SHORFA Technique. 1-29		1
305	A New Non-Isolated Single Switch High Step-up DC/DC Converter Based on Inductor Cells. <b>2021</b> ,		0

304	Transient Stability Analysis of Grid-Connected Converter Driven by Imbalance Power under Non-Severe Remote Voltage Sag. <b>2021</b> , 14, 1737		1
303	Robust Control of a PMSG-Based Wind Turbine Generator Using Lyapunov Function. <b>2021</b> , 14, 1712		1
302	A high gain soft-switching active-clamped coupled-inductor-based converter for grid-tied photovoltaic applications. <b>2021</b> , 103, 2783		0
301	Power Electronics Interfaces in Microgrid Applications. <b>2021</b> , 121-144		
300	Detecting components in a distorted grid voltage. <b>2021</b> ,		
299	An Active/Reactive Power Control Strategy for Renewable Generation Systems. <b>2021</b> , 10, 1061		4
298	Development of T-Type Three-Level Power Conversion System. <b>2021</b> ,		
297	Output Series-Parallel Connection of Passivity-Based Controlled DCDC Converters: Generalization of Asymptotic Stability. <b>2021</b> , 68, 1750-1759		0
296	Zero-voltage switching half-bridge pulse width modulation DCDC converter with switched capacitor active snubber cell for renewable energy applications. <b>2021</b> , 49, 2686-2698		1
295	A Novel Vertically Oscillating Hydrokinetic Energy Harvester. <b>2021</b> ,		
294	Seamless switching power sharing control method in a hybrid DC-AC microgrid by the isolated two-stage converter based on SST. <b>2021</b> , 14, 1384-1396		1
293	Electric Power Quantities in the Presence of Harmonics - A Case Study. <b>2021</b> ,		0
292	A Review on Small Power Rating PV Inverter Topologies and Smart PV Inverters. <b>2021</b> , 10, 1296		3
291	Energy Conversion Unit for Low-Speed Vertical Oscillator Hydrokinetic Energy Harvester. <b>2021</b> ,		
290	Generalized Space-Vector-Modulation Method for Soft-Switching Three-Phase Inverters. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 6030-6045	7.2	7
289	Rethinking project management maturity models for the South African power sector. 1-15		3
288	Four Port hybrid-converter based on a photovoltaic system and the piezoelectric effect. <b>2021</b> ,		
287	Friendly Load Control Scheme with Importance Degree and Intention. <b>2021</b> ,		

286	Novel Control Strategy for Enhancing Microgrid Operation Connected to Photovoltaic Generation and Energy Storage Systems. <b>2021</b> , 10, 1261	24
285	Small-Signal Impedance Modeling and Stability Analysis of BDFIG Tied into Weak Power Grid. <b>2021</b> ,	
284	Implementation of Nine-Switch converter to PV solar array operating with different loads. <b>2021</b> , 51, 670-670	
283	Methodology for the Optimisation of Battery Hybrid Energy Storage Systems for Mass and Volume Using a Power-To-Energy Ratio Analysis. <b>2021</b> , 7, 37	2
282	A Gray-Box Hierarchical Oscillatory Instability Source Identification Method of Multiple-Inverter-Fed Power Systems. <b>2021</b> , 9, 3095-3113	7
281	Modelling and analysis of equivalent SISO d-q impedance of grid-connected converters. <b>2021</b> , 184, 5-20	1
280	A Lyapunov-based adaptive voltage controller for a grid connected PV system. <b>2021</b> , 4, 381-396	0
279	Enhanced performance of PMSG wind turbines during grid disturbance at different network strengths considering fault current limiter. <b>2021</b> , 31, e12985	2
278	Converter-Based Solution for Cancellation of Subsynchronous Oscillations in Local Power Grids. <b>2021</b> ,	
277	The State Space Average Model of Cuk Converter Fed From Photo Voltaic Array. <b>2021</b> ,	0
276	Performance Analysis of Average Model of Buck Converter FED From Photo Voltaic Array Using Graphical Tool. <b>2021</b> ,	
275	Power Electronics Converters for Distributed Generation. <b>2021</b> , 81-112	0
274	A Decentralized Approach for Voltage Control by Multiple Distributed Energy Resources. <b>2021</b> , 12, 3115-3127	1
273	Protection of active distribution networks with conventional and inverter-based distributed generators. <b>2021</b> , 129, 106746	6
272	Current Trends and Challenges in Sustainable Generation, Transmission and Distribution of Electricity. <b>2022</b> , 213-236	1
271	Digital filter-based grid synchronization for autonomous microgrids. <b>2021</b> , 15, 3732	2
270	Optimal Maintenance Policy for Offshore Wind Systems. <b>2021</b> , 14, 6082	1
269	Power management and bus voltage control of a battery backup-based stand-alone PV system. 1	1

268	A MinMax Closed-Loop PLL-GSPWM for Circulating Leakage Currents Attenuation in PV Station. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 10224-10238	7.2	3
267	Partial Series Resonance Pulse Commutated Current-Fed Three-Phase Current Sharing DCDC Converter: ZCS Analysis, Design, and Experimental Results. <b>2021</b> , 2, 442-452		0
266	Quantitative Analysis of Asymmetric Multilevel Inverters With Reduced Device Count From Reliability and Cost Function Perspective A Review. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 11068-11086	7.2	2
265	Reactive power compensation using derated power generation mode of modified P&O algorithm in grid-interfaced PV system. <b>2021</b> , 178, 108-117		6
264	Harmonic problems in renewable and sustainable energy systems: A comprehensive review. <b>2021</b> , 48, 101566		4
263	. <i>IEEE Transactions on Power Electronics</i> , <b>2022</b> , 37, 1012-1026	7.2	1
262	A Nonlinear Adaptive Stabilizing Control Strategy to Enhance Dynamic Stability of Weak Grid-Tied VSC System. <b>2021</b> , 1-1		1
261	State-Space Modeling and Control of Grid-Tied Power Converters with Capacitive/Battery Energy Storage and Grid-Supportive Services. <b>2021</b> , 1-1		4
260	Integrated Modulation of Dual-parallel NPC Inverters with Eliminated CMV. <b>2021</b> , 1-1		1
259	Autoidentification Method of the Trouble Maker(s) For Internal Instability in Multiparalleled Inverters System. <b>2021</b> , 1-1		2
258	Analysis of Inertia Characteristics of Photovoltaic Power Generation System Based on Generalized Droop Control. <b>2021</b> , 9, 37834-37839		0
257	A Robust Circuit and Controller Parameters Identification Method of Grid-Connected Voltage Source Converters Using Vector Fitting Algorithm. <b>2021</b> , 1-1		2
256	Impedance Modelling Mechanisms and Stability Issues of Single Phase Inverter with SISO Structure and Frequency Coupling Effect. <b>2021</b> , 1-1		1
255	Slow-Scale Bifurcation in Three-Level T-Type Inverter with Passive Memristive Load. <b>2021</b> , 1-1		1
254	Leakage Current Suppression with Capacitor Voltage Control of Three-level Flying Capacitor Grid-Connected Inverters. <b>2021</b> , 1-1		5
253	Quasi Impedance Source Network Based Non-Isolated High Step-Up DC-DC Converter. <b>2021</b> , 1-1		1
252	Vortex Search Algorithm for Optimal Sizing of Distributed Generators in AC Distribution Networks with Radial Topology. <b>2019</b> , 235-249		4
251	Advanced Control of Photovoltaic and Wind Turbines Power Systems. <b>2014</b> , 41-89		5



250	Deterministic Approaches for the Steady-State Analysis of Distribution Systems with Wind Farms. <b>2013</b> , 211-244	5
249	Multiple DG Synchronization and De-synchronization in a Microgrid Using PLC. <b>2016</b> , 565-572	5
248	High step-up single switch quadratic modified SEPIC converter for DC microgrid applications. <b>2020</b> , 13, 3717-3726	7
247	Switched capacitor-based continuous input current high step-up impedance source DCDC converter. <b>2020</b> , 13, 4204-4213	2
246	Role of Power Converters in Distributed Solar Power Generation. <b>2014</b> , 2, 38-42	6
245	Application of Magnetic Energy Recovery Switch (MERS) to Improve Output Power of Wind Turbine Generators. <b>2006</b> , 126, 599-604	2
244	Transformer Less High Efficiency MOSFET Inverter with H6-Type configuration for Photovoltaic Applications. <b>2014</b> , 7, 17-22	1
243	Combined Operation of Unified Power Quality Conditioner and Photovoltaic Array. <b>2009</b> , 9, 680-688	12
242	Power quality improvement through grid integration of renewable energy sources. <b>2013</b> , 59, 210	17
241	Power Electronics and Its Application to Solar Photovoltaic Systems in India. <b>2016</b> , 08, 76-91	3
240	A Current-Forced Line-Commutated Inverter for Single-Phase Grid-Connected Photovoltaic Generation Systems. <b>2015</b> , 15, 85-92	2
239	Parameter Improved Particle Swarm Optimization Based Direct-Current Vector Control Strategy for Solar PV System. <b>2018</b> , 18, 105-112	10
238	Stability Improvement of Distributed Power Generation Systems with an LCL-Filter Using Gain Scheduling Based on Grid Impedance Estimations. <b>2011</b> , 11, 599-605	10
237	A Review of Power Electronics Based Microgrids. <b>2012</b> , 12, 181-192	93
236	Investigation of "Unified Voltage Conditioner - UVC". <b>2012</b> , 12, 357-362	2
235	Digital Control of Secondary Active Clamp Phase-Shifted Full-Bridge Converters. <b>2014</b> , 14, 421-431	3
234	Simplified SVPWM that Integrates Overmodulation and Neutral Point Potential Control. <b>2014</b> , 14, 926-936	5
233	Variable Step-Size MPPT Control based on Fuzzy Logic for a Small Wind Power System. <b>2012</b> , 17, 205-212	3

232	An Overview to Soft-Switching Boost Converters for Photovoltaic. <b>2013</b> , 18-21	4
231	Stability-Margin-Oriented Key Parameter Design for Voltage-Source Rectifiers in Weak Power Grids With Inductive Impedance. <b>2021</b> , 1-1	1
230	An Adaptive Parameter-Based Control Technique of Virtual Synchronous Generator for Smooth Transient Between Islanded and Grid-Connected Mode of Operation. <b>2021</b> , 9, 137322-137337	1
229	Harmonic Power-Flow Study of Polyphase Grids with Converter-Interfaced Distributed Energy Resources, Part II: Model Library and Validation. <b>2021</b> , 1-1	1
228	SISO Impedance-Based Stability Analysis for System-Level Small-Signal Stability Assessment of Large-Scale Power Electronics-Dominated Power Systems. <b>2022</b> , 13, 537-550	8
227	Harmonic Power-Flow Study of Polyphase Grids with Converter-Interfaced Distributed Energy Resources, Part I: Modelling Framework and Algorithm. <b>2021</b> , 1-1	1
226	Performance Analysis of PV system with Quasi Z-Source Switched Inductor/Capacitor Voltage Gain Converter. <b>2021</b> ,	0
225	A study on the dynamic model of a three-phase grid-connected inverter and an innovative method for its verification. 1	
224	Design of line front-end converter systems under real line conditions. <b>2007</b> , 191-224	
223	Renewable Source and Hybrid System Modeling for Smart Grid. <b>2010</b> , 24, 109-121	2
222	Grid Connected Systems for Access to Electricity: From Microgrid to Grid Extension. <b>2013</b> , 99-132	1
221	Implementation of an Embedded Controlled High Efficiency Improved Boost Converter for Solar Installation System. <b>2013</b> , 2, 177-183	
220	High-Efficiency DC-DC Converter with Improved Dynamic Response Characteristics for Modular Photovoltaic Power Conversion. <b>2013</b> , 18, 54-62	
219	Closed-Loop Approach For Reducing Total Harmonic Distortion In A Flying Capacitor Multilevel Inverter. <b>2013</b> , 1, 37-46	
218	Cascaded H-Bridge MV Grid and Power Balance Control for PV Systems. <b>2014</b> , 603-614	
217	Amorphous Solar Modules Simulation and Experimental Results: Effect of Shading. <b>2014</b> , 315-323	
216	An Effective Control Scheme of a Back-to-Back Converter with Shunt-Connected HTS SMES for Frequency Regulation of an Islanded Microgrid. <b>2014</b> , 9, 1119-1124	2
215	A Soft Switching DC?DC Converter With High Voltage Gain and Low Over Voltage Stress and Harmonics. <b>2014</b> , 7, 1-8	

214	Cascaded Dual Buck Inverter with Sensorless Current Control Method for Grid Connected Photovoltaic Systems. <b>2015</b> , 1047-1056	1
213	Introduction. <b>2015</b> , 3-17	
212	Smart Grid Technology. <b>2015</b> , 1007-1014	
211	Power Conditioning System for a Solar Photovoltaic System Using Level Shift Sinusoidal PWM. <b>2015</b> , 3, 32-40	
210	Research on Terminal Power Control of Power Wireless Communication System Based on Narrow-Band Spectrum. <b>2016</b> , 621-632	
209	Study on Distributed Power Grid-Connected Dual Frequency Inverter. <b>2016</b> , 04, 184-193	
208	A Review on Power Quality Problems in Wind Energy Generation. <b>2016</b> , 4, 1	
207	Fundamentals of Power Systems. <b>2016</b> , 1-13	
206	COMPARATIVE STUDY OF SINGLE PHASE POWER INVERTERS BASED ON EFFICIENCY AND HARMONIC ANALYSIS. <b>2016</b> , 4, 1	0
205	Investigational Validation of PV Based DCD-MLI Using Simplified SVM Algorithm Utilizing FPGA Tied with Independent Sources. <b>2016</b> , 07, 3831-3848	1
204	Robust Sliding Mode Control Design for a Quadratic Boost Converter. <b>2016</b> , 386-391	
203	Analysis and Design of a Current-fed Two Inductor Bi-directional DC/DC Converter using Resonance for a Wide Voltage Range. <b>2016</b> , 11, 1634-1644	
202	AC and DC Microgrid with Distributed Energy Resources. <b>2017</b> , 39-64	4
201	Large Conversion Ratio DC-DC Hybrid Converters for Renewable Energy Applications. <b>2018</b> , 460-472	
200	Introduction. <b>2019</b> , 1-28	
199	An AC Voltage Sensor-less Control Strategy for Ocean Ship Photovoltaic Grid-connected Inverter with LCL Filter. <b>2019</b> , 83, 109	
198	Generalised optimised design of single-resonant AC current regulators. <b>2019</b> , 55, 613-615	3
197	Calculation of Photovoltaic Systems Connection to the Supply Line with Distributed Load. <b>2020</b> , 597-608	1

196 Improved DTC-Drive-Based Photovoltaic Water Pumping System with INC-MPPT. **2020**, 173-191

195 RETRACTED CHAPTER: Performance Comparison of Semi-Z-Source Inverter and Full-Bridge Inverter. **2020**, 485-501

194 A New Multilevel Inverter for Grid Integration of Renewable Energy Sources. **2019**, 0

193 Thermal Analysis of the Power Distribution System As Part of an Underwater Compressed Air Energy Storage Station. **2020**, 203-217

192 Inverter Topology Selection for Photovoltaic Power Systems. **2020**, 3, 48-52

191 Yenilenebilir Enerji Kaynaklarına Dayalı Bir Sistemde GÜ Kalitesi Analizi, Kontrol ve İzlemesi. 0

190 A Novel Power Quality Enhancement Strategy for Single Phase Islanded Microgrid. **2020**,

189 . **2020**,

188 Regulation of Parallel Connected Boost and Buck Converters by Passivity-Based Control. **2020**,

187 Smart Modern AC Microgrid Monitoring System using Power Line Communication. **2020**, 0

186 Hybrid Renewable Resource Power Generation using Back to Back Voltage Source Converter with Output Regulation. **2020**, 297-302

185 Distributed Generators based DSTATCOM and its Harmonic Assessment. **2020**,

184 Improved H5 Circuit Based Five-Level Quasi Z-Z - Source Inverter With Reduced Leakage Current. **2020**,

183 Evaluation of Integrated Dual-DC Boost Converter as Energy Management System for Standalone Solar-Battery Applications. **2020**,

182 Decentralized Control Strategy for an AC Co-Phase Traction Microgrid. **2021**, 14, 7 0

181 PI and Fuzzy Logic Control of Single Phase Grid Connected Inverter Serving Two PV Panels. **2020**, 1

180 Guidelines for generalised quantitative frequency domain design of optimised multi-resonant AC current regulators for grid-connected inverters. **2020**, 14, 3230-3237 0

179 Research on Harmonic Detection Method of Multi-function Grid-connected Inverter. **2020**,

178	Review of Front-end DC-DC Boost Converters in Two-stage Micro-inverters. <b>2020</b> ,	0
177	Application of Impedance Source Inverters. <b>2020</b> , 255-290	
176	Review of dSPACE 1104 Controller and Its Application in PV. <b>2020</b> , 353-362	
175	THD Reduction of On-Grid Solar Photovoltaic System Employing SPWM Technique. <b>2020</b> , 425-437	0
174	Analysis of Three-Phase Quasi-Switched Boost Inverter Topology for Renewable Energy Applications. <b>2020</b> , 863-876	
173	. <b>2021</b> ,	1
172	A Data-Driven Based Online Learning Control of Voltage Source Converter for DC Microgrids. <b>2021</b> ,	1
171	Modified Permanent Magnet Synchronous Generators for Using in Energy Supply System for Autonomous Consumer. <b>2021</b> , 14, 7196	2
170	Power Electronics and Controls in Solar Photovoltaic Systems. 68-125	
169	Power Electronics and Controls in Solar Photovoltaic Systems. 2016-2072	
168	DQ impedance-decoupled network model-based stability analysis of offshore wind power plant under weak grid conditions. <b>2020</b> , 13, 2715-2729	4
167	Dispatchable distributed generation using a back-to-back converter for grid-forming improvements based on feed-forward action with load current prediction. <b>2020</b> , 13, 3686-3696	1
166	Study of Advanced Power Load Management Based on the Low-Cost Internet of Things and Synchronous Photovoltaic Systems. <b>2021</b> , 548-557	1
165	Autonomous Operation of Grid Synchronizing Breakers with Low Voltage Ride Through (LVRT) Capabilities. <b>2020</b> , 48, 1464-1473	
164	Power electronics technologies for renewable energy sources. <b>2022</b> , 403-455	
163	Fuzzy Lifetime Analysis of a Fault-Tolerant Two-Phase Interleaved Converter. <b>2021</b> ,	1
162	Review of DC Offshore Wind Farm Topologies. <b>2021</b> ,	
161	A Data-Driven Based Online Learning Control of Voltage Source Converter for DC Microgrids. <b>2021</b> ,	1

160 . 2021,

159 Power Control of a Three-phase Grid-connected Inverter using a Proportional-Resonant Control Method under Unbalanced Conditions. **2021,** ○

158 . 2021, ○

157 A Novel Energy Management Control technique for PV-Battery System in DC Microgrids.

156 Voltage Stability Improvement of PV and Battery-Based Sliding Mode-Controlled Microgrid System. **2022,** 559-569

155 The New Hybrid Multilevel Inverter with Reduced Number of Switches. **2021,** ○

154 Power Conversion Performance of a Single-Phase PV Inverter with Fuzzy Logic Algorithm. **2021,** 897, 012018 1

153 Attitudes of Communities in Rural Areas towards the Development of Wind Energy. **2021,** 14, 8052 ○

152 Nonlinear Modular State-Space Modeling of Power-Electronics-Based Power Systems. *IEEE Transactions on Power Electronics,* **2021,** 1-1 7.2 ○

151 Transformerless Six-Switch (H6)-based Single-Phase Inverter for Grid-Connected Photovoltaic System With Reduced Leakage Current. **2021,** 1-1 1

150 Stability analysis of grid-connected inverter with adaptive PLL. **2020,**

149 Finite Control Set Model Predictive Control of Isolated DC/DC Modular Multilevel Converter. **2020,** 1

148 A Geometric Series Based Nearest Level Modulation Scheme for Multilevel Inverter. **2020,**

147 Dual Vienna Rectifiers with a Single Dc-link for Wind Energy Conversion System Applications. **2020,**

146 Modal Frequency and Damping Evaluation of Grid Connected VSCs in Sub-Synchronous Range Based on Motion Equation Method. **2020,**

145 Battery Supported Grid Tied PV System with CFDBPF Based Control Algorithm. **2020,**

144 A New Harmonic Repetitive Controller for DG Interfacing Converters. **2020,**

143 Influence of SOGI Bandwidth on Stability of Single Phase Inverter in Weak Grid. **2020,** 1

142	DQ Impedance Reshaping of Three-Phase Power-Controlled Grid-Connected Inverter for Low-Frequency Stability Improvement Under Weak Grid Condition. <b>2020,</b>	3
141	Transformerless Six-Switch (H6)-based Single-Phase Inverter for Grid-Connected Photovoltaic System With Reducd Leakage Current. <b>2020,</b>	0
140	Decentralized Control for Grid-interactive Hybrid dc/ac Ring Microgrid under Input Source Fluctuations. <b>2020,</b>	0
139	Analytical Approach-Based Reactive Power Capability Curve for DFIG Wind Power Plants. <b>2020,</b>	1
138	Performance Analysis of Grid Connected Solar Photovoltaic System Under Network Faults. <b>2020,</b>	
137	Comparative Study on Different Analysis Methods of LCL Grid-connected Inverters. <b>2020,</b>	
136	Impacts of Digital Filters on Admittance Dissipativity of Sequence Current Control for VSCs. <b>2020,</b>	
135	Accurate s-Domain PWM Model for Stability Analysis of LCL-filtered VSC. <b>2020,</b>	
134	A Robustness Improvement Strategy for Proportional-Proportional-Delay Controller. <b>2020,</b>	
133	A Decentralized Frequency Regulation Scheme in AC Microgrids. <b>2020,</b>	
132	A Voltage-Droop-free Reactive Power Sharing Solution in Microgrids. <b>2020,</b>	1
131	A PV Power Grid-Connected Inverter Current Tracking Control Scheme via Data-Driven Q-Learning Algorithm. <b>2020,</b>	
130	Harmonic Distortion Reduction of Transformerless Inverter's Output Voltage Using 5-Level Single-Phase Inverter and LCL Filter. <b>2020,</b>	
129	Review of inverter control algorithms in Grid-integrated Solar Photovoltaic system. <b>2020,</b>	0
128	A Method for Improving Stability of Grid-Connected Inverters Based on the Q-Axis Voltage Feedforward Control.	0
127	A Novel Method to Identify the "Trouble Maker" of Internal Instability in Multi-paralleled Inverters System. <b>2020,</b>	
126	Coordinated Active Thermal Control for Parallel-connected Inverters Using Global Synchronous Pulse Width Modulation. <b>2020,</b>	0
125	A Fibonacci Series based Nearest Level Modulation Scheme for Multilevel Inverters. <b>2020,</b>	

124	Stability Analysis of VSC Systems Using 3 $\Phi$ Admittance Measurements. <b>2021</b> ,		
123	Unidirectional Five-Level Rectifiers for WECS Applications. <b>2021</b> ,		0
122	An Improved Direct Voltage Component Extraction Method for Grid Connected Converters. <b>2021</b> ,		
121	Vienna Rectifiers for WECS Applications with Open-End Winding PMSM. <b>2022</b> , 1-1		2
120	Cyber-Attack Detection and Countermeasure for Distributed Electric Springs for Smart Grid Applications. <b>2022</b> , 10, 13182-13192		0
119	Higher-order sliding mode current controller for grid-connected distributed energy resources with LCL $\mathit{\text{LCL}}$ filters under unknown grid voltage conditions.		1
118	Optimization of Impedance-Source Galvanically Isolated DCDC Converters With Reduced Number of Switches. <b>2022</b> , 10, 3835-3847		1
117	Discrete/continuous-time online algorithm application for time-varying optimal power flow in active distribution networks. <b>2022</b> , 138, 107859		0
116	Comprehensive Modeling, Analysis, and Comparison of State-Space and Admittance Models of PLL-Based Grid-Following Inverters Considering Different Outer Control Modes. <b>2022</b> , 10, 30109-30146		2
115	Introduction. <b>2022</b> , 1-29		
114	A Three-Winding Coupled Inductor-Based Dual-Switch High Step-Up DC-DC Converter for Photovoltaic Systems. <b>2022</b> , 1-1		2
113	Quasi-Z-Source -Fed Switched-Capacitor Multilevel Inverters without Inrush Charging Current. <b>2022</b> , 1-1		
112	The DC Transformer Power Electronic Building Block: Powering Next-Generation Converter Design. <b>2022</b> , 2-16		1
111	Analysis and Improvement of Large-disturbance Stability for Grid-connected VSG Based on Output Impedance Optimization. <i>IEEE Transactions on Power Electronics</i> , <b>2022</b> , 1-1	7.2	1
110	Power Electronics for Renewable Energy Systems. <b>2022</b> , 327-362		
109	Analysis and Design of Inertia for Grid-Tied Electric Vehicle Chargers Operating as Virtual Synchronous Machines. <b>2022</b> , 12, 2194		1
108	Power Electronics for Modern Sustainable Power Systems: Distributed Generation, Microgrids and Smart Grids $\mathit{\text{A}}$ Review. <b>2022</b> , 14, 3597		2
107	Sustainable energy, economic, and environmental impacts of small-scale wind turbines: A comprehensive study.		



106	A non-isolated high gain DC-DC converter with coupled-inductor and built-in transformer for grid-connected photovoltaic systems.	1
105	An overview of integration of PV system into electric grid. <b>2022</b> , 1228, 012017	
104	A Non-Isolated DC-DC Converter with Dual Working Modes and Positive Output Voltage. 1-15	1
103	Learning approach based DC arc fault location classification in DC microgrids. <b>2022</b> , 208, 107874	3
102	Composite Predictive Current Tracking Control for LCL-Filtered Grid-Connected Inverter With Switching Harmonics and Model Uncertainties. <b>2021</b> ,	
101	Model-Free Predictive Control based on ARX Representation: A Comparative Assessment with Proportional-Integral Regulator. <b>2021</b> ,	0
100	Comparison between Model-Free Predictive and Adaptive Linear Control of a Voltage Source Inverter. <b>2021</b> ,	0
99	Power Management on A Fuzzy Base Small Scale Microgrid Based on Hybrid Wind and Solar Battery. <b>2021</b> ,	
98	Identification of the Oscillation Source in Multiple Grid-connected Converters Systems. <b>2021</b> ,	
97	Current Saturation Analysis of Droop Controlled Voltage Source Converter. <b>2021</b> ,	
96	On the Use of Robust Techniques in Smart Grid Control. <b>2022</b> , 15, 7	1
95	MPC Control of Three-Phase CSI in Unbalanced Grid. <b>2022</b> ,	
94	MODERN BİR ÜNİVERSİTEDE CAM SANAYİTESLERİNDE HARMONİKLERİN GİFAKTÖRÜNE ETKİLERİNİN ANALİZİ	
93	Nonisolated high gain hybrid switched-inductor DC-DC converter with common switch grounding.	0
92	Photovoltaic generator coupled on the electrical grid via an inverter. 1-22	
91	Reduction of Output Voltage Ripple with Dc-Dc Conversion Using Ky Converter.	
90	Tan-Sun Transformation based Virtual Inductance Control Loop for Unbalanced Power Sharing of Islanded AC Microgrids. <b>2022</b> ,	
89	Power Control of a Three-phase Grid-connected Inverter using a PI Controller under Unbalanced Conditions. <b>2022</b> ,	0

88	Thermal Analysis of Power Converters for DFIG-Based Wind Energy Conversion Systems during Voltage Sags. <b>2022</b> , 15, 3152		
87	State-Space Modeling, Stability Analysis, and Controller Design of Grid-Forming Converters With Distributed Virtual Inertia. <b>2022</b> , 10,		○
86	A new transformerless quadratic buckBoost converter with high-voltage gain ratio and continuous input/output current port.		2
85	Measurement-based prediction-correction online distributed optimal power flow algorithm for multi-phase active distribution networks. <b>2022</b> , 131935		○
84	Overview of Recent Advanced Topologies for Transformerless Dual-Grounded Inverters. <i>IEEE Transactions on Power Electronics</i> , <b>2022</b> , 1-1	7.2	○
83	Energy Management System for Stand-Alone Microgrid with Renewable Energy Resource. <b>2022</b> , 367-376		
82	A Low Communication Dependency Control Strategy for Hybrid Series-Parallel Microgrid. <b>2022</b> ,		○
81	High Gain Non-isolated Interleaved Current-fed 3-Phase Partial Series Resonance Pulse Based ZCS Voltage Quadrupler. <b>2022</b> ,		
80	DQ Impedance-Based Analysis of An APF -Type Active Damper to Stabilize the Grid- Tied Inverter System. <b>2022</b> ,		
79	Harmonic Modeling and Analysis for Parallel 12-Pulse Rectifier under Unbalanced Voltage Condition in Frequency-Domain. <b>2022</b> , 15, 3946		○
78	Synthesis of PWM Converters from Conversion Ratios using Flux- or Charge-Balance Equations. <b>2022</b> , 1-1		
77	Grid-Connected Power Converters: An Overview of Control Strategies for Renewable Energy. <b>2022</b> , 15, 4151		1
76	Failure Analysis on Converter Cooling System Blocking of Wind Turbine. <b>2022</b> , 106490		
75	On Transient Instability Mechanism of PLL-Based VSC Connected to a Weak Grid. <b>2022</b> , 1-11		○
74	Analysis of Converter Topologies for Wind Energy Conversion Systems. <b>2022</b> ,		○
73	A Conceptual Project Management Maturity Model for the South African Power Sector.		
72	Implementation of Mothe Flame optimization technique for DSTATCOM System with Improved widrowBoff basis.		
71	Robust three-phase state estimation for PV-Integrated unbalanced distribution systems. <b>2022</b> , 322, 119427		○

70	Online Grid Impedance Measurement Based on Virtual Reference Axis. <b>2022,</b>	
69	Design and Implementation of a High Step-Up DC-DC Converter with Active Switched Inductor and Coupled Inductor. <b>2022,</b>	
68	Impedance Modeling and Stability-Oriented Parameter Optimization of Isolated Dual Active Bridge-Based Two-Stage AC-DC-DC Converter. 10,	0
67	Transmission line protection challenges influenced by inverter-based resources: a review. <b>2022, 7,</b>	2
66	Safe Ventilation Methods against Leaks in Hydrogen Fuel Cell Rooms in Homes. <b>2022, 15, 5434</b>	1
65	Battery Management for Integrating Renewable Energy Systems to the DC Micro-grid. <b>2022,</b>	0
64	Unstable Limit Cycle Induced by Outer Control Loops and Stability Boundary of Voltage Source Converter. <b>2022,</b>	
63	Simplified Design of Phase Compensated Multi-Resonant Controllers for Grid-Connected Inverters. <b>2022,</b>	
62	PEM Fuel Cell Power Control with Single Phase Inverter Connected To Distribution Grid Using Hysteresis Current Control Method. <b>2022,</b>	
61	Fault Diagnosis in Wind Energy Management System using Extreme Learning Machine: A Systematic Review. <b>2022, 2319, 012014</b>	
60	Hybrid Cascaded Inverter-Based Integrated Hybrid Power Supply Using Nonconventional Energy Sources. <b>2022, 4, 129-143</b>	0
59	Integer and Fractional-Order Sliding Mode Control Schemes in Wind Energy Conversion Systems: Comprehensive Review, Comparison, and Technical Insight. <b>2022, 6, 447</b>	1
58	Assessment of the Impact of Emitted Radiated Interference Generated by a Selected Rail Traction Unit on the Operating Process of Trackside Video Monitoring Systems. <b>2022, 11, 2554</b>	4
57	Back-electromotive-force observer (BEMF observer) based symmetrical PLL for grid synchronization stability enhancement under weak grid conditions.	
56	Coupled Inductor Based Single-Switch Quadratic High Step-Up DC-DC Converters with Reduced Voltage Stress on Switch. <b>2022, 1-12</b>	4
55	Power electronics for smart grids. <b>2022,</b>	0
54	Grid Value Analysis of Medium-Voltage Backto-Back Converter on DER Hosting Enhancement. <b>2022 , 1-11</b>	0
53	Symmetries in Power Electronics and Lattice Converters. <b>2023, 38, 944-955</b>	0

52	A Robust Low-Voltage-Ride-Through Strategy for Grid-Forming Converters Based on Reactive Power Synchronization. <b>2023</b> , 38, 346-357	2
51	Three-Phase Grid-Connected Inverter Power Control under Unbalanced Grid Conditions Using a Proportional-Resonant Control Method. <b>2022</b> , 15, 7051	0
50	Existence and Stability of $nT$ -Periodic Orbits in the Boost Converter. <b>2022</b> , 12, 9565	0
49	Use of Integrated Photovoltaic-Electric Spring System as a Power Balancer in Power Distribution Networks. 376-380	0
48	A Multi-Input Boosting Inverter For PV Applications. <b>2022</b> ,	0
47	Boost Derived Multi Level Hybrid Converters in Micro Grid. <b>2023</b> , 819-832	0
46	Modelling of AC/DC Interactions of Converter-Interfaced Resources for Harmonic Power-Flow Studies in Microgrids. <b>2022</b> , 1-1	0
45	Introduction. <b>2022</b> , 1-33	0
44	Three-phase inverter based on isolated SEPIC/CIK converters for large-scale PV applications. <b>2023</b> , 146, 108723	0
43	An Hybrid Algorithm based NARX for Non-Linear Identification and modeling of an AC/DC Hybrid Microgrid simulation. <b>2022</b> ,	0
42	Hybrid Photovoltaic/Thermoelectric Systems for Round-the-Clock Energy Harvesting. <b>2022</b> , 27, 7590	1
41	Active switched-capacitor based ultra-voltage gain quadratic boost DC-DC converters.	0
40	Analyzing the inertia of power grid systems comprising diverse conventional and renewable energy sources. <b>2022</b> , 8, 15095-15105	0
39	Analytical Modeling and Sensitivity Analysis on Plasma Extraction Transit Time (PETT) Oscillations in High-Voltage NPT P-i-N Diode. <b>2022</b> , 1-1	0
38	Admittance-Based Stability Analysis of Resistance-Emulating Controlled Grid-Connected Voltage Source Rectifiers. <b>2022</b> , 1-13	0
37	Experimental Validation for Artificial Data-Driven Tracking Control for Enhanced Three-Phase Grid-Connected Boost Rectifier in DC Microgrids. <b>2022</b> , 1-17	0
36	Model Predictive Control of Three-Level Shunt Active Power Filter Connected to a Photovoltaic System. <b>2022</b> ,	0
35	Integral Controllability-Based Design of Voltage and Active Power PI Regulators for Grid-Connected DG. <b>2022</b> ,	0

34	Inspection of the Loss Reduction Effect of Three-Phase Inverter by Using a New Single-Phase PWM Control Method. <b>2022,</b>	0
33	Robust Artificial NN-based Tracking Control Implementation of Grid-Connected AC-DC Rectifier for DC Microgrids Performance Enhancement. <b>2022,</b>	0
32	Model Predictive Control of Two-Tier Converter for Maximum Power Extraction from Photovoltaic System. <b>2022,</b>	0
31	A Review of Hybrid Converter Topologies. <b>2022, 15, 9341</b>	0
30	A Review of Single-Stage Multiport Inverters for Multisource Applications. <b>2023, 1-19</b>	3
29	Modified Passivity-Based Control for LCL-Filtered Grid-Tied Inverter with Output Admittance Reshaping. <b>2023, 2023, 1-11</b>	0
28	Overview and comparative analysis of bidirectional cascaded modular isolated medium-voltage AC/low-voltage DC (MVAC-LVDC) power conversion for renewable energy rich microgrids. <b>2023, 174, 113118</b>	0
27	Harmonic-Compensated PR Controller for Grid-Tied Photovoltaic Inverters. <b>2022,</b>	0
26	THD Minimization under Low Switching Frequency for Superior Two Level Three Phase Inverter Performance. <b>2022, 10, 1247-1255</b>	0
25	Thermal Analysis and Test Condition Definition of Power cycling Tests for a 6-in-1 Double Side Cooling SiC Power Module. <b>2022,</b>	0
24	De-Re-Coupling Scheme-based Model Predictive Control of a Three-phase High-Frequency Link Matrix Converter. <b>2022,</b>	0
23	Operation and coordination control scheme of an enhanced AC/DC hybrid microgrid under abnormal distribution network.	0
22	Infrastructures for Wind Energy-Based Power Generation System Modelling and Control. <b>2023, 1-29</b>	0
21	Switching Analysis in a Back-to-Back converter of the Type-4 Wind Turbine. <b>2022,</b>	0
20	In Situ Diagnosis for IGBT Chip Failure in Multichip IGBT Modules Based on a Newly Defined Characteristic Parameter Low-Sensitive to Operation Conditions. <b>2023, 38, 7711-7722</b>	0
19	A new transformerless DC/DC converter with dual operating modes and continuous input current port. <b>2023, 17, 1553-1567</b>	0
18	Small Disturbance Relationship with Internal-Voltage Amplitude/Frequency Excitation and Active/reactive Current Response and Its Linearization Method of AC Network for AC Power System Dynamic Analysis. <b>2022,</b>	0
17	A Center-Tapped Transformer Based Multifunctional Single-Phase Converter with Wide DC-Bus Control. <b>2023, 23, 2227</b>	0

- 16 Energy Management System for Hybrid Renewable Energy-Based Microgrid. **2022**, ○
- 15 Wind Energy Conversions, Controls, and Applications: A Review for Sustainable Technologies and Directions. **2023**, 15, 3986 ○
- 14 Control Systems for Low-Inertia Power Grids: A Survey on Virtual Power Plants. **2023**, 11, 20560-20581 ○
- 13 Sizing and Research of Battery System and Renewable Energy in Residential Microgrids. **2022**, ○
- 12 Design and analysis of a dual input quasi SB-SC cell high gain converter. 1-18 ○
- 11 Voltage and frequency stabilization control strategy of virtual synchronous generator based on small signal model. **2023**, 9, 583-590 ○
- 10 Investigation of high-gain two-tier converter with PI and super-twisting sliding mode control. **2023**, ○
- 9 Modelling and Simulation of Photovoltaic Systems Using MATLAB / Simulink. **2023**, 18, 49-56 ○
- 8 Passivity Design for LCL-Type Grid-Tied Inverter Based on The Constraint of Realizing Passivity by Capacitor Current Control. **2022**, ○
- 7 Double Dual High Step-Up Power Converter with Reduced Stored Energy. **2023**, 16, 3194 ○
- 6 Damping Analysis of Outer Control Loops and Impacts on Stability of Grid-Connected VSC. **2022**, ○
- 5 Using a Multi-Functional Inverter to Connect the Distributed Generation Source to the Network with Purpose of Reducing Harmonic and Network Imbalance. **2023**, ○
- 4 An Extendable Voltage Multiplier Based Multi-Input DC/DC Converter with Soft-Switching Operation. **2023**, ○
- 3 Integrated Power Quality Control Strategy for Microgrid Based on Energy Storage Converter. **2022**, ○
- 2 The Proposed Artificial-Intelligence-Based Design (AI-D) for Circuit Parameters of Power Converters. **2023**, 71-99 ○
- 1 Voltage balance control for a hybrid dual-bridge series resonance converter with wide soft-switching region and reduced tank current. ○