

Water content and myelin water fraction in multiple sclerosis

Journal of Neurology

251, 284-293

DOI: [10.1007/s00415-004-0306-6](https://doi.org/10.1007/s00415-004-0306-6)

Citation Report

#	ARTICLE	IF	CITATIONS
2	MRI characterisation of a novel rat model of focal astrocyte loss. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2004, 17, 125-132.	1.1	14
3	Correlation of proton MR spectroscopy and diffusion tensor imaging. <i>Magnetic Resonance Imaging</i> , 2005, 23, 851-858.	1.0	27
4	Analysis of the human brain in primary progressive multiple sclerosis with mapping of the spatial distributions using 1H MR spectroscopy and diffusion tensor imaging. <i>European Radiology</i> , 2005, 15, 1686-1693.	2.3	28
5	MR properties of excised neural tissue following experimentally induced demyelination. <i>NMR in Biomedicine</i> , 2005, 18, 277-284.	1.6	105
6	Magnetic resonance techniques for the in vivo assessment of multiple sclerosis pathology: Consensus report of the white matter study group. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 21, 669-675.	1.9	43
7	Correlation of apparent myelin measures obtained in multiple sclerosis patients and controls from magnetization transfer and multicompartamental T2 analysis. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 1415-1422.	1.9	64
8	Characterization of the NMR behavior of white matter in bovine brain. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 1072-1081.	1.9	82
9	Recent advances in the neuroimaging of multiple sclerosis. <i>Current Neurology and Neuroscience Reports</i> , 2005, 5, 217-224.	2.0	6
10	Update on Multiple Sclerosis. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2006, 14, 203-224.	0.6	1
11	Update on Multiple Sclerosis. <i>Radiologic Clinics of North America</i> , 2006, 44, 79-100.	0.9	10
12	Myelin Water Fraction in Human Cervical Spinal Cord In Vivo. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 304-306.	0.5	49
13	Measurement of in vivo multi-component T2 relaxation times for brain tissue using multi-slice T2 prep at 1.5 and 3 T. <i>Magnetic Resonance Imaging</i> , 2006, 24, 33-43.	1.0	124
14	Insights into brain microstructure from the T2 distribution. <i>Magnetic Resonance Imaging</i> , 2006, 24, 515-525.	1.0	324
15	Relationships between brain water content and diffusion tensor imaging parameters (apparent) Tj ETQq1 1 0.784314 rgBT /Overlock 10 898-904.	2.3	15
16	1H MR spectroscopy of the brain in multiple sclerosis subtypes with analysis of the metabolite concentrations in gray and white matter: initial findings. <i>European Radiology</i> , 2006, 16, 489-495.	2.3	54
17	Advances in white matter imaging: A review of in vivo magnetic resonance methodologies and their applicability to the study of development and aging. <i>Neuroscience and Biobehavioral Reviews</i> , 2006, 30, 762-774.	2.9	241
18	Myelin deficiencies visualized in vivo: Visually evoked potentials and T2-weighted magnetic resonance images of shiverer mutant and wild-type mice. <i>Journal of Neuroscience Research</i> , 2006, 84, 1716-1726.	1.3	33
19	Myelin water imaging in multiple sclerosis: quantitative correlations with histopathology. <i>Multiple Sclerosis Journal</i> , 2006, 12, 747-753.	1.4	414

#	ARTICLE	IF	CITATIONS
20	Gray matter abnormalities in autism spectrum disorder revealed by T2 relaxation. <i>Neurology</i> , 2006, 67, 632-636.	1.5	41
21	1H MR Spectroscopy of the Brain: Absolute Quantification of Metabolites. <i>Radiology</i> , 2006, 240, 318-332.	3.6	371
22	Normal-appearing White Matter in Patients with Phenylketonuria: Water Content, Myelin Water Fraction, and Metabolite Concentrations. <i>Radiology</i> , 2007, 242, 236-243.	3.6	59
23	3D MRI in multiple sclerosis: a study of three sequences at 3 T. <i>British Journal of Radiology</i> , 2007, 80, 307-320.	1.0	16
24	Fast multislice mapping of the myelin water fraction using multicompartment analysis of T_2 decay at 3T: A preliminary postmortem study. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 865-870.	1.9	164
25	Characterization of white matter alterations in phenylketonuria by magnetic resonance relaxometry and diffusion tensor imaging. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 1145-1156.	1.9	69
26	Investigating the effect of exchange and multicomponent T_1 relaxation on the short repetition time spoiled steady-state signal and the DESPOT1 T_1 quantification method. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 570-578.	1.9	22
27	MR evidence of long T_2 water in pathological white matter. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1117-1121.	1.9	63
28	Magnetic resonance imaging of myelin. <i>Neurotherapeutics</i> , 2007, 4, 460-484.	2.1	269
29	In vivo multiecho T_2 relaxation measurements using variable TR to decrease scan time. <i>Magnetic Resonance Imaging</i> , 2007, 25, 834-839.	1.0	24
30	MRI in Multiple Sclerosis: What's Inside the Toolbox?. <i>Neurotherapeutics</i> , 2007, 4, 602-617.	2.1	81
31	Multislice Brain Myelin Water Fractions at 3T in Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2007, 17, 156-163.	1.0	70
32	T_1 - and T_2 -Based MRI Measures of Diffuse Gray Matter and White Matter Damage in Patients with Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2007, 17, 16S-21S.	1.0	108
33	Absence of aquaporin-4 expression in lesions of neuromyelitis optica but increased expression in multiple sclerosis lesions and normal-appearing white matter. <i>Acta Neuropathologica</i> , 2007, 113, 187-194.	3.9	83
34	Long T_2 water in multiple sclerosis: What else can we learn from multi-echo T_2 relaxation?. <i>Journal of Neurology</i> , 2007, 254, 1579-1587.	1.8	64
35	Dirty-appearing white matter in multiple sclerosis. <i>Journal of Neurology</i> , 2008, 255, 1802-1811.	1.8	56
36	Investigating exchange and multicomponent relaxation in fully balanced steady-state free precession imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 1421-1429.	1.9	36
37	High-resolution myelin water measurements in rat spinal cord. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 796-802.	1.9	58

#	ARTICLE	IF	CITATIONS
38	Assessing optic nerve pathology with diffusion MRI: from mouse to human. <i>NMR in Biomedicine</i> , 2008, 21, 928-940.	1.6	85
39	MRI in multiple sclerosis: current status and future prospects. <i>Lancet Neurology</i> , The, 2008, 7, 615-625.	4.9	295
40	Impact of fluoxetine on the human brain in multiple sclerosis as quantified by proton magnetic resonance spectroscopy and diffusion tensor imaging. <i>Psychiatry Research - Neuroimaging</i> , 2008, 164, 274-282.	0.9	46
41	Reply: Lithium and Increased Cortical Gray Matter—More Tissue or More Water?. <i>Biological Psychiatry</i> , 2008, 63, e19.	0.7	2
42	Advances in multiple Sclerosis and Experimental Demyelinating Diseases. <i>Current Topics in Microbiology and Immunology</i> , 2008, , .	0.7	4
43	Caudate nucleus hypointensity in the elderly is associated with markers of neurodegeneration on MRI. <i>Neurobiology of Aging</i> , 2008, 29, 1839-1846.	1.5	14
44	Complementary information from multi-exponential T2 relaxation and diffusion tensor imaging reveals differences between multiple sclerosis lesions. <i>NeuroImage</i> , 2008, 40, 77-85.	2.1	43
45	Standardized structural magnetic resonance imaging in multicentre studies using quantitative T1 and T2 imaging at 1.5T. <i>NeuroImage</i> , 2008, 40, 662-671.	2.1	110
46	Myelin water imaging of multiple sclerosis at 7T: Correlations with histopathology. <i>NeuroImage</i> , 2008, 40, 1575-1580.	2.1	319
47	Characterizing White Matter Damage in Rat Spinal Cord with Quantitative MRI and Histology. <i>Journal of Neurotrauma</i> , 2008, 25, 653-676.	1.7	115
48	Neuroimaging of Demyelination and Remyelination Models. <i>Current Topics in Microbiology and Immunology</i> , 2008, 318, 241-266.	0.7	20
49	T2' imaging indicates decreased tissue metabolism in frontal white matter of MS patients. <i>Multiple Sclerosis Journal</i> , 2009, 15, 701-707.	1.4	13
50	Improved myelin water quantification using spatially regularized non-negative least squares algorithm. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 203-208.	1.9	48
51	Calculating T_2 in images from a phased array receiver. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 962-969.	1.9	10
52	Myelin water measurement in the spinal cord. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 883-892.	1.9	45
53	Characterizing healthy and diseased white matter using quantitative magnetization transfer and multicomponent T_2 relaxometry: A unified view via a four-pool model. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 1487-1496.	1.9	73
54	Absolute metabolite concentrations calibrated using the total water signal in brain 1H MRS. <i>NMR in Biomedicine</i> , 2009, 22, 349-354.	1.6	16
55	The MT pool size ratio and the DTI radial diffusivity may reflect the myelination in shiverer and control mice. <i>NMR in Biomedicine</i> , 2009, 22, 480-487.	1.6	76

#	ARTICLE	IF	CITATIONS
56	Compartment-specific q-space analysis of diffusion-weighted data from isolated rhesus optic and sciatic nerves. <i>Magnetic Resonance Imaging</i> , 2009, 27, 531-540.	1.0	5
57	Longitudinal changes in myelin water fraction in two MS patients with active disease. <i>Journal of the Neurological Sciences</i> , 2009, 276, 49-53.	0.3	59
58	Multiple sclerosis lesions: insights from imaging techniques. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 1341-1359.	1.4	22
59	3ÅT MRI relaxometry detects T2 prolongation in the cerebral normal-appearing white matter in multiple sclerosis. <i>NeuroImage</i> , 2009, 46, 633-641.	2.1	72
61	MR Relaxation in Multiple Sclerosis. <i>Neuroimaging Clinics of North America</i> , 2009, 19, 1-26.	0.5	79
62	Brain Imaging of Multiple Sclerosis: the Next 10 Years. <i>Neuroimaging Clinics of North America</i> , 2009, 19, 101-112.	0.5	9
63	4 A Systems Approach to the Aging Brain: Neuroanatomic Changes, Their Modifiers, and Cognitive Correlates. , 2009, , 43-70.		34
64	In-vivo assessment of tissue metabolite levels using 1H MRS and the Electric REference To access In vivo Concentrations (RETIC) method. <i>NMR in Biomedicine</i> , 2010, 23, 406-413.	1.6	46
65	Fast T ₂ relaxometry with an accelerated multi-echo spin-echo sequence. <i>NMR in Biomedicine</i> , 2010, 23, 958-967.	1.6	13
66	Imaging biomarkers in multiple sclerosis. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 770-788.	1.9	121
67	Reproducibility of <i>in vivo</i> magnetic resonance imaging-based measurement of myelin water. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 60-68.	1.9	41
68	Quantitative magnetization transfer and myelin water imaging of the evolution of acute multiple sclerosis lesions. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 633-640.	1.9	101
69	Two-year study of cervical cord volume and myelin water in primary progressive multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010, 16, 670-677.	1.4	63
70	Quantitative Relaxometry of the Brain. <i>Topics in Magnetic Resonance Imaging</i> , 2010, 21, 101-113.	0.7	186
71	In vivo multi-slice mapping of myelin water content using T2* decay. <i>NeuroImage</i> , 2010, 52, 198-204.	2.1	147
72	Myelin water weighted diffusion tensor imaging. <i>NeuroImage</i> , 2010, 53, 132-138.	2.1	34
73	Influence of neurosteroids on the pathogenesis of multiple sclerosis. <i>Medical Hypotheses</i> , 2010, 75, 229-234.	0.8	22
74	Measuring the Absolute Water Content of the Brain Using Quantitative MRI. <i>Methods in Molecular Biology</i> , 2011, 711, 29-64.	0.4	22

#	ARTICLE	IF	CITATIONS
75	Atlas-based investigation of human brain tissue microstructural spatial heterogeneity and interplay between transverse relaxation time and radial diffusivity. <i>NeuroImage</i> , 2011, 57, 1402-1410.	2.1	25
76	Myelin water and T2 relaxation measurements in the healthy cervical spinal cord at 3.0T: Repeatability and changes with age. <i>NeuroImage</i> , 2011, 54, 1083-1090.	2.1	30
77	Relaxation time mapping in multiple sclerosis. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 441-450.	1.4	12
79	Comparative study of the sensitivity of ADC value and T2 relaxation time for early detection of Wallerian degeneration. <i>European Journal of Radiology</i> , 2011, 79, 118-123.	1.2	6
81	Axonal pathology in patients with multiple sclerosis. , 2011, , 150-164.		1
82	Is the magnetization transfer ratio a marker for myelin in multiple sclerosis?. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 710-718.	1.9	158
83	Robust mapping of the myelin water fraction in the presence of noise: Synergic combination of anisotropic diffusion filter and spatially regularized nonnegative least squares algorithm. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 189-195.	1.9	21
84	Pathological basis of diffusely abnormal white matter: insights from magnetic resonance imaging and histology. <i>Multiple Sclerosis Journal</i> , 2011, 17, 144-150.	1.4	67
85	Recent Developments in Imaging of Multiple Sclerosis. <i>Neurologist</i> , 2011, 17, 185-204.	0.4	63
86	Three-pool model vs. nonnegative least squares algorithm for myelin water quantification. , 2011, , .		3
87	Feasibility of Imaging Myelin Lesions in Multiple Sclerosis. <i>International Journal of Biomedical Imaging</i> , 2011, 2011, 1-12.	3.0	3
88	Fiber orientation-dependent white matter contrast in gradient echo MRI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 18559-18564.	3.3	294
89	Quantitative high-field imaging of sub-cortical gray matter in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2012, 18, 433-441.	1.4	45
90	Advanced MRI strategies for assessing spinal cord injury. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2012, 109, 85-101.	1.0	20
92	Brain lesion location and clinical status 20 years after a diagnosis of clinically isolated syndrome suggestive of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2012, 18, 322-328.	1.4	33
93	Chronic Multiple Sclerosis Lesions: Characterization with High-Field-Strength MR Imaging. <i>Radiology</i> , 2012, 262, 206-215.	3.6	109
94	MP2RAGE Multiple Sclerosis Magnetic Resonance Imaging at 3 T. <i>Investigative Radiology</i> , 2012, 47, 346-352.	3.5	72
95	Multicentre absolute myelin water content mapping: Development of a whole brain atlas and application to low-grade multiple sclerosis. <i>NeuroImage: Clinical</i> , 2012, 1, 121-130.	1.4	20

#	ARTICLE	IF	CITATIONS
96	Detectability of multiple sclerosis lesions with 3T MRI: A comparison of proton density-weighted and FLAIR sequences. <i>Journal of Neuroradiology</i> , 2012, 39, 52-57.	0.6	10
97	Rapid myelin water content mapping on clinical MR systems. <i>Zeitschrift Fur Medizinische Physik</i> , 2012, 22, 133-142.	0.6	8
98	Practical medical applications of quantitative MR relaxometry. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 805-824.	1.9	176
99	Deficient MWF mapping in multiple sclerosis using 3D whole-brain multi-component relaxation MRI. <i>NeuroImage</i> , 2012, 59, 2670-2677.	2.1	71
100	Myelin water imaging reflects clinical variability in multiple sclerosis. <i>NeuroImage</i> , 2012, 60, 263-270.	2.1	110
101	Rapid whole cerebrum myelin water imaging using a 3D GRASE sequence. <i>NeuroImage</i> , 2012, 63, 533-539.	2.1	222
102	Quantitative proton density mapping: correcting the receiver sensitivity bias via pseudo proton densities. <i>NeuroImage</i> , 2012, 63, 540-552.	2.1	59
103	Human brain atlas-based multimodal MRI analysis of volumetry, diffusimetry, relaxometry and lesion distribution in multiple sclerosis patients and healthy adult controls: Implications for understanding the pathogenesis of multiple sclerosis and consolidation of quantitative MRI results in MS. <i>Journal of the Neurological Sciences</i> , 2012, 313, 99-109.	0.3	45
104	Effect of intercompartmental water exchange on the apparent myelin water fraction in multiexponential T_2 measurements of rat spinal cord. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 793-800.	1.9	84
105	Correction of systematic errors in quantitative proton density mapping. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 74-85.	1.9	63
106	T_2 prep three-dimensional spiral imaging with efficient whole brain coverage for myelin water quantification at 1.5 tesla. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 614-621.	1.9	67
107	Bayesian algorithm using spatial priors for multiexponential T_2 relaxometry from multiecho spin echo MRI. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1536-1543.	1.9	56
108	Short-term stability of T1 and T2 relaxation measures in multiple sclerosis normal appearing white matter. <i>Journal of Neurology</i> , 2012, 259, 1151-1158.	1.8	15
109	Soft constraints in nonlinear spectral fitting with regularized lineshape deconvolution. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 912-919.	1.9	7
110	In-vivo multi-exponential T2, magnetization transfer and quantitative histology in a rat model of intramyelinic edema. <i>NeuroImage: Clinical</i> , 2013, 2, 810-817.	1.4	23
111	Quantifying the local tissue volume and composition in individual brains with magnetic resonance imaging. <i>Nature Medicine</i> , 2013, 19, 1667-1672.	15.2	261
112	Procedure for quantitative 1H magnetic resonance spectroscopy and tissue characterization of human brain tissue based on the use of quantitative magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 905-915.	1.9	31
113	Neuroinflammatory Imaging Biomarkers: Relevance to Multiple Sclerosis and its Therapy. <i>Neurotherapeutics</i> , 2013, 10, 111-123.	2.1	25

#	ARTICLE	IF	CITATIONS
114	Evaluation of white matter myelin water fraction in chronic stroke. <i>NeuroImage: Clinical</i> , 2013, 2, 569-580.	1.4	70
115	Detecting microstructural properties of white matter based on compartmentalization of magnetic susceptibility. <i>NeuroImage</i> , 2013, 70, 1-9.	2.1	76
116	Gradient echo based fiber orientation mapping using R2* and frequency difference measurements. <i>NeuroImage</i> , 2013, 83, 1011-1023.	2.1	71
117	Direct visualization of short transverse relaxation time component (VISTA). <i>NeuroImage</i> , 2013, 83, 485-492.	2.1	75
118	MR susceptibility imaging. <i>Journal of Magnetic Resonance</i> , 2013, 229, 198-207.	1.2	81
119	Origin of B0 orientation dependent R2* (=1/T2*) in white matter. <i>NeuroImage</i> , 2013, 73, 71-79.	2.1	69
120	A tissue-relaxation-dependent neighboring method for robust mapping of the myelin water fraction. <i>NeuroImage</i> , 2013, 74, 12-21.	2.1	16
121	Imaging of Demyelination and Remyelination in Multiple Sclerosis. , 2013, , 233-253.		4
122	Bi-exponential diffusion signal decay in normal appearing white matter of multiple sclerosis. <i>Magnetic Resonance Imaging</i> , 2013, 31, 286-295.	1.0	5
123	Fast and high-resolution quantitative mapping of tissue water content with full brain coverage for clinically-driven studies. <i>Magnetic Resonance Imaging</i> , 2013, 31, 1752-1759.	1.0	31
124	Sensorimotor Cortex Gamma-Aminobutyric Acid Concentration Correlates with Impaired Performance in Patients with MS. <i>American Journal of Neuroradiology</i> , 2013, 34, 1733-1739.	1.2	32
125	ADvanced IMage Algebra (ADIMA): a novel method for depicting multiple sclerosis lesion heterogeneity, as demonstrated by quantitative MRI. <i>Multiple Sclerosis Journal</i> , 2013, 19, 732-741.	1.4	6
126	Magnetic resonance frequency shifts during acute MS lesion formation. <i>Neurology</i> , 2013, 81, 211-218.	1.5	61
127	Myelin Repair and Neuroprotection in Multiple Sclerosis. , 2013, , .		2
128	Multicenter measurements of myelin water fraction and geometric mean T₂: Intra- and intersite reproducibility. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1445-1453.	1.9	61
129	Diffusely Abnormal White Matter in Multiple Sclerosis: Further Histologic Studies Provide Evidence for a Primary Lipid Abnormality With Neurodegeneration. <i>Journal of Neuropathology and Experimental Neurology</i> , 2013, 72, 42-52.	0.9	59
130	Increased Concentrations of Glutamate and Glutamine in Normal-Appearing White Matter of Patients with Multiple Sclerosis and Normal MR Imaging Brain Scans. <i>PLoS ONE</i> , 2013, 8, e61817.	1.1	62
131	T2 Relaxation. , 2014, , 181-206.		0

#	ARTICLE	IF	CITATIONS
132	Hypomyelinating leukodystrophies: Translational research progress and prospects. <i>Annals of Neurology</i> , 2014, 76, 5-19.	2.8	132
133	Inflammatory Demyelinating Diseases. , 2014, , 22-38.		0
134	White and gray matter contrast enhancement in MR images of the mouse brain in vivo using IR UTE with a cryo-coil at 9.4T. <i>Journal of Neuroscience Methods</i> , 2014, 232, 30-35.	1.3	5
135	In vivo longitudinal Myelin Water Imaging in rat spinal cord following dorsal column transection injury. <i>Magnetic Resonance Imaging</i> , 2014, 32, 250-258.	1.0	25
136	Advances in Multiple Sclerosis and its Variants. <i>Radiologic Clinics of North America</i> , 2014, 52, 321-336.	0.9	21
137	MRI outcomes in the diagnosis and disease course of multiple sclerosis. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 122, 405-425.	1.0	27
138	MP2RAGE provides new clinically-compatible correlates of mild cognitive deficits in relapsing-remitting multiple sclerosis. <i>Journal of Neurology</i> , 2014, 261, 1606-1613.	1.8	24
139	Understanding disease processes in multiple sclerosis through magnetic resonance imaging studies in animal models. <i>NeuroImage: Clinical</i> , 2014, 4, 743-756.	1.4	40
140	Magnetic resonance techniques for investigation of multiple sclerosis. , 2014, , .		2
141	Compressed sensing CPMG with group sparse reconstruction for myelin water imaging. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1166-1171.	1.9	11
142	Measuring longitudinal myelin water fraction in new multiple sclerosis lesions. <i>NeuroImage: Clinical</i> , 2015, 9, 369-375.	1.4	58
143	Comparison of myelin water fraction from multiecho T_2 decay curve and steady-state methods. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 223-232.	1.9	72
144	Fast computation of myelin maps from MRI T_2 relaxation data using multicore CPU and graphics card parallelization. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 700-707.	1.9	13
145	Remyelination Therapy in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2015, 6, 257.	1.1	66
146	Orientation Dependent MR Signal Decay Differentiates between People with MS, Their Asymptomatic Siblings and Unrelated Healthy Controls. <i>PLoS ONE</i> , 2015, 10, e0140956.	1.1	28
147	Preliminary Observations on Sensitivity and Specificity of Magnetization Transfer Asymmetry for Imaging Myelin of Rat Brain at High Field. <i>BioMed Research International</i> , 2015, 2015, 1-10.	0.9	5
148	Effects of white matter microstructure on phase and susceptibility maps. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1258-1269.	1.9	116
149	Comparison of R_2^* measurement methods in the normal brain at 3 tesla. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1228-1236.	1.9	35

#	ARTICLE	IF	CITATIONS
150	Detection of demyelination in multiple sclerosis by analysis of T_2 relaxation at 7 T. <i>NeuroImage: Clinical</i> , 2015, 7, 709-714.	1.7	21
151	In vivo assessment of neurotransmitters and modulators with magnetic resonance spectroscopy: Application to schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 51, 276-295.	2.9	75
152	Quantitative water content mapping at clinically relevant field strengths: A comparative study at 1.5T and 3T. <i>NeuroImage</i> , 2015, 106, 404-413.	2.1	46
153	Improved estimation of myelin water fraction using complex model fitting. <i>NeuroImage</i> , 2015, 116, 214-221.	2.1	97
154	Pain and spinal cord imaging measures in children with demyelinating disease. <i>NeuroImage: Clinical</i> , 2015, 9, 338-347.	1.4	8
155	MRI-based myelin water imaging: A technical review. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 70-81.	1.9	219
156	Motor Skill Acquisition Promotes Human Brain Myelin Plasticity. <i>Neural Plasticity</i> , 2016, 2016, 1-7.	1.0	74
157	Hitchhiker'S Guide to Voxel Segmentation for Partial Volume Correction of in Vivo Magnetic Resonance Spectroscopy. <i>Magnetic Resonance Insights</i> , 2016, 9, MRI.S32903.	2.5	57
158	Modeling the Presence of Myelin and Edema in the Brain Based on Multi-Parametric Quantitative MRI. <i>Frontiers in Neurology</i> , 2016, 7, 16.	1.1	76
159	A New Strategy for Fast MRI-Based Quantification of the Myelin Water Fraction: Application to Brain Imaging in Infants. <i>PLoS ONE</i> , 2016, 11, e0163143.	1.1	14
160	Deep learning of brain images and its application to multiple sclerosis. , 2016, , 69-96.		6
161	Feasibility and reproducibility of whole brain myelin water mapping in 4 minutes using fast acquisition with spiral trajectory and adiabatic T2prep (FAST-T2) at 3T. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 456-465.	1.9	53
162	Fast myelin water fraction estimation using 2D multislice CPMG. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 1301-1313.	1.9	18
163	Application of <i>q</i> -Space Diffusion MRI for the Visualization of White Matter. <i>Journal of Neuroscience</i> , 2016, 36, 2796-2808.	1.7	56
164	Simultaneous Quantitative Imaging of Electrical Properties and Proton Density From B_1 Maps Using MRI. <i>IEEE Transactions on Medical Imaging</i> , 2016, 35, 2064-2073.	5.4	12
165	Quantitative evaluation of cerebral white matter in patients with multiple sclerosis using multicomponent T2 mapping. <i>Neurological Research</i> , 2016, 38, 389-396.	0.6	11
166	Imaging in multiple sclerosis: A new spin on lesions. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2016, 60, 577-586.	0.9	8
167	Simulations on the influence of myelin water in diffusion-weighted imaging. <i>Physics in Medicine and Biology</i> , 2016, 61, 4729-4745.	1.6	19

#	ARTICLE	IF	CITATIONS
168	Assessment of the myelin water fraction in rodent spinal cord using T2-prepared ultrashort echo time MRI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2016, 29, 875-884.	1.1	1
169	Magnetic Resonance of Myelin Water: An <i>in vivo</i> Marker for Myelin. <i>Brain Plasticity</i> , 2016, 2, 71-91.	1.9	205
170	Noise robust spatially regularized myelin water fraction mapping with the intrinsic B ₁ -error correction based on the linearized version of the extended phase graph model. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 800-817.	1.9	22
171	Quantitative <i>T</i> ₁ and proton density mapping with direct calculation of radiofrequency coil transmit and receive profiles from two-point variable flip angle data. <i>NMR in Biomedicine</i> , 2016, 29, 349-360.	1.6	22
172	Measuring water content using T2 relaxation at 3T: Phantom validations and simulations. <i>Magnetic Resonance Imaging</i> , 2016, 34, 246-251.	1.0	27
173	Comparison of myelin water fraction values in periventricular white matter lesions between multiple sclerosis and neuromyelitis optica spectrum disorder. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1616-1620.	1.4	22
174	Improved determination of the myelin water fraction in human brain using magnetic resonance imaging through Bayesian analysis of mcDESPOT. <i>NeuroImage</i> , 2016, 127, 456-471.	2.1	50
175	Multi-parametric quantitative MRI of normal appearing white matter in multiple sclerosis, and the effect of disease activity on T2. <i>Brain Imaging and Behavior</i> , 2017, 11, 744-753.	1.1	32
176	Rapid whole brain myelin water content mapping without an external water standard at 1.5 T. <i>Magnetic Resonance Imaging</i> , 2017, 39, 82-88.	1.0	12
177	Hemispheric asymmetry in myelin after stroke is related to motor impairment and function. <i>NeuroImage: Clinical</i> , 2017, 14, 344-353.	1.4	23
178	New rapid, accurate T2 quantification detects pathology in normal-appearing brain regions of relapsing-remitting MS patients. <i>NeuroImage: Clinical</i> , 2017, 14, 363-370.	1.4	21
179	Normal-appearing white matter demyelination in neuromyelitis optica spectrum disorder. <i>European Journal of Neurology</i> , 2017, 24, 652-658.	1.7	24
180	Susceptibility-sensitive MRI of multiple sclerosis lesions and the impact of normal-appearing white matter changes. <i>NMR in Biomedicine</i> , 2017, 30, e3727.	1.6	39
181	Quantitative <i>in vivo</i> T2 mapping using fast spin echo techniques – A linear correction procedure. <i>NeuroImage</i> , 2017, 157, 476-485.	2.1	35
182	Validating myelin water imaging with transmission electron microscopy in a rat spinal cord injury model. <i>NeuroImage</i> , 2017, 153, 122-130.	2.1	32
183	Simultaneous measurement of total water content and myelin water fraction in brain at 3 T using a T2 relaxation based method. <i>Magnetic Resonance Imaging</i> , 2017, 37, 187-194.	1.0	35
184	Recovery of accurate T2 from historical 1.5 tesla proton density and T2-weighted images: Application to 7-year T2 changes in multiple sclerosis brain. <i>Magnetic Resonance Imaging</i> , 2017, 37, 21-26.	1.0	8
185	Methods for molecular imaging of brain tumours in a hybrid MR-PET context: Water content, T2*, diffusion indices and FET-PET. <i>Methods</i> , 2017, 130, 135-151.	1.9	13

#	ARTICLE	IF	CITATIONS
186	The Role of Advanced Magnetic Resonance Imaging Techniques in Multiple Sclerosis Clinical Trials. <i>Neurotherapeutics</i> , 2017, 14, 905-923.	2.1	23
187	Assessing structure and function of myelin in cervical spondylotic myelopathy. <i>Neurology</i> , 2017, 89, 602-610.	1.5	45
188	A new algebraic method for quantitative proton density mapping using multi-channel coil data. <i>Medical Image Analysis</i> , 2017, 40, 154-171.	7.0	4
189	High resolution myelin water imaging incorporating local tissue susceptibility analysis. <i>Magnetic Resonance Imaging</i> , 2017, 42, 107-113.	1.0	17
190	Field inhomogeneity correction for gradient echo myelin water fraction imaging. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 49-57.	1.9	24
191	Rapid simultaneous high-resolution mapping of myelin water fraction and relaxation times in human brain using BMC-mcDESPOT. <i>NeuroImage</i> , 2017, 147, 800-811.	2.1	52
192	MRI Analysis of White Matter Myelin Water Content in Multiple Sclerosis: A Novel Approach Applied to Finding Correlates of Cortical Thinning. <i>Frontiers in Neuroscience</i> , 2017, 11, 284.	1.4	14
193	The impact of fibre orientation on T1-relaxation and apparent tissue water content in white matter. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018, 31, 501-510.	1.1	24
194	Evidence of demyelination in mild cognitive impairment and dementia using a direct and specific magnetic resonance imaging measure of myelin content. <i>Alzheimer's and Dementia</i> , 2018, 14, 998-1004.	0.4	105
195	Can T_1 / w and T_2 / w ratio be used as a myelin-specific measure in subcortical structures? Comparisons between FSE-based T_1 / w and T_2 / w ratios, GRASE-based T_1 / w and T_2 / w ratios and multi-echo GRASE-based myelin water fractions. <i>NMR in Biomedicine</i> , 2018, 31, e3868.	1.6	66
196	Inferring brain tissue composition and microstructure via MR relaxometry. <i>NeuroImage</i> , 2018, 182, 136-148.	2.1	87
197	Time efficient whole-brain coverage with MR Fingerprinting using slice-interleaved echo-planar-imaging. <i>Scientific Reports</i> , 2018, 8, 6667.	1.6	29
198	Magnetic susceptibility increases as diamagnetic molecules breakdown: Myelin digestion during multiple sclerosis lesion formation contributes to increase on QSM. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1281-1287.	1.9	34
199	Myelin volume fraction imaging with MRI. <i>NeuroImage</i> , 2018, 182, 511-521.	2.1	58
200	PLANET: An ellipse fitting approach for simultaneous T_1 and T_2 mapping using phase-cycled balanced steady-state free precession. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 711-722.	1.9	40
201	Effect of myelin water exchange on DTI-derived parameters in diffusion MRI: Elucidation of TE dependence. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1650-1660.	1.9	15
202	Multi-gradient-echo myelin water fraction imaging: Comparison to the multi-echo spin-echo technique. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1439-1446.	1.9	51
203	Advanced Neuroimaging Techniques: Basic Principles and Clinical Applications. <i>Journal of Neuro-Ophthalmology</i> , 2018, 38, 101-114.	0.4	3

#	ARTICLE	IF	CITATIONS
204	Impact of magnetic susceptibility anisotropy at 3ÅT and 7ÅT on T2*-based myelin water fraction imaging. <i>NeuroImage</i> , 2018, 182, 370-378.	2.1	19
205	Whole brain g-ratio mapping using myelin water imaging (MWI) and neurite orientation dispersion and density imaging (NODDI). <i>NeuroImage</i> , 2018, 182, 379-388.	2.1	35
206	Deep learning of joint myelin and T1w MRI features in normal-appearing brain tissue to distinguish between multipleÅsclerosisÅpatients and healthy controls. <i>NeuroImage: Clinical</i> , 2018, 17, 169-178.	1.4	63
207	Quantitative MRI provides markers of intra-, inter-regional, and age-related differences in young adult cortical microstructure. <i>NeuroImage</i> , 2018, 182, 429-440.	2.1	71
208	Assessment of microstructural signal compartments across the corpus callosum using multi-echo gradient recalled echo at 7ÅT. <i>NeuroImage</i> , 2018, 182, 407-416.	2.1	26
209	Improved three-dimensional multi-echo gradient echo based myelin water fraction mapping with phase related artifact correction. <i>NeuroImage</i> , 2018, 169, 1-10.	2.1	26
210	Global loss of myelin water over 5 years in multiple sclerosis normal-appearing white matter. <i>Multiple Sclerosis Journal</i> , 2018, 24, 1557-1568.	1.4	33
211	Inter-Vendor Reproducibility of Myelin Water Imaging Using a 3D Gradient and Spin Echo Sequence. <i>Frontiers in Neuroscience</i> , 2018, 12, 854.	1.4	28
212	Two-dimensional magnetization-transfer Å€“ CPMG MRI reveals tract-specific signatures in fixed rat spinal cord. <i>Journal of Magnetic Resonance</i> , 2018, 297, 124-137.	1.2	4
213	Myelin water imaging to detect demyelination and remyelination and its validation in pathology. <i>Brain Pathology</i> , 2018, 28, 750-764.	2.1	50
214	Pathological Insights From Quantitative Susceptibility Mapping and Diffusion Tensor Imaging in Ice Hockey Players Pre and Post-concussion. <i>Frontiers in Neurology</i> , 2018, 9, 575.	1.1	14
215	Using 3D spatial correlations to improve the noise robustness of multi component analysis of 3D multi echo quantitative T2 relaxometry data. <i>NeuroImage</i> , 2018, 178, 583-601.	2.1	26
216	MRI in multiple sclerosis: what is changing?. <i>Current Opinion in Neurology</i> , 2018, 31, 386-395.	1.8	28
217	Multicompartment magnetic resonance fingerprinting. <i>Inverse Problems</i> , 2018, 34, 094005.	1.0	30
218	Use of the NESMA Filter to Improve Myelin Water Fraction Mapping with Brain MRI. <i>Journal of Neuroimaging</i> , 2018, 28, 640-649.	1.0	19
219	Myelin Water Atlas: A Template for Myelin Distribution in the Brain. <i>Journal of Neuroimaging</i> , 2019, 29, 699-706.	1.0	29
220	Rapid myelin water imaging for the assessment of cervical spinal cord myelin damage. <i>NeuroImage: Clinical</i> , 2019, 23, 101896.	1.4	16
221	Multimodal Quantitative MRI Reveals No Evidence for Tissue Pathology in Idiopathic Cervical Dystonia. <i>Frontiers in Neurology</i> , 2019, 10, 914.	1.1	14

#	ARTICLE	IF	CITATIONS
222	Myelin Water Imaging and Transcranial Magnetic Stimulation Suggest Structure-Function Relationships in Multiple Sclerosis. <i>Frontiers in Physics</i> , 2019, 7, .	1.0	3
223	Developing therapeutic strategies to promote myelin repair in multiple sclerosis. <i>Expert Review of Neurotherapeutics</i> , 2019, 19, 997-1013.	1.4	13
224	The role of iron and myelin in orientation dependent R_2^* of white matter. <i>NMR in Biomedicine</i> , 2019, 32, e4092.	1.6	32
225	Multi-Exponential Relaxometry Using ℓ_1 -Regularized Iterative NNLS (MERLIN) With Application to Myelin Water Fraction Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2019, 38, 2676-2686.	5.4	8
226	Evaluation of MS related central fatigue using MR neuroimaging methods: Scoping review. <i>Journal of the Neurological Sciences</i> , 2019, 400, 52-71.	0.3	54
227	Big GABA II: Water-referenced edited MR spectroscopy at 25 research sites. <i>NeuroImage</i> , 2019, 191, 537-548.	2.1	76
228	Applicability and reproducibility of 2D multi-slice GRASE myelin water fraction with varying acquisition acceleration. <i>NeuroImage</i> , 2019, 195, 333-339.	2.1	28
229	Comparisons between multi-component myelin water fraction, T1w/T2w ratio, and diffusion tensor imaging measures in healthy human brain structures. <i>Scientific Reports</i> , 2019, 9, 2500.	1.6	96
230	Fiber-tract localized diffusion coefficients highlight patterns of white matter disruption induced by proximity to glioma. <i>PLoS ONE</i> , 2019, 14, e0225323.	1.1	15
231	A Single-Scan, Rapid Whole-Brain Protocol for Quantitative Water Content Mapping With Neurobiological Implications. <i>Frontiers in Neurology</i> , 2019, 10, 1333.	1.1	19
232	Multivariate prediction of multiple sclerosis using robust quantitative MR-based image metrics. <i>Zeitschrift Fur Medizinische Physik</i> , 2019, 29, 262-271.	0.6	11
233	Reproducibility of inhomogeneous magnetization transfer (ihMT): A test-retest, multi-site study. <i>Magnetic Resonance Imaging</i> , 2019, 57, 243-249.	1.0	18
234	Advances in gradient echo myelin water imaging at 3T and 7T. <i>NeuroImage</i> , 2019, 188, 835-844.	2.1	17
235	Quantitative neuroimaging measures of myelin in the healthy brain and in multiple sclerosis. <i>Human Brain Mapping</i> , 2019, 40, 2104-2116.	1.9	53
236	On the accuracy and precision of PLANET for multiparametric MRI using phase-cycled bSSFP imaging. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1534-1552.	1.9	15
237	Evaluation of Normal-appearing White Matter in Multiple Sclerosis Using Direct Visualization of Short Transverse Relaxation Time Component (ViSTa) Myelin Water Imaging and Gradient Echo and Spin Echo (GRASE) Myelin Water Imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 1091-1098.	1.9	21
238	A 24-month advanced magnetic resonance imaging study of multiple sclerosis patients treated with alemtuzumab. <i>Multiple Sclerosis Journal</i> , 2019, 25, 811-818.	1.4	20
239	Adult brain aging investigated using BMC-mcDESPOT-based myelin water fraction imaging. <i>Neurobiology of Aging</i> , 2020, 85, 131-139.	1.5	41

#	ARTICLE	IF	CITATIONS
240	Quantitative age-dependent differences in human brainstem myelination assessed using high-resolution magnetic resonance mapping. <i>NeuroImage</i> , 2020, 206, 116307.	2.1	20
241	Myelin Water Fraction and Intra/Extracellular Water Geometric Mean T_2 Normative Atlases for the Cervical Spinal Cord from 3T MRI. <i>Journal of Neuroimaging</i> , 2020, 30, 50-57.	1.0	13
242	Magnetic resonance fingerprinting Part 1: Potential uses, current challenges, and recommendations. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 675-692.	1.9	58
243	Inherent spatial structure in myelin water fraction maps. <i>Magnetic Resonance Imaging</i> , 2020, 67, 33-42.	1.0	8
244	Improved quantification of myelin water fraction using joint sparsity of T_2^* distribution. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 146-158.	1.9	5
245	New options for increasing the sensitivity, specificity and scope of synergistic contrast magnetic resonance imaging (scMRI) using Multiplied, Added, Subtracted and/or FITted (MASTIR) pulse sequences. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020, 10, 2030-2065.	1.1	5
246	Multi-compartment relaxometry and diffusion informed myelin water imaging – Promises and challenges of new gradient echo myelin water imaging methods. <i>NeuroImage</i> , 2020, 221, 117159.	2.1	22
247	Imaging of the Spinal Cord in Multiple Sclerosis: Past, Present, Future. <i>Brain Sciences</i> , 2020, 10, 857.	1.1	10
248	Nonlinear associations of neurite density and myelin content with age revealed using multicomponent diffusion and relaxometry magnetic resonance imaging. <i>NeuroImage</i> , 2020, 223, 117369.	2.1	25
249	Advances in Signal Processing for Relaxometry. <i>Advances in Magnetic Resonance Technology and Applications</i> , 2020, 1, 123-147.	0.0	4
250	Fast multicomponent $3D T_1$ relaxometry. <i>NMR in Biomedicine</i> , 2020, 33, e4318.	1.6	5
251	Influence of 7T GRE-MRI Signal Compartment Model Choice on Tissue Parameters. <i>Frontiers in Neuroscience</i> , 2020, 14, 271.	1.4	2
252	Myelin water imaging from multi-echo T_2 relaxometry data using a joint sparsity constraint. <i>NeuroImage</i> , 2020, 219, 117014.	2.1	18
253	MRI Features in a Rat Model of H-ABC Tubulinopathy. <i>Frontiers in Neuroscience</i> , 2020, 14, 555.	1.4	11
254	Multi-spin echo T_2 relaxation imaging with compressed sensing (METRICS) for rapid myelin water imaging. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1264-1279.	1.9	29
255	Validation of Rapid Magnetic Resonance Myelin Imaging in Multiple Sclerosis. <i>Annals of Neurology</i> , 2020, 87, 710-724.	2.8	42
256	Myelin water imaging data analysis in less than one minute. <i>NeuroImage</i> , 2020, 210, 116551.	2.1	26
257	So You Want to Image Myelin Using MRI: An Overview and Practical Guide for Myelin Water Imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 360-373.	1.9	60

#	ARTICLE	IF	CITATIONS
258	A mathematical model of the multiple sclerosis plaque. <i>Journal of Theoretical Biology</i> , 2021, 512, 110532.	0.8	6
259	Fast and high-resolution myelin water imaging: Accelerating multi-echo GRASE with CAIPIRINHA. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 209-222.	1.9	16
260	Transcranial magnetic stimulation and magnetic resonance spectroscopy: Opportunities for a bimodal approach in human neuroscience. <i>NeuroImage</i> , 2021, 224, 117394.	2.1	32
261	Identification of water compartments in spinal cords by 2 H double quantum filtered NMR. <i>NMR in Biomedicine</i> , 2021, 34, e4452.	1.6	2
262	In vivo investigation of the multi-exponential T ₂ decay in human white matter at 7 T: Implications for myelin water imaging at UHF. <i>NMR in Biomedicine</i> , 2021, 34, e4429.	1.6	3
263	A Comparison of Quantitative R ₁ and Cortical Thickness in Identifying Age, Lifespan Dynamics, and Disease States of the Human Cortex. <i>Cerebral Cortex</i> , 2021, 31, 1211-1226.	1.6	10
264	Probing myelin content of the human brain with MRI: A review. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 627-652.	1.9	42
265	White Matter Pathology. <i>NeuroMethods</i> , 2021, , 29-46.	0.2	1
266	Impact of Prematurity on the Tissue Properties of the Neonatal Brain Stem: A Quantitative MR Approach. <i>American Journal of Neuroradiology</i> , 2021, 42, 581-589.	1.2	5
267	Multiple sclerosis and subclinical neuropathology in healthy individuals with familial risk: A scoping review of MRI studies. <i>NeuroImage: Clinical</i> , 2021, 31, 102734.	1.4	3
268	Multi-compartment analysis of the complex gradient-echo signal quantifies myelin breakdown in premanifest Huntington's disease. <i>NeuroImage: Clinical</i> , 2021, 30, 102658.	1.4	6
269	Improved Multi-Echo Gradient-Echo-Based Myelin Water Fraction Mapping Using Dimensionality Reduction. <i>IEEE Transactions on Medical Imaging</i> , 2022, 41, 27-38.	5.4	2
270	Perilesional neurodegenerative injury in multiple sclerosis: Relation to focal lesions and impact on disability. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 49, 102738.	0.9	10
271	Myelin water fraction decrease in individuals with chronic mild traumatic brain injury and persistent symptoms. <i>Heliyon</i> , 2021, 7, e06709.	1.4	1
272	T_2 Relaxometry Evidence of Microstructural Changes in Diffusely Abnormal White Matter in Relapsing-Remitting Multiple Sclerosis and Clinically Isolated Syndrome: Impact on Visuomotor Performance. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 1077-1087.	1.9	6
273	Characterization of multiple sclerosis neuroinflammation and neurodegeneration with relaxation and diffusion basis spectrum imaging. <i>Multiple Sclerosis Journal</i> , 2022, 28, 418-428.	1.4	11
274	Sodium Intensity Changes Differ Between Relaxation- and Density-Weighted MRI in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2021, 12, 693447.	1.1	5
275	Water content changes in new multiple sclerosis lesions have a minimal effect on the determination of myelin water fraction values. <i>Journal of Neuroimaging</i> , 2021, 31, 1119-1125.	1.0	12

#	ARTICLE	IF	CITATIONS
276	Concussion Risk and Resilience: Relationships with Pre-Injury Salience Network Connectivity. <i>Journal of Neurotrauma</i> , 2021, 38, 3097-3106.	1.7	5
277	Gray matter blood-brain barrier water exchange dynamics are reduced in progressive multiple sclerosis. <i>Journal of Neuroimaging</i> , 2021, 31, 1111-1118.	1.0	5
278	A multi-inversion-recovery magnetic resonance fingerprinting for multi-compartment water mapping. <i>Magnetic Resonance Imaging</i> , 2021, 81, 82-87.	1.0	5
279	Myelin content changes in Clinically Isolated Syndrome and Relapsing-Remitting Multiple Sclerosis: Associations with lesion type and severity of visuomotor impairment. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 54, 103108.	0.9	3
280	Magnetic Resonance Relaxation and Quantitative Measurement in the Brain. <i>Methods in Molecular Biology</i> , 2011, 711, 65-108.	0.4	33
282	Brain Myelin Water Fraction and Diffusion Tensor Imaging Atlases for 9-10 Year-Old Children. <i>Journal of Neuroimaging</i> , 2020, 30, 150-160.	1.0	14
283	Demyelinating diseases. , 2008, , 1513-1608.		9
284	Multi-Compartment T2 Relaxometry Using a Spatially Constrained Multi-Gaussian Model. <i>PLoS ONE</i> , 2014, 9, e98391.	1.1	44
285	Heterogeneity of Multiple Sclerosis Lesions in Multislice Myelin Water Imaging. <i>PLoS ONE</i> , 2016, 11, e0151496.	1.1	59
286	Sex differences in acute and long-term brain recovery after concussion. <i>Human Brain Mapping</i> , 2021, 42, 5814-5826.	1.9	8
287	The Short T2 Component in Normal-Appearing White Matter in Multiple Sclerosis. , 2004, , 47-61.		0
289	Insights into Brain Connectivity Using Quantitative MRI Measures of White Matter. <i>Understanding Complex Systems</i> , 2007, , 221-271.	0.3	2
290	Robust Myelin Quantitative Imaging from Multi-echo T2 MRI Using Edge Preserving Spatial Priors. <i>Lecture Notes in Computer Science</i> , 2013, 16, 622-630.	1.0	6
291	Assessment of Brain Water Content in Peripheral Inflammation by an Optimized Single-Voxel MR Spectroscopy Quantitation Technique. <i>IFMBE Proceedings</i> , 2019, , 91-96.	0.2	1
292	White Matter Evaluation in Multiple Sclerosis Through Magnetic Resonance Kurtosis Imaging. <i>Cureus</i> , 2019, 11, e6424.	0.2	2
294	Cerebral Microstructural Alterations in Patients With Early Parkinson's Disease Detected With Quantitative Magnetic Resonance Measurements. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 763331.	1.7	5
295	Susceptibility Weighted Imaging. , 2020, , 165-187.		0
296	Relaxometry: Applications in the Brain. <i>Advances in Magnetic Resonance Technology and Applications</i> , 2020, 1, 149-184.	0.0	0

#	ARTICLE	IF	CITATIONS
297	Normal-appearing white matter changes vary with distance to lesions in multiple sclerosis. <i>American Journal of Neuroradiology</i> , 2006, 27, 2005-11.	1.2	52
298	Diffusely abnormal white matter in multiple sclerosis. <i>Journal of Neuroimaging</i> , 2022, 32, 5-16.	1.0	5
299	Insights into human cerebral white matter maturation and degeneration across the adult lifespan. <i>NeuroImage</i> , 2022, 247, 118727.	2.1	30
300	Subsecond accurate myelin water fraction reconstruction from FAST ² data with 3D UNET. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2979-2988.	1.9	3
301	Using myelin water imaging to link underlying pathology to clinical function in multiple sclerosis: A scoping review. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 59, 103646.	0.9	7
302	Quantitative MRI findings indicate diffuse white matter damage in Susac Syndrome. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2022, 8, 205521732210788.	0.5	0
303	<i>In vivo</i> Human MR Spectroscopy Using a Clinical Scanner: Development, Applications, and Future Prospects. <i>Magnetic Resonance in Medical Sciences</i> , 2022, 21, 235-252.	1.1	7
305	Data-driven myelin water imaging based on T ₁ and T ₂ relaxometry. <i>NMR in Biomedicine</i> , 2021, , e4668.	1.6	0
317	Myelin water imaging in relapsing multiple sclerosis treated with ocrelizumab and interferon beta-1a. <i>NeuroImage: Clinical</i> , 2022, 35, 103109.	1.4	5
318	Whole-brain Water Content Mapping Using Super-resolution Reconstruction with MRI Acquisition in 3 Orthogonal Orientations. <i>Magnetic Resonance in Medicine</i> , 0, , .	1.9	2
319	Multicomponent MR fingerprinting reconstruction using joint sparsity and low-rank constraints. <i>Magnetic Resonance in Medicine</i> , 2023, 89, 286-298.	1.9	2
320	Myelin Quantification in the Basal Ganglia and the Cerebral Peduncles of Human Brains. <i>IETE Journal of Research</i> , 0, , 1-6.	1.8	0
321	Comparing myelin-sensitive magnetic resonance imaging measures and resulting g-ratios in healthy and multiple sclerosis brains. <i>NeuroImage</i> , 2022, 264, 119750.	2.1	5
322	Myelin heterogeneity for assessing normal appearing white matter myelin damage in multiple sclerosis. <i>Journal of Neuroimaging</i> , 2023, 33, 227-234.	1.0	1
323	Myelinodegeneration vs. Neurodegeneration in MS Progressive Forms. <i>International Journal of Molecular Sciences</i> , 2023, 24, 1596.	1.8	0
325	Depth-wise profiles of iron and myelin in the cortex and white matter using T ₂ -separation: A preliminary study. <i>NeuroImage</i> , 2023, 273, 120058.	2.1	4
334	Conventional and advanced magnetic resonance imaging for degenerative cervical myelopathy. , 2023, , 101-111.		0