

Developments in hollow fibre-based, liquid-phase micro

TrAC - Trends in Analytical Chemistry

23, 1-10

DOI: [10.1016/s0165-9936\(04\)00105-0](https://doi.org/10.1016/s0165-9936(04)00105-0)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Automated membrane-based sampling and sample preparation exploiting flow-injection analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2004, 23, 624-636.	5.8	53
2	Suitability of hollow fibre liquid-phase microextraction for the determination of acidic pharmaceuticals in wastewater by liquid chromatography-electrospray tandem mass spectrometry without matrix effects. <i>Journal of Chromatography A</i> , 2004, 1061, 19-26.	1.8	102
3	Application of liquid-phase microextraction for the determination of phoxim in water samples by high performance liquid chromatography with diode array detector. <i>Microchemical Journal</i> , 2005, 80, 19-23.	2.3	74
4	Determination of clenbuterol in urine using headspace solid phase microextraction or liquid-liquid microextraction. <i>Analytica Chimica Acta</i> , 2005, 552, 67-75.	2.6	52
5	Application of hollow fiber liquid phase microextraction for the determination of insecticides in water. <i>Journal of Chromatography A</i> , 2005, 1072, 55-61.	1.8	136
6	Two-step hollow fiber-based, liquid-phase microextraction combined with high-performance liquid chromatography: A new approach to determination of aromatic amines in water. <i>Journal of Chromatography A</i> , 2005, 1082, 136-142.	1.8	95
7	Surfactant enhanced liquid-phase microextraction of basic drugs of abuse in hair combined with high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2005, 1094, 1-8.	1.8	98
8	Use of Continuous-Flow Microextraction and Liquid Chromatography for Determination of Phoxim in Water Samples. <i>Chromatographia</i> , 2005, 61, 523-526.	0.7	30
9	LC Determination of Mono-Substituted Phenols in Water Using Liquid-Liquid Phase Microextraction. <i>Chromatographia</i> , 2005, 62, 49-54.	0.7	20
10	Recovery and separation of organic acids by membrane-based solvent extraction and pertraction. <i>Separation and Purification Technology</i> , 2005, 41, 237-266.	3.9	138
11	Sample preparation for pharmaceutical analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 381, 75-77.	1.9	30
12	Solubilities in supercritical fluids. <i>Pure and Applied Chemistry</i> , 2005, 77, 513-530.	0.9	56
13	Equilibrium Sampling through Membranes of Freely Dissolved Copper Concentrations with Selective Hollow Fiber Membranes and the Spectrophotometric Detection of a Metal Stripping Agent. <i>Analytical Chemistry</i> , 2005, 77, 7605-7611.	3.2	35
14	Equilibrium Sampling through Membranes of Freely Dissolved Chlorophenols in Water Samples with Hollow Fiber Supported Liquid Membrane. <i>Analytical Chemistry</i> , 2005, 77, 4800-4809.	3.2	82
15	Kinetic Calibration for Automated Headspace Liquid-Phase Microextraction. <i>Analytical Chemistry</i> , 2005, 77, 8122-8128.	3.2	77
16	Hollow fiber liquid phase microextraction combined with electrothermal vaporization ICP-MS for the speciation of inorganic selenium in natural waters. <i>Journal of Analytical Atomic Spectrometry</i> , 2006, 21, 362.	1.6	90
17	Determination of substituted benzenes in water samples by fiber-in-tube liquid phase microextraction coupled with gas chromatography. <i>Talanta</i> , 2006, 68, 945-950.	2.9	19
18	Tetrabutylammonium-Induced Coacervation in Vesicular Solutions of Alkyl Carboxylic Acids for the Extraction of Organic Compounds. <i>Analytical Chemistry</i> , 2006, 78, 7229-7239.	3.2	105

#	ARTICLE	IF	CITATIONS
19	Kinetic Calibration for Automated Hollow Fiber-Protected Liquid-Phase Microextraction. <i>Analytical Chemistry</i> , 2006, 78, 5783-5788.	3.2	89
20	<i>Analytical Methods for Polar Pollutants.</i> , 2006, , 1-40.		7
21	Analysis of organochlorine pesticides in wine by solvent bar microextraction coupled with gas chromatography with tandem mass spectrometry detection. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 118-124.	0.7	32
22	Application of hollow fiber supported liquid membrane extraction to the simultaneous determination of pesticide residues in vegetables by liquid chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 2701-2708.	0.7	47
23	Three-phase system in solvent bar microextraction: An approach for the sample preparation of ionizable organic compounds prior to liquid chromatography. <i>Analytica Chimica Acta</i> , 2006, 555, 139-145.	2.6	44
24	Liquid-phase microextraction for sample preparation in analysis of unconjugated anabolic steroids in urine. <i>Analytica Chimica Acta</i> , 2006, 559, 166-172.	2.6	49
25	Directly suspended droplet microextraction. <i>Analytica Chimica Acta</i> , 2006, 566, 259-264.	2.6	115
26	Recent developments in solid-phase microextraction coatings and related techniques. <i>Journal of Chromatography A</i> , 2006, 1103, 183-192.	1.8	252
27	Liquid-liquid-liquid microextraction with automated movement of the acceptor and the donor phase for the extraction of phenoxyacetic acids prior to liquid chromatography detection. <i>Journal of Chromatography A</i> , 2006, 1104, 33-39.	1.8	51
28	Application of liquid-phase microextraction and on-column derivatization combined with gas chromatography-mass spectrometry to the determination of carbamate pesticides. <i>Journal of Chromatography A</i> , 2006, 1117, 31-37.	1.8	133
29	Potential of membrane-assisted solvent extraction for the determination of phosphoric acid triesters in wastewater samples by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1124, 22-28.	1.8	52
30	Enhancing micro-scale membrane extraction by implementing a barrier film. <i>Journal of Chromatography A</i> , 2006, 1122, 1-6.	1.8	14
31	Determination of triphenylphosphine oxide in active pharmaceutical ingredients by hollow-fiber liquid-phase microextraction followed by reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 2006, 1127, 147-153.	1.8	22
32	Determination of polybrominated diphenyl ethers at trace levels in environmental waters using hollow-fiber microporous membrane liquid-liquid extraction and gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1133, 41-48.	1.8	75
33	Dynamic hollow fiber protected liquid phase microextraction and quantification using gas chromatography combined with electron capture detection of organochlorine pesticides in green tea leaves and ready-to-drink tea. <i>Journal of Chromatography A</i> , 2006, 1135, 6-11.	1.8	62
34	Electrokinetic migration across artificial liquid membranes. <i>Journal of Chromatography A</i> , 2006, 1124, 29-34.	1.8	207
35	Comparison of Hollow Fiber and Single-Drop Liquid-Phase Microextraction Techniques for HPLC Determination of Aniline Derivatives in Water. <i>Chromatographia</i> , 2006, 63, 563-569.	0.7	45
36	Strategies for the microextraction of polar organic contaminants in water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 384, 1447-1461.	1.9	77

#	ARTICLE	IF	CITATIONS
37	Modelling and experimental study of separators for co-solvent recovery in a supercritical extraction process. <i>Journal of Supercritical Fluids</i> , 2006, 38, 51-61.	1.6	17
38	New supported liquid membrane-capillary electrophoresis in-line arrangement for direct selective analysis of complex samples. <i>Electrophoresis</i> , 2006, 27, 3075-3085.	1.3	38
39	Dynamic liquid-phase microextraction with HPLC for the determination of phoxim in water samples. <i>Journal of Separation Science</i> , 2006, 29, 366-370.	1.3	12
40	Extraction of hydroxyaromatic compounds in river water by liquid-liquid microextraction with automated movement of the acceptor and the donor phase. <i>Journal of Separation Science</i> , 2006, 29, 2078-2084.	1.3	11
41	Analytical Microextraction: Current Status and Future Trends. <i>Journal of Chromatographic Science</i> , 2006, 44, 291-307.	0.7	105
42	Chapter 2.5 Analysis of acidic drugs by gas chromatography. <i>Comprehensive Analytical Chemistry</i> , 2007, , 185-218.	0.7	2
43	Modern Techniques of Sample Preparation for Determination of Organic Analytes by Gas Chromatography. <i>Critical Reviews in Analytical Chemistry</i> , 2007, 37, 15-38.	1.8	29
44	EXTRACTION Liquid-Phase Microextraction. , 2007, , 1-5.		3
45	Development of an Improved Liquid Phase Microextraction Technique and Its Application in the Analysis of Flumetsulam and Its Two Analogous Herbicides in Soil. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 9351-9356.	2.4	18
46	Stereoselective determination of hydroxychloroquine and its metabolites in human urine by liquid-phase microextraction and CE. <i>Electrophoresis</i> , 2007, 28, 1081-1091.	1.3	42
47	Supported liquid membranes in hollow fiber liquid-phase microextraction (LPME) – Practical considerations in the three-phase mode. <i>Journal of Separation Science</i> , 2007, 30, 1364-1370.	1.3	45
48	Hollow-fiber liquid-phase microextraction prior to low-temperature electrothermal vaporization ICP-MS for trace element analysis in environmental and biological samples. <i>Journal of Mass Spectrometry</i> , 2007, 42, 803-810.	0.7	82
49	Potential of effective extraction techniques and new analytical systems for profiling the marine environment. <i>TrAC - Trends in Analytical Chemistry</i> , 2007, 26, 788-808.	5.8	16
50	Sample preparation in analysis of pharmaceuticals. <i>TrAC - Trends in Analytical Chemistry</i> , 2007, 26, 1062-1075.	5.8	177
51	Combination of hollow fiber-based liquid-phase microextraction with sweeping techniques in micellar electrokinetic chromatography for the determination of Strychnos alkaloids in human urine. <i>Chinese Chemical Letters</i> , 2007, 18, 316-318.	4.8	18
52	Developments in single-drop microextraction. <i>Journal of Chromatography A</i> , 2007, 1152, 184-192.	1.8	375
53	Automation and optimization of liquid-phase microextraction by gas chromatography. <i>Journal of Chromatography A</i> , 2007, 1138, 47-54.	1.8	94
54	Electrokinetic migration of acidic drugs across a supported liquid membrane. <i>Journal of Chromatography A</i> , 2007, 1152, 220-225.	1.8	215

#	ARTICLE	IF	CITATIONS
55	Automated, on-line membrane extraction. <i>Journal of Chromatography A</i> , 2007, 1152, 199-214.	1.8	76
56	Hollow fiber-based liquid-phase microextraction combined with on-line sweeping for trace analysis of Strychnos alkaloids in urine by micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2007, 1143, 270-275.	1.8	52
57	Sample preparation techniques for the determination of trace residues and contaminants in foods. <i>Journal of Chromatography A</i> , 2007, 1153, 36-53.	1.8	311
58	Passive extraction and clean-up of phenoxy acid herbicides in samples from a groundwater plume using hollow fiber supported liquid membranes. <i>Journal of Chromatography A</i> , 2007, 1160, 56-63.	1.8	61
59	Microextraction across supported liquid membranes forced by pH gradients and electrical fields. <i>Journal of Chromatography A</i> , 2007, 1157, 38-45.	1.8	157
60	Development of an automatic multiple dynamic hollow fibre liquid-phase microextraction procedure for specific migration analysis of new active food packagings containing essential oils. <i>Journal of Chromatography A</i> , 2007, 1174, 85-94.	1.8	91
61	Simulation of flux during electro-membrane extraction based on the Nernst-Planck equation. <i>Journal of Chromatography A</i> , 2007, 1174, 104-111.	1.8	204
62	Application of dispersive liquid-liquid microextraction for the analysis of organophosphorus pesticides in watermelon and cucumber. <i>Journal of Chromatography A</i> , 2007, 1175, 137-140.	1.8	165
63	Determination of organochlorine pesticides in water using solvent cooling assisted dynamic hollow-fiber-supported headspace liquid-phase microextraction. <i>Journal of Chromatography A</i> , 2007, 1176, 19-25.	1.8	64
64	Miniaturization of environmental chemical assays in flowing systems: The lab-on-a-valve approach vis-à-vis lab-on-a-chip microfluidic devices. <i>Analytica Chimica Acta</i> , 2007, 600, 46-57.	2.6	83
65	25,000-fold pre-concentration in a single step with liquid-phase microextraction. <i>Analytica Chimica Acta</i> , 2007, 592, 1-8.	2.6	65
66	Dynamic liquid-phase microextraction of three phthalate esters from water samples and determination by gas chromatography. <i>Analytica Chimica Acta</i> , 2007, 597, 1-5.	2.6	70
67	In situ derivatization and hollow fiber membrane microextraction for gas chromatographic determination of haloacetic acids in water. <i>Analytica Chimica Acta</i> , 2007, 598, 82-86.	2.6	52
68	Determination of organophosphorous pesticides in wastewater samples using binary-solvent liquid-phase microextraction and solid-phase microextraction: A comparative study. <i>Analytica Chimica Acta</i> , 2007, 605, 147-152.	2.6	58
69	Extraction and determination of trace amounts of chlorpromazine in biological fluids using hollow fiber liquid phase microextraction followed by high-performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 45, 769-774.	1.4	58
70	Liquid-phase micro-extraction techniques in pesticide residue analysis. <i>Journal of Proteomics</i> , 2007, 70, 195-228.	2.4	223
71	Automated clean up techniques. , 2007, , 349-418.		1
72	Silicone rod extraction of pharmaceuticals from water. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 1417-1421.	1.9	28

#	ARTICLE	IF	CITATIONS
73	Extraction across supported liquid membranes by use of electrical fields. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 521-523.	1.9	48
74	Determination of atrazine, desethyl atrazine and desisopropyl atrazine in environmental water samples using hollow fiber-protected liquid-phase microextraction and high performance liquid chromatography. <i>Mikrochimica Acta</i> , 2007, 158, 181-186.	2.5	29
75	Application of dispersive liquid-liquid microextraction and high-performance liquid chromatography for the determination of three phthalate esters in water samples. <i>Analytica Chimica Acta</i> , 2008, 609, 53-58.	2.6	250
76	Parameters affecting electro membrane extraction of basic drugs. <i>Journal of Separation Science</i> , 2008, 31, 753-759.	1.3	139
77	Enantioselective determination of chloroquine and its <i>n</i> -dealkylated metabolites in plasma using liquid-phase microextraction and LC-MS. <i>Journal of Separation Science</i> , 2008, 31, 3106-3116.	1.3	18
78	Liquid-phase microextraction combined with high-performance liquid chromatography for the enantioselective analysis of mefloquine in plasma samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 46, 929-936.	1.4	25
79	Carrier-mediated liquid phase microextraction coupled with high performance liquid chromatography for determination of illicit drugs in human urine. <i>Analytica Chimica Acta</i> , 2008, 621, 185-192.	2.6	40
80	Evaluation of liquid-liquid microextraction using polypropylene microporous membranes for the determination of organophosphorus flame retardants and plasticizers in water samples. <i>Analytica Chimica Acta</i> , 2008, 625, 145-153.	2.6	39
81	Liquid-phase microextraction with porous hollow fibers, a miniaturized and highly flexible format for liquid-liquid extraction. <i>Journal of Chromatography A</i> , 2008, 1184, 132-142.	1.8	440
82	Sample preparation. <i>Journal of Chromatography A</i> , 2008, 1184, 191-219.	1.8	291
83	Low-voltage electromembrane extraction of basic drugs from biological samples. <i>Journal of Chromatography A</i> , 2008, 1180, 1-9.	1.8	152
84	Electromembrane extraction of peptides. <i>Journal of Chromatography A</i> , 2008, 1194, 143-149.	1.8	174
85	Suitability of polypropylene microporous membranes for liquid- and solid-phase extraction of halogenated anisoles from water samples. <i>Journal of Chromatography A</i> , 2008, 1198-1199, 21-26.	1.8	27
86	Application of hollow fibre liquid phase microextraction for the multiresidue determination of pesticides in alcoholic beverages by ultra-high pressure liquid chromatography coupled to tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1208, 16-24.	1.8	90
87	Ionic liquid supported three-phase liquid-liquid microextraction as a sample preparation technique for aliphatic and aromatic hydrocarbons prior to gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1210, 19-24.	1.8	75
88	Carbon nanotube mediated microscale membrane extraction. <i>Journal of Chromatography A</i> , 2008, 1211, 43-48.	1.8	38
89	Determination of ivermectin and transformation products in environmental waters using hollow fibre-supported liquid membrane extraction and liquid chromatography-mass spectrometry/mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1187, 275-280.	1.8	37
90	Ultrasound-assisted emulsification-microextraction of emergent contaminants and pesticides in environmental waters. <i>Journal of Chromatography A</i> , 2008, 1190, 27-38.	1.8	511

#	ARTICLE	IF	CITATIONS
91	LC Determination of Phthalate Esters in Water Samples Using Continuous-Flow Microextraction. <i>Chromatographia</i> , 2008, 68, 393-397.	0.7	9
92	Directly Suspended Droplet Three Liquid Phase Microextraction of Diclofenac Prior to LC. <i>Chromatographia</i> , 2008, 67, 49-53.	0.7	25
93	Comparison of membrane assisted liquid-liquid microextraction devices applied to a series of volatile organic compounds in aqueous environmental matrices. <i>International Journal of Environmental Analytical Chemistry</i> , 2008, 88, 447-460.	1.8	9
94	A novel equilibrium extraction technique employing hollow fibre liquid phase microextraction for trace enrichment of freely dissolved organophosphorus pesticides in environmental waters. <i>International Journal of Environmental Analytical Chemistry</i> , 2008, 88, 933-945.	1.8	24
95	Growth of Cookie-like Au/NiO Nanoparticles in SiO ₂ Sol-Gel Films and Their Optical Gas Sensing Properties. <i>Crystal Growth and Design</i> , 2008, 8, 744-749.	1.4	25
96	BTEX determination in water matrices using HF-LPME with gas chromatography-flame ionization detector. <i>Chemosphere</i> , 2008, 71, 671-676.	4.2	80
97	Microextraction Methods in Food Analysis. , 2008, , .		1
98	Analysis Method of Trace Compounds by Hollow-fiber Liquid-phase Microextraction with Electric Field Enhancement of Mass Transfer. <i>Chemistry Letters</i> , 2008, 37, 1272-1273.	0.7	4
99	Membrane Extraction in Preconcentration, Sampling, and Trace Analysis. , 2008, , 345-369.		4
100	Application of continual injection liquid-phase microextraction method coupled with liquid chromatography to the analysis of organophosphorus pesticides. <i>Journal of Separation Science</i> , 2009, 32, 623-629.	1.3	12
101	Application of dispersive liquid-liquid microextraction for the analysis of triazophos and carbaryl pesticides in water and fruit juice samples. <i>Analytica Chimica Acta</i> , 2009, 632, 289-295.	2.6	195
102	Hollow fiber liquid phase microextraction combined with electrothermal atomic absorption spectrometry for the speciation of arsenic (III) and arsenic (V) in fresh waters and human hair extracts. <i>Analytica Chimica Acta</i> , 2009, 634, 15-21.	2.6	84
103	Two-step liquid-phase microextraction and high-performance liquid chromatography for the simultaneous analysis of the enantiomers of mefloquine and its main metabolite carboxymefloquine in plasma. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 393, 1805-1813.	1.9	18
104	Critical evaluation of sample pretreatment techniques. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 743-758.	1.9	148
105	Dispersive liquid-liquid microextraction using an in situ metathesis reaction to form an ionic liquid extraction phase for the preconcentration of aromatic compounds from water. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 1491-1502.	1.9	193
106	Automated polyvinylidene difluoride hollow fiber liquid-phase microextraction of flunitrazepam in plasma and urine samples for gas chromatography/tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 2241-2247.	1.8	55
107	Liquid-phase microextraction techniques for simplifying sample treatment in capillary electrophoresis. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 842-853.	5.8	50
108	Preconcentration of thallium (I) by single drop microextraction with electrothermal atomic absorption spectroscopy detection using dicyclohexano-18-crown-6 as extractant system. <i>Journal of Hazardous Materials</i> , 2009, 167, 597-601.	6.5	63

#	ARTICLE	IF	CITATIONS
109	Miniaturized preconcentration methods based on liquid-liquid extraction and their application in inorganic ultratrace analysis and speciation: A review. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2009, 64, 1-15.	1.5	359
110	Solvent bar microextraction combined with electrothermal vaporization inductively coupled plasma mass spectrometry for the speciation of inorganic arsenic in water samples. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2009, 64, 679-684.	1.5	31
111	Chemical reactions in liquid-phase microextraction. <i>Journal of Chromatography A</i> , 2009, 1216, 701-707.	1.8	86
112	Simple approach based on ultrasound-assisted emulsification-microextraction for determination of polibrominated flame retardants in water samples by gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 147-153.	1.8	106
113	Simultaneous conduction of two- and three-phase hollow-fiber-based liquid-phase microextraction for the determination of aromatic amines in environmental water samples. <i>Journal of Chromatography A</i> , 2009, 1216, 756-762.	1.8	59
114	Assessment of specific migration to aqueous simulants of a new active food packaging containing essential oils by means of an automatic multiple dynamic hollow fibre liquid phase microextraction system. <i>Journal of Chromatography A</i> , 2009, 1216, 3731-3739.	1.8	50
115	Solvent-bar microextraction-Using a silica monolith as the extractant phase holder. <i>Journal of Chromatography A</i> , 2009, 1216, 5483-5488.	1.8	54
116	Ultrasound-assisted emulsification microextraction method based on applying low density organic solvents followed by gas chromatography analysis for the determination of polycyclic aromatic hydrocarbons in water samples. <i>Journal of Chromatography A</i> , 2009, 1216, 6673-6679.	1.8	251
117	Rapid isolation of angiotensin peptides from plasma by electromembrane extraction. <i>Journal of Chromatography A</i> , 2009, 1216, 6900-6905.	1.8	99
118	Simultaneous determination of several phytohormones in natural coconut juice by hollow fiber-based liquid-liquid microextraction-high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2009, 1216, 7657-7663.	1.8	131
119	Dispersive liquid-liquid microextraction combined with high performance liquid chromatography-fluorescence detection for the determination of carbendazim and thiabendazole in environmental samples. <i>Analytica Chimica Acta</i> , 2009, 638, 139-145.	2.6	145
120	Determination of selected polychlorinated biphenyls in water samples by ultrasound-assisted emulsification-microextraction and gas chromatography-mass-selective detection. <i>Analytica Chimica Acta</i> , 2009, 647, 182-188.	2.6	107
121	Directly suspended droplet microextraction in a rotating vial. <i>Analytica Chimica Acta</i> , 2009, 648, 123-127.	2.6	27
122	HPLC determination of ibuprofen, diclofenac and salicylic acid using hollow fiber-based liquid phase microextraction (HF-LPME). <i>Analytica Chimica Acta</i> , 2009, 653, 184-190.	2.6	129
123	DEVELOPMENT OF NEGLIGIBLE DEPLETION HOLLOW FIBER-PROTECTED LIQUID-PHASE MICROEXTRACTION FOR SENSING FREELY DISSOLVED TRIAZINES. <i>Environmental Toxicology and Chemistry</i> , 2009, 28, 231.	2.2	11
124	Determination of alkaloids in <i>Corydalis yanhusuo</i> using hollow-fibre liquid phase microextraction and high performance liquid chromatography. <i>Chemical Papers</i> , 2009, 63, .	1.0	9
125	Environmental and food sample handling challenges for developing countries. <i>Toxicological and Environmental Chemistry</i> , 2009, 91, 819-835.	0.6	3
126	Hollow fiber-based liquid-phase microextraction (HF-LPME) of ibuprofen followed by FIA-chemiluminescence determination using the acidic permanganate-sulfite system. <i>Talanta</i> , 2009, 79, 911-915.	2.9	32

#	ARTICLE	IF	CITATIONS
127	Application of ultrasound-assisted emulsification-micro-extraction for the analysis of organochlorine pesticides in waters. <i>Water Research</i> , 2009, 43, 4269-4277.	5.3	73
128	Single Drop Microextraction Using Commercial Capillary Electrophoresis Instruments. <i>Analytical Chemistry</i> , 2009, 81, 225-230.	3.2	78
129	Methodologies for the Extraction of Phenolic Compounds from Environmental Samples: New Approaches. <i>Molecules</i> , 2009, 14, 298-320.	1.7	206
130	Liquid-phase microextraction in bioanalytical sample preparation. <i>Bioanalysis</i> , 2009, 1, 135-149.	0.6	53
131	Ionic Liquid-Based Submerged Single Drop Microextraction: a New Method for the Determination of Aromatic Amines in Environmental Water Samples. <i>Chromatographia</i> , 2010, 72, 867-873.	0.7	24
132	Overview of the current status of sediment chemical analysis: trends in analytical techniques. <i>Environmental Reviews</i> , 2010, 18, 37-59.	2.1	11
133	Chiral HPLC analysis of venlafaxine metabolites in rat liver microsomal preparations after LPME extraction and application to an in vitro biotransformation study. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 817-824.	1.9	22
134	Determination of selected pesticides in environmental water by employing liquid-phase microextraction and liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 2233-2243.	1.9	52
135	Hollow fiber-based liquid phase microextraction with factorial design optimization and gas chromatography-tandem mass spectrometry for determination of cannabinoids in human hair. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2175-2183.	1.2	35
136	Recent development in liquid phase microextraction for determination of trace level concentration of metals-A review. <i>Analytica Chimica Acta</i> , 2010, 658, 107-119.	2.6	280
137	Simultaneous speciation and preconcentration of ultra traces of inorganic tellurium and selenium in environmental samples by hollow fiber liquid phase microextraction prior to electrothermal atomic absorption spectroscopy determination. <i>Journal of Hazardous Materials</i> , 2010, 181, 491-496.	6.5	84
138	Three-phase, liquid-phase microextraction combined with high performance liquid chromatography-fluorescence detection for the simultaneous determination of fluoxetine and norfluoxetine in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 51, 170-177.	1.4	48
139	On-chip electro membrane extraction. <i>Microfluidics and Nanofluidics</i> , 2010, 9, 881-888.	1.0	121
140	Hollow fiber membrane supported thin liquid film extraction for determination of trace phenoxy acid herbicides and phenols in environmental water samples. <i>Mikrochimica Acta</i> , 2010, 168, 23-29.	2.5	18
141	Synthesis and Adsorption Performance of Surface-Grafted Co(II)-Imprinted Polymer for Selective Removal of Cobalt. <i>Chinese Journal of Chemistry</i> , 2010, 28, 548-554.	2.6	13
142	Extraction of organophosphorus pesticides in water and juice using ultrasound-assisted emulsification-microextraction. <i>Journal of Separation Science</i> , 2010, 33, 244-250.	1.3	59
143	Potential-driven peptide extractions across supported liquid membranes: Investigation of principal operational parameters. <i>Journal of Separation Science</i> , 2010, 33, 1665-1672.	1.3	55
144	Electro membrane extraction combined with capillary electrophoresis for the determination of amlodipine enantiomers in biological samples. <i>Journal of Separation Science</i> , 2010, 33, 3231-3238.	1.3	89

#	ARTICLE	IF	CITATIONS
145	Simultaneous determination of rosiglitazone and its metabolites in rat liver microsomal fraction using hollow fiber liquid-phase microextraction for sample preparation. <i>Journal of Separation Science</i> , 2010, 33, 2872-2880.	1.3	15
146	The measurement of ecstasy in human hair by triple phase directly suspended droplet microextraction prior to HPLC-DAD analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 903-908.	1.2	32
147	Determination of aconitine, hypaconitine and mesaconitine in urine using hollow fiber liquid-phase microextraction combined with high-performance liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2811-2816.	1.2	37
148	Hollow fiber supported liquid membrane extraction for ultrasensitive determination of trace lead by portable tungsten coil electrothermal atomic absorption spectrometry. <i>Microchemical Journal</i> , 2010, 96, 238-242.	2.3	54
149	Pesticides in water and the performance of the liquid-phase microextraction based techniques. A review. <i>Microchemical Journal</i> , 2010, 96, 225-237.	2.3	108
150	Implementation of droplet-membrane-droplet liquid-phase microextraction under stagnant conditions for lab-on-a-chip applications. <i>Analytica Chimica Acta</i> , 2010, 658, 133-140.	2.6	47
151	A novel solidified floating organic drop microextraction method for preconcentration and determination of copper ions by flow injection flame atomic absorption spectrometry. <i>Analytica Chimica Acta</i> , 2010, 667, 83-87.	2.6	83
152	Fundamentals and applications of needle trap devices. <i>Analytica Chimica Acta</i> , 2010, 677, 3-18.	2.6	235
153	Hollow fiber supported liquid membrane microextraction of Cu ²⁺ followed by flame atomic absorption spectroscopy determination. <i>Arabian Journal of Chemistry</i> , 2010, 3, 21-26.	2.3	49
154	Hydrophobic solvent induced phase transition extraction to extract drugs from plasma for high performance liquid chromatography-mass spectrometric analysis. <i>Journal of Chromatography A</i> , 2010, 1217, 243-249.	1.8	35
155	Evolution of dispersive liquid-liquid microextraction method. <i>Journal of Chromatography A</i> , 2010, 1217, 2342-2357.	1.8	844
156	Carbon nanotube reinforced hollow fiber solid/liquid phase microextraction: A novel extraction technique for the measurement of caffeic acid in <i>Echinacea purpurea</i> herbal extracts combined with high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2010, 1217, 2768-2775.	1.8	121
157	Ultrasound-assisted dispersive liquid-liquid microextraction for the determination of six pyrethroids in river water. <i>Journal of Chromatography A</i> , 2010, 1217, 5152-5157.	1.8	82
158	Dynamic supported liquid membrane tip extraction of glyphosate and aminomethylphosphonic acid followed by capillary electrophoresis with contactless conductivity detection. <i>Journal of Chromatography A</i> , 2010, 1217, 5832-5838.	1.8	33
159	Solvent-bar microextraction of herbicides combined with non-aqueous field-amplified sample injection capillary electrophoresis. <i>Journal of Chromatography A</i> , 2010, 1217, 6036-6043.	1.8	33
160	Benzimidazole Fungicides in Environmental Samples: Extraction and Determination Procedures. , 0, , .		4
161	An Overview of Modern Extraction Techniques for the Determination of Organic Pollutants in Environmental Matrices: A Review. <i>Current Organic Chemistry</i> , 2010, 14, 2247-2267.	0.9	7
162	The More and Less Common Approaches to Enhancing Sensitivity in Capillary Electrophoresis. <i>Current Analytical Chemistry</i> , 2010, 6, 126-143.	0.6	30

#	ARTICLE	IF	CITATIONS
163	Monitoring of trace amounts of some anti-fungal drugs in biological fluids by hollow fiber based liquid phase microextraction followed by high performance liquid chromatography. <i>Analytical Methods</i> , 2010, 2, 387.	1.3	33
164	Simultaneous determination of four phthalate esters in bottled water using ultrasound-assisted dispersive liquid-liquid microextraction followed by GC-FID detection. <i>Analyst</i> , 2010, 135, 2585.	1.7	56
165	Headspace Single Drop Microextraction for the Analysis of Fire Accelerants in Fire Debris Samples. <i>Analytical Letters</i> , 2010, 43, 2257-2266.	1.0	15
166	SAMPLE PREPARATION FOR TRACE ANALYSIS BY CHROMATOGRAPHIC METHODS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010, 33, 1174-1207.	0.5	20
167	Visual Test of Subparts per Billion-Level Mercuric Ion with a Gold Nanoparticle Probe after Preconcentration by Hollow Fiber Supported Liquid Membrane. <i>Analytical Chemistry</i> , 2010, 82, 4222-4228.	3.2	36
168	Headspace single-drop microextraction and fibre optics-based cuvetteless micro-spectrophotometry for the determination of chloride involving oxidation with permanganate. <i>Talanta</i> , 2010, 80, 1816-1822.	2.9	21
169	Determination of \hat{I}^2 -artemether and its main metabolite dihydroartemisinin in plasma employing liquid-phase microextraction prior to liquid chromatographic-tandem mass spectrometric analysis. <i>Talanta</i> , 2010, 81, 941-947.	2.9	25
170	Sensitive determination of 2,4,6-trichloroanisole in water samples by ultrasound assisted emulsification microextraction prior to gas chromatography-tandem mass spectrometry analysis. <i>Talanta</i> , 2010, 81, 1536-1541.	2.9	35
171	Ultrasound-Assisted Emulsification Microextraction for Determination of 2,4,6-Trichloroanisole in Wine Samples by Gas Chromatography Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 4576-4581.	2.4	37
172	Detection and quantitation of \hat{I}^2 -blockers in plasma and urine. <i>Bioanalysis</i> , 2010, 2, 263-276.	0.6	18
173	Novel Routes to Functional (Meso)Porous Cross-Linked Polymers Using (Semi-)Interpenetrating Polymer Networks as Nanostructured Precursors. <i>Macromolecular Symposia</i> , 2010, 291-292, 168-176.	0.4	5
174	Comparative study of direct immersion and headspace single drop microextraction techniques for BTEX determination in water samples using GC-FID. <i>International Journal of Environmental Analytical Chemistry</i> , 2010, 90, 1036-1047.	1.8	18
175	Three-phase hollow fiber microextraction based on carrier-mediated transport combined with HPLC-UV for the analysis of dexamethasone sodium phosphate in biological samples. <i>Analytical Methods</i> , 2011, 3, 2095.	1.3	12
176	Greening Sample Treatments. <i>Comprehensive Analytical Chemistry</i> , 2011, 57, 87-120.	0.7	23
177	Liquid three-phase microextraction based on hollow fiber for highly selective and sensitive determination of desipramine using an ion selective electrode. <i>Analytical Methods</i> , 2011, 3, 463.	1.3	12
179	A review of recent, unconventional applications of ion mobility spectrometry (IMS). <i>Analytica Chimica Acta</i> , 2011, 703, 114-123.	2.6	207
180	Recent advances in applications of single-drop microextraction: A review. <i>Analytica Chimica Acta</i> , 2011, 706, 37-65.	2.6	179
181	Simultaneous determination of six phthalate esters in bottled milks using ultrasound-assisted dispersive liquid-liquid microextraction coupled with gas chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 2507-2512.	1.2	84

#	ARTICLE	IF	CITATIONS
182	Single strand hollow fiber membrane (SSHFM): An on-line sample preparation for the flow based colorimetric determination of free iron in fruit juices. <i>Talanta</i> , 2011, 84, 1304-1308.	2.9	6
183	Electromembrane extraction (EME) and HPLC determination of non-steroidal anti-inflammatory drugs (NSAIDs) in wastewater samples. <i>Talanta</i> , 2011, 85, 394-399.	2.9	119
184	Optimization of carrier-mediated three-phase hollow fiber microextraction combined with HPLC-UV for determination of propylthiouracil in biological samples. <i>Talanta</i> , 2011, 85, 1043-1049.	2.9	46
185	Development of a new microextraction method based on a dynamic single drop in a narrow-bore tube: Application in extraction and preconcentration of some organic pollutants in well water and grape juice samples. <i>Talanta</i> , 2011, 85, 1135-1142.	2.9	30
186	Stereoselective liquid chromatographic determination of α -oxobufuralol and β -hydroxybufuralol in rat liver microsomal fraction using hollow fiber liquid-phase microextraction for sample preparation. <i>Journal of Separation Science</i> , 2011, 34, 3578-3586.	1.3	7
187	Cold-Induced Aggregation Microextraction: A Novel Sample Preparation Technique Based on Ionic Liquids for Preconcentration of Cobalt Prior to Its Determination by Fiber Optic-Linear Array Detection Spectrophotometry in Real Water Samples. , 2011, , .		0
188	Hollow fiber liquid-phase microextraction as clean-up step for the determination of organophosphorus pesticides residues in fish tissue by gas chromatography coupled with mass spectrometry. <i>Marine Pollution Bulletin</i> , 2011, 63, 102-107.	2.3	47
189	Liquid phase microextraction applications in food analysis. <i>Journal of Chromatography A</i> , 2011, 1218, 7415-7437.	1.8	162
190	Comparison of conventional hollow fiber based liquid phase microextraction and electromembrane extraction efficiencies for the extraction of ephedrine from biological fluids. <i>Journal of Chromatography A</i> , 2011, 1218, 8581-8586.	1.8	54
191	Combination of corona discharge ion mobility spectrometry with a novel reagent gas and two immiscible organic solvent liquid-liquid microextraction for analysis of clomipramine in biological samples. <i>Journal of Chromatography A</i> , 2011, 1218, 8600-8607.	1.8	19
192	SAMPLE PREPARATION FOR HIGH PERFORMANCE LIQUID CHROMATOGRAPHY: RECENT PROGRESS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2011, 34, 1157-1267.	0.5	15
193	Simultaneous determination of multi-class antibiotic residues in water using carrier-mediated hollow-fiber liquid-phase microextraction coupled with ultra-high performance liquid chromatography tandem mass spectrometry. <i>Mikrochimica Acta</i> , 2011, 172, 39-49.	2.5	58
194	New method for microextraction of ultra trace quantities of gold in real samples using ultrasound-assisted emulsification of solidified floating organic drops. <i>Mikrochimica Acta</i> , 2011, 173, 249-257.	2.5	49
195	Analysis of narcotic drugs in biological samples using hollow fiber liquid-phase microextraction and gas chromatography with nitrogen phosphorus detection. <i>Mikrochimica Acta</i> , 2011, 174, 159-166.	2.5	17
196	Ultrasound-Assisted Dispersive Liquid-Liquid Microextraction Combined with Low Solvent Consumption for Determination of Polycyclic Aromatic Hydrocarbons in Seawater by GC-MS. <i>Chromatographia</i> , 2011, 74, 89-98.	0.7	43
197	Comparison of solid phase microextraction and hollow fiber liquid phase microextraction for the determination of pesticides in aqueous samples by gas chromatography triple quadrupole tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 2043-2059.	1.9	28
198	Hollow fiber-based liquid-phase microextraction (HF-LPME) of isradipine and its main metabolite followed by chiral HPLC analysis: application to an in vitro biotransformation study. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 2435-2443.	1.9	20
199	Comparison of dispersive liquid-liquid microextraction and hollow fiber liquid-liquid microextraction for the determination of fentanyl, alfentanil, and sufentanil in water and biological fluids by high-performance liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 2149-2158.	1.9	62

#	ARTICLE	IF	CITATIONS
200	Hollow fiber-based liquid phase microextraction (HF-LPME) for a highly sensitive HPLC determination of sulfonamides and their main metabolites. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 197-204.	1.2	81
201	Three phases hollow fiber LPME combined with HPLC-UV for extraction, preconcentration and determination of valerenic acid in <i>Valeriana officinalis</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 1870-1874.	1.2	43
202	Determination of brilliant green from fish pond water using carbon nanotube assisted pseudo-stir bar solid/liquid microextraction combined with UV-vis spectroscopy-diode array detection. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2011, 79, 603-607.	2.0	52
203	Dispersive liquid-liquid microextraction coupled with high-performance liquid chromatography-diode array detection for the determination of methyl carbamate pesticides in vegetables. <i>Journal of Separation Science</i> , 2011, 34, 202-209.	1.3	43
204	Fundamental studies on the electrokinetic transfer of net cationic peptides across supported liquid membranes. <i>Journal of Separation Science</i> , 2011, 34, 186-195.	1.3	43
205	Electromembrane extraction of peptides – Fundamental studies on the supported liquid membrane. <i>Journal of Separation Science</i> , 2011, 34, 3410-3417.	1.3	47
206	Capillary electrophoresis determination of nonsteroidal anti-inflammatory drugs in wastewater using hollow fiber liquid-phase microextraction. <i>Electrophoresis</i> , 2011, 32, 2107-2113.	1.3	31
207	Simultaneous extraction and determination of lead, cadmium and copper in rice samples by a new pre-concentration technique: Hollow fiber solid phase microextraction combined with differential pulse anodic stripping voltammetry. <i>Electrochimica Acta</i> , 2011, 56, 3139-3146.	2.6	82
208	Hollow fiber supported liquid membrane extraction coupled with thermospray flame furnace atomic absorption spectrometry for the speciation of Sb(III) and Sb(V) in environmental and biological samples. <i>Microchemical Journal</i> , 2011, 98, 307-311.	2.3	35
209	Hollow fiber-based liquid phase microextraction (HF-LPME) as a new approach for the HPLC determination of fluoroquinolones in biological and environmental matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 55, 332-341.	1.4	76
210	Determination of Cd in Water Samples by Hollow-Fiber-Supported Liquid-Membrane Extraction Coupled with Thermospray-Flame-Furnace Atomic-Absorption Spectrometry. <i>Spectroscopy Letters</i> , 2011, 44, 278-284.	0.5	5
211	The application of hollow fibre-liquid phase micro-extraction on the bioassay experiment of oestrogen chemicals. <i>International Journal of Environmental Analytical Chemistry</i> , 2012, 92, 255-267.	1.8	3
212	Determination of carbendazim and thiabendazole in apple juice by hollow fibre-based liquid phase microextraction-high performance liquid chromatography with fluorescence detection. <i>International Journal of Environmental Analytical Chemistry</i> , 2012, 92, 582-591.	1.8	22
213	Determination of Trace Amounts of Cr(III) in Water Samples by Flame Atomic Absorption Spectrometry. <i>Current Analytical Chemistry</i> , 2012, 8, 543-549.	0.6	3
214	Use of Unconventional Solvents for Sample Preparation in Environmental Analysis. , 2012, , 943-970.		1
215	Simultaneous extraction and determination of fluoroquinolones, tetracyclines and sulfonamides antibiotics in soils using optimised solid phase extraction chromatography-tandem mass spectrometry. <i>International Journal of Environmental Analytical Chemistry</i> , 2012, 92, 698-713.	1.8	33
216	Carbon nanotube immobilized polar membranes for enhanced extraction of polar analytes. <i>Analyst</i> , 2012, 137, 4464.	1.7	12
217	Membrane-Assisted Liquid-Phase Extraction of Lu(III) in a U-Shaped Contactor with a Single Hollow Fiber Membrane. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 14199-14208.	1.8	5

#	ARTICLE	IF	CITATIONS
218	Simultaneous determination of chlorpheniramine maleate and dextromethorphan hydrobromide in plasma sample by hollow fiber liquid phase microextraction and high performance liquid chromatography with the aid of chemometrics. <i>Talanta</i> , 2012, 94, 77-83.	2.9	50
219	Automatic determination of copper by in-syringe dispersive liquid-liquid microextraction of its bathocuproine-complex using long path-length spectrophotometric detection. <i>Talanta</i> , 2012, 99, 349-356.	2.9	67
220	Development of a new dispersive liquid-liquid microextraction method in a narrow-bore tube for preconcentration of triazole pesticides from aqueous samples. <i>Analytica Chimica Acta</i> , 2012, 713, 70-78.	2.6	78
221	Preconcentration of aqueous dyes through phase-transfer liquid-phase microextraction with a room-temperature ionic liquid. <i>Analytica Chimica Acta</i> , 2012, 742, 54-58.	2.6	6
222	Electromembrane extraction combined with gas chromatography for quantification of tricyclic antidepressants in human body fluids. <i>Analytica Chimica Acta</i> , 2012, 725, 51-56.	2.6	58
223	Air-assisted liquid-liquid microextraction method as a novel microextraction technique; Application in extraction and preconcentration of phthalate esters in aqueous sample followed by gas chromatography-flame ionization detection. <i>Analytica Chimica Acta</i> , 2012, 728, 31-38.	2.6	262
224	Single-drop microextraction as a powerful pretreatment tool for capillary electrophoresis: A review. <i>Analytica Chimica Acta</i> , 2012, 739, 14-24.	2.6	60
225	Electromembrane extraction of zwitterionic compounds as acid or base: Comparison of extraction behavior at acidic and basic pHs. <i>Analytica Chimica Acta</i> , 2012, 745, 45-52.	2.6	29
226	Determination of eight fluoroquinolones in groundwater samples with ultrasound-assisted ionic liquid dispersive liquid-liquid microextraction prior to high-performance liquid chromatography and fluorescence detection. <i>Analytica Chimica Acta</i> , 2012, 748, 20-27.	2.6	90
227	Use of hollow fiber liquid phase microextraction and HPLC for extraction and determination of apigenin in human urine after consumption of <i>Satureja sahendica</i> Bornm.. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 900, 85-88.	1.2	18
228	Three-phase hollow fiber liquid-phase microextraction of organophosphorous nerve agent degradation products from complex samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 900, 48-58.	1.2	20
229	A novel method for high preconcentration of ultra trace amounts of B1, B2, G1 and G2 aflatoxins in edible oils by dispersive liquid-liquid microextraction after immunoaffinity column clean-up. <i>Journal of Chromatography A</i> , 2012, 1247, 35-41.	1.8	73
230	Hollow fiber-based liquid-liquid micro-extraction with osmosis: I. Theoretical simulation and verification. <i>Journal of Chromatography A</i> , 2012, 1248, 32-40.	1.8	2
231	Simple, rapid, and sensitive determination of beta-blockers in environmental water using dispersive liquid-liquid microextraction followed by liquid chromatography with fluorescence detection. <i>Journal of Separation Science</i> , 2012, 35, 2184-2192.	1.3	14
232	Recent Advances in Solvent Extraction Processes and Techniques. , 2012, , 483-524.		2
233	HF-LPME as a green alternative for the preconcentration of nickel in natural waters. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 665-670.	1.9	17
234	Development of a new and environment friendly hollow fiber-supported liquid phase microextraction using vesicular aggregate-based supramolecular solvent. <i>Analyst</i> , The, 2012, 137, 3549.	1.7	41
235	Investigation of bioaccumulation profile of oestrogens in zebrafish liver by hollow fibre protected liquid phase microextraction with gas chromatography-mass spectrometric detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 909, 37-41.	1.2	18

#	ARTICLE	IF	CITATIONS
236	Biosensor based on hollow-core metal-cladding waveguide. <i>Sensors and Actuators A: Physical</i> , 2012, 183, 22-27.	2.0	10
237	Room temperature ionic liquids enhanced the speciation of Cr(VI) and Cr(III) by hollow fiber liquid phase microextraction combined with flame atomic absorption spectrometry. <i>Journal of Hazardous Materials</i> , 2012, 237-238, 365-370.	6.5	72
238	Rapid screening of five phthalate esters from beverages by ultrasound-assisted surfactant-enhanced emulsification microextraction coupled with gas chromatography. <i>Analyst, The</i> , 2012, 137, 4860.	1.7	25
239	Membrane Extraction: General Overview and Basic Techniques. , 2012, , 461-474.		4
240	Hollow Fiber Liquid-Phase Microextraction. , 2012, , 475-496.		3
241	Fundamentals and Applications of Needle Trap Devices. , 2012, , 677-697.		34
242	Sonication-assisted emulsification microextraction combined with vortex-assisted porous membrane-protected micro-solid-phase extraction using mixed zeolitic imidazolate frameworks 8 as sorbent. <i>Journal of Chromatography A</i> , 2012, 1263, 1-6.	1.8	81
243	Sample Handling. , 2012, , 295-448.		0
244	Application of Gas Chromatography on the Evaluation of Grape and Wine Aroma in Atlantic Viticulture (NW Iberian Peninsula). , 0, , .		5
245	Determination of some carbamate pesticides in watermelon and tomato samples by dispersive liquid-liquid microextraction combined with high performance liquid chromatography. <i>International Journal of Environmental Analytical Chemistry</i> , 2012, 92, 571-581.	1.8	19
246	Determination of phthalate esters in cow milk samples using dispersive liquid-liquid microextraction coupled with gas chromatography followed by flame ionization and mass spectrometric detection. <i>Journal of Separation Science</i> , 2012, 35, 742-749.	1.3	67
247	Analytical Applications of Hollow Fiber Liquid Phase Microextraction (HF-LPME): A Review. <i>Analytical Letters</i> , 2012, 45, 804-830.	1.0	115
248	Hollow fiber-based liquid membrane microextraction combined with high-performance liquid chromatography for extraction and determination of trimetazidine in human plasma. <i>Biomedical Chromatography</i> , 2013, 27, 292-298.	0.8	5
249	Direct analysis in real time mass spectrometry combined with single-drop liquid-liquid microextraction for the rapid analysis of multiple phytohormones in fruit juice. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2307-2314.	1.9	57
250	Ionic liquid-based hollow fiber supported liquid membrane extraction combined with thermospray flame furnace AAS for the determination of cadmium. <i>Mikrochimica Acta</i> , 2012, 177, 53-58.	2.5	36
251	Developments in hollow fiber based liquid-phase microextraction: principles and applications. <i>Mikrochimica Acta</i> , 2012, 177, 271-294.	2.5	158
252	Electromembrane extraction of stimulating drugs from undiluted whole blood. <i>Journal of Chromatography A</i> , 2012, 1232, 27-36.	1.8	63
253	Application of vesicular coacervate phase for microextraction based on solidification of floating drop. <i>Journal of Chromatography A</i> , 2012, 1229, 30-37.	1.8	64

#	ARTICLE	IF	CITATIONS
254	Low-voltage electrically-enhanced microextraction as a novel technique for simultaneous extraction of acidic and basic drugs from biological fluids. <i>Journal of Chromatography A</i> , 2012, 1243, 6-13.	1.8	86
255	Dispersive liquid-liquid microextraction method based on solidification of floating organic droplet for the determination of triazine herbicides in water and sugarcane samples. <i>Food Chemistry</i> , 2012, 133, 557-562.	4.2	105
256	Three-phase hollow fiber liquid phase microextraction of warfarin from human plasma and its determination by high-performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 61, 44-49.	1.4	52
257	Considerations on the application of miniaturized sample preparation approaches for the analysis of organic compounds in environmental matrices. <i>Open Chemistry</i> , 2012, 10, 433-449.	1.0	11
258	Liquid chromatography with mass-spectrometric detection for the determination of chemical warfare agents and their degradation products. <i>Journal of Analytical Chemistry</i> , 2012, 67, 82-97.	0.4	23
259	Electromembrane extraction combined with cyclodextrin-modified capillary electrophoresis for the quantification of trimipramine enantiomers. <i>Electrophoresis</i> , 2012, 33, 506-515.	1.3	65
260	Determination of phenolic compounds in environmental water samples after solid-phase extraction with β -cyclodextrin-bonded silica particles coupled with a novel liquid-phase microextraction followed by gas chromatography-mass spectrometry. <i>Journal of Separation Science</i> , 2012, 35, 107-113.	1.3	19
261	Graphene-coated fiber for solid-phase microextraction of triazine herbicides in water samples. <i>Journal of Separation Science</i> , 2012, 35, 193-199.	1.3	92
262	Analysis of trace amounts of chlorobenzenes in water samples: An approach towards the automation of dynamic hollow fiber liquid-phase microextraction. <i>Mikrochimica Acta</i> , 2012, 176, 367-374.	2.5	14
263	Hollow fiber liquid-phase microextraction and determination of nonsteroidal anti-inflammatories by capillary electrophoresis and sulfonamides by HPLC in human urine. <i>Biomedical Chromatography</i> , 2013, 27, 246-253.	0.8	9
264	Simultaneous derivatization and extraction of iodine from milk samples by hollow fiber liquid-phase microextraction followed by gas chromatography-electron capture detection. <i>Journal of the Iranian Chemical Society</i> , 2013, 10, 643-651.	1.2	8
265	Determination of bisphenol-A, 2,4-dichlorophenol, bisphenol-AF and tetrabromobisphenol-A in liquid foods and their packaging materials by vortex-assisted supramolecular solvent microextraction/high-performance liquid chromatography. <i>Analytical Methods</i> , 2013, 5, 5037.	1.3	46
266	Determination of phthalate esters in bottled water using dispersive liquid-liquid microextraction coupled with GC-MS. <i>Journal of Separation Science</i> , 2013, 36, 2003-2009.	1.3	58
267	Hollow fiber liquid-liquid-liquid microextraction combined with high performance liquid chromatography-ultraviolet detection for the determination of various environmental estrogens in environmental and biological samples. <i>Journal of Chromatography A</i> , 2013, 1305, 17-26.	1.8	67
268	Simultaneous derivatization and extraction of nitrophenols in soil and rain samples using modified hollow-fiber liquid-phase microextraction followed by gas chromatography-mass spectrometry. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 9055-9065.	1.3	8
269	Hollow-Fiber-Based LPME as a Reliable Sampling Method for Gas-Chromatographic Determination of Pharmacokinetic Parameters of Valproic Acid in Rat Plasma. <i>Chromatographia</i> , 2013, 76, 663-669.	0.7	9
270	Graphene reinforced hollow fiber liquid-phase microextraction for the determination of phthalates in water, juice and milk samples by HPLC. <i>Analytical Methods</i> , 2013, 5, 5694.	1.3	26
271	Synthesis and selective recognition property of Ni ²⁺ -imprinted microporous polymer beads. <i>Polymers for Advanced Technologies</i> , 2013, 24, 747-751.	1.6	9

#	ARTICLE	IF	CITATIONS
272	Eliminating the matrix effects of dissolved carbon dioxide and carbonate in extraction of triclosan and chlorophenols in environmental waters by hollow fiber supported liquid membrane. <i>Analytical Methods</i> , 2013, 5, 904-909.	1.3	2
273	Synthesis of molecularly imprinted co-polymers for recognition of ephedrine. <i>Analytical Methods</i> , 2013, 5, 5179.	1.3	6
274	DETERMINATION OF POLYCYCLIC AROMATIC HYDROCARBONS IN CIGARETTE FILTER TAR BY MEANS OF HOLLOW-FIBER LIQUID PHASE MICROEXTRACTION-HPLC-UV SYSTEM. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013, 36, 628-647.	0.5	9
275	Development and application of carbon nanotubes assisted electromembrane extraction (CNTs/EME) for the determination of buprenorphine as a model of basic drugs from urine samples. <i>Analytica Chimica Acta</i> , 2013, 767, 75-80.	2.6	81
276	Injection-ultrasound-assisted emulsification microextraction based on using low-density organic solvent followed by high-performance liquid chromatography for the determination of pyrethroids in water samples. <i>Analyst</i> , The, 2013, 138, 1262.	1.7	11
277	Determination of Gold by Flame Atomic Absorption Spectrometry with Hollow Fiber Liquid Phase Microextraction Using Room Temperature Ionic Liquids. <i>Analytical Letters</i> , 2013, 46, 1442-1453.	1.0	17
278	Two-phase electromembrane extraction followed by gas chromatography-mass spectrometry analysis. <i>Journal of Separation Science</i> , 2013, 36, 736-743.	1.3	47
279	Liquid-phase microextraction based on solidified floating drops of organic solvents. <i>Mikrochimica Acta</i> , 2013, 180, 519-535.	2.5	41
280	Combination of electromembrane extraction with dispersive liquid-liquid microextraction followed by gas chromatographic analysis as a fast and sensitive technique for determination of tricyclic antidepressants. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 913-914, 138-146.	1.2	87
281	Ultrasound-assisted ionic liquid dispersive liquid-liquid microextraction coupled with liquid chromatography-quadrupole-linear ion trap-mass spectrometry for simultaneous analysis of pharmaceuticals in wastewaters. <i>Journal of Chromatography A</i> , 2013, 1291, 19-26.	1.8	72
282	Electromembrane surrounded solid phase microextraction: A novel approach for efficient extraction from complicated matrices. <i>Journal of Chromatography A</i> , 2013, 1280, 16-22.	1.8	66
283	Development of solvent micro-extraction combined with derivatization. <i>Journal of Chromatography A</i> , 2013, 1296, 235-242.	1.8	24
284	Optimization of electromembrane extraction combined with differential pulse voltammetry using modified screen-printed electrode for the determination of sufentanil. <i>Electrochimica Acta</i> , 2013, 96, 117-123.	2.6	38
285	Liquid phase microextraction for the analysis of trace elements and their speciation. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2013, 86, 14-30.	1.5	78
286	Application of electro-enhanced solid-phase microextraction for determination of phthalate esters and bisphenol A in blood and seawater samples. <i>Talanta</i> , 2013, 115, 308-313.	2.9	59
288	Combination of hollow-fiber liquid-phase microextraction and capillary electrophoresis for pioglitazone and its main metabolites determination in rat liver microsomal fraction. <i>Electrophoresis</i> , 2013, 34, 862-869.	1.3	10
289	Highly sensitive and selective organophosphate screening in twelve commodities of fruits, vegetables and herbal medicines by dispersive liquid-liquid microextraction. <i>Analytica Chimica Acta</i> , 2013, 775, 58-66.	2.6	58
290	Electrically-enhanced microextraction combined with maltodextrin-modified capillary electrophoresis for quantification of tolterodine enantiomers in biological samples. <i>Microchemical Journal</i> , 2013, 106, 186-193.	2.3	46

#	ARTICLE	IF	CITATIONS
291	Carbon nanotube assisted sol-gel based hollow fiber solidphase microextraction combined with pre-heating injectionhigh performance liquid chromatography as a novel sample preparation method for determination of nitroaromatics. <i>Sample Preparation</i> , 2013, 1, 1-9.	0.4	5
292	Hollow-fiber liquid-phase microextraction and chiral LC-MS/MS analysis of venlafaxine and its metabolites in plasma. <i>Bioanalysis</i> , 2013, 5, 721-730.	0.6	10
293	Dispersive liquid-liquid microextraction combined with online preconcentration MEKC for the determination of some phenoxyacetic acids in drinking water. <i>Journal of Separation Science</i> , 2013, 36, 3067-3074.	1.3	14
294	PRE-CONCENTRATION AND DETERMINATION OF β -BLOCKERS USING CARBON NANOTUBE-ASSISTED PSEUDO-STIRBAR HOLLOW FIBER SOLID-/LIQUID-PHASE MICROEXTRACTION AND HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY WITH FLUORESCENCE DETECTION. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013, 36, 750-769.	0.5	13
295	- PCDDs and PCDFs. , 2013, , 806-823.		0
296	Electromembrane extraction: Distribution or electrophoresis?. <i>Electrophoresis</i> , 2013, 34, 792-799.	1.3	63
297	Determination of Organochloride and Triazine Pesticides in Natural Waters by Solvent Bar Microextraction. <i>Analytical Letters</i> , 2014, 47, 2209-2220.	1.0	7
298	Fast determination of phthalate ester residues in soft drinks and light alcoholic beverages by ultrasound/vortex assisted dispersive liquid-liquid microextraction followed by gas chromatography-ion trap mass spectrometry. <i>RSC Advances</i> , 2014, 4, 59655-59663.	1.7	41
299	Gas chromatographic determination of polycyclic aromatic hydrocarbons in water and smoked rice samples after solid-phase microextraction using multiwalled carbon nanotube loaded hollow fiber. <i>Journal of Chromatography A</i> , 2014, 1374, 50-57.	1.8	29
300	Microextraction in urine samples for gas chromatography: a review. <i>Bioanalysis</i> , 2014, 6, 2663-2684.	0.6	5
301	Capillary electrophoresis and herbicide analysis: Present and future perspectives. <i>Electrophoresis</i> , 2014, 35, 2509-2519.	1.3	27
302	Vortex-Assisted Liquid-Liquid Microextraction Combined with HPLC for the Simultaneous Determination of Five Phthalate Esters in Liquor Samples. <i>Food Analytical Methods</i> , 2014, 7, 636-644.	1.3	33
303	Extraction of pyridine derivatives from human urine using electromembrane extraction coupled to dispersive liquid-liquid microextraction followed by gas chromatography determination. <i>Talanta</i> , 2014, 126, 73-81.	2.9	56
304	Stability and efficiency of supported liquid membranes in electromembrane extraction—a link to solvent properties. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 2151-2161.	1.9	42
305	Improvement of Determination of Trace Amounts of Arsenic and Selenium in Slim Coffee Products by HG-ICP-OES. <i>Food Analytical Methods</i> , 2014, 7, 1016-1023.	1.3	15
306	Effect of sample preparation procedure for the determination of As, Sb and Se in fruit juices by HG-ICP-OES. <i>Food Chemistry</i> , 2014, 159, 414-419.	4.2	37
307	Analysis of phthalate acid esters in environmental water by magnetic graphene solid phase extraction coupled with gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1329, 24-29.	1.8	112
308	Chemometric optimization of hollow fiber-liquid phase microextraction for preconcentration of trace elements in diesel and gasoline prior to their ICP-OES determination. <i>Microchemical Journal</i> , 2014, 114, 141-147.	2.3	35

#	ARTICLE	IF	CITATIONS
309	Salt effects in electromembrane extraction. <i>Journal of Chromatography A</i> , 2014, 1347, 1-7.	1.8	28
310	Simultaneous determination of three purines in <i>Alysicarpus vaginalis</i> (L.) DC. by hollow fiber-based liquid-phase microextraction combined with high-performance liquid chromatography. <i>Biomedical Chromatography</i> , 2014, 28, 311-316.	0.8	7
311	Novel and simple headspace in-tube microextraction coupled with capillary electrophoresis. <i>Journal of Chromatography A</i> , 2014, 1346, 117-122.	1.8	28
312	Development of a new microextraction method based on elevated temperature dispersive liquid-liquid microextraction for determination of triazole pesticides residues in honey by gas chromatography-nitrogen phosphorus detection. <i>Journal of Chromatography A</i> , 2014, 1347, 8-16.	1.8	90
313	Solid-based disperser liquid-liquid microextraction for the preconcentration of phthalate esters and di-(2-ethylhexyl) adipate followed by gas chromatography with flame ionization detection or mass spectrometry. <i>Journal of Separation Science</i> , 2014, 37, 1177-1184.	1.3	21
314	Comparison between solid phase microextraction (SPME) and hollow fiber liquid phase microextraction (HFLPME) for determination of extractables from post-consumer recycled PET into food simulants. <i>Talanta</i> , 2014, 127, 59-67.	2.9	18
315	Development of carbon-nanotube-assisted electromembrane extraction in the two-phase mode combined with GC for the determination of basic drugs. <i>Journal of Separation Science</i> , 2014, 37, 85-91.	1.3	48
316	Carbon-based sorbents: Carbon nanotubes. <i>Journal of Chromatography A</i> , 2014, 1357, 53-67.	1.8	99
317	Liquid phase microextraction of pesticides: a review on current methods. <i>Mikrochimica Acta</i> , 2014, 181, 829-851.	2.5	85
318	HOLLOW FIBER LIQUID PHASE MICROEXTRACTION COMBINED WITH HIGH PERFORMANCE LIQUID CHROMATOGRAPHY FOR PRECONCENTRATION AND DETERMINATION OF CABERGOLINE IN BIOLOGICAL SAMPLES. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2014, 37, 760-771.	0.5	16
319	Recent developments of liquid-phase microextraction techniques directly combined with ESI- and MALDI-mass spectrometric techniques for organic and biomolecule assays. <i>RSC Advances</i> , 2014, 4, 16188.	1.7	30
321	Applications of liquid-phase microextraction techniques in natural product analysis: A review. <i>Journal of Chromatography A</i> , 2014, 1368, 1-17.	1.8	83
322	Determination of phthalate acid esters in soybean milk using dispersive liquid-liquid microextraction coupled with gas chromatography and mass spectrometric detection. <i>Analytical Methods</i> , 2014, 6, 7361-7366.	1.3	10
323	Fiber-assisted emulsification microextraction coupled with gas chromatography-mass spectrometry for the determination of aromatic amines in aqueous samples. <i>Journal of Chromatography A</i> , 2014, 1361, 16-22.	1.8	8
324	Determination of Sulfonylurea Herbicides in Pears Using Hollow Fiber-Protected Magnetized Solvent-Bar Liquid-Phase Microextraction HPLC. <i>Chromatographia</i> , 2014, 77, 1283-1290.	0.7	12
325	Analysis of Local Anesthetics in Biological Samples via Kinetically Calibrated Liquid-Phase Solvent Bar Micro-Extraction Combined with HPLC. <i>Chromatographia</i> , 2014, 77, 1213-1221.	0.7	3
326	Improved dispersive liquid-liquid microextraction based on the solidification of floating organic droplet method with a binary mixed solvent applied for determination of nicotine and cotinine in urine. <i>Analytical Methods</i> , 2014, 6, 2384.	1.3	25
327	Development of a novel 96-well format for liquid-liquid microextraction and its application in the HPLC analysis of biological samples. <i>Journal of Separation Science</i> , 2014, 37, 1155-1161.	1.3	12

#	ARTICLE	IF	CITATIONS
328	Application of ultrasound-assisted emulsification microextraction for simultaneous determination of aminophenol isomers in human urine, hair dye, and water samples using high-performance liquid chromatography. <i>Human and Experimental Toxicology</i> , 2014, 33, 863-872.	1.1	13
329	A specific, highly enriching and "green" method for hollow fiber liquid phase microextraction of ionizable pharmaceuticals from fish tissue. <i>Analytical Methods</i> , 2014, 6, 6031-6037.	1.3	15
330	Hollow fiber liquid-phase microextraction combined with ultra-high performance liquid chromatography-tandem mass spectrometry for the simultaneous determination of naloxone, buprenorphine and norbuprenorphine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 951-952, 157-163.	1.2	21
331	Microextraction Techniques Used in the Procedures for Determining Organomercury and Organotin Compounds in Environmental Samples. <i>Molecules</i> , 2014, 19, 7581-7609.	1.7	32
333	Three-phase hollow fiber microextraction combined with ion-pair high-performance liquid chromatography for the simultaneous determination of five components of compound 1± ketoacid tablets in human urine. <i>Journal of Separation Science</i> , 2015, 38, 1499-1506.	1.3	4
334	Sol-gel coated polypropylene hollow fiber-based liquid-phase microextraction of triazine herbicides in real water samples. <i>Desalination and Water Treatment</i> , 2015, 55, 1488-1500.	1.0	8
335	Green chemistry approach to analysis of formic acid and acetic acid in aquatic environment by headspace water-based liquid-phase microextraction and high-performance liquid chromatography. <i>Toxicological and Environmental Chemistry</i> , 0, , 1-13.	0.6	2
336	Determination of Some Synthetic Phenolic Antioxidants and Bisphenol A in Honey Using Dispersive Liquid-Liquid Microextraction Followed by Gas Chromatography-Flame Ionization Detection. <i>Food Analytical Methods</i> , 2015, 8, 2035-2043.	1.3	44
337	Study of solvent sublation for concentration of trace phthalate esters in plastic beverage packaging and analysis by gas chromatography-mass spectrometry. <i>Food Chemistry</i> , 2015, 177, 127-133.	4.2	21
338	Dispersive Liquid-Liquid Microextraction Combined With Micellar Electrokinetic Chromatography for the Determination of Some Photoinitiators in Fruit Juice. <i>Food Analytical Methods</i> , 2015, 8, 973-981.	1.3	4
339	Membrane-based microextraction techniques in analytical chemistry: A review. <i>Analytica Chimica Acta</i> , 2015, 880, 8-25.	2.6	134
340	New method for the determination of bile acids in human plasma by liquid-phase microextraction using liquid chromatography-ion-trap-time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2015, 1388, 102-109.	1.8	23
341	Advances in different configurations of solid-phase microextraction and their applications in food and environmental analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2015, 72, 141-152.	5.8	98
342	Floating Organic Drop Microextraction Combined with Electrothermal Atomic Absorption Spectrometry for Trace Determination of Cobalt in Oil Refining Wastewaters. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2015, 37, 1164-1171.	1.2	6
343	A new ultrasonic-assisted cloud-point-extraction procedure for pre-concentration and determination of ultra-trace levels of copper in selected beverages and foods by flame atomic absorption spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2015, 32, 1475-1487.	1.1	23
344	UV-Vis Spectrophotometric Determination of Mercury Based on Room Temperature Ionic Liquids Enhanced Hollow-Fiber Liquid-Phase Microextraction. <i>Spectroscopy Letters</i> , 2015, 48, 653-659.	0.5	5
345	Rotative liquid-liquid microextraction as a preconcentration method in combination with fiber optic-linear array detection spectrophotometry for the determination of cobalt in pharmaceutical samples. <i>Separation Science and Technology</i> , 0, , 150610070032005.	1.3	2
346	Microextraction methods for the determination of phthalate esters in liquid samples: A review. <i>Journal of Separation Science</i> , 2015, 38, 2470-2487.	1.3	44

#	ARTICLE	IF	CITATIONS
347	Application of a new nanocarbonaceous sorbent in electromembrane surrounded solid phase microextraction for analysis of amphetamine and methamphetamine in human urine and whole blood. <i>Journal of Chromatography A</i> , 2015, 1396, 1-6.	1.8	43
348	Electro membrane extraction using sorbent filled porous membrane bag. <i>Journal of Chromatography A</i> , 2015, 1423, 1-8.	1.8	13
349	Ionic-liquid-based hollow-fiber liquid-phase microextraction method combined with hybrid artificial neural network-genetic algorithm for speciation and optimized determination of ferro and ferric in environmental water samples. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 631.	1.3	4
350	Hollow fiber-liquid phase microextraction for trace enrichment of the residues of atrazine and its major degradation products from environmental water and human urine samples. <i>Analytical Methods</i> , 2015, 7, 9940-9948.	1.3	25
351	Application of a nanostructured supramolecular solvent for the microextraction of diphenylamine and its mono-nitrated derivatives from unburned single-base propellants. <i>Journal of Separation Science</i> , 2015, 38, 276-282.	1.3	11
352	Application of polypropylene tubes as single-use and low-cost sorptive extraction materials for the determination of benzodiazepines and zolpidem in water samples. <i>Microchemical Journal</i> , 2015, 119, 58-65.	2.3	14
353	Ultra-hydrophobic ionic liquid 1-hexyl-3-methylimidazolium tris(pentafluoroethyl)trifluorophosphate supported hollow-fiber membrane liquid-liquid microextraction of chlorophenols. <i>Talanta</i> , 2015, 132, 132-136.	2.9	24
354	A Simple and Quick Method for the Determination of Pesticides in Environmental Water by HF-LPME-GC/MS. <i>Journal of Analytical Methods in Chemistry</i> , 2016, 2016, 1-11.	0.7	30
355	Two-phase and three-phase liquid-liquid microextraction of hydrochlorothiazide and triamterene in urine samples. <i>Biomedical Chromatography</i> , 2016, 30, 1022-1028.	0.8	9
356	Development of a dispersive liquid-liquid microextraction method with a new sequence of steps and its comparison with a conventional method. <i>Journal of Separation Science</i> , 2016, 39, 3178-3185.	1.3	9
357	Microextraction techniques in illicit drug testing: present and future. <i>Bioanalysis</i> , 2016, 8, 863-866.	0.6	5
358	Electromembrane surrounded solid phase microextraction using electrochemically synthesized nanostructured polypyrrole fiber. <i>Journal of Chromatography A</i> , 2016, 1443, 75-82.	1.8	20
359	Determination of Phthalates in Milk by Ultrasound-Assisted Dispersive Liquid-Liquid Microextraction and Gas Chromatography-Mass Spectrometry. <i>Analytical Letters</i> , 2016, 49, 1334-1343.	1.0	13
360	Determination of Flavonoids by Solidification of Floating Organic Drop Liquid-Phase Microextraction and High-Performance Liquid Chromatography. <i>Analytical Letters</i> , 2016, 49, 2384-2396.	1.0	7
361	Application of elevated temperature-dispersive liquid-liquid microextraction for determination of organophosphorus pesticides residues in aqueous samples followed by gas chromatography-flame ionization detection. <i>Food Chemistry</i> , 2016, 212, 198-204.	4.2	86
362	Self-assembled benzyl mercaptan monolayer as a coating in electromembrane surrounded solid-phase microextraction of antihistamines in urine and plasma samples. <i>New Journal of Chemistry</i> , 2016, 40, 5268-5276.	1.4	9
363	An efficient approach to selective electromembrane extraction of naproxen by means of molecularly imprinted polymer-coated multi-walled carbon nanotubes-reinforced hollow fibers. <i>Journal of Chromatography A</i> , 2016, 1470, 19-26.	1.8	34
364	Ultrasound-assisted hollow fiber/ionic liquid-based liquid phase microextraction using an ionic liquid solvent for preconcentration of cobalt and nickel ions in urine samples prior to FAAS determination. <i>Journal of Analytical Atomic Spectrometry</i> , 2016, 31, 2338-2345.	1.6	18

#	ARTICLE	IF	CITATIONS
365	Dynamic single-interface hollow fiber liquid phase microextraction of Cr(VI) using ionic liquid containing supported liquid membrane. <i>Talanta</i> , 2016, 161, 730-734.	2.9	26
366	A three phase hollow fiber liquid-liquid microextraction for quantification of lamotrigine in plasma of epileptic patients by capillary electrophoresis. <i>Electrophoresis</i> , 2016, 37, 2678-2684.	1.3	5
367	Electrospun superhydrophobic polystyrene hollow fiber as a probe for liquid-liquid microextraction with gas chromatography-mass spectrometry. <i>Journal of Separation Science</i> , 2016, 39, 3782-3788.	1.3	7
368	Application of a tandem air-agitated liquid-liquid microextraction technique based on solidification of floating organic droplets as an efficient extraction method for determination of cholesterol-lowering drugs in complicated matrices. <i>RSC Advances</i> , 2016, 6, 93582-93589.	1.7	13
369	Extraction for analytical scale sample preparation (IUPAC Technical Report). <i>Pure and Applied Chemistry</i> , 2016, 88, 649-687.	0.9	42
370	Fast analysis of phthalates in freeze-dried baby foods by ultrasound-vortex-assisted liquid-liquid microextraction coupled with gas chromatography-ion trap/mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1474, 1-7.	1.8	41
371	Rotating electrode in electro membrane extraction: a new and efficient methodology to increase analyte mass transfer. <i>RSC Advances</i> , 2016, 6, 101869-101879.	1.7	27
372	Determination of metal ions in tea samples using task-specific ionic liquid-based ultrasound-assisted dispersive liquid-liquid microextraction coupled to liquid chromatography with ultraviolet detection. <i>Journal of Separation Science</i> , 2016, 39, 1411-1417.	1.3	29
373	Magnetically responsive polycaprolactone nanoparticles for progesterone screening in biological and environmental samples using gas chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 5537-5549.	1.9	14
374	Automated hollow-fiber liquid-liquid microextraction followed by liquid chromatography with mass spectrometry for the determination of benzodiazepine drugs in biological samples. <i>Journal of Separation Science</i> , 2016, 39, 2595-2603.	1.3	31
375	Nutraceutical Products—State-of-the-Art for Sample Preparation in Pesticide Residues Analysis. <i>Separation and Purification Reviews</i> , 2016, 45, 288-304.	2.8	5
376	Green chromatography for the analysis of foods of animal origin. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 80, 517-530.	5.8	32
377	An efficient, rapid and microwave-accelerated dispersive liquid-liquid microextraction method for extraction and pre-concentration of some organophosphorus pesticide residues from aqueous samples. <i>Journal of Food Composition and Analysis</i> , 2016, 48, 73-80.	1.9	29
378	Tandem dispersive liquid-liquid microextraction as an efficient method for determination of basic drugs in complicated matrices. <i>Journal of Chromatography A</i> , 2016, 1429, 13-21.	1.8	54
379	Application of hollow fiber liquid phase microextraction and dispersive liquid-liquid microextraction techniques in analytical toxicology. <i>Journal of Food and Drug Analysis</i> , 2016, 24, 264-276.	0.9	109
380	Automation of static and dynamic non-dispersive liquid phase microextraction. Part 2: Approaches based on impregnated membranes and porous supports. <i>Analytica Chimica Acta</i> , 2016, 907, 18-30.	2.6	79
381	Study on electrical current variations in electromembrane extraction process: Relation between extraction recovery and magnitude of electrical current. <i>Analytica Chimica Acta</i> , 2016, 903, 81-90.	2.6	31
382	Hollow fiber based liquid phase microextraction for the determination of organochlorine pesticides in ecological textiles by gas chromatography-mass spectrometry. <i>Talanta</i> , 2016, 146, 375-380.	2.9	43

#	ARTICLE	IF	CITATIONS
383	Electro-enhanced hollow fiber membrane liquid phase microextraction of Cr(VI) oxoanions in drinking water samples. <i>Talanta</i> , 2016, 148, 680-685.	2.9	25
384	Continuous sample drop flow-microextraction followed by high performance liquid chromatography for determination of triazine herbicides from fruit juices. <i>Analytical Methods</i> , 2017, 9, 980-985.	1.3	18
385	Application of modified hollow fiber liquid phase microextraction in conjunction with chromatography-electron capture detection for quantification of acrylamide in waste water samples at ultra-trace levels. <i>Journal of Chromatography A</i> , 2017, 1487, 30-35.	1.8	21
386	Application of polyurethane-based devices as sorption-desorption phases for microextraction analysis – The all-in-one microextraction concept. <i>Journal of Chromatography A</i> , 2017, 1485, 1-7.	1.8	3
387	Porous membrane protected micro-solid-phase extraction: A review of features, advancements and applications. <i>Analytica Chimica Acta</i> , 2017, 965, 36-53.	2.6	104
388	Efficiency of Hollow Fiber Liquid-Phase Microextraction Chromatography Methods in the Separation of Organic Compounds: A Review. <i>Journal of Chromatographic Science</i> , 2017, 55, 378-391.	0.7	39
389	Introduction of Fullerene as a New Carrier in Electromembrane Extraction for the Determination of Ibuprofen and Sodium Diclofenac as Model Acidic Drugs in Real Urine Samples. <i>Chromatographia</i> , 2017, 80, 881-890.	0.7	16
390	Modified dispersive solid-liquid microextraction coupled to HPLC and application of experimental design methodology to determine the trace amount of levothyroxine in human real samples. <i>Microchemical Journal</i> , 2017, 133, 417-422.	2.3	4
391	Centrifugeless dispersive liquid-liquid microextraction based on salting-out phenomenon as an efficient method for determination of phenolic compounds in environmental samples. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 3007-3016.	1.9	21
392	Recent advances in liquid-phase microextraction techniques for the analysis of environmental pollutants. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 97, 83-95.	5.8	105
393	Determination of phthalate esters in distillates by ultrasound-vortex-assisted dispersive liquid-liquid micro-extraction (USVADLLME) coupled with gas chromatography/mass spectrometry. <i>Food Chemistry</i> , 2017, 221, 1354-1360.	4.2	46
394	Extraction and determination of Rose Bengal in water samples by dispersive liquid-liquid microextraction coupled to UV-Vis spectrophotometry. <i>Arabian Journal of Chemistry</i> , 2017, 10, S2518-S2522.	2.3	17
395	Overview of Green Sample Preparation Techniques in Food Analysis. , 0, , .		8
396	Quantification of Meloxicam in Human Plasma Using Ionic Liquid-Based Ultrasound-Assisted In Situ Solvent Formation Microextraction Followed by High-Performance Liquid Chromatography. <i>Journal of Chromatographic Science</i> , 2018, 56, 443-451.	0.7	6
397	Selective Determination of Chromium(VI) in Industrial Wastewater Samples by Micro-Electromembrane Extraction Combined with Electrothermal Atomic Absorption Spectrometry. <i>Water, Air, and Soil Pollution</i> , 2018, 229, 1.	1.1	11
398	Dissolvable layered double hydroxide nanoadsorbent-based dispersive solid-phase extraction for highly efficient and eco-friendly simultaneous microextraction of two toxic metal cations and two anionic azo dyes in real samples. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4279.	1.7	9
399	Evaluation of a Hollow-Fiber Liquid-Phase Microextraction Technique for the Simultaneous Determination of PPI Drugs in Human Plasma by LC-DAD. <i>Journal of Chromatographic Science</i> , 2018, 56, 564-573.	0.7	9
400	Modern Extraction Techniques for Drugs and Medicinal Agents. , 2018, , 65-106.		7

#	ARTICLE	IF	CITATIONS
401	Development of salt and pH-induced solidified floating organic droplets homogeneous liquid-liquid microextraction for extraction of ten pyrethroid insecticides in fresh fruits and fruit juices followed by gas chromatography-mass spectrometry. <i>Talanta</i> , 2018, 176, 565-572.	2.9	59
402	Ionic liquid solvent bar micro-extraction of Cd(II)- species for ultra-trace Cd determination in seawater. <i>Chemosphere</i> , 2018, 193, 306-312.	4.2	24
403	Pharmaceutical applications of liquid-phase microextraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 108, 296-305.	5.8	29
404	Two-phase hollow fiber liquid-phase microextraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 108, 314-322.	5.8	59
405	Smart niosomes of temozolomide for enhancement of brain targeting. <i>Nanobiomedicine</i> , 2018, 5, 184954351880535.	4.4	43
406	A recent overview of the application of liquid-phase microextraction to the determination of organic micro-pollutants. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 108, 203-209.	5.8	55
407	Recent advancements and future trends in analysis of nonylphenol ethoxylates and their degradation product nonylphenol in food and environment. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 107, 78-90.	5.8	27
408	Basic principles, recent trends and future directions of microextraction techniques for the analysis of aqueous environmental samples. <i>Trends in Environmental Analytical Chemistry</i> , 2018, 19, e00060.	5.3	53
409	Recent developments in green membrane-based extraction techniques for pharmaceutical and biomedical analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 160, 244-267.	1.4	65
410	The role of microextraction techniques in occupational exposure assessment. A review. <i>Microchemical Journal</i> , 2019, 150, 104086.	2.3	25
411	Development of a dispersive solid phase extraction procedure using a natural adsorbent as an efficient and costless sorbent followed by dispersive liquid-liquid microextraction. <i>International Journal of Environmental Analytical Chemistry</i> , 2021, 101, 1499-1512.	1.8	11
412	A review of the application of hollow-fiber liquid-phase microextraction in bioanalytical methods – A systematic approach with focus on forensic toxicology. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1108, 32-53.	1.2	41
413	Liquid-Phase Microextraction or Electromembrane Extraction?. <i>Analytical Chemistry</i> , 2019, 91, 8267-8273.	3.2	36
414	Extraction of carbonyl derivatives from ozonated wastewater samples using hollow fiber liquid phase microextraction followed by gas chromatography-electron capture detection. <i>Microchemical Journal</i> , 2019, 148, 331-337.	2.3	20
415	Recent development in sample preparation techniques for plant hormone analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 113, 224-233.	5.8	39
416	Rotating-disk sorptive extraction coupled to gas chromatography mass spectrometry for the determination of phthalates in bottled water. <i>Analytical Methods</i> , 2019, 11, 6111-6118.	1.3	15
417	Miniaturized sample preparation methods for saliva analysis. <i>Bioanalysis</i> , 2019, 11, 119-148.	0.6	14
418	Liquid phase microextraction associated with flow injection systems for the spectrometric determination of trace elements. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 110, 357-366.	5.8	28

#	ARTICLE	IF	CITATIONS
419	Multi-elemental ionic liquid-based solvent bar micro-extraction of priority and emerging trace metallic pollutants (Cd, Ag, Pd) in natural waters. <i>Journal of Hazardous Materials</i> , 2019, 370, 63-69.	6.5	22
420	Hollow fiber-based liquid phase microextraction followed by analytical instrumental techniques for quantitative analysis of heavy metal ions and pharmaceuticals. <i>Journal of Pharmaceutical Analysis</i> , 2020, 10, 109-122.	2.4	84
421	New extraction media in microextraction techniques. A review of reviews. <i>Microchemical Journal</i> , 2020, 153, 104386.	2.3	57
422	Electromembrane extraction of barbiturates using tributyl phosphate as an efficient supported liquid membrane. <i>Analytica Chimica Acta</i> , 2020, 1129, 118-125.	2.6	13
423	Extraction of some antibiotics from propolis samples using homogenous liquid-liquid extraction coupled with deep eutectic solvent-based hollow fibre protected preconcentration. <i>International Journal of Environmental Analytical Chemistry</i> , 2020, , 1-13.	1.8	3
424	Type of new generation separation and preconcentration methods. , 2020, , 75-148.		3
425	Hollow fiber supported liquid phase microextraction of Co(II), Fe(III) and Al(III) as their oxinate chelates from water and dried tea leaves followed by HPLC-UV analysis. <i>Journal of Food Measurement and Characterization</i> , 2020, 14, 1850-1856.	1.6	4
426	Gel electromembrane extraction using rotating electrode: A new strategy for mass transfer enhancement of basic drugs from real human urine samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1152, 122258.	1.2	23
427	Bioanalytical Applications of Microextraction Techniques: A Review of Reviews. <i>Chromatographia</i> , 2020, 83, 567-577.	0.7	26
428	Continuous-flow microwave-assisted extraction coupled with online single drop microextraction prior to GC-MS for determination of amide herbicides in rice samples. <i>Journal of Separation Science</i> , 2021, 44, 870-878.	1.3	14
429	Application of microextraction techniques in alternative biological matrices with focus on forensic toxicology: a review. <i>Bioanalysis</i> , 2021, 13, 45-64.	0.6	10
430	Multi-residue analysis of pesticides in blood plasma using hollow fiber solvent bar microextraction and gas chromatography with a flame ionization detector. <i>Environmental Toxicology and Pharmacology</i> , 2021, 82, 103556.	2.0	6
431	Miniaturized sample preparation techniques and ambient mass spectrometry as approaches for food residue analysis. <i>Journal of Chromatography A</i> , 2021, 1640, 461949.	1.8	24
432	Development and challenges of supramolecular solvents in liquid-based microextraction methods. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 138, 116231.	5.8	26
433	Extraction and Preconcentration of Some Pesticides in Vegetable and Fruit Juice Samples Using SA@CaCO ₃ Sorbent Combined with Dispersive Liquid-Liquid Microextraction. <i>Food Analytical Methods</i> , 2021, 14, 2395-2407.	1.3	3
434	Trends in microextraction approaches for handling human hair extracts - A review. <i>Analytica Chimica Acta</i> , 2021, 1185, 338792.	2.6	4
435	Liquid-Liquid Extraction of Organic Compounds into a Single Drop of the Extractant: Overview of Reviews. <i>Journal of Analytical Chemistry</i> , 2021, 76, 907-919.	0.4	10
436	A low-voltage electro-membrane extraction for quantification of imatinib and sunitinib in biological fluids. <i>Bioanalysis</i> , 2021, 13, 1401-1413.	0.6	10

#	ARTICLE	IF	CITATIONS
437	Profiling naphthenic acids in produced water using hollow fiber liquid-phase microextraction combined with gas chromatography coupled to Fourier transform Orbitrap mass spectrometry. <i>Journal of Chromatography A</i> , 2021, 1655, 462485.	1.8	9
440	Separation strategies of plant constituentsâ€“current status. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 812, 35-51.	1.2	23
441	Analysis of basic drugs in biological samples using dynamic single-interface hollow fiber liquid-phase microextraction combined with fast electromembrane extraction. <i>Microchemical Journal</i> , 2020, 157, 105001.	2.3	19
442	Aspects of Speciation. , 2013, , 9-26.		1
443	Preconcentration and Determination of Cyproheptadine by using Liquid Phase Microextraction and Solvent Bar in Biological Fluids in Trace Level. <i>Biosciences, Biotechnology Research Asia</i> , 2015, 12, 521-529.	0.2	8
444	Liquid-phase microextraction of polycyclic aromatic hydrocarbons: A review. <i>Reviews in Analytical Chemistry</i> , 2020, 39, 1-19.	1.5	31
445	Extraction and Determination of Three Chlorophenols by Hollow Fiber Liquid Phase Microextraction - Spectrophotometric Analysis, and Evaluation Procedures Using Mean Centering of Ratio Spectra Method. <i>American Journal of Analytical Chemistry</i> , 2011, 02, 1-8.	0.3	11
446	Trace Determination of Tamoxifen in Biological Fluids Using Hollow Fiber Liquid-Phase Microextraction Followed by High-Performance Liquid Chromatography-Ultraviolet Detection. <i>American Journal of Analytical Chemistry</i> , 2011, 02, 429-436.	0.3	9
447	Application of ACD/LABS 12 program for determination of conditions for experimental membrane extraction of pesticides. <i>Hemijaska Industrija</i> , 2010, 64, 221-225.	0.3	1
448	CHROMATOGRAPHY: RECENT PROGRESS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 0, , 150527103729000.	0.5	0
449	Extraction of Cu(II) Ions in Wastewaters Using New Solid/Liquid Phase Microextraction Technique Based on Incorporating Functionalized Carbon Nanotubes into Polypropylene Hollow Fiber. <i>Open Access Library Journal (oalib)</i> , 2014, 01, 1-15.	0.1	0
450	Simultaneous Determination of Tetracycline Antibiotics by 3-Phase Hollow Fiber-Liquid Phase Microextraction (HF-LPME) and HPLC-UV/Vis. <i>Journal of the Korean Chemical Society</i> , 2014, 58, 535-542.	0.2	0
451	A review of green solvent extraction techniques and their use in antibiotic residue analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 209, 114487.	1.4	24
452	The miniaturization of liquid-phase extraction techniques. , 2022, , 63-93.		3
453	COSMO-RS evaluation as a tool for prediction of solvents in dispersive liquid-phase microextraction: Evaluation of conventional solvents and ionic liquids as extractants. <i>Journal of Molecular Liquids</i> , 2022, 354, 118861.	2.3	1
457	Desirability Function in analytical method development for determination of glitazones and metabolites employing HF-LPME. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 0, 58, .	1.2	0
459	A comprehensive review on the use of microextraction techniques in the analysis of cosmetic products. <i>Advances in Sample Preparation</i> , 2022, 3, 100024.	1.1	7
460	Towards the rapid detection of multiple antibiotics in eggs by Surface-enhanced Raman spectroscopy coupled with hollow fiber micro-extraction. <i>Microchemical Journal</i> , 2022, 181, 107743.	2.3	5

#	ARTICLE	IF	CITATIONS
461	Hollow Fibre-Supported Liquid Membrane for the Determination of Sulfonamide Residues in Egg Samples. <i>Journal of Chemistry</i> , 2022, 2022, 1-14.	0.9	1
462	Surface Nanodroplet-Based Extraction Combined with Offline Analytic Techniques for Chemical Detection and Quantification. <i>Langmuir</i> , 2022, 38, 11227-11235.	1.6	5
463	Personal care products in the marine environment. , 2023, , 105-143.		0
464	Electromembrane extraction (EME): Fundamentals and applications. <i>Talanta Open</i> , 2023, 7, 100200.	1.7	12
469	Green miniaturized technologies based sample preparation techniques. <i>Comprehensive Analytical Chemistry</i> , 2024, , .	0.7	0