

CITATION REPORT

List of articles citing

A versatile toolbox for PCR-based tagging of yeast genes: new fluorescent proteins, more markers and promoter substitution cassettes

DOI: 10.1002/yea.1142
Yeast, 2004, 21, 947-62.

Source: <https://exaly.com/paper-pdf/37079681/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1676	Current awareness on yeast. <i>Yeast</i> , 2004 , 21, 1317-24	3.4	
1675	Additional vectors for PCR-based gene tagging in <i>Saccharomyces cerevisiae</i> and <i>Schizosaccharomyces pombe</i> using nourseothricin resistance. <i>Yeast</i> , 2005 , 22, 1061-8	3.4	80
1674	Molecular interactions position Mso1p, a novel PTB domain homologue, in the interface of the exocyst complex and the exocytic SNARE machinery in yeast. 2005 , 16, 4543-56		27
1673	Spore number control and breeding in <i>Saccharomyces cerevisiae</i> : a key role for a self-organizing system. 2005 , 171, 627-40		60
1672	The DHHC protein Pfa3 affects vacuole-associated palmitoylation of the fusion factor Vac8. 2005 , 102, 17366-71		44
1671	Differential requirement for phospholipase D/Spo14 and its novel interactor Sma1 for regulation of exocytotic vesicle fusion in yeast meiosis. 2005 , 280, 37846-52		24
1670	Lejimalides show anti-osteoclast activity via V-ATPase inhibition. 2006 , 70, 1364-70		34
1669	The NoCut pathway links completion of cytokinesis to spindle midzone function to prevent chromosome breakage. 2006 , 125, 85-98		228
1668	Antisense transcription controls cell fate in <i>Saccharomyces cerevisiae</i> . 2006 , 127, 735-45		280
1667	Studying nuclear protein import in yeast. 2006 , 39, 291-308		10
1666	System of centromeric, episomal, and integrative vectors based on drug resistance markers for <i>Saccharomyces cerevisiae</i> . 2006 , 40, 73-8		136
1665	Dynamic organization of the actin cytoskeleton during meiosis and spore formation in budding yeast. 2006 , 7, 1628-42		33
1664	A complex of Yos9p and the HRD ligase integrates endoplasmic reticulum quality control into the degradation machinery. 2006 , 8, 849-54		190
1663	Nud1p, the yeast homolog of Centriolin, regulates spindle pole body inheritance in meiosis. 2006 , 25, 3856-68		23
1662	Go with the glow: fluorescent proteins to light transgenic organisms. 2006 , 24, 155-62		85
1661	Yeast Gcn4p stabilization is initiated by the dissociation of the nuclear Pho85p/Pcl5p complex. 2006 , 17, 2952-62		18
1660	A specialized processing body that is temporally and asymmetrically regulated during the cell cycle in <i>Saccharomyces cerevisiae</i> . 2006 , 173, 35-45		52

1659	S. pombe CLASP needs dynein, not EB1 or CLIP170, to induce microtubule instability and slows polymerization rates at cell tips in a dynein-dependent manner. 2006 , 20, 2421-36	41
1658	CCR4/NOT complex associates with the proteasome and regulates histone methylation. 2007 , 104, 5836-41	64
1657	Stress-dependent relocalization of translationally primed mRNPs to cytoplasmic granules that are kinetically and spatially distinct from P-bodies. 2007 , 179, 65-74	183
1656	4 A Guided Tour to PCR-based Genomic Manipulations of (PCR-targeting). 2007 , 55-78	5
1655	The yeast centrosome translates the positional information of the anaphase spindle into a cell cycle signal. 2007 , 179, 423-36	81
1654	5 Studying Essential Genes: Generating and Using Promoter Fusions and Conditional Alleles. 2007 , 36, 79-102	1
1653	Visualization of mitochondria in budding yeast. 2007 , 80, 591-626	8
1652	Crystal structure of nucleoporin Nic96 reveals a novel, intricate helical domain architecture. 2007 , 282, 34904-12	54
1651	Pho91 Is a vacuolar phosphate transporter that regulates phosphate and polyphosphate metabolism in <i>Saccharomyces cerevisiae</i> . 2007 , 18, 4438-45	76
1650	Isolation of the <i>Schizosaccharomyces pombe</i> proteasome subunit Rpn7 and a structure-function study of the proteasome-COP9-initiation factor domain. 2007 , 282, 32414-23	16
1649	An approach to studying the localization and dynamics of eukaryotic translation factors in live yeast cells. 2007 , 431, 33-45	3
1648	The transmembrane domain is sufficient for Sbh1p function, its association with the Sec61 complex, and interaction with Rtn1p. 2007 , 282, 30618-28	14
1647	Cdc14-regulated midzone assembly controls anaphase B. 2007 , 177, 981-93	124
1646	The vacuolar transporter chaperone (VTC) complex is required for microautophagy. 2007 , 18, 166-75	86
1645	The ISC [corrected] proteins Isa1 and Isa2 are required for the function but not for the de novo synthesis of the Fe/S clusters of biotin synthase in <i>Saccharomyces cerevisiae</i> . 2007 , 6, 495-504	49
1644	10 GFP-based Microscopic Approaches for Whole Chromosome Analysis in Yeasts. 2007 , 221-240	
1643	Mitochondria. 2007 ,	5
1642	Fluorescence imaging of mitochondria in yeast. 2007 , 372, 433-59	4

1641	25 Yeast Genetic Strain and Plasmid Collections. 2007 , 36, 629-666		172
1640	Post-transcriptional control of the <i>Saccharomyces cerevisiae</i> proteome by 14-3-3 proteins. 2007 , 6, 1689-99		24
1639	Engineering promoter regulation. 2007 , 96, 550-8		59
1638	Spatial regulation of Fus3 MAP kinase activity through a reaction-diffusion mechanism in yeast pheromone signalling. 2007 , 9, 1319-26		198
1637	Phenotypic heterogeneity can enhance rare-cell survival in 'stress-sensitive' yeast populations. 2007 , 63, 507-20		79
1636	The yeast penta-EF protein Pef1p is involved in cation-dependent budding and cell polarization. 2007 , 65, 1122-38		7
1635	CWH43 is required for the introduction of ceramides into GPI anchors in <i>Saccharomyces cerevisiae</i> . 2007 , 65, 1493-502		47
1634	Glutathione and Gts1p drive beneficial variability in the cadmium resistances of individual yeast cells. 2007 , 66, 699-712		44
1633	A vector system for efficient and economical switching of C-terminal epitope tags in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2008 , 25, 301-11	3-4	33
1632	A yEGFP-based reporter system for high-throughput yeast two-hybrid assay by flow cytometry. 2008 , 73, 312-20		18
1631	Optimized and far-red-emitting variants of fluorescent protein eqFP611. 2008 , 15, 224-33		64
1630	Alleviation of feedback inhibition in <i>Saccharomyces cerevisiae</i> aromatic amino acid biosynthesis: quantification of metabolic impact. 2008 , 10, 141-53		131
1629	Plasma membrane electron transport in <i>Saccharomyces cerevisiae</i> depends on the presence of mitochondrial respiratory subunits. 2008 , 8, 897-905		8
1628	The SpoMBe pathway drives membrane bending necessary for cytokinesis and spore formation in yeast meiosis. 2008 , 27, 2363-74		17
1627	Yeast as a model host to explore plant virus-host interactions. 2008 , 46, 217-42		134
1626	Nanotechnologies and Fluorescent Proteins for in planta Functional Genomics. 417-430		
1625	Progress in metabolic engineering of <i>Saccharomyces cerevisiae</i> . 2008 , 72, 379-412		415
1624	A genetic interaction map of RNA-processing factors reveals links between Sem1/Dss1-containing complexes and mRNA export and splicing. 2008 , 32, 735-46		205

1623	The quantitative Pho8Delta60 assay of nonspecific autophagy. 2008 , 451, 33-42	116
1622	The membrane-bound GTPase Guf1 promotes mitochondrial protein synthesis under suboptimal conditions. 2008 , 283, 17139-46	48
1621	The AAA ATPase Rix7 powers progression of ribosome biogenesis by stripping Nsa1 from pre-60S particles. 2008 , 181, 935-44	65
1620	Interplay between S-cyclin-dependent kinase and Dbf4-dependent kinase in controlling DNA replication through phosphorylation of yeast Mcm4 N-terminal domain. 2008 , 19, 2267-77	26
1619	Physiological and transcriptional responses to high concentrations of lactic acid in anaerobic chemostat cultures of <i>Saccharomyces cerevisiae</i> . 2008 , 74, 5759-68	68
1618	A novel group of glutaredoxins in the cis-Golgi critical for oxidative stress resistance. 2008 , 19, 2673-80	67
1617	Unexpected link between anaphase promoting complex and the toxicity of expanded polyglutamines expressed in yeast. 2008 , 7, 3943-6	21
1616	Dissecting the localization and function of Atg18, Atg21 and Ygr223c. 2008 , 4, 896-910	71
1615	Mitochondrial Iba57p is required for Fe/S cluster formation on aconitase and activation of radical SAM enzymes. 2008 , 28, 1851-61	142
1614	Evidence for the bifunctional nature of mitochondrial phosphatidylserine decarboxylase: role in Pdr3-dependent retrograde regulation of PDR5 expression. 2008 , 28, 5851-64	42
1613	HOPS proofreads the trans-SNARE complex for yeast vacuole fusion. 2008 , 19, 2500-8	103
1612	The pathway by which the yeast protein kinase Snf1p controls acquisition of sodium tolerance is different from that mediating glucose regulation. 2008 , 154, 2814-2826	42
1611	Ear1p and Ssh4p are new adaptors of the ubiquitin ligase Rsp5p for cargo ubiquitylation and sorting at multivesicular bodies. 2008 , 19, 2379-88	69
1610	The Rho GDI Rdi1 regulates Rho GTPases by distinct mechanisms. 2008 , 19, 2885-96	56
1609	<i>Saccharomyces cerevisiae</i> Grx6 and Grx7 are monothiol glutaredoxins associated with the early secretory pathway. 2008 , 7, 1415-26	52
1608	Gcn5p plays an important role in centromere kinetochore function in budding yeast. 2008 , 28, 988-96	34
1607	Retrotransposon target site selection by imitation of a cellular protein. 2008 , 28, 1230-9	16
1606	The type B phosphatidylinositol-4-phosphate 5-kinase 3 is essential for root hair formation in <i>Arabidopsis thaliana</i> . 2008 , 20, 124-41	153

1605	Salt-stress-induced association of phosphatidylinositol 4,5-bisphosphate with clathrin-coated vesicles in plants. 2008 , 415, 387-99	103
1604	How to measure slow diffusion in yeast cell membranes. 2008 ,	3
1603	. 2008 ,	2
1602	Evidence for Avt6 as a vacuolar exporter of acidic amino acids in <i>Saccharomyces cerevisiae</i> cells. 2009 , 55, 409-17	21
1601	The CORVET subunit Vps8 cooperates with the Rab5 homolog Vps21 to induce clustering of late endosomal compartments. 2009 , 20, 5276-89	71
1600	The yeast AAA+ chaperone Hsp104 is part of a network that links the actin cytoskeleton with the inheritance of damaged proteins. 2009 , 29, 3738-45	59
1599	Mutational uncoupling of the role of Sus1 in nuclear pore complex targeting of an mRNA export complex and histone H2B deubiquitination. 2009 , 284, 12049-56	20
1598	Distinct subsets of Sit4 holophosphatases are required for inhibition of <i>Saccharomyces cerevisiae</i> growth by rapamycin and zymocin. 2009 , 8, 1637-47	19
1597	Pil1 controls eisosome biogenesis. 2009 , 20, 809-18	48
1596	Vps41 phosphorylation and the Rab Ypt7 control the targeting of the HOPS complex to endosome-vacuole fusion sites. 2009 , 20, 1937-48	76
1595	RNA helicase Prp43 and its co-factor Pfa1 promote 20 to 18 S rRNA processing catalyzed by the endonuclease Nob1. 2009 , 284, 35079-91	142
1594	The Cdc42 effectors Ste20, Cla4, and Skm1 down-regulate the expression of genes involved in sterol uptake by a mitogen-activated protein kinase-independent pathway. 2009 , 20, 4826-37	16
1593	The N-terminal PIN domain of the exosome subunit Rrp44 harbors endonuclease activity and tethers Rrp44 to the yeast core exosome. 2009 , 37, 1127-40	182
1592	Type B phosphatidylinositol-4-phosphate 5-kinases mediate <i>Arabidopsis</i> and <i>Nicotiana tabacum</i> pollen tube growth by regulating apical pectin secretion. 2008 , 20, 3312-30	144
1591	APC/CCdh1 specific degradation of Hsl1 and Clb2 is required for proper stress responses of <i>S. cerevisiae</i> . 2009 , 8, 3006-3012	13
1590	The RNA binding protein Cwc2 interacts directly with the U6 snRNA to link the nineteen complex to the spliceosome during pre-mRNA splicing. 2009 , 37, 4205-17	29
1589	Sem1 is a functional component of the nuclear pore complex-associated messenger RNA export machinery. 2009 , 184, 833-46	84
1588	A unique role for the host ESCRT proteins in replication of Tomato bushy stunt virus. 2009 , 5, e1000705	157

1587	Actin-mediated endocytosis limits intracellular Cr accumulation and Cr toxicity during chromate stress. 2009 , 111, 437-46	21
1586	Evolution of mutational robustness in the yeast genome: a link to essential genes and meiotic recombination hotspots. 2009 , 5, e1000533	21
1585	Two Dot1 isoforms in <i>Saccharomyces cerevisiae</i> as a result of leaky scanning by the ribosome. 2009 , 37, 7047-58	8
1584	Two structurally distinct domains of the nucleoporin Nup170 cooperate to tether a subset of nucleoporins to nuclear pores. 2009 , 185, 387-95	30
1583	The SESA network links duplication of the yeast centrosome with the protein translation machinery. 2009 , 23, 1559-70	60
1582	Methionine sulphoxide reductases protect iron-sulphur clusters from oxidative inactivation in yeast. 2009 , 155, 612-623	19
1581	Reconstitution of phospholipid translocase activity with purified Drs2p, a type-IV P-type ATPase from budding yeast. 2009 , 106, 16586-91	127
1580	TORC2 plasma membrane localization is essential for cell viability and restricted to a distinct domain. 2009 , 20, 1565-75	156
1579	The yeast HtrA orthologue Ynm3 is a protease with chaperone activity that aids survival under heat stress. 2009 , 20, 68-77	30
1578	Yvh1 is required for a late maturation step in the 60S biogenesis pathway. 2009 , 186, 863-80	83
1577	Analysis of synthetic lethality reveals genetic interactions between the GTPase Snu114p and snRNAs in the catalytic core of the <i>Saccharomyces cerevisiae</i> spliceosome. 2009 , 183, 497-515-1SI-4SI	11
1576	A genome-wide screen for genes affecting eisosomes reveals Nce102 function in sphingolipid signaling. 2009 , 185, 1227-42	99
1575	Genetic basis of arsenite and cadmium tolerance in <i>Saccharomyces cerevisiae</i> . 2009 , 10, 105	79
1574	Structure, dynamics and optical properties of fluorescent proteins: perspectives for marker development. 2009 , 10, 1369-79	68
1573	Plasmids with E2 epitope tags: tagging modules for N- and C-terminal PCR-based gene targeting in both budding and fission yeast, and inducible expression vectors for fission yeast. <i>Yeast</i> , 2009 , 26, 55-66 ^{3,4}	3
1572	Functional characterization of the trans-membrane domain interactions of the Sec61 protein translocation complex beta-subunit. 2009 , 10, 76	12
1571	Expression of the yeast aquaporin Aqy2 affects cell surface properties under the control of osmoregulatory and morphogenic signalling pathways. 2009 , 74, 1272-86	25
1570	The SPX domain of the yeast low-affinity phosphate transporter Pho90 regulates transport activity. 2009 , 10, 1003-8	66

1569	Cdc14 inhibits transcription by RNA polymerase I during anaphase. 2009 , 458, 219-22	101
1568	Analysis of iron-sulfur protein maturation in eukaryotes. 2009 , 4, 753-66	72
1567	Identification of the novel TRAPP associated protein Tca17. 2009 , 10, 713-23	37
1566	Phenotypic diversity of Flo protein family-mediated adhesion in <i>Saccharomyces cerevisiae</i> . 2009 , 9, 178-90	99
1565	Heterologous expression of AtClo1, a plant oil body protein, induces lipid accumulation in yeast. 2009 , 9, 428-38	56
1564	Spindle alignment regulates the dynamic association of checkpoint proteins with yeast spindle pole bodies. 2009 , 16, 146-56	54
1563	Phosphorylation-dependent protein interactions at the spindle midzone mediate cell cycle regulation of spindle elongation. 2009 , 17, 244-56	86
1562	A plasmid collection for PCR-based gene targeting in the filamentous ascomycete <i>Ashbya gossypii</i> . 2009 , 46, 595-603	26
1561	Lap3 is a selective target of autophagy in yeast, <i>Saccharomyces cerevisiae</i> . 2009 , 378, 551-7	29
1560	Structure and in vivo requirement of the yeast Spt6 SH2 domain. 2009 , 389, 211-25	38
1559	Systematic analysis of the twin cx(9)c protein family. 2009 , 393, 356-68	132
1558	Chromosome-wide Rad51 spreading and SUMO-H2A.Z-dependent chromosome fixation in response to a persistent DNA double-strand break. 2009 , 33, 335-43	262
1557	Mechanism of substrate unfolding and translocation by the regulatory particle of the proteasome from <i>Methanocaldococcus jannaschii</i> . 2009 , 34, 485-96	78
1556	Efficient protein depletion by genetically controlled deprotection of a dormant N-degron. 2009 , 5, 267	78
1555	Targeted protein depletion in <i>Saccharomyces cerevisiae</i> by activation of a bidirectional degron. 2010 , 4, 176	46
1554	Differential localization to cytoplasm, nucleus or P-bodies of yeast PKA subunits under different growth conditions. 2010 , 89, 339-48	57
1553	Involvement of mitochondrial ferredoxin and para-aminobenzoic acid in yeast coenzyme Q biosynthesis. 2010 , 17, 449-59	79
1552	Analysis of the budding yeast pH 4-7 proteome in meiosis. 2010 , 10, 506-19	15

1551	2-D DIGE analysis of the budding yeast pH 6-11 proteome in meiosis. 2010 , 10, 4401-14		8
1550	New generation of loxP-mutated deletion cassettes for the genetic manipulation of yeast natural isolates. <i>Yeast</i> , 2010 , 27, 765-75	3-4	52
1549	The anthracenedione compound bostrycin induces mitochondria-mediated apoptosis in the yeast <i>Saccharomyces cerevisiae</i> . 2010 , 10, 297-308		26
1548	Elongator function in tRNA wobble uridine modification is conserved between yeast and plants. 2010 , 76, 1082-94		75
1547	Requirement of a specific group of sphingolipid-metabolizing enzyme for growth of yeast <i>Saccharomyces cerevisiae</i> under impaired metabolism of glycerophospholipids. 2010 , 78, 395-413		22
1546	A plasma-membrane E-MAP reveals links of the eisosome with sphingolipid metabolism and endosomal trafficking. 2010 , 17, 901-8		79
1545	Ubiquitin-dependent DNA damage bypass is separable from genome replication. 2010 , 465, 951-5		208
1544	Intercalation of a new tier of transcription regulation into an ancient circuit. 2010 , 468, 959-63		59
1543	Tah18 transfers electrons to Dre2 in cytosolic iron-sulfur protein biogenesis. 2010 , 6, 758-65		157
1542	Genome-wide analysis of effectors of peroxisome biogenesis. 2010 , 5, e11953		23
1541	Functional analysis of phosphorylation on <i>Saccharomyces cerevisiae</i> syntaxin 1 homologues Sso1p and Sso2p. 2010 , 5, e13323		2
1540	Phosphorylation of a membrane curvature-sensing motif switches function of the HOPS subunit Vps41 in membrane tethering. 2010 , 191, 845-59		91
1539	Involvement of vacuolar sequestration and active transport in tolerance of <i>Saccharomyces cerevisiae</i> to hop iso-alpha-acids. 2010 , 76, 318-28		34
1538	N-terminal regions of Mps1 kinase determine functional bifurcation. 2010 , 189, 41-56		36
1537	Cdc14p resets the competency of replication licensing by dephosphorylating multiple initiation proteins during mitotic exit in budding yeast. 2010 , 123, 3933-43		22
1536	Fusel alcohols regulate translation initiation by inhibiting eIF2B to reduce ternary complex in a mechanism that may involve altering the integrity and dynamics of the eIF2B body. 2010 , 21, 2202-16		34
1535	Identifying eIF4E-binding protein translationally-controlled transcripts reveals links to mRNAs bound by specific PUF proteins. 2010 , 38, 8039-50		42
1534	Microautophagy of the nucleus coincides with a vacuolar diffusion barrier at nuclear-vacuolar junctions. 2010 , 21, 4173-83		66

1533	Cdc48/p97 and Shp1/p47 regulate autophagosome biogenesis in concert with ubiquitin-like Atg8. 2010 , 190, 965-73	108
1532	Mso1p regulates membrane fusion through interactions with the putative N-peptide-binding area in Sec1p domain 1. 2010 , 21, 1362-74	16
1531	Mdm36 is a mitochondrial fission-promoting protein in <i>Saccharomyces cerevisiae</i> . 2010 , 21, 2443-52	38
1530	The structure of the Myo4p globular tail and its function in ASH1 mRNA localization. 2010 , 189, 497-510	36
1529	The Rab GTPase Ypt7 is linked to retromer-mediated receptor recycling and fusion at the yeast late endosome. 2010 , 123, 4085-94	83
1528	Endocytosis of the aspartic acid/glutamic acid transporter Dip5 is triggered by substrate-dependent recruitment of the Rsp5 ubiquitin ligase via the arrestin-like protein Aly2. 2010 , 30, 5598-607	66
1527	Farnesylated nuclear proteins Kugelkern and lamin Dm0 affect nuclear morphology by directly interacting with the nuclear membrane. 2010 , 21, 3409-20	22
1526	Preparation and topology of the Mediator middle module. 2010 , 38, 3186-95	36
1525	Elm1 kinase activates the spindle position checkpoint kinase Kin4. 2010 , 190, 975-89	42
1524	Feed-forward regulation of a cell fate determinant by an RNA-binding protein generates asymmetry in yeast. 2010 , 185, 513-22	27
1523	Functional cooperativity of enzymes of phosphoinositide conversion according to synergistic effects on pectin secretion in tobacco pollen tubes. 2010 , 3, 870-81	43
1522	Peroxisomal membrane proteins insert into the endoplasmic reticulum. 2010 , 21, 2057-65	133
1521	Mutual regulation of cyclin-dependent kinase and the mitotic exit network. 2010 , 188, 351-68	62
1520	Proteasome nuclear import mediated by Arc3 can influence efficient DNA damage repair and mitosis in <i>Schizosaccharomyces pombe</i> . 2010 , 21, 3125-36	18
1519	The thioredoxin-thioredoxin reductase system can function in vivo as an alternative system to reduce oxidized glutathione in <i>Saccharomyces cerevisiae</i> . 2010 , 285, 6118-26	74
1518	Targeted localization of Inn1, Cyk3 and Chs2 by the mitotic-exit network regulates cytokinesis in budding yeast. 2010 , 123, 1851-61	73
1517	Frataxin depletion in yeast triggers up-regulation of iron transport systems before affecting iron-sulfur enzyme activities. 2010 , 285, 41653-64	31
1516	Vacuolar cation/H ⁺ antiporters of <i>Saccharomyces cerevisiae</i> . 2010 , 285, 33914-22	30

1515	ATP-dependent pre-replicative complex assembly is facilitated by Adk1p in budding yeast. 2010 , 285, 29974-80	7
1514	Differential roles of transcriptional mediator subunits in regulation of multidrug resistance gene expression in <i>Saccharomyces cerevisiae</i> . 2010 , 21, 2469-82	39
1513	The combined effect of environmental and host factors on the emergence of viral RNA recombinants. 2010 , 6, e1001156	28
1512	Identification of novel factors involved in or regulating initiation of DNA replication by a genome-wide phenotypic screen in <i>Saccharomyces cerevisiae</i> . 2010 , 9, 4399-410	18
1511	Cis-interactions between non-coding ribosomal spacers dependent on RNAP-II separate RNAP-I and RNAP-III transcription domains. 2010 , 9, 4328-37	25
1510	Spinning-disk confocal microscopy of yeast. 2010 , 470, 581-602	10
1509	ChIP-Seq using high-throughput DNA sequencing for genome-wide identification of transcription factor binding sites. 2010 , 470, 77-104	21
1508	Yeast expression proteomics by high-resolution mass spectrometry. 2010 , 470, 259-80	8
1507	Ctf4p facilitates Mcm10p to promote DNA replication in budding yeast. 2010 , 395, 336-41	20
1506	General factors important for the formation of structured biofilm-like yeast colonies. 2010 , 47, 1012-22	52
1505	The RAD6 DNA damage tolerance pathway operates uncoupled from the replication fork and is functional beyond S phase. 2010 , 141, 255-67	232
1504	Secretory pathway genes assessed by high-throughput microscopy and synthetic genetic array analysis. 2011 , 7, 2589-98	30
1503	Advanced methods for high-throughput microscopy screening of genetically modified yeast libraries. 2011 , 781, 127-59	64
1502	Isolation of an activator-dependent, promoter-specific chromatin remodeling factor. 2011 , 108, 10115-20	15
1501	Yeast Systems Biology. 2011 ,	4
1500	Network Biology. 2011 ,	3
1499	Molecular assays to investigate chromatin changes during DNA double-strand break repair in yeast. 2011 , 745, 79-97	
1498	Visualization of eukaryotic DNA mismatch repair reveals distinct recognition and repair intermediates. 2011 , 147, 1040-53	154

1497	A complex of Pdi1p and the mannosidase Htm1p initiates clearance of unfolded glycoproteins from the endoplasmic reticulum. 2011 , 42, 782-93	98
1496	A genetic and molecular toolbox for analyzing histone ubiquitylation and sumoylation in yeast. 2011 , 54, 296-303	11
1495	An asymmetric interface between the regulatory and core particles of the proteasome. 2011 , 18, 1259-67	64
1494	Converging evidence of mitochondrial dysfunction in a yeast model of homocysteine metabolism imbalance. 2011 , 286, 21779-95	17
1493	Genomic promoter replacement cassettes to alter gene expression in the yeast <i>Saccharomyces cerevisiae</i> . 2011 , 765, 275-94	8
1492	Cotranslational transport of ABP140 mRNA to the distal pole of <i>S. cerevisiae</i> . 2011 , 30, 3567-80	30
1491	Phosphatidylinositol-4,5-bisphosphate influences Nt-Rac5-mediated cell expansion in pollen tubes of <i>Nicotiana tabacum</i> . 2011 , 65, 453-68	88
1490	Organization and assembly of the TRAPP ^{II} complex. 2011 , 12, 715-25	49
1489	An overexpression screen in <i>Saccharomyces cerevisiae</i> identifies novel genes that affect endocytic protein trafficking. 2011 , 12, 1592-603	25
1488	Far3p domains involved in the interactions of Far proteins and pheromone-induced cell cycle arrest in budding yeast. 2011 , 11, 72-9	6
1487	The SWI/SNF complex acts to constrain distribution of the centromeric histone variant Cse4. 2011 , 30, 1919-27	35
1486	Box C/D snoRNP catalysed methylation is aided by additional pre-rRNA base-pairing. 2011 , 30, 2420-30	50
1485	Role of the ubiquitin-like protein Hub1 in splice-site usage and alternative splicing. 2011 , 474, 173-8	62
1484	Increasing free-energy (ATP) conservation in maltose-grown <i>Saccharomyces cerevisiae</i> by expression of a heterologous maltose phosphorylase. 2011 , 13, 518-26	48
1483	The budding yeast Mei5-Sae3 complex interacts with Rad51 and preferentially binds a DNA fork structure. 2011 , 10, 586-94	20
1482	Yeast Rsp5 ubiquitin ligase affects the actin cytoskeleton in vivo and in vitro. 2011 , 90, 1016-28	22
1481	Mitochondrial DNA protects against salt stress-induced cytochrome c-mediated apoptosis in yeast. 2011 , 585, 2507-12	17
1480	Targeting of Nbp1 to the inner nuclear membrane is essential for spindle pole body duplication. 2011 , 30, 3337-52	30

1479	The CENP-A chaperone Scm3 becomes enriched at kinetochores in anaphase independently of CENP-A incorporation. 2011 , 10, 3369-78	11
1478	Biogenesis of a novel compartment for autophagosome-mediated unconventional protein secretion. 2011 , 195, 979-92	135
1477	Adaptive laboratory evolution--harnessing the power of biology for metabolic engineering. 2011 , 22, 590-4	196
1476	Anaplerotic role for cytosolic malic enzyme in engineered <i>Saccharomyces cerevisiae</i> strains. 2011 , 77, 732-8	37
1475	Reassessment of the role of plasma membrane domains in the regulation of vesicular traffic in yeast. 2011 , 124, 328-37	68
1474	Glucose depletion inhibits translation initiation via eIF4A loss and subsequent 48S preinitiation complex accumulation, while the pentose phosphate pathway is coordinately up-regulated. 2011 , 22, 3379-93	67
1473	Clustering heterochromatin: Sir3 promotes telomere clustering independently of silencing in yeast. 2011 , 192, 417-31	55
1472	Small ubiquitin-related modifier ligase activity of Mms21 is required for maintenance of chromosome integrity during the unperturbed mitotic cell division cycle in <i>Saccharomyces cerevisiae</i> . 2011 , 286, 14516-30	20
1471	Budding yeast Dma1 and Dma2 participate in regulation of Swe1 levels and localization. 2011 , 22, 2185-97	22
1470	Phosphorylation-dependent regulation of the F-BAR protein Hof1 during cytokinesis. 2011 , 25, 875-88	77
1469	Gex1 is a yeast glutathione exchanger that interferes with pH and redox homeostasis. 2011 , 22, 2054-67	45
1468	Mismatch repair, but not heteroduplex rejection, is temporally coupled to DNA replication. 2011 , 334, 1713-6	94
1467	Cortical actin dynamics driven by formins and myosin V. 2011 , 124, 1533-41	60
1466	Spt10 and Swi4 control the timing of histone H2A/H2B gene activation in budding yeast. 2011 , 31, 557-72	27
1465	Eisosome proteins assemble into a membrane scaffold. 2011 , 195, 889-902	81
1464	HOPS drives vacuole fusion by binding the vacuolar SNARE complex and the Vam7 PX domain via two distinct sites. 2011 , 22, 2601-11	76
1463	Role of RNase MRP in viral RNA degradation and RNA recombination. 2011 , 85, 243-53	31
1462	Evolution of two modes of intrinsic RNA polymerase transcript cleavage. 2011 , 286, 18701-7	57

1461	The general definition of the p97/valosin-containing protein (VCP)-interacting motif (VIM) delineates a new family of p97 cofactors. 2011 , 286, 38670-38678	40
1460	Cooperative and independent activities of Sgt2 and Get5 in the targeting of tail-anchored proteins. 2011 , 392, 601-8	27
1459	A constraint network of interactions: protein-protein interaction analysis of the yeast type II phosphatase Ptc1p and its adaptor protein Nbp2p. 2011 , 124, 35-46	28
1458	Probing the nucleoporin FG repeat network defines structural and functional features of the nuclear pore complex. 2011 , 195, 183-92	8
1457	5'TRU: identification and analysis of translationally regulative 5'untranslated regions in amino acid starved yeast cells. 2011 , 10, M110.003350	4
1456	A single ubiquitin is sufficient for cargo protein entry into MVBs in the absence of ESCRT ubiquitination. 2011 , 192, 229-42	100
1455	The cortical protein Lte1 promotes mitotic exit by inhibiting the spindle position checkpoint kinase Kin4. 2011 , 193, 1033-48	43
1454	Transport to the plasma membrane is regulated differently early and late in the cell cycle in <i>Saccharomyces cerevisiae</i> . 2011 , 124, 1055-66	25
1453	Sec1p and Mso1p C-terminal tails cooperate with the SNAREs and Sec4p in polarized exocytosis. 2011 , 22, 230-44	14
1452	Tim50's presequence receptor domain is essential for signal driven transport across the TIM23 complex. 2011 , 195, 643-56	67
1451	BAX inhibitor-1 regulates autophagy by controlling the IRE1 β branch of the unfolded protein response. 2011 , 30, 4465-78	97
1450	Budding yeast dma proteins control septin dynamics and the spindle position checkpoint by promoting the recruitment of the Elm1 kinase to the bud neck. 2012 , 8, e1002670	22
1449	Role of Mex67-Mtr2 in the nuclear export of 40S pre-ribosomes. 2012 , 8, e1002915	53
1448	Cell cycle-dependent regulation of the nuclease activity of Mus81-Eme1/Mms4. 2012 , 40, 8325-35	94
1447	The yeast SR-like protein Npl3 links chromatin modification to mRNA processing. 2012 , 8, e1003101	39
1446	Cdc5-dependent asymmetric localization of bfa1 fine-tunes timely mitotic exit. 2012 , 8, e1002450	18
1445	Nondisjunction of a single chromosome leads to breakage and activation of DNA damage checkpoint in G2. 2012 , 8, e1002509	22
1444	SCS3 and YFT2 link transcription of phospholipid biosynthetic genes to ER stress and the UPR. 2012 , 8, e1002890	39

1443	The TPR domain in the host Cyp40-like cyclophilin binds to the viral replication protein and inhibits the assembly of the tombusviral replicase. 2012 , 8, e1002491	26
1442	Deciphering the transcriptional-regulatory network of flocculation in <i>Schizosaccharomyces pombe</i> . 2012 , 8, e1003104	21
1441	A Co-Opted DEAD-Box RNA helicase enhances tombusvirus plus-strand synthesis. 2012 , 8, e1002537	71
1440	Sho1p connects the plasma membrane with proteins of the cytokinesis network through multiple isomeric interaction states. 2012 , 125, 4103-13	19
1439	Cohesin rings devoid of Scc3 and Pds5 maintain their stable association with the DNA. 2012 , 8, e1002856	31
1438	The Msb3/Gyp3 GAP controls the activity of the Rab GTPases Vps21 and Ypt7 at endosomes and vacuoles. 2012 , 23, 2516-26	42
1437	The channel-forming Sym1 protein is transported by the TIM23 complex in a presequence-independent manner. 2012 , 32, 5009-21	35
1436	Kar2p availability defines distinct forms of endoplasmic reticulum stress in living cells. 2012 , 23, 955-64	60
1435	Alternative splicing regulates targeting of malate dehydrogenase in <i>Yarrowia lipolytica</i> . 2012 , 19, 231-44	44
1434	Yeast vacuoles fragment in an asymmetrical two-phase process with distinct protein requirements. 2012 , 23, 3438-49	38
1433	Seg1 controls eisosome assembly and shape. 2012 , 198, 405-20	34
1432	MINOS1 is a conserved component of mitofilin complexes and required for mitochondrial function and cristae organization. 2012 , 23, 247-57	141
1431	Regulation of vacuolar H ⁺ -ATPase activity by the Cdc42 effector Ste20 in <i>Saccharomyces cerevisiae</i> . 2012 , 11, 442-51	9
1430	Sphingolipids regulate the yeast high-osmolarity glycerol response pathway. 2012 , 32, 2861-70	43
1429	The histone H3 lysine 56 acetylation pathway is regulated by target of rapamycin (TOR) signaling and functions directly in ribosomal RNA biogenesis. 2012 , 40, 6534-46	67
1428	The evolutionary rewiring of ubiquitination targets has reprogrammed the regulation of carbon assimilation in the pathogenic yeast <i>Candida albicans</i> . 2012 , 3,	71
1427	Atg4 recycles inappropriately lipidated Atg8 to promote autophagosome biogenesis. 2012 , 8, 177-86	152
1426	ATPase-dependent role of the atypical kinase Rio2 on the evolving pre-40S ribosomal subunit. 2012 , 19, 1316-23	94

1425	Phosphoinositide-mediated clathrin adaptor progression at the trans-Golgi network. 2012 , 14, 239-48	101
1424	Atg9 vesicles recruit vesicle-tethering proteins Trs85 and Ypt1 to the autophagosome formation site. 2012 , 287, 44261-9	85
1423	YPR139c/LOA1 encodes a novel lysophosphatidic acid acyltransferase associated with lipid droplets and involved in TAG homeostasis. 2012 , 23, 233-46	31
1422	Cdc14-dependent dephosphorylation of Inn1 contributes to Inn1-Cyk3 complex formation. 2012 , 125, 3091-6	32
1421	Acetate regulation of spore formation is under the control of the Ras/cyclic AMP/protein kinase A pathway and carbon dioxide in <i>Saccharomyces cerevisiae</i> . 2012 , 11, 1021-32	18
1420	Yeast Trm7 interacts with distinct proteins for critical modifications of the tRNAPhe anticodon loop. 2012 , 18, 1921-33	80
1419	Structure of the novel C-terminal domain of vacuolar protein sorting 30/autophagy-related protein 6 and its specific role in autophagy. 2012 , 287, 16256-66	54
1418	Modular architecture of eukaryotic RNase P and RNase MRP revealed by electron microscopy. 2012 , 40, 3275-88	23
1417	Atg9 vesicles are an important membrane source during early steps of autophagosome formation. 2012 , 198, 219-33	413
1416	Subtelomere-binding protein Tbf1 and telomere-binding protein Rap1 collaborate to inhibit localization of the Mre11 complex to DNA ends in budding yeast. 2012 , 23, 347-59	17
1415	Bir1 deletion causes malfunction of the spindle assembly checkpoint and apoptosis in yeast. 2012 , 2, 93	6
1414	System-wide perturbation analysis with nearly complete coverage of the yeast proteome by single-shot ultra HPLC runs on a bench top Orbitrap. 2012 , 11, M111.013722	313
1413	Asymmetric positive feedback loops reliably control biological responses. 2012 , 8, 577	19
1412	Secretory pathway-dependent localization of the <i>Saccharomyces cerevisiae</i> Rho GTPase-activating protein Rgd1p at growth sites. 2012 , 11, 590-600	6
1411	A link between mitotic entry and membrane growth suggests a novel model for cell size control. 2012 , 197, 89-104	49
1410	The genome maintenance factor Mgs1 is targeted to sites of replication stress by ubiquitylated PCNA. 2012 , 40, 245-57	47
1409	Laboratory evolution of new lactate transporter genes in a <i>jen1</i> mutant of <i>Saccharomyces cerevisiae</i> and their identification as ADY2 alleles by whole-genome resequencing and transcriptome analysis. 2012 , 12, 359-374	33
1408	A dynamical model of the spindle position checkpoint. 2012 , 8, 582	31

1407	Analysis of substrate specificity of human DHHC protein acyltransferases using a yeast expression system. 2012 , 23, 4543-51	66
1406	The replication-independent histone H3-H4 chaperones HIR, ASF1, and RTT106 co-operate to maintain promoter fidelity. 2012 , 287, 1709-18	47
1405	MMS19 assembles iron-sulfur proteins required for DNA metabolism and genomic integrity. 2012 , 337, 195-9	200
1404	Molecular basis for coupling the plasma membrane to the actin cytoskeleton during clathrin-mediated endocytosis. 2012 , 109, E2533-42	101
1403	Protein modularity, cooperative binding, and hybrid regulatory states underlie transcriptional network diversification. 2012 , 151, 80-95	68
1402	Protein group modification and synergy in the SUMO pathway as exemplified in DNA repair. 2012 , 151, 807-820	331
1401	A bridging [4Fe-4S] cluster and nucleotide binding are essential for function of the Cfd1-Nbp35 complex as a scaffold in iron-sulfur protein maturation. 2012 , 287, 12365-78	78
1400	Translation suppression promotes stress granule formation and cell survival in response to cold shock. 2012 , 23, 3786-800	105
1399	Similar roles for yeast Dbp2 and Arabidopsis RH20 DEAD-box RNA helicases to Ded1 helicase in tombusvirus plus-strand synthesis. 2012 , 432, 470-84	40
1398	Yar1 protects the ribosomal protein Rps3 from aggregation. 2012 , 287, 21806-15	52
1397	Hsp70 targets Hsp100 chaperones to substrates for protein disaggregation and prion fragmentation. 2012 , 198, 387-404	165
1396	Single-cell analysis reveals that noncoding RNAs contribute to clonal heterogeneity by modulating transcription factor recruitment. 2012 , 45, 470-82	92
1395	Rescue of growth defects of yeast cdc48 mutants by pathogenic IBMPFD-VCPs. 2012 , 179, 93-103	6
1394	Hydroxylation state of fatty acid and long-chain base moieties of sphingolipid determine the sensitivity to growth inhibition due to AUR1 repression in <i>Saccharomyces cerevisiae</i> . 2012 , 417, 673-8	18
1393	Regulation of chaperone effects on a yeast prion by cochaperone Sgt2. 2012 , 32, 4960-70	50
1392	Intramitochondrial transport of phosphatidic acid in yeast by a lipid transfer protein. 2012 , 338, 815-8	172
1391	Toward pectin fermentation by <i>Saccharomyces cerevisiae</i> : expression of the first two steps of a bacterial pathway for D-galacturonate metabolism. 2012 , 162, 303-10	23
1390	Localization of a subset of yeast mRNAs depends on inheritance of endoplasmic reticulum. 2012 , 13, 1642-52	32

1389	The yeast Fun30 and human SMARCAD1 chromatin remodellers promote DNA end resection. 2012 , 489, 581-4	197
1388	Accumulation of squalene is associated with the clustering of lipid droplets. 2012 , 279, 4231-44	35
1387	Chemical chaperones assist intracellular folding to buffer mutational variations. 2012 , 8, 238-45	79
1386	Involvement of complex sphingolipids and phosphatidylserine in endosomal trafficking in yeast <i>Saccharomyces cerevisiae</i> . 2012 , 86, 1262-80	15
1385	Synchronizing nuclear import of ribosomal proteins with ribosome assembly. 2012 , 338, 666-71	79
1384	Cryptic peroxisomal targeting via alternative splicing and stop codon read-through in fungi. 2012 , 485, 522-5	124
1383	TULIPs: tunable, light-controlled interacting protein tags for cell biology. 2012 , 9, 379-84	348
1382	Yeast Genetics to Investigate the Function of Core Pre-mRNA Splicing Factors. 2012 , 428-436	
1381	A deubiquitylating complex required for neosynthesis of a yeast mitochondrial ATP synthase subunit. 2012 , 7, e38071	7
1380	pHlash: a new genetically encoded and ratiometric luminescence sensor of intracellular pH. 2012 , 7, e43072	16
1379	Regulation of Hxt3 and Hxt7 turnover converges on the Vid30 complex and requires inactivation of the Ras/cAMP/PKA pathway in <i>Saccharomyces cerevisiae</i> . 2012 , 7, e50458	27
1378	Cassette series designed for live-cell imaging of proteins and high-resolution techniques in yeast. <i>Yeast</i> , 2012 , 29, 119-36	3-4 33
1377	Methylation of translation-associated proteins in <i>Saccharomyces cerevisiae</i> : Identification of methylated lysines and their methyltransferases. 2012 , 12, 960-72	43
1376	RNA polymerase II carboxyl-terminal domain phosphorylation regulates protein stability of the Set2 methyltransferase and histone H3 di- and trimethylation at lysine 36. 2012 , 287, 3249-56	45
1375	Plasma membrane stress induces relocalization of Slm proteins and activation of TORC2 to promote sphingolipid synthesis. 2012 , 14, 542-7	231
1374	Genome-wide protein-DNA binding dynamics suggest a molecular clutch for transcription factor function. 2012 , 484, 251-5	175
1373	Cofilin-mediated sorting and export of specific cargo from the Golgi apparatus in yeast. 2012 , 23, 2327-38	31
1372	Patchwork organization of the yeast plasma membrane into numerous coexisting domains. 2012 , 14, 640-8	172

1371	The mRNA decay pathway regulates the expression of the Flo11 adhesin and biofilm formation in <i>Saccharomyces cerevisiae</i> . 2012 , 191, 1387-91	7
1370	Tandem fluorescent protein timers for in vivo analysis of protein dynamics. 2012 , 30, 708-14	172
1369	TIPI: TEV protease-mediated induction of protein instability. 2012 , 832, 611-26	23
1368	An extended β tubulin ring functions as a stable platform in microtubule nucleation. 2012 , 197, 59-74	42
1367	Cex1p facilitates Rna1p-mediated dissociation of the Los1p-tRNA-Gsp1p-GTP export complex. 2012 , 13, 234-56	8
1366	Peroxisome formation requires the endoplasmic reticulum channel protein Sec61. 2012 , 13, 599-609	40
1365	Laboratory evolution of new lactate transporter genes in a <i>jen1</i> mutant of <i>Saccharomyces cerevisiae</i> and their identification as ADY2 alleles by whole-genome resequencing and transcriptome analysis. 2012 , 12, 359-374	44
1364	An inhibitory function of WW domain-containing host proteins in RNA virus replication. 2012 , 426, 106-19	21
1363	Interactome map uncovers phosphatidylserine transport by oxysterol-binding proteins. 2013 , 501, 257-61	235
1362	AMPD2 regulates GTP synthesis and is mutated in a potentially treatable neurodegenerative brainstem disorder. 2013 , 154, 505-17	73
1361	A Sensitized Emission Based Calibration of FRET Efficiency for Probing the Architecture of Macromolecular Machines. 2013 , 6, 369-382	11
1360	TRAPPIII is responsible for vesicular transport from early endosomes to Golgi, facilitating Atg9 cycling in autophagy. 2013 , 126, 4963-73	64
1359	The yeast ski complex: crystal structure and RNA channeling to the exosome complex. 2013 , 154, 814-26	126
1358	The proteasome-associated protein Ecm29 inhibits proteasomal ATPase activity and in vivo protein degradation by the proteasome. 2013 , 288, 29467-81	37
1357	Tombusvirus replication depends on Sec39p endoplasmic reticulum-associated transport protein. 2013 , 447, 21-31	14
1356	Crystal structure of the 14-subunit RNA polymerase β . 2013 , 502, 644-9	140
1355	Construction of mutant alleles in <i>Saccharomyces cerevisiae</i> without cloning: overview and the delitto perfetto method. 2013 , 104, 13.10C.1-13.10C.17	7
1354	GTP regulates the microtubule nucleation activity of β tubulin. 2013 , 15, 1317-27	19

1353	Cotranscriptional recruitment of RNA exosome cofactors Rrp47p and Mpp6p and two distinct Trf-Air-Mtr4 polyadenylation (TRAMP) complexes assists the exonuclease Rrp6p in the targeting and degradation of an aberrant messenger ribonucleoprotein particle (mRNP) in yeast. 2013 , 288, 31816-29		21
1352	The effects of statins on the mevalonic acid pathway in recombinant yeast strains expressing human HMG-CoA reductase. 2013 , 13, 68		21
1351	Spatial sequestration of misfolded proteins by a dynamic chaperone pathway enhances cellular fitness during stress. 2013 , 15, 1231-43		211
1350	Structure-function analysis of yeast tubulin. 2013 , 115, 355-74		5
1349	The RNA-binding protein Whi3 is a key regulator of developmental signaling and ploidy in <i>Saccharomyces cerevisiae</i> . 2013 , 195, 73-86		2
1348	Stalled RNAP-II molecules bound to non-coding rDNA spacers are required for normal nucleolus architecture. <i>Yeast</i> , 2013 , 30, 267-77	3-4	1
1347	Multiple glutathione disulfide removal pathways mediate cytosolic redox homeostasis. 2013 , 9, 119-25		197
1346	RNAP-II transcribes two small RNAs at the promoter and terminator regions of the RNAP-I gene in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2013 , 30, 25-32	3-4	5
1345	Lre1 directly inhibits the NDR/Lats kinase Cbk1 at the cell division site in a phosphorylation-dependent manner. 2013 , 23, 1736-45		12
1344	A systematic approach for the genetic dissection of protein complexes in living cells. 2013 , 3, 2155-67		28
1343	Proteasome-mediated processing of Def1, a critical step in the cellular response to transcription stress. 2013 , 154, 983-995		50
1342	Innate immune cells are dispensable for regenerative growth of imaginal discs. 2013 , 130, 112-21		19
1341	Metabolic remodeling in frataxin-deficient yeast is mediated by Cth2 and Adr1. 2013 , 1833, 3326-3337		14
1340	A role for the nucleoporin Nup170p in chromatin structure and gene silencing. 2013 , 152, 969-83		102
1339	Mps1 and Ipl1/Aurora B act sequentially to correctly orient chromosomes on the meiotic spindle of budding yeast. 2013 , 339, 1071-4		51
1338	qPCA: a scalable assay to measure the perturbation of protein-protein interactions in living cells. 2013 , 9, 36-43		25
1337	A fluorescent reporter for mapping cellular protein-protein interactions in time and space. 2013 , 9, 647		18
1336	Dysfunctional mitochondria modulate cAMP-PKA signaling and filamentous and invasive growth of <i>Saccharomyces cerevisiae</i> . 2013 , 193, 467-81		19

1335	Two deubiquitylases act on mitofusin and regulate mitochondrial fusion along independent pathways. 2013 , 49, 487-98	70
1334	Genome-wide measurement of protein-DNA binding dynamics using competition ChIP. 2013 , 8, 1337-53	11
1333	Acetylation-mediated proteasomal degradation of core histones during DNA repair and spermatogenesis. 2013 , 153, 1012-24	203
1332	A LOV2 domain-based optogenetic tool to control protein degradation and cellular function. 2013 , 20, 619-26	181
1331	The mitochondrial carrier Rim2 co-imports pyrimidine nucleotides and iron. 2013 , 455, 57-65	24
1330	Shu1 promotes homolog bias of meiotic recombination in <i>Saccharomyces cerevisiae</i> . 2013 , 36, 446-54	10
1329	Analysis of the proteome of <i>Saccharomyces cerevisiae</i> for methylarginine. 2013 , 12, 3884-99	24
1328	Regulation of yeast G protein signaling by the kinases that activate the AMPK homolog Snf1. 2013 , 6, ra78	22
1327	Temporal regulation of the Mus81-Mms4 endonuclease ensures cell survival under conditions of DNA damage. 2013 , 41, 8943-58	28
1326	Establishment of a robust single axis of cell polarity by coupling multiple positive feedback loops. 2013 , 4, 1807	81
1325	Non-FG mediated transport of the large pre-ribosomal subunit through the nuclear pore complex by the mRNA export factor Gle2. 2013 , 41, 8266-79	14
1324	Yeast-gene replacement using PCR products. 2013 , 533, 43-55	0
1323	The yeast p5 type ATPase, spf1, regulates manganese transport into the endoplasmic reticulum. 2013 , 8, e85519	48
1322	Budding yeast greatwall and endosulfines control activity and spatial regulation of PP2A(Cdc55) for timely mitotic progression. 2013 , 9, e1003575	40
1321	Insights into diphthamide, key diphtheria toxin effector. 2013 , 5, 958-68	19
1320	The amidation step of diphthamide biosynthesis in yeast requires DPH6, a gene identified through mining the DPH1-DPH5 interaction network. 2013 , 9, e1003334	34
1319	A safeguard mechanism regulates Rho GTPases to coordinate cytokinesis with the establishment of cell polarity. 2013 , 11, e1001495	30
1318	Requirements of the cytosolic iron-sulfur cluster assembly pathway in <i>Arabidopsis</i> . 2013 , 368, 20120259	36

1317	Role of Loc1p in assembly and reorganization of nuclear ASH1 messenger ribonucleoprotein particles in yeast. 2013 , 110, E5049-58	22
1316	RACK1/Asc1p, a ribosomal node in cellular signaling. 2013 , 12, 87-105	31
1315	The BLOC-1 complex promotes endosomal maturation by recruiting the Rab5 GTPase-activating protein Msb3. 2013 , 201, 97-111	35
1314	The zinc cluster protein Sut1 contributes to filamentation in <i>Saccharomyces cerevisiae</i> . 2013 , 12, 244-53	14
1313	Dual mechanisms prevent premature chromosome segregation during meiosis. 2013 , 27, 2139-46	26
1312	Vps factors are required for efficient transcription elongation in budding yeast. 2013 , 193, 829-51	17
1311	Septin rings act as a template for myosin higher-order structures and inhibit redundant polarity establishment. 2013 , 126, 3390-400	32
1310	Carboxy terminal modifications of the P0 protein reveal alternative mechanisms of nuclear ribosomal stalk assembly. 2013 , 41, 8628-36	8
1309	Atg38 is required for autophagy-specific phosphatidylinositol 3-kinase complex integrity. 2013 , 203, 299-313	77
1308	Dual function of the NDR-kinase Dbf2 in the regulation of the F-BAR protein Hof1 during cytokinesis. 2013 , 24, 1290-304	35
1307	The CORVET complex promotes tethering and fusion of Rab5/Vps21-positive membranes. 2013 , 110, 3823-8	65
1306	Rab GAP cascade regulates dynamics of Ypt6 in the Golgi traffic. 2013 , 110, 18976-81	50
1305	Phosphorylation of a conserved Thr357 in yeast Nedd4-like ubiquitin ligase Rsp5 is involved in down-regulation of the general amino acid permease Gap1. 2013 , 18, 459-75	20
1304	Analysis of ER resident proteins in <i>Saccharomyces cerevisiae</i> : implementation of H/KDEL retrieval sequences. 2013 , 14, 365-81	15
1303	The U5 snRNA internal loop 1 is a platform for Brr2, Snu114 and Prp8 protein binding during U5 snRNP assembly. 2013 , 114, 2770-84	9
1302	Atg12-Atg5 conjugate enhances E2 activity of Atg3 by rearranging its catalytic site. 2013 , 20, 433-9	102
1301	Isoform-selective oligomer formation of <i>Saccharomyces cerevisiae</i> p24 family proteins. 2013 , 288, 37057-70	14
1300	Functional separation of endosomal fusion factors and the class C core vacuole/endosome tethering (CORVET) complex in endosome biogenesis. 2013 , 288, 5166-75	44

1299	Spindle pole body-anchored Kar3 drives the nucleus along microtubules from another nucleus in preparation for nuclear fusion during yeast karyogamy. 2013 , 27, 335-49	24
1298	Native SILAC: metabolic labeling of proteins in prototroph microorganisms based on lysine synthesis regulation. 2013 , 12, 1995-2005	43
1297	Guanine nucleotide exchange factors (GEFs) have a critical but not exclusive role in organelle localization of Rab GTPases. 2013 , 288, 28704-12	53
1296	<i>Saccharomyces cerevisiae</i> Dma proteins participate in cytokinesis by controlling two different pathways. 2013 , 12, 2794-808	9
1295	Enhancing protein disaggregation restores proteasome activity in aged cells. 2013 , 5, 802-12	60
1294	RNAP-II molecules participate in the anchoring of the ORC to rDNA replication origins. 2013 , 8, e53405	6
1293	The anaphase promoting complex contributes to the degradation of the <i>S. cerevisiae</i> telomerase recruitment subunit Est1p. 2013 , 8, e55055	10
1292	The budding yeast Cdc48(Shp1) complex promotes cell cycle progression by positive regulation of protein phosphatase 1 (Glc7). 2013 , 8, e56486	14
1291	Gateway vectors for efficient artificial gene assembly in vitro and expression in yeast <i>Saccharomyces cerevisiae</i> . 2013 , 8, e64419	13
1290	A tobacco etch virus protease with increased substrate tolerance at the P1' position. 2013 , 8, e67915	23
1289	SUN family proteins Sun4p, Uth1p and Sim1p are secreted from <i>Saccharomyces cerevisiae</i> and produced dependently on oxygen level. 2013 , 8, e73882	12
1288	Mak5 and Ebp2 act together on early pre-60S particles and their reduced functionality bypasses the requirement for the essential pre-60S factor Nsa1. 2013 , 8, e82741	21
1287	Rapidly developing yeast microcolonies differentiate in a similar way to aging giant colonies. 2013 , 2013, 102485	18
1286	Cell morphogenesis proteins are translationally controlled through UTRs by the Ndr/LATS target Ssd1. 2014 , 9, e85212	21
1285	Ist2 in the yeast cortical endoplasmic reticulum promotes trafficking of the amino acid transporter Bap2 to the plasma membrane. 2014 , 9, e85418	7
1284	Extending the <i>Schizosaccharomyces pombe</i> molecular genetic toolbox. 2014 , 9, e97683	39
1283	Timely activation of budding yeast APCCdh1 involves degradation of its inhibitor, Acm1, by an unconventional proteolytic mechanism. 2014 , 9, e103517	5
1282	SPO24 is a transcriptionally dynamic, small ORF-encoding locus required for efficient sporulation in <i>Saccharomyces cerevisiae</i> . 2014 , 9, e105058	5

1281	Construction of a genetic analysis-available multidrug sensitive yeast strain by disruption of the drug efflux system and conditional repression of the membrane barrier system. 2014 , 60, 160-2	7
1280	Reciprocal conversion of Gtr1 and Gtr2 nucleotide-binding states by Npr2-Npr3 inactivates TORC1 and induces autophagy. 2014 , 10, 1565-78	44
1279	Duplication of a promiscuous transcription factor drives the emergence of a new regulatory network. 2014 , 5, 4868	44
1278	Protocols for Monitoring Growth and Lipid Accumulation in Oleaginous Yeasts. 2014 , 153-169	6
1277	Quantification of cytosolic interactions identifies Ede1 oligomers as key organizers of endocytosis. 2014 , 10, 756	30
1276	Integrity of SRP RNA is ensured by La and the nuclear RNA quality control machinery. 2014 , 42, 10698-710	7
1275	Vhs2 is a novel regulator of septin dynamics in budding yeast. 2014 , 13, 1590-601	3
1274	The conserved AAA-ATPase Msp1 confers organelle specificity to tail-anchored proteins. 2014 , 111, 8019-24	118
1273	Transcriptional response of <i>Saccharomyces cerevisiae</i> to potassium starvation. 2014 , 15, 1040	6
1272	The Mon1-Ccz1 GEF activates the Rab7 GTPase Ypt7 via a longin-fold-Rab interface and association with PI3P-positive membranes. 2014 , 127, 1043-51	70
1271	Cdc14 targets the Holliday junction resolvase Yen1 to the nucleus in early anaphase. 2014 , 13, 1392-9	27
1270	Single-cell nucleosome mapping reveals the molecular basis of gene expression heterogeneity. 2014 , 111, E2462-71	78
1269	The C-terminal domains of human neurofibromin and its budding yeast homologs Ira1 and Ira2 regulate the metaphase to anaphase transition. 2014 , 13, 2780-9	12
1268	Opt2 mediates the exposure of phospholipids during cellular adaptation to altered lipid asymmetry. 2015 , 128, 61-9	9
1267	Sequential logic of polarity determination during the haploid-to-diploid transition in <i>Saccharomyces cerevisiae</i> . 2014 , 13, 1393-402	4
1266	Sgo1 recruits PP2A to chromosomes to ensure sister chromatid bi-orientation during mitosis. 2014 , 127, 4974-83	26
1265	Remodeling of secretory compartments creates CUPS during nutrient starvation. 2014 , 207, 695-703	34
1264	Playing RNase P evolution: swapping the RNA catalyst for a protein reveals functional uniformity of highly divergent enzyme forms. 2014 , 10, e1004506	18

1263	The yeast Cyc8-Tup1 complex cooperates with Hda1p and Rpd3p histone deacetylases to robustly repress transcription of the subtelomeric FLO1 gene. 2014 , 1839, 1242-55	28
1262	The expanding functions of cellular helicases: the tombusvirus RNA replication enhancer co-opts the plant eIF4AIII-like AtRH2 and the DDX5-like AtRH5 DEAD-box RNA helicases to promote viral asymmetric RNA replication. 2014 , 10, e1004051	40
1261	A role for eisosomes in maintenance of plasma membrane phosphoinositide levels. 2014 , 25, 2797-806	28
1260	The DEAD-box helicase Ded1 from yeast is an mRNP cap-associated protein that shuttles between the cytoplasm and nucleus. 2014 , 42, 10005-22	32
1259	Mlh2 is an accessory factor for DNA mismatch repair in <i>Saccharomyces cerevisiae</i> . 2014 , 10, e1004327	24
1258	Lifespan extension by methionine restriction requires autophagy-dependent vacuolar acidification. 2014 , 10, e1004347	143
1257	Regulation of Ras localization and cell transformation by evolutionarily conserved palmitoyltransferases. 2014 , 34, 374-85	21
1256	Positive feedback of NDT80 expression ensures irreversible meiotic commitment in budding yeast. 2014 , 10, e1004398	22
1255	Inversion of the chromosomal region between two mating type loci switches the mating type in <i>Hansenula polymorpha</i> . 2014 , 10, e1004796	31
1254	Tracking of the dynamic localization of the Rab-specific HOPS subunits reveal their distinct interaction with Ypt7 and vacuoles. 2014 , 4, e29191	13
1253	Synthetic lethal screen of NAA20, a catalytic subunit gene of NatB N-terminal acetylase in <i>Saccharomyces cerevisiae</i> . 2014 , 52, 842-8	4
1252	A PWWP domain-containing protein targets the NuA3 acetyltransferase complex via histone H3 lysine 36 trimethylation to coordinate transcriptional elongation at coding regions. 2014 , 13, 2883-95	39
1251	Protein quality control at the inner nuclear membrane. 2014 , 516, 410-3	134
1250	Retromer and the dynamin Vps1 cooperate in the retrieval of transmembrane proteins from vacuoles. 2015 , 128, 645-55	36
1249	ER-phagy mediates selective degradation of endoplasmic reticulum independently of the core autophagy machinery. 2014 , 127, 4078-88	174
1248	Hrr25 phosphorylates the autophagic receptor Atg34 to promote vacuolar transport of β -mannosidase under nitrogen starvation conditions. 2014 , 588, 3862-9	28
1247	Primers-4-Yeast: a comprehensive web tool for planning primers for <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2014 , 31, 77-80	3-4 27
1246	Structural identification of the Vps18 β -propeller reveals a critical role in the HOPS complex stability and function. 2014 , 289, 33503-12	10

1245	Calcineurin inhibitors suppress the high-temperature stress sensitivity of the yeast ubiquitin ligase Rsp5 mutant: a new method of screening for calcineurin inhibitors. 2014 , 14, 567-74	8
1244	Involvement of Sac1 phosphoinositide phosphatase in the metabolism of phosphatidylserine in the yeast <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2014 , 31, 145-58	3-4 19
1243	Change in activity of serine palmitoyltransferase affects sensitivity to syringomycin E in yeast <i>Saccharomyces cerevisiae</i> . 2014 , 358, 64-71	13
1242	Tagging endogenous loci for live-cell fluorescence imaging and molecule counting using ZFNs, TALENs, and Cas9. 2014 , 546, 139-60	27
1241	N-terminal acetylation and replicative age affect proteasome localization and cell fitness during aging. 2015 , 128, 109-17	31
1240	A load driver device for engineering modularity in biological networks. 2014 , 32, 1268-75	110
1239	Rapid Depletion of Budding Yeast Proteins via the Fusion of an Auxin-Inducible Degron (AID). 2014 , 64, 20.9.1-16	37
1238	Replication of Plant Viruses. 2014 , 341-421	4
1237	The 14-3-3 protein Bmh1 functions in the spindle position checkpoint by breaking Bfa1 asymmetry at yeast centrosomes. 2014 , 25, 2143-51	19
1236	Evolutionarily conserved genetic interactions with budding and fission yeast MutS identify orthologous relationships in mismatch repair-deficient cancer cells. 2014 , 6, 68	10
1235	Dissecting ribosome assembly and transport in budding yeast. 2014 , 122, 437-61	13
1234	Brr2p carboxy-terminal Sec63 domain modulates Prp16 splicing RNA helicase. 2014 , 42, 13897-910	10
1233	The Vps39-like TRAP1 is an effector of Rab5 and likely the missing Vps3 subunit of human CORVET. 2014 , 4, e970840	26
1232	A TOGL domain specifically targets yeast CLASP to kinetochores to stabilize kinetochore microtubules. 2014 , 205, 555-71	16
1231	The function of ORAOV1/LTO1, a gene that is overexpressed frequently in cancer: essential roles in the function and biogenesis of the ribosome. 2014 , 33, 484-94	27
1230	Unmixing of fluorescence spectra to resolve quantitative time-series measurements of gene expression in plate readers. 2014 , 14, 11	26
1229	Functional characterization of kinetochore protein, Ctf19 in meiosis I: an implication of differential impact of Ctf19 on the assembly of mitotic and meiotic kinetochores in <i>Saccharomyces cerevisiae</i> . 2014 , 91, 1179-99	17
1228	DNA replication and spindle checkpoints cooperate during S phase to delay mitosis and preserve genome integrity. 2014 , 204, 165-75	26

1227	Structural basis of starvation-induced assembly of the autophagy initiation complex. 2014 , 21, 513-21	137
1226	The initiation of clathrin-mediated endocytosis is mechanistically highly flexible. 2014 , 24, 548-54	39
1225	Life-span extension by a metacaspase in the yeast <i>Saccharomyces cerevisiae</i> . 2014 , 344, 1389-92	87
1224	Glutamine methylation in histone H2A is an RNA-polymerase-I-dedicated modification. 2014 , 505, 564-8	149
1223	Molecular mechanism of autophagic membrane-scaffold assembly and disassembly. 2014 , 156, 469-81	162
1222	The N-terminal methionine of cellular proteins as a degradation signal. 2014 , 156, 158-69	117
1221	Coupled GTPase and remodelling ATPase activities form a checkpoint for ribosome export. 2014 , 505, 112-116	97
1220	Cdc48 and a ubiquitin ligase drive disassembly of the CMG helicase at the end of DNA replication. 2014 , 346, 1253596	137
1219	Strep-tag II and Twin-Strep based cassettes for protein tagging by homologous recombination and characterization of endogenous macromolecular assemblies in <i>Saccharomyces cerevisiae</i> . 2014 , 56, 992-1003	8
1218	The INA complex facilitates assembly of the peripheral stalk of the mitochondrial F1Fo-ATP synthase. 2014 , 33, 1624-38	26
1217	Sro7 and Sro77, the yeast homologues of the <i>Drosophila</i> lethal giant larvae (Lgl), regulate cell proliferation via the Rho1-Tor1 pathway. 2014 , 160, 2208-2214	2
1216	Dyskerin, tRNA genes, and condensin tether pericentric chromatin to the spindle axis in mitosis. 2014 , 207, 189-99	26
1215	A visual screen of protein localization during sporulation identifies new components of prospore membrane-associated complexes in budding yeast. 2014 , 13, 383-91	19
1214	Tombusviruses upregulate phospholipid biosynthesis via interaction between p33 replication protein and yeast lipid sensor proteins during virus replication in yeast. 2014 , 471-473, 72-80	28
1213	Interaction between ribosome assembly factors Krr1 and Faf1 is essential for formation of small ribosomal subunit in yeast. 2014 , 289, 22692-22703	21
1212	Fluorescent Methods for Molecular Motors. 2014 ,	
1211	Characterizing the laulimalide-peloruside binding site using site-directed mutagenesis of TUB2 in <i>S. cerevisiae</i> . 2014 , 10, 110-6	0
1210	A memory system of negative polarity cues prevents replicative aging. 2014 , 159, 1056-1069	37

1209	Catalysis-dependent stabilization of Bre1 fine-tunes histone H2B ubiquitylation to regulate gene transcription. 2014 , 28, 1647-52	11
1208	The SAGA coactivator complex acts on the whole transcribed genome and is required for RNA polymerase II transcription. 2014 , 28, 1999-2012	132
1207	The yeast oligopeptide transporter Opt2 is localized to peroxisomes and affects glutathione redox homeostasis. 2014 , 14, 1055-67	25
1206	A DNA-dependent protease involved in DNA-protein crosslink repair. 2014 , 158, 327-338	172
1205	Opposing roles of Ubp3-dependent deubiquitination regulate replicative life span and heat resistance. 2014 , 33, 747-61	37
1204	Comparative proteomics of mitosis and meiosis in <i>Saccharomyces cerevisiae</i> . 2014 , 109, 1-15	9
1203	Autophagic clearance of polyQ proteins mediated by ubiquitin-Atg8 adaptors of the conserved CUET protein family. 2014 , 158, 549-63	231
1202	Elongation factor methyltransferase 3—a novel eukaryotic lysine methyltransferase. 2014 , 451, 229-34	15
1201	Coupled synthesis and translocation restrains polyphosphate to acidocalcisome-like vacuoles and prevents its toxicity. 2014 , 127, 5093-104	70
1200	Hrr25 triggers selective autophagy-related pathways by phosphorylating receptor proteins. 2014 , 207, 91-105	84
1199	Molecular mechanisms that restrict yeast centrosome duplication to one event per cell cycle. 2014 , 24, 1456-66	36
1198	Quality control of plasma membrane proteins by <i>Saccharomyces cerevisiae</i> Nedd4-like ubiquitin ligase Rsp5p under environmental stress conditions. 2014 , 13, 1191-9	13
1197	Regulation of clathrin-mediated endocytosis by dynamic ubiquitination and deubiquitination. 2014 , 24, 951-9	27
1196	Crystal structures of nucleotide-free and glutathione-bound mitochondrial ABC transporter Atm1. 2014 , 343, 1137-40	162
1195	High confidence proteomic analysis of yeast LDs identifies additional droplet proteins and reveals connections to dolichol synthesis and sterol acetylation. 2014 , 55, 1465-77	67
1194	A dynamic interface between vacuoles and mitochondria in yeast. 2014 , 30, 95-102	266
1193	Cellular metabolism regulates contact sites between vacuoles and mitochondria. 2014 , 30, 86-94	237
1192	Stepwise and cooperative assembly of a cytokinetic core complex in <i>Saccharomyces cerevisiae</i> . 2014 , 127, 3614-24	13

1191	Localization microscopy in yeast. 2014 , 123, 253-71	13
1190	Quality control of inner nuclear membrane proteins by the Asi complex. 2014 , 346, 751-5	124
1189	The transcription factors Tec1 and Ste12 interact with coregulators Msa1 and Msa2 to activate adhesion and multicellular development. 2014 , 34, 2283-93	16
1188	Identification of a BET family bromodomain/casein kinase II/TAF-containing complex as a regulator of mitotic condensin function. 2014 , 6, 892-905	9
1187	Yeast phospholipid biosynthesis is linked to mRNA localization. 2014 , 127, 3373-81	9
1186	mRNA localization to P-bodies in yeast is bi-phasic with many mRNAs captured in a late Bfr1p-dependent wave. 2014 , 127, 1254-62	36
1185	The C-terminal Cytosolic Region of Rim21 Senses Alterations in Plasma Membrane Lipid Composition: INSIGHTS INTO SENSING MECHANISMS FOR PLASMA MEMBRANE LIPID ASYMMETRY. 2015 , 290, 30797-805	19
1184	Conserved targeting information in mammalian and fungal peroxisomal tail-anchored proteins. 2015 , 5, 17420	12
1183	VID22 is required for transcriptional activation of the PSD2 gene in the yeast <i>Saccharomyces cerevisiae</i> . 2015 , 472, 319-28	2
1182	Quantitation of yeast cell-cell fusion using multicolor flow cytometry. 2015 , 87, 843-54	2
1181	Simulating an investigative study of clinical cancer samples: use of tissue slides and PCR-based promoter-hypermethylation analysis. 2015 , 43, 39-46	
1180	Expression of Subtelomeric lncRNAs Links Telomeres Dynamics to RNA Decay in. 2015 , 1, 94-126	7
1179	Differential Phosphorylation of RNA Polymerase III and the Initiation Factor TFIIB in <i>Saccharomyces cerevisiae</i> . 2015 , 10, e0127225	19
1178	Competition between Heterochromatic Loci Allows the Abundance of the Silencing Protein, Sir4, to Regulate de novo Assembly of Heterochromatin. 2015 , 11, e1005425	6
1177	Cdc14 Early Anaphase Release, FEAR, Is Limited to the Nucleus and Dispensable for Efficient Mitotic Exit. 2015 , 10, e0128604	12
1176	Subcellular Partitioning of Protein Tyrosine Phosphatase 1B to the Endoplasmic Reticulum and Mitochondria Depends Sensitively on the Composition of Its Tail Anchor. 2015 , 10, e0139429	14
1175	The conserved histone deacetylase Rpd3 and its DNA binding subunit Ume6 control dynamic transcript architecture during mitotic growth and meiotic development. 2015 , 43, 115-28	16
1174	Receptor-mediated selective autophagy degrades the endoplasmic reticulum and the nucleus. 2015 , 522, 359-62	384

1173	Prolonged starvation drives reversible sequestration of lipid biosynthetic enzymes and organelle reorganization in <i>Saccharomyces cerevisiae</i> . 2015 , 26, 1601-15	50
1172	Regulation of lipid droplet dynamics in <i>Saccharomyces cerevisiae</i> depends on the Rab7-like Ypt7p, HOPS complex and V1-ATPase. 2015 , 4, 764-75	30
1171	Eisosomes are dynamic plasma membrane domains showing pil1-lsp1 heteroligomer binding equilibrium. 2015 , 108, 1633-1644	16
1170	Bub3 promotes Cdc20-dependent activation of the APC/C in <i>S. cerevisiae</i> . 2015 , 209, 519-27	14
1169	The seipin complex Fld1/Ldb16 stabilizes ER-lipid droplet contact sites. 2015 , 211, 829-44	126
1168	<i>Candida glabrata</i> : new tools and technologies-expanding the toolkit. 2015 , 15,	19
1167	Control of lipid organization and actin assembly during clathrin-mediated endocytosis by the cytoplasmic tail of the rhomboid protein Rbd2. 2015 , 26, 1509-22	9
1166	Dynamic modulation of Dnmt2-dependent tRNA methylation by the micronutrient queuine. 2015 , 43, 10952-62	53
1165	Compartment-specific aggregases direct distinct nuclear and cytoplasmic aggregate deposition. 2015 , 34, 778-97	176
1164	Global mRNA selection mechanisms for translation initiation. 2015 , 16, 10	68
1163	Two activities of long-chain acyl-coenzyme A synthetase are involved in lipid trafficking between the endoplasmic reticulum and the plastid in <i>Arabidopsis</i> . 2015 , 167, 351-66	83
1162	A proton relay enhances H ₂ O ₂ sensitivity of GAPDH to facilitate metabolic adaptation. 2015 , 11, 156-63	136
1161	Budding yeast Swe1 is involved in the control of mitotic spindle elongation and is regulated by Cdc14 phosphatase during mitosis. 2015 , 290, 1-12	11
1160	Disruption of SUMO-targeted ubiquitin ligases Slx5-Slx8/RNF4 alters RecQ-like helicase Sgs1/BLM localization in yeast and human cells. 2015 , 26, 1-14	19
1159	A protein complex containing Epo1p anchors the cortical endoplasmic reticulum to the yeast bud tip. 2015 , 208, 71-87	17
1158	Regulated eukaryotic DNA replication origin firing with purified proteins. 2015 , 519, 431-5	310
1157	Integrity of the yeast mitochondrial genome, but not its distribution and inheritance, relies on mitochondrial fission and fusion. 2015 , 112, E947-56	46
1156	Glycolysis controls plasma membrane glucose sensors to promote glucose signaling in yeasts. 2015 , 35, 747-57	9

1155	Localization of Atg3 to autophagy-related membranes and its enhancement by the Atg8-family interacting motif to promote expansion of the membranes. 2015 , 589, 744-9	25
1154	Rab5-family guanine nucleotide exchange factors bind retromer and promote its recruitment to endosomes. 2015 , 26, 1119-28	23
1153	Structure of the eukaryotic MCM complex at 3.8 Å 2015 , 524, 186-91	164
1152	Cooperative and selective roles of the WW domains of the yeast Nedd4-like ubiquitin ligase Rsp5 in the recognition of the arrestin-like adaptors Bul1 and Bul2. 2015 , 463, 76-81	8
1151	The histone deacetylase Rpd3/Sin3/Ume6 complex represses an acetate-inducible isoform of VTH2 in fermenting budding yeast cells. 2015 , 589, 924-32	1
1150	Dual-Color Monitoring Overcomes the Limitations of Single Bioluminescent Reporters in Fast-Growing Microbes and Reveals Phase-Dependent Protein Productivity during the Metabolic Rhythms of <i>Saccharomyces cerevisiae</i> . 2015 , 81, 6484-95	4
1149	Ccr4-not regulates RNA polymerase I transcription and couples nutrient signaling to the control of ribosomal RNA biogenesis. 2015 , 11, e1005113	26
1148	Genome-Wide Localization Study of Yeast Pex11 Identifies Peroxisome-Mitochondria Interactions through the ERMES Complex. 2015 , 427, 2072-87	92
1147	Analysis of the interplay of protein biogenesis factors at the ribosome exit site reveals new role for NAC. 2015 , 210, 287-301	22
1146	Optimized sample preparation for single-molecule localization-based superresolution microscopy in yeast. 2015 , 10, 1007-21	21
1145	The 4E-BP Caf20p Mediates Both eIF4E-Dependent and Independent Repression of Translation. 2015 , 11, e1005233	23
1144	Kar1 binding to Sfi1 C-terminal regions anchors the SPB bridge to the nuclear envelope. 2015 , 209, 843-61	19
1143	Ergosteryl-β-glucosidase (Egh1) involved in sterylglucoside catabolism and vacuole formation in <i>Saccharomyces cerevisiae</i> . 2015 , 25, 1079-89	12
1142	Asymmetry of the budding yeast Tem1 GTPase at spindle poles is required for spindle positioning but not for mitotic exit. 2015 , 11, e1004938	15
1141	Redox-regulated dynamic interplay between Cox19 and the copper-binding protein Cox11 in the intermembrane space of mitochondria facilitates biogenesis of cytochrome c oxidase. 2015 , 26, 2385-401	40
1140	The yeast forkhead HCM1 controls life span independent of calorie restriction. 2015 , 70, 444-53	5
1139	ATPase-dependent control of the Mms21 SUMO ligase during DNA repair. 2015 , 13, e1002089	28
1138	Atg13 HORMA domain recruits Atg9 vesicles during autophagosome formation. 2015 , 112, 3350-5	105

1137	An organized co-assembly of clathrin adaptors is essential for endocytosis. 2015 , 33, 150-62	51
1136	Phytochelatin synthase is required for tolerating metal toxicity in a basidiomycete yeast and is a conserved factor involved in metal homeostasis in fungi. 2015 , 2,	24
1135	Probing the closed-loop model of mRNA translation in living cells. 2015 , 12, 248-54	39
1134	Identification of a Rab GTPase-activating protein cascade that controls recycling of the Rab5 GTPase Vps21 from the vacuole. 2015 , 26, 2535-49	27
1133	Hog1 targets Whi5 and Msa1 transcription factors to downregulate cyclin expression upon stress. 2015 , 35, 1606-18	34
1132	Building terpene production platforms in yeast. 2015 , 112, 1854-64	47
1131	Control of mammalian G protein signaling by N-terminal acetylation and the N-end rule pathway. 2015 , 347, 1249-1252	85
1130	Coordinated Ribosomal L4 Protein Assembly into the Pre-Ribosome Is Regulated by Its Eukaryote-Specific Extension. 2015 , 58, 854-62	52
1129	RNA virus replication depends on enrichment of phosphatidylethanolamine at replication sites in subcellular membranes. 2015 , 112, E1782-91	81
1128	PI3P binding by Atg21 organises Atg8 lipidation. 2015 , 34, 955-73	51
1127	Rho1- and Pkc1-dependent phosphorylation of the F-BAR protein Syp1 contributes to septin ring assembly. 2015 , 26, 3245-62	13
1126	The role of Bni5 in the regulation of septin higher-order structure formation. 2015 , 396, 1325-37	11
1125	Proteogenomic Discovery of a Small, Novel Protein in Yeast Reveals a Strategy for the Detection of Unannotated Short Open Reading Frames. 2015 , 14, 5038-47	19
1124	A single cyclin-CDK complex is sufficient for both mitotic and meiotic progression in fission yeast. 2015 , 6, 6871	28
1123	The Thermotolerant Yeast <i>Kluyveromyces marxianus</i> Is a Useful Organism for Structural and Biochemical Studies of Autophagy. 2015 , 290, 29506-18	15
1122	Phosphatidylserine translocation at the yeast trans-Golgi network regulates protein sorting into exocytic vesicles. 2015 , 26, 4674-85	43
1121	Yeast Bud27 modulates the biogenesis of Rpc128 and Rpc160 subunits and the assembly of RNA polymerase III. 2015 , 1849, 1340-53	16
1120	The conserved histone deacetylase Rpd3 and the DNA binding regulator Ume6 repress BOI1's meiotic transcript isoform during vegetative growth in <i>Saccharomyces cerevisiae</i> . 2015 , 96, 861-74	8

1119	Hsp31 Is a Stress Response Chaperone That Intervenes in the Protein Misfolding Process. 2015 , 290, 24816-34	23
1118	Lipids containing medium-chain fatty acids are specific to post-whole genome duplication Saccharomycotina yeasts. 2015 , 15, 97	11
1117	Robust glyoxalase activity of Hsp31, a ThiJ/DJ-1/Pfpl family member protein, is critical for oxidative stress resistance in <i>Saccharomyces cerevisiae</i> . 2015 , 290, 26491-507	56
1116	Architecture of the fungal nuclear pore inner ring complex. 2015 , 350, 56-64	80
1115	Spatiotemporal dynamics of membrane remodeling and fusion proteins during endocytic transport. 2015 , 26, 1357-70	22
1114	SNAREs support atlastin-mediated homotypic ER fusion in <i>Saccharomyces cerevisiae</i> . 2015 , 210, 451-70	14
1113	Evolutionary and functional analysis of the invariant SWIM domain in the conserved Shu2/SWS1 protein family from <i>Saccharomyces cerevisiae</i> to <i>Homo sapiens</i> . 2015 , 199, 1023-33	25
1112	Lipid partitioning at the nuclear envelope controls membrane biogenesis. 2015 , 26, 3641-57	87
1111	Yeast Pmp3p has an important role in plasma membrane organization. 2015 , 128, 3646-59	12
1110	The Exosome Is Recruited to RNA Substrates through Specific Adaptor Proteins. 2015 , 162, 1029-38	126
1109	Ipl1/Aurora-B is necessary for kinetochore restructuring in meiosis I in <i>Saccharomyces cerevisiae</i> . 2015 , 26, 2986-3000	20
1108	Reduction of <i>Saccharomyces cerevisiae</i> Pom34 protein level by SESA network is related to membrane lipid composition. 2015 , 15,	3
1107	Impaired mitochondrial Fe-S cluster biogenesis activates the DNA damage response through different signaling mediators. 2015 , 128, 4653-65	9
1106	Bulk RNA degradation by nitrogen starvation-induced autophagy in yeast. 2015 , 34, 154-68	79
1105	Synthesis of mannosylinositol phosphorylceramides is involved in maintenance of cell integrity of yeast <i>Saccharomyces cerevisiae</i> . 2015 , 95, 706-22	15
1104	Assays for the biochemical and ultrastructural measurement of selective and nonselective types of autophagy in the yeast <i>Saccharomyces cerevisiae</i> . 2015 , 75, 141-50	28
1103	Blocking endocytotic mechanisms to improve heterologous protein titers in <i>Saccharomyces cerevisiae</i> . 2015 , 112, 376-85	15
1102	Mitochondrial Bol1 and Bol3 function as assembly factors for specific iron-sulfur proteins. 2016 , 5,	73

1101	Vacuolar amino acid transporters upregulated by exogenous proline and involved in cellular localization of proline in <i>Saccharomyces cerevisiae</i> . 2016 , 62, 132-9	12
1100	Timely Endocytosis of Cytokinetic Enzymes Prevents Premature Spindle Breakage during Mitotic Exit. 2016 , 12, e1006195	4
1099	The Degradation Pathway of the Mitophagy Receptor Atg32 Is Re-Routed by a Posttranslational Modification. 2016 , 11, e0168518	13
1098	Yeast lacking the amphiphysin family protein Rvs167 is sensitive to disruptions in sphingolipid levels. 2016 , 283, 2911-28	9
1097	Recruitment of Mcm10 to Sites of Replication Initiation Requires Direct Binding to the Minichromosome Maintenance (MCM) Complex. 2016 , 291, 5879-5888	33
1096	Genetic engineering and molecular characterization of yeast strain expressing hybrid human-yeast squalene synthase as a tool for anti-cholesterol drug assessment. 2016 , 120, 877-88	2
1095	SAGA DUB-Ubp8 Deubiquitylates Centromeric Histone Variant Cse4. 2015 , 6, 287-98	21
1094	Tryptophan biosynthesis is important for resistance to replicative stress in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2016 , 33, 183-9	3-4 10
1093	The Sec1/Munc18 Protein Groove Plays a Conserved Role in Interaction with Sec9p/SNAP-25. 2016 , 17, 131-53	6
1092	Current Research Topics in Plant Virology. 2016 ,	6
1091	Pre-40S ribosome biogenesis factor Tsr1 is an inactive structural mimic of translational GTPases. 2016 , 7, 11789	29
1090	Deciphering how LIP2 and POX2 promoters can optimally regulate recombinant protein production in the yeast <i>Yarrowia lipolytica</i> . 2016 , 15, 159	30
1089	Organelle acidification negatively regulates vacuole membrane fusion in vivo. 2016 , 6, 29045	16
1088	A role for the yeast CLIP170 ortholog, the plus-end-tracking protein Bik1, and the Rho1 GTPase in Snc1 trafficking. 2016 , 129, 3332-41	5
1087	Control of gene expression for the study of neurodegenerative disorders: a proof-of-principle experimental study. 2016 , 49, 8-13	3
1086	Genetic and biochemical evidences reveal novel insights into the mechanism underlying Sae2-mediated abrogation of DNA replication stress. 2016 , 41, 615-641	5
1085	Sgs1's roles in DNA end resection, HJ dissolution, and crossover suppression require a two-step SUMO regulation dependent on Smc5/6. 2016 , 30, 1339-56	38
1084	Ole1, fatty acid desaturase, is required for Atg9 delivery and isolation membrane expansion during autophagy in <i>Saccharomyces cerevisiae</i> . 2017 , 6, 35-40	13

1083	Higher-order assemblies of oligomeric cargo receptor complexes form the membrane scaffold of the Cvt vesicle. 2016 , 17, 1044-60	20
1082	The zinc cluster proteins Upc2 and Ecm22 promote filamentation in <i>Saccharomyces cerevisiae</i> by sterol biosynthesis-dependent and -independent pathways. 2016 , 99, 512-27	12
1081	The Budding Yeast Ubiquitin Protease Ubp7 Is a Novel Component Involved in S Phase Progression. 2016 , 291, 4442-52	6
1080	Doa1 targets ubiquitinated substrates for mitochondria-associated degradation. 2016 , 213, 49-63	47
1079	Chromatin dynamics during DNA replication. 2016 , 26, 1245-56	37
1078	Production of Protein Complexes in Non-methylotrophic and Methylotrophic Yeasts : Nonmethylotrophic and Methylotrophic Yeasts. 2016 , 896, 137-53	4
1077	Regulation of a Spindle Positioning Factor at Kinetochores by SUMO-Targeted Ubiquitin Ligases. 2016 , 36, 415-27	18
1076	The Functional Role of eL19 and eB12 Intersubunit Bridge in the Eukaryotic Ribosome. 2016 , 428, 2203-16	7
1075	Gene Expression Systems in Fungi: Advancements and Applications. 2016 ,	7
1074	Control of eukaryotic phosphate homeostasis by inositol polyphosphate sensor domains. 2016 , 352, 986-90	280
1073	Real-time monitoring of basal H ₂ O ₂ levels with peroxiredoxin-based probes. 2016 , 12, 437-43	130
1072	A Complex of Htm1 and the Oxidoreductase Pdi1 Accelerates Degradation of Misfolded Glycoproteins. 2016 , 291, 12195-207	22
1071	Oms1 associates with cytochrome c oxidase assembly intermediates to stabilize newly synthesized Cox1. 2016 , 27, 1570-80	3
1070	Prp8 retinitis pigmentosa mutants cause defects in the transition between the catalytic steps of splicing. 2016 , 22, 793-809	16
1069	Co-transcriptional degradation by the 5'-3' exonuclease Rat1p mediates quality control of HXK1 mRNP biogenesis in <i>S. cerevisiae</i> . 2016 , 13, 582-92	3
1068	Quantitative Analysis of Dynamic Protein Interactions during Transcription Reveals a Role for Casein Kinase II in Polymerase-associated Factor (PAF) Complex Phosphorylation and Regulation of Histone H2B Monoubiquitylation. 2016 , 291, 13410-20	10
1067	The Aurora-B-dependent NoCut checkpoint prevents damage of anaphase bridges after DNA replication stress. 2016 , 18, 516-26	35
1066	Yeast Expression Systems for Industrial Biotechnology. 2016 , 227-237	1

1065	Identification of Substrates of Protein-Group SUMOylation. 2016 , 1475, 219-31	12
1064	Vtc5, a Novel Subunit of the Vacuolar Transporter Chaperone Complex, Regulates Polyphosphate Synthesis and Phosphate Homeostasis in Yeast. 2016 , 291, 22262-22275	45
1063	SUMO. 2016 ,	
1062	A Concentration-Dependent Liquid Phase Separation Can Cause Toxicity upon Increased Protein Expression. 2016 , 16, 222-231	122
1061	Characterization of proteome dynamics during growth in oleate reveals a new peroxisome-targeting receptor. 2016 , 129, 4067-4075	37
1060	Mitochondrial Protein Synthesis Adapts to Influx of Nuclear-Encoded Protein. 2016 , 167, 471-483.e10	97
1059	Molecular Diversity of Terpene Synthases in the Liverwort <i>Marchantia polymorpha</i> . 2016 , 28, 2632-2650	36
1058	The Essential Neo1 Protein from Budding Yeast Plays a Role in Establishing Aminophospholipid Asymmetry of the Plasma Membrane. 2016 , 291, 15727-39	37
1057	Control of Formin Distribution and Actin Cable Assembly by the E3 Ubiquitin Ligases Dma1 and Dma2. 2016 , 204, 205-20	8
1056	Identification of New Fungal Peroxisomal Matrix Proteins and Revision of the PTS1 Consensus. 2016 , 17, 1110-24	22
1055	The decapping activator Edc3 and the Q/N-rich domain of Lsm4 function together to enhance mRNA stability and alter mRNA decay pathway dependence in <i>Saccharomyces cerevisiae</i> . 2016 , 5, 1388-1399	5
1054	Kar9 controls the nucleocytoplasmic distribution of yeast EB1. 2016 , 15, 2860-2866	1
1053	Neo1 and phosphatidylethanolamine contribute to vacuole membrane fusion in. 2016 , 6, e1228791	22
1052	Interaction of the cotranslational Hsp70 Ssb with ribosomal proteins and rRNA depends on its lid domain. 2016 , 7, 13563	28
1051	<i>Saccharomyces cerevisiae</i> TORC1 Controls Histone Acetylation by Signaling Through the Sit4/PP6 Phosphatase to Regulate Sirtuin Deacetylase Nuclear Accumulation. 2016 , 203, 1733-46	17
1050	The conserved protein Dre2 uses essential [2Fe-2S] and [4Fe-4S] clusters for its function in cytosolic iron-sulfur protein assembly. 2016 , 473, 2073-85	29
1049	Yeast membrane proteomics using leucine metabolic labelling: Bioinformatic data processing and exemplary application to the ER-intramembrane protease Ypf1. 2016 , 1864, 1363-71	4
1048	Ribosome-stalk biogenesis is coupled with recruitment of nuclear-export factor to the nascent 60S subunit. 2016 , 23, 1074-1082	24

1047	Yeast cells reveal the misfolding and the cellular mislocalization of the human BRCA1 protein. 2016 , 129, 4366-4378	1
1046	Dual mechanisms regulate the recruitment of spindle assembly checkpoint proteins to the budding yeast kinetochore. 2016 , 27, 3405-3417	15
1045	Fluorescent Labeling of Proteins in Whole Cell Extracts for Single-Molecule Imaging. 2016 , 581, 83-104	6
1044	DNA Instability Maintains the Repeat Length of the Yeast RNA Polymerase II C-terminal Domain. 2016 , 291, 11540-50	7
1043	Ribosome-Associated Mba1 Escorts Cox2 from Insertion Machinery to Maturing Assembly Intermediates. 2016 , 36, 2782-2793	16
1042	Histone H3 and TORC1 prevent organelle dysfunction and cell death by promoting nuclear retention of HMGB proteins. 2016 , 9, 34	6
1041	Phosphopeptide binding by Sld3 links Dbf4-dependent kinase to MCM replicative helicase activation. 2016 , 35, 961-73	73
1040	Concerted removal of the Erb1-Ytm1 complex in ribosome biogenesis relies on an elaborate interface. 2016 , 44, 926-39	19
1039	Engineering of synthetic, stress-responsive yeast promoters. 2016 , 44, e136	76
1038	Specific requirements of nonbilayer phospholipids in mitochondrial respiratory chain function and formation. 2016 , 27, 2161-71	40
1037	Num1 anchors mitochondria to the plasma membrane via two domains with different lipid binding specificities. 2016 , 213, 513-24	48
1036	Roles of the Nfu Fe-S targeting factors in the trypanosome mitochondrion. 2016 , 46, 641-51	7
1035	The K ⁺ -dependent GTPase Nug1 is implicated in the association of the helicase Dbp10 to the immature peptidyl transferase centre during ribosome maturation. 2016 , 44, 1800-12	18
1034	Peroxisins Pex30 and Pex29 Dynamically Associate with Reticulons to Regulate Peroxisome Biogenesis from the Endoplasmic Reticulum. 2016 , 291, 15408-27	33
1033	The Shu complex promotes error-free tolerance of alkylation-induced base excision repair products. 2016 , 44, 8199-215	15
1032	Polyphosphate is involved in cell cycle progression and genomic stability in <i>Saccharomyces cerevisiae</i> . 2016 , 101, 367-80	39
1031	Phosphatidylserine transport by Ups2-Mdm35 in respiration-active mitochondria. 2016 , 214, 77-88	51
1030	DNA damage induced by the anticodon nuclease from a <i>Pichia acaciae</i> killer strain is linked to ribonucleotide reductase depletion. 2016 , 18, 211-22	4

1029	Protein cofactor competition regulates the action of a multifunctional RNA helicase in different pathways. 2016 , 13, 320-30	24
1028	The Atg1-kinase complex tethers Atg9-vesicles to initiate autophagy. 2016 , 7, 10338	88
1027	Incomplete proteasomal degradation of green fluorescent proteins in the context of tandem fluorescent protein timers. 2016 , 27, 360-70	46
1026	Defects in Mitochondrial Iron-Sulfur Cluster Assembly Induce Cysteine S-Polythiolation on Iron-Sulfur Apoproteins. 2016 , 25, 28-40	4
1025	New integrative modules for multicolor-protein labeling and live-cell imaging in <i>Saccharomyces cerevisiae</i> . 2016 , 16,	14
1024	Expression homeostasis during DNA replication. 2016 , 351, 1087-90	61
1023	Role of Viral RNA and Co-opted Cellular ESCRT-I and ESCRT-III Factors in Formation of Tombusvirus Spherules Harboring the Tombusvirus Replicase. 2016 , 90, 3611-26	40
1022	The alternate AP-1 adaptor subunit Apm2 interacts with the Mil1 regulatory protein and confers differential cargo sorting. 2016 , 27, 588-98	9
1021	One library to make them all: streamlining the creation of yeast libraries via a SWAp-Tag strategy. 2016 , 13, 371-378	96
1020	Conserved and Diverged Functions of the Calcineurin-Activated Prz1 Transcription Factor in Fission Yeast. 2016 , 202, 1365-75	8
1019	Mitochondrial disease genes COA6, COX6B and SCO2 have overlapping roles in COX2 biogenesis. 2016 , 25, 660-71	33
1018	Optogenetics. 2016 ,	2
1017	Conditional Budding Yeast Mutants with Temperature-Sensitive and Auxin-Inducible Degrons for Screening of Suppressor Genes. 2016 , 1369, 257-78	
1016	Starvation Induces Proteasome Autophagy with Different Pathways for Core and Regulatory Particles. 2016 , 291, 3239-53	75
1015	Nitric oxide signaling and its role in oxidative stress response in <i>Schizosaccharomyces pombe</i> . 2016 , 52, 29-40	23
1014	A synthetic gene circuit for measuring autoregulatory feedback control. 2016 , 8, 546-55	7
1013	Architecture of the Rix1-Rea1 checkpoint machinery during pre-60S-ribosome remodeling. 2016 , 23, 37-44	71
1012	Dynamic relocation of the TORC1-Gtr1/2-Ego1/2/3 complex is regulated by Gtr1 and Gtr2. 2016 , 27, 382-96	45

1011	Vba4p, a vacuolar membrane protein, is involved in the drug resistance and vacuolar morphology of <i>Saccharomyces cerevisiae</i> . 2016 , 80, 279-87	9
1010	Yeast Cytokinesis. 2016 ,	1
1009	Control of meiotic pairing and recombination by chromosomally tethered 26S proteasome. 2017 , 355, 408-411	57
1008	Cell wall synthesis and central carbohydrate metabolism are interconnected by the SNF1/Mig1 pathway in <i>Kluyveromyces lactis</i> . 2017 , 96, 70-81	8
1007	Coupling phenotypic persistence to DNA damage increases genetic diversity in severe stress. 2017 , 1, 16	28
1006	Retromer-driven membrane tubulation separates endosomal recycling from Rab7/Ypt7-dependent fusion. 2017 , 28, 783-791	25
1005	The InVivo Architecture of the Exocyst Provides Structural Basis for Exocytosis. 2017 , 168, 400-412.e18	53
1004	Genetic evidence for functional interaction of Smc5/6 complex and Top1 with spatial frequency of replication origins required for maintenance of chromosome stability. 2017 , 63, 765-776	5
1003	Identifying protein kinase-specific effectors of the osmostress response in yeast. 2017 , 10,	19
1002	Engineering the ribosomal DNA in a megabase synthetic chromosome. 2017 , 355,	99
1001	Proteomic Analysis of the Mediator Complex Interactome in <i>Saccharomyces cerevisiae</i> . 2017 , 7, 43584	16
1000	Molecular basis for protection of ribosomal protein L4 from cellular degradation. 2017 , 8, 14354	21
999	Monoubiquitylation of histone H2B contributes to the bypass of DNA damage during and after DNA replication. 2017 , 114, E2205-E2214	26
998	Zinc starvation induces autophagy in yeast. 2017 , 292, 8520-8530	40
997	Formation of a Snf1-Mec1-Atg1 Module on Mitochondria Governs Energy Deprivation-Induced Autophagy by Regulating Mitochondrial Respiration. 2017 , 41, 59-71.e4	41
996	Quantitative high-content imaging identifies novel regulators of Neo1 trafficking at endosomes. 2017 , 28, 1539-1550	21
995	The SWI/SNF ATP-dependent nucleosome remodeler promotes resection initiation at a DNA double-strand break in yeast. 2017 , 45, 5887-5900	26
994	Alterations in cellular metabolism triggered by or inactivation cause imbalanced dNTP pools and increased mutagenesis. 2017 , 114, E4442-E4451	21

993	Copper transporters are responsible for copper isotopic fractionation in eukaryotic cells. 2017 , 7, 44533	36
992	An TORC1 Kinase Assay That Recapitulates the Gtr-Independent Glutamine-Responsive TORC1 Activation Mechanism on Yeast Vacuoles. 2017 , 37,	36
991	The Rapid Evolution of an Ohnolog Contributes to the Ecological Specialization of Incipient Yeast Species. 2017 , 34, 2173-2186	10
990	smFRET experiments of the RNA polymerase II transcription initiation complex. 2017 , 120, 115-124	1
989	The Mitotic Exit Network Regulates Spindle Pole Body Selection During Sporulation of. 2017 , 206, 919-937	13
988	Improved α -Amylase Production by Dephosphorylation Mutation of CreD, an Arrestin-Like Protein Required for Glucose-Induced Endocytosis of Maltose Permease and Carbon Catabolite Derepression in <i>Aspergillus oryzae</i> . 2017 , 83,	9
987	Meiotic Centromere Coupling and Pairing Function by Two Separate Mechanisms in <i>Saccharomyces cerevisiae</i> . 2017 , 205, 657-671	8
986	Fusion, fission, and transport control asymmetric inheritance of mitochondria and protein aggregates. 2017 , 216, 2481-2498	26
985	Ctf4 Prevents Genome Rearrangements by Suppressing DNA Double-Strand Break Formation and Its End Resection at Arrested Replication Forks. 2017 , 66, 533-545.e5	29
984	Methods to Assess Autophagy and Chronological Aging in Yeast. 2017 , 588, 367-394	15
983	Evidence of a Prion-Like Transmission of p53 Amyloid in <i>Saccharomyces cerevisiae</i> . 2017 , 37,	6
982	Development of an Optogenetic Tool to Regulate Protein Stability In Vivo. 118-131	
981	H3K36 Methylation Regulates Nutrient Stress Response in <i>Saccharomyces cerevisiae</i> by Enforcing Transcriptional Fidelity. 2017 , 19, 2371-2382	35
980	Mitophagy in Yeast: A Screen of Mitophagy-Deficient Mutants. 2018 , 1759, 95-104	1
979	Recycling of iron via autophagy is critical for the transition from glycolytic to respiratory growth. 2017 , 292, 8533-8543	17
978	The motor activity of DNA2 functions as an ssDNA translocase to promote DNA end resection. 2017 , 31, 493-502	32
977	Protein Kinase C Controls Binding of Igo/ENSA Proteins to Protein Phosphatase 2A in Budding Yeast. 2017 , 292, 4925-4941	11
976	Ppn2, a novel Zn-dependent polyphosphatase in the acidocalcisome-like yeast vacuole. 2017 , 130, 1625-1636	39

975	An mRNA decapping mutant deficient in P body assembly limits mRNA stabilization in response to osmotic stress. 2017 , 7, 44395		15
974	The septin-associated kinase Gin4 recruits Gps1 to the site of cell division. 2017 , 28, 883-889		6
973	Conserved role for Gga proteins in phosphatidylinositol 4-kinase localization to the -Golgi network. 2017 , 114, 3433-3438		16
972	Development of a Synthetic Switch to Control Protein Stability in Eukaryotic Cells with Light. 2017 , 1596, 241-255		5
971	Microtubule-associated proteins, Bik1 and Bim1, are required for faithful partitioning of the endogenous 2 micron plasmids in budding yeast. 2017 , 103, 1046-1064		12
970	Trm140 has two recognition modes for 3-methylcytidine modification of the anticodon loop of tRNA substrates. 2017 , 23, 406-419		32
969	Induction of autophagy by phosphate starvation in an Atg11-dependent manner in <i>Saccharomyces cerevisiae</i> . 2017 , 483, 522-527		18
968	Sexual pheromone modulates the frequency of cytosolic Ca bursts in. 2017 , 28, 501-510		15
967	Identification of the fitness determinants of budding yeast on a natural substrate. 2017 , 11, 959-971		13
966	Stabilization of the metaphase spindle by Cdc14 is required for recombinational DNA repair. 2017 , 36, 79-101		16
965	Proteolytic processing of the <i>Saccharomyces cerevisiae</i> cell wall protein Scw4 regulates its activity and influences its covalent binding to glucan. 2017 , 1864, 507-515		9
964	Pex35 is a regulator of peroxisome abundance. 2017 , 130, 791-804		17
963	N-ICE plasmids for generating N-terminal 3 ×FLAG tagged genes that allow inducible, constitutive or endogenous expression in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2017 , 34, 223-235	3-4	9
962	Cytosolic Protein Vms1 Links Ribosome Quality Control to Mitochondrial and Cellular Homeostasis. 2017 , 171, 890-903.e18		86
961	A tethering complex drives the terminal stage of SNARE-dependent membrane fusion. 2017 , 551, 634-638		67
960	Live Cell Imaging in Fission Yeast. 2017 , 2017, pdb.top090621		6
959	Ecm22 and Upc2 regulate yeast mating through control of expression of the mating genes PRM1 and PRM4. 2017 , 493, 1485-1490		2
958	Kynurenine aminotransferase activity of Aro8/Aro9 engage tryptophan degradation by producing kynurenic acid in <i>Saccharomyces cerevisiae</i> . 2017 , 7, 12180		20

957	A conserved signaling network monitors delivery of sphingolipids to the plasma membrane in budding yeast. 2017 , 28, 2589-2599	13
956	Membrane scission driven by the PROPPIN Atg18. 2017 , 36, 3274-3291	39
955	Autophagy induction under carbon starvation conditions is negatively regulated by carbon catabolite repression. 2017 , 292, 19905-19918	32
954	Evidence for ESCRT- and clathrin-dependent microautophagy. 2017 , 216, 3263-3274	88
953	Mitochondria-driven assembly of a cortical anchor for mitochondria and dynein. 2017 , 216, 3061-3071	25
952	Personalised Medicine: Genome Maintenance Lessons Learned from Studies in Yeast as a Model Organism. 2017 , 1007, 157-178	7
951	Exploitation of a surrogate host, <i>Saccharomyces cerevisiae</i> , to identify cellular targets and develop novel antiviral approaches. 2017 , 26, 132-140	15
950	Hormesis enables cells to handle accumulating toxic metabolites during increased energy flux. 2017 , 13, 674-686	20
949	Genome-Scale Genetic Interactions and Cell Imaging Confirm Cytokinesis as Deleterious to Transient Topoisomerase II Deficiency in. 2017 , 7, 3379-3391	5
948	A cell cycle-independent mode of the Rad9-Dpb11 interaction is induced by DNA damage. 2017 , 7, 11650	11
947	Distinct roles of the polarity factors Boi1 and Boi2 in the control of exocytosis and abscission in budding yeast. 2017 , 28, 3082-3094	11
946	Firing of Replication Origins Frees Dbf4-Cdc7 to Target Eco1 for Destruction. 2017 , 27, 2849-2855.e2	9
945	Cytosine deamination and base excision repair cause R-loop-induced CAG repeat fragility and instability in. 2017 , 114, E8392-E8401	46
944	Redundant Functions for Nap1 and Chz1 in H2A.Z Deposition. 2017 , 7, 10791	9
943	SAGA Is a General Cofactor for RNA Polymerase II Transcription. 2017 , 68, 130-143.e5	109
942	Interrogation of β -tubulin alleles using high-resolution fitness measurements reveals a distinct cytoplasmic function in spindle alignment. 2017 , 7, 11398	7
941	Vps13-Mcp1 interact at vacuole-mitochondria interfaces and bypass ER-mitochondria contact sites. 2017 , 216, 3219-3229	86
940	A Defective mRNA Cleavage and Polyadenylation Complex Facilitates Expansions of Transcribed (GAA) Repeats Associated with Friedreich's Ataxia. 2017 , 20, 2490-2500	13

939	Profiling Ssb-Nascent Chain Interactions Reveals Principles of Hsp70-Assisted Folding. 2017 , 170, 298-311.e20	87
938	Budding yeast Wee1 distinguishes spindle pole bodies to guide their pattern of age-dependent segregation. 2017 , 19, 941-951	16
937	Mitochondrial Cochaperone Mge1 Is Involved in Regulating Susceptibility to Fluconazole in and Species. 2017 , 8,	18
936	Methionine synthase is localized to the nucleus in and and to the cytoplasm in. 2017 , 292, 14730-14746	4
935	Mutations in PMR1 stimulate xylose isomerase activity and anaerobic growth on xylose of engineered <i>Saccharomyces cerevisiae</i> by influencing manganese homeostasis. 2017 , 7, 46155	44
934	Error-Prone Splicing Controlled by the Ubiquitin Relative Hub1. 2017 , 67, 423-432.e4	15
933	The cell polarity proteins Boi1p and Boi2p stimulate vesicle fusion at the plasma membrane of yeast cells. 2017 , 130, 2996-3008	14
932	Ubiquitination of stalled ribosome triggers ribosome-associated quality control. 2017 , 8, 159	147
931	Pwp2 mediates UTP-B assembly via two structurally independent domains. 2017 , 7, 3169	5
930	The SAGA complex, together with transcription factors and the endocytic protein Rvs167p, coordinates the reprofiling of gene expression in response to changes in sterol composition in. 2017 , 28, 2637-2649	5
929	A diacidic motif determines unconventional secretion of wild-type and ALS-linked mutant SOD1. 2017 , 216, 2691-2700	27
928	Polyphosphate is a key factor for cell survival after DNA damage in eukaryotic cells. 2017 , 57, 171-178	15
927	Visualizing the Assembly Pathway of Nucleolar Pre-60S Ribosomes. 2017 , 171, 1599-1610.e14	83
926	Preribosomes escaping from the nucleus are caught during translation by cytoplasmic quality control. 2017 , 24, 1107-1115	25
925	Cooperative function of Fmp30, Mdm31, and Mdm32 in Ups1-independent cardiolipin accumulation in the yeast <i>Saccharomyces cerevisiae</i> . 2017 , 7, 16447	12
924	Sequential phosphorylation of CST subunits by different cyclin-Cdk1 complexes orchestrate telomere replication. 2017 , 16, 1271-1287	14
923	Efficient genome editing by CRISPR/Cas9 with a tRNA-sgRNA fusion in the methylotrophic yeast <i>Ogataea polymorpha</i> . 2017 , 124, 487-492	31
922	Characterization of spindle pole body duplication reveals a regulatory role for nuclear pore complexes. 2017 , 216, 2425-2442	20

921	The Mitotic Exit Network. 2017 ,		3
920	Analysis of Protein-Protein Interactions Between MEN Components. 2017 , 1505, 81-88		
919	Analysis of SUMOylation in the RENT Complex by Fusion to a SUMO-Specific Protease Domain. 2017 , 1505, 97-117		4
918	Asc1p/RACK1 Connects Ribosomes to Eukaryotic Phosphosignaling. 2017 , 37,		22
917	Analysis of the Localization of MEN Components by Live Cell Imaging Microscopy. 2017 , 1505, 151-166		2
916	Ubiquitination of ERMES components by the E3 ligase Rsp5 is involved in mitophagy. 2017 , 13, 114-132		32
915	Asymmetric Localization of Components and Regulators of the Mitotic Exit Network at Spindle Pole Bodies. 2017 , 1505, 183-193		2
914	Smc5/6 complex regulates Sgs1 recombination functions. 2017 , 63, 381-388		12
913	The regulatable MAL32 promoter in <i>Saccharomyces cerevisiae</i> : characteristics and tools to facilitate its use. <i>Yeast</i> , 2017 , 34, 39-49	3-4	7
912	Cargo selectivity of yeast sorting nexins. 2017 , 18, 110-122		31
911	Interplay between Top1 and Mms21/Nse2 mediated sumoylation in stable maintenance of long chromosomes. 2017 , 63, 627-645		8
910	INA complex liaises the FF-ATP synthase membrane motor modules. 2017 , 8, 1237		18
909	Interdependent action of KH domain proteins Krr1 and Dim2 drive the 40S platform assembly. 2017 , 8, 2213		16
908	Bypass of Activation Loop Phosphorylation by Aspartate 836 in Activation of the Endoribonuclease Activity of Ire1. 2017 , 37,		12
907	A reference-based protein degradation assay without global translation inhibitors. 2017 , 292, 21457-21465		11
906	Upregulation of SPS100 gene expression by an antisense RNA via a switch of mRNA isoforms with different stabilities. 2017 , 45, 11144-11158		4
905	Sas3 and Ada2(Gcn5)-dependent histone H3 acetylation is required for transcription elongation at the de-repressed FLO1 gene. 2017 , 45, 4413-4430		22
904	Yeast cells contain a heterogeneous population of peroxisomes that segregate asymmetrically during cell division. 2018 , 131,		19

903	Enhanced sodium acetate tolerance in <i>Saccharomyces cerevisiae</i> by the Thr255Ala mutation of the ubiquitin ligase Rsp5. 2017 , 17,	7
902	Rapid Screening Method for Phenolic Off-Flavor (POF) Production in Yeast. 2017 , 75, 318-323	16
901	Targeting of the Fun30 nucleosome remodeller by the Dpb11 scaffold facilitates cell cycle-regulated DNA end resection. 2017 , 6,	34
900	Evolution of reduced co-activator dependence led to target expansion of a starvation response pathway. 2017 , 6,	13
899	CRISPR-UnLOCK: Multipurpose Cas9-Based Strategies for Conversion of Yeast Libraries and Strains. 2017 , 8, 1773	11
898	The Coordinated Action of Calcineurin and Cathepsin D Protects Against β -Synuclein Toxicity. 2017 , 10, 207	17
897	COPI mediates recycling of an exocytic SNARE by recognition of a ubiquitin sorting signal. 2017 , 6,	33
896	Heat stress promotes longevity in budding yeast by relaxing the confinement of age-promoting factors in the mother cell. 2017 , 6,	21
895	A method for labeling proteins with tags at the native genomic loci in budding yeast. 2017 , 12, e0176184	8
894	Structural and functional mapping of Rtg2p determinants involved in retrograde signaling and aging of <i>Saccharomyces cerevisiae</i> . 2017 , 12, e0177090	6
893	Mpp10 represents a platform for the interaction of multiple factors within the 90S pre-ribosome. 2017 , 12, e0183272	11
892	Quantitative Assay of Macroautophagy Using Pho8 ⁶⁰ Assay and GFP-Cleavage Assay in Yeast. 2017 , 588, 307-321	5
891	Regulation of transcription elongation in response to osmostress. 2017 , 13, e1007090	10
890	Dual role of starvation signaling in promoting growth and recovery. 2017 , 15, e2002039	8
889	Atg4 proteolytic activity can be inhibited by Atg1 phosphorylation. 2017 , 8, 295	43
888	Lack of 14-3-3 proteins in <i>Saccharomyces cerevisiae</i> results in cell-to-cell heterogeneity in the expression of Pho4-regulated genes SPL2 and PHO84. 2017 , 18, 701	6
887	Metabolic differentiation of surface and invasive cells of yeast colony biofilms revealed by gene expression profiling. 2017 , 18, 814	12
886	Structure of a eukaryotic cytoplasmic pre-40S ribosomal subunit. 2018 , 37,	45

885	Analysis of the thresholds for transcriptional activation by the yeast MAP kinases Fus3 and Kss1. 2018 , 29, 669-682	6
884	Unattached kinetochores drive their own capturing by sequestering a CLASP. 2018 , 9, 886	4
883	Control of vacuole membrane homeostasis by a resident PI-3,5-kinase inhibitor. 2018 , 115, 4684-4689	11
882	Repeat-Specific Functions for the C-Terminal Domain of RNA Polymerase II in Budding Yeast. 2018 , 8, 1593-1601	4
881	An interplay between Shugoshin and Spo13 for centromeric cohesin protection and sister kinetochore mono-orientation during meiosis I in <i>Saccharomyces cerevisiae</i> . 2018 , 64, 1141-1152	6
880	Spatial orchestration of mitochondrial translation and OXPHOS complex assembly. 2018 , 20, 528-534	57
879	Genomewide mechanisms of chronological longevity by dietary restriction in budding yeast. 2018 , 17, e12749	20
878	Differential abundance and transcription of 14-3-3 proteins during vegetative growth and sexual reproduction in budding yeast. 2018 , 8, 2145	1
877	Brr6 and Brl1 locate to nuclear pore complex assembly sites to promote their biogenesis. 2018 , 217, 877-894	26
876	Structural and functional analysis of ribosome assembly factor Efg1. 2018 , 46, 2096-2106	8
875	Cells Escape an Operational Mitotic Checkpoint through a Stochastic Process. 2018 , 28, 28-37.e7	7
874	The Chromatin Remodeler Isw1 Prevents CAG Repeat Expansions During Transcription in. 2018 , 208, 963-976	10
873	Set2 methyltransferase facilitates cell cycle progression by maintaining transcriptional fidelity. 2018 , 46, 1331-1344	14
872	Cell Size and Growth Rate Are Modulated by TORC2-Dependent Signals. 2018 , 28, 196-210.e4	21
871	Mps1 promotes chromosome meiotic chromosome biorientation through Dam1. 2018 , 29, 479-489	8
870	Overexpression of PDR16 confers resistance to complex sphingolipid biosynthesis inhibitor aureobasidin A in yeast <i>Saccharomyces cerevisiae</i> . 2018 , 365,	6
869	Activation of Rab GTPase Sec4 by its GEF Sec2 is required for prospore membrane formation during sporulation in yeast <i>Saccharomyces cerevisiae</i> . 2018 , 18,	3
868	Sit4p-mediated dephosphorylation of Atp2p regulates ATP synthase activity and mitochondrial function. 2018 , 1859, 591-601	8

867	Mapping Degradation Signals and Pathways in a Eukaryotic N-terminome. 2018 , 70, 488-501.e5	40
866	Development of a yeast heterologous expression cassette based on the promoter and terminator elements of the translational elongation factor 1 β gene. 2018 , 8, 203	
865	Transformation of <i>Diplonema papillatum</i> , the type species of the highly diverse and abundant marine microeukaryotes Diplonemida (Euglenozoa). 2018 , 20, 1030-1040	14
864	ESCRT-III is required for scissioning new peroxisomes from the endoplasmic reticulum. 2018 , 217, 2087-2102	34
863	Daughter-cell-specific modulation of nuclear pore complexes controls cell cycle entry during asymmetric division. 2018 , 20, 432-442	21
862	Combining Structure-Function and Single-Molecule Studies on Cytoplasmic Dynein. 2018 , 1665, 53-89	11
861	Sde2 is an intron-specific pre-mRNA splicing regulator activated by ubiquitin-like processing. 2018 , 37, 89-101	21
860	Nitric oxide prevents Aft1 activation and metabolic remodeling in frataxin-deficient yeast. 2018 , 14, 131-141	7
859	Intertwined control of the cell cycle and nucleocytoplasmic transport by the cyclin-dependent kinase Pho85 and RanGTPase Gsp1 in <i>Saccharomyces cerevisiae</i> . 2018 , 206, 168-176	4
858	Failed mitochondrial import and impaired proteostasis trigger SUMOylation of mitochondrial proteins. 2018 , 293, 599-609	13
857	Regulation of lipid droplets by metabolically controlled Ldo isoforms. 2018 , 217, 127-138	59
856	Identification of seipin-linked factors that act as determinants of a lipid droplet subpopulation. 2018 , 217, 269-282	75
855	Protective role of the HOG pathway against the growth defect caused by impaired biosynthesis of complex sphingolipids in yeast <i>Saccharomyces cerevisiae</i> . 2018 , 107, 363-386	14
854	Interaction of the <i>Saccharomyces cerevisiae</i> RING-domain protein Nse1 with Nse3 and the Smc5/6 complex is required for chromosome replication and stability. 2018 , 64, 599-617	6
853	The chaperone Chs7 forms a stable complex with Chs3 and promotes its activity at the cell surface. 2018 , 19, 285-295	4
852	Evidence of Promoting Sister Kinetochores Mono-orientation During Meiosis in Budding Yeast. 2018 , 8, 3691-3701	6
851	Formyl-methionine as an N-degron of a eukaryotic N-end rule pathway. 2018 , 362,	43
850	Porin proteins have critical functions in mitochondrial phospholipid metabolism in yeast. 2018 , 293, 17593-17605	

849	Structural Basis of Membrane Protein Chaperoning through the Mitochondrial Intermembrane Space. 2018 , 175, 1365-1379.e25	59
848	Casein Kinase II Phosphorylation of Spt6 Enforces Transcriptional Fidelity by Maintaining Spn1-Spt6 Interaction. 2018 , 25, 3476-3489.e5	9
847	A Visual Framework for Classifying Determinants of Cell Size. 2018 , 25, 3519-3529.e2	6
846	RNA helicases mediate structural transitions and compositional changes in pre-ribosomal complexes. 2018 , 9, 5383	15
845	Suppressor mutations in Rpf2-Rrs1 or Rpl5 bypass the Cgr1 function for pre-ribosomal 5S RNP-rotation. 2018 , 9, 4094	9
844	Structural insight into precursor tRNA processing by yeast ribonuclease P. 2018 , 362,	39
843	Direct membrane binding and self-interaction contribute to Mmr1 function in mitochondrial inheritance. 2018 , 29, 2346-2357	6
842	Structural and functional analysis of Utp24, an endonuclease for processing 18S ribosomal RNA. 2018 , 13, e0195723	3
841	Centromeres License the Mitotic Condensation of Yeast Chromosome Arms. 2018 , 175, 780-795.e15	17
840	Regulatory control of DNA end resection by Sae2 phosphorylation. 2018 , 9, 4016	41
839	A systems biology approach to explore the impact of maple tree dormancy release on sap variation and maple syrup quality. 2018 , 8, 14658	7
838	Phosphorylation of Histone H4T80 Triggers DNA Damage Checkpoint Recovery. 2018 , 72, 625-635.e4	15
837	The AAA ATPase Afg1 preserves mitochondrial fidelity and cellular health by maintaining mitochondrial matrix proteostasis. 2018 , 131,	6
836	Single-Molecule Analysis Reveals Linked Cycles of RSC Chromatin Remodeling and Ace1p Transcription Factor Binding in Yeast. 2018 , 72, 875-887.e9	29
835	Induction of Ptp2 and Cmp2 protein phosphatases is crucial for the adaptive response to ER stress in <i>Saccharomyces cerevisiae</i> . 2018 , 8, 13078	6
834	A ZIP1 separation-of-function allele reveals that centromere pairing drives meiotic segregation of achiasmate chromosomes in budding yeast. 2018 , 14, e1007513	4
833	Knockout of the Hmt1p Arginine Methyltransferase in Leads to the Dysregulation of Phosphate-associated Genes and Processes. 2018 , 17, 2462-2479	5
832	Cargo induces retromer-mediated membrane remodeling on membranes. 2018 , 29, 2709-2719	16

831	Multiple Parameters Drive the Efficiency of CRISPR/Cas9-Induced Gene Modifications in <i>Yarrowia lipolytica</i> . 2018 , 430, 4293-4306	12
830	Molecular basis for disassembly of an importin:ribosomal protein complex by the escortin Tsr2. 2018 , 9, 3669	11
829	Dot1 promotes H2B ubiquitination by a methyltransferase-independent mechanism. 2018 , 46, 11251-11261	15
828	The Swr1 chromatin-remodeling complex prevents genome instability induced by replication fork progression defects. 2018 , 9, 3680	14
827	An ER surface retrieval pathway safeguards the import of mitochondrial membrane proteins in yeast. 2018 , 361, 1118-1122	69
826	Assembly-hub function of ER-localized SNARE proteins in biogenesis of tombusvirus replication compartment. 2018 , 14, e1007028	26
825	Influence of Fluorescent Protein Maturation on FRET Measurements in Living Cells. 2018 , 3, 1735-1742	18
824	Cotranslational assembly of protein complexes in eukaryotes revealed by ribosome profiling. 2018 , 561, 268-272	160
823	The conserved RNA recognition motif and C3H1 domain of the Not4 ubiquitin ligase regulate in vivo ligase function. 2018 , 8, 8163	8
822	Identifying and characterizing SCRaMbLED synthetic yeast using ReSCuES. 2018 , 9, 1930	62
821	The C-terminal region of the yeast monocarboxylate transporter Jen1 acts as a glucose signal-responding degron recognized by the arrestin Rod1. 2018 , 293, 10926-10936	13
820	Mannosylinositol phosphorylceramides and ergosterol coordinately maintain cell wall integrity in the yeast <i>Saccharomyces cerevisiae</i> . 2018 , 285, 2405-2427	16
819	Atg9 establishes Atg2-dependent contact sites between the endoplasmic reticulum and phagophores. 2018 , 217, 2743-2763	114
818	Introducing fluorescence resonance energy transfer-based biosensors for the analysis of cAMP-PKA signalling in the fungal pathogen <i>Candida glabrata</i> . 2018 , 20, e12863	10
817	Genetic dissection of the signaling pathway required for the cell wall integrity checkpoint. 2018 , 131,	3
816	Proteasome Activity Is Influenced by the HECT_2 Protein Ipa1 in Budding Yeast. 2018 , 209, 157-171	9
815	Molecular mechanism to target the endosomal Mon1-Ccz1 GEF complex to the pre-autophagosomal structure. 2018 , 7,	40
814	Cyc8p and Tup1p transcription regulators antagonistically regulate Flo11p expression and complexity of yeast colony biofilms. 2018 , 14, e1007495	13

813	The genetic landscape of a physical interaction. 2018 , 7,	67
812	Quantitative Biology of Endocytosis. 2018 , 4, i-74	6
811	The Lsm1-7/Pat1 complex binds to stress-activated mRNAs and modulates the response to hyperosmotic shock. 2018 , 14, e1007563	16
810	Seipin and the membrane-shaping protein Pex30 cooperate in organelle budding from the endoplasmic reticulum. 2018 , 9, 2939	74
809	The contributions of the actin machinery to endocytic membrane bending and vesicle formation. 2018 , 29, 1346-1358	36
808	A highly efficient, one-step purification of the Hsp70 chaperone Ssa1. 2018 , 152, 56-63	
807	Deregulation of the G1/S-phase transition is the proximal cause of mortality in old yeast mother cells. 2018 , 32, 1075-1084	26
806	Systematic Nanoscale Analysis of Endocytosis Links Efficient Vesicle Formation to Patterned Actin Nucleation. 2018 , 174, 884-896.e17	99
805	The Enzymatic Core of the Parkinson's Disease-Associated Protein LRRK2 Impairs Mitochondrial Biogenesis in Aging Yeast. 2018 , 11, 205	11
804	Conditional accumulation of toxic tRNAs to cause amino acid misincorporation. 2018 , 46, 7831-7843	14
803	Lateral plasma membrane compartmentalization links protein function and turnover. 2018 , 37,	30
802	Genome-wide SWAp-Tag yeast libraries for proteome exploration. 2018 , 15, 617-622	71
801	Genome-wide C-SWAT library for high-throughput yeast genome tagging. 2018 , 15, 598-600	25
800	The role of mitochondria in anchoring dynein to the cell cortex extends beyond clustering the anchor protein. 2018 , 17, 1345-1357	11
799	Competitive organelle-specific adaptors recruit Vps13 to membrane contact sites. 2018 , 217, 3593-3607	74
798	Modulation of TORC2 Signaling by a Conserved Lkb1 Signaling Axis in Budding Yeast. 2018 , 210, 155-170	9
797	Tombusvirus RNA replication depends on the TOR pathway in yeast and plants. 2018 , 519, 207-222	13
796	PCYT1A Regulates Phosphatidylcholine Homeostasis from the Inner Nuclear Membrane in Response to Membrane Stored Curvature Elastic Stress. 2018 , 45, 481-495.e8	54

795	Role of Kip2 during early mitosis - impact on spindle pole body separation and chromosome capture. 2018 , 131,	0
794	Prolonged cyclin-dependent kinase inhibition results in septin perturbations during return to growth and mitosis. 2018 , 217, 2429-2443	5
793	SNARE-mediated membrane fusion arrests at pore expansion to regulate the volume of an organelle. 2018 , 37,	24
792	Autophagy gene overexpression in <i>Saccharomyces cerevisiae</i> perturbs subcellular organellar function and accumulates ROS to accelerate cell death with relevance to sparkling wine production. 2018 , 102, 8447-8464	5
791	Mitophagy. 2018 ,	
790	Clathrin-Mediated Endocytosis. 2018 ,	
789	Reconstitution reveals Ykt6 as the autophagosomal SNARE in autophagosome-vacuole fusion. 2018 , 217, 3656-3669	59
788	Investigating the long-term stability of protein immunogen(s) for whole recombinant yeast-based vaccines. 2018 , 18,	10
787	Functional Analysis of the Yeast LINC Complex Using Fluctuation Spectroscopy and Super-Resolution Imaging. 2018 , 1840, 137-161	6
786	N-terminal Acetylation Levels Are Maintained During Acetyl-CoA Deficiency in. 2018 , 17, 2309-2323	11
785	A novel in vitro assay reveals SNARE topology and the role of Ykt6 in autophagosome fusion with vacuoles. 2018 , 217, 3670-3682	46
784	Low Ctr1p, due to lack of Sco1p results in lowered cisplatin uptake and mediates insensitivity of rho0 yeast to cisplatin. 2018 , 187, 14-24	5
783	Vps39 Interacts with Tom40 to Establish One of Two Functionally Distinct Vacuole-Mitochondria Contact Sites. 2018 , 45, 621-636.e7	67
782	Tuning Vector Stability and Integration Frequency Elevates Functional GPCR Production and Homogeneity in <i>Saccharomyces cerevisiae</i> . 2018 , 7, 1763-1772	3
781	Ethanolamine ameliorates mitochondrial dysfunction in cardiolipin-deficient yeast cells. 2018 , 293, 10870-10880	0
780	Structural and functional analysis of mRNA export regulation by the nuclear pore complex. 2018 , 9, 2319	32
779	Spt6 Association with RNA Polymerase II Directs mRNA Turnover During Transcription. 2018 , 70, 1054-1066.e420	0
778	The Hsp90 isoforms from <i>S. cerevisiae</i> differ in structure, function and client range. 2019 , 10, 3626	13

777	Degradation of integral membrane proteins modified with the photosensitive degron module requires the cytosolic endoplasmic reticulum-associated degradation pathway. 2019 , 30, 2558-2570	4
776	iDamage: a method to integrate modified DNA into the yeast genome. 2019 , 47, e124	3
775	Ddc2ATRIP promotes Mec1ATR activation at RPA-ssDNA tracts. 2019 , 15, e1008294	6
774	Compartmentalized Synthesis of Triacylglycerol at the Inner Nuclear Membrane Regulates Nuclear Organization. 2019 , 50, 755-766.e6	28
773	Thermophile 90S Pre-ribosome Structures Reveal the Reverse Order of Co-transcriptional 18S rRNA Subdomain Integration. 2019 , 75, 1256-1269.e7	26
772	Syntaxin 5 Is Required for the Formation and Clearance of Protein Inclusions during Proteostatic Stress. 2019 , 28, 2096-2110.e8	10
771	Strain Lacking Mitochondrial IF3 Shows Increased Levels of Tma19p during Adaptation to Respiratory Growth. 2019 , 8,	1
770	The hypoxic expression of the glucose transporter RAG1 reveals the role of the bHLH transcription factor Sck1 as a novel hypoxic modulator in <i>Kluyveromyces lactis</i> . 2019 , 19,	2
769	Selective ribosome profiling to study interactions of translating ribosomes in yeast. 2019 , 14, 2279-2317	16
768	Atg11 tethers Atg9 vesicles to initiate selective autophagy. 2019 , 17, e3000377	20
767	Multisite phosphorylation code of CDK. 2019 , 26, 649-658	29
766	Comprehensive and quantitative analysis of G1 cyclins. A tool for studying the cell cycle. 2019 , 14, e0218531	4
765	Pooled clone collections by multiplexed CRISPR-Cas12a-assisted gene tagging in yeast. 2019 , 10, 2960	10
764	FRET Microscopy in Yeast. 2019 , 9,	10
763	Inactivation of folylpolyglutamate synthetase Met7 results in genome instability driven by an increased dUTP/dTTP ratio. 2020 , 48, 264-277	4
762	Co-opting the fermentation pathway for tombusvirus replication: Compartmentalization of cellular metabolic pathways for rapid ATP generation. 2019 , 15, e1008092	10
761	Cellular sequestrases maintain basal Hsp70 capacity ensuring balanced proteostasis. 2019 , 10, 4851	25
760	Flocculation of <i>Saccharomyces cerevisiae</i> is dependent on activation of Slt2 and Rlm1 regulated by the cell wall integrity pathway. 2019 , 112, 1350-1369	5

759	Ste20 and Cla4 modulate the expression of the glycerol biosynthesis enzyme Gpd1 by a novel MAPK-independent pathway. 2019 , 517, 611-616	0
758	Yeast PAF1 complex counters the pol III accumulation and replication stress on the tRNA genes. 2019 , 9, 12892	5
757	Spontaneous whole-genome duplication restores fertility in interspecific hybrids. 2019 , 10, 4126	20
756	Structural Basis of Mitochondrial Scaffolds by Prohibitin Complexes: Insight into a Role of the Coiled-Coil Region. 2019 , 19, 1065-1078	32
755	SUMO-Chain-Regulated Proteasomal Degradation Timing Exemplified in DNA Replication Initiation. 2019 , 76, 632-645.e6	20
754	PP4 phosphatase cooperates in recombinational DNA repair by enhancing double-strand break end resection. 2019 , 47, 10706-10727	7
753	Impact of two neighbouring ribosomal protein clusters on biogenesis factor binding and assembly of yeast late small ribosomal subunit precursors. 2019 , 14, e0203415	4
752	The DNA Damage Checkpoint and the Spindle Position Checkpoint Maintain Meiotic Commitment in <i>Saccharomyces cerevisiae</i> . 2019 , 29, 449-460.e2	3
751	Gyp1 has a dual function as Ypt1 GAP and interaction partner of Atg8 in selective autophagy. 2019 , 15, 1031-1050	6
750	Effect of Sec61 interaction with Mpd1 on endoplasmic reticulum-associated degradation. 2019 , 14, e0211180	4
749	Mutagenesis of Snu114 domain IV identifies a developmental role in meiotic splicing. 2019 , 16, 185-195	
748	Division of labour: tRNA methylation by the NSun2 tRNA methyltransferases Trm4a and Trm4b in fission yeast. 2019 , 16, 249-256	7
747	Acetyl-CoA carboxylase 1-dependent lipogenesis promotes autophagy downstream of AMPK. 2019 , 294, 12020-12039	13
746	Sumoylation regulates the stability and nuclease activity of Dna2. 2019 , 2, 174	6
745	Structure and function of Vms1 and Arb1 in RQC and mitochondrial proteome homeostasis. 2019 , 570, 538-542	35
744	Using Cell Cycle-Restricted Alleles to Study the Chromatin Dynamics and Functions of the Structural Maintenance of Chromosomes (SMC) Complexes In Vivo. 2019 , 2004, 3-16	
743	Mitochondrial protein translocation-associated degradation. 2019 , 569, 679-683	113
742	Cus2 enforces the first ATP-dependent step of splicing by binding to yeast SF3b1 through a UHM-ULM interaction. 2019 , 25, 1020-1037	12

741	Tsr4 and Nap1, two novel members of the ribosomal protein chaperOME. 2019 , 47, 6984-7002	15
740	Cyclin-Specific Docking Mechanisms Reveal the Complexity of M-CDK Function in the Cell Cycle. 2019 , 75, 76-89.e3	29
739	A MICOS-TIM22 Association Promotes Carrier Import into Human Mitochondria. 2019 , 431, 2835-2851	30
738	Molecular Basis for poly(A) RNP Architecture and Recognition by the Pan2-Pan3 Deadenylation. 2019 , 177, 1619-1631.e21	26
737	Aurora B-INCENP Localization at Centromeres/Inner Kinetochores Is Required for Chromosome Bi-orientation in Budding Yeast. 2019 , 29, 1536-1544.e4	32
736	Quantitative analysis of the yeast pheromone pathway. <i>Yeast</i> , 2019 , 36, 495-518	3-4 9
735	Aspirin impairs acetyl-coenzyme A metabolism in redox-compromised yeast cells. 2019 , 9, 6152	4
734	Perturbation of mRNP biogenesis reveals a dynamic landscape of the Rrp6-dependent surveillance machinery trafficking along the yeast genome. 2019 , 16, 879-889	6
733	Analysis of the roles of phosphatidylinositol-4,5-phosphate and individual subunits in assembly, localization, and function of target of rapamycin complex 2. 2019 , 30, 1555-1574	7
732	Quantitative Characterization of β Synuclein Aggregation in Living Cells through Automated Microfluidics Feedback Control. 2019 , 27, 916-927.e5	21
731	Engineered SUMO/protease system identifies Pdr6 as a bidirectional nuclear transport receptor. 2019 , 218, 2006-2020	6
730	Interaction of the late endo-lysosomal lipid PI(3,5)P2 with the Vph1 isoform of yeast V-ATPase increases its activity and cellular stress tolerance. 2019 , 294, 9161-9171	17
729	Clathrin Adaptor Complex-interacting Protein Irc6 Functions through the Conserved C-Terminal Domain. 2019 , 9, 4436	0
728	Mitochondrial protein-induced stress triggers a global adaptive transcriptional programme. 2019 , 21, 442-451	84
727	Sequential Ubiquitination of Ribosomal Protein uS3 Triggers the Degradation of Non-functional 18S rRNA. 2019 , 26, 3400-3415.e7	33
726	Nuclear proteasomal degradation of <i>Saccharomyces cerevisiae</i> inorganic pyrophosphatase Ipp1p, a nucleocytoplasmic protein whose stability depends on its subcellular localization. 2019 , 1866, 1019-1033	4
725	Promethin Is a Conserved Seipin Partner Protein. 2019 , 8,	35
724	Outer kinetochore protein Dam1 promotes centromere clustering in parallel with Slk19 in budding yeast. 2019 , 128, 133-148	2

723	Asymmetric distribution of glucose transporter mRNA provides a growth advantage in yeast. 2019 , 38,	3
722	Reliable imaging of ATP in living budding and fission yeast. 2019 , 132,	14
721	Mitochondrial AAA-ATPase Msp1 detects mislocalized tail-anchored proteins through a dual-recognition mechanism. 2019 , 20,	19
720	Characterization of Pch2 localization determinants reveals a nucleolar-independent role in the meiotic recombination checkpoint. 2019 , 128, 297-316	10
719	The Co-chaperone Cns1 and the Recruiter Protein Hgh1 Link Hsp90 to Translation Elongation via Chaperoning Elongation Factor 2. 2019 , 74, 73-87.e8	13
718	Apd1 and Aim32 Are Prototypes of Bishistidinyl-Coordinated Non-Rieske [2Fe-2S] Proteins. 2019 , 141, 5753-5765	14
717	Optogenetic Downregulation of Protein Levels with an Ultrasensitive Switch. 2019 , 8, 1026-1036	15
716	The Endoplasmic Reticulum-Mitochondria Encounter Structure Complex Coordinates Coenzyme Q Biosynthesis. 2019 , 2, 2515256418825409	23
715	Following Anterograde Transport of Phosphatidylserine in Yeast in Real Time. 2019 , 1949, 35-46	3
714	A collection of barcoded natural isolates of <i>Saccharomyces paradoxus</i> to study microbial evolutionary ecology. 2018 , 8, e773	4
713	Excessive Cell Growth Causes Cytoplasm Dilution And Contributes to Senescence. 2019 , 176, 1083-1097.e18	144
712	Dual Role of Mitochondrial Porin in Metabolite Transport across the Outer Membrane and Protein Transfer to the Inner Membrane. 2019 , 73, 1056-1065.e7	27
711	A systematic genetic screen identifies essential factors involved in nuclear size control. 2019 , 15, e1007929	18
710	Sfp1 links TORC1 and cell growth regulation to the yeast SAGA-complex component Tra1 in response to polyQ proteotoxicity. 2019 , 20, 267-283	2
709	Quantitative sensing and signalling of single-stranded DNA during the DNA damage response. 2019 , 10, 944	17
708	The flavonoid 4,4'-dimethoxychalcone promotes autophagy-dependent longevity across species. 2019 , 10, 651	62
707	COPII vesicles contribute to autophagosomal membranes. 2019 , 218, 1503-1510	49
706	Analysis of autophagy activated during changes in carbon source availability in yeast cells. 2019 , 294, 5590-5603	13

705	YFR016c/Aip5 is part of an actin nucleation complex in yeast. 2019 , 8,	5
704	Hyperoxidation of mitochondrial peroxiredoxin limits H ₂ O ₂ -induced cell death in yeast. 2019 , 38, e101552	25
703	Spatiotemporal dissection of the -Golgi network in budding yeast. 2019 , 132,	16
702	Functional Interactions of Ribosomal Intersubunit Bridges in. 2019 , 213, 1329-1339	2
701	A Conserved PP2A Regulatory Subunit Enforces Proportional Relationships Between Cell Size and Growth Rate. 2019 , 213, 517-528	4
700	Vac8 spatially confines autophagosome formation at the vacuole in. 2019 , 132,	25
699	Tricalbins Contribute to Cellular Lipid Flux and Form Curved ER-PM Contacts that Are Bridged by Rod-Shaped Structures. 2019 , 51, 488-502.e8	40
698	Rpd3L and Hda1 histone deacetylases facilitate repair of broken forks by promoting sister chromatid cohesion. 2019 , 10, 5178	8
697	The Heat Shock Response in Yeast Maintains Protein Homeostasis by Chaperoning and Replenishing Proteins. 2019 , 29, 4593-4607.e8	33
696	RNase H1 and H2 Are Differentially Regulated to Process RNA-DNA Hybrids. 2019 , 29, 2890-2900.e5	40
695	The S phase checkpoint promotes the Smc5/6 complex dependent SUMOylation of Pol2, the catalytic subunit of DNA polymerase α 2019 , 15, e1008427	4
694	A SUMO-dependent pathway controls elongating RNA Polymerase II upon UV-induced damage. 2019 , 9, 17914	2
693	Sumoylation of Smc5 Promotes Error-free Bypass at Damaged Replication Forks. 2019 , 29, 3160-3172.e4	5
692	Rpd3L Contributes to the DNA Damage Sensitivity of Checkpoint Mutants. 2019 , 211, 503-513	8
691	Avidity-driven polarity establishment via multivalent lipid-GTPase module interactions. 2019 , 38,	18
690	Overexpression of branched-chain amino acid aminotransferases rescues the growth defects of cells lacking the Barth syndrome-related gene TAZ1. 2019 , 97, 269-279	2
689	Collided ribosomes form a unique structural interface to induce Hel2-driven quality control pathways. 2019 , 38,	124
688	Interactome of the yeast RNA polymerase III transcription machinery constitutes several chromatin modifiers and regulators of the genes transcribed by RNA polymerase II. 2019 , 702, 205-214	4

687	Ribosomal protein eL24, involved in two intersubunit bridges, stimulates translation initiation and elongation. 2019 , 47, 406-420	6
686	Septin-associated proteins Aim44 and Nis1 traffic between the bud neck and the nucleus in the yeast <i>Saccharomyces cerevisiae</i> . 2019 , 76, 15-32	5
685	N-terminal acetylation and the N-end rule pathway control degradation of the lipid droplet protein PLIN2. 2019 , 294, 379-388	27
684	A conserved mechanism for mitochondria-dependent dynein anchoring. 2019 , 30, 691-702	12
683	A genetic screen pinpoints ribonucleotide reductase residues that sustain dNTP homeostasis and specifies a highly mutagenic type of dNTP imbalance. 2019 , 47, 237-252	10
682	A Mammalian Mitophagy Receptor, Bcl2-L-13, Recruits the ULK1 Complex to Induce Mitophagy. 2019 , 26, 338-345.e6	44
681	Nutrient Signaling via the TORC1-Greatwall-PP2A Pathway Is Responsible for the High Initial Rates of Alcoholic Fermentation in Sake Yeast Strains of <i>Saccharomyces cerevisiae</i> . 2019 , 85,	8
680	Dhh1 is a member of the SESA network. <i>Yeast</i> , 2019 , 36, 99-105	3-4 0
679	Developmental regulation of an organelle tether coordinates mitochondrial remodeling in meiosis. 2019 , 218, 559-579	20
678	Yeast genetic interaction screens in the age of CRISPR/Cas. 2019 , 65, 307-327	17
677	Mrx6 regulates mitochondrial DNA copy number in by engaging the evolutionarily conserved Lon protease Pim1. 2020 , 31, 527-545	9
676	An Early mtUPR: Redistribution of the Nuclear Transcription Factor Rox1 to Mitochondria Protects against Intramitochondrial Proteotoxic Aggregates. 2020 , 77, 180-188.e9	30
675	The NADH Dehydrogenase Nde1 Executes Cell Death after Integrating Signals from Metabolism and Proteostasis on the Mitochondrial Surface. 2020 , 77, 189-202.e6	24
674	Interconversion between Anticipatory and Active GID E3 Ubiquitin Ligase Conformations via Metabolically Driven Substrate Receptor Assembly. 2020 , 77, 150-163.e9	26
673	Stress-induced upregulation of the ubiquitin-relative Hub1 modulates pre-mRNA splicing and facilitates cadmium tolerance in <i>Saccharomyces cerevisiae</i> . 2020 , 1867, 118565	4
672	Processing of DNA Polymerase-Blocking Lesions during Genome Replication Is Spatially and Temporally Segregated from Replication Forks. 2020 , 77, 3-16.e4	29
671	Splicing Defects of the Profilin Gene Alter Actin Dynamics in an <i>S. pombe</i> SMN Mutant. 2020 , 23, 100809	4
670	Acyl-CoA-binding protein (ACBP): a phylogenetically conserved appetite stimulator. 2020 , 11, 7	20

669	Development of a yeast model to study the contribution of vacuolar polyphosphate metabolism to lysine polyphosphorylation. 2020 , 295, 1439-1451	10
668	Crosstalk of Phosphorylation and Arginine Methylation in Disordered SRGG Repeats of <i>Saccharomyces cerevisiae</i> Fibrillar and Its Association with Nucleolar Localization. 2020 , 432, 448-466	14
667	A AAA ATPase Cdc48 with a cofactor Ubx2 facilitates ubiquitylation of a mitochondrial fusion-promoting factor Fzo1 for proteasomal degradation. 2020 , 167, 279-286	10
666	ESCRT machinery mediates selective microautophagy of endoplasmic reticulum in yeast. 2020 , 39, e102586	45
665	Evolution of Substrates and Components of the Pro/N-Degron Pathway. 2020 , 59, 582-593	6
664	Autophagy facilitates adaptation of budding yeast to respiratory growth by recycling serine for one-carbon metabolism. 2020 , 11, 5052	7
663	Transcriptional upregulation of proteasome activator Blm10 antagonizes cellular aging. 2020 , 532, 211-218	4
662	Yeast homologs of human MCUR1 regulate mitochondrial proline metabolism. 2020 , 11, 4866	9
661	Exofacial membrane composition and lipid metabolism regulates plasma membrane P4-ATPase substrate specificity. 2020 , 295, 17997-18009	4
660	C-Terminal Motifs of the MTW1 Complex Cooperatively Stabilize Outer Kinetochores in Budding Yeast. 2020 , 32, 108190	4
659	Single-Color Fluorescence Lifetime Cross-Correlation Spectroscopy In Vivo. 2020 , 119, 1359-1370	5
658	Interaction of RSC Chromatin Remodeling Complex with Nucleosomes Is Modulated by H3 K14 Acetylation and H2B SUMOylation In Vivo. 2020 , 23, 101292	6
657	Precise Replacement of Proteasome Genes with Human Orthologs by an Integrative Targeting Method. 2020 , 10, 3189-3200	1
656	Construction of the Central Protuberance and L1 Stalk during 60S Subunit Biogenesis. 2020 , 79, 615-628.e5	13
655	A rapid approach for in locus overexpression of <i>Trypanosoma brucei</i> proteins. 2020 , 239, 111300	1
654	CDK-mediated Yku80 Phosphorylation Regulates the Balance Between Non-homologous End Joining (NHEJ) and Homologous Directed Recombination (HDR). 2020 , 432, 166715	3
653	A Systematic Protein Turnover Map for Decoding Protein Degradation. 2020 , 33, 108378	7
652	Ribosomal protein S7 ubiquitination during ER stress in yeast is associated with selective mRNA translation and stress outcome. 2020 , 10, 19669	3

651	ESCRT recruitment by the inner nuclear membrane protein Heh1 is regulated by Hub1-mediated alternative splicing. 2020 , 133,	6
650	Rapid turnover of transcription factor Rim101 confirms a flexible adaptation mechanism against environmental stress in <i>Saccharomyces cerevisiae</i> . 2020 , 25, 651-662	1
649	Gene Transcription as a Limiting Factor in Protein Production and Cell Growth. 2020 , 10, 3229-3242	3
648	Bringing rafts to life: Lessons learned from lipid organization across diverse biological membranes. 2020 , 233, 104984	2
647	Structure of the TFIIC subcomplex β provides insights into RNA polymerase III pre-initiation complex formation. 2020 , 11, 4905	7
646	SWR1-Independent Association of H2A.Z to the LINC Complex Promotes Meiotic Chromosome Motion. 2020 , 8, 594092	3
645	Epigenetic Mechanisms Contribute to Evolutionary Adaptation of Gene Network Activity under Environmental Selection. 2020 , 33, 108306	3
644	Tagging the proteasome active site β causes tag specific phenotypes in yeast. 2020 , 10, 18133	2
643	The N-Terminal Region of Yeast Protein Phosphatase Ppz1 Is a Determinant for Its Toxicity. 2020 , 21,	0
642	Ecological Advantages and Evolutionary Limitations of Aggregative Multicellular Development. 2020 , 30, 4155-4164.e6	13
641	RNA-binding and prion domains: the Yin and Yang of phase separation. 2020 , 48, 9491-9504	21
640	Potassium starvation induces autophagy in yeast. 2020 , 295, 14189-14202	3
639	Conserved Ark1-related kinases function in a TORC2 signaling network. 2020 , 31, 2057-2069	1
638	Uptake of exogenous serine is important to maintain sphingolipid homeostasis in <i>Saccharomyces cerevisiae</i> . 2020 , 16, e1008745	6
637	The intermembrane space protein Mix23 is a novel stress-induced mitochondrial import factor. 2020 , 295, 14686-14697	5
636	Extensive 5'-surveillance guards against non-canonical NAD-caps of nuclear mRNAs in yeast. 2020 , 11, 5508	9
635	Characterization of <i>Plasmodium falciparum</i> NEDD8 and identification of cullins as its substrates. 2020 , 10, 20220	2
634	Identification of MLH2/hPMS1 dominant mutations that prevent DNA mismatch repair function. 2020 , 3, 751	3

633	Mutational Analysis of the Nsa2 N-Terminus Reveals Its Essential Role in Ribosomal 60S Subunit Assembly. 2020 , 21,	0
632	Proline-Rich Motifs Control G2-CDK Target Phosphorylation and Priming an Anchoring Protein for Polo Kinase Localization. 2020 , 31, 107757	9
631	Hsp90 Co-chaperones Form Plastic Genetic Networks Adapted to Client Maturation. 2020 , 32, 108063	12
630	Osh6 requires Ist2 for localization to ER-PM contacts and efficient phosphatidylserine transport in budding yeast. 2020 , 133,	21
629	Budding yeast complete DNA synthesis after chromosome segregation begins. 2020 , 11, 2267	10
628	Mitochondrial Fusion Machinery Specifically Involved in Energy Deprivation-Induced Autophagy. 2020 , 8, 221	4
627	One cysteine is enough: A monothiol Grx can functionally replace all cytosolic Trx and dithiol Grx. 2020 , 36, 101598	10
626	Functional characteristics of Svl3 and Pam1 that are required for proper cell wall formation in yeast cells. <i>Yeast</i> , 2020 , 37, 359-371	3-4
625	Relocation of Collapsed Forks to the Nuclear Pore Complex Depends on Sumoylation of DNA Repair Proteins and Permits Rad51 Association. 2020 , 31, 107635	24
624	Peroxisomal targeting of a protein phosphatase type 2C via mitochondrial transit. 2020 , 11, 2355	8
623	Cdc24 interacts with septins to create a positive feedback loop during bud site assembly in yeast. 2020 , 133,	6
622	Growth-Dependent Activation of Protein Kinases Suggests a Mechanism for Measuring Cell Growth. 2020 , 215, 729-746	2
621	Phosphorylation of the RecQ Helicase Sgs1/BLM Controls Its DNA Unwinding Activity during Meiosis and Mitosis. 2020 , 53, 706-723.e5	14
620	C-Terminal HA Tags Compromise Function and Exacerbate Phenotypes of Bloom's Helicase Homolog Sgs1 SUMOylation-Associated Mutants. 2020 , 10, 2811-2818	2
619	An Essential and Cell-Cycle-Dependent ORC Dimerization Cycle Regulates Eukaryotic Chromosomal DNA Replication. 2020 , 30, 3323-3338.e6	6
618	RQT complex dissociates ribosomes collided on endogenous RQC substrate SDD1. 2020 , 27, 323-332	39
617	Transcription Factor Binding to Replicated DNA. 2020 , 30, 3989-3995.e4	8
616	CATS: Cas9-assisted tag switching. A high-throughput method for exchanging genomic peptide tags in yeast. 2020 , 21, 221	2

615	A heat-sensitive Osh protein controls PI4P polarity. 2020 , 18, 28	5
614	Cell Distribution within Yeast Colonies and Colony Biofilms: How Structure Develops. 2020 , 21,	4
613	PP2A dephosphorylates Pds1 and inhibits spindle elongation in. 2020 , 133,	2
612	Proper regulation of inositolphosphorylceramide levels is required for acquirement of low pH resistance in budding yeast. 2020 , 10, 10792	4
611	Structural insight into precursor ribosomal RNA processing by ribonuclease MRP. 2020 , 369, 656-663	12
610	Ctf18-RFC and DNA Pol ϵ Form a stable leading strand polymerase/clamp loader complex required for normal and perturbed DNA replication. 2020 , 48, 8128-8145	10
609	Unique and Shared Roles for Histone H3K36 Methylation States in Transcription Regulation Functions. 2020 , 31, 107751	14
608	Super-assembly of ER-phagy receptor Atg40 induces local ER remodeling at contacts with forming autophagosomal membranes. 2020 , 11, 3306	26
607	Selective autophagy degrades nuclear pore complexes. 2020 , 22, 159-166	48
606	A VPS13D spastic ataxia mutation disrupts the conserved adaptor-binding site in yeast Vps13. 2020 , 29, 635-648	18
605	Mammalian Retromer Is an Adaptable Scaffold for Cargo Sorting from Endosomes. 2020 , 28, 393-405.e4	20
604	Vps39 is required for ethanolamine-stimulated elevation in mitochondrial phosphatidylethanolamine. 2020 , 1865, 158655	7
603	mRNA with Mammalian Codon Bias Accumulates in Yeast Mutants with Constitutive Stress Granules. 2020 , 21,	1
602	Redox-dependent regulation of mitochondrial dynamics by DJ-1 paralogs in <i>Saccharomyces cerevisiae</i> . 2020 , 32, 101451	11
601	Glucose, Cyc8p and Tup1p regulate biofilm formation and dispersal in wild <i>Saccharomyces cerevisiae</i> . 2020 , 6, 7	5
600	The ATAD2/ANCCA homolog Yta7 cooperates with Scm3 to deposit Cse4 at the centromere in yeast. 2020 , 117, 5386-5393	5
599	Sen1 Is Recruited to Replication Forks via Ctf4 and Mrc1 and Promotes Genome Stability. 2020 , 30, 2094-2105.e9	69
598	An Optogenetic Tool for Induced Protein Stabilization Based on the <i>Phaeodactylum tricornutum</i> Aureochrome 1a Light-Oxygen-Voltage Domain. 2020 , 432, 1880-1900	11

597	Triglyceride deficiency and diacylglycerol kinase1 activity lead to the upregulation of mevalonate pathway in yeast: A study for the development of potential yeast platform for improved production of triterpenoid. 2020 , 1865, 158661	2
596	Does genome surveillance explain the global discrepancy between binding and effect of chromatin factors?. 2020 , 594, 1339-1353	
595	The Phosphatase PP1 Promotes Mitotic Slippage through Mad3 Dephosphorylation. 2020 , 30, 335-343.e5	0
594	Kinetic coupling of the respiratory chain with ATP synthase, but not proton gradients, drives ATP production in cristae membranes. 2020 , 117, 2412-2421	25
593	Atg11 is required for initiation of glucose starvation-induced autophagy. 2020 , 16, 2206-2218	9
592	Mitochondrial reactive oxygen species-mediated cytotoxicity of intracellularly accumulated dihydrosphingosine in the yeast <i>Saccharomyces cerevisiae</i> . 2020 , 287, 3427-3448	6
591	Autophagy of an Amyloid-like Translational Repressor Regulates Meiotic Exit. 2020 , 52, 141-151.e5	9
590	Liquidity Is a Critical Determinant for Selective Autophagy of Protein Condensates. 2020 , 77, 1163-1175.e9	62
589	Timing of appearance of new mutations during yeast meiosis and their association with recombination. 2020 , 66, 577-592	1
588	The cell polarity proteins Boi1 and Boi2 direct an actin nucleation complex to sites of exocytosis in. 2020 , 133,	6
587	Co-opted Cellular Sac1 Lipid Phosphatase and PI(4)P Phosphoinositide Are Key Host Factors during the Biogenesis of the Tombusvirus Replication Compartment. 2020 , 94,	13
586	Real-time monitoring of population dynamics and physical interactions in a synthetic yeast ecosystem by use of multicolour flow cytometry. 2020 , 104, 5547-5562	9
585	Live-cell imaging of mitochondrial motility and interactions in <i>Drosophila</i> neurons and yeast. 2020 , 155, 519-544	2
584	A processive phosphorylation circuit with multiple kinase inputs and mutually diversional routes controls G1/S decision. 2020 , 11, 1836	6
583	The histone H4 basic patch regulates SAGA-mediated H2B deubiquitination and histone acetylation. 2020 , 295, 6561-6569	5
582	The Mgs1/WRNIP1 ATPase is required to prevent a recombination salvage pathway at damaged replication forks. 2020 , 6, eaaz3327	6
581	The Ccr4-Not complex monitors the translating ribosome for codon optimality. 2020 , 368,	59
580	Ubc13-Mms2 cooperates with a family of RING E3 proteins in budding yeast membrane protein sorting. 2020 , 133,	3

579	Atg21 organizes Atg8 lipidation at the contact of the vacuole with the phagophore. 2021 , 17, 1458-1478	10
578	Mechanistic dissection of macro- and micronucleophagy. 2021 , 17, 626-639	14
577	TORC1 Determines Fab1 Lipid Kinase Function at Signaling Endosomes and Vacuoles. 2021 , 31, 297-309.e8	4
576	Transcription-dependent enrichment of the yeast FACT complex influences nucleosome dynamics on the RNA polymerase III-transcribed genes. 2020 ,	2
575	Structure of the Maturing 90S Pre-ribosome in Association with the RNA Exosome. 2021 , 81, 293-303.e4	13
574	Substrate specificities and reaction kinetics of the yeast oligosaccharyltransferase isoforms. 2021 , 296, 100809	0
573	A genome-wide copper-sensitized screen identifies novel regulators of mitochondrial cytochrome c oxidase activity. 2021 , 296, 100485	0
572	Catalysis-dependent and redundant roles of Dma1 and Dma2 in maintenance of genome stability in <i>Saccharomyces cerevisiae</i> . 2021 , 296, 100721	
571	Mitochondrial sorting and assembly machinery operates by β barrel switching. 2021 , 590, 163-169	24
570	Relocation of rDNA repeats for repair is dependent on SUMO-mediated nucleolar release by the Cdc48/p97 segregase.	1
569	Proteasome activator Blm10 levels and autophagic degradation directly impact the proteasome landscape. 2021 , 296, 100468	1
568	Microfluidic platform for monitoring mutation accumulation. 2021 , 21, 2407-2416	1
567	Methylation of Q105 on histone H2A is part of a dynamic regulatory mechanism integrating metabolism with ribosome biogenesis through recruitment of Nhp2.	
566	Disturbed intramitochondrial phosphatidic acid transport impairs cellular stress signaling. 2021 , 296, 100335	2
565	Snd3 controls nucleus-vacuole junctions in response to glucose signaling. 2021 , 34, 108637	8
564	Downregulation of the broad-specificity amino acid permease Agp1 mediated by the ubiquitin ligase Rsp5 and the arrestin-like protein Bul1 in yeast. 2021 , 85, 1266-1274	2
563	The N-terminus of Sfi1 and yeast centrin Cdc31 provide the assembly site for a new spindle pole body. 2021 , 220,	1
562	Programmed ER fragmentation drives selective ER inheritance and degradation in budding yeast meiosis.	0

561	Vacuolar protein Tag1 and Atg1-Atg13 regulate autophagy termination during persistent starvation in. 2021 , 134,	3
560	N-terminal acetylation of proteins by NatA and NatB serves distinct physiological roles in <i>Saccharomyces cerevisiae</i> . 2021 , 34, 108711	3
559	<i>Saccharomyces cerevisiae</i> deficient in the early anaphase release of Cdc14 can traverse anaphase I without ribosomal DNA disjunction and successfully complete meiosis.	
558	Single molecule microscopy reveals key physical features of repair foci in living cells. 2021 , 10,	14
557	The SR-protein Npl3 is an essential component of the meiotic splicing regulatory network in <i>Saccharomyces cerevisiae</i> . 2021 , 49, 2552-2568	1
556	Functional characterization of Polr3a hypomyelinating leukodystrophy mutations in the <i>S. cerevisiae</i> homolog, RPC160. 2021 , 768, 145259	4
555	Ligation of newly replicated DNA controls the timing of DNA mismatch repair. 2021 , 31, 1268-1276.e6	7
554	Proteasome autophagy is specifically regulated and requires factors dispensible for general autophagy.	0
553	The ribosome collision sensor Hel2 functions as preventive quality control in the secretory pathway. 2021 , 34, 108877	3
552	A stalled-ribosome rescue factor Pth3 is required for mitochondrial translation against antibiotics in <i>Saccharomyces cerevisiae</i> . 2021 , 4, 300	1
551	Yeast RNA exosome activity is necessary for maintaining cell wall stability through proper protein glycosylation. 2021 , 32, 363-375	3
550	Type V myosin focuses the polarisome and shapes the tip of yeast cells. 2021 , 220,	2
549	Atg39 links and deforms the outer and inner nuclear membranes in selective autophagy of the nucleus.	1
548	disrupts intracellular lipid homeostasis in human iPSC-derived glia. 2021 , 13,	35
547	Snx4-assisted vacuolar targeting of transcription factors defines a new autophagy pathway for controlling expression. 2021 , 17, 3547-3565	2
546	The yeast platform engineered for synthetic gRNA-landing pads enables multiple gene integrations by a single gRNA/Cas9 system. 2021 , 64, 111-121	6
545	Strand-specific CHIP-seq at DNA breaks distinguishes ssDNA versus dsDNA binding and refutes single-stranded nucleosomes. 2021 , 81, 1841-1853.e4	7
544	The chaperone-binding activity of the mitochondrial surface receptor Tom70 protects the cytosol against mitoprotein-induced stress. 2021 , 35, 108936	19

543	Atg15 in consists of two functionally distinct domains. 2021 , 32, 645-663	2
542	Smc5/6 functions with Sgs1-Top3-Rmi1 to complete chromosome replication at natural pause sites. 2021 , 12, 2111	6
541	Decoupling transcription factor expression and activity enables dimmer switch gene regulation. 2021 , 372, 292-295	6
540	Selectivity of mRNA degradation by autophagy in yeast. 2021 , 12, 2316	6
539	Mitochondrial ribosomal proteins developed unconventional mitochondrial targeting signals due to structural constraints.	0
538	Sex without crossing over in the yeast <i>Saccharomyces ludwigii</i> .	
537	Re-oxidation of cytosolic NADH is a major contributor to the high oxygen requirements of the thermotolerant yeast <i>Ogataea parapolymorpha</i> in oxygen-limited cultures.	1
536	Thiolutin is a direct inhibitor of RNA Polymerase II.	0
535	Mps1 promotes poleward chromosome movements in meiotic prometaphase. 2021 , 32, 1020-1032	0
534	Kel1 is a phosphorylation-regulated noise suppressor of the pheromone signaling pathway.	
533	Structural basis for p50RhoGAP BCH domain-mediated regulation of Rho inactivation. 2021 , 118,	1
532	The unfolded protein response of the endoplasmic reticulum supports mitochondrial biogenesis by buffering non-imported proteins.	1
531	Global phosphoproteomics pinpoints uncharted Gcn2-mediated mechanisms of translational control. 2021 , 81, 1879-1889.e6	6
530	The inner nuclear membrane protein Lem2 coordinates RNA degradation at the nuclear periphery.	
529	Proteasome Activator Blm10 Regulates Transcription Especially During Aging.. 2021 , 22, 306-317	0
528	A rare natural lipid induces neuroglobin expression to prevent amyloid oligomers toxicity and retinal neurodegeneration.	
527	An Hsp90 co-chaperone links protein folding and degradation and is part of a conserved protein quality control. 2021 , 35, 109328	1
526	Co-translational assembly and localized translation of nucleoporins in nuclear pore complex biogenesis. 2021 , 81, 2417-2427.e5	9

525	Ribosome-associated quality control mediates degradation of the premature translation termination product Orf1p of ODC antizyme mRNA. 2021 , 595, 2015-2033	2
524	Cell-to-cell heterogeneity of phosphate gene expression in yeast is controlled by alternative transcription, 14-3-3 and Spl2. 2021 , 1864, 194714	
523	GID E3 ligase supramolecular chelate assembly configures multipronged ubiquitin targeting of an oligomeric metabolic enzyme. 2021 , 81, 2445-2459.e13	14
522	Timer-based proteomic profiling of the ubiquitin-proteasome system reveals a substrate receptor of the GID ubiquitin ligase. 2021 , 81, 2460-2476.e11	15
521	Methylation of histone H3 at lysine 37 by Set1 and Set2 prevents spurious DNA replication. 2021 , 81, 2793-2807.e8	6
520	Light-Stress Response Mediated by the Transcription Factor Mga2 in the Yeast. 2021 , 12, 705012	2
519	The RNA-binding protein Puf5 contributes to buffering of mRNA upon chromatin-mediated changes in nascent transcription. 2021 , 134,	
518	Increased mitochondrial protein import and cardiolipin remodelling upon early mtUPR. 2021 , 17, e1009664	2
517	Spontaneous emergence of multicellular heritability.	3
516	An engineered protein-phosphorylation toggle network with implications for endogenous network discovery. 2021 , 373,	8
515	Evolution of binding preferences among whole-genome duplicated transcription factors.	0
514	Measurement of histone replacement dynamics with genetically encoded exchange timers in yeast. 2021 , 39, 1434-1443	1
513	Phospho-regulated Bim1/EB1 interactions trigger Dam1c ring assembly at the budding yeast outer kinetochore. 2021 , 40, e108004	4
512	Specialization of chromatin-bound nuclear pore complexes promotes yeast aging.	1
511	DNA-RNA hybrids at DSBs interfere with repair by homologous recombination. 2021 , 10,	5
510	The selfish yeast plasmid utilizes the condensin complex and condensed chromatin for faithful partitioning. 2021 , 17, e1009660	0
509	Glycerol-3-phosphate biosynthesis regenerates cytosolic NAD to alleviate mitochondrial disease. 2021 , 33, 1974-1987.e9	14
508	Co-opting of nonATP-generating glycolytic enzymes for TBSV replication. 2021 , 559, 15-29	2

507	Rewiring phospholipid biosynthesis reveals robustness in membrane homeostasis and uncovers lipid regulatory players.	2
506	Cysteine residues in the fourth zinc finger are important for activation of the nitric oxide-inducible transcription factor Fzf1 in the yeast <i>Saccharomyces cerevisiae</i> . 2021 , 26, 823-829	1
505	Pex30-like proteins function as adaptors at distinct ER membrane contact sites. 2021 , 220,	4
504	Cohesin is essential for the timely activation of condensin and anaphase segregation.	
503	Regulation of membrane scission in yeast endocytosis.	0
502	Target of Rapamycin Complex 1 (TORC1), Protein Kinase A (PKA) and Cytosolic pH Regulate a Transcriptional Circuit for Lipid Droplet Formation. 2021 , 22,	1
501	A role for Rad5 in ribonucleoside monophosphate (rNMP) tolerance. 2021 , 4,	0
500	An intracellular assay for activity screening and characterization of glutathione-dependent oxidoreductases. 2021 , 172, 340-349	2
499	SMC complexes are guarded by the SUMO protease Ulp2 against SUMO-chain-mediated turnover. 2021 , 36, 109485	3
498	Tombusviruses Target a Major Crossroad in the Endocytic and Recycling Pathways via Co-opting Rab7 Small GTPase. 2021 , 95, e0107621	2
497	A short perinuclear amphipathic Helix in Apq12 promotes nuclear pore complex biogenesis.	1
496	Nucleolar release of rDNA repeats for repair involves SUMO-mediated untethering by the Cdc48/p97 segregase. 2021 , 12, 4918	2
495	A novel yeast-based high-throughput method for the identification of protein palmitoylation inhibitors. 2021 , 11, 200415	2
494	A precisely adjustable, variation-suppressed eukaryotic transcriptional controller to enable genetic discovery. 2021 , 10,	4
493	Nhp2 is a reader of H2A ^{Q105me} and part of a network integrating metabolism with rRNA synthesis. 2021 , 22, e52435	3
492	A conserved ATG2 binding site in WIPI4 and yeast Hsv2 is disrupted by mutations causing Epropeller protein-associated neurodegeneration. 2021 ,	2
491	High levels of Tryptophan reduce cell wall or membrane stress tolerance in <i>Saccharomyces cerevisiae</i> . 2021 , 85, 2131-2136	
490	Profiling the physiological pitfalls of anti-hepatitis C direct-acting agents in budding yeast. 2021 , 14, 2199-2213	4

489	Interorganelle lipid flux revealed by enzymatic mass tagging in vivo.	1
488	Seipin forms a flexible cage at lipid droplet formation sites.	0
487	Cristae-dependent quality control of the mitochondrial genome. 2021 , 7, eabi8886	1
486	Unscheduled DNA replication in G1 causes genome instability through head-to-tail replication fork collisions.	
485	The 14-3-3 Proteins Bmh1 and Bmh2 Are Key Regulators of Meiotic Commitment.	
484	Isoflurane induces Art2-Rsp5-dependent endocytosis of Bap2 in yeast. 2021 , 11, 3090-3100	0
483	Docking to a Basic Helix Promotes Specific Phosphorylation by G1-Cdk1. 2021 , 22,	0
482	A GID E3 ligase assembly ubiquitinates an Rsp5 E3 adaptor and regulates plasma membrane transporters.	0
481	The mRNA decapping complex is buffered by nuclear localization. 2021 , 134,	1
480	A zygote-based assay to evaluate intranuclear shuttling in. 2021 , 2, 100736	
479	Cdc48 targets INQ-localized Mrc1 to facilitate recovery from replication stress.	
478	Visualization of individual cell division history in complex tissues using iCOUNT. 2021 , 28, 2020-2034.e12	3
477	FACT is recruited to the H^1 nucleosome of transcribed genes and spreads in a Chd1-dependent manner. 2021 , 81, 3542-3559.e11	6
476	Imaging the Actin Cytoskeleton in Live Budding Yeast Cells. 2022 , 2364, 53-80	
475	A CRISPR/Cas9-based method for seamless N-terminal protein tagging in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2021 , 38, 592-600	3-4 1
474	Porin 1 Modulates Autophagy in Yeast. 2021 , 10,	0
473	Actin-generated force applied during endocytosis measured by Sla2-based FRET tension sensors. 2021 , 56, 2419-2426.e4	1
472	Nuclear Pore Complex Acetylation Regulates mRNA Export and Cell Cycle Commitment in Budding Yeast.	1

471	SIN-like pathway kinases regulate the end of mitosis in the methylotrophic yeast <i>Ogataea polymorpha</i> .	
470	Crosstalk between protein kinase A and the HOG pathway under impaired biosynthesis of complex sphingolipids in budding yeast. 2021 ,	2
469	Humanizing the yeast origin recognition complex. 2021 , 12, 33	8
468	A genome wide copper-sensitized screen identifies novel regulators of mitochondrial cytochrome c oxidase activity.	
467	Choline restores respiration in <i>Psd1</i> -deficient yeast by replenishing mitochondrial phosphatidylethanolamine. 2021 , 296, 100539	0
466	How to Select a Mate: <i>Kel1</i> is a Phosphorylation-Regulated Suppressor of the Pheromone Signaling Pathway.	
465	Post-translational modification analysis of <i>Saccharomyces cerevisiae</i> histone methylation enzymes reveals phosphorylation sites of regulatory potential. 2021 , 296, 100192	6
464	A high-throughput approach for studying virus replication in yeast. 2010 , Chapter 16, Unit16J.1	22
463	Fluorescence staining of mitochondria for morphology analysis in <i>Saccharomyces cerevisiae</i> . 2014 , 1163, 131-52	3
462	Analysis of protein dynamics with tandem fluorescent protein timers. 2014 , 1174, 195-210	23
461	Global analysis of transcription factor-binding sites in yeast using ChIP-Seq. 2014 , 1205, 231-55	3
460	PCR-mediated epitope tagging of genes in yeast. 2014 , 1205, 37-44	2
459	Manipulating the yeast genome: deletion, mutation, and tagging by PCR. 2014 , 1205, 45-78	43
458	SPLIFF: A Single-Cell Method to Map Protein-Protein Interactions in Time and Space. 2015 , 1346, 151-68	15
457	Live-Cell Imaging of Mitochondria and the Actin Cytoskeleton in Budding Yeast. 2016 , 1365, 25-62	4
456	Time-Lapse Fluorescence Microscopy of Budding Yeast Cells. 2016 , 1369, 1-8	4
455	Detection of Phosphorylation Status of Cytokinetic Components. 2016 , 1369, 219-37	1
454	A Review of Fluorescent Proteins for Use in Yeast. 2016 , 1369, 309-46	9

453	Controlling Protein Activity and Degradation Using Blue Light. 2016 , 1408, 67-78	10
452	Visualization of fluorescence-tagged proteins in fission yeast: the analysis of mitotic spindle dynamics using GFP-tubulin under the native promoter. 2009 , 545, 185-203	33
451	Live-cell imaging of the cytoskeleton and mitochondrial-cytoskeletal interactions in budding yeast. 2009 , 586, 41-68	4
450	Fluorescence fluctuation spectroscopy and imaging methods for examination of dynamic protein interactions in yeast. 2011 , 759, 283-306	11
449	Detecting protein-protein interactions with the Split-Ubiquitin sensor. 2012 , 786, 115-30	27
448	Exploration of Plant Virus Replication Inside a Surrogate Host, <i>Saccharomyces cerevisiae</i> , Elucidates Complex and Conserved Mechanisms. 2016 , 35-65	1
447	Sensitive high-throughput single-cell RNA-seq reveals within-clonal transcript correlations in yeast populations. 2019 , 4, 683-692	32
446	Amino acid starvation inhibits autophagy in lipid droplet-deficient cells through mitochondrial dysfunction. 2020 , 477, 3613-3623	2
445	The retromer is co-opted to deliver lipid enzymes for the biogenesis of lipid-enriched tombusviral replication organelles. 2021 , 118,	8
444	Differential requirement for Bub1 and Bub3 in regulation of meiotic versus mitotic chromosome segregation. 2020 , 219,	4
443	TORC1 inactivation stimulates autophagy of nucleoporin and nuclear pore complexes. 2020 , 219,	22
442	The mitotic exit network regulates the spatiotemporal activity of Cdc42 to maintain cell size. 2021 , 220,	0
441	Nuclear envelope-vacuole contacts mitigate nuclear pore complex assembly stress. 2020 , 219,	9
440	MICOS subcomplexes assemble independently on the mitochondrial inner membrane in proximity to ER contact sites. 2020 , 219,	13
439	The EB1-Kinesin-14 complex is required for efficient metaphase spindle assembly and kinetochore bi-orientation. 2020 , 219,	2
438	Alteration of complex sphingolipid composition and its physiological significance in yeast <i>Saccharomyces cerevisiae</i> lacking vacuolar ATPase. 2015 , 161, 2369-83	15
437	Functional roles of the fatty acid desaturases encoded by KLOLE1, FAD2 and FAD3 in the yeast <i>Kluyveromyces lactis</i> . 2016 , 162, 1435-1445	11
436	Distinct roles of the polarity factors Boi1 and Boi2 in the control of exocytosis and abscission in budding yeast.	1

435	The contributions of the actin machinery to endocytic membrane bending and vesicle formation.	2
434	A precisely adjustable, variation-suppressed eukaryotic transcriptional controller to enable genetic discovery.	1
433	Osh6 requires Ist2 for localization to the ER-PM contacts and efficient phosphatidylserine transport.	1
432	Ice2 promotes ER membrane biogenesis in yeast by inhibiting the conserved lipin phosphatase complex.	3
431	Nuclear envelope-vacuole contacts mitigate nuclear pore complex assembly stress.	1
430	Extensive 5' Surveillance Guards Against Non-Canonical NAD-Caps of Nuclear mRNAs in Yeast.	2
429	Decoupling transcription factor expression and activity enables dimmer-switch gene regulation.	1
428	Snx4-mediated nucleophagy targets transcription factors controlling ATG gene expression.	0
427	SWR1-independent association of H2A.Z to the LINC complex promotes meiotic chromosome motion.	1
426	The mitochondrial surface receptor Tom70 protects the cytosol against mitoprotein-induced stress.	3
425	Force requirements of endocytic vesicle formation.	0
424	Ribosome collision sensor Hel2 recognizes mistargeting secretory ribosome-nascent chain complexes.	1
423	Cell-specific modulation of nuclear pore complexes controls cell cycle entry during asymmetric division.	6
422	Systematic analysis of the molecular architecture of endocytosis reveals a nanoscale actin nucleation template that drives efficient vesicle formation.	5
421	A genome-wide resource for high-throughput genomic tagging of yeast ORFs.	1
420	Budding yeast complete DNA replication after chromosome segregation begins.	1
419	Nuclear envelope budding is a response to cellular stress.	2
418	The protein architecture of the endocytic coat analyzed by FRET.	1

417	Characterization of Pch2 localization determinants reveals a nucleolar-independent role in the meiotic recombination checkpoint.	0
416	Rod-shaped tricalbins contribute to PM asymmetry at curved ER-PM contact sites.	2
415	Growth-dependent activation of protein kinases suggests a mechanism for measuring cell growth.	1
414	Gene transcription as a limiting factor in protein production and cell growth.	1
413	ESCRT machinery mediates selective microautophagy of endoplasmic reticulum.	2
412	A time resolved interaction analysis of Bem1 reconstructs the flow of Cdc42 during polar growth.	1
411	High and stable ATP levels prevent aberrant intracellular protein aggregation.	3
410	The Ccr4-Not complex monitors the translating ribosome for codon optimality.	2
409	Phase separation of Ede1 promotes the initiation of endocytic events.	10
408	Exploiting homologous recombination increases SATAY efficiency for loss- and gain-of-function screening.	3
407	The Dedicated Chaperone Acl4 Escorts Ribosomal Protein Rpl4 to Its Nuclear Pre-60S Assembly Site. 2015 , 11, e1005565	44
406	Two separate pathways regulate protein stability of ATM/ATR-related protein kinases Mec1 and Tel1 in budding yeast. 2017 , 13, e1006873	7
405	Cdc73 suppresses genome instability by mediating telomere homeostasis. 2018 , 14, e1007170	10
404	The Ccr4-Not complex regulates TORC1 signaling and mitochondrial metabolism by promoting vacuole V-ATPase activity. 2020 , 16, e1009046	2
403	Characterization of constitutive ER-phagy of excess membrane proteins. 2020 , 16, e1009255	1
402	The glutamine synthetase of <i>Trypanosoma cruzi</i> is required for its resistance to ammonium accumulation and evasion of the parasitophorous vacuole during host-cell infection. 2018 , 12, e0006170	16
401	Phosphorylation of the yeast β -tubulin Tub4 regulates microtubule function. 2011 , 6, e19700	38
400	Seamless gene tagging by endonuclease-driven homologous recombination. 2011 , 6, e23794	50

399	Yeast Ist2 recruits the endoplasmic reticulum to the plasma membrane and creates a ribosome-free membrane microcompartment. 2012 , 7, e39703	62
398	Impact of chromosomal inversions on the yeast DAL cluster. 2012 , 7, e42022	26
397	Neutral lipid metabolism influences phospholipid synthesis and deacylation in <i>Saccharomyces cerevisiae</i> . 2012 , 7, e49269	23
396	The genetic basis of natural variation in oenological traits in <i>Saccharomyces cerevisiae</i> . 2012 , 7, e49640	58
395	Lsb1 is a negative regulator of las17 dependent actin polymerization involved in endocytosis. 2013 , 8, e61147	9
394	Detection and characterization of protein interactions in vivo by a simple live-cell imaging method. 2013 , 8, e62195	18
393	The N-terminal domains of Vps3 and Vps8 are critical for localization and function of the CORVET tethering complex on endosomes. 2013 , 8, e67307	15
392	Improved blue, green, and red fluorescent protein tagging vectors for <i>S. cerevisiae</i> . 2013 , 8, e67902	132
391	The suppressor of AAC2 Lethality SAL1 modulates sensitivity of heterologously expressed artemia ADP/ATP carrier to bongkrekate in yeast. 2013 , 8, e74187	5
390	Dynamic trans interactions in yeast chromosomes. 2013 , 8, e75895	8
389	Mitochondrial aminopeptidase deletion increases chronological lifespan and oxidative stress resistance while decreasing respiratory metabolism in <i>S. cerevisiae</i> . 2013 , 8, e77234	10
388	The Sec63p J-domain is required for ERAD of soluble proteins in yeast. 2013 , 8, e82058	8
387	Effects of the yeast RNA-binding protein Whi3 on the half-life and abundance of CLN3 mRNA and other targets. 2013 , 8, e84630	29
386	An in vivo photo-cross-linking approach reveals a homodimerization domain of Aha1 in <i>S. cerevisiae</i> . 2014 , 9, e89436	12
385	Proteomic profiling of autophagosome cargo in <i>Saccharomyces cerevisiae</i> . 2014 , 9, e91651	13
384	Dual N- and C-terminal helices are required for endoplasmic reticulum and lipid droplet association of alcohol acetyltransferases in <i>Saccharomyces cerevisiae</i> . 2014 , 9, e104141	20
383	PCR Duplication: A One-Step Cloning-Free Method to Generate Duplicated Chromosomal Loci and Interference-Free Expression Reporters in Yeast. 2014 , 9, e114590	9
382	SUB1 Plays a Negative Role during Starvation Induced Sporulation Program in <i>Saccharomyces cerevisiae</i> . 2015 , 10, e0132350	3

381	Dual Fatty Acid Elongase Complex Interactions in Arabidopsis. 2016 , 11, e0160631	12
380	Atg4 plays an important role in efficient expansion of autophagic isolation membranes by cleaving lipidated Atg8 in <i>Saccharomyces cerevisiae</i> . 2017 , 12, e0181047	24
379	Vault RNAs partially induces drug resistance of human tumor cells MCF-7 by binding to the RNA/DNA-binding protein PSF and inducing oncogene GAGE6. 2018 , 13, e0191325	17
378	The Rewiring of Ubiquitination Targets in a Pathogenic Yeast Promotes Metabolic Flexibility, Host Colonization and Virulence. 2016 , 12, e1005566	48
377	Co-opting ATP-generating glycolytic enzyme PGK1 phosphoglycerate kinase facilitates the assembly of viral replicase complexes. 2017 , 13, e1006689	16
376	Key interplay between the co-opted sorting nexin-BAR proteins and PI3P phosphoinositide in the formation of the tombusvirus replicase. 2020 , 16, e1009120	7
375	A new linear cyclin docking motif that mediates exclusively S-phase CDK-specific signaling. 2021 , 40, e105839	9
374	Function of the SNARE Ykt6 on autophagosomes requires the Dsl1 complex and the Atg1 kinase complex. 2020 , 21, e50733	7
373	Respiratory supercomplexes enhance electron transport by decreasing cytochrome c diffusion distance. 2020 , 21, e51015	23
372	Atg1 kinase regulates autophagosome-vacuole fusion by controlling SNARE bundling. 2020 , 21, e51869	6
371	The protein architecture of the endocytic coat analyzed by FRET microscopy. 2020 , 16, e9009	4
370	Loss of wobble uridine modification in tRNA anticodons interferes with TOR pathway signaling. 2014 , 1, 416-424	26
369	A simple microfluidic platform to study age-dependent protein abundance and localization changes in. 2017 , 4, 169-174	7
368	Valine biosynthesis is regulated by the mitochondrial branched-chain amino acid aminotransferase Bat1. 2018 , 5, 293-299	9
367	Proline metabolism regulates replicative lifespan in the yeast. 2019 , 6, 482-490	9
366	Stable and destabilized GFP reporters to monitor calcineurin activity in. 2020 , 7, 106-114	3
365	Systematic analysis of nuclear gene function in respiratory growth and expression of the mitochondrial genome in. 2020 , 7, 234-249	5
364	Dual role of a GTPase conformational switch for membrane fusion by mitofusin ubiquitylation. 2020 , 3,	7

363	A time-resolved interaction analysis of Bem1 reconstructs the flow of Cdc42 during polar growth. 2020 , 3,	2
362	ER-associated mitochondrial division links the distribution of mitochondria and mitochondrial DNA in yeast. 2013 , 2, e00422	234
361	Sterol homeostasis requires regulated degradation of squalene monooxygenase by the ubiquitin ligase Doa10/Teb4. 2013 , 2, e00953	116
360	Cell-cycle dependent phosphorylation of yeast pericentrin regulates β TuSC-mediated microtubule nucleation. 2014 , 3, e02208	62
359	A RanGTP-independent mechanism allows ribosomal protein nuclear import for ribosome assembly. 2014 , 3, e03473	49
358	Role of SAGA in the asymmetric segregation of DNA circles during yeast ageing. 2014 , 3,	67
357	A non-canonical mechanism for Crm1-export cargo complex assembly. 2015 , 4,	21
356	The vacuole/lysosome is required for cell-cycle progression. 2015 , 4,	33
355	The deca-GX3 proteins Yae1-Lto1 function as adaptors recruiting the ABC protein Rli1 for iron-sulfur cluster insertion. 2015 , 4, e08231	42
354	Axial contraction and short-range compaction of chromatin synergistically promote mitotic chromosome condensation. 2015 , 4, e1039	24
353	A FRET-based study reveals site-specific regulation of spindle position checkpoint proteins at yeast centrosomes. 2016 , 5,	23
352	Clathrin modulates vesicle scission, but not invagination shape, in yeast endocytosis. 2016 , 5,	19
351	Direct screening for chromatin status on DNA barcodes in yeast delineates the regulome of H3K79 methylation by Dot1. 2016 , 5,	18
350	Prefabrication of a ribosomal protein subcomplex essential for eukaryotic ribosome formation. 2016 , 5,	22
349	Molecular architecture of the 90S small subunit pre-ribosome. 2017 , 6,	84
348	Functional mapping of yeast genomes by saturated transposition. 2017 , 6,	76
347	A sharp Pif1-dependent threshold separates DNA double-strand breaks from critically short telomeres. 2017 , 6,	10
346	Polo-like kinase Cdc5 regulates Spc72 recruitment to spindle pole body in the methylotrophic yeast. 2017 , 6,	2

345	Context-dependent deposition and regulation of mRNAs in P-bodies. 2018, 7,	33
344	Multi-protein bridging factor 1(Mbf1), Rps3 and Asc1 prevent stalled ribosomes from frameshifting. 2018, 7,	22
343	The microtubule polymerase Stu2 promotes oligomerization of the α TuSC for cytoplasmic microtubule nucleation. 2018, 7,	27
342	Two distinct mechanisms target the autophagy-related E3 complex to the pre-autophagosomal structure. 2019, 8,	35
341	The proteasome biogenesis regulator Rpn4 cooperates with the unfolded protein response to promote ER stress resistance. 2019, 8,	22
340	tRNA ligase structure reveals kinetic competition between non-conventional mRNA splicing and mRNA decay. 2019, 8,	13
339	Type-I myosins promote actin polymerization to drive membrane bending in endocytosis. 2019, 8,	9
338	Cooperation of mitochondrial and ER factors in quality control of tail-anchored proteins. 2019, 8,	33
337	Meiotic cellular rejuvenation is coupled to nuclear remodeling in budding yeast. 2019, 8,	27
336	Cytoplasmic protein misfolding titrates Hsp70 to activate nuclear Hsf1. 2019, 8,	26
335	Age-dependent deterioration of nuclear pore assembly in mitotic cells decreases transport dynamics. 2019, 8,	35
334	Remote control of microtubule plus-end dynamics and function from the minus-end. 2019, 8,	9
333	An advanced cell cycle tag toolbox reveals principles underlying temporal control of structure-selective nucleases. 2020, 9,	4
332	The GTPase Nog1 co-ordinates the assembly, maturation and quality control of distant ribosomal functional centers. 2020, 9,	18
331	The copy-number and varied strengths of MELT motifs in Spc105 balance the strength and responsiveness of the spindle assembly checkpoint. 2020, 9,	4
330	The meiotic driver utilizes controlled protein aggregation to generate selective cell death. 2020, 9,	10
329	A conserved and regulated mechanism drives endosomal Rab transition. 2020, 9,	22
328	The effect of hybridization on transposable element accumulation in an undomesticated fungal species. 2020, 9,	9

327	Functional implications of MIR domains in protein -mannosylation. 2020 , 9,	2
326	Association and dissociation between the mitochondrial Far complex and Atg32 regulate mitophagy. 2020 , 9,	5
325	Hsp90 interaction networks in fungi-tools and techniques. 2021 , 21,	0
324	An Inducible System for Silencing Establishment Reveals a Stepwise Mechanism in Which Anchoring at the Nuclear Periphery Precedes Heterochromatin Formation. 2021 , 10,	
323	Dedicated chaperones coordinate co-translational regulation of ribosomal protein production with ribosome assembly to preserve proteostasis.	
322	Protein phosphatase 1 in association with Bud14 inhibits mitotic exit in. 2021 , 10,	1
321	Flexible open conformation of the AP-3 complex explains its role in cargo recruitment at the Golgi. 2021 , 297, 101334	2
320	Programmed cortical ER collapse drives selective ER degradation and inheritance in yeast meiosis. 2021 , 220,	5
319	Ice2 promotes ER membrane biogenesis in yeast by inhibiting the conserved lipin phosphatase complex. 2021 , 40, e107958	5
318	Cnm1 mediates nucleus-mitochondria contact site formation in response to phospholipid levels. 2021 , 220,	6
317	Subunit exchange among endolysosomal tethering complexes is linked to contact site formation at the vacuole. 2021 , 32, br14	3
316	Journey to the Center of the Mitochondria Guided by the Tail Anchor of Protein Tyrosine Phosphatase 1B.	
315	Using fluorescence to study actomyosin in yeasts. 2014 , 105, 277-98	
314	The regulatable MAL32 promoter in <i>S. cerevisiae</i> : characteristics and tools to facilitate its use.	0
313	Cdc14 Localization as a Marker for Mitotic Exit: In Vivo Quantitative Analysis of Cdc14 Release. 2017 , 1505, 59-67	1
312	Evaluation of the Dynamicity of Mitotic Exit Network and Spindle Position Checkpoint Components on Spindle Pole Bodies by Fluorescence Recovery After Photobleaching (FRAP). 2017 , 1505, 167-182	0
311	Evolution of Reduced Co-Activator Dependence Led to Target Expansion of a Starvation Response Pathway.	
310	A conserved signaling network monitors delivery of sphingolipids to the plasma membrane in budding yeast.	1

- 309 A di-acidic motif targets cytoplasmic proteins for unconventional protein secretion.
- 308 Genome-Wide Mechanisms of Lifespan Extension by Dietary Restriction in Yeast.
- 307 The cell polarity proteins Boi1p and Boi2p stimulate vesicle fusion at the plasma membrane of yeast cells. 1
- 306 Growth arrest in yeast with aberrant kinetochores is rescued by the loss of Gcn5].
- 305 ESCRT-III acts in scissioning new peroxisomes from the ER. 1
- 304 Context-dependent deposition and regulation of mRNAs in P-bodies.
- 303 Structure of the eukaryotic cytoplasmic pre-40S ribosomal subunit.
- 302 Quantitative Analysis of Clathrin-Mediated Endocytosis in Yeast by Live Cell Fluorescence Microscopy. **2018**, 1847, 225-237
- 301 A ZIP1 Separation-of-Function Allele Reveals that Meiotic Centromere Pairing Drives Meiotic Segregation of Achiasmate Chromosomes in Budding Yeast. 0
- 300 Repeat-specific functions for the C-terminal domain of RNA polymerase II in budding yeast.
- 299 Lateral plasma membrane compartmentalization links protein function and turnover.
- 298 PP2ARts1 enforces a proportional relationship between cell size and growth rate.
- 297 A systems biology approach to explore the impact of maple tree dormancy release on sap variation and maple syrup quality.
- 296 Yeast PAF1 complex restricts the accumulation of RNA polymerase III and counters the replication stress on the transcribed genes.
- 295 Investigating the long-term stability of protein immunogen(s) for whole recombinant yeast-based vaccines.
- 294 Developmental Regulation of an Organelle Tether Coordinates Mitochondrial Remodeling in Meiosis. 1
- 293 Multi-protein Bridging Factor 1 (Mbf1), Rps3 and Asc1 prevent stalled ribosomes from frameshifting.
- 292 Asymmetric Distribution of Glucose Transporter mRNA Provides Growth Advantage.

- 291 Impact of two neighbouring ribosomal protein clusters on biogenesis factor binding and assembly of yeast late small ribosomal subunit precursors.
- 290 Sfp1 regulates the SAGA component Tra1 in response to proteotoxic stress in *Saccharomyces cerevisiae*.
- 289 PP2AB55 Responsible for the High Initial Rates of Alcoholic Fermentation in Sake Yeast Strains of *Saccharomyces cerevisiae*.
- 288 Effect of Sec61 interaction with Mpd1 on Endoplasmic Reticulum- Associated Degradation.
- 287 The proteasome biogenesis regulator Rpn4 cooperates with the unfolded protein response to promote resistance to endoplasmic reticulum stress.
- 286 Pooled clone collections by multiplexed CRISPR-Cas12a-assisted gene tagging in yeast.
- 285 Age-dependent deterioration of nuclear pore assembly in mitotic cells decreases transport dynamics.
- 284 PP4 phosphatase cooperates in recombinational DNA repair by enhancing double-strand break end resection.
- 283 A novel link between Cell Wall Integrity pathway and Flocculation, regulated by yeast Sen1 dependent interplay between Rlm1 and Tup1.
- 282 A Positive Feedback Mechanism Drives Membrane Ingression During Cytokinesis in an Actomyosin-Ring Independent Manner.
- 281 Cus2 enforces the first ATP-dependent step of splicing by binding to yeast SF3b1 through a UHM-ULM interaction.
- 280 Autophagic Degradation of an Amyloid-Like Translational Repressor Regulates Meiotic Exit.
- 279 Advanced Methods for the Analysis of Altered Pre-mRNA Splicing in Yeast and Disease. **2019**, 2049, 131-140
- 278 Spontaneous whole-genome duplication restores fertility in interspecific hybrids.
- 277 The ubiquitin-conjugating enzyme Ubc13-Mms2 cooperates with a family of FYVE-type-RING ubiquitin protein ligases in K63-polyubiquitylation at internal membranes.
- 276 Meiotic Cellular Rejuvenation is Coupled to Nuclear Remodeling in Budding Yeast.
- 275 YFR016c/Aip5 is part of an actin nucleation complex in budding yeast cells.
- 274 Mammalian retromer is an adaptable scaffold for cargo sorting from endosomes. ○

- 273 PP2ACdc55 dephosphorylates Pds1 to inhibit spindle elongation. 1
- 272 Cdc24, the source of active Cdc42, transiently interacts with septins to create a positive feedback between septin assembly and bud site formation in yeast cells. 1
- 271 An actin nucleation complex catalyzes filament formation at sites of exocytosis. 1
- 270 SWR1 Chromatin Remodeling Complex Prevents Mitotic Slippage during Spindle Position Checkpoint Arrest. 1
- 269 A VPS13D spastic ataxia mutation disrupts the conserved adaptor binding site in yeast Vps13.
- 268 Interconversion between Anticipatory and Active GID E3 Ubiquitin Ligase Conformations via Metabolically Driven Substrate Receptor Assembly. 0
- 267 N-terminal acetylation of proteins by NatA and NatB serves distinct physiological roles in *Saccharomyces cerevisiae*.
- 266 Transcription-factor binding to replicated DNA.
- 265 mRNA with mammalian codon bias accumulates in yeast mutants with constitutive stress granules.
- 264 The copy-number and varied strengths of MELT motifs in Spc105 balance the strength and responsiveness of the Spindle Assembly Checkpoint. 0
- 263 Precise replacement of *Saccharomyces cerevisiae* proteasome genes with human orthologs by an integrative targeting method.
- 262 A mechanism to prevent transformation of the Whi3 prion into a prion.
- 261 CCR4-NOT complex nuclease Caf1 is a novel shuttle factor involved in the degradation of ubiquitin-modified proteins by 26S proteasome.
- 260 The effect of hybridization on transposable element accumulation in an undomesticated fungal species. 1
- 259 Single molecule microscopy reveals key physical features of repair foci in living cells.
- 258 ESCRT recruitment by the inner nuclear membrane protein Heh1 is regulated by Hub1-mediated alternative splicing.
- 257 Mps1 promotes poleward chromosome movements in meiotic pro-metaphase.
- 256 Exofacial membrane composition and lipid metabolism regulates plasma membrane P4-ATPase substrate specificity. 1

- 255 Hitchhiking on condensed chromatin promotes plasmid persistence in yeast without perturbing chromosome function.
- 254 Type V Myosin focuses the polarisome and shapes the tip of yeast cells.
- 253 Potassium starvation induces autophagy in yeast.
- 252 Characterization of Plasmodium falciparum NEDD8 and identification of cullins as its substrates.
- 251 The RNA-binding protein Puf5 buffers mRNA levels against chromatin-mediated changes in nascent transcription.
- 250 Protein Phosphatase 1 in association with Bud14 inhibits mitotic exit in Saccharomyces cerevisiae.
- 249 Fluorescence Microscopy for Analysis of Relocalization of Structure-Specific Endonucleases. **2021**, 2153, 521-534
- 248 Architecture of the linker-scaffold in the nuclear pore. 6
- 247 Plasmodium DDI1 is an essential chromatin-associated protein with a role in DNA-protein crosslink repair. 0
- 246 Growth-dependent signals drive an increase in early G1 cyclin concentration to link cell cycle entry with cell growth. **2021**, 10, 5
- 245 Mapping protein networks in yeast mitochondria using proximity-dependent biotin identification coupled to proteomics. **2020**, 1, 100219 1
- 244 Cohesin dysfunction results in cell wall defects in budding yeast. **2021**, 217, 1-16 0
- 243 Drs2 regulates TRAPPIII in Atg9 transport: exposing the interplay of P4-ATPases and Multisubunit Tethering Complexes.
- 242 Abnormal sterol-induced cell wall glucan deficiency in yeast is due to impaired glucan synthase transport to the plasma membrane. **2020**, 2
- 241 Single-color Fluorescence Lifetime Cross-Correlation Spectroscopy in vivo.
- 240 Thewtf4meiotic driver utilizes controlled protein aggregation to generate selective cell death. 0
- 239 Mechanisms of up-regulation of Ubiquitin-Proteasome activity in the absence of NatA dependent N-terminal acetylation.
- 238 Mps1 expression is critical for chromosome orientation and segregation in yeast with high ploidy.

- 237 Interaction of RSC chromatin remodelling complex with nucleosomes is modulated by H3 K14 acetylation and H2B SUMOylation in vivo.
- 236 Structure of the TFIIC subcomplex β provides insights into RNA polymerase III pre-initiation complex formation.
- 235 Model-driven experimental design identifies counter-acting feedback regulation in the osmotic stress response of yeast.
- 234 C-terminal HA tags compromise function and exacerbate phenotypes of *Saccharomyces cerevisiae* Bloom β helicase homolog Sgs1 SUMOylation-associated mutants.
- 233 Sex without crossing over in the yeast *Saccharomyces ludwigii*. **2021**, 22, 303 1
- 232 Functional characterization of Polr3a hypomyelinating leukodystrophy mutations in the *S. cerevisiae* homolog, RPC160.
- 231 Growth-dependent signals drive an increase in early G1 cyclin concentration to link cell cycle entry with cell growth.
- 230 Characterization of Constitutive macro-ER-phagy.
- 229 Decapping complex is essential for functional P-body formation and is buffered by nuclear localization.
- 228 Ribosomal protein S7 ubiquitination during ER stress in yeast is associated with selective mRNA translation and stress outcome.
- 227 Pex3 confines pexophagy receptor activity of Atg36 to peroxisomes by regulating Hrr25-mediated phosphorylation and proteasomal degradation. **2020**, 295, 16292-16298 3
- 226 Disturbed intramitochondrial phosphatidic acid transport impairs cellular stress signaling.
- 225 The DEAD-box RNA helicase Ded1 from yeast is associated with the signal recognition particle (SRP), and its enzymatic activity is regulated by SRP21.
- 224 SMC Complexes Are Guarded by the SUMO Protease Ulp2 Against SUMO-Chain-Mediated Turnover. 0
- 223 Deciphering the Dynamic Landscape of Transcription-Associated mRNP Quality Control Components Over the Whole Yeast Genome. **2021**, 2209, 251-265 0
- 222 Polo-like kinase acts as a molecular timer that safeguards the asymmetric fate of spindle microtubule-organizing centers. **2020**, 9, 0
- 221 The α and β -tubulin genes cannot substitute for loss of the β -tubulin gene. **2021**, 2021, 1
- 220 A short perinuclear amphipathic β -helix in Apq12 promotes nuclear pore complex biogenesis. **2021**, 11, 210250 3

219	The inositol pyrophosphate metabolism of <i>Dictyostelium discoideum</i> does not regulate inorganic polyphosphate (polyP) synthesis. 2021 , 100835	1
218	Widespread use of unconventional targeting signals in mitochondrial ribosome proteins. 2021 , e109519	0
217	Heterologous Expression and Assembly of Human TLR Signaling Components in. 2021 , 11,	0
216	Phosphate Restriction Promotes Longevity via Activation of Autophagy and the Multivesicular Body Pathway. 2021 , 10,	2
215	Ca ²⁺ administration prevents β -synuclein proteotoxicity by stimulating calcineurin-dependent lysosomal proteolysis. 2021 , 17, e1009911	0
214	An Optogenetic Toolbox for Synergistic Regulation of Protein Abundance. 2021 ,	1
213	Recognition and deubiquitination of free 40S for translational reset by Otu2.	0
212	Up-regulation of ubiquitin-proteasome activity upon loss of NatA-dependent N-terminal acetylation. 2022 , 5,	0
211	Isolation and analysis of a sake yeast mutant with phenylalanine accumulation. 2021 ,	2
210	Ubiquitination drives COPI priming and Golgi SNARE localization.	0
209	Asymmetrical dose-responses shape the evolutionary trade-off between antifungal resistance and nutrient use.	0
208	Increased <i>Agrobacterium</i> -mediated transformation of <i>Saccharomyces cerevisiae</i> after deletion of the yeast ADA2 gene. 2021 ,	1
207	Nanoscale structural organization and stoichiometry of the budding yeast kinetochore.	0
206	Induction of autophagy and ER-phagy caused by CdTe-QDs are protective mechanisms of yeast cell.. 2022 ,	0
205	Structural Probing with MNase Tethered to Ribosome Assembly Factors Resolves Flexible RNA Regions within the Nascent Pre-Ribosomal RNA.. 2022 , 8,	0
204	The small GTPase Arf1 regulates ATP synthesis and mitochondria homeostasis by modulating fatty acid metabolism.	0
203	Whi3 mneumon association with endoplasmic reticulum membranes confines the memory of deceptive courtship to the yeast mother cell.. 2022 ,	2
202	Proteaphagy is specifically regulated and requires factors dispensable for general autophagy.. 2021 , 101494	3

201	High-Throughput Analysis of Protein Turnover with Tandem Fluorescent Protein Timers.. 2022 , 2378, 85-100	1
200	Indirect Methods To Measure Unfolded Proteins In Living Cells Using Fluorescent Proteins.. 2022 , 2378, 31-44	
199	Phosphoinositides containing stearic acid are required for interaction between Rho GTPases and the exocyst to control the late steps of polarised exocytosis.. 2021 ,	
198	Yme2, a putative RNA recognition motif and AAA+ domain containing protein, genetically interacts with the mitochondrial protein export machinery.. 2022 ,	0
197	Proteasome granular localization is regulated through mitochondrial respiration and kinase signaling.	
196	Genome-wide sequencing analysis of Sgs1, Exo1, Rad51, and Srs2 in DNA repair by homologous recombination.. 2022 , 38, 110201	1
195	Atg39 links and deforms the outer and inner nuclear membranes in selective autophagy of the nucleus.. 2022 , 221,	2
194	Determining the targeting specificity of the selective peroxisomal targeting factor Pex9.	1
193	Respiratory reoxidation of NADH is a key contributor to high oxygen requirements of oxygen-limited cultures of <i>Ogataea parapolymorpha</i> .. 2022 ,	0
192	Actin remodelling controls proteasome homeostasis upon stress.	
191	Rtt109 promotes nucleosome replacement ahead of the replicating fork.	
190	Development of a microtiter plate-based analysis method of nitric oxide dioxygenase activity.. 2022 ,	
189	Nst1, Densely Associated to P-Body in the Post-Exponential Phases of , Shows an Intrinsic Potential of Producing Liquid-Like Condensates of P-Body Components in Cells.. 2022 , 23,	0
188	Antisense non-coding transcription represses the PHO5 model gene via remodelling of promoter chromatin structure.	
187	Increased peroxisome proliferation is associated with early yeast replicative ageing.. 2022 , 68, 207	1
186	Sterol Metabolism Differentially Contributes to Maintenance and Exit of Quiescence.. 2022 , 10, 788472	1
185	Bur1 functions with TORC1 for vacuole-mediated cell cycle progression.. 2022 , e53477	1
184	Seipin forms a flexible cage at lipid droplet formation sites.. 2022 ,	2

183	Uip4p modulates nuclear pore complex function in .. 2022 , 13, 79-93	1
182	Rewiring phospholipid biosynthesis reveals resilience to membrane perturbations and uncovers regulators of lipid homeostasis.. 2022 , e109998	4
181	Linkage reprogramming by tailor-made E3s reveals polyubiquitin chain requirements in DNA-damage bypass.. 2022 ,	1
180	N-Terminal Modifications of Ubiquitin via Methionine Excision, Deamination, and Arginylation Expand the Ubiquitin Code.. 2022 ,	0
179	An adaptable live-cell imaging protocol to analyze organelle morphology in .. 2022 , 3, 101124	0
178	Structural Insight into the MCM double hexamer activation by Dbf4-Cdc7 kinase.. 2022 , 13, 1396	1
177	A perinuclear β helix with amphipathic features in Brl1 promotes NPC assembly.. 2022 , mbcE21120616	1
176	Dual targeting of <i>Saccharomyces cerevisiae</i> Pso2 to mitochondria and the nucleus, and its functional relevance in the repair of DNA interstrand crosslinks.	
175	The yeast LYST homolog Bph1 is a Rab5 effector and prevents Atg8 lipidation at endosomes.. 2022 ,	0
174	Identification of 14-3-3 proteins, Polo kinase, and RNA-binding protein Pes4 as key regulators of meiotic commitment in budding yeast.. 2022 ,	1
173	The toxic effects of yeast Ppz1 phosphatase are counteracted by subcellular relocalization mediated by its regulatory subunit Hal3.. 2022 ,	0
172	Hrq1/RECQL4 regulation is critical for preventing aberrant recombination during DNA intrastrand crosslink repair and is upregulated in breast cancer.	
171	Dedicated chaperones coordinate co-translational regulation of ribosomal protein production with ribosome assembly to preserve proteostasis.. 2022 , 11,	2
170	Molecular mechanism of ethanol fermentation inhibition via protein tyrosine nitration of pyruvate decarboxylase by reactive nitrogen species in yeast.. 2022 , 12, 4664	0
169	Cyclin C-Cdk8 Kinase Phosphorylation of Rim15 Prevents the Aberrant Activation of Stress Response Genes.. 2022 , 10, 867257	0
168	Site-specific phosphorylation of histone H3K36 methyltransferase Set2p and demethylase Jhd1p is required for stress responses in <i>Saccharomyces cerevisiae</i> .. 2022 , 167500	0
167	Structure of the Yeast Cell Wall Integrity Sensor Wsc1 Reveals an Essential Role of Surface-Exposed Aromatic Clusters.. 2022 , 8,	1
166	Emergence of the primordial pre-60S from the 90S pre-ribosome.. 2022 , 39, 110640	1

165	DNA circles promote yeast ageing in part through stimulating the reorganization of nuclear pore complexes.. 2022 , 11,	1
164	Combinations of slow-translating codon clusters can increase mRNA half-life in .. 2021 , 118,	0
163	THO and TRAMP complexes prevent transcription-replication conflicts, DNA breaks, and CAG repeat contractions.	
162	Phosphoproteomic responses of TORC1 target kinases reveal discrete and convergent mechanisms that orchestrate the quiescence program in yeast.. 2021 , 37, 110149	3
161	Ubiquitin proteomics reveals critical targets of the Nse1 RING domain in rDNA and genome stability.	0
160	Interaction of host factors in response to yeast K2 toxin stress [a]ttractiveness for plant protection. 2021 , 108, 313-320	
159	Kel1 is a phosphorylation-regulated noise suppressor of the pheromone signaling pathway.. 2021 , 37, 110186	1
158	NanoLuc luciferase as a quantitative yeast two-hybrid reporter.. 2021 ,	
157	Spatial control of avidity regulates initiation and progression of selective autophagy. 2021 , 12, 7194	1
156	Evolution of binding preferences among whole-genome duplicated transcription factors.. 2022 , 11,	2
155	The HOPS tethering complex is required to maintain signaling endosome identity and TORC1 activity.. 2022 , 221,	2
154	A GID E3 ligase assembly ubiquitinates an Rsp5 E3 adaptor and regulates plasma membrane transporters.. 2022 , e53835	3
153	Condensation of Ede1 promotes the initiation of endocytosis.. 2022 , 11,	2
152	Supramolecular architecture of the ER-mitochondria encounter structure in its native environment.	0
151	Atg1-mediated Atg11 phosphorylation is required for selective autophagy by regulating its association with receptor proteins.. 2022 , 1-9	1
150	High and stable ATP levels prevent aberrant intracellular protein aggregation in yeast.. 2022 , 11,	1
149	Data_Sheet_1.PDF. 2020 ,	
148	Table_1.XLSX. 2020 ,	

147 Video_1.MP4. 2020,

146 Video_2.MP4. 2020,

145 Video_3.MP4. 2020,

144 Presentation_1.pdf. 2020,

143 Data_Sheet_1.pdf. 2018,

142 CROP: a retromer-PROPPIN complex mediating membrane fission in the endo-lysosomal system.. 2022, e109646 2

141 A toolbox for systematic discovery of stable and transient protein interactors in baker's yeast. 0

140 Dual targeting of *Saccharomyces cerevisiae* Pso2 to mitochondria and the nucleus, and its functional relevance in the repair of DNA interstrand crosslinks.. 2022, 0

139 Pls1 Is a Peroxisomal Matrix Protein with a Role in Regulating Lysine Biosynthesis.. 2022, 11, 0

138 SIN-Like Pathway Kinases Regulate the End of Mitosis in the Methylophilic Yeast .. 2022, 11, 0

137 A systematic approach to study protein-substrate specificity enables the identification of Ssh1 substrate range. 0

136 Rad51-mediated replication of damaged templates relies on monoSUMOylated DDK kinase.. 2022, 13, 2480 0

135 Structure of the lysosomal membrane fusion machinery. 1

134 Key tethering function of Atg11 autophagy scaffold protein in formation of virus-induced membrane contact sites during tombusvirus replication.. 2022, 572, 1-16 0

133 Structural Features of the Nucleosomal DNA Modulate the Functional Binding of a Transcription Factor and Productive Transcription. 2022, 13, 0

132 Use of red, far-red, and near-infrared light in imaging of yeasts and filamentous fungi. 0

131 Differential proteome and interactome analysis reveal the basis of pleiotropy associated with the histidine methyltransferase Hpm1p. 2022, 100249 1

130 Rtt109 promotes nucleosome replacement ahead of the replication fork. 0

- 129 Mechanism of ER Stress-mediated ER-phagy by CdTe-QDs in Yeast Cells. **2022**, 0
- 128 The structure of yeast Npl3 bound to RNA reveals a cooperative sequence-specific recognition and an RNA chaperone role in splicing. 0
- 127 METALIC reveals interorganelle lipid flux in live cells by enzymatic mass tagging. 1
- 126 Diacylglycerol kinase alleviates autophagic degradation of the endoplasmic reticulum in SPT10-deficient yeast to enhance triterpene biosynthesis. 0
- 125 Cryo-EM structures of Gid12-bound GID E3 reveal steric blockade as a mechanism inhibiting substrate ubiquitylation. **2022**, 13, 0
- 124 Cip1 tunes cell cycle arrest duration upon calcineurin activation. **2022**, 119, 0
- 123 A rare natural lipid induces neuroglobin expression to prevent amyloid oligomers toxicity and retinal neurodegeneration. 0
- 122 The metabolite-controlled ubiquitin conjugase Ubc8 promotes mitochondrial protein import by enhancing assembly of the TOM complex. 0
- 121 Multi-Omic Integration by Machine Learning (MIMaL) Reveals Protein-Metabolite Connections and New Gene Functions. 0
- 120 Elesclomol elevates cellular and mitochondrial iron levels by delivering copper to the iron import machinery. **2022**, 102139 0
- 119 Actin remodelling controls proteasome homeostasis upon stress. 1
- 118 Architecture of the linker-scaffold in the nuclear pore. **2022**, 376, 2
- 117 Structural remodeling of ribosome associated Hsp40-Hsp70 chaperones during co-translational folding. **2022**, 13, 0
- 116 The nucleoporin Nup170 mediates subtelomeric gene silencing through the Ctf18-RFC complex and PCNA. 0
- 115 Nuclear pore complex acetylation regulates mRNA export and cell cycle commitment in budding yeast. 0
- 114 Tethered MNase Structure Probing as Versatile Technique for Analyzing RNPs Using Tagging Cassettes for Homologous Recombination in *Saccharomyces cerevisiae*. **2022**, 127-145 0
- 113 Cvm1 is a component of multiple vacuolar contact sites required for sphingolipid homeostasis. **2022**, 221, 3
- 112 Yeast U6 snRNA made by RNA polymerase II is less stable but functional. 0

- 111 Mer3 helicase protects early crossover intermediates from STR complex disassembly during meiosis.
- 110 Genetic requirements for repair of lesions caused by single genomic ribonucleotides in S phase.
- 109 The Multivalent Polyampholyte Domain of Nst1, a P-Body-Associated *Saccharomyces cerevisiae* Protein, Provides a Platform for Interacting with P-Body Components. **2022**, 23, 7380
- 108 The N-Terminal Domain of Bfa1 Coordinates Mitotic Exit Independent of GAP Activity in *Saccharomyces cerevisiae*. **2022**, 11, 2179
- 107 Dietary change without caloric restriction maintains a youthful profile in ageing yeast. ○
- 106 Dually targeted proteins regulate proximity between peroxisomes and partner organelles.
- 105 New motifs in Ndc1 mediating interaction with the Nup84 complex and nuclear membranes.
- 104 Exit of spore dormancy transforms the yeast cytoplasm and the solubility of its proteome.
- 103 Retromer oligomerization drives SNX-BAR coat assembly and membrane constriction.
- 102 Ubiquitination drives COPI priming and Golgi SNARE localization. 11, 1
- 101 ALIBY: ALFA Nanobody-Based Toolkit for Imaging and Biochemistry in Yeast. ○
- 100 Regulation of membrane scission in yeast endocytosis Department of Biochemistry and National Centre of Competence in Research, Chemical Biology, University of Geneva, Geneva, Switzerland. 1
- 99 Proteasome granule formation is regulated through mitochondrial respiration and kinase signaling. ○
- 98 Phosphoregulation of the ATP synthase beta subunit stimulates mitochondrial activity for G2/M progression. **2022**, 85, 100905 ○
- 97 Genetic-interaction screens uncover novel biological roles and regulators of transcription factors in fission yeast. ○
- 96 Isolation and characterization of autophagic bodies from yeast.
- 95 The lipid flippase Drs2 regulates anterograde transport of Atg9 during autophagy. **2022**, 1, 345-367
- 94 The role of an unusual cyclin in control of cell cycle entry and cell size in budding yeast.

- 93 A synthetic biology approach reveals diverse and dynamic CDK response profiles via multisite phosphorylation of NLS-NES modules. **2022**, 8, 0
- 92 Nuclear basket protein ZC3HC1 and its yeast homolog Pml39p feature an evolutionary conserved bimodular construction essential for initial binding to NPC-anchored homologs of scaffold protein TPR. 0
- 91 Vectors with a flexible multiple cloning site and modular epitope tags for gene expression studies in *Schizosaccharomyces pombe*. **2022**, 29, 101681 0
- 90 Decoding of the ubiquitin code for clearance of colliding ribosomes by the RQT complex. 0
- 89 Splicing of branchpoint-distant exons is promoted by Cactin, Tls1 and the ubiquitin-fold-activated Sde2. **2022**, 50, 10000-10014 0
- 88 Structure of the HOPS tethering complex, a lysosomal membrane fusion machinery. 11, 3
- 87 PCNA recruits cohesin loader Scc2/NIPBL to ensure sister chromatid cohesion. 1
- 86 Hrq1/RECQL4 regulation is critical for preventing aberrant recombination during DNA intrastrand crosslink repair and is upregulated in breast cancer. **2022**, 18, e1010122 0
- 85 The cytoprotective sequestration activity of small heat shock proteins is evolutionarily conserved. **2022**, 221, 0
- 84 Negative supercoils regulate meiotic crossover patterns in budding yeast. 0
- 83 Multi-omic integration by machine learning (MIMaL). 0
- 82 Sensing of individual stalled 80S ribosomes by Fap1 for nonfunctional rRNA turnover. **2022**, 82, 3424-3437.e8 1
- 81 RNA recognition by Npl3p reveals U2 snRNA-binding compatible with a chaperone role during splicing. 0
- 80 Using reporters of different misfolded proteins reveals differential strategies in processing protein aggregates. **2022**, 102476 0
- 79 Fission yeast Ish1 and Les1 interact with each other in the lumen of the nuclear envelope. 0
- 78 Asymmetrical dose responses shape the evolutionary trade-off between antifungal resistance and nutrient use. **2022**, 6, 1501-1515 0
- 77 Ubiquitination of CLIP-170 family protein restrains polarized growth upon DNA replication stress. **2022**, 13, 0
- 76 Systematic analysis of microtubule plus-end networks defines EB-cargo complexes critical for mitosis in budding yeast. 0

75	The inner nuclear membrane protein Lem2 coordinates RNA degradation at the nuclear periphery. 2022 , 29, 910-921	0
74	ALIBY: ALFA Nanobody-Based Toolkit for Imaging and Biochemistry in Yeast.	1
73	Depletion or cleavage of cohesin during anaphase differentially affects chromatin structure and segregation. 11,	0
72	Fission-independent compartmentalization of mitochondria during budding yeast cell division.	0
71	The iron-sulfur cluster assembly (ISC) protein Iba57 executes a tetrahydrofolate-independent function in mitochondrial [4Fe-Fe-S] protein maturation. 2022 , 298, 102465	1
70	Ubiquitination of phosphatidylethanolamine in organellar membranes. 2022 , 82, 3677-3692.e11	6
69	Causative links between ER stress and oxidative damage in a yeast model of human N88S seipinopathy. 2022 , 192, 165-181	0
68	Manganese-driven CoQ deficiency. 2022 , 13,	0
67	Antisense non-coding transcription represses the PHO5 model gene at the level of promoter chromatin structure. 2022 , 18, e1010432	0
66	Snf1/AMPK fine-tunes TORC1 signaling in response to glucose starvation.	0
65	Determining the targeting specificity of the selective peroxisomal targeting factor Pex9. 2022 ,	0
64	A method for the isolation and characterization of autophagic bodies from yeast provides a key tool to investigate cargos of autophagy. 2022 , 102641	0
63	The metabolite-controlled ubiquitin conjugase Ubc8 promotes mitochondrial protein import. 2023 , 6, e202201526	0
62	In vitro structural maturation of an early stage pre-40S particle coupled with U3 snoRNA release and central pseudoknot formation.	0
61	The nucleoplasmic phase of pre-40S formation prior to nuclear export.	1
60	The budding yeast GSK-3 homologue Mck1 is an essential component of the spindle position checkpoint. 2022 , 12,	1
59	Differential contributions of the proteasome, autophagy, and chaperones to the clearance of arsenite-induced protein aggregates in yeast. 2022 , 102680	0
58	Malonyl-CoA is an ancient physiological ATP-competitive mTORC1 inhibitor.	0

- 57 Concurrent remodelling of nucleolar 60S subunit precursors by the Rea1 ATPase and Spb4 RNA helicase. ○
- 56 Quantitative proteome dataset profiling of UBC4 and UBC5 deletion strains in *Saccharomyces cerevisiae*. **2022**, 45, 108737 ○
- 55 Unscheduled DNA replication in G1 causes genome instability and damage signatures indicative of replication collisions. **2022**, 13, ○
- 54 Cms1 coordinates stepwise local 90S pre-ribosome assembly with timely snR83 release. **2022**, 41, 111684 ○
- 53 Tetraspanner-based nanodomains modulate BAR domain-induced membrane curvature. ○
- 52 SWR1 Chromatin Remodeling Complex Prevents Mitotic Slippage during Spindle Position Checkpoint Arrest. ○
- 51 Autorepression-based conditional gene expression system in yeast for variation-suppressed control of protein dosage. ○
- 50 Sequence-specific remodeling of a topologically complex RNP substrate by Spb4. **2022**, 29, 1228-1238 ○
- 49 Pantothenate auxotrophy in a naturally occurring biocontrol yeast. ○
- 48 The ribosome-associated chaperone Zuo1 controls translation upon TORC1 inhibition. ○
- 47 Structural mechanism of extranucleosomal DNA readout by the INO80 complex. **2022**, 8, 1
- 46 Single-molecule tracking for studying protein dynamics and target-search mechanism in live cells of *S. cerevisiae*. **2022**, 3, 101900 ○
- 45 Live Cell Imaging of Yeast Golgi Dynamics. **2023**, 3-15 ○
- 44 Using light for energy: examining the evolution of phototrophic metabolism via synthetic construction. ○
- 43 Hsp70 and Hsp110 Chaperones Promote Early Steps of Proteasome Assembly. **2023**, 13, 11 ○
- 42 Meiotic Cells Escape Prolonged Spindle Checkpoint Activity Through Premature Silencing and Slippage. ○
- 41 Transient septin sumoylation steers a Fir1-Skt5 protein complex between the split septin ring. ○
- 40 The arginine transporter Can1 acts as a transceptor for regulation of proline utilization in the yeast *Saccharomyces cerevisiae*. ○

- 39 The mitochondrial Hsp70 controls the assembly of the F1FO-ATP synthase. **2023**, 14,
- 38 A multipoint guidance mechanism for E-barrel folding on the SAM complex.
- 37 Retromer oligomerization drives SNX-BAR coat assembly and membrane constriction. **2023**, 42,
- 36 A toolbox for systematic discovery of stable and transient protein interactors in baker's yeast.
- 35 Polyploid yeast are dependent on elevated levels of Mps1 for successful chromosome segregation.
- 34 Decoding of the ubiquitin code for clearance of colliding ribosomes by the RQT complex. **2023**, 14,
- 33 Plasmodium DDI1 is a potential therapeutic target and important chromatin-associated protein. **2023**,
- 32 Two modes of Cue2-mediated mRNA cleavage with distinct substrate recognition initiate no-go decay. **2023**, 51, 253-270
- 31 The RNA export and RNA decay complexes THO and TRAMP prevent transcription-replication conflicts, DNA breaks, and CAG repeat contractions. **2022**, 20, e3001940
- 30 Global analysis of aging-related protein structural changes uncovers enzyme polymerization-based control of longevity.
- 29 Autorepression-Based Conditional Gene Expression System in Yeast for Variation-Suppressed Control of Protein Dosage. **2023**, 3,
- 28 Nanoscale structural organization and stoichiometry of the budding yeast kinetochore. **2023**, 222,
- 27 Mitochondrial complexome reveals quality-control pathways of protein import. **2023**, 614, 153-159
- 26 The Transcriptional Regulator Ume6 is a Major Driver of Early Gene Expression during Gametogenesis.
- 25 Meiotic cells escape prolonged spindle checkpoint activity through kinetochore silencing and slippage. **2023**, 19, e1010707
- 24 Distinct Aurora B pools at the inner centromere and kinetochore have different contributions to meiotic and mitotic chromosome segregation. **2023**, 34,
- 23 An evolutionarily conserved bimodular domain anchors ZC3HC1 and its yeast homologue Pml39p to the nuclear basket. **2023**, 34,
- 22 Systematic analysis of microtubule plus-end networks defines EB-cargo complexes critical for mitosis in budding yeast. **2023**, 34,

- 21 Spatio-temporal regulation of endocytic protein assembly by SH3 domains in yeast. **2023**, 34,
- 20 Septin Defects Favour Symmetric Inheritance of the Budding Yeast Deceptive Courtship Memory. **2023**, 24, 3003
- 19 Distinct Aurora B pools at the inner centromere and kinetochore have different contributions to meiotic and mitotic chromosome segregation.
- 18 Snf1/AMPK fine-tunes TORC1 signaling in response to glucose starvation. 12,
- 17 The cytoplasmic synthesis and coupled membrane translocation of eukaryotic polyphosphate by signal-activated VTC complex. **2023**, 14,
- 16 Molecular basis of eIF5A-dependent CAT tailing in eukaryotic ribosome-associated quality control. **2023**, 83, 607-621.e4
- 15 Biochemical characterisation of Mer3 helicase interactions and the protection of meiotic recombination intermediates.
- 14 Chromosome biorientation requires Aurora B spatial separation from its outer kinetochore substrates but not its turnover at kinetochores.
- 13 Genetic requirements for repair of lesions caused by single genomic ribonucleotides in S phase. **2023**, 14,
- 12 Terminator-dependent facilitated recycling of RNA polymerase III couples transcriptional activation and chromatin remodeling in vivo.
- 11 Regulatory sites in the Mon1-Ccz1 complex control Rab5 to Rab7 transition and endosome maturation.
- 10 The P4-ATPase Drs2 interacts with and stabilizes the multisubunit tethering complex TRAPPIII in yeast.
- 9 Utilizing a nanobody recruitment approach for assessing serine palmitoyltransferase activity in ER sub-compartments of yeast.
- 8 Specificity and mechanism of 1,6 hexanediol-induced disruption of nuclear transport.
- 7 An intermembrane space protein facilitates completion of mitochondrial division in yeast.
- 6 Nucleoporin Nsp1 surveils the phase state of FG-Nups.
- 5 The dynamin Vps1 mediates Atg9 transport to the sites of autophagosome formation. **2023**, 104712
- 4 A systematic proximity ligation approach to studying protein-substrate specificity identifies the substrate spectrum of the Ssh1 translocon.

- 3 Breaking spore dormancy in budding yeast transforms the cytoplasm and the solubility of the proteome. **2023**, 21, e3002042
- 2 LDO proteins and Vac8 form a vacuole-lipid droplet contact site required for lipophagy in response to starvation.
- 1 Genetic inactivation of essential HSF1 reveals an isolated transcriptional stress response selectively induced by protein misfolding.