

Induced ordered weighted geometric operators and the multiplicative preference relations

International Journal of Intelligent Systems

19, 233-255

DOI: [10.1002/int.10172](https://doi.org/10.1002/int.10172)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Modeling Decisions for Artificial Intelligence: Theory, Tools and Applications. Lecture Notes in Computer Science, 2005, , 1-8.	1.0	3
2	Group decision making to better respond customer needs in software development. Computers and Industrial Engineering, 2005, 48, 427-441.	3.4	69
3	An overview of methods for determining OWA weights. International Journal of Intelligent Systems, 2005, 20, 843-865.	3.3	685
4	Fuzzy information retrieval based on geometric-mean averaging operators. Computers and Mathematics With Applications, 2005, 49, 1213-1231.	1.4	18
5	An approach based on the uncertain LOWG and induced uncertain LOWG operators to group decision making with uncertain multiplicative linguistic preference relations. Decision Support Systems, 2006, 41, 488-499.	3.5	298
6	MCDM AGGREGATION MODEL USING SITUATIONAL ME-OWA AND ME-OWGA OPERATORS. International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems, 2006, 14, 421-443.	0.9	35
7	On Obtaining OWA Operator Weights: A Sort Survey of Recent Developments. , 2007, , .		32
8	Group Decision-Making Model With Incomplete Fuzzy Preference Relations Based on Additive Consistency. IEEE Transactions on Systems, Man, and Cybernetics, 2007, 37, 176-189.	5.5	515
9	A Note on OWA Operator Based on the Normal Distribution. , 2007, , .		4
10	A novel sustainable decision making model for municipal solid waste management. Waste Management, 2007, 27, 209-219.	3.7	112
11	Representation and construction of self-dual aggregation operators. European Journal of Operational Research, 2007, 177, 472-487.	3.5	24
12	The maximizing deviation method for group multiple attribute decision making under linguistic environment. Fuzzy Sets and Systems, 2007, 158, 1608-1617.	1.6	228
13	Ontological support for a measurement and evaluation framework. International Journal of Intelligent Systems, 2008, 23, 1282-1300.	3.3	1
14	Soft computing-based aggregation methods for human resource management. European Journal of Operational Research, 2008, 189, 669-681.	3.5	89
15	Type-1 OWA operators for aggregating uncertain information with uncertain weights induced by type-2 linguistic quantifiers. Fuzzy Sets and Systems, 2008, 159, 3281-3296.	1.6	149
16	Type-2 OWA operators - aggregating type-2 fuzzy sets in soft decision making. , 2008, , .		2
17	An integrated group decision-making approach for new product development. International Journal of Computer Integrated Manufacturing, 2008, 21, 366-375.	2.9	27
18	Inducing linguistic weights for type-1 OWA operators in soft decision making. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
19	Dynamic linguistic weighted geometric mean operator and its application to multiple periods decision making. , 2008, , .		0
20	Group decision making with incomplete fuzzy linguistic preference relations. International Journal of Intelligent Systems, 2009, 24, 201-222.	3.3	248
21	Induced aggregation operators in decision making with the Dempster-Shafer belief structure. International Journal of Intelligent Systems, 2009, 24, 934-954.	3.3	163
22	A computer-supported learning system to help teachers to teach Fuzzy Information Retrieval Systems. Information Retrieval, 2009, 12, 179-200.	1.6	13
23	The induced continuous ordered weighted geometric operators and their application in group decision making. Computers and Industrial Engineering, 2009, 56, 1545-1552.	3.4	108
24	The induced generalized OWA operator. Information Sciences, 2009, 179, 729-741.	4.0	358
25	Parameterized defuzzification with continuous weighted quasi-arithmetic means " An extension". Information Sciences, 2009, 179, 1193-1206.	4.0	12
26	Induced choquet ordered averaging operator and its application to group decision making. International Journal of Intelligent Systems, 2010, 25, 59-82.	3.3	90
27	New decision-making techniques and their application in the selection of financial products. Information Sciences, 2010, 180, 2085-2094.	4.0	248
28	The uncertain induced quasi-arithmetic OWA operator. International Journal of Intelligent Systems, 2011, 26, 1-24.	3.3	99
29	Induced intuitionistic fuzzy Choquet integral operator for multicriteria decision making. International Journal of Intelligent Systems, 2011, 26, 659-686.	3.3	79
30	FIOWHM operator and its application to multiple attribute group decision making. Expert Systems With Applications, 2011, 38, 2984-2989.	4.4	105
31	Group consensus algorithms based on preference relations. Information Sciences, 2011, 181, 150-162.	4.0	119
32	Induced and uncertain heavy OWA operators. Computers and Industrial Engineering, 2011, 60, 106-116.	3.4	101
33	Some generalized aggregating operators with linguistic information and their application to multiple attribute group decision making. Computers and Industrial Engineering, 2011, 61, 32-38.	3.4	137
34	An ILOWG operator based group decision making method and its application to evaluate the supplier criteria. Mathematical and Computer Modelling, 2011, 54, 19-34.	2.0	23
35	Induced Ordered Weighted Averaging Operators. Studies in Fuzziness and Soft Computing, 2011, , 29-47.	0.6	10
36	Alpha-Level Aggregation: A Practical Approach to Type-1 OWA Operation for Aggregating Uncertain Information with Applications to Breast Cancer Treatments. IEEE Transactions on Knowledge and Data Engineering, 2011, 23, 1455-1468.	4.0	57

#	ARTICLE	IF	CITATIONS
37	Some induced intuitionistic fuzzy aggregation operators applied to multi-attribute group decision making. <i>International Journal of General Systems</i> , 2011, 40, 805-835.	1.2	43
38	Fuzzy Linguistic Induced Ordered Weighted Averaging Operator and Its Application. <i>Journal of Applied Mathematics</i> , 2012, 2012, 1-10.	0.4	12
39	Group decision making with incomplete fuzzy preference relations based on the additive consistency and the order consistency. <i>Expert Systems With Applications</i> , 2012, 39, 11666-11676.	4.4	88
40	Generalized triangular fuzzy correlated averaging operator and their application to multiple attribute decision making. <i>Applied Mathematical Modelling</i> , 2012, 36, 2975-2982.	2.2	63
41	Uncertain induced aggregation operators and its application in tourism management. <i>Expert Systems With Applications</i> , 2012, 39, 869-880.	4.4	31
42	Induced generalized intuitionistic fuzzy OWA operator for multi-attribute group decision making. <i>Expert Systems With Applications</i> , 2012, 39, 1902-1910.	4.4	93
43	The quasi-arithmetic intuitionistic fuzzy OWA operators. <i>Knowledge-Based Systems</i> , 2012, 27, 219-233.	4.0	61
44	INDUCED CHOQUET INTEGRALS OF 2-TUPLE LINGUISTIC INFORMATION. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2013, 21, 175-200.	0.9	9
45	Ordering based decision making – A survey. <i>Information Fusion</i> , 2013, 14, 521-531.	11.7	61
46	The ordered multiplicative modular geometric operator. <i>Knowledge-Based Systems</i> , 2013, 39, 144-150.	4.0	7
47	A statistical comparative study of different similarity measures of consensus in group decision making. <i>Information Sciences</i> , 2013, 221, 110-123.	4.0	294
48	The induced linguistic continuous ordered weighted geometric operator and its application to group decision making. <i>Computers and Industrial Engineering</i> , 2013, 66, 222-232.	3.4	45
49	Induced 2-tuple linguistic generalized aggregation operators and their application in decision-making. <i>Information Sciences</i> , 2013, 236, 1-16.	4.0	198
50	Induced aggregation operators in the VIKOR method and its application in material selection. <i>Applied Mathematical Modelling</i> , 2013, 37, 6325-6338.	2.2	89
51	Ranking and selection of unsupervised learning marketing segmentation. <i>Knowledge-Based Systems</i> , 2013, 44, 20-33.	4.0	10
52	An approach to group decision making based on interval multiplicative and fuzzy preference relations by using projection. <i>Applied Mathematical Modelling</i> , 2013, 37, 3929-3943.	2.2	75
53	An integrated QFD framework with multiple formatted and incomplete preferences: A sustainable supply chain application. <i>Applied Soft Computing Journal</i> , 2013, 13, 3931-3941.	4.1	79
54	Induced Power Aggregation Operators and their Applications in Group Decision Making. <i>Applied Mechanics and Materials</i> , 0, 404, 672-677.	0.2	1

#	ARTICLE	IF	CITATIONS
55	Type-Reduction of General Type-2 Fuzzy Sets: The Type-1 OWA Approach. International Journal of Intelligent Systems, 2013, 28, 505-522.	3.3	50
56	On consistent induced matrix aggregation operators. , 2013, , .		0
57	SOME ICOWA OPERATORS AND THEIR APPLICATIONS TO GROUP DECISION MAKING WITH INTERVAL FUZZY PREFERENCE RELATIONS. International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems, 2013, 21, 579-601.	0.9	5
58	SOME INDUCED UNCERTAIN GEOMETRIC AGGREGATION OPERATORS WITH PURE LINGUISTIC INFORMATION AND THEIR APPLICATION TO GROUP DECISION MAKING. International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems, 2013, 21, 723-742.	0.9	10
59	The quasi-arithmetic triangular fuzzy OWA operator based on Dempster-Shafer theory. Journal of Intelligent and Fuzzy Systems, 2014, 26, 1123-1135.	0.8	7
60	Induced generalized Choquet aggregating operators with linguistic information and their application to multiple attribute decision making based on the intelligent computing. Journal of Intelligent and Fuzzy Systems, 2014, 27, 1077-1085.	0.8	16
61	A prioritized aggregation operator based on the OWA operator and prioritized measure. Journal of Intelligent and Fuzzy Systems, 2014, 27, 1297-1307.	0.8	11
62	Incomplete preference relations: An upper bound condition. Journal of Intelligent and Fuzzy Systems, 2014, 26, 1433-1438.	0.8	9
63	Decision making with the induced generalised OWA operator and Dempster-Shafer theory. , 2014, , .		2
64	Some methods to deal with unacceptable incomplete 2-tuple fuzzy linguistic preference relations in group decision making. Knowledge-Based Systems, 2014, 56, 179-190.	4.0	60
65	Fuzzy Linguistic Induced Euclidean OWA Distance Operator and its Application in Group Linguistic Decision Making. International Journal of Intelligent Systems, 2014, 29, 478-491.	3.3	43
66	On Improving the Additive Consistency of the Fuzzy Preference Relations Based on Comparative Linguistic Expressions. International Journal of Intelligent Systems, 2014, 29, 544-559.	3.3	54
67	Group decision making with intuitionistic fuzzy preference relations. Knowledge-Based Systems, 2014, 70, 33-43.	4.0	78
68	Induced Ordered Weighted Evidential Reasoning Approach for Multiple Attribute Decision Analysis with Uncertainty. International Journal of Intelligent Systems, 2014, 29, 906-925.	3.3	6
69	Quantifiers Induced by Subjective Expected Value of Sample Information. IEEE Transactions on Cybernetics, 2014, 44, 1784-1794.	6.2	8
70	Fuzzy information retrieval in WWW: a survey. International Journal of Advanced Intelligence Paradigms, 2014, 6, 272.	0.2	7
71	Some ILOWA operators and their applications to group decision making with additive linguistic preference relations. Journal of Intelligent and Fuzzy Systems, 2015, 29, 831-843.	0.8	6
72	Heavy weighted geometric aggregation operators in analytic hierarchy process-group decision making. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
73	MAGDM Problems with Correlation Coefficient of Triangular Fuzzy IFS. International Journal of Fuzzy System Applications, 2015, 4, 1-32.	0.5	19
74	A New Family of Induced OWA Operators. International Journal of Intelligent Systems, 2015, 30, 170-205.	3.3	23
75	An Extended Quality Function Deployment Incorporating Fuzzy Logic and GDM Under Different Preference Structures. International Journal of Computational Intelligence Systems, 2015, 8, 438.	1.6	12
76	A dynamical consensus method based on exitâ€“delegation mechanism for large group emergency decision making. Knowledge-Based Systems, 2015, 86, 237-249.	4.0	116
77	Analysis of aggregation operators in regression analysis. , 2015, , .		3
78	Intuitionistic Fuzzy Linguistic Induced Ordered Weighted Averaging Operator for Group Decision Making. International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems, 2015, 23, 627-648.	0.9	23
79	D-CFPR: D numbers extended consistent fuzzy preference relations. Knowledge-Based Systems, 2015, 73, 61-68.	4.0	53
80	Fuzzy linguistic induced OWA Minkowski distance operator and its application in group decision making. Pattern Analysis and Applications, 2016, 19, 325-335.	3.1	39
81	Fuzzy Linguistic Induced Generalized OWA Operator and Its Application in Fuzzy Linguistic Decision Making. International Journal of Intelligent Systems, 2016, 31, 749-762.	3.3	26
82	Linguistic Discriminative Aggregation in Multicriteria Decision Making. International Journal of Intelligent Systems, 2016, 31, 529-555.	3.3	13
83	Induced aggregation operators in the ordered weighted average sum. , 2016, , .		1
84	Ratio-based similarity analysis and consensus building for group decision making with interval reciprocal preference relations. Applied Soft Computing Journal, 2016, 42, 260-275.	4.1	17
85	Mathematical programming methods for consistency and consensus in group decision making with intuitionistic fuzzy preference relations. Knowledge-Based Systems, 2016, 98, 30-43.	4.0	83
86	An MCDM approach towards handling outliers in web data: a case study using OWA operators. Artificial Intelligence Review, 2016, 46, 59-82.	9.7	7
87	Ordered Weighted Averaging. Studies in Fuzziness and Soft Computing, 2016, , 101-144.	0.6	0
88	Consistency in MCGDM Problems with Intuitionistic Fuzzy Preference Relations Based on an Exponential Score Function. Group Decision and Negotiation, 2016, 25, 399-420.	2.0	17
89	Pythagorean fuzzy Einstein weighted geometric aggregation operator and their application to multiple attribute group decision making. Journal of Intelligent and Fuzzy Systems, 2017, 33, 635-647.	0.8	111
90	Compatibility measurement-based group decision making with interval fuzzy preference relations. Journal of Algorithms and Computational Technology, 2017, 11, 31-39.	0.4	2

#	ARTICLE	IF	CITATIONS
91	Discriminative aggregation operators for multi criteria decision making. Applied Soft Computing Journal, 2017, 52, 1058-1069.	4.1	9
92	Aggregation operators in group decision making: Identifying citation classics via H-classics. Procedia Computer Science, 2017, 122, 902-909.	1.2	5
93	On Consistency in AHP and Fuzzy AHP. Journal of Systems Science and Information, 2017, 5, 128-147.	0.2	30
94	Soft failure mode and effects analysis using the OWG operator and hesitant fuzzy linguistic term sets. Journal of Intelligent and Fuzzy Systems, 2018, 34, 2625-2639.	0.8	27
95	Assessment of the Impact of Hydropower Stations on the Environment With a Hesitant Fuzzy Linguistic Hyperplane-Consistency Programming Method. IEEE Transactions on Fuzzy Systems, 2018, 26, 2981-2992.	6.5	10
96	A group decision making model based on triangular fuzzy additive reciprocal matrices with additive approximation-consistency. Applied Soft Computing Journal, 2018, 65, 349-359.	4.1	30
97	On Novel Operational Laws and Aggregation Operators of Picture-2-Tuple Linguistic Information for MCDM Problems. International Journal of Fuzzy Systems, 2018, 20, 958-969.	2.3	35
98	Completing 2-tuple linguistic preference relations based on upper bound condition. Soft Computing, 2018, 22, 6215-6227.	2.1	3
99	Decision Making Methods Based on Fuzzy Aggregation Operators: Three Decades Review from 1986 to 2017. International Journal of Information Technology and Decision Making, 2018, 17, 391-466.	2.3	89
100	A note on a group decision making model based on a generalized ordered weighted geometric average operator with interval preference matrices. Fuzzy Sets and Systems, 2018, 341, 145-153.	1.6	9
101	Quantile induced heavy ordered weighted averaging operators and its application in incentive decision making. International Journal of Intelligent Systems, 2018, 33, 514-528.	3.3	6
102	Group Decision-Making Model With Hesitant Multiplicative Preference Relations Based on Regression Method and Feedback Mechanism. IEEE Access, 2018, 6, 61130-61150.	2.6	19
103	Missing values estimation for incomplete uncertain linguistic preference relations and its application in group decision making. Journal of Intelligent and Fuzzy Systems, 2019, 36, 1809-1822.	0.8	8
104	Towards Human-Centric Aggregation via Ordered Weighted Aggregation Operators and Linguistic Data Summaries: A New Perspective on Zadeh's Inspirations. IEEE Computational Intelligence Magazine, 2019, 14, 16-30.	3.4	63
105	Credit rating and microfinance lending decisions based on loss given default (LGD). Finance Research Letters, 2019, 30, 124-129.	3.4	23
106	FORA: An OWO based framework for finding outliers in web usage mining. Information Fusion, 2019, 48, 27-38.	11.7	6
107	Backgrounds and Literature Review. Uncertainty and Operations Research, 2019, , 3-31.	0.1	0
108	Belief structure-based induced aggregation operators in decision making with hesitant fuzzy information. Neural Computing and Applications, 2019, 31, 8917-8929.	3.2	8

#	ARTICLE	IF	CITATIONS
109	The solution for fuzzy large-scale group decision making problems combining internal preference information and external social network structures. <i>Soft Computing</i> , 2019, 23, 9025-9043.	2.1	18
111	Quantile-induced vector-based heavy OWA operator and the application in dynamic decision making. <i>International Journal of Intelligent Systems</i> , 2020, 35, 250-266.	3.3	5
112	Consistency- and Consensus-Based Group Decision-Making Method With Incomplete Probabilistic Linguistic Preference Relations. <i>IEEE Transactions on Fuzzy Systems</i> , 2021, 29, 2565-2579.	6.5	73
113	Decision-Making Models Based on Incomplete Hesitant Fuzzy Linguistic Preference Relation With Application to Site Selection of Hydropower Stations. <i>IEEE Transactions on Engineering Management</i> , 2022, 69, 904-915.	2.4	13
114	Aggregating Intuitionistic Fuzzy Preference Relations with Symmetrical Intuitionistic Fuzzy Bonferroni Mean Operators in Group Decision Making. <i>International Journal of Fuzzy Systems</i> , 2021, 23, 455-473.	2.3	4
115	Bipolar Pythagorean Fuzzy Sets and Their Application in Multi-attribute Decision Making Problems. <i>Annals of Data Science</i> , 2023, 10, 555-587.	1.7	12
116	Integrating an Extended Outranking-TOPSIS Method with Probabilistic Linguistic Term Sets for Multiattribute Group Decision-Making. <i>Complexity</i> , 2021, 2021, 1-19.	0.9	0
117	Group decision making with incomplete interval-valued q-rung orthopair fuzzy preference relations. <i>International Journal of Intelligent Systems</i> , 2021, 36, 7274-7308.	3.3	14
118	Approach to the consistency and consensus of Pythagorean fuzzy preference relations based on their partial orders in group decision making. <i>Journal of Industrial and Management Optimization</i> , 2021, 17, 2615.	0.8	6
119	Analytical Hierarchy Process under Group Decision Making with Some Induced Aggregation Operators. <i>Communications in Computer and Information Science</i> , 2014, , 476-485.	0.4	5
120	Fuzzification of the OWA Operators for Aggregating Uncertain Information with Uncertain Weights. <i>Studies in Fuzziness and Soft Computing</i> , 2011, , 91-109.	0.6	2
121	A Survey on Web Information Retrieval Inside Fuzzy Framework. <i>Advances in Intelligent Systems and Computing</i> , 2014, , 433-445.	0.5	8
122	MAGDM Problems with Correlation Coefficient of Triangular Fuzzy IFS. <i>Advances in Computational Intelligence and Robotics Book Series</i> , 2017, , 154-192.	0.4	0
124	A novel group decision making method for interval-valued pythagorean fuzzy preference relations. <i>Journal of Intelligent and Fuzzy Systems</i> , 2022, 42, 1655-1677.	0.8	0