

Modified Look-Locker inversion recovery (MOLLI) for heart

Magnetic Resonance in Medicine

52, 141-146

DOI: [10.1002/mrm.20110](https://doi.org/10.1002/mrm.20110)

Citation Report

#	ARTICLE	IF	CITATIONS
3	An improved 3-D Lookâ€“Locker imaging method for T1 parameter estimation. Magnetic Resonance Imaging, 2005, 23, 801-807.	1.0	10
4	Interleaved acquisition of lipid and water images of the heart using a double-inversion fast spin-echo method. Magnetic Resonance in Medicine, 2005, 54, 1562-1568.	1.9	5
5	Magnetic Resonance Imaging: Utility as a Molecular Imaging Modality. Current Topics in Developmental Biology, 2005, 70, 1-33.	1.0	18
6	Fast 3D coronary artery contrast-enhanced magnetic resonance angiography with magnetization transfer contrast, fat suppression and parallel imaging as applied on an anthropomorphic moving heart phantom. Magnetic Resonance Imaging, 2006, 24, 895-902.	1.0	5
7	Cyclic variation of T1 in the myocardium at 3 T. Magnetic Resonance Imaging, 2006, 24, 889-893.	1.0	14
8	Percent infarct mapping: AnR1-map-based CE-MRI method for determining myocardial viability distribution. Magnetic Resonance in Medicine, 2006, 56, 535-545.	1.9	22
9	Effect of Posterolateral Scar Tissue on Clinical and Echocardiographic Improvement After Cardiac Resynchronization Therapy. Circulation, 2006, 113, 969-976.	1.6	1,115
10	Human Myocardium: Single-Breath-hold MR T1 Mapping with High Spatial Resolutionâ€”Reproducibility Study. Radiology, 2006, 238, 1004-1012.	3.6	209
11	Molecular Magnetic Resonance Imaging. , 0, , 1637-1653.		0
12	Myocardial T_1 mapping: Application to patients with acute and chronic myocardial infarction. Magnetic Resonance in Medicine, 2007, 58, 34-40.	1.9	309
13	Magnetic resonance imaging for ischemic heart disease. Journal of Magnetic Resonance Imaging, 2007, 26, 3-13.	1.9	43
14	Manganese dipyridoxylâ€“diphosphate (MnDPDP) as a viability marker in patients with myocardial infarction. Journal of Magnetic Resonance Imaging, 2007, 26, 720-727.	1.9	55
15	Optimization and validation of a fullyâ€“integrated pulse sequence for modified lookâ€“Locker inversionâ€“recovery (MOLLI) T1 mapping of the heart. Journal of Magnetic Resonance Imaging, 2007, 26, 1081-1086.	1.9	313
16	Phase-encoding strategies for optimal spatial resolution and T1 accuracy in 3D Lookâ€“Locker imaging. Magnetic Resonance Imaging, 2007, 25, 1203-1214.	1.0	4
17	Cardiac MRI is Complementary to Echocardiography in the Assessment of Cardiac Masses. Echocardiography, 2007, 24, 286-300.	0.3	56
18	Characterization of myocardial viability using MR and CT imaging. European Radiology, 2007, 17, 1433-1444.	2.3	24
19	Equilibrium signal intensity mapping, an MRI method for fast mapping of longitudinal relaxation rates and for image enhancement. Magnetic Resonance Imaging, 2007, 25, 641-651.	1.0	5
20	Delayed enhancement cardiac magnetic resonance imaging reveals typical patterns of myocardial injury in patients with various forms of non-ischemic heart disease. International Journal of Cardiovascular Imaging, 2008, 24, 597-607.	0.7	83

#	ARTICLE	IF	CITATIONS
21	114 The Relationship between signal intensity and myocardial gadolinium concentration for three MR perfusion pulse sequences: implications for measuring absolute myocardial blood flow. Journal of Cardiovascular Magnetic Resonance, 2008, 10, .	1.6	0
22	Delayed enhancement in hypertrophic cardiomyopathy: Comparison with myocardial tagging MRI. Journal of Magnetic Resonance Imaging, 2008, 27, 1054-1060.	1.9	38
23	Comparison of the effectiveness of saturation pulses in the heart at 3T. Magnetic Resonance in Medicine, 2008, 59, 209-215.	1.9	31
24	Characterisation of peripartum cardiomyopathy by cardiac magnetic resonance imaging. European Radiology, 2008, 18, 2765-2769.	2.3	79
25	Quantitative Molecular Magnetic Resonance Imaging of Tumor Angiogenesis Using cNGR-Labeled Paramagnetic Quantum Dots. Cancer Research, 2008, 68, 7676-7683.	0.4	92
26	The decisive role of cardiovascular MRI delayed hyperenhancement (DHE) pattern for risk stratification for dilated cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
27	Magnetic resonance imaging and response to cardiac resynchronization therapy: relative merits of left ventricular dyssynchrony and scar tissue. European Heart Journal, 2009, 30, 2360-2367.	1.0	107
28	Uncertainty in T_1 mapping using the variable flip angle method with two flip angles. Physics in Medicine and Biology, 2009, 54, N1-N8.	1.6	82
29	Advanced methods for quantification of infarct size in mice using three-dimensional high-field late gadolinium enhancement MRI. American Journal of Physiology - Heart and Circulatory Physiology, 2009, 296, H1200-H1208.	1.5	63
30	Interleaved T_1 and T_2 relaxation time mapping for cardiac applications. Journal of Magnetic Resonance Imaging, 2009, 29, 480-487.	1.9	71
31	Modulated repetition time lookâ€‘locker (MORTLL): A method for rapid high resolution threeâ€‘dimensional T1 mapping. Journal of Magnetic Resonance Imaging, 2009, 30, 640-648.	1.9	15
32	Hybrid adiabaticâ€‘rectangular pulse train for effective saturation of magnetization within the whole heart at 3 T. Magnetic Resonance in Medicine, 2009, 62, 1368-1378.	1.9	21
33	A fast Lookâ€‘Locker method for T1 mapping of the head and neck region. Oral Radiology, 2009, 25, 22-29.	0.9	3
34	Effective fat-suppression for late gadolinium enhancement combined with a sequential acquisition order. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
35	Myocardial T2* mapping free of distortion using susceptibility weighted spin-echo based imaging: a feasibility study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
36	Cardiac magnetic resonance imaging versus transesophageal echocardiography for the evaluation of mitral valve pathology prior to surgical intervention (The MagnaSound study). Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
37	Volume tracking â€‘ a novel method for visualization and quantification of intracardiac blood flow from 3D time resolved phase contrast MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
38	Screening for hypertrophic cardiomyopathy: a cost analysis of echocardiography, cardiac magnetic resonance and genetic testing. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1

#	ARTICLE	IF	CITATIONS
39	Impaired aortic distensibility determined by magnetic resonance imaging in patients with different bicuspid aortic valve phenotypes. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
40	Evaluation of model-based contouring versus 2D segmentation for cardiac mass and volumes. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
41	Clinical evaluation of automatic whole-heart and coronary-artery segmentation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	2
42	Aortic stiffness as an independent predictor of cardiac function and cerebral white matter hyperintensities in diabetes mellitus assessed by Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
43	Improved accuracy in flow mapping of congenital heart disease using stationary phantom technique. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
44	CMR assessment of right ventricular function in patients with combined pulmonary stenosis and insufficiency after correction of tetralogy of Fallot. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
45	Do we need to consider motion artefacts other than swallowing in carotid artery imaging?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
46	The role of peri-aortic fat in aortic atherosclerosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
47	Cardiovascular magnetic resonance measures of coronary artery blood flow improve after receipt of oral conjugated estrogen and/or high dose atorvastatin in early post-menopausal women without known coronary arteriosclerosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
48	Acquiring multiple slices in a single breath-hold. Is it practical for routine workflow?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
49	Continuous table movement for peripheral MRA with matrix coils at 3.0 T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
50	The right ventricle shows distinct wall motion characteristics in L-TGA vs. D-TGA/atrial switch. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
51	Left ventricular T2 distribution in Duchenne Muscular Dystrophy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
52	Assessment of transmural perfusion effect with Blood Oxygen Level-Dependent Cardiovascular Magnetic Resonance Imaging (BOLD-CMR). <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
53	Does DHE imaging shed insight into the inaccuracy of EKGs?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
54	Non-invasive quantification of myocardial fibrosis in diabetic mice using in-vivo high-resolution MRI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
55	Time-resolved myocardial perfusion MRI with reduced data acquisition window, improved spatial coverage, resolution and SNR. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
56	Free-breathing steady-state free precession 3D coronary MRA: investigation of the dependency on the running direction of the vessel and the direction of the motion correction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
57	Whole heart 3 D MR coronary angiography with and without extracellular contrast agent. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
58	Training-induced enlargement of the heart is balanced between the left and right atria and ventricles. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
59	Location, patterns, and quantification of myocardial fibrosis identified by cardiac magnetic resonance delayed enhancement late after fontan operation. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
60	4D flow for accurate assessment of complex flow distribution. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
61	SNR improvement in GRE-EPI first-pass myocardial perfusion images with non-rigid body registration and KLT filtering. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
62	Underestimation of carotid plaque by ultrasound IMT and potential error in measurement of change in plaque burden: simultaneous comparison with 3 T MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
63	k-t SENSE accelerated stress myocardial perfusion MRI at 3 Tesla. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
64	Comparison of methods for ranking and stratification of community-dwelling adults by pericardial fat thickness measured using cardiovascular magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
65	First-pass myocardial perfusion assessment using eight-fold accelerated k-t BLAST stress DCE-MRI with rapid parametric mapping. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
66	Does lipid lowering therapy improve calf muscle perfusion and cellular metabolism in peripheral arterial disease?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
67	Prognostic value of normal cardiac MRI in patients with suspected arrhythmogenic right ventricular dysplasia. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
68	Comparison of right ventricular involvement in AL and transthyretin-type cardiac amyloidosis by cardiovascular magnetic resonance. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
69	Coronary risk factors for the increased of coronary wall thickness : multi-ethnic study of atherosclerosis (MESA). Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
70	Evidence across CMR sites and systems of background velocity offset errors requiring correction before accurate measurement of regurgitant and shunt flow. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
71	The beneficial cardiovascular effects of bariatric surgery are similar to dietary weight loss in obesity. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
72	Is there a prognostic value of CMR derived 3D right ventricular geometry and function?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
73	Variability of perfusion dark rim artifacts due to Gibbs ringing. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
74	Quantification of vendor-specific relationships between fast gradient echo and steady-state free precession cine MRI for determination of myocardial mass and volumes. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
75	Multifunctional perfluorooctylbromide alginate microcapsules for monitoring of mesenchymal stem cell delivery using CT and MRI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	7
76	Diffusion-prepared dark blood delayed enhancement imaging for improved detection of subendocardial infarcts. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	4
77	Individual versus combined diagnostic performances of non-invasive CMR and invasive EMB in troponin-positive patients without coronary artery disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
78	Serum biomarkers and traditional risk factors as predictors of peripheral arterial disease assessed by magnetic resonance angiography. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
79	Regional wall motion abnormalities at rest and stress in patients with end-stage renal disease diagnosed by cardiac magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
80	Is the pattern of LVH regression in patients with severe aortic stenosis altered by the sex of the patient? A 4-year pre and post aortic valve surgery study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
81	Relationship between infarct gray zone and characteristics of ventricular tachycardia using multi-contrast delayed enhancement: preliminary results. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
82	Acute and chronic cardiac radio frequency ablation lesion visualisation using magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
83	The association of C-reactive protein with left ventricular systolic function and left ventricular myocardial fibrosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
84	Coronary MR angiography in children during systole and diastole using a dual cardiac phase scan of the whole heart. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
85	Cardiac MR for ventricular scar evaluation in patients with implanted defibrillators: technical and safety issues, and initial results. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
86	Right ventricular function and structure: results from the Multi-Ethnic Study of Atherosclerosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
87	Pulmonary vein stenoses are reversible early after plumonary vein isolation in patients with paroxysmal atrial fibrillation – a cardiac mri analysis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
88	Assessment of left ventricular volumes and mass using single-breath-hold 3D k-t BLAST cine b-SSFP in comparison with multiple-breath-hold 2D cine b-SSFP. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
89	T2 weighted three dimensional imaging of the whole heart. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
90	Local coronary endothelial dysfunction varies with the extent of coronary disease: a 3 T MRI study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
91	Accelerated real time 2D and segmented 3D cine imaging – whole heart approaches in a single breath hold. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
92	Cine-EPI can be used to detect coronary artery stenoses in canines. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
93	Contrast enhanced MRI and MR coronary angiography (MRCA) as one stop shop in patients with untreated myocardial infarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
94	4D flow of the whole heart and great vessels using real time self respiratory gating. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
95	"ART-FUN": an integrated software for functional analysis of the aorta. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	7
96	Cardiac and pancreatic iron overload evaluation of sickle/ β^2 -Thalassemia patients utilizing T2* MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
97	Multi slice DENSE in a single breath hold. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
98	Assessment of myocardial oxygenation changes in the presence of coronary artery stenosis with three dimensional cardiac phase-resolved SSFP BOLD imaging in canines. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
99	Left ventricular systolic dysfunction predicts incremental utility of delayed enhancement CMR vs. echocardiography for diagnosis of LV thrombus. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
100	Myocardial perfusion and viability after percutaneous recanalization of coronary chronic total occlusions: a cardiovascular magnetic resonance study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
101	Coronary artery flow velocity reserve during the cold pressor test in overweight, healthy women using spiral imaging at 3 T. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
102	A short-term, high fat diet impairs cardiac high energy phosphate metabolism, without change in cardiac function. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
103	Non-invasive assessment of coronary artery distensibility by 3.0 T cardiac MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
104	Abstract withdrawn by author. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
105	3D peripheral subtraction MRA using flow-spoiled ECG-triggered balanced SSFP. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
106	An automated method for left ventricular localization and identification of end-systolic and end-diastolic images from cine cardiac MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
107	CMR atrial angiography makes redo AF ablations faster and easier with less x-ray fluoroscopy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
108	Quantification of interventricular dyssynchrony by phase contrast magnetic resonance angiography. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
109	The reproducibility of cardiac T2* measurement in thalassaemia major patients using bright and black blood sequences. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
110	Repeatability of global myocardial function parameters post pacemaker implantation. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
111	A phantom study of temperature-dependent MRI T2* measurement. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	7
112	Delayed hyper-enhancement cardiac magnetic resonance provides incremental prognostic value in patients with cardiac amyloidosis. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
113	Predictors of subclinical diastolic dysfunction measured by MRI: multi-ethnic study of atherosclerosis (MESA). Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
114	The MR-stethoscope: safe cardiac gating free of interference with electro-magnetic fields at 1.5 T, 3.0 T and 7.0 T. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
115	The effect of dobutamine stress on diastolic filling rates in obese subjects. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
116	Blood oxygen level-dependent MRI in patients with coronary artery disease and normal volunteers: a validation study against PET. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
117	Relationship of left ventricular non-compaction with papillary muscle insertion site and partition. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
118	Accurate quantification of heart valve regurgitation in all four heart valves simultaneously using 3D velocity-encoded MRI with retrospective valve tracking. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
119	Measuring right ventricular volume and ejection fraction with Simpson's method: which MRI axis is best? Comparison with a "gold standard". Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
120	Focal myocardial fibrosis detected with magnetic resonance late Gadolinium enhancement imaging and diffuse interstitial fibrosis determined with histological staining of endomyocardial biopsy specimens in patients with non-ischemic left ventricular systolic dysfunction: two distinct entities?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
121	Early diastolic leftward septal motion in Tetralogy of Fallot at MRI: analysis and comparison to patients with constrictive/restrictive physiology. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
122	Associations of plasma C-Reactive Protein and osteopontin levels with the severities of coronary and aortic atherosclerosis. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
123	Chemotherapy induced abnormal aortic function assessed by magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
124	Internal Flow Fraction discriminates patients with dyssynchronous heart failure from age and sex-matched controls. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
125	The involvement of the aorta by cardiac magnetic resonance in the inflammatory process of acute coronary syndrome. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
126	Validation of left ventricular wall thickening in short-axis cine magnetic resonance imaging by correction of basal-descent through-plane movement. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
127	Diagnostic accuracy of half-contrast dose bSSFP vs full-contrast dose hEPI MR perfusion imaging in patients with known or suspected coronary artery disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
128	Optimized assessment for establishing myocardial viability prior to revascularization of a chronic total coronary occlusion using cardiac magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
129	Rapid cardiac cine imaging using MACH. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
130	Safety and accuracy of cardiac magnetic resonance imaging combined with low-dose dobutamine stress-testing in patients with congenital heart disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
131	Automatic segmentation of multi-echo Cardiac Magnetic Resonance images. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
132	Assessment of stress and rest perfusion in patients early after first anterior STEMI patients treated successfully with pPCI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
133	Relationship of aortic stiffness measured by cardiovascular magnetic resonance to arterial stiffness estimates by tonometry. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
134	Oxidative stress and inflammatory markers are determinants of carotid artery disease quantified by magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
135	Comparison between single shot ir-steady state free precession and conventional ir-fast gradient echo sequence for automated quantification of the scar size in acute myocardial infarction in daily practice. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
136	A novel prototype-based segmentation requiring only five training cases applied to MR angiography. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
137	Cardiovascular magnetic resonance imaging in early anthracycline cardiotoxicity. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	4
138	7 T MRI of macrophages in mouse carotid atherosclerosis using novel nanoparticle platforms. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
139	Myocardial fat quantification using 2D Dixon MRI: feasibility study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
140	Diffuse fibrosis in dilated cardiomyopathy results in a shorter myocardial null time. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
141	Are there innate differences in 3D ejection fraction between the sexes detectable by CMR? A CMR study in ~4000 patients. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
142	Coronary sinus flow reserve in response to cold pressor stress in healthy women using velocity-encoded cine (VEC) spiral 3 T MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
143	T2* heterogeneity detected by CMR could be related to myocardial iron distribution in Thalassemia patients. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
144	Fat/water separation imaging shows fatty deposition in areas of chronic left ventricular myocardial infarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
145	Co-localization of areas of delayed mechanical activation and areas of myocardial scar. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
146	Ventricular function and volume assessment in children, adolescents and young adults with thalassemia major without myocardial iron overload. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
147	Improved image quality in subtraction based non-contrast MRA using automated soft tissue motion correction with BRACE. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
148	Contrast-enhanced MR imaging of pulmonary arteries: new imaging strategies using different contrast agents. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
149	Limited plane analysis reduces accuracy of 3-dimensional reconstruction of the right ventricle. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
150	Strain-encoded imaging for prediction of functional recovery in patients after acute myocardial infarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
151	MRI-assessed end-organ damage in hypertension: association between aortic stiffness, cardiac function and lacunar brain infarcts. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
152	Relationship between regional wall shear stress and carotid plaque composition using 3 T MRI and patient-specific computational fluid dynamics. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
153	Teleradiologic network for central management and analysis of MR images: a three-years experience of the competence network for congenital heart disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
154	Assessment of cardiac oedema in patients with acute myocardial infarction by manual planimetry and computerised segmentation of triple inversion recovery prepared turbo spin echo images. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
155	Real-time free-breathing strategy for tracking labeled cells with in-vivo cardiac MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
156	In-room treadmill exercise stress cardiac magnetic resonance in patients with suspected ischemic heart disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
157	Pulse wave velocity in the aortic arch is the strongest predictor of left ventricular concentric remodeling in subjects with different levels of cardiovascular risk. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
158	Pulmonary distensibility and flow dynamics in systemic sclerosis using velocity encoded magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
159	Prevalence and clinical correlates of myocardial fibrosis and necrosis in thalassemia major patients by CMR-DE. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
160	Towards MR-guided EP interventions using an RF-safe approach. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	5
161	A T2-mapping method to quantitatively differentiate edema from normal myocardium. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
162	Atrial size and function post orthotopic heart transplantation – CMR and ECHO study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
163	Late gadolinium enhancement as an independent predictor of atrial fibrillation in hypertrophic cardiomyopathy (HCM). Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
164	Evaluation by MRI of left ventricular remodeling and global functional recovery in patients treated with granulocyte-colony stimulating factor (G-CSF) after acute myocardial infarction (AMI). Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
165	Assessing strain in arrhythmogenic right ventricular cardiomyopathy using cine DENSE MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
166	k-t SENSE-accelerated myocardial perfusion MR imaging at 3.0 Tesla – comparison with pressure wire measurement of fractional flow reserve. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
167	Increased susceptibility of the left lateral free wall to myocardial delayed enhancement in Duchenne Muscular Dystrophy: progressive systolic dysfunction demonstrable by CMR regional strain analysis. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
168	Coronary MRI with induced vasodilation using isosorbide dinitrate. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
169	The utility of cardiovascular magnetic resonance imaging in Takotsubo Cardiomyopathy (apical) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 58 Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
170	Pulmonary blood density in systemic sclerosis – a novel non-invasive measure of pulmonary arterial hypertension?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
171	Is inversion time dependent on relaxivity?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
172	Role of First Pass (FP) and delayed enhancement in functional recovery assessment after Acute Myocardial Infarction (AMI). Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
173	The evaluation of right and left ventricular morphology by CMR with comparison to recipient heart after heart transplant: a surgical perspective. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
174	Does implantation of an Amplatzer septal occluder (ASO) device change ventricular contraction pattern? An MR tagging study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
175	Validation of myocardial perfusion and coronary flow reserve in rats using spin-labeling gradient echo imaging with a fluorescent microsphere technique as standard of reference. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
176	Imaging the vessel wall in major peripheral arteries using susceptibility weighted imaging: visualizing calcifications. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
177	Selection of percutaneous aortic valve replacement candidates: CMR assessment of aortic valve stenosis and aortic root morphology in comparison with echocardiography and cardiac catheterization. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
178	Could TnI level on admission predict function and infarct size in STEMI patient treated with pPCI – CMR study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
179	Navigator-gated 3D cine DENSE: development and initial evaluation. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
180	Altered right ventricular papillary muscle position and orientation in patients with dilated left ventricles. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
181	European cardiovascular magnetic resonance (EUROCMR) registry – preliminary results of the German pilot phase. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
182	Analysis platform for hemodynamic function in congenital heart disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
183	Myocardial salvage in acute myocardial infarction assessed by magnetic resonance imaging "influences by the antioxidative agent N-acetylcystein. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
184	Perfusion MRI for monitoring therapy effects in experimental chronic limb ischemia. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
185	Clinical, angiographic, and electrocardiographic predictors of infarct size and microvascular obstruction assessed by MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
186	Can the outcome of post partum cardiomyopathy be predicted using late gadolinium enhancement CMR?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
187	Myocardial salvage by contrast-enhanced cine MR imaging: validation study against conventional T2 edema imaging and angiographic estimates of myocardium at risk during acute myocardial infarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
188	Relationship between CMR and ECG-derived indices of left ventricular hypertrophy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
189	Non-rheumatic streptococcal myocarditis mimicking acute ST-segment elevation myocardial infarction: characterization by cardiac magnetic resonance. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
190	Pioglitazone alters fat distribution in patients with type 2 diabetes mellitus, in contrast to metformin. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
191	A novel, dual-contrast in-vivo MR imaging method with principal component analysis reliably quantifies lipid-rich necrotic core and collagen in human carotid atherosclerotic plaques. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
192	Prevalence of non-cardiac incidental findings during routine clinical CMR assessment. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	3
193	Impact of temporal resolution on cardiac phase-resolved oxygen-sensitive myocardial steady-state free precession imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
194	A 3D evaluation of dyssynchrony may offer an advantage over a 2D approach; a cardiovascular MRI method for dyssynchrony quantification. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
195	Magnetic resonance phase contrast imaging in children with pulmonary artery hypertension. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
196	Quantitative evaluation of the dark rim artifact in cardiac perfusion images. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
197	Feasibility of noninvasive 3 T MRI-guided myocardial ablation with high intensity focused ultrasound. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
198	Myocardial change with microvascular obstruction after acute myocardial infarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
199	GEISIR: gadolinium exposure induced systemic inflammatory response in dialysis patients. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
200	XMR is a useful modality to guide, map and quantify the perfusion territories of coronary arteries. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
201	T2-imaging of area-at-risk predicts recovery of cardiac function in a canine model of acute myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
202	Influence of late gadolinium enhancement on left ventricular morphology and function in patients with sarcoidosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
203	Should reference values for ventricular volumes and mass of children be indexed for body surface area, height or weight considering gender differences?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
204	Right ventricular ejection fraction, measured during inter-stage cardiac magnetic resonance imaging, predicts outcome for patients with hypoplastic left heart syndrome. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
205	Left ventricular dyssynchrony in patients with left bundle branch block and patients after myocardial infarction using 3D MR tagging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
206	Cardiac magnetic resonance findings in asymptomatic patients with Brugada syndrome. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
207	Myocardial T1 measurement in patients with thalassemia major. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
208	Association between aortic stiffness measured by cardiovascular magnetic resonance and sub-clinical carotid atherosclerosis in young adults. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
209	Longitudinal versus cross-sectional studies of effects of aging on ventricular structure and function using cardiac magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
210	Adenosine induced pulmonary vasodilation is blocked by active cigarette smoking, an evaluation by pulmonary transit time with first pass perfusion MRI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
211	Differential branch pulmonary artery regurgitant fraction identifies patients with unilateral stenosis associated with relatively elevated pulmonary vascular resistance in the contralateral lung after repair of conotruncal anomalies. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
212	Right and left sided cardiac function in HIV patients on anti-retroviral therapy: a cine magnetic resonance imaging study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
213	Myocardial vasculature: the third significant contributor to MR diffusion signals in the isolated rabbit heart. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
214	Impact of myocardial hemorrhage on left ventricular function and remodeling in patients with reperfused acute myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
215	System identification theory in myocardial perfusion modeling of dynamic contrast-enhanced MRI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
216	Delayed-enhanced magnetic resonance imaging for identifying the ventricular arrhythmia substrate in non-ischemic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
217	Whole-heart contrast-enhanced coronary magnetic resonance angiography in less than 5 minutes using gradient echo interleaved EPI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
218	Trajectory of the time course for LVH regression and remodeling imparted by aortic valve replacement for severe aortic stenosis; a cardiovascular MRI study sponsored by the American Heart Association. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
219	Increased left ventricular torsion in hypertrophic cardiomyopathy mutation carriers with normal wall thickness. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
220	Left ventricular diastolic function assessed with cardiovascular magnetic resonance imaging and exercise capacity in patients with non-obstructive hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	3
221	Sudden cardiac death with normal coronaries: cardiac MRI in the differential diagnosis of underlying disease in survivors. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
222	Axial slices compared to short-axis slices for measurement of right and left ventricle volumes of patients with corrected Tetralogy of Fallot and Ebstein's anomaly by cardiac magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
223	The role of CMR in the diagnosis of systemic vasculitis: a case study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
224	Diagnostic and therapeutic impact of cardiac MRI in patients with cryptogenic ischemic stroke. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
225	Fragmented QRS complexes on a 12-lead ECG as a marker of non-coronary artery disease related myocardial disease by gadolinium delayed enhancement cardiac magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	2
226	Quantitative evaluation of normal myocardial stress perfusion using Fermi and MMID4. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
227	Heterogeneity in age related central arterial stiffening: ascending aortic stiffness is a better predictor of carotid to femoral pulse wave velocity and brachial peripheral blood pressure than carotid stiffness. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
228	MRI evaluation of the role of No-Reflow in left ventricular remodeling after Acute Myocardial Infarction (AMI). <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
229	Reproducibility of aortic pulse wave velocity measurements obtained with Phase Contrast Magnetic Resonance (PCMR) and applanation tonometry. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
230	High-resolution diffusion tensor mr imaging for the evaluation of myocardial anisotropy and fiber tracking at 3 T: effect of the numbers of diffusion-sensitizing gradient directions. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
231	Murine Es-derived cardiomyocytes form grafts and improve cardiac function in the infarcted myocardium. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
232	Aortic pulse wave velocity in obesity as assessed by magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
233	Delay enhancement cardiac MR imaging for assesment of myocardial involvement in patients with systemic lupus erythematosus and clinical suspect of myocarditis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
234	Correlation of pericardial and mediastinal fat with coronary artery disease, metabolic syndrome, and cardiac risk factors. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	2
235	Dual-source CT angiography of the thoracic aorta using prospective cardiac gating and a low kilovoltage technique. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
236	The relationship of left ventricular function to infarct surface area and volume. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
237	Myocardial scar in diabetics and non-diabetics with ischemic heart disease as assessed by magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
238	Prognostic significance of magnetic resonance imaging parameters in patients with idiopathic dilated cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
239	Contrast-enhanced cine cardiac MR detects impairment of coronary microvascular perfusion in patients after acute myocardial infarct. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
240	Phenotyping of tako tsubo cardiomyopathy â€” structural comparison to acute myocardial infarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
241	Early prediction of infarct size by quantitative myocardial blush grade in patients with acute non-st-elevation and ST-elevation myocardial infarction treated with primary angioplasty and stent placement. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
242	Late enhancement in 39 cardiac transplant patients: prevalence, pattern, and extent. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
243	Prognostic value of cardiovascular magnetic resonance in patients with strong suspicion for myocarditis. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
244	Does the presence of Q waves on ECG indicate myocardial scar on cardiac MRI?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
245	Utility of cardiac MRI in detecting diastolic dysfunction: comparison with Doppler echocardiography and tissue Doppler imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
246	Characterization of tissue heterogeneity by contrast-enhanced cardiovascular magnetic resonance imaging is a powerful predictor of ventricular tachyarrhythmias on ambulatory holter ECG in hypertrophic cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
247	CMR tagging for measurement of the long axis function and deformation rate of the systemic right ventricular free wall. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
248	Three-dimensional measurement of LV and RV dimensions using prospective self-gating for simultaneous compensation of cardiac and respiratory motion. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
249	Prevalence and potential mechanisms leading to persistent elevation of high sensitive troponin T in patients 6 month after acute myocardial infarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
250	Gadolinium enhanced magnetic resonance mean voxel signal intensity within the left ventricular myocardium changes prior to ejection fraction drop after receipt of cardiotoxic chemotherapy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
251	Incremental value of cardiac magnetic resonance in the characterization of unselected patients referred to exclude arrhythmogenic right ventricular cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
252	Cardiac T2* magnetic resonance for prediction of cardiac complications in thalassemia major. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	11
253	Investigation of T2-weighted and delayed enhancement magnetic resonance imaging in reperfused acute myocardial infarction in a porcine model. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
254	In/opposed phase imaging effectively differentiates fat from enhanced myocardium in patients with myocardial late gadolinium enhancement. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
255	Non-invasive monitoring allograft rejection by simultaneous cellular and functional cardiac MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
256	Rapid analysis of right ventricular volumes and systolic function using Cardiovascular Magnetic Resonance Imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
257	Myocardium at risk and myocardial salvage after acute infarction in humans; quantification by magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
258	Right ventricular assessment with cardiac magnetic resonance: usefulness in routine clinical practice compared to echocardiography. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
259	Single dose gadobenate dimeglumine for imaging chronic of myocardial infarction in comparison to double dose gadopentetate dimeglumine. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
260	Three dimensional Phase Sensitive Inversion Recovery (PSIR) turbo FLASH for evaluation of left ventricular myocardial lesions in infiltrative and non-ischemic cardiac diseases. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
261	Novel technique of strain assessment utilizing feature tracking in nontagged SSFP images: validation with tagged strain analysis. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
262	Endocardial to epicardial perfusion ratios at rest and stress determined by perfusion-CMR. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
263	Normal values for wall thickening by magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
264	Impact of myocardial iron loading on right ventricular function. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
265	Left atrial fat with cardiac MR. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
266	Assessment of myocardial perfusion reserve with blood oxygen level-dependent cardiovascular magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
267	Clinical implication of three-dimensional heart models for planning of surgical procedure in complex congenital heart disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
268	The incidence of microvascular obstruction with acute myocardial infarction and the relationship between the occurrence of microvascular obstruction and infarct size, angiographic findings and clinical background: gadolinium-contrasted MRI study. Journal of Cardiovascular Magnetic Resonance. 2009, 11, .	1.6	0
269	Cardiac magnetic resonance of targeted annexin-iron oxide labeling detects cardiac cell death in vivo after doxorubicin and myocardial infarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
270	On the sensitivity of steady-state free precession myocardial blood-oxygen-level-dependent MRI at 1.5 T: theory and experiment. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
271	Evaluation of complex congenital heart disease and associated complications in newborns, infants and small children using multi-detector CT. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
272	Early infarct size prediction with two-dimensional speckle tracking echocardiography compared with late gadolinium enhanced CMR. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
273	Correlation between T2-weighted CMR and Sestamibi-SPECT in acute myocardial infarction and acute coronary occlusion. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
274	Infarct size by cardiovascular magnetic resonance with delay enhancement as prognostic factor in the coronary artery disease: preliminary study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
275	Anatomical and functional imaging of congenital heart disease with phase contrast VIPR. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
276	A new algorithm for aortic compliance evaluation in normals. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
277	TI nulling and contrast conditions with a 0.15 mmol/kg dosage of MultiHance as compared to the standard 0.2 mmol/kg gadolinium dosage in patients with myocardial infarcts. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
278	Multi-contrast delayed enhancement imaging (MCDE): accuracy and reproducibility compared to conventional SSFP and delayed hyperenhancement imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
279	Is hemorrhage in acute reperfused myocardial infarction a new marker for the severity of tissue injury?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
280	Delayed hyper-enhancement cardiac magnetic resonance imaging is more accurate than other noninvasive parameters in diagnosis of patients with endomyocardial biopsy positive cardiac amyloidosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
281	Aortopulmonary collaterals in single ventricle patients. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
282	Registration and segmentation of cine and late enhancement cardiac magnetic resonance images. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
283	Computational simulations from cardiac magnetic resonance imaging reveal altered hemodynamics in coarctation patients previously treated by patch aortoplasty. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
284	Value of late gadolinium enhancement by magnetic resonance in patients with cardiac sarcoidosis: characteristic findings and clinical utility. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
285	4D flow evaluation of abnormal flow patterns with bicuspid aortic valve. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	3
286	Cine DENSE MRI for circumferential and radial dyssynchrony in patients referred for cardiac resynchronization therapy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
287	Effective saturation pulse for the whole heart at 3 T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
288	Additional value of first pass magnetic resonance myocardial perfusion imaging to computed tomography coronary angiography for detection of significant coronary artery disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
289	Contribution of the base of the heart to MR measures of left ventricular mass, volumes and scar in patients with myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
290	Evaluation of 3-dimensional left ventricular velocities with cardiac MR imaging using navigator gated high temporal resolution tissue phase mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
291	Association between wall metrics and identification of lipid-rich necrotic core in the early-stage atherosclerosis using magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
292	Myocardial hypoperfusion due to hypoplastic coronary arteries: a cause for false-positive results during adenosine stress Cardiac Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	2
293	Comparison of myocardial infarct size measurements between noncontact mapping and cardiac contrast enhanced MRI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
294	High-temporal resolution ($\leq 6\text{ ms}$) Cine Steady-State Free Precession (SSFP) imaging for assessing LV diastolic function. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
295	Mt Everest trek causes impaired cardiac high energy phosphate metabolism and diastolic impairment. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
296	Evaluation of myocardial function after primary percutaneous intervention by cardiac MRI: 5 years follow up. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
297	In vivo comparison of DENSE and CSPAMM for cardiac motion analysis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
298	Subendocardial reversible perfusion defects on adenosine stress MRI in ER patients with chest pain: relationship to cardiovascular risk factors. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
299	Three-dimensional changes in left atrial volumes and ejection fraction during dobutamine stress Cardiovascular Magnetic Resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
300	Cardiovascular MRI derived mitral valve geometry predicts the surgical treatment of mitral regurgitation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
301	Characterization of acute myocardial infarction by magnetic resonance imaging: correlation with enzymatic and angiographic findings. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
302	Is there an innate sex-based difference in the manner in which the left ventricle responds to the pressure overload of aortic stenosis?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
303	Stress cardiac magnetic resonance imaging in an outpatient setting. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
304	Relationship between cardiac allograft vasculopathy and left ventricular diastolic dysfunction assessed by cardiac magnetic resonance imaging in heart transplant recipients. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
305	Comparison of coronary endothelial function and brachial flow mediated vasodilatation using cardiac magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
306	Evaluation of contrast wash-in and peak enhancement in adenosine first pass perfusion in patients post bypass surgery. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
307	Intra-observer and interobserver variability of biventricular function, volumes and mass in patients with congenital heart disease measured by CMR imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
308	Moderate to severe renal impairment cannot be reliably detected from medical history alone: Implications for the use of Gadolinium-based contrast agents. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
309	Exploring the promise land of 7 T for CMR with T-PAT accelerated imaging techniques – first results for real time cardiac function and tagging in volunteers. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
310	In vivo human coronary magnetic resonance angiography at 7 Tesla. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	4
311	Adenosine magnetic resonance imaging versus dobutamine stress echocardiography in patients with low probability for coronary artery disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
312	Abstract withdrawn by author. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
313	Prevalence and imaging features of nephrogenic systemic fibrosis at two large medical centers. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
314	Successful integration of MRI derived scar distribution during VT ablation procedures. Initial experience in 12 patients. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
315	Marfan's cardiomyopathy is associated with aortic annular and root dilatation in the absence of significant valvular regurgitation. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
316	Viability imaging of stem cell using a MRI reporter gene and MEMRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
317	Circumferential and radial myocardial strain in cardiomyopathy patients with and without left bundle branch block. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
318	Sub-clinical systolic dysfunction with persistent myocardial edema and inflammation in elite high-endurance athletes with common colds: a cardiovascular magnetic resonance study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	4
319	Method for separate analysis of inflow vs. outflow regions of the right ventricle in Ebstein's anomaly. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
320	Comprehensive evaluation of diastolic function with MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
321	Non-contrast fresh-blood MRA for assessment of abdominal endovascular stent grafts. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
322	Does 3D volumetric carotid plaque imaging by cardiovascular MRI solve the mystery of the 'percent stenosis paradox'?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
323	Complications of aortic coarctation repair assessed using cardiac magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
324	Qualitative and quantitative comparison of TGRAPPA and TSENSE real-time cine techniques during deep breathing. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
325	Rapid assessment of myocardial scar and viability in ischemic heart disease: a cardiovascular magnetic resonance study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
326	Fast free-breathing planning in cardiac MR imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
327	Sensitivity of resting magnetic resonance first-pass myocardial perfusion imaging for the detection of acute and chronic myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
328	Reperfusion hemorrhage following PCI – quantification with T2* imaging and impact on area at risk assessment. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
329	Off-resonant pulmonary vein imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
330	Does a selective non-peptide angiotensin II type 2 receptor agonist reduce post-infarction left ventricular remodeling?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
331	MR imaging of human atherosclerosis using immunomicelles molecularly targeted to macrophages. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	3
332	T2-weighted MRI pulse sequences for imaging post-infarct edema in mice: comparison of spin echo and T2 preparation approaches. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
333	Comprehensive assessment of of thoracic stent grafts after emergency implantation in multi trauma patients. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
334	Comprehensive assessment of myocardial strain in post-infarct mice using 3D Cine DENSE. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
335	Diagnostic quality of steady state free precession imaging of cardiac valve morphology in pediatric/congenital heart disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	2
336	Imaging of aortic coarctation using Gd-DTPA and Gadofosveset: a comparative study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
337	Fast and robust visual inspection of the coronary arteries based on live path tracking. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	1
338	MRI signs of carotid plaque inflammation in patients with unstable angina: a possible sign of widespread plaque activity. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
339	Reproducibility of myocardial salvage in acute myocardial infarction by the use of Contrast-Enhanced Magnetic Resonance Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
340	Cartesian acquisition with PR-like sampling: applications to 3D contrast-enhanced MRA. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
341	Etiology of diminished left ventricular function in patients with Tetralogy of Fallot by cardiac magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
342	Ability of visual assessment of left ventricular dyssynchrony by cine-MRI to identify potential responders to cardiac resynchronization therapy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
343	MRI evaluation of right and left ventricular remodeling and surrogate markers of PH following acute pulmonary embolism. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	0
344	Improved image reconstruction incorporating non-rigid motion correction for cardiac MRI using BLADE acquisition. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009, 11, .	1.6	4

#	ARTICLE	IF	CITATIONS
345	Myocardial fibrosis is a prevalent finding in elite high-endurance athletes. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
346	Spatiotemporal relationship between ventricular expansion and flow propagation during early filling. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
347	Patient-specific coronary artery supply territory AHA diagrams. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
348	Cardiovascular magnetic resonance assessment of abdominal adiposity predicts early sub-clinical atherosclerosis in young adults: importance of relative adiposity. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
349	Automatic delineation of myocardial contours in late-enhancement long-axis cardiac MR images. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
350	Whole-body magnetic resonance angiography for the assessment of extent and severity of extra-cardiac atherosclerosis in patients with newly diagnosed coronary artery disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
351	Quantification of myocardial fibrosis by delayed-enhanced MRI in patients with severe aortic valve disease: correlation with quantified histopathology. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
352	Rapid MR assessment of left ventricular systolic function early after acute myocardial infarction using single breath-hold cine imaging with temporal parallel acquisition technique (TPAT) and 4D guide-point modeling. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
353	Comparison of two novel methods of measuring the blood velocity in the deep veins of the lower leg using phase contrast MR imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
354	Enlarged right ventricular size at 11 years follow-up after closure of secundum type atrial septal defect in children. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
355	Cardio-metabolic profile is a determinant of carotid artery disease quantified by Magnetic Resonance Imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
356	3T contrast-enhanced whole heart coronary MRA using 32-channel cardiac coils for the detection of coronary artery disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	5
357	Intraindividual evaluation of left ventricular function with 64-slice computed tomography, biplane cineventriculography, and two- and three-dimensional transthoracic echocardiography: comparison with magnetic resonance imaging as the gold standard. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
358	Late enhancement findings in a prospective study concerning late functional outcomes following a Ross Procedure. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
359	Comparison of MRI-derived pulmonary edema measures with LVEDP and serum BNP. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
360	The effects of continued obesity on the cardiovascular system. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
361	Effect of age on stress induced changes in aortic distensibility. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
362	CMR T2* technique for segmental and global quantification of myocardial iron: multi-centre transfereability and healthcare impact evalaution. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
363	Multi-stage diastolic function classification algorithm by cardiac MRI demonstrates the relationship between severity of diastolic dysfunction and acute infarct size. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
364	Complementary prognostic values of stress myocardial perfusion and late gadolinium enhancement imaging by cardiac magnetic resonance in patients with suspected myocardial ischemia. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
365	Fully automatic segmentation of short and long axis cine cardiac MR. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
366	Comparison of Gadopentetate dimeglumine and Gadobenate dimeglumine in depiction of non-ischemic fibrosis in hypertrophic cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
367	Contrast enhanced delayed myocardial enhancement in patients with end stage liver cirrhosis â€“ further evidence for cirrhotic cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
368	Cardiovascular magnetic resonance imaging as a gold standard for diagnosis of true aborted myocardial infarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
369	CMR evaluation in patients with high grade ventricular arrhythmias. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
370	Comparison of left ventricle ejection fraction by echocardiography and cardiac magnetic resonance imaging in day to day clinical practice. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
371	Initial validation of a multi-station non-contrast dark blood approach for the diagnosis of peripheral arterial disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
372	Partial anomalous pulmonary venous connection: how many vs. how much. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
373	Rapid automated quantification of left ventricular ejection fraction with LV-METRIC â€“ a novel segmentation algorithm. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
374	Left ventricular non-compaction cardiomyopathy in adults â€“ characterisation by cardiac magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
375	Cardiovascular magnetic resonance imaging for the assessment of cardiac inflammation and injury following prolonged exercise. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
376	Use of a dark blood sequence to localize the esophagus prior to RF ablation and to assess left atrial edema post ablation. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
377	Characterisation of the long-term effects of anthracycline-associated myocardial toxicity using cardiac MRI; a pilot study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
378	Detection of coronary artery disease at 3 Tesla using a visual interpretation algorithm combining perfusion and delayed enhancement imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
379	Shared velocity encoding (SVE): a new method for real-time velocity measurement with high temporal resolution. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
380	Differences in MR perfusion of malignant and benign cardiac tumors. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
381	Co-registration of CTA coronary artery/vein maps and MR myocardial viability/scar maps for optimized revascularization or resynchronization therapy planning. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
382	Integrated analysis of diastolic, systolic and pulmonary vascular function using MRI guided catheterization. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
383	The use of volumetric analysis to improve cardiac magnetic resonance evaluation of left ventricular size and function. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
384	Abnormal myocardial perfusion in hypertrophic cardiomyopathy: preliminary findings of a cardiovascular MRI study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
385	Evolution of left ventricular strain after a first time myocardial infarction. A study using velocity encoded magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
386	A case of cardiac langerhans histiocytosis. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
387	Baseline correction of phase-contrast images in congenital Cardiac Magnetic Resonance Imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
388	Late gadolinium enhancement and T2 MR imaging features of cardiac sarcoidosis involving the left and right ventricle. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
389	Can we measure iron overload in the heart using in vivo MRI T2*?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
390	Potential of multidetector computed tomography and magnetic resonance imaging in quantifying left ventricular function, perfusion and viability of chronic microinfarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
391	MRI adenosine fist-pass perfusion analysis using a SSFP sequence – are there gender differences?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
392	Papillary muscle involvement in acute and chronic myocardial infarction: an MRI study using multi-contrast delayed enhancement pulse sequence. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
393	Accuracy of single breath-hold cine MRI analyzed by guide-point modeling for the assessment of Left Ventricular Function. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
394	Accuracy of gadolinium-enhanced cardiovascular magnetic resonance in the diagnosis of cardiac sarcoidosis. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
395	Pulmonary hypertension: role of septomarginal trabeculation and moderator band complex assessed by cardiac magnetic resonance imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	2
396	Molecular imaging of atherosclerotic plaque targeted to oxidized LDL receptor LOX-1 using magnetic resonance. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
397	Mouse cardiac MRI on a 3 T clinical system using a low cost setup. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
398	Assessment of change in aortic distensibility in patients with left ventricular hypertrophy (LVH), before and after therapy, using Cardiac Magnetic Resonance (CMR) imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
399	Calibration of myocardial iron concentration against T2-star Cardiovascular Magnetic Resonance. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	7
401	Diagnostic accuracy of high-temporal resolution whole heart coronary magnetic resonance angiography at 3.0 Tesla. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
402	A prospective audit of paediatric cardiac MRI under general anaesthesia; practise and problems. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	4
403	3 T cardiac magnetic resonance performs well as the primary scanner in a clinical setting: our initial experience at a tertiary care center. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
404	Is routine cardiac MRI justifiable in patients with non-ischemic cardiomyopathy?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
405	Time-resolved MRA using sliding window reconstruction for evaluation of renal arterial anatomy and perfusion. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
406	Does moving away from the center frequency resonance benefit or hurt the valvular structure evaluation? A study of on and off peak resonance. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
407	The role of cardiac magnetic resonance imaging in the assessment of systemic lupus erythematosus (SLE). Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
408	Phase-sensitive black-blood coronary vessel wall imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
409	Dual PARACEST and ¹⁹ F MR molecular imaging of fibrin clots with targeted perfluorocarbon nanoparticles. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
410	Myocardial fat quantification using navigator 1H MRS combined with MRI: myocardial fat fraction is inversely correlated with indexed left ventricular mass in healthy subjects. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
411	Comparison of a rapid visual algorithm for quantification of infarct size with direct planimetry of infarct size by delayed enhancement-CMR. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
412	TIMI perfusion grade compared to TIMI flow in prediction of infarct size and microvascular obstruction measured by contrast-enhanced MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
413	The use of multiparametric CMR to predict impaired exercise capacity in hypertrophic cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
414	Correlation between velocity encoded cine magnetic resonance imaging and Doppler echocardiography for the evaluation of diastolic dysfunction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
415	Randomized comparison of observation unit plus stress cardiac MRI and hospital admission. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
416	4D flow for accurate assessment of differential pulmonary arterial flow in patients with tetralogy of Fallot. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
417	Hypertrophic cardiomyopathy patients have a steep left ventricle to aortic root angle compared to normal as demonstrated on 3-D Tomographic Imaging: a case-control study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0

#	ARTICLE	IF	CITATIONS
418	Regional right ventricular wall motion in tetralogy of fallot: a three dimensional analysis. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
419	Characterization of myocardial remodeling with diffusion tensor magnetic resonance imaging in chronic porcine model using the toroid-based representation. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
420	Visualizing regional myocardial oxygenation changes with statistically optimal colormaps. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
421	Dependence of arterial input function on position in the left ventricle and time in the cardiac cycle. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
422	Relationship of ostial pulmonary vein scar with reduction in pulmonary vein size after atrial fibrillation ablation. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
423	Fatty liver in uncomplicated type 2 DM is associated with impaired myocardial HEP metabolism, modulated by myocardial glucose uptake. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
424	Quantitative assessment of intramyocardial function using Cine DENSE MRI: a validation study. Journal of Cardiovascular Magnetic Resonance, 2009, 11, P177.	1.6	0
425	Incongruity of LVH regression with persistent inopportune diastolic dysfunction; results following AVR for severe aortic stenosis. Sponsored by the American Heart Association. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
426	Initiation of statin therapy halts progression of atherosclerotic plaque burden in peripheral arterial disease. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
427	Effect of flow angle and flow profile on phase contrast flow measurements: overestimation at extreme angles and skewed profiles. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
428	Right ventricular dysfunction and injury following marathon running: correlating biomarkers with cardiac MRI. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
429	Controlling ventricular preload using an MRI-compatible lower body negative pressure chamber: measuring changes in volumes, mechanical and hemodynamic function. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
430	Magnetic resonance imaging for identification of myocardial injury during ablation for atrial fibrillation: first experiences with the Miyabi MRI system. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	1
431	Comparison of visual scoring and planimetry methods for estimation of global infarct size on delayed contrast enhanced MRI and confrontation with biochemical markers of infarction. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
432	Steep left ventricle to aortic root angle is independently associated with dynamic left ventricular outflow tract gradient in hypertrophic cardiomyopathy: a novel association using 3-dimensional multi-modality imaging. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
433	Is short-axis imaging of the LV obligatorily the most accurate method for non-invasive quantitation of the mass of the heart?. Journal of Cardiovascular Magnetic Resonance, 2009, 11, .	1.6	0
434	Molecular Imaging With Targeted Contrast Agents. Topics in Magnetic Resonance Imaging, 2009, 20, 247-259.	0.7	10
435	Cardiac MRI in Ischemic Heart Disease. Circulation Journal, 2009, 73, 1577-1588.	0.7	66

#	ARTICLE	IF	CITATIONS
436	Rapid T_1 mapping of mouse myocardium with saturation recovery lookâ€locker method. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1296-1303.	1.9	53
437	An open-source software tool for the generation of relaxation time maps in magnetic resonance imaging. <i>BMC Medical Imaging</i> , 2010, 10, 16.	1.4	74
438	Shortened Modified Look-Locker Inversion recovery (ShMOLLI) for clinical myocardial T_1 -mapping at 1.5 and 3 T within a 9 heartbeat breathhold. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 69.	1.6	552
439	Measurement of myocardial triglyceride content by magnetic resonance spectroscopy in transplant native heart autopsies. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	1.6	1
440	Estimation of Gadolinium-induced T_1 -shortening with Measurement of Simple Signal Intensity Ratio between the Cochlea and Brain Parenchyma on 3D-FLAIR: Correlation with T_1 Measurement by TI Scout Sequence. <i>Magnetic Resonance in Medical Sciences</i> , 2010, 9, 17-22.	1.1	11
441	Quantification of Diffuse Myocardial Fibrosis and Its Association With Myocardial Dysfunction in Congenital Heart Disease. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 727-734.	1.3	237
442	Cardiac magnetic resonance imaging: current status and future directions. <i>Expert Review of Cardiovascular Therapy</i> , 2010, 8, 1175-1189.	0.6	5
443	Assessment of Myocardial Fibrosis With Cardiovascular Magnetic Resonance. <i>Journal of the American College of Cardiology</i> , 2011, 57, 891-903.	1.2	802
444	The Role of Cardiovascular Magnetic Resonance in Patients With Acute Coronary Syndromes. <i>Progress in Cardiovascular Diseases</i> , 2011, 54, 230-239.	1.6	5
445	Cardiac Magnetic Resonance Assessment of Myocardial Fibrosis. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 604-606.	1.3	12
446	Association of Imaging Markers of Myocardial Fibrosis With Metabolic and Functional Disturbances in Early Diabetic Cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 693-702.	1.3	122
447	The usefulness of delayed contrast-enhanced cardiovascular magnetic resonance imaging in differentiating cardiac tumors from thrombi in stroke patients. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 89-95.	0.7	20
448	Emerging MRI Methods in Translational Cardiovascular Research. <i>Journal of Cardiovascular Translational Research</i> , 2011, 4, 477-492.	1.1	29
449	A protocol for the measurement of myocardial blood volume and water exchange. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, .	1.6	0
450	Dynamic late gadolinium enhancement simply quantified using myocardium to lumen signal ratio: Normal range of ratio and diffuse abnormal enhancement of cardiac amyloidosis. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 50-55.	1.9	15
451	Myocardial T_1 mapping with MRI: Comparison of lookâ€locker and MOLLI sequences. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 1367-1373.	1.9	98
452	Three-dimensional T_1 mapping of the mouse heart using variable flip angle steadyâ€state MR imaging. <i>NMR in Biomedicine</i> , 2011, 24, 154-162.	1.6	58
453	Evaluation of the effect of myocardial segmentation errors on myocardial blood flow estimates from DCE-MRI. <i>Physics in Medicine and Biology</i> , 2011, 56, 2423-2443.	1.6	30

#	ARTICLE	IF	CITATIONS
454	Molecular MRI of Acute Necrosis With a Novel DNA-Binding Gadolinium Chelate. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 729-737.	1.3	54
455	Small Animal Look-Locker Inversion Recovery (SALLI) for Simultaneous Generation of Cardiac T1 Maps and Cine and Inversion Recovery-prepared Images at High Heart Rates: Initial Experience. <i>Radiology</i> , 2011, 261, 258-265.	3.6	21
456	Insights Into Left Ventricular Remodeling Through Noninvasive Measures of Myocardial Matrix Expansion With Cardiovascular Magnetic Resonance. <i>Circulation</i> , 2012, 126, 1179-1181.	1.6	8
457	Free-breathing MOLLI: Application to myocardial T ₁ mapping. <i>Medical Physics</i> , 2012, 39, 7291-7302.	1.6	9
458	Imaging focal and interstitial fibrosis with cardiovascular magnetic resonance in athletes with left ventricular hypertrophy: implications for sporting participation. <i>British Journal of Sports Medicine</i> , 2012, 46, i69-i77.	3.1	26
459	Characterising the myocardial interstitial space: the clinical relevance of non-invasive imaging. <i>Heart</i> , 2012, 98, 773-779.	1.2	86
460	Incremental value of three-dimensional strain imaging in Danon disease. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 804-804.	0.5	4
461	Assessment of diffuse myocardial fibrosis in aortic valve stenosis: let's get personal. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 803-804.	0.5	1
462	In Vivo Cardiac Diffusion-Weighted Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2012, 47, 662-670.	3.5	48
463	Extracellular Volume Fractions in Chronic Myocardial Infarction. <i>Investigative Radiology</i> , 2012, 47, 538-545.	3.5	30
464	Practical medical applications of quantitative MR relaxometry. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 805-824.	1.9	176
465	Cardiovascular magnetic resonance by non contrast T1-mapping allows assessment of severity of injury in acute myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 15.	1.6	236
466	T1 mapping of the myocardium: intra-individual assessment of post-contrast T1 time evolution and extracellular volume fraction at 3T for Gd-DTPA and Gd-BOPTA. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 26.	1.6	95
467	Diagnostic and prognostic value of cardiovascular magnetic resonance in non-ischaemic cardiomyopathies. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 33.	1.6	99
468	Comparison of T1 mapping techniques for ECV quantification. Histological validation and reproducibility of ShMOLLI versus multibreath-hold T1 quantification equilibrium contrast CMR. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 87.	1.6	207
469	Diffuse myocardial fibrosis evaluation using cardiac magnetic resonance T1 mapping: sample size considerations for clinical trials. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 89.	1.6	86
470	Cardiac Involvement. , 2012, , 373-393.		1
471	Quantification of Extracellular Matrix Expansion by CMR in Infiltrative Heart Disease. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 897-907.	2.3	123

#	ARTICLE	IF	CITATIONS
472	Extracellular Space Measurements With CMR Imaging – Editorials published in JACC: Cardiovascular Imaging reflect the views of the authors and do not necessarily represent the views of JACC: Cardiovascular Imaging or the American College of Cardiology. JACC: Cardiovascular Imaging, 2012, 5, 908-910.	2.3	4
473	Fast T1 mapping determined using incomplete inversion recovery lookâ€‘locker 3D balanced SSFP acquisition and a simple twoâ€‘parameter model fit. Journal of Magnetic Resonance Imaging, 2012, 35, 1437-1444.	1.9	3
474	Contrastâ€‘enhanced MRI index of diffuse myocardial fibrosis is increased in primary aldosteronism. Journal of Magnetic Resonance Imaging, 2012, 35, 1349-1355.	1.9	17
475	Motion correction for myocardial T1 mapping using image registration with synthetic image estimation. Magnetic Resonance in Medicine, 2012, 67, 1644-1655.	1.9	187
476	Flexible cardiac T_1 mapping using a modified lookâ€‘locker acquisition with saturation recovery. Magnetic Resonance in Medicine, 2012, 67, 622-627.	1.9	32
477	Flip angle profile correction for T_1 and T_2 quantification with lookâ€‘locker inversion recovery 2D steadyâ€‘state free precession imaging. Magnetic Resonance in Medicine, 2012, 68, 1579-1585.	1.9	19
478	Usefulness of Cardiac Magnetic Resonance in Early Assessment of Cardiomyopathies: Myocardial Fibrosis Is a Common Denominator. Current Cardiovascular Imaging Reports, 2012, 5, 77-82.	0.4	8
479	Contrastâ€‘enhanced MRI of murine myocardial infarction – Part II. NMR in Biomedicine, 2012, 25, 969-984.	1.6	18
480	Multiple 3D inversion recovery imaging for volume T_1 mapping of the heart. Magnetic Resonance in Medicine, 2013, 69, 163-170.	1.9	28
481	Modified Lookâ€‘Locker T_1 evaluation using Bloch simulations: Human and phantom validation. Magnetic Resonance in Medicine, 2013, 69, 329-336.	1.9	75
482	Phaseâ€‘sensitive inversion recovery for myocardial T_1 mapping with motion correction and parametric fitting. Magnetic Resonance in Medicine, 2013, 69, 1408-1420.	1.9	90
483	Imagerie en coupes du cÅ“ur et des vaisseaux. , 2013, , .		0
484	Multi-parametric MRI as an indirect evaluation tool of the mechanical properties of in-vitrocardiac tissues. BMC Cardiovascular Disorders, 2013, 13, 24.	0.7	8
485	Native T1 Mapping in Differentiation of Normal Myocardium From Diffuse Disease in Hypertrophic and Dilated Cardiomyopathy. JACC: Cardiovascular Imaging, 2013, 6, 475-484.	2.3	386
486	T1 and extracellular volume mapping in the heart: estimation of error maps and the influence of noise on precision. Journal of Cardiovascular Magnetic Resonance, 2013, 15, 56.	1.6	143
487	Myocardial T1 and T2 mapping at 3Å: reference values, influencing factors and implications. Journal of Cardiovascular Magnetic Resonance, 2013, 15, 53.	1.6	198
488	Standardized image interpretation and post processing in cardiovascular magnetic resonance: Society for Cardiovascular Magnetic Resonance (SCMR) Board of Trustees Task Force on Standardized Post Processing. Journal of Cardiovascular Magnetic Resonance, 2013, 15, 35.	1.6	1,037
489	Normal variation of magnetic resonance T1 relaxation times in the human population at 1.5 T using ShMOLLI. Journal of Cardiovascular Magnetic Resonance, 2013, 15, 13.	1.6	216

#	ARTICLE	IF	CITATIONS
490	Correction with blood T1 is essential when measuring post-contrast myocardial T1 value in patients with acute myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 11.	1.6	17
491	Evaluation of Age-Related Interstitial Myocardial Fibrosis With Cardiac Magnetic Resonance Contrast-Enhanced T1 Mapping. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1280-1287.	1.2	283
492	A framework to measure myocardial extracellular volume fraction using dual-phase low dose CT images. <i>Medical Physics</i> , 2013, 40, 103501.	1.6	6
493	Standardization of T1 measurements with MOLLI in differentiation between health and disease – the ConSept study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 78.	1.6	133
494	Influence of Off-resonance in myocardial T1-mapping using SSFP based MOLLI method. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 63.	1.6	85
496	T1 Mapping in Heart Failure. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 861-863.	1.3	10
497	Reproducibility of first-pass cardiovascular magnetic resonance myocardial perfusion. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 865-874.	1.9	46
498	Role of CMR Imaging in Risk Stratification for Sudden Cardiac Death. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 392-406.	2.3	64
499	Advances in Parametric Mapping With CMR Imaging. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 806-822.	2.3	165
500	Cardiovascular Magnetic Resonance: Deeper Insights Through Bioengineering. <i>Annual Review of Biomedical Engineering</i> , 2013, 15, 433-461.	5.7	10
501	Myocardial Extracellular Volume Fraction From T1 Measurements in Healthy Volunteers and Mice. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 672-683.	2.3	95
502	Understanding cardiovascular injury after treatment for cancer: an overview of current uses and future directions of cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 66.	1.6	42
503	Occult Cardiotoxicity in Childhood Cancer Survivors Exposed to Anthracycline Therapy. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 873-880.	1.3	105
504	Modified cine inversion recovery pulse sequence for the quantification of myocardial T1 and gadolinium partition coefficient. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 109-118.	1.9	8
505	T ₁ Mapping With Cardiovascular MRI Is Highly Sensitive for Fabry Disease Independent of Hypertrophy and Sex. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 637-645.	1.3	158
506	Magnetic Resonance T ₁ Relaxation Time of Venous Thrombus Is Determined by Iron Processing and Predicts Susceptibility to Lysis. <i>Circulation</i> , 2013, 128, 729-736.	1.6	74
507	Myocardial T1 mapping and extracellular volume quantification: a Society for Cardiovascular Magnetic Resonance (SCMR) and CMR Working Group of the European Society of Cardiology consensus statement. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 92.	1.6	864
508	Native Myocardial T1 Mapping by Cardiovascular Magnetic Resonance Imaging in Subclinical Cardiomyopathy in Patients With Systemic Lupus Erythematosus. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 295-301.	1.3	178

#	ARTICLE	IF	CITATIONS
509	Quoi de neuf en technologie IRM 3 Tesla ?. , 2013, , 13-21.		0
510	In vivo comparison of myocardial T1 with T2 and T2* in thalassaemia major. Journal of Magnetic Resonance Imaging, 2013, 38, 588-593.	1.9	63
511	Combining magnetic resonance late gadolinium enhanced and Look-Locker sequences for myocardial scar characterization. , 2013, , .		0
512	Evaluation of nonscarred myocardial T1 value using contrast-enhanced look-locker cardiac MRI and its relationship to cardiac function in dilated cardiomyopathy: Comparison of 1.5 and 3.0 Tesla MRI. Journal of Magnetic Resonance Imaging, 2013, 38, 1395-1401.	1.9	5
513	Comparison of methods for determining the partition coefficient of gadolinium in the myocardium using T ₁ mapping. Journal of Magnetic Resonance Imaging, 2013, 38, 217-224.	1.9	58
514	Manganese-Enhanced Magnetic Resonance Imaging Detects Declining Pancreatic Î²-Cell Mass in a Cyclophosphamide-Accelerated Mouse Model of Type 1 Diabetes. Diabetes, 2013, 62, 44-48.	0.3	29
515	Multiacquisition T1-Mapping MRI During Tidal Respiration for Quantification of Myocardial T1 in Swine With Heart Failure. American Journal of Roentgenology, 2013, 201, W563-W570.	1.0	1
516	Human non-contrast T1 values and correlation with histology in diffuse fibrosis. Heart, 2013, 99, 932-937.	1.2	390
517	Assessment of Cardiac Function and Myocardial Morphology Using Small Animal Look-locker Inversion Recovery (SALLI) MRI in Rats. Journal of Visualized Experiments, 2013, , .	0.2	2
518	Arrhythmia insensitive rapid cardiac T ₁ mapping pulse sequence. Magnetic Resonance in Medicine, 2013, 70, 1274-1282.	1.9	56
519	T ₁ measurements in the human myocardium: The effects of magnetization transfer on the SASHA and MOLLI sequences. Magnetic Resonance in Medicine, 2013, 70, 664-670.	1.9	135
520	Inversion recovery at 7 T in the human myocardium: Measurement of T ₁ , inversion efficiency and B ₁ +. Magnetic Resonance in Medicine, 2013, 70, 1038-1046.	1.9	39
521	Advanced Cardiac MR Imaging for Myocardial Characterization and Quantification: T1 Mapping. Korean Circulation Journal, 2013, 43, 1.	0.7	14
522	Myocardial T1 mapping: where are we now and where are we going?. Research Reports in Clinical Cardiology, 0, , 339.	0.2	3
523	Time-Efficient Myocardial Contrast Partition Coefficient Measurement from Early Enhancement with Magnetic Resonance Imaging. PLoS ONE, 2014, 9, e93124.	1.1	5
524	Quantitative evaluation of ischemic myocardial scar tissue by unenhanced T1 mapping using 3.0 Tesla MR scanner. Diagnostic and Interventional Radiology, 2014, 20, 407-413.	0.7	17
525	Combined saturation/inversion recovery sequences for improved evaluation of scar and diffuse fibrosis in patients with arrhythmia or heart rate variability. Magnetic Resonance in Medicine, 2014, 71, 1024-1034.	1.9	149
526	Potential Reduction of Interstitial Myocardial Fibrosis With Renal Denervation. Journal of the American Heart Association, 2014, 3, e001353.	1.6	41

#	ARTICLE	IF	CITATIONS
527	Reference values for healthy human myocardium using a T1 mapping methodology: results from the International T1 Multicenter cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 69.	1.6	262
528	Assessment of the evaluation of liver T1 mapping imaging applying virtual ECG gating on a modified look-locker inversion recovery (MOLLI) pulse sequence. <i>Journal of the Korean Physical Society</i> , 2014, 65, 1142-1148.	0.3	0
529	Coronary Artery Disease Evaluation in Rheumatoid Arthritis (CADERA): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 436.	0.7	18
530	Evaluation of extracellular volume fraction thresholds corresponding to myocardial late-gadolinium enhancement using cardiac magnetic resonance. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 137-144.	0.7	9
531	Cardiac Magnetic Resonance Imaging for the Investigation of Cardiovascular Disorders. Part 2: Emerging Applications. <i>Texas Heart Institute Journal</i> , 2014, 41, 135-143.	0.1	4
532	Interstitial Fibrosis, Left Ventricular Remodeling, and Myocardial Mechanical Behavior in a Population-Based Multiethnic Cohort. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 292-302.	1.3	86
533	A 64-year-old patient with heart failure and 'chronic liver disease': looking at the liver, the myocardium or the pericardium?. <i>European Heart Journal</i> , 2014, 35, 611-611.	1.0	2
534	Contrast-enhanced cardiovascular magnetic resonance imaging of coronary vessel wall: state of art. <i>Expert Review of Cardiovascular Therapy</i> , 2014, 12, 255-263.	0.6	5
535	Established and emerging cardiovascular magnetic resonance techniques for prognostication and guiding therapy in heart failure. <i>Expert Review of Cardiovascular Therapy</i> , 2014, 12, 45-55.	0.6	4
536	Mapping the Future of Cardiac MR Imaging: Case-based Review of T1 and T2 Mapping Techniques. <i>Radiographics</i> , 2014, 34, 1594-1611.	1.4	74
537	Normal Diastolic and Systolic Myocardial T1 Values at 1.5-T MR Imaging: Correlations and Blood Normalization. <i>Radiology</i> , 2014, 271, 365-372.	3.6	62
538	Quantification of Myocardial Extracellular Volume Fraction with Cardiac MR Imaging for Early Detection of Left Ventricle Involvement in Systemic Sclerosis. <i>Radiology</i> , 2014, 271, 373-380.	3.6	49
539	The History of MR Imaging as Seen through the Pages of <i>Radiology</i> . <i>Radiology</i> , 2014, 273, S181-S200.	3.6	99
540	Improved quantification of myocardial blood flow using highly constrained back projection reconstruction. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 749-755.	1.9	6
541	Multi-Ethnic Study of Atherosclerosis: Association between Left Atrial Function Using Tissue Tracking from Cine MR Imaging and Myocardial Fibrosis. <i>Radiology</i> , 2014, 273, 703-713.	3.6	58
542	Acute Myocarditis: Multiparametric Cardiac MR Imaging. <i>Radiology</i> , 2014, 273, 383-392.	3.6	130
543	Accuracy, Precision, and Reproducibility of Four T1 Mapping Sequences: A Head-to-Head Comparison of MOLLI, ShMOLLI, SASHA, and SAPHIRE. <i>Radiology</i> , 2014, 272, 683-689.	3.6	255
544	Improve myocardial T ₁ measurement in rats with a new regression model: Application to myocardial infarction and beyond. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 737-748.	1.9	9

#	ARTICLE	IF	CITATIONS
545	Saturation recovery single-shot acquisition (SASHA) for myocardial T ₁ mapping. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 2082-2095.	1.9	307
546	Pre-clinical functional Magnetic Resonance Imaging part II: The heart. <i>Zeitschrift Fur Medizinische Physik</i> , 2014, 24, 307-322.	0.6	11
547	T ₁ Mapping using variable flip angle SPGR data with flip angle correction. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 171-180.	1.9	69
548	Role of miR-195 in Aortic Aneurysmal Disease. <i>Circulation Research</i> , 2014, 115, 857-866.	2.0	93
549	Reproducibility of native myocardial T1 mapping in the assessment of Fabry disease and its role in early detection of cardiac involvement by cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 99.	1.6	154
550	Simultaneous three-dimensional myocardial T1 and T2 mapping in one breath hold with 3D-QALAS. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 102.	1.6	105
551	Longitudinal Assessment of Concurrent Changes in Left Ventricular Ejection Fraction and Left Ventricular Myocardial Tissue Characteristics After Administration of Cardiotoxic Chemotherapies Using T1-Weighted and T2-Weighted Cardiovascular Magnetic Resonance. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 872-879.	1.3	77
552	The Prognostic Impact of Myocardial Late Gadolinium Enhancement. <i>Cardiology in Review</i> , 2014, 22, 128-139.	0.6	6
553	Subclinical diastolic dysfunction in young adults with Type 2 diabetes mellitus: a multiparametric contrast-enhanced cardiovascular magnetic resonance pilot study assessing potential mechanisms. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 1263-1269.	0.5	58
554	Myocardial Tissue Characterization by Magnetic Resonance Imaging. <i>Journal of Thoracic Imaging</i> , 2014, 29, 147-154.	0.8	122
555	T1 mapping: non-invasive evaluation of myocardial tissue composition by cardiovascular magnetic resonance. <i>Expert Review of Cardiovascular Therapy</i> , 2014, 12, 1455-1464.	0.6	15
556	T1-mapping in the heart: accuracy and precision. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 2.	1.6	551
557	Native T1 Mapping of the Heart – A Pictorial Review. <i>Clinical Medicine Insights: Cardiology</i> , 2014, 8s4, CMC.S19005.	0.6	71
558	Subclinical myocardial inflammation and diffuse fibrosis are common in systemic sclerosis – a clinical study using myocardial T1-mapping and extracellular volume quantification. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 21.	1.6	200
559	Cardiac T1 Imaging. <i>Topics in Magnetic Resonance Imaging</i> , 2014, 23, 3-11.	0.7	10
560	Diffuse myocardial fibrosis following tetralogy of Fallot repair: a T1 mapping cardiac magnetic resonance study. <i>Pediatric Radiology</i> , 2014, 44, 403-409.	1.1	68
561	T1 Mapping in Ischemic Heart Disease. <i>Current Cardiovascular Imaging Reports</i> , 2014, 7, 1.	0.4	0
562	Contrast-Enhanced T1-Mapping MRI for the Assessment of Myocardial Fibrosis. <i>Current Cardiovascular Imaging Reports</i> , 2014, 7, 1.	0.4	5

#	ARTICLE	IF	CITATIONS
563	Review of T1 Mapping Methods: Comparative Effectiveness Including Reproducibility Issues. <i>Current Cardiovascular Imaging Reports</i> , 2014, 7, 1.	0.4	41
564	Myocardial Tissue Characterization: Histological and Pathophysiological Correlation. <i>Current Cardiovascular Imaging Reports</i> , 2014, 7, 9254.	0.4	49
565	T1 mapping of myocardium using inversion recovery cine at 3.0T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, P379.	1.6	0
566	On the use of the "look-locker correction" for calculating T1 values from MOLLI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, P55.	1.6	6
567	Molecular Imaging of the Cardiac Extracellular Matrix. <i>Circulation Research</i> , 2014, 114, 903-915.	2.0	73
568	Myocardial Extracellular Remodeling Is Associated With Ventricular Diastolic Dysfunction in Children and Young Adults With Congenital Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1778-1785.	1.2	79
569	Imaging in diabetic cardiomyopathy. <i>Expert Review of Cardiovascular Therapy</i> , 2014, 12, 475-486.	0.6	0
570	T1 mapping in ischaemic heart disease. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 597-602.	0.5	50
571	MOLLI and AIR T_1 mapping pulse sequences yield different myocardial T_1 and ECV measurements. <i>NMR in Biomedicine</i> , 2014, 27, 1419-1426.	1.6	8
572	Quantitative T_2 mapping of the mouse heart by segmented MLEV phase-cycled T_2 preparation. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 409-417.	1.9	30
573	T1 mapping in the rat myocardium at 7 tesla using a modified CINE inversion recovery sequence. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 901-910.	1.9	6
574	In Vivo Assessment of Aortic Aneurysm Wall Integrity Using Elastin-Specific Molecular Magnetic Resonance Imaging. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 679-689.	1.3	43
575	Magnetic resonance imaging dynamic contrast enhancement (DCE) characteristics of healed myocardial infarction differ from viable myocardium. <i>Magnetic Resonance Imaging</i> , 2014, 32, 1191-1197.	1.0	3
576	Reference Values of Myocardial Structure, Function, and Tissue Composition by Cardiac Magnetic Resonance in Healthy African-Americans at 3T and Their Relations to Serologic and Cardiovascular Risk Factors. <i>American Journal of Cardiology</i> , 2014, 114, 789-795.	0.7	23
577	Optimized saturation recovery protocols for T1-mapping in the heart: influence of sampling strategies on precision. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 55.	1.6	42
578	Myocardial scar identification based on analysis of Look-Locker and 3D late gadolinium enhanced MRI. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 925-34.	0.7	2
579	Infarct density distribution by MRI in the porcine model of acute and chronic myocardial infarction as a potential method transferable to the clinic. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 937-948.	0.7	10
580	Cardiovascular magnetic resonance T2 mapping can detect myocardial edema in idiopathic dilated cardiomyopathy. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 65-72.	0.7	35

#	ARTICLE	IF	CITATIONS
581	Role of Cardiac MRI in Diabetes. <i>Current Cardiology Reports</i> , 2014, 16, 449.	1.3	15
582	Cardiovascular Magnetic Resonance Imaging of Myocardial Interstitial Expansion in Hypertrophic Cardiomyopathy. <i>Current Cardiovascular Imaging Reports</i> , 2014, 7, 9267.	0.4	19
583	Subclinical Myocardial Disease in Heart Failure Detected by CMR. <i>Current Cardiovascular Imaging Reports</i> , 2014, 7, 9269.	0.4	6
584	T1 Mapping in Heart Failure. <i>Current Cardiovascular Imaging Reports</i> , 2014, 7, 1.	0.4	0
585	Myocardial Extracellular Volume Expansion and the Risk of Recurrent Atrial Fibrillation After Pulmonary Vein Isolation. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 1-11.	2.3	58
586	Leakage and water exchange characterization of gadofosveset in the myocardium. <i>Magnetic Resonance Imaging</i> , 2014, 32, 224-235.	1.0	6
587	Myocardial T1 Mapping: Techniques and Potential Applications. <i>Radiographics</i> , 2014, 34, 377-395.	1.4	80
588	Adiabatic inversion pulses for myocardial T1 mapping. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1428-1434.	1.9	119
589	3D myocardial T_1 mapping at 3T using variable flip angle method: Pilot study. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 823-829.	1.9	26
590	Assessment of myocardial matrix expansion with cardiac magnetic resonance: entering a new area of cardiac risk stratification in type 2 diabetes mellitus?. <i>European Heart Journal</i> , 2014, 35, 608-611.	1.0	7
591	MRI Catheterization in Cardiopulmonary Disease. <i>Chest</i> , 2014, 145, 30-36.	0.4	33
592	Assessment of myocardial partition coefficient of gadolinium (λ_1) in dilated cardiomyopathy and its impact on segmental and global systolic function. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 1336-1341.	1.9	2
593	Gadofosveset-based biomarker of tissue albumin concentration: Technical validation in vitro and feasibility in vivo. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 244-253.	1.9	13
594	Myocardial T1 Mapping. <i>Circulation Journal</i> , 2015, 79, 487-494.	0.7	69
595	Saturation pulse design for quantitative myocardial T1 mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 84.	1.6	31
596	Accelerated and navigator-gated look-locker imaging for cardiac t_1 estimation (ANGIE): Development and application to T1 mapping of the right ventricle. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 150-160.	1.9	55
597	Prospective, randomized comparison of gadopentetate and gadobutrol to assess chronic myocardial infarction applying cardiovascular magnetic resonance. <i>BMC Medical Imaging</i> , 2015, 15, 55.	1.4	11
598	Characterization of myocardial T1-mapping bias caused by intramyocardial fat in inversion recovery and saturation recovery techniques. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 33.	1.6	80

#	ARTICLE	IF	CITATIONS
599	Gadolinium free cardiovascular magnetic resonance with 2-point Cine balanced steady state free precession. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 90.	1.6	18
600	Parallel simulations for QUAntifying RELaxation magnetic resonance constants (SQUAREMR): an example towards accurate MOLLI T1 measurements. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 104.	1.6	19
601	Detection of elevated right ventricular extracellular volume in pulmonary hypertension using Accelerated and Navigator-Gated Look-Locker Imaging for Cardiac T1 Estimation (ANGIE) cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 110.	1.6	56
602	Increased myocardial native T1 and extracellular volume in patients with Duchenne muscular dystrophy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 5.	1.6	59
603	Diffuse Myocardial Fibrosis in Children After Heart Transplantations. <i>Transplantation</i> , 2015, 99, 2656-2662.	0.5	23
604	Instantaneous signal loss simulation (InSiL): An improved algorithm for myocardial T1 mapping using the MOLLI sequence. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 721-729.	1.9	25
605	Myocardial perfusion assessment in humans using steady-state pulsed arterial spin labeling. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 990-998.	1.9	18
606	Wideband arrhythmia-insensitive-rapid (AIR) pulse sequence for cardiac T1 mapping without image artifacts induced by an implantable cardioverter-defibrillator. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 336-345.	1.9	23
607	Kinetic index combining native and postcontrast myocardial T1 in hypertrophic cardiomyopathy. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1713-1722.	1.9	5
608	Adaptive registration of varying contrast-weighted images for improved tissue characterization (ARCTIC): Application to T1 mapping. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1469-1482.	1.9	63
609	Characterization of Benign Myocarditis Using Quantitative Delayed-Enhancement Imaging Based on Molli T1 Mapping. <i>Medicine (United States)</i> , 2015, 94, e1868.	0.4	8
610	Free-breathing multislice native myocardial T1 mapping using the slice-interleaved T1 (STONE) sequence. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 115-124.	1.9	83
611	Fast and robust 3D T1 mapping using spiral encoding and steady RF excitation at 7T: application to cardiac manganese enhanced MRI (MEMRI) in mice. <i>NMR in Biomedicine</i> , 2015, 28, 881-889.	1.6	9
612	Myocardial and Hepatic Iron Overload Assessment by Region-Based and Pixel-Wise T2* Mapping Analysis. <i>Journal of Computer Assisted Tomography</i> , 2015, 39, 128-133.	0.5	6
613	Technological Innovations in Magnetic Resonance for Early Detection of Cardiovascular Diseases. <i>Current Pharmaceutical Design</i> , 2015, 22, 77-89.	0.9	5
614	Non Invasive Imaging of Myocardial Infarction with Computed Tomography and Magnetic Resonance. <i>Current Vascular Pharmacology</i> , 2015, 13, 64-77.	0.8	5
615	Bloch Equations-Based Reconstruction of Myocardium T1 Maps from Modified Look-Locker Inversion Recovery Sequence. <i>PLoS ONE</i> , 2015, 10, e0126766.	1.1	14
616	A Comparison of Theory-Based and Experimentally Determined Myocardial Signal Intensity Correction Methods in First-Pass Perfusion Magnetic Resonance Imaging. <i>Computational and Mathematical Methods in Medicine</i> , 2015, 2015, 1-9.	0.7	4

#	ARTICLE	IF	CITATIONS
617	Abnormal Myocardial Function Is Related to Myocardial Steatosis and Diffuse Myocardial Fibrosis in HIV-Infected Adults. <i>Journal of Infectious Diseases</i> , 2015, 212, 1544-1551.	1.9	108
618	Myocardial T1 Mapping in Pediatric and Congenital Heart Disease. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, e002504.	1.3	55
619	Free-breathing combined three-dimensional phase sensitive late gadolinium enhancement and T ₁ mapping for myocardial tissue characterization. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 1032-1041.	1.9	27
620	Normal values for cardiovascular magnetic resonance in adults and children. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 29.	1.6	583
621	PET/MRI of the Heart. <i>Seminars in Nuclear Medicine</i> , 2015, 45, 234-247.	2.5	51
622	T1 at 1.5T and 3T compared with conventional T2* at 1.5T for cardiac siderosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 102.	1.6	40
623	MRI simulation-based evaluation of ECV calculation using MOLLI T1 maps. , 2015, , .		0
624	MR fingerprinting using fast imaging with steady state precession (FISP) with spiral readout. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 1621-1631.	1.9	309
625	Associations of electrocardiographic P-wave characteristics with left atrial function, and diffuse left ventricular fibrosis defined by cardiac magnetic resonance: The PRIMERI Study. <i>Heart Rhythm</i> , 2015, 12, 155-162.	0.3	92
626	T1 mapping in dilated cardiomyopathy with cardiac magnetic resonance: quantification of diffuse myocardial fibrosis and comparison with endomyocardial biopsy. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 210-216.	0.5	217
628	Challenges of Cardiac Image Analysis in Large-Scale Population-Based Studies. <i>Current Cardiology Reports</i> , 2015, 17, 563.	1.3	14
629	T1 mapping: characterisation of myocardial interstitial space. <i>Insights Into Imaging</i> , 2015, 6, 189-202.	1.6	50
630	Preclinical MR fingerprinting (MRF) at 7 T: effective quantitative imaging for rodent disease models. <i>NMR in Biomedicine</i> , 2015, 28, 384-394.	1.6	53
631	Assessment of Diffuse Myocardial Fibrosis by Using MR Imaging in Asymptomatic Patients with Aortic Stenosis. <i>Radiology</i> , 2015, 274, 359-369.	3.6	118
632	Simultaneous T ₁ and T ₂ quantification of the myocardium using cardiac balanced SSFP inversion recovery with interleaved sampling acquisition (CABIRIA). <i>Magnetic Resonance in Medicine</i> , 2015, 74, 365-371.	1.9	47
633	Cardiac magnetic resonance imaging in children. <i>Pediatric Radiology</i> , 2015, 45, 20-26.	1.1	9
634	Advances in cardiac magnetic resonance imaging of congenital heart disease. <i>Pediatric Radiology</i> , 2015, 45, 5-19.	1.1	21
635	Myocardial Inflammation—Are We There Yet?. <i>Current Cardiovascular Imaging Reports</i> , 2015, 8, 6.	0.4	50

#	ARTICLE	IF	CITATIONS
637	Pathophysiology of LV Remodeling in Survivors of STEMI. JACC: Cardiovascular Imaging, 2015, 8, 779-789.	2.3	116
639	Myocardial T1 and T2 mapping in diastolic and systolic phase. International Journal of Cardiovascular Imaging, 2015, 31, 1001-1010.	0.7	21
640	T1 Mapping Techniques in Assessment of Ventricular Stiffness. Current Cardiovascular Imaging Reports, 2015, 8, 1.	0.4	7
641	Selection of magnetization catalyzation and readout methods for modified Lookâ€“Locker inversion recovery: A T1 mapping primer. Magnetic Resonance Imaging, 2015, 33, 363-373.	1.0	3
642	Single bolus versus split dose gadolinium administration in extra-cellular volume calculation at 3 Tesla. Journal of Cardiovascular Magnetic Resonance, 2015, 17, 6.	1.6	18
643	Prognostic impact of blood pressure response plus gadolinium enhancement in dilated cardiomyopathy. Heart, 2015, 101, 774-780.	1.2	15
644	Myocardial T1: Quantification by Using an ECG-triggered Radial Single-Shot Inversion-Recovery MR Imaging Sequence. Radiology, 2015, 274, 879-887.	3.6	22
645	Diagnosis of myocarditis: Current state and future perspectives. International Journal of Cardiology, 2015, 191, 211-219.	0.8	70
646	Extracellular Volume Fraction Is More Closely Associated With Altered Regional Left Ventricular Velocities Than Left Ventricular Ejection Fraction in Nonischemic Cardiomyopathy. Circulation: Cardiovascular Imaging, 2015, 8, .	1.3	13
647	Overview of Myocardial T1 Mapping Applications. Current Radiology Reports, 2015, 3, 1.	0.4	0
648	T1 Mapping for the Study of Cardiac Hypertrophy. Current Cardiovascular Imaging Reports, 2015, 8, 1.	0.4	1
649	Imaging in Deciphering Histological Substrates in Hypertrophic Cardiomyopathy. Current Cardiovascular Imaging Reports, 2015, 8, 1.	0.4	0
650	In situ constructive myocardial remodeling of extracellular matrix patch enhanced with controlled growth factor release. Journal of Thoracic and Cardiovascular Surgery, 2015, 150, 1280-1290.e2.	0.4	16
651	Native T1 Mapping for Myocardial Infarction. JACC: Cardiovascular Imaging, 2015, 8, 1031-1033.	2.3	4
652	Rheumatoid Arthritis: Mapping the Future. JACC: Cardiovascular Imaging, 2015, 8, 537-539.	2.3	5
653	Advanced Cardiovascular Magnetic Resonance Techniques. , 2015, , 315-325.		0
654	On the selection of sampling points for myocardial T ₁ mapping. Magnetic Resonance in Medicine, 2015, 73, 1741-1753.	1.9	31
655	Current State of the Art Cardiovascular MR Imaging Techniques for Assessment of Ischemic Heart Disease. Radiologic Clinics of North America, 2015, 53, 335-344.	0.9	9

#	ARTICLE	IF	CITATIONS
656	Tissue Characterization of the Myocardium. Radiologic Clinics of North America, 2015, 53, 413-423.	0.9	25
657	MR of Multi-Organ Involvement in the Metabolic Syndrome. Magnetic Resonance Imaging Clinics of North America, 2015, 23, 41-58.	0.6	17
658	T1 Mapping. Magnetic Resonance Imaging Clinics of North America, 2015, 23, 25-34.	0.6	19
659	Cardiac MRI: a central prognostic tool in myocardial fibrosis. Nature Reviews Cardiology, 2015, 12, 18-29.	6.1	164
660	Magnetic resonance imaging relaxation times of female reproductive organs. Acta Radiologica, 2015, 56, 997-1001.	0.5	9
661	Motion correction of multi-contrast images applied to T1 and T2 quantification in cardiac MRI. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2015, 28, 1-12.	1.1	7
662	T1 and ECV Mapping in Myocardial Disease. Cardiovascular Innovations and Applications, 2017, 2, .	0.1	0
663	Robust free-breathing SASHA T1 mapping with high-contrast image registration. Journal of Cardiovascular Magnetic Resonance, 2016, 18, 47.	1.6	34
664	Native Myocardial T1 Mapping, Are We There Yet?. International Heart Journal, 2016, 57, 400-407.	0.5	14
665	Evidence for Acute Myocardial and Skeletal Muscle Injury after Serial Transthoracic Shocks in Healthy Swine. PLoS ONE, 2016, 11, e0162245.	1.1	13
666	EMMPRIN-Targeted Magnetic Nanoparticles for In Vivo Visualization and Regression of Acute Myocardial Infarction. Theranostics, 2016, 6, 545-557.	4.6	41
667	Diagnostic Tests in Cardio-oncology. , 2016, , 313-343.		0
668	Cardiac MRI: a Translational Imaging Tool for Characterizing Anthracycline-Induced Myocardial Remodeling. Current Oncology Reports, 2016, 18, 48.	1.8	17
669	Myocardial T1 mapping at 3.0 tesla using an inversion recovery spoiled gradient echo readout and bloch equation simulation with slice profile correction (BLESSPC) T1 estimation algorithm. Journal of Magnetic Resonance Imaging, 2016, 43, 414-425.	1.9	38
670	Histological validation of cardiac magnetic resonance T_1 mapping for detecting diffuse myocardial fibrosis in diabetic rabbits. Journal of Magnetic Resonance Imaging, 2016, 44, 1179-1185.	1.9	28
671	In vivo free-breathing DTI and IMV of the whole human heart using a real-time slice-followed SE-EPI navigator-based sequence: A reproducibility study in healthy volunteers. Magnetic Resonance in Medicine, 2016, 76, 70-82.	1.9	43
672	Joint myocardial T_1 and T_2 mapping using a combination of saturation recovery and T_2 preparation. Magnetic Resonance in Medicine, 2016, 76, 888-896.	1.9	57
673	Effects of transcytolemmal water exchange on the assessment of myocardial extracellular volume with cardiovascular MRI. NMR in Biomedicine, 2016, 29, 499-506.	1.6	4

#	ARTICLE	IF	CITATIONS
674	Influence of fat on liver T_1 measurements using modified Look-Locker inversion recovery (MOLLI) methods at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 105-111.	1.9	51
675	T1 Mapping in Characterizing Myocardial Disease. <i>Circulation Research</i> , 2016, 119, 277-299.	2.0	241
676	Magnetic Resonance Imaging Applications on Infiltrative Cardiomyopathies. <i>Journal of Thoracic Imaging</i> , 2016, 31, 336-347.	0.8	14
677	Myocardial extracellular volume fraction quantified by cardiovascular magnetic resonance is increased in hypertension and associated with left ventricular remodelling. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, P282.	1.6	0
679	Validation of T1 and T2 algorithms for quantitative MRI: performance by a vendor-independent software. <i>BMC Medical Imaging</i> , 2016, 16, 46.	1.4	12
680	Modern Imaging of Myocarditis: Possibilities and Challenges. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2016, 188, 915-925.	0.7	5
682	Magnetic resonance imaging phantoms for quality-control of myocardial T1 and ECV mapping: specific formulation, long-term stability and variation with heart rate and temperature. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 62.	1.6	18
683	Statistical estimation of T1 relaxation times using conventional magnetic resonance imaging. <i>NeuroImage</i> , 2016, 133, 176-188.	2.1	16
686	Novel cardiac magnetic resonance biomarkers: native T1 and extracellular volume myocardial mapping. <i>European Heart Journal Supplements</i> , 2016, 18, E64-E71.	0.0	15
687	Extracellular Volume Detects Amyloidotic Cardiomyopathy and Correlates With Neurological Impairment in Transthyretin-familial Amyloidosis. <i>Revista Española De Cardiología (English Ed)</i> , 2016, 69, 923-930.	0.4	6
688	Comparison of spoiled gradient echo and steady-state free-precession imaging for native myocardial T_1 mapping using the slice-interleaved T_1 mapping (STONE) sequence. <i>NMR in Biomedicine</i> , 2016, 29, 1486-1496.	1.6	10
690	Mapeo miocárdico con resonancia magnética cardiaca: valor diagnóstico de las nuevas secuencias. <i>Revista Espanola De Cardiología</i> , 2016, 69, 849-861.	0.6	15
691	High intensity focused ultrasound hyperthermia for enhanced macromolecular delivery. <i>Journal of Controlled Release</i> , 2016, 241, 186-193.	4.8	36
692	Characterization of an intra-cardiac melanoma metastasis by magnetic resonance T1 and T2 mapping. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 1543-1544.	0.7	3
693	Pattern of late gadolinium enhancement predicts arrhythmic events in patients with non-ischemic cardiomyopathy. <i>International Journal of Cardiology</i> , 2016, 222, 9-15.	0.8	26
694	Initial evaluation of hepatic T_1 relaxation time as an imaging marker of liver disease associated with autosomal recessive polycystic kidney disease (ARPKD). <i>NMR in Biomedicine</i> , 2016, 29, 84-89.	1.6	7
695	Anthracycline-Associated T1 Mapping Characteristics Are Elevated Independent of the Presence of Cardiovascular Comorbidities in Cancer Survivors. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	1.3	145
696	Myocardial Native T1 Time in Patients With Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , 2016, 118, 1057-1062.	0.7	31

#	ARTICLE	IF	CITATIONS
697	Comprehensive Cardiovascular Magnetic Resonance Assessment in Patients With Sarcoidosis and Preserved Left Ventricular Ejection Fraction. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	1.3	53
698	Characterization of Compacted Myocardial Abnormalities by Cardiac Magnetic Resonance With Native T1 Mapping in Left Ventricular Non-Compaction Patientsâ€”A Comparison With Late Gadolinium Enhancement â€”. <i>Circulation Journal</i> , 2016, 80, 1210-1216.	0.7	30
699	Native T1 Relaxation Time and Extracellular Volume Fraction as Accurate Markers of Diffuse Myocardial Fibrosis in Heart Valve Diseaseâ€”Comparison With Targeted Left Ventricular Myocardial Biopsy â€”. <i>Circulation Journal</i> , 2016, 80, 1202-1209.	0.7	46
700	Imaging of the Heart: Myocardial Imaging. , 2016, , 19-29.		0
701	Novel cardiac nuclear magnetic resonance method for noninvasive assessment of myocardial fibrosis in hemodialysis patients. <i>Kidney International</i> , 2016, 90, 835-844.	2.6	62
702	Myocardial Mapping With Cardiac Magnetic Resonance: The Diagnostic Value of Novel Sequences. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 849-861.	0.4	6
703	Comprehensive Cardiac Magnetic Resonance for Short-Term Follow-Up in Acute Myocarditis. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	86
704	Cardiac Involvement in Myotonic Dystrophy Type 2 Patients With Preserved Ejection Fraction. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	1.3	41
705	Optimized AIR and investigational MOLLI cardiac T_1 mapping pulse sequences produce similar intra-scan repeatability in patients at 3T. <i>NMR in Biomedicine</i> , 2016, 29, 1454-1463.	1.6	7
706	High-resolution myocardial T_1 mapping using single-shot inversion recovery fast low-angle shot MRI with radial undersampling and iterative reconstruction. <i>British Journal of Radiology</i> , 2016, 89, 20160255.	1.0	29
707	New Magnetic Resonance Imaging Index for Renal Fibrosis Assessment: A Comparison between Diffusion-Weighted Imaging and T1 Mapping with Histological Validation. <i>Scientific Reports</i> , 2016, 6, 30088.	1.6	108
712	Comparison of different cardiovascular magnetic resonance sequences for native myocardial T1 mapping at 3T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 65.	1.6	44
713	Inversion group (IG) fitting: A new T_1 mapping method for modified look-locker inversion recovery (MOLLI) that allows arbitrary inversion groupings and rest periods (including no rest) T_1 mapping. <i>Magnetic Resonance in Medicine</i> , 2016, 79, 1021-1027.	1.6	102
714	Reproducibility of myocardial T_1 and T_2 relaxation time measurement using slice-interleaved T_1 and T_2 mapping sequences. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 1159-1167.	1.9	11
715	Parametric techniques for characterizing myocardial tissue through magnetic resonance imaging (Part 1): T1 mapping. <i>Radiologia</i> , 2016, 58, 164-177.	0.3	1
716	Comparison of myocardial T1 and T2 values in 3 T with T2* in 1.5 T in patients with iron overload and controls. <i>International Journal of Hematology</i> , 2016, 103, 530-536.	0.7	12
717	First-in-man Safety and Efficacy of the Adipose Graft Transposition Procedure (AGTP) in Patients With a Myocardial Scar. <i>EBioMedicine</i> , 2016, 7, 248-254.	2.7	12
718	Characterisation of Myocardial Injury via T1 Mapping in Early Reperfused Myocardial Infarction and its Relationship with Global and Regional Diastolic Dysfunction. <i>Heart Lung and Circulation</i> , 2016, 25, 1094-1106.	0.2	5

#	ARTICLE	IF	CITATIONS
719	High field magnetic resonance imaging of rodents in cardiovascular research. <i>Basic Research in Cardiology</i> , 2016, 111, 46.	2.5	13
720	Current T1 and T2 mapping techniques applied with simple thresholds cannot discriminate acute from chronic myocardial infarction on an individual patient basis: a pilot study. <i>BMC Medical Imaging</i> , 2016, 16, 35.	1.4	7
721	W(h)ither human cardiac and body magnetic resonance at ultrahigh fields? technical advances, practical considerations, applications, and clinical opportunities. <i>NMR in Biomedicine</i> , 2016, 29, 1173-1197.	1.6	40
722	Prognostic significance of infarct core pathology revealed by quantitative non-contrast in comparison with contrast cardiac magnetic resonance imaging in reperfused ST-elevation myocardial infarction survivors. <i>European Heart Journal</i> , 2016, 37, 1044-1059.	1.0	105
723	Native myocardial longitudinal (T_1) relaxation time: Regional, age, and sex associations in the healthy adult heart. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 541-548.	1.9	62
724	Assessment of myocardial fibrosis with T1 mapping MRI. <i>Clinical Radiology</i> , 2016, 71, 768-778.	0.5	85
725	State of the Art: Clinical Applications of Cardiac T1 Mapping. <i>Radiology</i> , 2016, 278, 658-676.	3.6	158
726	Unexpectedly low left ventricular voltage on ECG in hypertrophic cardiomyopathy. <i>Heart</i> , 2016, 102, 292-297.	1.2	3
727	Automatic Measurement of the Myocardial Interstitium. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 54-63.	2.3	127
728	Right Ventricular Involvement and Recovery After Acute Stress-Induced (Tako-tsubo) Cardiomyopathy. <i>American Journal of Cardiology</i> , 2016, 117, 775-780.	0.7	29
729	The Tissue Issue. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 88-90.	2.3	5
730	Cardiac Magnetic Resonance Reveals Signs of Subclinical Myocardial Inflammation in Asymptomatic HIV-Infected Patients. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, e004091.	1.3	83
731	Técnicas paramétricas de caracterización tisular del miocardio mediante resonancia magnética (parte) <i>TJ ETQ 0 0 0 rgBT /Overl</i>	0.3	2
732	Anatomically accurate high resolution modeling of human whole heart electromechanics: A strongly scalable algebraic multigrid solver method for nonlinear deformation. <i>Journal of Computational Physics</i> , 2016, 305, 622-646.	1.9	115
733	Many Paths Lead to CV Outcomes. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 24-26.	2.3	5
734	T1 Mapping. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 67-81.	2.3	398
735	T1 mapping for assessment of myocardial injury and microvascular obstruction at one week post myocardial infarction. <i>European Journal of Radiology</i> , 2016, 85, 279-285.	1.2	11
736	PCA-based groupwise image registration for quantitative MRI. <i>Medical Image Analysis</i> , 2016, 29, 65-78.	7.0	118

#	ARTICLE	IF	CITATIONS
737	Dose correction for post-contrast T1 mapping of the heart: the MESA study. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 271-279.	0.7	9
738	Incremental value of quantitative CMR including parametric mapping for the diagnosis of acute myocarditis. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 154-161.	0.5	127
739	T_1 and T_2 mapping for early diagnosis of dilated non-ischaemic cardiomyopathy in middle-aged patients and differentiation from normal physiological adaptation. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 797-803.	0.5	88
740	Characterization of T_1 bias in skeletal muscle from fat in MOLLI and SASHA pulse sequences: Quantitative fat fraction imaging with T_1 mapping. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 237-249.	1.9	25
741	Myocardial T1 mapping for patients with implanted cardiac devices using wideband inversion recovery spoiled gradient echo readout. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1495-1504.	1.9	23
742	MR fingerprinting using the quick echo splitting ^1H NMR imaging technique. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 979-988.	1.9	30
743	MR fingerprinting for rapid quantification of myocardial T_1 , T_2 , and proton spin density. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1446-1458.	1.9	190
744	Relaxation properties of human umbilical cord blood at 1.5 Tesla. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1678-1690.	1.9	40
745	Myocardial Fibrosis in Aortic Stenosis. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 1334-1336.	2.3	6
746	Optimization of sparse phase encodings for variable repetition-delay turbo-spin echo (TSE) T1 measurements for preclinical applications. <i>Journal of Magnetic Resonance</i> , 2017, 274, 57-64.	1.2	6
747	Clinical feasibility of 3D-QALAS – Single breath-hold 3D myocardial T1- and T2-mapping. <i>Magnetic Resonance Imaging</i> , 2017, 38, 13-20.	1.0	24
748	Effect of inversion time on the precision of myocardial late gadolinium enhancement quantification evaluated with synthetic inversion recovery MR imaging. <i>European Radiology</i> , 2017, 27, 3235-3243.	2.3	7
749	3D myocardial T_1 mapping using saturation recovery. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 218-227.	1.9	43
750	A model for hepatic fibrosis: the competing effects of cell loss and iron on shortened modified Look-Locker inversion recovery T_1 (shMOLLI- T_1) in the liver. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 450-462.	1.9	64
752	Detection and Monitoring of Acute Myocarditis Applying Quantitative Cardiovascular Magnetic Resonance. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	1.3	100
753	Histological validation of cardiovascular magnetic resonance T1 mapping markers of myocardial fibrosis in paediatric heart transplant recipients. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 10.	1.6	64
754	T1 and T2 mapping for evaluation of myocardial involvement in patients with ANCA-associated vasculitides. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 6.	1.6	39
755	Assessment of myocardial injury after reperfused infarction by T_1 -cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 17.	1.6	24

#	ARTICLE	IF	CITATIONS
756	Impact of denoising on precision and accuracy of saturation-recovery-based myocardial T ₁ mapping. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1377-1388.	1.9	17
757	Advanced myocardial tissue characterisation by a multi-component CMR protocol in patients with rheumatoid arthritis. <i>European Radiology</i> , 2017, 27, 4639-4649.	2.3	19
758	Feature-tracking myocardial strain analysis in acute myocarditis: diagnostic value and association with myocardial oedema. <i>European Radiology</i> , 2017, 27, 4661-4671.	2.3	50
759	CMR in Phenotyping the Arrhythmic Substrate. <i>Current Cardiovascular Imaging Reports</i> , 2017, 10, 1.	0.4	0
760	Cardiac MOLLI T1 mapping at 3.0 T: comparison of patient-adaptive dual-source RF and conventional RF transmission. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 889-897.	0.7	2
761	T1 and T2 Mapping in Recognition of Early Cardiac Involvement in Systemic Sarcoidosis. <i>Radiology</i> , 2017, 285, 63-72.	3.6	126
762	Myocardial extracellular volume fraction quantified by cardiovascular magnetic resonance is increased in hypertension and associated with left ventricular remodeling. <i>European Radiology</i> , 2017, 27, 4620-4630.	2.3	26
763	Optimizing MR Scan Design for Model-Based $T_{1\rho}$, $T_{2\rho}$ Estimation From Steady-State Sequences. <i>IEEE Transactions on Medical Imaging</i> , 2017, 36, 467-477.	5.4	17
764	Cardiac T1 Mapping and Extracellular Volume (ECV) in clinical practice: a comprehensive review. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2017, 18, 89.	1.6	551
765	Magnetic resonance evaluation of cardiac thrombi and masses by T1 and T2 mapping: an observational study. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 551-559.	0.7	35
766	Cardiac extracellular matrix is associated with adverse outcome in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2017, 19, 502-511.	2.9	17
767	Recent Advances in Cardiovascular Magnetic Resonance. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	1.3	111
768	Employing Extracellular Volume Cardiovascular Magnetic Resonance Measures of Myocardial Fibrosis to Foster Novel Therapeutics. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	1.3	52
769	Simultaneous multislice imaging for native myocardial T ₁ mapping: Improved spatial coverage in a single breath-hold. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 462-471.	1.9	32
770	Fibrosis quantification in Hypertensive Heart Disease with LVH and Non-LVH: Findings from T1 mapping and Contrast-free Cardiac Diffusion-weighted imaging. <i>Scientific Reports</i> , 2017, 7, 559.	1.6	18
771	Alterations in Cardiac Deformation, Timing of Contraction and Relaxation, and Early Myocardial Fibrosis Accompany the Apparent Recovery of Acute Stress-Induced (Takotsubo) Cardiomyopathy: An End to the Concept of Transience. <i>Journal of the American Society of Echocardiography</i> , 2017, 30, 745-755.	1.2	91
772	Diagnostic Accuracy of 3.0T Magnetic Resonance T1 and T2 Mapping and T2-Weighted Dark-Blood Imaging for the Infarct-Related Coronary Artery in Non-ST-Segment Elevation Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	15
773	Diagnostic and Prognostic Value of CMR T1-Mapping in Patients With Heart Failure and Preserved Ejection Fraction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017, 70, 848-855.	0.4	6

#	ARTICLE	IF	CITATIONS
774	Effects of short-term levothyroxine therapy on myocardial injuries in patients with severe overt hypothyroidism: Evidence from a cardiac MRI Study. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 897-904.	1.9	5
775	Native T1 mapping: inter-study, inter-observer and inter-center reproducibility in hemodialysis patients. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 21.	1.6	50
776	Comparison of readout-segmented and conventional single-shot for echo-planar diffusion-weighted imaging in the assessment of kidney interstitial fibrosis. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1631-1640.	1.9	28
777	Accuracy, precision, and reproducibility of myocardial T1 mapping: A comparison of four T1 estimation algorithms for modified look-locker inversion recovery (MOLLI). <i>Magnetic Resonance in Medicine</i> , 2017, 78, 1746-1756.	1.9	16
778	Cardiac MR Imaging in Acute Coronary Syndrome: Application and Image Interpretation. <i>Radiology</i> , 2017, 282, 17-32.	3.6	19
779	Myocardial changes in incident haemodialysis patients over 6-months: an observational cardiac magnetic resonance imaging study. <i>Scientific Reports</i> , 2017, 7, 13976.	1.6	6
780	Magnetic resonance microdynamic imaging reveals distinct tissue microenvironments. <i>NeuroImage</i> , 2017, 163, 183-196.	2.1	52
781	Modern Imaging Techniques in Cardiomyopathies. <i>Circulation Research</i> , 2017, 121, 874-891.	2.0	34
782	Comprehensive echocardiographic and cardiovascular magnetic resonance evaluation differentiates between patients with heart failure with preserved ejection fraction, hypertensive patients and healthy controls and identifies those with reduced exercise capacity on cardiopulmonary exercise testing. <i>Heart</i> , 2017, 103, A6.2-A7.	1.2	0
783	Non-invasive detection of myocardial fibrosis in pediatric heart transplant recipients: The role of cardiovascular magnetic resonance. <i>Pediatric Transplantation</i> , 2017, 21, e12995.	0.5	4
784	Myocardial fibrosis: the heart of diastole?. <i>Blood</i> , 2017, 130, 104-105.	0.6	4
785	A look-locker acquisition scheme for quantitative myocardial perfusion imaging with FAIR arterial spin labeling in humans at 3 tesla. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 541-549.	1.9	11
787	Interrelations of Epicardial Fat Volume, Left Ventricular T1-Relaxation Times and Myocardial Strain in Hypertensive Patients. <i>Journal of Thoracic Imaging</i> , 2017, 32, 169-175.	0.8	10
788	Left Ventricular Myocardial Fibrosis, Atrophy, and Impaired Contractility in Patients With Pulmonary Arterial Hypertension and a Preserved Left Ventricular Function. <i>Journal of Thoracic Imaging</i> , 2017, 32, 36-42.	0.8	40
789	Applications of cardiac magnetic resonance imaging in sickle cell disease. <i>Blood Cells, Molecules, and Diseases</i> , 2017, 67, 126-134.	0.6	6
790	Role of T1 mapping as a complementary tool to T2* for non-invasive cardiac iron overload assessment. <i>Heart</i> , 2017, 103, A6.1-A6.	1.2	1
791	SASHA versus ShMOLLI: a comparison of T1 mapping methods in health and dilated cardiomyopathy at 3AT. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1551-1560.	0.7	17
792	Cardiac MRI quantitative tissue characterization of right atrial mass using mDixon and parametric mapping. <i>Clinical Research in Cardiology</i> , 2017, 106, 840-845.	1.5	4

#	ARTICLE	IF	CITATIONS
793	T1 mapping in cardiac MRI. <i>Heart Failure Reviews</i> , 2017, 22, 415-430.	1.7	97
794	Evaluation of myocardial involvement in patients with connective tissue disorders: a multi-parametric cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 67.	1.6	27
795	Detection of cardiac iron overload with native magnetic resonance T1 and T2 mapping in patients with thalassemia. <i>International Journal of Cardiology</i> , 2017, 248, 421-426.	0.8	31
796	Prolonged QTc indicates the clinical severity and poor prognosis in patients with isolated left ventricular non-compaction. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 2013-2020.	0.7	12
797	Advances in Quantitative Tissue Characterization in Myocarditis. <i>Current Cardiovascular Imaging Reports</i> , 2017, 10, 1.	0.4	2
798	Increased left ventricular myocardial extracellular volume is associated with longer cardiopulmonary bypass times, biventricular enlargement and reduced exercise tolerance in children after repair of Tetralogy of Fallot. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 75.	1.6	46
799	Myocardial T1-mapping at 3T using saturation-recovery: reference values, precision and comparison with MOLLI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 84.	1.6	70
800	Analysis of spatiotemporal fidelity in quantitative 3D first-pass perfusion cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 11.	1.6	16
801	Blood correction reduces variability and gender differences in native myocardial T1 values at 1.5T cardiovascular magnetic resonance – a derivation/validation approach. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 41.	1.6	21
802	Effect of applied energy in renal sympathetic denervation with magnetic resonance guided focused ultrasound in a porcine model. <i>Journal of Therapeutic Ultrasound</i> , 2017, 5, 16.	2.2	3
803	Effect of contrast dose in the quantification of myocardial extra-cellular volume in adenosine stress/rest perfusion cardiac magnetic resonance examinations. <i>Acta Radiologica</i> , 2017, 58, 809-815.	0.5	6
804	Image Acquisition: Modality and Protocol Definition. , 2017, , 45-52.		0
805	Dark blood late enhancement imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 77.	1.6	64
806	Electrocardiographic Impact of Myocardial Diffuse Fibrosis and Scar: MESA (Multi-Ethnic Study of) Tj ETQq1 1 0.784314 rgBT/Overload	3.6	30
807	Intradialytic Cardiac Magnetic Resonance Imaging to Assess Cardiovascular Responses in a Short-Term Trial of Hemodiafiltration and Hemodialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1269-1277.	3.0	117
808	Coronary microvascular function and myocardial fibrosis in women with angina pectoris and no obstructive coronary artery disease: the iPOWER study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 76.	1.6	30
809	PET/MR: Yet another Tesla?. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 1019-1031.	1.4	13
810	A novel profile/view ordering with a non-convex star shutter for high-resolution 3D volumetric T1 mapping under multiple breath-holds. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 2215-2224.	1.9	1

#	ARTICLE	IF	CITATIONS
811	Effects of cortisol on the heart: characterization of myocardial involvement in cushing's disease by longitudinal cardiac MRI T1 mapping. Journal of Magnetic Resonance Imaging, 2017, 45, 147-156.	1.9	14
812	Measurement of extracellular volume and transit time heterogeneity using contrast-enhanced myocardial perfusion MRI in patients after acute myocardial infarction. Magnetic Resonance in Medicine, 2017, 77, 2320-2330.	1.9	14
813	Multicontrast reconstruction using compressed sensing with low rank and spatially varying edge-preserving constraints for high-resolution MR characterization of myocardial infarction. Magnetic Resonance in Medicine, 2017, 78, 598-610.	1.9	11
814	Motion-robust cardiac B1+ mapping at 3T using interleaved bloch-siegert shifts. Magnetic Resonance in Medicine, 2017, 78, 670-677.	1.9	11
815	A Unified Maximum Likelihood Framework for Simultaneous Motion and T_1 Estimation in Quantitative MR T_1 Mapping. IEEE Transactions on Medical Imaging, 2017, 36, 433-446.	5.4	17
816	Native T1 mapping and extracellular volume fraction measurement for assessment of right ventricular insertion point and septal fibrosis in chronic thromboembolic pulmonary hypertension. European Radiology, 2017, 27, 1980-1991.	2.3	47
817	Cloud GPU-based simulations for SQUAREMR. Journal of Magnetic Resonance, 2017, 274, 80-88.	1.2	2
818	Multi-scale locally low-rank noise reduction for high-resolution dynamic quantitative cardiac MRI. , 2017, 2017, 1473-1476.		11
819	Clinical recommendations for cardiovascular magnetic resonance mapping of T1, T2, T2* and extracellular volume: A consensus statement by the Society for Cardiovascular Magnetic Resonance (SCMR) endorsed by the European Association for Cardiovascular Imaging (EACVI). Journal of Cardiovascular Magnetic Resonance, 2017, 19, 75.	1.6	1,074
821	Cardiac Magnetic Resonance T1 Mapping in Cardiomyopathies. , 0, , .		0
822	Myocardial T1 and T2 Mapping: Techniques and Clinical Applications. Korean Journal of Radiology, 2017, 18, 113.	1.5	147
823	T1 Mapping for Myocardial Fibrosis by Cardiac Magnetic Resonance Relaxometryâ€”A Comprehensive Technical Review. Frontiers in Cardiovascular Medicine, 2017, 3, 49.	1.1	27
824	Myocardial Architecture, Mechanics, and Fibrosis in Congenital Heart Disease. Frontiers in Cardiovascular Medicine, 2017, 4, 30.	1.1	42
825	Evaluation of B1 inhomogeneity effect on DCE-MRI data analysis of brain tumor patients at 3T. Journal of Translational Medicine, 2017, 15, 242.	1.8	13
826	Dark-blood late gadolinium enhancement without additional magnetization preparation. Journal of Cardiovascular Magnetic Resonance, 2016, 19, 64.	1.6	52
827	T1-refBlochi: high resolution 3D post-contrast T1 myocardial mapping based on a single 3D late gadolinium enhancement volume, Bloch equations, and a reference T1. Journal of Cardiovascular Magnetic Resonance, 2016, 19, 63.	1.6	16
828	Synthetic hematocrit derived from the longitudinal relaxation of blood can lead to clinically significant errors in measurement of extracellular volume fraction in pediatric and young adult patients. Journal of Cardiovascular Magnetic Resonance, 2016, 19, 58.	1.6	25
829	Association between left ventricular mechanics and diffuse myocardial fibrosis in patients with repaired Tetralogy of Fallot: a cross-sectional study. Journal of Cardiovascular Magnetic Resonance, 2017, 19, 100.	1.6	29

#	ARTICLE	IF	CITATIONS
830	Cardiovascular magnetic resonance imaging assessment of outcomes in acute myocardial infarction. <i>World Journal of Cardiology</i> , 2017, 9, 109.	0.5	26
831	Asymptomatic Cocaine Abuse—Myocardial Tissue Characterization Using Cardiac Biomarkers and Cardiovascular Magnetic Resonance Imaging. <i>Circulation Journal</i> , 2017, 81, 701-708.	0.7	7
832	GPU Implementation of Levenberg-Marquardt Optimization for T1 Mapping. , 0, , .		2
833	Role of Novel Imaging Techniques in Detection of Chemotoxicity: Cardiac Magnetic Resonance and Radionuclide Imaging. , 2017, , 91-105.		0
834	Multimodality imaging assessment of mitral valve anatomy in planning for mitral valve repair in secondary mitral regurgitation. <i>Journal of Thoracic Disease</i> , 2017, 9, S640-S660.	0.6	15
835	Myocardial Extracellular Volume Quantification by Cardiovascular Magnetic Resonance and Computed Tomography. <i>Current Cardiology Reports</i> , 2018, 20, 15.	1.3	83
836	Association of Liver Fibrosis With Cardiovascular Diseases in the General Population. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e007241.	1.3	67
837	Effect of T1-mapping technique and diminished image resolution on quantification of infarct mass and its ability in predicting appropriate ICD therapy. <i>Medical Physics</i> , 2018, 45, 1577-1585.	1.6	5
838	Saturation-Recovery Myocardial T1-Mapping during Systole: Accurate and Robust Quantification in the Presence of Arrhythmia. <i>Scientific Reports</i> , 2018, 8, 5251.	1.6	12
839	Single breath-hold 3D cardiac T_1 mapping using through-time spiral GRAPPA. <i>NMR in Biomedicine</i> , 2018, 31, e3923.	1.6	12
840	Diffuse Myocardial Injuries are Present in Subclinical Hypothyroidism: A Clinical Study Using Myocardial T1-mapping Quantification. <i>Scientific Reports</i> , 2018, 8, 4999.	1.6	11
841	Diffuse fibrosis is common in the left, but not in the right ventricle in patients with transposition of the great arteries late after atrial switch operation. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1241-1248.	0.7	10
842	Magnetic resonance multitasking for motion-resolved quantitative cardiovascular imaging. <i>Nature Biomedical Engineering</i> , 2018, 2, 215-226.	11.6	191
843	Myocardial fibrosis evaluated by diffusion-weighted imaging and its relationship to 3D contractile function in patients with hypertrophic cardiomyopathy. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1139-1146.	1.9	14
844	Myocardial native T1 and extracellular volume with healthy ageing and gender. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 615-621.	0.5	78
845	Metabolic Syndrome Is Associated With Impaired Diastolic Function Independently of MRI-Derived Myocardial Extracellular Volume: The MESA Study. <i>Diabetes</i> , 2018, 67, 1007-1012.	0.3	26
846	Quantitative inversion time prescription for myocardial late gadolinium enhancement using T1-mapping-based synthetic inversion recovery imaging: reducing subjectivity in the estimation of inversion time. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 921-929.	0.7	4
847	Accelerated collagen turnover in women with angina pectoris without obstructive coronary artery disease: An iPOWER substudy. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 719-727.	0.8	19

#	ARTICLE	IF	CITATIONS
848	Cardiac magnetic resonance T1 and extracellular volume mapping with motion correction and co-registration based on fast elastic image registration. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018, 31, 115-129.	1.1	15
849	Simulation-based quantification of native T1 and T2 of the myocardium using a modified MOLLI scheme and the importance of Magnetization Transfer. <i>Magnetic Resonance Imaging</i> , 2018, 48, 96-106.	1.0	12
850	Nonrigid active shape model-based registration framework for motion correction of cardiac T ₁ mapping. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 780-791.	1.9	15
851	Comparison of MOLLI, shMOLLI, and SASHA in discrimination between health and disease and relationship with histologically derived collagen volume fraction. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 768-776.	0.5	56
852	Comparison of fast multi-slice and standard segmented techniques for detection of late gadolinium enhancement in ischemic and non-ischemic cardiomyopathy – a prospective clinical cardiovascular magnetic resonance trial. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 13.	1.6	20
853	Gray blood late gadolinium enhancement cardiovascular magnetic resonance for improved detection of myocardial scar. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 22.	1.6	30
854	Saturation Recovery Myocardial T ₁ Mapping with a Composite Radiofrequency Pulse on a 3T MR Imaging System. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 35-41.	1.1	5
855	Myocardial perfusion quantification using simultaneously acquired ¹³ NH ₃ ammonia PET and dynamic contrast-enhanced MRI in patients at rest and stress. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 2641-2654.	1.9	35
856	A vectorized Levenberg-Marquardt model fitting algorithm for efficient post-processing of cardiac T1 mapping MRI. <i>Computers in Biology and Medicine</i> , 2018, 96, 106-115.	3.9	5
858	Hypertrophy Regression With N-Acetylcysteine in Hypertrophic Cardiomyopathy (HALT-HCM). <i>Circulation Research</i> , 2018, 122, 1109-1118.	2.0	42
859	Blood T1* correction increases accuracy of extracellular volume measurements using 3T cardiovascular magnetic resonance: Comparison of T1 and T1* maps. <i>Scientific Reports</i> , 2018, 8, 3361.	1.6	3
860	Effects of repetitive prolonged breath-hold in elite divers on myocardial fibrosis and cerebral morphology. <i>European Journal of Radiology</i> , 2018, 103, 13-18.	1.2	5
861	Using T1 mapping in cardiovascular magnetic resonance to assess congestive hepatopathy. <i>Abdominal Radiology</i> , 2018, 43, 2679-2685.	1.0	21
862	Ultrafast compartmentalized relaxation time mapping with linear algebraic modeling. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 286-297.	1.9	4
863	Cardiac Magnetic Resonance T1-Mapping of the Myocardium. <i>Journal of Thoracic Imaging</i> , 2018, 33, 71-80.	0.8	39
864	Prognostic Significance of Remote Myocardium Alterations Assessed by Quantitative Noncontrast T1 Mapping in ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 411-419.	2.3	75
865	Non-contrast-enhanced T ₁ -weighted MRI of myocardial radiofrequency ablation lesions. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 879-889.	1.9	34
866	Towards accurate and precise T1 and extracellular volume mapping in the myocardium: a guide to current pitfalls and their solutions. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018, 31, 143-163.	1.1	22

#	ARTICLE	IF	CITATIONS
867	Identification of myocardial diffuse fibrosis by 11 heartbeat MOLLI T1 mapping: averaging to improve precision and correlation with collagen volume fraction. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018, 31, 101-113.	1.1	11
868	Spinal cord imaging using averaged magnetization inversion recovery acquisitions. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1870-1881.	1.9	15
869	Native T ₁ mapping for characterization of acute and chronic myocardial infarction in swine: Comparison with contrast-enhanced MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 1406-1414.	1.9	12
870	Shuffled magnetization-prepared multicontrast rapid gradient-echo imaging. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 62-70.	1.9	3
871	Long-Standing Cyanosis in Congenital Heart Disease Does not Cause Diffuse Myocardial Fibrosis. <i>Pediatric Cardiology</i> , 2018, 39, 105-110.	0.6	2
872	Robust motion correction for myocardial T ₁ and extracellular volume mapping by principle component analysis-based groupwise image registration. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 1397-1405.	1.9	18
873	The influence of microvascular injury on native T1 and T2* relaxation values after acute myocardial infarction: implications for non-contrast-enhanced infarct assessment. <i>European Radiology</i> , 2018, 28, 824-832.	2.3	18
874	Myocardial T1 mapping and extracellular volume quantification: an overview of technical and biological confounders. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 3-14.	0.7	24
875	Simultaneous bright- and black-blood whole-heart MRI for noncontrast enhanced coronary lumen and thrombus visualization. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1460-1472.	1.9	33
876	State-of-the-art review: stress T1 mapping—technical considerations, pitfalls and emerging clinical applications. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018, 31, 131-141.	1.1	42
877	Improved post-processing strategy for MOLLI based tissue characterization allows application in patients with dyspnoea and impaired left ventricular function. <i>Zeitschrift Fur Medizinische Physik</i> , 2018, 28, 25-35.	0.6	5
878	An analytical model which determines the apparent T1 for Modified Look-Locker Inversion Recovery—Analysis of the longitudinal relaxation under the influence of discontinuous balanced (classical) T1/T2/T2* weighting. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1473-1483.	1.1	1
879	Noncontrast Myocardial T1 Mapping by Cardiac Magnetic Resonance Predicts Outcome in Patients With Aortic Stenosis. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 974-983.	2.3	113
880	Cardiac magnetic resonance imaging in myocardial inflammation in autoimmune rheumatic diseases: An appraisal of the diagnostic strengths and limitations of the Lake Louise criteria. <i>International Journal of Cardiology</i> , 2018, 252, 216-219.	0.8	32
881	Persistent Long-Term Structural, Functional, and Metabolic Changes After Stress-Induced (Takotsubo) Cardiomyopathy. <i>Circulation</i> , 2018, 137, 1039-1048.	1.6	190
882	Native T ₁ reference values for nonischemic cardiomyopathies and populations with increased cardiovascular risk: A systematic review and meta-analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 891-912.	1.9	28
883	The assessment of aortic stenosis: looking beyond the valve. <i>European Heart Journal</i> , 2018, 39, 710-712.	1.0	1
884	Vessel wall characterization using quantitative MRI: what are T ₁ and T ₂ in a number?. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018, 31, 201-222.	1.1	35

#	ARTICLE	IF	CITATIONS
885	Automatic regional analysis of myocardial native T1 values: left ventricle segmentation and AHA parcellations. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 131-140.	0.7	7
886	Native T1 and T2 mapping by cardiovascular magnetic resonance imaging in pressure overloaded left and right heart diseases. <i>Journal of Thoracic Disease</i> , 2018, 10, 2968-2975.	0.6	21
888	Analyzing the Influence of Imaging Parameters on Cardiac T1 Estimation Accuracy Using MOLLI. , 2018, , .		0
889	Association Between Inflammatory Markers and Myocardial Fibrosis. <i>Hypertension</i> , 2018, 72, 902-908.	1.3	29
890	Prognostic implications of late gadolinium enhancement at the right ventricular insertion point in patients with non-ischemic dilated cardiomyopathy: A multicenter retrospective cohort study. <i>PLoS ONE</i> , 2018, 13, e0208100.	1.1	26
891	Cardiac magnetic resonance T1 mapping. Part 1: Aspects of acquisition and evaluation. <i>European Journal of Radiology</i> , 2018, 109, 223-234.	1.2	30
893	Cardiac MRI biomarkers for Duchenne muscular dystrophy. <i>Biomarkers in Medicine</i> , 2018, 12, 1271-1289.	0.6	24
894	Cardiac Magnetic Resonance Fingerprinting. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1837-1853.	2.3	47
895	Accurate and robust systolic myocardial T1 mapping using saturation recovery with individualized delay time: comparison with diastolic T1 mapping. <i>Radiological Physics and Technology</i> , 2018, 11, 415-422.	1.0	3
896	Comparison of T1 Mapping by Cardiac MRI to Non-cardiac MRI Methods to Evaluate Cardiac Fibrosis. , 2018, , 45-59.		0
897	Three-dimensional free breathing whole heart cardiovascular magnetic resonance T1 mapping at 3ÅT. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 64.	1.6	22
898	In vivo myocardial tissue characterization of all four chambers using high-resolution quantitative MRI. <i>Current Directions in Biomedical Engineering</i> , 2018, 4, 263-266.	0.2	0
899	Smoking aggravates ventricular arrhythmic events in non-ischemic dilated cardiomyopathy associated with a late gadolinium enhancement in cardiac MRI. <i>Scientific Reports</i> , 2018, 8, 15609.	1.6	6
900	Manganese-Enhanced T ₁ Mapping in the Myocardium of Normal and Infarcted Hearts. <i>Contrast Media and Molecular Imaging</i> , 2018, 2018, 1-13.	0.4	15
901	Fundamentals of Cardiac T1 Mapping. , 2018, , 1-14.		0
902	T1-Mapping in Myocardial Disease. , 2018, , .		1
903	Rationale and design of the Caloric Restriction and Exercise protection from Anthracycline Toxic Effects (CREATE) study: a 3-arm parallel group phase II randomized controlled trial in early breast cancer. <i>BMC Cancer</i> , 2018, 18, 864.	1.1	22
904	Defining myocardial fibrosis in haemodialysis patients with non-contrast cardiac magnetic resonance. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 145.	0.7	10

#	ARTICLE	IF	CITATIONS
905	Native cardiac T1 Mapping: Standardized inline analysis of long and short axis at three identical 1.5 Tesla MRI scanners. <i>European Journal of Radiology</i> , 2018, 107, 203-208.	1.2	4
906	Cardiac magnetic resonance using late gadolinium enhancement and atrial T1 mapping predicts poor outcome in patients with atrial fibrillation after catheter ablation therapy. <i>Scientific Reports</i> , 2018, 8, 13618.	1.6	21
907	State of the Art in Cardiovascular T2 Mapping: on the Way to a Cardiac Biomarker?. <i>Current Cardiovascular Imaging Reports</i> , 2018, 11, 1.	0.4	5
908	Simultaneous T ₁ and T ₂ mapping of the carotid plaque (SIMPLE) with T ₂ and inversion recovery prepared 3D radial imaging. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 2598-2608.	1.9	24
909	Parametric Imaging for the Assessment of Cardiac Motion: A Review. <i>Cardiovascular Engineering and Technology</i> , 2018, 9, 377-393.	0.7	4
910	Diffuse cardiac fibrosis quantification in early systemic sclerosis by magnetic resonance imaging and correlation with skin fibrosis. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 159-169.	1.0	22
911	In Vivo Molecular Characterization of Abdominal Aortic Aneurysms Using Fibrin-specific Magnetic Resonance Imaging. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	9
912	Magnetic Resonance Imaging of synovitis in knees of patients with osteoarthritis without injected contrast agents using T1 quantification. <i>Radiography</i> , 2018, 24, 283-288.	1.1	4
913	MRI Assessment of Heart Failure. , 2018, , 125-135.		0
914	High-sensitive troponin is associated with subclinical imaging biosignature of inflammatory cardiovascular involvement in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1590-1598.	0.5	48
915	Myocardial T1 mapping and determination of partition coefficients at 3 tesla: comparison between gadobenate dimeglumine and gadofosveset trisodium. <i>Radiologia Brasileira</i> , 2018, 51, 13-19.	0.3	2
916	Relationship between CMR-derived parameters of ischemia/reperfusion injury and the timing of CMR after reperfused ST-segment elevation myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 50.	1.6	16
917	Myocardial tissue characterization and strain analysis in healthy pregnant women using cardiovascular magnetic resonance native T1 mapping and feature tracking technique. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 52.	1.6	11
918	Quantitative cardiovascular magnetic resonance: extracellular volume, native T1 and 18F-FDG PET/CMR imaging in patients after revascularized myocardial infarction and association with markers of myocardial damage and systemic inflammation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 33.	1.6	17
919	Clinical application and technical considerations of T ₁ & T ₂ (*) mapping in cardiac, liver, and renal imaging. <i>British Journal of Radiology</i> , 2018, 91, 20170825.	1.0	25
920	Investigating and reducing the effects of confounding factors for robust T1 and T2 mapping with cardiac MR fingerprinting. <i>Magnetic Resonance Imaging</i> , 2018, 53, 40-51.	1.0	60
921	Left Ventricular T1 Mapping during Chemotherapy+ Radiation Therapy: Serial Assessment of Participants with Esophageal Cancer. <i>Radiology</i> , 2018, 289, 347-354.	3.6	27
922	An in-vivo comparison of stimulated-echo and motion compensated spin-echo sequences for 3T diffusion tensor cardiovascular magnetic resonance at multiple cardiac phases. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 1.	1.6	78

#	ARTICLE	IF	CITATIONS
923	Myocardial native T2 measurement to differentiate light-chain and transthyretin cardiac amyloidosis and assess prognosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 58.	1.6	48
924	Putting it all together: established and emerging MRI techniques for detecting and measuring liver fibrosis. <i>Pediatric Radiology</i> , 2018, 48, 1256-1272.	1.1	31
925	Magnetic resonance imaging T1- and T2-mapping to assess renal structure and function: a systematic review and statement paper. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, ii41-ii50.	0.4	75
927	Advanced cardiac MRI techniques for evaluation of left-sided valvular heart disease. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 318-329.	1.9	33
928	Magnetic resonance imaging: Physics basics for the cardiologist. <i>JRSM Cardiovascular Disease</i> , 2018, 7, 204800401877223.	0.4	10
929	Magnetic resonance T1-mapping evaluates the degree of thyroid destruction in patients with autoimmune thyroiditis. <i>Endocrine Connections</i> , 2018, 7, 1315-1321.	0.8	3
930	Effects of age, gender, and risk factors for heart failure on native myocardial T ₁ and extracellular volume fraction using the SASHA sequence at 1.5T. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1307-1317.	1.9	9
931	Role of T1 mapping as a complementary tool to T2* for non-invasive cardiac iron overload assessment. <i>PLoS ONE</i> , 2018, 13, e0192890.	1.1	51
932	Evaluation of Modified Look-Locker Inversion Recovery and Arrhythmia-Insensitive Rapid Cardiac T1 Mapping Pulse Sequences in Cardiomyopathy Patients. <i>Journal of Computer Assisted Tomography</i> , 2018, 42, 732-738.	0.5	5
933	Progression of Hypertrophy and Myocardial Fibrosis in Aortic Stenosis. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e007451.	1.3	139
934	Left ventricular remodelling in long-term survivors after the arterial switch operation for transposition of the great arteries. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 101-107.	0.5	24
935	Cardiovascular magnetic resonance imaging for amyloidosis: The state-of-the-art. <i>Trends in Cardiovascular Medicine</i> , 2019, 29, 83-94.	2.3	16
936	Imaging sequence for joint myocardial T ₁ mapping and fat/water separation. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 486-494.	1.9	16
937	Cardiac Structure-Function MRI in Patients After Heart Transplantation. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 678-687.	1.9	14
938	Conspicuity of Malignant Liver Tumors on Diffusion-Weighted Imaging With Short tau Inversion Recovery After Gadolinium Ethoxybenzyl Diethylenetriaminepentaacetic Acid Administration. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 565-573.	1.9	2
939	Relative Apical Sparing of Myocardial Longitudinal Strain Is Explained by Regional Differences in Total Amyloid Mass Rather Than the Proportion of Amyloid Deposits. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1165-1173.	2.3	45
940	Regional T ₁ mapping of the whole cervical spinal cord using an optimized MP2RAGE sequence. <i>NMR in Biomedicine</i> , 2019, 32, e4142.	1.6	13
941	T1- and ECV-mapping in clinical routine at 3T: differences between MOLLI, ShMOLLI and SASHA. <i>BMC Medical Imaging</i> , 2019, 19, 59.	1.4	16

#	ARTICLE	IF	CITATIONS
942	Free-running simultaneous myocardial T1/T2 mapping and cine imaging with 3D whole-heart coverage and isotropic spatial resolution. <i>Magnetic Resonance Imaging</i> , 2019, 63, 159-169.	1.0	29
943	<i>Cardiovascular Magnetic Resonance.</i> , 2019, , 38-90.		1
944	Comparison of Original and 2018 Lake Louise Criteria for Diagnosis of Acute Myocarditis: Results of a Validation Cohort. <i>Radiology: Cardiothoracic Imaging</i> , 2019, 1, e190010.	0.9	118
945	Cardiac Magnetic Resonance Fingerprinting: Technical Developments and Initial Clinical Validation. <i>Current Cardiology Reports</i> , 2019, 21, 91.	1.3	20
946	Measurement reproducibility of slice-interleaved T1 and T2 mapping sequences over 20 months: A single center study. <i>PLoS ONE</i> , 2019, 14, e0220190.	1.1	7
947	Effect of Intensive Blood Pressure Reduction on Left Ventricular Mass, Structure, Function, and Fibrosis in the SPRINT-HEART. <i>Hypertension</i> , 2019, 74, 276-284.	1.3	26
948	New Imaging Markers of Clinical Outcome in Asymptomatic Patients with Severe Aortic Regurgitation. <i>Journal of Clinical Medicine</i> , 2019, 8, 1654.	1.0	4
949	The Value of T1 Mapping Techniques in the Assessment of Myocardial Interstitial Fibrosis. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2019, 27, 563-574.	0.6	3
950	Accurate, precise, simultaneous myocardial T1 and T2 mapping using a radial sequence with inversion recovery and T2 preparation. <i>NMR in Biomedicine</i> , 2019, 32, e4165.	1.6	13
952	<i>Cardiac CT, PET & MR.</i> , 2019, , .		2
953	CMR Tissue Characterization in Patients with HFmrEF. <i>Journal of Clinical Medicine</i> , 2019, 8, 1877.	1.0	26
954	MRI in cardio-oncology: A review of cardiac complications in oncologic care. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1349-1366.	1.9	18
955	Characterizing cardiac involvement in amyloidosis using cardiovascular magnetic resonance diffusion tensor imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 56.	1.6	37
956	Multiparametric cardiovascular magnetic resonance imaging in acute myocarditis: a comparison of different measurement approaches. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 54.	1.6	19
957	Model-based myocardial T1 mapping with sparsity constraints using single-shot inversion-recovery radial FLASH cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 60.	1.6	24
958	Opportunities in Interventional and Diagnostic Imaging by Using High-Performance Low-Field-Strength MRI. <i>Radiology</i> , 2019, 293, 384-393.	3.6	224
959	Myocardial T1 and ECV Measurement. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 2332-2344.	2.3	73
960	SUPER: A blockwise curve-fitting method for accelerating MR parametric mapping with fast reconstruction. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 3515-3529.	1.9	7

#	ARTICLE	IF	CITATIONS
961	Automated analysis of cardiovascular magnetic resonance myocardial native T1 mapping images using fully convolutional neural networks. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 7.	1.6	71
962	Real-time Triggered RAdial Single-Shot Inversion recovery for arrhythmia-insensitive myocardial T1 mapping: motion phantom validation and in vivo comparison. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1714-1725.	1.9	2
963	Accelerated free-breathing 3D T1 cardiovascular magnetic resonance using multicoil compressed sensing. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 5.	1.6	15
964	Atherosclerotic Plaque Imaging. <i>Contemporary Cardiology</i> , 2019, , 229-248.	0.0	0
965	Imaging and Impact of Myocardial Fibrosis in Aortic Stenosis. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 283-296.	2.3	161
967	Myocardial native-T1 times are elevated as a function of hypertrophy, HbA1c, and heart rate in diabetic adults without diffuse fibrosis. <i>Magnetic Resonance Imaging</i> , 2019, 61, 83-89.	1.0	10
968	EVCMR: A tool for the quantitative evaluation and visualization of cardiac MRI data. <i>Computers in Biology and Medicine</i> , 2019, 111, 103334.	3.9	11
969	Modified look-locker inversion recovery (MOLLI) T mapping with inversion group (IG) fitting – A method for improved precision. <i>Magnetic Resonance Imaging</i> , 2019, 62, 38-45.	1.0	6
970	Evaluation of variable flip angle, MOLLI, SASHA, and IR-SNAPSHOT pulse sequences for T1 relaxometry and extracellular volume imaging of the pancreas and liver. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2019, 32, 559-566.	1.1	23
971	Cardiovascular magnetic resonance techniques for tissue characterization after acute myocardial injury. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 723-734.	0.5	42
972	Detection of myocarditis using T 1 and ECV mapping is not improved by early compared to late post-contrast imaging. <i>Clinical Physiology and Functional Imaging</i> , 2019, 39, 384-392.	0.5	4
973	coreMRI: A high-performance, publicly available MR simulation platform on the cloud. <i>PLoS ONE</i> , 2019, 14, e0216594.	1.1	10
974	The Evolving Role of Cardiovascular Magnetic Resonance Imaging in the Evaluation of Systemic Amyloidosis. <i>Magnetic Resonance Insights</i> , 2019, 12, 1178623X1984351.	2.5	23
975	Free-running 3D whole heart myocardial T 1 mapping with isotropic spatial resolution. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1331-1342.	1.9	36
976	Left Ventricular Fibrosis in Patients with Aortic Stenosis. , 2019, , 127-139.		0
977	Myocardial T1 values in healthy volunteers measured with saturation method using adaptive recovery times for T1 mapping (SMART1Map) at 1.5ÅT and 3ÅT. <i>Heart and Vessels</i> , 2019, 34, 1889-1894.	0.5	9
978	Porous medium 3D flow simulation of contrast media washout in cardiac MRI reflects myocardial injury. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 775-785.	1.9	0
979	Subclinical myocardial injury in patients with Facioscapulohumeral muscular dystrophy 1 and preserved ejection fraction – assessment by cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 25.	1.6	17

#	ARTICLE	IF	CITATIONS
980	Magnetic resonance imaging T1 relaxation times for the liver, pancreas and spleen in healthy children at 1.5 and 3T. <i>Pediatric Radiology</i> , 2019, 49, 1018-1024.	1.1	19
981	Repeatability and reproducibility of longitudinal relaxation rate in 12 small-animal MRI systems. <i>Magnetic Resonance Imaging</i> , 2019, 59, 121-129.	1.0	8
982	Comparison of short axis and long axis acquisitions of T1 and extracellular volume mapping using MOLLI and SASHA in patients with myocardial infarction and healthy volunteers. <i>BMC Medical Imaging</i> , 2019, 19, 18.	1.4	2
983	Assessment of liver T1 mapping in fontan patients and its correlation with magnetic resonance elastography-derived liver stiffness. <i>Abdominal Radiology</i> , 2019, 44, 2403-2408.	1.0	32
984	Comparison of MR T1 and T2 mapping parameters to characterize myocardial and skeletal muscle involvement in systemic idiopathic inflammatory myopathy (IIM). <i>European Radiology</i> , 2019, 29, 5139-5147.	2.3	19
985	Multiparametric Cardiac Magnetic Resonance Imaging Can Detect Acute Cardiac Allograft Rejection After Heart Transplantation. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1632-1641.	2.3	60
986	Clinical impact of native T1 mapping for detecting myocardial impairment in takotsubo cardiomyopathy. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 1147-1155.	0.5	22
987	Repeatability and reproducibility of multiparametric magnetic resonance imaging of the liver. <i>PLoS ONE</i> , 2019, 14, e0214921.	1.1	69
988	Rationale and design of the randomized, controlled Early Valve Replacement Guided by Biomarkers of Left Ventricular Decompensation in Asymptomatic Patients with Severe Aortic Stenosis (EVOLVED) trial. <i>American Heart Journal</i> , 2019, 212, 91-100.	1.2	74
989	Long term cardiovascular magnetic resonance phenotyping of anthracycline cardiomyopathy. <i>International Journal of Cardiology</i> , 2019, 292, 248-252.	0.8	7
990	Mechanisms of cardiac collagen deposition in experimental models and human disease. <i>Translational Research</i> , 2019, 209, 138-155.	2.2	51
991	Levothyroxine Replacement Alleviates Thyroid Destruction in Hypothyroid Patients With Autoimmune Thyroiditis: Evidence From a Thyroid MRI Study. <i>Frontiers in Endocrinology</i> , 2019, 10, 138.	1.5	5
992	Cardiac magnetic resonance including parametric mapping in acute Takotsubo syndrome: Preliminary findings. <i>European Journal of Radiology</i> , 2019, 113, 217-224.	1.2	15
993	A cardiac magnetic resonance imaging study of long-term and incident hemodialysis patients. <i>Journal of Nephrology</i> , 2019, 32, 615-626.	0.9	5
994	Magnetic Resonance Fingerprinting: Implications and Opportunities for PET/MR. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2019, 3, 388-399.	2.7	7
995	Fast myocardial T ₁ mapping using shortened inversion recovery based schemes. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 641-654.	1.9	7
996	Epicardial fat, left ventricular strain, and T1-relaxation times in obese individuals with a normal ejection fraction. <i>Acta Radiologica</i> , 2019, 60, 1251-1257.	0.5	12
997	Current and Emerging Technologies for Cardiovascular Imaging. <i>Series in Bioengineering</i> , 2019, , 13-59.	0.3	0

#	ARTICLE	IF	CITATIONS
998	Precision of T1-relaxation time measurements in the hepatic portal vein: influence of measurement technique and sequence parameters. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2019, 32, 359-368.	1.1	6
999	Acute changes in cardiac structural and tissue characterisation parameters following haemodialysis measured using cardiovascular magnetic resonance. <i>Scientific Reports</i> , 2019, 9, 1388.	1.6	27
1000	Assessment of Cardiac Involvement in Fabry Disease (FD) with Native T1 Mapping. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2019, 191, 932-939.	0.7	15
1001	Free-Breathing Three-Dimensional T ₁ Mapping of the Heart Using Subspace-Based Data Acquisition and Image Reconstruction. , 2019, 2019, 4008-4011.		4
1002	T2* Mapping Techniques. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2019, 27, 439-451.	0.6	14
1003	Human Cardiac Magnetic Resonance at Ultrahigh Fields. , 2019, , 142-160.e4.		0
1004	The dynamics of extracellular gadolinium-based contrast agent excretion into pleural and pericardial effusions quantified by T1 mapping cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 71.	1.6	3
1005	Long-term outcomes of childhood onset Noonan compared to sarcomere hypertrophic cardiomyopathy. <i>Cardiovascular Diagnosis and Therapy</i> , 2019, 9, S299-S309.	0.7	16
1006	Myocardial Extracellular Volume Fraction Adds Prognostic Information Beyond Myocardial Replacement Fibrosis. <i>Circulation: Cardiovascular Imaging</i> , 2019, 12, e009535.	1.3	56
1007	The relative contributions of myocardial perfusion, blood volume and extracellular volume to native T1 and native T2 at rest and during adenosine stress in normal physiology. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 73.	1.6	24
1008	Tissue characterisation and myocardial mechanics using cardiac MRI in children with hypertrophic cardiomyopathy. <i>Cardiology in the Young</i> , 2019, 29, 1459-1467.	0.4	8
1009	Donor and Recipient Characteristics in Heart Transplantation Are Associated with Altered Myocardial Tissue Structure and Cardiac Function. <i>Radiology: Cardiothoracic Imaging</i> , 2019, 1, e190009.	0.9	2
1010	Advanced imaging in pulmonary hypertension: emerging techniques and applications. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1407-1420.	0.7	23
1011	Simultaneous high-resolution cardiac T ₁ mapping and cine imaging using model-based iterative image reconstruction. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1080-1091.	1.9	22
1012	Reproducibility of native T ₁ mapping for renal tissue characterization at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 588-596.	1.9	15
1013	Cardiac T2 star mapping: standardized inline analysis of long and short axis at three identical 1.5T MRI scanners. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 695-702.	0.7	4
1014	Simultaneous multislice cardiac magnetic resonance fingerprinting using low rank reconstruction. <i>NMR in Biomedicine</i> , 2019, 32, e4041.	1.6	38
1015	A three-dimensional free-breathing sequence for simultaneous myocardial T ₁ and T ₂ mapping. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1031-1043.	1.9	25

#	ARTICLE	IF	CITATIONS
1016	Free-breathing, non-EKG, continuous myocardial T ₁ mapping with cardiovascular magnetic resonance multitasking. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 2450-2463.	1.9	54
1017	Native T1 and Extracellular Volume Measurements by Cardiac MRI in Healthy Adults: A Meta-Analysis. <i>Radiology</i> , 2019, 290, 317-326.	3.6	77
1018	Mapping tissue water T ₁ in the liver using the MOLLI T ₁ method in the presence of fat, iron and B ₀ inhomogeneity. <i>NMR in Biomedicine</i> , 2019, 32, e4030.	1.6	37
1019	Native T1 Mapping in the Diagnosis of Cardiac Allograft Rejection. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1618-1628.	2.3	34
1020	Comprehensive evaluation of structural and functional myocardial impairments in Becker muscular dystrophy using quantitative cardiac magnetic resonance imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 906-915.	0.5	15
1021	Diagnostic performance of quantitative magnetic resonance imaging biomarkers for predicting portal hypertension in children and young adults with autoimmune liver disease. <i>Pediatric Radiology</i> , 2019, 49, 332-341.	1.1	32
1022	Robust motion correction for cardiac T1 and ECV mapping using a T1 relaxation model approach. <i>Medical Image Analysis</i> , 2019, 52, 212-227.	7.0	12
1023	Non-contrast myocardial infarct scar assessment using a hybrid native T ₁ and magnetization transfer imaging sequence at 1.5T. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 3192-3201.	1.9	7
1024	Myocardial Partition Coefficient of Gadolinium: A Pilot Study in Patients With Acute Myocarditis, Chronic Myocardial Infarction, and in Healthy Volunteers. <i>Canadian Journal of Cardiology</i> , 2019, 35, 51-60.	0.8	1
1025	MRI gadolinium dosing on basis of blood volume. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1157-1164.	1.9	8
1026	Cardiovascular magnetic resonance imaging pattern in patients with autoimmune rheumatic diseases and ventricular tachycardia with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2019, 284, 105-109.	0.8	21
1027	Increased myocardial sodium signal intensity in Conn's syndrome detected by ²³ Na magnetic resonance imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 263-270.	0.5	32
1028	Association of myocardial fibrosis and cardiovascular events: the multi-ethnic study of atherosclerosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 168-176.	0.5	40
1029	Influence of background suppression and retrospective realignment on free-breathing renal perfusion measurement using pseudo-continuous ASL. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 2439-2449.	1.9	18
1030	Integrated motion correction and dictionary learning for free-breathing myocardial T ₁ mapping. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 2644-2654.	1.9	11
1031	3D SASHA myocardial T1 mapping with high accuracy and improved precision. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2019, 32, 281-289.	1.1	12
1032	CMR imaging biosignature of cardiac involvement due to cancer-related treatment by T1 and T2 mapping. <i>International Journal of Cardiology</i> , 2019, 275, 179-186.	0.8	60
1033	Implications of bipolar voltage mapping and magnetic resonance imaging resolution in biventricular scar characterization after myocardial infarction. <i>Europace</i> , 2019, 21, 163-174.	0.7	8

#	ARTICLE	IF	CITATIONS
1034	Analysis of MRI Values and Hemoglobin and Total Protein Concentrations of Cystic Ovarian Tumors. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 1133-1140.	1.9	2
1035	Native T1 mapping as a biomarker of underlying ventricular myopathy and its reversal in patients with atrial fibrillation and preserved ejection fraction undergoing catheter ablation. <i>Heart Rhythm</i> , 2019, 16, 433-434.	0.3	0
1036	Non-contrast-enhanced T1 mapping: Mapping of Dilated Cardiomyopathy: Comparison between Native T1 Values and Late Gadolinium Enhancement. <i>Magnetic Resonance in Medical Sciences</i> , 2019, 18, 12-18.	1.1	12
1037	Quantitative cardiac MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 693-711.	1.9	35
1038	Machine Learning for Rapid Magnetic Resonance Fingerprinting Tissue Property Quantification. <i>Proceedings of the IEEE</i> , 2020, 108, 69-85.	16.4	39
1039	Differentiation between Fabry disease and hypertrophic cardiomyopathy with cardiac T1 mapping. <i>Diagnostic and Interventional Imaging</i> , 2020, 101, 59-67.	1.8	14
1040	Low-Rank Tensor Models for Improved Multidimensional MRI: Application to Dynamic Cardiac T1 Mapping. <i>IEEE Transactions on Computational Imaging</i> , 2020, 6, 194-207.	2.6	27
1041	Fast myocardial T1 mapping using cardiac motion correction. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 438-451.	1.9	18
1042	Measuring extracellular volume fraction by MRI: First verification of values given by clinical sequences. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 662-672.	1.9	5
1043	Advanced imaging techniques for chronic pancreatitis. <i>Abdominal Radiology</i> , 2020, 45, 1420-1438.	1.0	20
1044	Whole-heart T1 mapping using a 2D fat image navigator for respiratory motion compensation. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 178-187.	1.9	6
1045	CMR in the Evaluation of Diastolic Dysfunction and Phenotyping of HFpEF. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 283-296.	2.3	80
1046	Cardiac T1 mapping: Techniques and applications. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1336-1356.	1.9	34
1047	FASt single-breathhold 2D multislice myocardial T1 mapping (FASt1) at 1.5T for full left ventricular coverage in three breathholds. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 492-504.	1.9	6
1048	Biventricular tissue tracking demonstrating associations between left ventricular myocardial extracellular volume, pulmonary artery pressure, and reduced right ventricular ejection fraction in patients with systemic lupus erythematosus using cardiovascular MRI. <i>Clinical Radiology</i> , 2020, 75, 237.e17-237.e25.	0.5	6
1049	Quantification of myocardial interstitial fibrosis and extracellular volume for the detection of cardiac allograft vasculopathy. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 533-542.	0.7	10
1050	Altered regional myocardial velocities by tissue phase mapping and feature tracking in pediatric patients with hypertrophic cardiomyopathy. <i>Pediatric Radiology</i> , 2020, 50, 168-179.	1.1	7
1051	Quantitative 3D myocardial perfusion with an efficient arterial input function. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 1949-1963.	1.9	14

#	ARTICLE	IF	CITATIONS
1052	Deep Learning for Quantitative Cardiac MRI. American Journal of Roentgenology, 2020, 214, 529-535.	1.0	20
1053	Pooled summary of native T1 value and extracellular volume with MOLLI variant sequences in normal subjects and patients with cardiovascular disease. International Journal of Cardiovascular Imaging, 2020, 36, 325-336.	0.7	15
1054	Four-angle method for practical ultra-high-resolution magnetic resonance mapping of brain longitudinal relaxation time and apparent proton density. Magnetic Resonance Imaging, 2020, 66, 57-68.	1.0	0
1055	Normal myocardial native T1 values in children using single-point saturation recovery and modified look-locker inversion recovery (MOLLI). Journal of Magnetic Resonance Imaging, 2020, 51, 897-903.	1.9	9
1056	Determination of oxygen r1 at 3 Tesla using samples with a concentration range of dissolved oxygen. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2020, 33, 447-453.	1.1	5
1057	Temporal registration: a new approach to manage the incomplete recovery of the longitudinal magnetization in the Modified Look-Locker Inversion Recovery sequence (MOLLI) for T1 mapping of the heart. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2020, 33, 569-580.	1.1	2
1058	Diffuse right ventricular fibrosis in heart failure with preserved ejection fraction and pulmonary hypertension. ESC Heart Failure, 2020, 7, 254-264.	1.4	39
1059	Comparing the interobserver reproducibility of different regions of interest on multi-parametric renal magnetic resonance imaging in healthy volunteers, patients with heart failure and renal transplant recipients. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2020, 33, 103-112.	1.1	7
1060	Water-fat Dixon cardiac magnetic resonance fingerprinting. Magnetic Resonance in Medicine, 2020, 83, 2107-2123.	1.9	48
1061	Magnetic resonance fingerprinting for simultaneous renal T_1 and T_2^* mapping in a single breath-hold. Magnetic Resonance in Medicine, 2020, 83, 1940-1948.	1.9	18
1062	Total Mapping Toolbox (TOMATO): An open source library for cardiac magnetic resonance parametric mapping. SoftwareX, 2020, 11, 100369.	1.2	7
1063	Left ventricular extracellular volume expansion does not predict recurrence of atrial fibrillation following catheter ablation. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 159-166.	0.5	2
1064	Consensus-based technical recommendations for clinical translation of renal T1 and T2 mapping MRI. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2020, 33, 163-176.	1.1	52
1065	Diffusion tensor cardiovascular magnetic resonance in hypertrophic cardiomyopathy: a comparison of motion-compensated spin echo and stimulated echo techniques. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2020, 33, 331-342.	1.1	2
1066	MRI T1 Mapping in Hypertrophic Cardiomyopathy: Evaluation in Patients Without Late Gadolinium Enhancement and Hemodynamic Obstruction. Radiology, 2020, 294, 275-286.	3.6	67
1067	Impact of oxidative posttranslational modifications of SERCA2 on heart failure exacerbation in young patients with non-ischemic cardiomyopathy: A pilot study. IJC Heart and Vasculature, 2020, 26, 100437.	0.6	8
1068	Near-silent distortionless DWI using magnetization-prepared RUFIS. Magnetic Resonance in Medicine, 2020, 84, 170-181.	1.9	14
1069	Rapid MR relaxometry using deep learning: An overview of current techniques and emerging trends. NMR in Biomedicine, 2022, 35, e4416.	1.6	29

#	ARTICLE	IF	CITATIONS
1070	Non-invasive assessment of liver fibrosis in autoimmune hepatitis: Diagnostic value of liver magnetic resonance parametric mapping including extracellular volume fraction. <i>Abdominal Radiology</i> , 2021, 46, 2458-2466.	1.0	11
1071	Cardiac MRI: technical basis. <i>Radiologia Medica</i> , 2020, 125, 1040-1055.	4.7	29
1072	Examining the Relationship and Prognostic Implication of Diabetic Status and Extracellular Matrix Expansion by Cardiac Magnetic Resonance. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e011000.	1.3	19
1074	3D free-breathing cardiac magnetic resonance fingerprinting. <i>NMR in Biomedicine</i> , 2020, 33, e4370.	1.6	37
1075	Displacement Encoding With Stimulated Echoes Enables the Identification of Infarct Transmurality Early Postmyocardial Infarction. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 1722-1731.	1.9	3
1076	The early dynamic of ECG in Takotsubo syndrome presenting with ST-elevation: A comparison with age and gender-matched ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2020, 320, 7-11.	0.8	14
1077	The feasibility and diagnostic value of intravoxel incoherent motion diffusion-weighted imaging in the assessment of myocardial fibrosis in hypertrophic cardiomyopathy patients. <i>European Journal of Radiology</i> , 2020, 132, 109333.	1.2	4
1078	Validation and feasibility of liver T1 mapping using free breathing MOLLI sequence in children and young adults. <i>Scientific Reports</i> , 2020, 10, 18390.	1.6	6
1079	Role of Imaging in Improving Outcomes with Ablation. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2020, 22, 1.	0.4	0
1080	Simultaneous molecular MRI of extracellular matrix collagen and inflammatory activity to predict abdominal aortic aneurysm rupture. <i>Scientific Reports</i> , 2020, 10, 15206.	1.6	14
1081	Influence of hydration status on cardiovascular magnetic resonance myocardial T1 and T2 relaxation time assessment: an intraindividual study in healthy subjects. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 63.	1.6	14
1082	Myocardial Fibrosis and Inflammation in Liver Cirrhosis: MRI Study of the Liver-Heart Axis. <i>Radiology</i> , 2020, 297, 51-61.	3.6	34
1083	Reference ranges (‘‘normal values’’) for cardiovascular magnetic resonance (CMR) in adults and children: 2020 update. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 87.	1.6	233
1084	Systolic modified Look-Locker inversion recovery myocardial T1 mapping improves the accuracy of T1 and extracellular volume fraction measurements of patients with high heart rate or atrial fibrillation. <i>Radiological Physics and Technology</i> , 2020, 13, 405-413.	1.0	1
1085	T1-Mapping and extracellular volume estimates in pediatric subjects with Duchenne muscular dystrophy and healthy controls at 3T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 85.	1.6	9
1086	Advances in Signal Processing for Relaxometry. <i>Advances in Magnetic Resonance Technology and Applications</i> , 2020, 1, 123-147.	0.0	4
1087	Precision-optimized single protocol pre-/post-contrast modified-look locker inversion T1 mapping using composite inversion group fitting. <i>Magnetic Resonance Imaging</i> , 2020, 74, 195-202.	1.0	1
1089	Left Ventricular Extracellular Volume Expansion Is Not Associated with Atrial Fibrillation-mediated Left Ventricular Systolic Dysfunction. <i>Radiology: Cardiothoracic Imaging</i> , 2020, 2, e190096.	0.9	2

#	ARTICLE	IF	CITATIONS
1090	Automated Myocardial T2 and Extracellular Volume Quantification in Cardiac MRI Using Transfer Learning-based Myocardium Segmentation. <i>Radiology: Artificial Intelligence</i> , 2020, 2, e190034.	3.0	22
1091	Deep learning with attention supervision for automated motion artefact detection in quality control of cardiac T1-mapping. <i>Artificial Intelligence in Medicine</i> , 2020, 110, 101955.	3.8	24
1092	Assessment of cardiac function, blood flow and myocardial tissue relaxation parameters at 0.35 T. <i>NMR in Biomedicine</i> , 2020, 33, e4317.	1.6	13
1093	Feasibility of MRI based extracellular volume fraction and partition coefficient measurements in thigh muscle. <i>British Journal of Radiology</i> , 2020, 93, 20190931.	1.0	4
1094	Clinical features and cardiovascular magnetic resonance characteristics in Danon disease. <i>Clinical Radiology</i> , 2020, 75, 712.e1-712.e11.	0.5	9
1095	Single breath-hold saturation recovery 3D cardiac T1 mapping via compressed SENSE at 3T. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 865-876.	1.1	5
1096	T1 mapping performance and measurement repeatability: results from the multi-national T1 mapping standardization phantom program (TIMES). <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 31.	1.6	23
1097	Editorial for "Simultaneous Mapping of T_1 and T_2 Using Cardiac Magnetic Resonance Fingerprinting in a Cohort of Healthy Subjects at 1.5T". <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 1053-1054.	1.9	0
1098	Diffusion Tensor Cardiovascular Magnetic Resonance in Cardiac Amyloidosis. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e009901.	1.3	26
1099	Fast and accurate calculation of myocardial T1 and T2 values using deep learning Bloch equation simulations (DeepBLESS). <i>Magnetic Resonance in Medicine</i> , 2020, 84, 2831-2845.	1.9	25
1100	Estimation of total collagen volume: a T1 mapping versus histological comparison study in healthy Landrace pigs. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1761-1769.	0.7	4
1101	Duchenne and Becker muscular dystrophy carriers: Evidence of cardiomyopathy by exercise and cardiac MRI testing. <i>International Journal of Cardiology</i> , 2020, 316, 257-265.	0.8	16
1102	Correlation of Pancreatic T1 Values Using Modified Look-Locker Inversion Recovery Sequence (MOLLI) with Pancreatic Exocrine and Endocrine Function. <i>Journal of Clinical Medicine</i> , 2020, 9, 1805.	1.0	4
1103	New boundaries of liver imaging: from morphology to function. <i>European Journal of Internal Medicine</i> , 2020, 79, 12-22.	1.0	2
1104	Cardiac cine magnetic resonance fingerprinting for combined ejection fraction, T_1 and T_2 quantification. <i>NMR in Biomedicine</i> , 2020, 33, e4323.	1.6	27
1105	Advanced MR Imaging of the Pancreas. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2020, 28, 353-367.	0.6	6
1106	3D whole-heart isotropic-resolution motion-compensated joint T_1/T_2 mapping and water/fat imaging. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 3009-3026.	1.9	23
1107	Multicenter Study on the Diagnostic Performance of Native-T1 Cardiac Magnetic Resonance of Chronic Myocardial Infarctions at 3T. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e009894.	1.3	10

#	ARTICLE	IF	CITATIONS
1108	The reliability and feasibility of non-contrast adenosine stress cardiovascular magnetic resonance T1 mapping in patients on haemodialysis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 43.	1.6	8
1109	Arrhythmia insensitive rapid cardiac T1 mapping: comparison to modified look locker inversion recovery T1 mapping in mitral valve prolapse patients. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 2017-2025.	0.7	1
1110	Technical Aspects of in vivo Small Animal CMR Imaging. <i>Frontiers in Physics</i> , 2020, 8, .	1.0	7
1111	Additive prognostic value of red cell distribution width over late gadolinium enhancement on CMR in patients with non-ischemic dilated cardiomyopathy. <i>Scientific Reports</i> , 2020, 10, 9212.	1.6	4
1112	Non-ischemic dilated cardiomyopathy and cardiac fibrosis. <i>Heart Failure Reviews</i> , 2021, 26, 1081-1101.	1.7	39
1113	Towards measuring the effect of flow in blood T_1 assessed in a flow phantom and <i>in vivo</i> . <i>Physics in Medicine and Biology</i> , 2020, 65, 095001.	1.6	3
1114	Fast Quantitative Magnetic Resonance Imaging. <i>Synthesis Lectures on Biomedical Engineering</i> , 2020, 15, i-124.	0.1	0
1115	Peripheral arterial disease: the role of extracellular volume measurements in lower limb muscles with MRI. <i>European Radiology</i> , 2020, 30, 3943-3950.	2.3	8
1116	Females have higher myocardial perfusion, blood volume and extracellular volume compared to males – an adenosine stress cardiovascular magnetic resonance study. <i>Scientific Reports</i> , 2020, 10, 10380.	1.6	39
1117	Low signal intensities of MRI T1 mapping predict refractory diplopia in Graves' ophthalmopathy. <i>Clinical Endocrinology</i> , 2020, 92, 536-544.	1.2	15
1118	PETER PHAN: An MRI phantom for the optimisation of radiomic studies of the female pelvis. <i>Physica Medica</i> , 2020, 71, 71-81.	0.4	27
1119	CMR based measurement of aortic stiffness, epicardial fat, left ventricular myocardial strain and fibrosis in hypertensive patients. <i>IJC Heart and Vasculature</i> , 2020, 27, 100477.	0.6	6
1120	Free-running cardiac magnetic resonance fingerprinting: Joint T1/T2 map and Cine imaging. <i>Magnetic Resonance Imaging</i> , 2020, 68, 173-182.	1.0	38
1121	Cardiovascular magnetic resonance in immune checkpoint inhibitor-associated myocarditis. <i>European Heart Journal</i> , 2020, 41, 1733-1743.	1.0	212
1122	Cardiovascular MRI evidence of reduced systolic function and reduced LV mass in rheumatoid arthritis: impact of disease phenotype. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 491-501.	0.7	7
1123	Predictors of left ventricular remodelling in patients with dilated cardiomyopathy – a cardiovascular magnetic resonance study. <i>European Journal of Heart Failure</i> , 2020, 22, 1160-1170.	2.9	27
1124	Extracellular Myocardial Volume in Patients With Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2020, 75, 304-316.	1.2	141
1125	Quantification of right ventricular extracellular volume in pulmonary hypertension using cardiac magnetic resonance imaging. <i>Diagnostic and Interventional Imaging</i> , 2020, 101, 311-320.	1.8	14

#	ARTICLE	IF	CITATIONS
1126	No increased extracellular volume fraction or conduction time after childhood septal myectomy. <i>European Journal of Cardio-thoracic Surgery</i> , 2020, 57, 958-964.	0.6	1
1127	Six-dimensional quantitative DCE MR Multitasking of the entire abdomen: Method and application to pancreatic ductal adenocarcinoma. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 928-948.	1.9	16
1128	Faster 3D saturation-recovery based myocardial T1 mapping using a reduced number of saturation points and denoising. <i>PLoS ONE</i> , 2020, 15, e0221071.	1.1	4
1129	Oxygen-enhanced MRI MOLLI T1 mapping during chemoradiotherapy in anal squamous cell carcinoma. <i>Clinical and Translational Radiation Oncology</i> , 2020, 22, 44-49.	0.9	5
1130	Subclinical Cardiac Dysfunction in Childhood Cancer Survivors on 10-Years Follow-Up Correlates With Cumulative Anthracycline Dose and Is Best Detected by Cardiopulmonary Exercise Testing, Circulating Serum Biomarker, Speckle Tracking Echocardiography, and Tissue Doppler Imaging. <i>Frontiers in Pediatrics</i> , 2020, 8, 123.	0.9	37
1131	Simultaneous multi-slice T1 mapping using MOLLI with blipped CAIPIRINHA bSSFP. <i>Magnetic Resonance Imaging</i> , 2020, , .	1.0	6
1132	Myocardial structural and functional changes in patients with liver cirrhosis awaiting liver transplantation: a comprehensive cardiovascular magnetic resonance and echocardiographic study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 25.	1.6	23
1133	Diagnostic Accuracy of Mapping Techniques and Postprocessing Methods for Acute Myocarditis. <i>American Journal of Roentgenology</i> , 2020, 215, 105-115.	1.0	1
1134	Multiparametric MR Is a Valuable Modality for Evaluating Disease Severity of Nonalcoholic Fatty Liver Disease. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00157.	1.3	16
1135	Simultaneous Mapping of T_1 and T_2 Using Cardiac Magnetic Resonance Fingerprinting in a Cohort of Healthy Subjects at 1.5T. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 1044-1052.	1.9	31
1136	Multi-parametric MRI of kidney disease progression for autosomal recessive polycystic kidney disease: mouse model and initial patient results. <i>Pediatric Research</i> , 2021, 89, 157-162.	1.1	12
1137	Myocardial Mapping in Systemic Sarcoidosis: A Comparison of Two Measurement Approaches. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2021, 193, 68-76.	0.7	3
1138	Magnetic resonance parametric mapping of the spleen for non-invasive assessment of portal hypertension. <i>European Radiology</i> , 2021, 31, 85-93.	2.3	12
1139	Simultaneous proton density fraction and imaging with water-specific T_1 mapping (PROFIT ₁): application in liver. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 223-238.	1.9	20
1140	In vivo quantitative mapping of human mitochondrial cardiac membrane potential: a feasibility study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 414-420.	3.3	16
1141	Free-breathing whole-heart multi-slice myocardial T_1 mapping in 2 minutes. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 89-102.	1.9	10
1142	Quantification of diffuse myocardial fibrosis using CMR extracellular volume fraction and serum biomarkers of collagen turnover with histologic quantification as standard of reference. <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 163-169.	1.8	9
1143	Feasibility of T1 mapping with histogram analysis for the diagnosis and staging of liver fibrosis: Preclinical results. <i>Magnetic Resonance Imaging</i> , 2021, 76, 79-86.	1.0	5

#	ARTICLE	IF	CITATIONS
1144	Coronary Optical Coherence Tomography and Cardiac Magnetic Resonance Imaging to Determine Underlying Causes of Myocardial Infarction With Nonobstructive Coronary Arteries in Women. <i>Circulation</i> , 2021, 143, 624-640.	1.6	180
1145	Cardiovascular Magnetic Resonance of Myocardial Fibrosis, Edema, and Infiltrates in Heart Failure. <i>Heart Failure Clinics</i> , 2021, 17, 77-84.	1.0	5
1146	Model-based reconstruction for simultaneous multi-slice mapping using single-shot inversion-recovery radial FLASH. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 1258-1271.	1.9	14
1147	Free-breathing simultaneous myocardial T ₁ and T ₂ mapping with whole left ventricle coverage. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 1308-1321.	1.9	16
1148	Standardization of T1-mapping in cardiovascular magnetic resonance using clustered structuring for benchmarking normal ranges. <i>International Journal of Cardiology</i> , 2021, 326, 220-225.	0.8	19
1149	Prospective correction of patient-specific respiratory motion in myocardial T ₁ and T ₂ mapping. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 855-867.	1.9	4
1150	Hemorrhage promotes chronic adverse remodeling in acute myocardial infarction: a T ₁ , T ₂ and BOLD study. <i>NMR in Biomedicine</i> , 2021, 34, e4404.	1.6	5
1151	Magnetic Resonance Fingerprinting: Basic Concepts and Applications in Molecular Imaging. , 2021, , 1747-1758.		0
1152	Deep Learning and Its Application to Function Approximation for MR in Medicine: An Overview. <i>Magnetic Resonance in Medical Sciences</i> , 2022, 21, 553-568.	1.1	2
1153	Experimental Protocols for MRI Mapping of Renal T1. <i>Methods in Molecular Biology</i> , 2021, 2216, 383-402.	0.4	2
1154	Measurement of T1 Mapping in Patients With Cardiac Devices: Off-Resonance Error Extends Beyond Visual Artifact but Can Be Quantified and Corrected. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 631366.	1.1	6
1155	Magnetic Resonance Imaging: Cardiovascular Applications for Clinical Trials. , 2021, , 1517-1538.		0
1156	Rate Versus Rhythm Control in Tachycardia-Induced Cardiomyopathy Patients with Persistent Atrial Flutter. <i>International Heart Journal</i> , 2021, 62, 119-126.	0.5	6
1157	Spatially Constrained Deep Learning Approach for Myocardial T1 Mapping. <i>Lecture Notes in Computer Science</i> , 2021, , 148-158.	1.0	0
1158	Fast calculation software for modified Look-Locker inversion recovery (MOLLI) T1 mapping. <i>BMC Medical Imaging</i> , 2021, 21, 26.	1.4	4
1159	Dual-excitation flip-angle simultaneous cine and T ₁ mapping using spiral acquisition with respiratory and cardiac self-gating. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 82-96.	1.9	15
1160	Cardiovascular Magnetic Resonance Mapping and Strain Assessment for the Diagnosis of Cardiac Involvement in Idiopathic Inflammatory Myopathy Patients With Preserved Left Ventricular Ejection Fraction. <i>Journal of Thoracic Imaging</i> , 2021, 36, 254-261.	0.8	11
1161	Editorial for Reference Ranges, Diagnostic and Prognostic Utility of Native T ₁ Mapping and Extracellular Volume for Cardiac Amyloidosis: A Meta-analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 1469-1470.	1.9	1

#	ARTICLE	IF	CITATIONS
1162	Myocardial fibrosis in patients with a history of Kawasaki disease. <i>IJC Heart and Vasculature</i> , 2021, 32, 100713.	0.6	4
1163	Electrocardiogram-less, free-breathing myocardial extracellular volume fraction mapping in small animals at high heart rates using motion-resolved cardiovascular magnetic resonance multitasking: a feasibility study in a heart failure with preserved ejection fraction rat model. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 8.	1.6	8
1164	Magnetization-prepared GRASP MRI for rapid 3D T1 mapping and fat/water-separated T1 mapping. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 97-114.	1.9	26
1165	CMR for myocardial characterization in ischemic heart disease: state-of-the-art and future developments. <i>European Radiology Experimental</i> , 2021, 5, 14.	1.7	30
1166	The role of imaging in characterizing the cardiac natural history of Duchenne muscular dystrophy. <i>Pediatric Pulmonology</i> , 2021, 56, 766-781.	1.0	5
1167	Evaluation of malignant effusions using MR-based T1 mapping. <i>Scientific Reports</i> , 2021, 11, 7116.	1.6	2
1168	Role of CMR feature-tracking derived left ventricular strain in predicting myocardial iron overload and assessing myocardial contractile dysfunction in patients with thalassemia major. <i>European Radiology</i> , 2021, 31, 6184-6192.	2.3	10
1170	Technical Note: Fully automatic segmental relaxometry (FASTR) for cardiac magnetic resonance T1 mapping. <i>Medical Physics</i> , 2021, 48, 1815-1822.	1.6	2
1171	Measures of Murine Liver Fibrosis. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 739-749.	1.9	7
1172	Free-breathing simultaneous T_1 , T_2 , and T_2^* quantification in the myocardium. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 1226-1240.	1.9	11
1173	Myocardial T_1 Values at 1.5T: Normal Values for General Electric Scanners and Sex-Related Differences. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 1486-1500.	1.9	18
1174	Non-contrast cardiovascular magnetic resonance detection of myocardial fibrosis in Duchenne muscular dystrophy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 48.	1.6	11
1175	De Novo Radiomics Approach Using Image Augmentation and Features From T1 Mapping to Predict Gleason Scores in Prostate Cancer. <i>Investigative Radiology</i> , 2021, 56, 661-668.	3.5	18
1176	Quantitative imaging metrics derived from magnetic resonance fingerprinting using ISMRM/NIST MRI system phantom: An international multicenter repeatability and reproducibility study. <i>Medical Physics</i> , 2021, 48, 2438-2447.	1.6	20
1177	Effects of empagliflozin in different phases of diabetes mellitus-related cardiomyopathy: a prospective observational study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 217.	0.7	13
1178	Diagnostic value of magnetic resonance parametric mapping for non-invasive assessment of liver fibrosis in patients with primary sclerosing cholangitis. <i>BMC Medical Imaging</i> , 2021, 21, 65.	1.4	6
1179	Ferumoxyl-enhanced magnetic resonance T1 reactivity for depiction of myocardial hypoperfusion. <i>NMR in Biomedicine</i> , 2021, 34, e4518.	1.6	8
1180	Serial T1 mapping of right ventricle in pulmonary hypertension: comparison with histology in an animal study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 64.	1.6	5

#	ARTICLE	IF	CITATIONS
1181	Synergistic multi-contrast cardiac magnetic resonance image reconstruction. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2021, 379, 20200197.	1.6	4
1182	Rapid 2D variable flip angle method for accurate and precise T1 measurements over a wide range of T1 values. NMR in Biomedicine, 2021, 34, e4542.	1.6	2
1183	Multimodality Imaging Assessment of Myocardial Fibrosis. JACC: Cardiovascular Imaging, 2021, 14, 2457-2469.	2.3	34
1184	Right Ventricular Function and T1 Mapping in Boys With Duchenne Muscular Dystrophy. Journal of Magnetic Resonance Imaging, 2021, 54, 1503-1513.	1.9	5
1185	Rapid high-resolution volumetric T1 mapping using a highly accelerated stack-of-stars Look Locker technique. Magnetic Resonance Imaging, 2021, 79, 28-37.	1.0	7
1186	Cardiac stress T1-mapping response and extracellular volume stability of MOLLI-based T1-mapping methods. Scientific Reports, 2021, 11, 13568.	1.6	9
1187	Evaluation of liver function in patients with chronic hepatitis B using Gd-EOB-DTPA-enhanced T1 mapping at different acquisition time points: a feasibility study. Radiologia Medica, 2021, 126, 1149-1158.	4.7	13
1188	Imaging Techniques as an Aid in the Early Detection of Cardiac Amyloidosis. Current Pharmaceutical Design, 2021, 27, 1878-1889.	0.9	6
1189	Rapid Estimation of T1 for Quantitative NMR. Journal of Organic Chemistry, 2021, 86, 9023-9029.	1.7	14
1191	Myocardial iron overload by cardiovascular magnetic resonance native segmental T1 mapping: a sensitive approach that correlates with cardiac complications. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 70.	1.6	22
1192	Synthetic extracellular volume fraction without hematocrit sampling for hepatic applications. Abdominal Radiology, 2021, 46, 4637-4646.	1.0	3
1193	Dual flip-angle IR-FLASH with spin history mapping for B1+ corrected T1 mapping: Application to T1 cardiovascular magnetic resonance multitasking. Magnetic Resonance in Medicine, 2021, 86, 3182-3191.	1.9	9
1194	Recommendation for Cardiac Magnetic Resonance Imaging-Based Phenotypic Study: Imaging Part. Phenomics, 2021, 1, 151-170.	0.9	14
1195	Extracellular volume-guided late gadolinium enhancement analysis for non-ischemic cardiomyopathy: The Women's Interagency HIV Study. BMC Medical Imaging, 2021, 21, 116.	1.4	1
1196	Emerging Techniques in Cardiac Magnetic Resonance Imaging. Journal of Magnetic Resonance Imaging, 2022, 55, 1043-1059.	1.9	14
1197	Cardiac MRI findings in patients with Crohn's disease. Irish Journal of Medical Science, 2022, 191, 1161-1169.	0.8	1
1198	Advanced cardiovascular multimodal imaging and aortic stenosis. Heart Failure Reviews, 2022, 27, 677-696.	1.7	3
1199	Impact of Field Strength in Clinical Cardiac Magnetic Resonance Imaging. Investigative Radiology, 2021, Publish Ahead of Print, 764-772.	3.5	8

#	ARTICLE	IF	CITATIONS
1200	Cardiac MRI in Patients with Prolonged Cardiorespiratory Symptoms after Mild to Moderate COVID-19. <i>Radiology</i> , 2021, 301, E419-E425.	3.6	31
1202	Deep Learning-Based ECG-Free Cardiac Navigation for Multi-Dimensional and Motion-Resolved Continuous Magnetic Resonance Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2021, 40, 2105-2117.	5.4	2
1203	Cardiovascular magnetic resonance characterisation of anthracycline cardiotoxicity in adults with normal left ventricular ejection fraction. <i>International Journal of Cardiology</i> , 2021, 343, 180-186.	0.8	8
1204	Duchenne muscular dystrophy patients: troponin leak in asymptomatic and implications for drug toxicity studies. <i>Pediatric Research</i> , 2022, 92, 1613-1620.	1.1	6
1205	Integrated Cardiopulmonary MRI Assessment of Pulmonary Hypertension. <i>Journal of Magnetic Resonance Imaging</i> , 2021, , .	1.9	7
1206	Multiparametric cardiac magnetic resonance imaging in pediatric and adolescent patients with acute myocarditis. <i>Pediatric Radiology</i> , 2021, 51, 2470-2480.	1.1	10
1207	Comparison of myocardial T1 mapping during breath-holding and free-breathing. <i>Cardiology in the Young</i> , 2021, , 1-5.	0.4	0
1208	RESUME : A flexible class of multi-parameter qMRI protocols. <i>Physica Medica</i> , 2021, 88, 23-36.	0.4	7
1209	Free-breathing multitasking multi-echo MRI for whole-liver water-specific T_1 , proton density fat fraction, and quantification. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 120-137.	1.9	16
1210	Measurement of sub-zero temperatures in MRI using T_1 temperature sensitive soft silicone materials: Applications for MRI-guided cryosurgery. <i>Medical Physics</i> , 2021, 48, 6844-6858.	1.6	7
1211	Accelerating whole-heart 3D T2 mapping: Impact of undersampling strategies and reconstruction techniques. <i>PLoS ONE</i> , 2021, 16, e0252777.	1.1	3
1212	Mapeamento miocárdico T1 por ressonância magnética “ Uma ferramenta útil para compreender um coração doente. <i>Revista Portuguesa De Cardiologia</i> , 2021, 41, 61-61.	0.2	3
1213	Challenges in ensuring the generalizability of image quantitation methods for MRI. <i>Medical Physics</i> , 2022, 49, 2820-2835.	1.6	16
1214	Single-source dual energy CT to assess myocardial extracellular volume fraction in aortic stenosis before transcatheter aortic valve implantation (TAVI). <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 561-570.	1.8	13
1215	Current Applications and Future Development of Magnetic Resonance Fingerprinting in Diagnosis, Characterization, and Response Monitoring in Cancer. <i>Cancers</i> , 2021, 13, 4742.	1.7	5
1216	Cardiac MRI Depicts Immune Checkpoint Inhibitor-induced Myocarditis: A Prospective Study. <i>Radiology</i> , 2021, 301, 602-609.	3.6	22
1217	Improving the robustness of MOLLI T1 maps with a dedicated motion correction algorithm. <i>Scientific Reports</i> , 2021, 11, 18546.	1.6	3
1218	Cardiovascular magnetic resonance imaging of functional and microstructural changes of the heart in a longitudinal pig model of acute to chronic myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 103.	1.6	18

#	ARTICLE	IF	CITATIONS
1219	Cardiac Magnetic Resonance Tissue Characterization in Ischemic Cardiomyopathy. <i>Journal of Thoracic Imaging</i> , 2021, Publish Ahead of Print, 2-16.	0.8	11
1220	Is fetal MRI ready for neuroimaging prime time? An examination of progress and remaining areas for development. <i>Developmental Cognitive Neuroscience</i> , 2021, 51, 100999.	1.9	14
1222	Role of Cardiovascular Magnetic Resonance in Ischemic Cardiomyopathy. <i>Heart Failure Clinics</i> , 2021, 17, 41-56.	1.0	2
1223	Evaluation of the homogeneity of native T1 myocardial mapping using the polarity corrected inversion time preparation method in a myocardial phantom and healthy volunteers. <i>Radiological Physics and Technology</i> , 2021, 14, 50-56.	1.0	5
1224	Quantitative evaluation of focal liver lesions with T1 mapping using a phase-sensitive inversion recovery sequence on gadoteric acid-enhanced MRI. <i>European Journal of Radiology Open</i> , 2021, 8, 100312.	0.7	5
1225	Temporally resolved parametric assessment of T1 magnetization recovery (TOPAZ): Dynamic myocardial T1 mapping using a cine steady-state look-locker approach. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 2087-2100.	1.9	24
1226	Non-rigid Groupwise Image Registration for Motion Compensation in Quantitative MRI. <i>Lecture Notes in Computer Science</i> , 2014, , 184-193.	1.0	4
1228	Myocardial Fibrosis Among Antiretroviral Therapy-Treated Persons With Human Immunodeficiency Virus in South Africa. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofaa600.	0.4	11
1230	Z-score mapping for standardized analysis and reporting of cardiovascular magnetic resonance modified Look-Locker inversion recovery (MOLLI) T1 data: Normal behavior and validation in patients with amyloidosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 6.	1.6	16
1231	Aerobic Fitness Is Related to Myocardial Fibrosis Post-Anthracycline Therapy. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 267-274.	0.2	7
1232	How Accurate Is MOLLI T1 Mapping In Vivo? Validation by Spin Echo Methods. <i>PLoS ONE</i> , 2014, 9, e107327.	1.1	14
1233	Native Magnetic Resonance T1-Mapping Identifies Diffuse Myocardial Injury in Hypothyroidism. <i>PLoS ONE</i> , 2016, 11, e0151266.	1.1	21
1234	Can Native T1 Mapping Differentiate between Healthy and Diffuse Diseased Myocardium in Clinical Routine Cardiac MR Imaging?. <i>PLoS ONE</i> , 2016, 11, e0155591.	1.1	31
1235	Healthy aging of the left ventricle in relationship to cardiovascular risk factors: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>PLoS ONE</i> , 2017, 12, e0179947.	1.1	12
1236	Improved segmented modified Look-Locker inversion recovery T1 mapping sequence in mice. <i>PLoS ONE</i> , 2017, 12, e0187621.	1.1	9
1237	Early myocardial damage and microvascular dysfunction in asymptomatic patients with systemic sclerosis: A cardiovascular magnetic resonance study with cold pressor test. <i>PLoS ONE</i> , 2020, 15, e0244282.	1.1	17
1238	Role of T1 Mapping in Inherited Cardiomyopathies. <i>European Cardiology Review</i> , 2016, 11, 96.	0.7	11
1240	Emerging Concepts for Myocardial Late Gadolinium Enhancement MRI. <i>Current Cardiology Reviews</i> , 2013, 9, 185-190.	0.6	97

#	ARTICLE	IF	CITATIONS
1241	Role of Cardiac Magnetic Resonance Imaging in Patients with Idiopathic Ventricular Arrhythmias. <i>Current Cardiology Reviews</i> , 2018, 15, 12-23.	0.6	15
1242	Myocardial T1 Mapping for Detection of Left Ventricular Myocardial Fibrosis in Chronic Aortic Regurgitation: Pilot Study. <i>American Journal of Roentgenology</i> , 2006, 187, W630-W635.	1.0	106
1243	Gender Differences in Native Myocardial T1 in a Healthy Chinese Volunteer Cohort. <i>Cardiovascular Imaging Asia</i> , 2017, 1, 110.	0.1	12
1244	Guidelines for Cardiovascular Magnetic Resonance Imaging from the Korean Society of Cardiovascular Imaging—Part 3: Perfusion, Delayed Enhancement, and T1- and T2 Mapping. <i>Korean Journal of Radiology</i> , 2019, 20, 1562.	1.5	13
1245	Role of CMR Mapping Techniques in Cardiac Hypertrophic Phenotype. <i>Diagnostics</i> , 2020, 10, 770.	1.3	19
1246	Myocardial T1 mapping: modalities and clinical applications. <i>Cardiovascular Diagnosis and Therapy</i> , 2014, 4, 126-37.	0.7	66
1247	Cardiovascular magnetic resonance T2* for tissue iron assessment in the heart. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014, 4, 407-12.	1.1	34
1248	The effect of changes to MOLLI scheme on T1 mapping and extra cellular volume calculation in healthy volunteers with 3 tesla cardiovascular magnetic resonance imaging. <i>Quantitative Imaging in Medicine and Surgery</i> , 2015, 5, 503-10.	1.1	18
1249	T1 characteristics of interstitial pulmonary fibrosis on 3T MRI—a predictor of early interstitial change?. <i>Quantitative Imaging in Medicine and Surgery</i> , 2016, 6, 42-9.	1.1	25
1250	CMR Parametric Mapping as a Tool for Myocardial Tissue Characterization. <i>Korean Circulation Journal</i> , 2020, 50, 658.	0.7	39
1251	Magnetic resonance imaging and multi-detector computed tomography assessment of extracellular compartment in ischemic and non-ischemic myocardial pathologies. <i>World Journal of Cardiology</i> , 2014, 6, 1192.	0.5	15
1252	Introduction to Cardiovascular Magnetic Resonance: Technical Principles and Clinical Applications. <i>Acta Cardiologica Sinica</i> , 2016, 32, 129-44.	0.1	22
1253	Global, segmental and layer specific analysis of myocardial involvement in Duchenne muscular dystrophy by cardiovascular magnetic resonance native T1 mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 110.	1.6	4
1254	Emerging artificial intelligence applications in liver magnetic resonance imaging. <i>World Journal of Gastroenterology</i> , 2021, 27, 6825-6843.	1.4	5
1255	Stochastic neighbor embedding as a tool for visualizing the encoding capability of magnetic resonance fingerprinting dictionaries. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2021, , 1.	1.1	1
1256	Generalized low-rank nonrigid motion-corrected reconstruction for MR fingerprinting. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 746-763.	1.9	22
1257	Endogenous T1—cardiovascular magnetic resonance in hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 120.	1.6	18
1258	Targeted MRI. , 2007, , 45-59.		0

#	ARTICLE	IF	CITATIONS
1260	Quantification of myocardial extracellular volume fraction by cardiac magnetic resonance for early detection of the left ventricle involvement in systemic sclerosis. <i>Cardiologia Croatica</i> , 2013, 8, 204-204.	0.0	0
1261	Advanced Imaging of the Right Ventricle. <i>Respiratory Medicine</i> , 2015, , 57-75.	0.1	0
1262	MR Technical Overviews. , 2015, , 315-333.		0
1263	Cardiac Magnetic Resonance Imaging Perspectives - T1 and T2 Maps: Fundamentals and Clinical Utility. <i>Arquivos Brasileiros De Cardiologia - Imagem Cardiovascular</i> , 2015, 28, .	0.0	0
1264	Kardiale Magnetresonanztomographie. , 2015, , 59-76.		0
1265	T1-Mapping in Daily Cardiac Magnetic Resonance Imaging Practice: Combined Use of Native T1 and Extracellular Volume Quantification. <i>International Journal of Cardiovascular Research</i> , 2016, 5, .	0.1	1
1266	Cardiac MR Protocol Selection. , 2016, , 123-137.		0
1267	Cardiac Involvement: Evaluation and Management. , 2017, , 331-356.		0
1268	Robust Model-Based Registration of Cardiac MR Images for T1 and ECV Mapping. <i>Lecture Notes in Computer Science</i> , 2017, , 42-50.	1.0	0
1269	Clinical Application of T1 and T2 Mapping in Cardiac Magnetic Resonance Imaging for Nonischemic Cardiomyopathy: A Case-Based Review. <i>Cardiovascular Imaging Asia</i> , 2018, 2, 12.	0.1	0
1272	An Egyptian study for standardization of myocardial T1 mapping values on a 3 Tesla MRI machine. <i>The Egyptian Journal of Hospital Medicine</i> , 2018, 72, 5270-5277.	0.0	0
1273	T1 and T2 Mapping and Extracellular Volume in Cardiomyopathy. , 2019, , 391-399.e4.		0
1274	Techniques for T1, T2, and Extracellular Volume Mapping. , 2019, , 15-26.e2.		0
1276	Comparison of automated and manual protocols for magnetic resonance imaging assessment of liver iron concentration. <i>Radiologia Brasileira</i> , 2020, 53, 148-154.	0.3	0
1278	Innovations in Cardiovascular MR and PET-MR Imaging. , 2022, , 265-309.		2
1279	Guidelines for Cardiovascular Magnetic Resonance Imaging from the Korean Society of Cardiovascular Imaging (KOSCI) - Part 3: Perfusion, Delayed Enhancement, and T1- and T2 Mapping. <i>Investigative Magnetic Resonance Imaging</i> , 2020, 24, 1.	0.2	0
1280	Special MRI (MWI, MTI, G-ratio) methods sensitive to age and development. <i>Advances in Magnetic Resonance Technology and Applications</i> , 2021, , 129-152.	0.0	0
1281	Evaluation of liver T1 using MOLLI gradient echo readout under the influence of fat. <i>Magnetic Resonance Imaging</i> , 2022, 85, 57-63.	1.0	3

#	ARTICLE	IF	CITATIONS
1282	Guidelines for Cardiovascular Magnetic Resonance Imaging from the Korean Society of Cardiovascular Imaging Part 3: Perfusion, Delayed Enhancement, and T1- and T2 Mapping. Cardiovascular Imaging Asia, 2020, 4, 4.	0.1	0
1283	Specialized Mapping Methods in the Heart. Advances in Magnetic Resonance Technology and Applications, 2020, 1, 91-121.	0.0	0
1284	Quantitative T1 and T1 Mapping. Advances in Magnetic Resonance Technology and Applications, 2020, , 19-45.	0.0	4
1286	Cardiovascular magnetic resonance clarifies arrhythmogenicity in asymptomatic young athletes with ventricular arrhythmias undergoing pre-participation evaluation. Experimental and Therapeutic Medicine, 2020, 20, 561-571.	0.8	3
1287	Comparison of MOLLI and ShMOLLI Regarding T1 Reactivity, and the Relationship of T1 Reactivity with Conventional Signs of Response During Adenosine Stress Perfusion CMR. Balkan Medical Journal, 2020, 37, 260-268.	0.3	0
1288	Bright-blood and dark-blood phase sensitive inversion recovery late gadolinium enhancement and T1 and T2 maps in a single free-breathing scan: an all-in-one approach. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 126.	1.6	7
1289	Deep convolution neural networks based artifact suppression in under-sampled radial acquisitions of myocardial T ₁ mapping images. Physics in Medicine and Biology, 2020, 65, 225024.	1.6	7
1290	Native T1 mapping in diffuse myocardial diseases using 3-Tesla MRI: An institutional experience. Indian Journal of Radiology and Imaging, 2020, 30, 465-472.	0.3	2
1291	Fast in vivo quantification of T1 and T2 MRI relaxation times in the myocardium based on inversion recovery SSFP with in vitro validation post Gd-based contrast administration. Cardiovascular Diagnosis and Therapy, 2014, 4, 88-96.	0.7	3
1292	Ultrafast compartmental relaxation time mapping with linear algebraic modeling. Proceedings of the International Society for Magnetic Resonance in Medicine ... Scientific Meeting and Exhibition., 2017, 25, 0071.	0.5	0
1293	A method for T1 and T2 relaxation times validation and harmonization as a support to MRI mapping. Journal of Magnetic Resonance, 2022, 334, 107110.	1.2	2
1294	Free-breathing 3D cardiac T ₁ mapping with transmit B ₁ correction at 3T. Magnetic Resonance in Medicine, 2022, 87, 1832-1845.	1.9	5
1295	Cardiac Involvement in Human Immunodeficiency Virus Infected Patients: An Observational Cardiac Magnetic Resonance Study. Frontiers in Cardiovascular Medicine, 2021, 8, 756162.	1.1	9
1296	Development, validation, qualification, and dissemination of quantitative MR methods: Overview and recommendations by the ISMRM quantitative MR study group. Magnetic Resonance in Medicine, 2022, 87, 1184-1206.	1.9	21
1297	Irisin as a Potential Biomarker Associated with Myocardial Injuries in Patients with Severe Hypothyroidism. International Journal of Endocrinology, 2021, 2021, 1-8.	0.6	3
1298	Cardiovascular Magnetic Resonance Parametric Mapping Techniques: Clinical Applications and Limitations. Current Cardiology Reports, 2021, 23, 185.	1.3	5
1299	Association between myocardial fibrosis, as assessed with cardiac magnetic resonance T1 mapping, and persistent dyspnea after pulmonary embolism. IJC Heart and Vasculature, 2022, 38, 100935.	0.6	0
1301	A Miniature Flexible Coil for High-SNR MRI of the Pituitary Gland. IEEE Access, 2022, 10, 12619-12628.	2.6	0

#	ARTICLE	IF	CITATIONS
1302	Myocardial Parametric Mapping by Cardiac Magnetic Resonance Imaging in Pediatric Cardiology and Congenital Heart Disease. <i>Circulation: Cardiovascular Imaging</i> , 2022, 15, CIRCIMAGING120012242.	1.3	9
1303	Accelerated cardiac T1 mapping in four heartbeats with inline MyoMapNet: a deep learning-based T1 estimation approach. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2022, 24, 6.	1.6	15
1304	Myocardial T1, T2, T2*, and fat fraction quantification via low-rank motion-corrected cardiac MR fingerprinting. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2757-2774.	1.9	21
1305	Cartesian dictionary-based native T ₁ and T ₂ mapping of the myocardium. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2347-2362.	1.9	9
1307	A Radiomic MRI based Nomogram for Prediction of Heart Failure with Preserved Ejection Fraction in Systemic Lupus Erythematosus Patients: Insights From a Three-Center Prospective Study. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 779-789.	1.9	1
1308	Peripartum Cardiomyopathy: Diagnostic and Prognostic Value of Cardiac Magnetic Resonance in the Acute Stage. <i>Diagnostics</i> , 2022, 12, 378.	1.3	3
1309	Individualized arterial spin labeling background suppression by rapid T1 mapping during acquisition. <i>European Radiology</i> , 2022, 32, 4521-4526.	2.3	1
1310	Improved accuracy and precision with three-parameter simultaneous myocardial T ₁ and T ₂ mapping using multiparametric SASHA. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2775-2791.	1.9	13
1311	Leveraging Cardiac Magnetic Resonance Imaging to Assess Skeletal Muscle Progression in Duchenne Muscular Dystrophy. <i>Neuromuscular Disorders</i> , 2022, , .	0.3	1
1313	Native T1-mapping and diffusion-weighted imaging (DWI) can be used to identify lung cancer pathological types and their correlation with Ki-67 expression. <i>Journal of Thoracic Disease</i> , 2022, 14, 443-454.	0.6	3
1314	Bias, Repeatability and Reproducibility of Liver T ₁ Mapping With Variable Flip Angles. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 1042-1052.	1.9	7
1315	Cardiac MRI in Suspected Acute Myocarditis After COVID-19 mRNA Vaccination. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2022, 194, 1003-1011.	0.7	6
1316	Myocardial tissue imaging with cardiovascular magnetic resonance. <i>Journal of Cardiology</i> , 2022, 80, 377-385.	0.8	7
1317	Cardiac MR: From Theory to Practice. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 826283.	1.1	18
1318	Simultaneous Multi-Slice Cardiac MR Multitasking for Motion-Resolved, Non-ECG, Free-Breathing T1-T2 Mapping. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 833257.	1.1	16
1319	Myocardial Composition in Light-Chain Cardiac Amyloidosis More Than 1 Year After Successful Therapy. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 594-603.	2.3	6
1320	Magnetic resonance imaging metrics and the predictability of adverse outcomes in on-treatment Asian chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, , .	1.4	2
1321	Study protocol: MyoFit46—the cardiac sub-study of the MRC National Survey of Health and Development. <i>BMC Cardiovascular Disorders</i> , 2022, 22, 140.	0.7	4

#	ARTICLE	IF	CITATIONS
1322	The Role of Cardiac Magnetic Resonance in Aortic Stenosis and Regurgitation. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 108.	0.8	5
1323	The role of native T1 values on the evaluation of cardiac manifestation in Japanese Fabry disease patients. <i>Molecular Genetics and Metabolism Reports</i> , 2022, 31, 100858.	0.4	1
1324	Using Variable Flip Angle (VFA) and Modified Look-Locker Inversion Recovery (MOLLI) T1 mapping in clinical OE-MRI. <i>Magnetic Resonance Imaging</i> , 2022, 89, 92-99.	1.0	4
1325	Improved cardiac T1 mapping accuracy and precision with a new hybrid MOLLI and SASHA technique: MOSHA. <i>Magnetic Resonance Imaging</i> , 2022, 89, 33-41.	1.0	2
1326	Machine learning of native T1 mapping radiomics for classification of hypertrophic cardiomyopathy phenotypes. <i>Scientific Reports</i> , 2021, 11, 23596.	1.6	19
1327	Association of changes in the infarct and remote zone myocardial tissue with cardiac remodeling after myocardial infarction: a T1 and T2 mapping study. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 363-373.	0.7	3
1328	Determination of oxygen relaxivity in oxygen nanobubbles at 3 and 7 Tesla. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2022, , 1.	1.1	1
1329	Myocardial First-Pass Perfusion With Increased Anatomic Coverage at 3T Using Autocalibrated Multiband Imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2022, , .	1.9	1
1332	Free-breathing self-gated continuous spiral T1 mapping: Comparison of dual flip-angle and Bloch-Siegert B1-corrected techniques. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 1068-1080.	1.9	3
1333	SATuration-recovery and Variable-Flip-Angle (SAVA) based three-dimensional free-breathing cardiovascular magnetic resonance T1 mapping at 3T. <i>NMR in Biomedicine</i> , 2022, , e4755.	1.6	1
1334	The Road Toward Reproducibility of Parametric Mapping of the Heart: A Technical Review. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, .	1.1	10
1335	Multiparametric Cardiac Magnetic Resonance Imaging Detects Altered Myocardial Tissue and Function in Heart Transplantation Recipients Monitored for Cardiac Allograft Vasculopathy. <i>Journal of Cardiovascular Imaging</i> , 2022, 30, 263.	0.2	3
1336	Motion correction for native myocardial T1 mapping using self-supervised deep learning registration with contrast separation. <i>NMR in Biomedicine</i> , 2022, 35, .	1.6	6
1337	Native Myocardial T1 Value in Predicting 1-Year Outcomes in Patients with Nonischemic Dilated Cardiomyopathy Experiencing Recent Heart Failure. <i>International Heart Journal</i> , 2022, 63, 531-540.	0.5	4
1338	A multisystem, cardio-renal investigation of post-COVID-19 illness. <i>Nature Medicine</i> , 2022, 28, 1303-1313.	15.2	39
1339	Using Dictionary Matching to Improve the Accuracy of MOLLI Myocardial T1 Analysis and Measurements of Heart Rate Variability. <i>Magnetic Resonance in Medical Sciences</i> , 2022, , .	1.1	0
1340	Layer-specific Strain Analysis with Cardiac MRI Feature Tracking in Acute Myocarditis. <i>Radiology: Cardiothoracic Imaging</i> , 2022, 4, .	0.9	7
1342	Cardiovascular Magnetic Resonance for Rejection Surveillance After Cardiac Transplantation. <i>Circulation</i> , 2022, 145, 1811-1824.	1.6	26

#	ARTICLE	IF	CITATIONS
1343	Cardiac magnetic resonance diastolic indices correlate with ventricular filling pressures in pediatric heart transplant recipients. <i>Pediatric Transplantation</i> , 0, , .	0.5	2
1344	Application of a novel T_1 retrospective quantification using internal references () <i>TJ ETQq1 1 0.784314 rgBT /Overlock 10 T</i> <i>International Journal of Imaging Systems and Technology</i> , 0, , .	2.7	0
1345	Free-breathing, non-ECG, simultaneous myocardial T_1 , T_2 , T_2^* , and fat fraction mapping with motion-resolved cardiovascular MR multitasking. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 1748-1763.	1.9	8
1346	Free-breathing motion-informed locally low-rank quantitative 3D myocardial perfusion imaging. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 1575-1591.	1.9	3
1347	Accelerated cardiac T_1 mapping with recurrent networks and cyclic, model-based loss. <i>Medical Physics</i> , 2022, 49, 6986-7000.	1.6	6
1348	A Self-Supervised Deep Learning Reconstruction for Shortening the Breathhold and Acquisition Window in Cardiac Magnetic Resonance Fingerprinting. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	15
1349	Reference values of myocardial native T_1 and T_2 mapping values in normal Indian population at 1.5 Tesla scanner. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 2403-2411.	0.2	3
1350	Impact of deep learning architectures on accelerated cardiac T_1 mapping using MyoMapNet. <i>NMR in Biomedicine</i> , 2022, 35, .	1.6	6
1351	Rapid fat-water separated T_1 mapping using a single-shot radial inversion-recovery spoiled gradient recalled pulse sequence. <i>NMR in Biomedicine</i> , 2022, 35, .	1.6	1
1352	Improving accuracy of myocardial T_1 estimation in MyoMapNet. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 2573-2582.	1.9	2
1353	A novel myocardial T_1 analysis method robust to fluctuations in longitudinal magnetization recovery due to heart rate variability in polarity-corrected inversion time preparation. <i>Radiological Physics and Technology</i> , 2022, 15, 224-233.	1.0	1
1354	Pilot tone-based prospective correction of respiratory motion for free-breathing myocardial T_1 mapping. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2023, 36, 135-150.	1.1	0
1355	Role of Cardiac MRI Imaging of Focal and Diffuse Inflammation and Fibrosis in Cardiomyopathy Patients Who Have Pacemakers/ICD Devices. <i>Current Cardiology Reports</i> , 0, , .	1.3	0
1356	Cardiovascular magnetic resonance imaging patterns of acute COVID-19 mRNA vaccine-associated myocarditis in young male patients: A first single-center experience. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	3
1357	Utility of cardiac MRI to diagnose myocardial ischemia and fibrosis in dogs with cardiomegaly secondary to myxomatous mitral valve disease. <i>American Journal of Veterinary Research</i> , 2022, 83, .	0.3	6
1358	T_2 and T_2^* mapping and weighted imaging in cardiac MRI. <i>Magnetic Resonance Imaging</i> , 2022, 93, 15-32.	1.0	3
1359	Contrast Encoding. <i>Synthesis Lectures on Biomedical Engineering</i> , 2020, , 41-76.	0.1	0
1360	DisQ: Disentangling Quantitative MRI Mapping of the Heart. <i>Lecture Notes in Computer Science</i> , 2022, , 291-300.	1.0	2

#	ARTICLE	IF	CITATIONS
1361	MR Fingerprinting for Liver Tissue Characterization: A Histopathologic Correlation Study. <i>Radiology</i> , 2023, 306, 150-159.	3.6	7
1362	Prognostic significance of myocardial salvage assessed by cardiac magnetic resonance in reperfused ST-segment elevation myocardial infarction. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	4
1363	Cardiac phase-resolved late gadolinium enhancement imaging. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	2
1364	Cardiac magnetic resonance imaging before and after therapeutic interventions for systemic sclerosis-associated myocarditis. <i>Rheumatology</i> , 2023, 62, 1535-1542.	0.9	4
1365	Clinical evaluation of the Multimapping technique for simultaneous myocardial T1 and T2 mapping. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	1
1366	Cardiovascular magnetic resonance imaging and spectroscopy in clinical long-COVID-19 syndrome: a prospective case-â€œcontrol study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2022, 24, 50.	1.6	11
1367	Detection of myocardial fibrosis: Where we stand. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	8
1368	Free-â€œrunning 3D whole-â€œheart T₁ and T₂ mapping and-â€œMRI using low-â€œrank reconstruction with-â€œrigid cardiac motion correction. <i>Magnetic Resonance in Medicine</i> , 2023, 89, 217-232.	1.9	7
1369	Cardiac PET/MR Basics. , 2022, , 21-35.		0
1370	Metabolomic Profiling of Cardiac Fibrosis and Steatosis in Women With or at Risk for HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2023, 92, 162-172.	0.9	2
1371	Early detection of myocardial fibrosis in cardiomyopathy in the absence of late enhancement: role of T1 mapping and extracellular volume analysis. <i>European Radiology</i> , 2023, 33, 1982-1991.	2.3	2
1372	The diagnostic value of multiparameter cardiovascular magnetic resonance for early detection of light-chain amyloidosis from hypertrophic cardiomyopathy patients. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	3
1373	SODium-glucose CO-transporter inhibition in patients with newly detected Glucose Abnormalities and a recent Myocardial Infarction (SOCOGAMI). <i>Diabetes Research and Clinical Practice</i> , 2022, 193, 110141.	1.1	2
1374	Magnetic resonance T1-mapping quantitatively assesses the severity of thyroid destruction in patients with autoimmune thyroiditis. <i>Frontiers in Endocrinology</i> , 0, 13, .	1.5	0
1375	Long-term fasting: Multi-system adaptations in humans (GENESIS) study-â€œA single-arm interventional trial. <i>Frontiers in Nutrition</i> , 0, 9, .	1.6	0
1376	Cardiac magnetic resonance follow-up of COVID-19 vaccine associated acute myocarditis. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	8
1377	Cardiac MR fingerprinting with a short acquisition window in consecutive patients referred for clinical CMR and healthy volunteers. <i>Scientific Reports</i> , 2022, 12, .	1.6	4
1378	Prospective multiparametric CMR characterization and MicroRNA profiling of anthracycline cardiotoxicity: A pilot translational study. <i>IJC Heart and Vasculature</i> , 2022, 43, 101134.	0.6	0

#	ARTICLE	IF	CITATIONS
1379	Model-free phasor image analysis of quantitative myocardial T1 mapping. <i>Scientific Reports</i> , 2022, 12, .	1.6	0
1380	Single breath-hold MR T1 mapping in the heart: Hybrid MOLLI combining saturation and inversion recovery. <i>Magnetic Resonance Imaging</i> , 2023, 96, 85-92.	1.0	0
1381	A Relação entre Compartimentos de Volume Extracelular e Matriz Metaloproteinase 2 na Remodelação do Ventrículo Esquerdo após o Infarto do Miocárdio. <i>Arquivos Brasileiros De Cardiologia</i> , 2022, 119, 946-957.	0.3	1
1382	Exploring the cardiac ECM during fibrosis: A new era with next-gen proteomics. <i>Frontiers in Molecular Biosciences</i> , 0, 9, .	1.6	8
1383	Free-breathing myocardial T ₁ mapping using inversion-recovery radial FLASH and motion-resolved model-based reconstruction. <i>Magnetic Resonance in Medicine</i> , 2023, 89, 1368-1384.	1.9	5
1384	Left ventricular T1-mapping in diastole versus systole in patients with mitral regurgitation. <i>Scientific Reports</i> , 2022, 12, .	1.6	1
1385	Oxygen-enhanced MRI and radiotherapy in patients with oropharyngeal squamous cell carcinoma. <i>Clinical and Translational Radiation Oncology</i> , 2023, 39, 100563.	0.9	2
1386	Cardiac MRI in patients with COVID-19 infection. <i>European Radiology</i> , 2023, 33, 3867-3877.	2.3	7
1387	Visualizing diastolic failure: Non-invasive imaging-biomarkers in patients with heart failure with preserved ejection fraction. <i>EBioMedicine</i> , 2022, 86, 104369.	2.7	16
1388	Cardiovascular Magnetic Resonance Parametric Mapping Techniques for the Assessment of Chronic Coronary Syndromes. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 443.	0.8	0
1389	Non-LGE Cardiac Magnetic Resonance Imaging in Patients with Cardiac Amyloidosis. <i>Current Pharmaceutical Design</i> , 2022, 29, .	0.9	0
1390	Optimisation of data acquisition towards continuous cardiac Magnetic Resonance Fingerprinting applications. <i>Physica Medica</i> , 2023, 105, 102514.	0.4	0
1391	Imaging Methods: Magnetic Resonance Imaging. <i>Circulation: Cardiovascular Imaging</i> , 2023, 16, .	1.3	7
1393	The Value of Myocardial Fibrosis Parameters Derived from Cardiac Magnetic Resonance Imaging in Risk Stratification for Patients with Hypertrophic Cardiomyopathy. <i>Academic Radiology</i> , 2023, 30, 1962-1978.	1.3	1
1394	Free-breathing simultaneous water-fat separation and T1 mapping of the whole liver (SWALI) with isotropic resolution using 3D golden-angle radial trajectory. <i>Quantitative Imaging in Medicine and Surgery</i> , 2023, 13, 912-923.	1.1	1
1395	Liver T1 Relaxation Quantification Using a 3-Dimensional Interleaved Look-Locker Acquisition With T2 Preparation Pulse Sequence (3D-QALAS): Comparison With Conventional 2-Dimensional MOLLI. <i>Journal of Computer Assisted Tomography</i> , 0, Publish Ahead of Print, .	0.5	0
1396	Confounder-corrected T ₁ mapping in the liver through simultaneous estimation of T ₁ , PDF, R2*, and B1+ in a single breath-hold acquisition. <i>Magnetic Resonance in Medicine</i> , 2023, 89, 2186-2203.	1.9	4
1397	Non-invasive imaging of functional pancreatic islet beta-cell mass in people with type 1 diabetes mellitus. <i>Diabetic Medicine</i> , 2023, 40, .	1.2	2

#	ARTICLE	IF	CITATIONS
1398	Scanner-independent MyoMapNet for Accelerated Cardiac MRI T ₁ Mapping Across Vendors and Field Strengths. <i>Journal of Magnetic Resonance Imaging</i> , 2024, 59, 179-189.	1.9	2
1399	Free-breathing pseudo-golden-angle bSSFP cine cardiac MRI for biventricular functional assessment in congenital heart disease. <i>European Journal of Radiology</i> , 2023, 163, 110831.	1.2	1
1400	Stress native T1 and native T2 mapping compared to myocardial perfusion reserve in long-term follow-up of severe Covid-19. <i>Scientific Reports</i> , 2023, 13, .	1.6	0
1401	Quantifying myocardial perfusion during MR-guided interventions without exogenous contrast agents: intra-arterial spin labeling. <i>Zeitschrift Fur Medizinische Physik</i> , 2023, , .	0.6	2
1402	Replacement substance P reduces cardiac fibrosis in monkeys with type 2 diabetes. <i>Biomedicine and Pharmacotherapy</i> , 2023, 160, 114365.	2.5	3
1403	Localized strain characterization of cardiomyopathy in Duchenne muscular dystrophy using novel 4D kinematic analysis of cine cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2023, 25, .	1.6	4
1404	Cardiovascular Magnetic Resonance Demonstrates Myocardial Inflammation of Differing Etiologies and Acuties in Patients with Genetic and Inflammatory Myopathies. <i>Journal of Clinical Medicine</i> , 2023, 12, 1575.	1.0	1
1405	Diffuse myocardial fibrosis precedes subclinical functional myocardial impairment and provides prognostic information in systemic sclerosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2023, 24, 373-382.	0.5	3
1406	Diffuse Myocardial Fibrosis on Cardiac Magnetic Resonance Imaging Is Related to Galectin-3 and Predicts Outcome in Heart Failure. <i>Biomolecules</i> , 2023, 13, 410.	1.8	4
1407	A comparison of myocardial magnetic resonance extracellular volume mapping at 3 T against histology of tissue collagen in severe aortic valve stenosis and obstructive hypertrophic cardiomyopathy. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 0, , .	1.1	1
1408	Cardiac abnormalities in Long COVID 1-year post-SARS-CoV-2 infection. <i>Open Heart</i> , 2023, 10, e002241.	0.9	11
1409	Impact of Vasodilation on Oxygen-Enhanced Functional Lung MRI at 0.55 T. <i>Investigative Radiology</i> , 2023, 58, 663-672.	3.5	2
1410	Repeatability and reproducibility of cardiac manganese-enhanced magnetic resonance imaging. <i>Scientific Reports</i> , 2023, 13, .	1.6	1
1411	Deep Learning-Based Reconstruction for Cardiac MRI: A Review. <i>Bioengineering</i> , 2023, 10, 334.	1.6	9
1412	Joint Cardiac T1 Mapping and Cardiac Cine Using Manifold Modeling. <i>Bioengineering</i> , 2023, 10, 345.	1.6	2
1413	Comparison of Algorithms to Compute Relaxation Time Maps in Magnetic Resonance Imaging. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 4083.	1.3	0
1414	Magnetic Resonance Fingerprinting. <i>Investigative Radiology</i> , 2023, 58, 561-577.	3.5	2
1415	Open-source myocardial T ₁ mapping with simultaneous multi-slice acceleration: Combining an auto-calibrated blipped bSSFP readout with VERSE MB pulses. <i>Magnetic Resonance in Medicine</i> , 0, , .	1.9	2

#	ARTICLE	IF	CITATIONS
1416	Editorial for "Scanner-Independent MyoMapNet for Accelerated Cardiac MRI T1 Mapping Across Vendors and Field Strengths". Journal of Magnetic Resonance Imaging, 0, , .	1.9	0
1439	DCE-MRI in the kidneys. Advances in Magnetic Resonance Technology and Applications, 2023, , 481-511.	0.0	0
1440	Protocol requirements for quantitation accuracy. Advances in Magnetic Resonance Technology and Applications, 2023, , 153-169.	0.0	0
1441	Deep Generative Model for Joint Cardiac T1 Mapping and Cardiac Cine. , 2023, , .		0
1459	T1 Mapping of the Kidney. , 2023, , 111-123.		0
1468	The Additional Value of T1 Mapping in Cardiac Disease: State of the Art. Current Cardiovascular Imaging Reports, 0, , .	0.4	0
1474	Contrast-Agnostic Groupwise Registration by Robust PCA for Quantitative Cardiac MRI. Lecture Notes in Computer Science, 2024, , 77-87.	1.0	0
1476	T1/T2 Relaxation Temporal Modelling from Accelerated Acquisitions Using a Latent Transformer. Lecture Notes in Computer Science, 2024, , 293-302.	1.0	0
1477	Relaxometry Guided Quantitative Cardiac Magnetic Resonance Image Reconstruction. Lecture Notes in Computer Science, 2024, , 349-358.	1.0	0
1480	Zero Acoustic Noise with Zero TE MRI. , 2023, , 575-586.		0