

Analysis of undeclared synthetic phosphodiesterase-5 inhibitors in human urine and herbal matrices by LC-ESI-MS and LC-UV

Journal of Pharmaceutical and Biomedical Analysis

36, 525-533

DOI: [10.1016/j.jpba.2004.07.004](https://doi.org/10.1016/j.jpba.2004.07.004)

Citation Report

#	ARTICLE	IF	CITATIONS
1	1H, 13C, 15N NMR analysis of sildenafil base and citrate (Viagra) in solution, solid state and pharmaceutical dosage forms. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005, 38, 865-870.	2.8	75
2	Determination of tadalafil in small volumes of plasma by high-performance liquid chromatography with UV detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 822, 278-284.	2.3	41
4	HPTLC determination of sildenafil in pharmaceutical products and aphrodisiac herbal preparations. <i>Journal of Planar Chromatography - Modern TLC</i> , 2005, 18, 372-376.	1.2	19
5	Determination of Sildenafil, Tadalafil, and Vardenafil in Tablets and Adulterated Herbal Products by ESI-MS/MS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2006, 29, 591-603.	1.0	25
6	Accurate mass measurement using Fourier transform ion cyclotron resonance mass spectrometry for structure elucidation of designer drug analogs of tadalafil, vardenafil and sildenafil in herbal and pharmaceutical matrices. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 2317-2327.	1.5	91
7	Electrospray tandem mass spectrometric investigations of tadalafil and its analogue. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 3488-3490.	1.5	23
8	Simultaneous determination of synthetic phosphodiesterase-5 inhibitors found in a dietary supplement and pre-mixed bulk powders for dietary supplements using high-performance liquid chromatography with diode array detection and liquid chromatography-electrospray ionization tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1104, 113-122.	3.7	130
9	Use of liquid chromatography-mass spectrometry and a hydrolytic technique for the detection and structure elucidation of a novel synthetic vardenafil designer drug added illegally to a natural herbal dietary supplement. <i>Journal of Chromatography A</i> , 2006, 1125, 67-75.	3.7	89
10	Rapid and reliable determination of illegal adulterant in herbal medicines and dietary supplements by LC/MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006, 40, 305-311.	2.8	112
11	Application of LC-ESI-MS/MS for detection of synthetic adulterants in herbal remedies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006, 41, 554-564.	2.8	151
12	Detection of Sildenafil Analogues in Herbal Products for Erectile Dysfunction. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2006, 69, 1951-1958.	2.3	32
13	Structural elucidation of a tadalafil analogue found as an adulterant of a herbal product. <i>Food Additives and Contaminants</i> , 2006, 23, 446-451.	2.0	65
14	Structural identification of a new acetildenafil analogue from pre-mixed bulk powder intended as a dietary supplement. <i>Food Additives and Contaminants</i> , 2006, 23, 870-875.	2.0	48
15	The Postmortem Distribution of Vardenafil (Levitra®) in an Aviation Accident Victim with an Unusually High Blood Concentration*. <i>Journal of Analytical Toxicology</i> , 2007, 31, 328-333.	2.8	8
16	Structure determination of new analogues of vardenafil and sildenafil in dietary supplements. <i>Food Additives and Contaminants</i> , 2007, 24, 122-129.	2.0	43
17	Development and validation of a high-performance liquid chromatographic method using fluorescence detection for the determination of vardenafil in small volumes of rat plasma and bile. <i>Journal of Chromatography A</i> , 2007, 1154, 222-229.	3.7	21
18	A new method for testing synthetic drugs adulterated in herbal medicines based on infrared spectroscopy. <i>Analytica Chimica Acta</i> , 2007, 589, 200-207.	5.4	37
19	Liquid chromatography tandem mass spectrometry assay to determine the pharmacokinetics of aildenafil in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 44, 231-235.	2.8	22

#	ARTICLE	IF	CITATIONS
20	Structure elucidation of a novel analogue of sildenafil detected as an adulterant in an herbal dietary supplement. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 43, 1615-1621.	2.8	81
21	Use of liquid chromatography-mass spectrometry and a chemical cleavage reaction for the structure elucidation of a new sildenafil analogue detected as an adulterant in an herbal dietary supplement. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 44, 887-893.	2.8	70
22	Identification of a novel vardenafil analogue in herbal product. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 46, 804-807.	2.8	55
23	Identification of benzamidenafil, a new class of phosphodiesterase-5 inhibitor, as an adulterant in a dietary supplement. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 47, 255-259.	2.8	33
24	Isolation and identification of thiohomosildenafil and thiosildenafil in health supplements. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 47, 279-284.	2.8	71
25	Designer drugs in herbal aphrodisiacs. <i>Forensic Science International</i> , 2008, 177, e25-e27.	2.2	29
26	A Stability Indicating LC Method for Vardenafil HCl. <i>Chromatographia</i> , 2008, 68, 829-835.	1.3	7
27	Bicyclic 5-6 Systems: Other Four Heteroatoms 2:2. , 2008, , 599-659.		5
28	DOSY NMR for Drug Analysis. , 2008, , 269-289.		13
29	Analysis of six synthetic adulterants in herbal weight-reducing dietary supplements by LC electrospray ionization-MS. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2008, 25, 822-830.	2.3	72
30	Chapter 18 Toxicological aspects of herbal remedies. <i>Handbook of Analytical Separations</i> , 2008, , 589-610.	0.8	5
31	Determination of a New Type of Phosphodiesterase-5 Inhibitor, Thioquinapiperifil, in a Dietary Supplement Promoted for Sexual Enhancement. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1331-1334.	1.3	25
32	Chemical Profile of Sildenafil and Related Compounds. <i>Japanese Journal of Forensic Science and Technology</i> , 2008, 13, 73-82.	0.1	6
33	Use of a Hydrolytic Procedure and Spectrometric Methods in the Structure Elucidation of a Thiocarbonyl Analogue of Sildenafil Detected as an Adulterant in an Over-the-Counter Herbal Aphrodisiac. <i>Journal of AOAC INTERNATIONAL</i> , 2009, 92, 1336-1342.	1.5	10
34	Development of a method for the determination of vardenafil in human plasma by high performance liquid chromatography with UV detection. <i>Biomedical Chromatography</i> , 2009, 23, 759-763.	1.7	18
35	Validated LC-MS/MS assay for the quantitative determination of vardenafil in human plasma and its application to a pharmacokinetic study. <i>Biomedical Chromatography</i> , 2010, 24, 846-851.	1.7	16
36	Structural characterization of sulfoildenafil, an analog of sildenafil. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 50, 228-231.	2.8	25
37	Structural determination of sildenafil and its analogues in dietary supplements by fast-atom bombardment collision-induced dissociation tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 3158-3166.	1.5	18

#	ARTICLE	IF	CITATIONS
38	Strategies for characterizing sildenafil, vardenafil, tadalafil and their analogues in herbal dietary supplements, and detecting counterfeit products containing these drugs. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 13-28.	11.4	145
39	Liquid chromatography/tandem mass spectrometry method for the simultaneous determination of vardenafil and its major metabolite, N-desethylvardenafil, in human plasma: Application to a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 95-100.	2.3	25
40	Structure elucidation of thioketone analogues of sildenafil detected as adulterants in herbal aphrodisiacs. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 49, 145-150.	2.8	58
41	2D and 3D DOSY 1H NMR, a useful tool for analysis of complex mixtures: Application to herbal drugs or dietary supplements for erectile dysfunction. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 50, 602-612.	2.8	97
42	Detection of undeclared erectile dysfunction drugs and analogues in dietary supplements by ion mobility spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 49, 601-606.	2.8	61
43	High performance liquid chromatography-diode array and electrospray-mass spectrometry analysis of vardenafil, sildenafil, tadalafil, testosterone and local anesthetics in cosmetic creams sold on the Internet web sites. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 50, 362-369.	2.8	56
44	Identification of sildenafil, tadalafil and vardenafil by gas chromatography-mass spectrometry on short capillary column. <i>Journal of Chromatography A</i> , 2009, 1216, 8426-8430.	3.7	56
45	Detection and characterization of synthetic steroidal and non-steroidal anti-inflammatory drugs in Indian ayurvedic/herbal products using LC-MS/TOF. <i>Drug Testing and Analysis</i> , 2009, 1, 372-381.	2.6	26
46	Modified Local Straight-Line Screening to Detect Synthetic Drugs in Adulterated Herbal Medicines. <i>Applied Spectroscopy</i> , 2009, 63, 471-476.	2.2	12
48	Isolation and Structural Elucidation of Cyclopentynafil and N-Octylnortadalafil Found in a Dietary Supplement. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 185-189.	1.3	37
50	Safety evaluation of an Aï-fortified fruit and berry functional juice beverage (MonaVie Active®). <i>Toxicology</i> , 2010, 278, 46-54.	4.2	27
51	Screening of Indian aphrodisiac ayurvedic/herbal healthcare products for adulteration with sildenafil, tadalafil and/or vardenafil using LC/PDA and extracted ion LC-MS/TOF. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 52, 406-409.	2.8	59
52	Toxicological evaluation of a dietary supplement formulated for male sexual health prior to market release. <i>Regulatory Toxicology and Pharmacology</i> , 2010, 57, 55-61.	2.7	11
53	Development of an immunoassay for rapid screening of vardenafil and its potential analogues in herbal products based on a group specific monoclonal antibody. <i>Analytica Chimica Acta</i> , 2010, 658, 197-203.	5.4	28
54	Identification of amino-tadalafil and rimonabant in electronic cigarette products using high pressure liquid chromatography with diode array and tandem mass spectrometric detection. <i>Journal of Chromatography A</i> , 2010, 1217, 7547-7555.	3.7	85
55	SIMULTANEOUS DETERMINATION OF EIGHT PDE5-IS POTENTIALLY ADULTERATED IN HERBAL DIETARY SUPPLEMENTS WITH TLC AND HPLC-PDA-MS METHODS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010, 33, 1287-1306.	1.0	27
56	Sildenafil and N-desmethyl sildenafil quantification in human plasma by HPLC coupled with ESI-MS/MS detection: Application to bioequivalence study. <i>Analytical Methods</i> , 2010, 2, 1043.	2.7	14
58	Rapid Resolution RP-HPLC-DAD Method for Simultaneous Determination of Sildenafil, Vardenafil, and Tadalafil in Pharmaceutical Preparations and Counterfeit Drugs. <i>Analytical Letters</i> , 2010, 43, 373-380.	1.8	23

#	ARTICLE	IF	CITATIONS
59	Development of a screening method for the detection of analogues of sildenafil and vardenafil by the use of liquid chromatograph coupled with triple quadrupole linear ion trap mass spectrometer. <i>Analytical Methods</i> , 2010, 2, 890.	2.7	16
60	Preparation of Imprinted Polymers at Surface of Magnetic Nanoparticles for the Selective Extraction of Tadalafil from Medicines. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 3308-3315.	8.0	89
62	Development and validation of a GC/MS method for the determination of tadalafil in whole blood. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 56, 577-581.	2.8	36
63	Development and validation of a ultra-high-performance liquid chromatography-UV method for the detection and quantification of erectile dysfunction drugs and some of their analogues found in counterfeit medicines. <i>Journal of Chromatography A</i> , 2011, 1218, 6439-6447.	3.7	47
64	Determination of tadalafil and <i>N</i> -desmethylsibutramine in health and dietary supplements using ultra-performance liquid chromatography (UPLC) coupled with quadrupole-time-of-flight mass spectrometry (Q-TOF MS). <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2011, 28, 1475-1482.	2.3	23
65	Comparison of the solubility and pharmacokinetics of sildenafil salts. <i>Archives of Pharmacal Research</i> , 2011, 34, 451-454.	6.3	40
66	Separation and structural elucidation of a novel analogue of vardenafil included as an adulterant in a dietary supplement by liquid chromatography-electrospray ionization mass spectrometry, infrared spectroscopy and nuclear magnetic resonance spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 54, 491-496.	2.8	43
67	A novel approach to simultaneous screening and confirmation of regulated pharmaceutical compounds in dietary supplements by LC/MS/MS with an information-dependent acquisition method. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2011, 28, 396-407.	2.3	45
68	A High-Performance Liquid Chromatography:Chemiluminescence Method for Potential Determination of Vardenafil in Dietary Supplement. <i>Journal of Automated Methods and Management in Chemistry</i> , 2011, 2011, 1-6.	0.5	13
69	Structure Elucidation of a Novel Analog of Sildenafil Detected as an Adulterant in a Dietary Supplement Using LC-UV and LC/MS. <i>Journal of AOAC INTERNATIONAL</i> , 2012, 95, 1048-1052.	1.5	8
70	Determination of PDE-5 inhibitors and appetite suppressants in adulterated dietary supplements using LC/PDA and LC/MS. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2012, 5, 29-32.	2.8	23
71	A new approach to determining pharmacologic adulteration of herbal weight loss products. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012, 29, 1661-1667.	2.3	43
72	Lifestyle illicit drug seizures: A routine ESI-LC-MS method for the identification of sildenafil and vardenafil. <i>Forensic Science International</i> , 2012, 222, 83-88.	2.2	12
73	Screening for multiple phosphodiesterase type 5 inhibitor drugs in dietary supplement materials by flow injection mass spectrometry and their quantification by liquid chromatography tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 70, 40-46.	2.8	36
74	Towards a decade of detecting new analogues of sildenafil, tadalafil and vardenafil in food supplements: A history, analytical aspects and health risks. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 69, 196-208.	2.8	150
75	A multidisciplinary approach for the analysis of an adulterated dietary supplement where the active pharmaceutical ingredient was embedded in the capsule shell. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 67-68, 22-27.	2.8	35
76	Simultaneous screening and determination of 18 illegal adulterants in herbal medicines and health foods for male sexual potency by ultra-fast liquid chromatography-electrospray ionization tandem mass spectrometry. <i>Journal of Separation Science</i> , 2012, 35, 2847-2857.	2.5	32
77	Development of sildenafil-loaded orally disintegrating tablet with new lactate salt. <i>Drug Development and Industrial Pharmacy</i> , 2012, 38, 635-641.	2.0	11

#	ARTICLE	IF	CITATIONS
78	Rapid screening of sildenafil and tadalafil adulterated in healthcare products by Micro-Raman spectroscopy. <i>Journal of Raman Spectroscopy</i> , 2012, 43, 1985-1990.	2.5	14
79	Isolation and structural characterization of two tadalafil analogs found in dietary supplements. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 59, 50-57.	2.8	36
80	Standardless <sup>1</sup> H NMR determination of pharmacologically active substances in dietary supplements and medicines that have been illegally traded over the Internet. <i>Drug Testing and Analysis</i> , 2013, 5, 400-411.	2.6	32
81	A strategy for the identification of plants in illegal pharmaceutical preparations and food supplements using chromatographic fingerprints. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 2341-2352.	3.7	17
82	Rapid-screening detection of acetildenafil, sildenafil and avanafil by ion mobility spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013, 75, 153-157.	2.8	27
83	Determination of sildenafil, vardenafil and aildenafil in human plasma by dispersive liquid-liquid microextraction-back extraction based on ionic liquid and high performance liquid chromatography-ultraviolet detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 931, 111-116.	2.3	23
84	Chromatography in the Detection and Characterization of Illegal Pharmaceutical Preparations. <i>Journal of Chromatographic Science</i> , 2013, 51, 791-806.	1.4	63
85	Application of high-performance liquid chromatography with charged aerosol detection for universal quantitation of undeclared phosphodiesterase-5 inhibitors in herbal dietary supplements. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013, 84, 232-243.	2.8	31
86	Photodegradation kinetics of lodenafil carbonate, structure elucidation of two major degradation products using UPLC-MS/MS and in vitro cytotoxicity. <i>Analytical Methods</i> , 2013, 5, 6511.	2.7	3
87	SIMULTANEOUS DETERMINATION OF TADALAFIL AND ITS RELATED COMPOUNDS IN PHARMACEUTICAL DOSAGE FORMS BY UPLC. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013, 36, 1451-1465.	1.0	8
88	Detection and structure elucidation of hydroxythioildenafil as an adulterant in a herbal dietary supplement. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013, 74, 83-91.	2.8	21
89	RGO LBL modified biomimetic electrochemical sensor for detection of Sildenafil in herbal sexual healthproducts. <i>Biosensors and Bioelectronics</i> , 2013, 42, 287-292.	10.1	29
90	Determination of sildenafil by preconcentration on surfactant coated polymeric resin followed by spectrofluorimetry. <i>Journal of Pharmaceutical Analysis</i> , 2013, 3, 173-179.	5.3	12
91	Simultaneous determination of 38 phosphodiesterase-5 inhibitors in illicit erectile dysfunction products by liquid chromatography-electrospray ionization-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013, 83, 171-178.	2.8	40
92	Magnetic molecularly imprinted polymer for the selective extraction of sildenafil, vardenafil and their analogs from herbal medicines. <i>Talanta</i> , 2013, 115, 482-489.	5.5	38
93	Application of LC-MS/MS for quantitative analysis of glucocorticoids and stimulants in biological fluids. <i>Journal of Pharmaceutical Analysis</i> , 2013, 3, 341-348.	5.3	34
94	Analytical methods for the detection of undeclared synthetic drugs in traditional herbal medicines as adulterants. <i>Drug Testing and Analysis</i> , 2013, 5, 607-613.	2.6	32
95	Stability-Indicating RP-HPLC Method for Determination of Ambrisentan and Tadalafil in Pharmaceutical Dosage Form. <i>Scientia Pharmaceutica</i> , 2014, 82, 749-763.	2.0	17

#	ARTICLE	IF	CITATIONS
96	100 Chemical Myths. , 2014, , .		14
97	LC-MS Based Workflows for Qualitative and Quantitative Analysis for Homeopathic Preparation of Hydrastis canadensis. Chromatographia, 2014, 77, 119-131.	1.3	7
98	Analysis of illicit dietary supplements sold in the Italian market: Identification of a sildenafil thioderivative as adulterant using UPLC-TOF/MS and GC/MS. Science and Justice - Journal of the Forensic Science Society, 2014, 54, 228-237.	2.1	32
99	Qualitative and quantitative analysis of PDE-5 inhibitors in counterfeit medicines and dietary supplements by HPLC-UV using sildenafil as a sole reference. Journal of Pharmaceutical and Biomedical Analysis, 2014, 98, 327-333.	2.8	43
100	Vardenafil Dihydrochloride. Profiles of Drug Substances, Excipients and Related Methodology, 2014, 39, 515-544.	8.0	10
101	Capillary electrophoretic methods for the screening and determination of pharmacologic adulterants in herbal-based pharmaceutical formulations. Electrophoresis, 2014, 35, 3212-3230.	2.4	14
102	A rapid, quantitative liquid chromatography-mass spectrometry screening method for 71 active and 11 natural erectile dysfunction ingredients present in potentially adulterated or counterfeit products. Journal of Chromatography A, 2014, 1343, 143-151.	3.7	49
103	Characterization of Sildenafil analogs by MS/MS and NMR: A guidance for detection and structure elucidation of phosphodiesterase-5 inhibitors. Journal of Pharmaceutical and Biomedical Analysis, 2014, 96, 170-186.	2.8	32
104	Determination of flibanserin and tadalafil in supplements for women sexual desire enhancement using high-performance liquid chromatography with tandem mass spectrometer, diode array detector and charged aerosol detector. Journal of Pharmaceutical and Biomedical Analysis, 2014, 94, 45-53.	2.8	31
105	Screening of synthetic PDE-5 inhibitors and their analogues as adulterants: Analytical techniques and challenges. Journal of Pharmaceutical and Biomedical Analysis, 2014, 87, 176-190.	2.8	131
106	Novel strategy for the determination of illegal adulterants in health foods and herbal medicines using high-performance liquid chromatography with high-resolution mass spectrometry. Journal of Separation Science, 2015, 38, 925-935.	2.5	5
107	Dietary supplements: International legal framework and adulteration profiles, and characteristics of products on the Brazilian clandestine market. Regulatory Toxicology and Pharmacology, 2015, 73, 93-104.	2.7	52
108	Rapid on-site detection of ephedrine and its analogues used as adulterants in slimming dietary supplements by TLC-SERS. Analytical and Bioanalytical Chemistry, 2015, 407, 1313-1325.	3.7	66
109	Determination of Phosphodiesterase-5 Inhibitors and Analogs Using High-Performance Liquid Chromatography with Ultraviolet Detection. Journal of Chromatographic Science, 2015, 53, 38-46.	1.4	11
110	Isolation and structural characterization of a new tadalafil analog (2-hydroxyethylnortadalafil) found in a dietary supplement. Journal of Pharmaceutical and Biomedical Analysis, 2015, 103, 99-103.	2.8	21
111	Direct Analysis of Pharmaceutical Drugs Using Nano-DESI MS. Journal of Analytical Methods in Chemistry, 2016, 2016, 1-6.	1.6	10
112	Isolation and structural characterization of a new tadalafil analog (chloropropanoylpretadalafil) found in a dietary supplement. Journal of Pharmaceutical and Biomedical Analysis, 2016, 128, 360-366.	2.8	10
113	Adulteration of synthetic PDE-5 inhibitors viz., sildenafil and tadalafil in marketed herbal aphrodisiacs. Current Medicine Research and Practice, 2016, 6, 152-156.	0.1	5

#	ARTICLE	IF	CITATIONS
114	Rapid detection of adulterated drugs in herbal dietary supplements by wooden-tip electrospray ionization mass spectrometry. <i>Analytical Methods</i> , 2016, 8, 6840-6846.	2.7	19
115	Adulteration of Dietary Supplements by the Illegal Addition of Synthetic Drugs: A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2016, 15, 43-62.	11.7	156
116	Suspected Adulteration of Commercial Kratom Products with 7-Hydroxymitragynine. <i>Journal of Medical Toxicology</i> , 2016, 12, 341-349.	1.5	93
117	Development and evaluation of an immunochromatographic strip for rapid screening of sildenafil-type compounds as illegal additives in functional foods. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016, 33, 1095-1104.	2.3	12
118	Testing of complementarity of PDA and MS detectors using chromatographic fingerprinting of genuine and counterfeit samples containing sildenafil citrate. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 1643-1656.	3.7	11
119	Adulterated and Counterfeit Male Enhancement Nutraceuticals and Dietary Supplements Pose a Real Threat to the Management of Erectile Dysfunction: A Global Perspective. <i>Journal of Dietary Supplements</i> , 2016, 13, 660-693.	2.6	18
120	Adulteration of herbal sexual enhancers and slimmers: The wish for better sexual well-being and perfect body can be risky. <i>Food and Chemical Toxicology</i> , 2017, 108, 355-364.	3.6	61
121	High efficiency screening of nine lipid-lowering adulterants in herbal dietary supplements using thin layer chromatography coupled with surface enhanced Raman spectroscopy. <i>Analytical Methods</i> , 2017, 9, 1595-1602.	2.7	14
122	Anodic stripping voltammetric determination of vardenafil hydrochloride at pencil graphite electrode. <i>Journal of the Iranian Chemical Society</i> , 2017, 14, 803-810.	2.2	6
123	Solid-phase extraction assisted dispersive liquid-liquid microextraction based on solidification of floating organic droplet to determine sildenafil and its analogues in dietary supplements. <i>Journal of Separation Science</i> , 2017, 40, 3120-3129.	2.5	9
124	Development and evaluation of a broad-specific immunochromatographic assay for screening of both tadalafil and its analogues in functional foods. <i>Food and Agricultural Immunology</i> , 2017, 28, 652-667.	1.4	9
125	Development and validation of alternative methods by non-aqueous acid-base titration and derivative ultraviolet spectrophotometry for quantification of sildenafil in raw material and tablets. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2017, 53, .	1.2	4
126	Spectroscopic and Spectrometric Methods Used for the Screening of Certain Herbal Food Supplements Suspected of Adulteration. <i>Advanced Pharmaceutical Bulletin</i> , 2017, 7, 251-259.	1.4	12
127	VALIDATED SPECTROPHOTOMETRIC METHOD TO DETERMINE VARDENAFIL AND SILDENAFIL IN PHARMACEUTICAL FORMS USING POTASSIUM IODIDE AND POTASSIUM IODATE. <i>International Journal of Pharmacy and Pharmaceutical Sciences</i> , 2017, 9, 65.	0.3	17
128	A sensitive and selective analytical method for the simultaneous determination of sildenafil and tadalafil in water, energy drinks and sewage sludge matrices by LC-QTOF-MS/MS. <i>Measurement: Journal of the International Measurement Confederation</i> , 2018, 124, 64-71.	5.0	7
129	Fragmentation Pathways of Tadalafil and Its Analogues in Electrospray Ionization Tandem Mass Spectrometry. <i>Bulletin of the Korean Chemical Society</i> , 2018, 39, 190-196.	1.9	5
130	A new magnetic nanodiamond/graphene oxide hybrid (Fe <sub>3</sub> O <sub>4</sub> @ND@GO) material for pre-concentration and sensitive determination of sildenafil in alleged herbal aphrodisiacs by HPLC-DAD system. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1084, 113-121.	2.3	61
131	HPLC-UV Chromatographic Methods for Detection and Quantification of Undeclared Withdrawn Synthetic Medications in Counterfeit Herbal Medicines with Confirmation by HPLC-PDA and Mass Spectrometry. <i>Chromatographia</i> , 2018, 81, 777-783.	1.3	19



#	ARTICLE	IF	CITATIONS
132	IDENTIFICATION OF SILDENAFIL CITRATE AS AN ADULTERANT IN HERBAL PRODUCTS USING HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY WITH PHOTODIODE ARRAY DETECTOR. International Journal of Pharmacy and Pharmaceutical Sciences, 2018, 10, 15.	0.3	4
133	Determination of phosphodiesterase 5 (PDE5) inhibitors in instant coffee premixes using liquid chromatography-high-resolution mass spectrometry (LC-HRMS). Talanta, 2019, 204, 36-43.	5.5	16
134	Alkaloid extracts from Bitter leaf ( <i>Vernonia amygdalina</i> ) and Black nightshade ( <i>Solanum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf . Journal of Food Biochemistry, 2019, 43, e12889.	2.9	8
135	A hierarchical screening method for detection of illegal adulterants in Fur seal ginseng pills by profiling analysis of HPLC multi-dimensional fingerprints. Journal of Separation Science, 2019, 42, 1509-1519.	2.5	16
136	The silent development of counterfeit medications in developing countries – A systematic review of detection technologies. International Journal of Pharmaceutics, 2020, 587, 119702.	5.2	14
137	Utility of Gold Nanoparticles for Spectrofluorimetric and Spectrophotometric Determination of Sildenafil Citrate, Dapoxetine, Vardenafil and Tadalafil in their Dosage Forms and Biological Fluids. Analytical Chemistry Letters, 2020, 10, 321-335.	1.0	10
138	Identification of Erectile Dysfunction Drugs in Dietary Supplements by Liquid Chromatography Ion Trap Mass Spectrometry. Journal of Dietary Supplements, 2021, 18, 261-277.	2.6	3
139	Microwave-assisted extraction followed by salting-out phase separation for hierarchical screening of illegal adulterants in aphrodisiac health products by multi-dimensional fingerprint profiling analysis. Journal of Pharmaceutical and Biomedical Analysis, 2021, 194, 113774.	2.8	1
140	Structural Determination, Biological Function, and Molecular Modelling Studies of Sulfoildenafil Adulterated in Herbal Dietary Supplement. Molecules, 2021, 26, 949.	3.8	2
141	Integrated Quality by Design (QbD) Approach for Stability Indicating RPHPLC Method for the Estimation of Tadalafil Hydrochloride in Bulk Drug and Pharmaceutical Formulations. Current Pharmaceutical Analysis, 2021, 17, 932-944.	0.6	1
142	ESTIMATION OF TADALAFIL IN HUMAN PLASMA BY SPECTROFLUOROPHOTOMETRY. Indian Drugs, 2021, 58, 60-63.	0.1	2
143	Development of Disposable Immunosensors for Rapid Determination of Sildenafil and Vardenafil in Functional Foods. Han'gug Sigpum Wi'saeng Anjeonseong Haghoeji, 2017, 32, 83-88.	0.4	2
145	A review of analytical methods for the determination of four new phosphodiesterase type 5 inhibitors in biological samples and pharmaceutical preparations. Brazilian Journal of Pharmaceutical Sciences, 2013, 49, 1-11.	1.2	18
146	High Performance Liquid Chromatography Method to Detect Tramadol and Sildenafil in the Blood of Rats on Combination Treatment.. International Journal of Computers & Technology, 2013, 11, 2682-2690.	0.2	1
147	A Validated Rapid Stability-Indicating Method for the Determination of Related Substances in Vardenafil Hydrochloride by Ultra-Performance Liquid Chromatography. American Journal of Analytical Chemistry, 2012, 03, 59-66.	0.9	8
148	Preparation and in vivo Evaluation of a Sildenafil Lactate-loaded Solid Self-emulsifying Drug Delivery System. Journal of Pharmaceutical Investigation, 2011, 41, 249-253.	5.3	1
149	Identification and evaluation of fragmentation pathways of PDE-5 inhibitor analogues using LC-QTOF-MS. Analytical Science and Technology, 2015, 28, 278-287.	0.3	3
150	Isolation and Identification of an Unauthorized Sildenafil Analogue in a Commercial Functional Food. Journal of the Korean Chemical Society, 2010, 54, 443-446.	0.2	0

#	ARTICLE	IF	CITATIONS
151	Monitoring of Anti-impotence Drugs and Their Analogues in Food. Korean Journal of Food Science and Technology, 2011, 43, 675-682.	0.3	1
152	Identification of a tadalafil analogue adulterated in a dietary supplement. Journal of Food and Drug Analysis, 2010, 17, .	1.9	4
153	HPLC/Fluorescence-Diode Array Detection for Rapid and Reliable Determination of Illegal Synthetic Drugs in Male Sexual Herbal and Honey Remedies: Comparative Study with UFLC-MS. Journal of AOAC INTERNATIONAL, 2022, 105, 1288-1298.	1.5	3
154	Identification of phosphodiesterase type-5 (PDE-5) inhibitors in herbal supplements using a tiered approach and associated consumer risk. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2022, 39, 1021-1032.	2.3	4
155	Assessment of Undeclared Synthetic Drugs in Dietary Supplements in an Analytical View: A Comprehensive Review. Critical Reviews in Analytical Chemistry, 2023, 53, 986-996.	3.5	4
157	Combining trapped ion mobility spectrometry with liquid chromatography and tandem mass spectrometry for analysis of isomeric PDE-5 inhibitor analogs. Journal of Pharmaceutical and Biomedical Analysis, 2023, 225, 115210.	2.8	2
158	Method Validation for the Analysis of Multiple Weight Loss Drugs in Dietary Supplement Materials by LC-MS/MS. , 2016, 3, 15-19.		0
159	Use of Fe <sub>3</sub> O <sub>4</sub> @MPTMS-Dithizone Magnetic Nanoparticles as Solid Phase Sorbent for Sensitive Analysis of Sibutramine Molecules in Herbal Slimming Products. Current Analytical Chemistry, 2023, 19, .	1.2	0