

CITATION REPORT

List of articles citing

Stimuli-responsive polymers and their bioconjugates

DOI: 10.1016/j.progpolymsci.2004.08.003
Progress in Polymer Science, 2004, 29, 1173-1222.

Source: <https://exaly.com/paper-pdf/37189040/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2121	Macromolecular engineering: From rational design through precise macromolecular synthesis and processing to targeted macroscopic material properties. <i>Progress in Polymer Science</i> , 2005 , 30, 858-875	29.6	350
2120	Influence of the synthesis conditions and ionic additives on the swelling behaviour of thermo-responsive polyalkylacrylamide hydrogels. 2005 , 46, 6777-6785		40
2119	Effect of beta-sheet crystals on the thermal and rheological behavior of protein-based hydrogels derived from gelatin and silk fibroin. 2005 , 5, 702-9		53
2118	Thermo- and pH-Sensitivities of Thiosemicarbazone-Incorporated, Fluorescent and Amphiphilic Poly(N-isopropylacrylamide). 2005 , 206, 1870-1877		12
2117	Multifunctional Stimuli Responsive ABC Terpolymers: From Three-Compartment Micelles to Three-Dimensional Network. 2005 , 26, 1371-1376		38
2116	Stimulus Responsive Poly(ferrocenylsilanes): Redox Chemistry of Iron in the Main Chain. 2005 , 15, 527-540		23
2115	ATRP of butyl acrylates from functionalized carbon black surfaces. 2005 , 43, 4695-4709		71
2114	Thermosensitive gel formation of novel polypeptides containing a collagen-derived Pro-Hyp-Gly sequence and an elastin-derived Val-Pro-Gly-Val-Gly sequence. 2005 , 43, 6048-6056		20
2113	UV-Cross-Linked Poly(vinylpyridine) Thin Films as Reversibly Responsive Surfaces. 2005 , 17, 4092-4096		69
2112	Formation of molecular bundles from self-assembly of symmetrical poly(oxyalkylene)-diamido acids. 2005 , 109, 13510-4		5
2111	Swelling behavior and morphological evolution of mixed gelatin/silk fibroin hydrogels. 2005 , 6, 3079-87		87
2110	Novel Dual-Stimuli-Responsive Polymers Derived from Ethylpyrrolidine. 2005 , 38, 9298-9303		67
2109	Control of the chemical cross-linking of gelatin by a thermosensitive polymer: example of switchable reactivity. 2005 , 6, 3073-8		10
2108	Synthesis, Chiroptical Properties, and pH Responsibility of Aspartic Acid- and Glutamic Acid-Based Helical Polyacetylenes. 2005 , 38, 8149-8154		102
2107	Design and Synthesis of a New pH Sensitive Polymeric Sensor Using Fluorescence Resonance Energy Transfer. 2005 , 17, 6213-6215		40
2106	pH-Induced Micellization Kinetics of ABC Triblock Copolymers Measured by Stopped-Flow Light Scattering. 2005 , 38, 9803-9812		67
2105	Synthesis of Thermosensitive Water-Soluble Polystyrenics with Pendant Methoxyoligo(ethylene glycol) Groups by Nitroxide-Mediated Radical Polymerization. 2005 , 38, 9509-9517		106

2104	Applications of biomimetic systems in drug delivery. 2005 , 2, 1085-96	31
2103	Novel fast degradable thermosensitive polymeric micelles based on PEG-block-poly(N-(2-hydroxyethyl)methacrylamide-oligolactates). 2005 , 6, 2343-51	75
2102	Temperature Dependence of the Colloidal Stability of Neutral Amphiphilic Polymers in Water. 1-85	178
2101	Point by point comparison of two thermosensitive polymers exhibiting a similar LCST: is the age of poly(NIPAM) over?. 2006 , 128, 13046-7	1036
2100	Nanobiomaterials: a review of the existing science and technology, and new approaches. 2006 , 17, 1241-68	70
2099	Two-stage collapse of unimolecular micelles with double thermoresponsive coronas. 2006 , 22, 989-97	170
2098	Backbone-thermoresponsive hyperbranched polyethers. 2006 , 128, 8144-5	160
2097	THE USE OF POLYMER DESIGN IN RESORBABLE COLLOIDS. 2006 , 36, 369-395	16
2096	Poly(2-isopropyl-2-oxazoline)Poly(l-glutamate) Block Copolymers through Ammonium-Mediated NCA Polymerization. 2006 , 39, 3967-3970	61
2095	Highly branched poly(N-isopropylacrylamide) for use in protein purification. 2006 , 7, 1124-30	59
2094	Combining ATRP and Click Chemistry: a Promising Platform toward Functional Biocompatible Polymers and Polymer Bioconjugates. 2006 , 39, 6376-6383	252
2093	Synthesis of a PEGylated Polymeric pH Sensor and Its pH Sensitivity by Fluorescence Resonance Energy Transfer. 2006 , 39, 7694-7700	45
2092	Impact of End-Group Association and Main-Chain Hydration on the Thermosensitive Properties of Hydrophobically Modified Telechelic Poly(N-isopropylacrylamides) in Water. 2006 , 39, 341-348	261
2091	Rational Selection of Initiating/Catalytic Systems for the Copper-Mediated Atom Transfer Radical Polymerization of Basic Monomers in Protic Media: ATRP of 4-Vinylpyridine. 2006 , 39, 6817-6824	90
2090	Surface-Initiated ATRP of N-Isopropylacrylamide from Initiator-Modified Self-Assembled Peptide Nanotubes. 2006 , 39, 7258-7268	102
2089	Tunable single-walled carbon nanotube microstructure in the liquid and solid states using poly(acrylic acid). 2006 , 6, 911-5	130
2088	Temperature-Induced Self-Association of Doubly Thermosensitive Diblock Copolymers with Pendant Methoxytris(oxyethylene) Groups in Dilute Aqueous Solutions. 2006 , 39, 3476-3479	79
2087	Synthesis and Micellization Properties of Double Hydrophilic A2BA2 and A4BA4 Non-Linear Block Copolymers. 2006 , 39, 8178-8185	76

2086	Phosphorylcholine-based pH-responsive diblock copolymer micelles as drug delivery vehicles: light scattering, electron microscopy, and fluorescence experiments. 2006 , 7, 817-28	143
2085	Water-Dispersible Carbon Black Nanocomposites Prepared by Surface-Initiated Atom Transfer Radical Polymerization in Protic Media. 2006 , 39, 548-556	71
2084	Poly(N-isopropylacrylamide)-Coated Luminescent/Magnetic Silica Microspheres: Preparation, Characterization, and Biomedical Applications. 2006 , 18, 5554-5562	194
2083	Block copolymer micelles as delivery vehicles of hydrophobic drugs: micelle-cell interactions. 2006 , 14, 343-55	189
2082	A platform for the advanced spatial and temporal control of biomolecules. 2006 ,	1
2081	Smart Reactivity in Gelatine/PNIPAM Mixtures: Control of the Cross-Linking and Microheterogeneities. 2006 , 239, 114-119	3
2080	Controlled/Living Radical Polymerization: State of the Art in 2005. 2006 , 2-12	5
2079	Novel Photo-Reactive Acrylamide-Based Copolymers Instantly Gave the Sensitive Stimuli-Responsive Hydrogels. 2006 , 19, 445-449	1
2078	Thermotropic liquid crystal behavior on PBLG-PDMS-PBLG triblock copolymers. 2006 , 44, 4668-4679	35
2077	Injectable thermoreversible hydrogels based on amphiphilic poly(amino acid)s. 2006 , 44, 671-675	33
2076	Syntheses and self-assembly of poly(benzyl ether)-b-poly(N-isopropylacrylamide) dendritic-linear diblock copolymers. 2006 , 44, 1357-1371	91
2075	Well-defined thermosensitive, water-soluble polyacrylates and polystyrenics with short pendant oligo(ethylene glycol) groups synthesized by nitroxide-mediated radical polymerization. 2006 , 44, 2454-2467	129
2074	Modeling and simulation of the deformation of multi-state hydrogels subjected to electrical stimuli. 2006 , 30, 1011-1017	15
2073	Hydrophobic modification of high molar mass polyglycidol to thermosensitive polymers. 2006 , 42, 2497-2506	42
2072	Thermosensitive aqueous solutions of polyvinylacetone. 2006 , 421, 367-372	7
2071	pH-sensitive hydrogels based on bovine serum albumin for oral drug delivery. 2006 , 312, 151-7	74
2070	Preparation and characterization of a temperature-sensitive sulfobetaine polymer-trypsin conjugate. 2006 , 30, 48-54	31
2069	Voltage-switchable artificial muscles actuating at near neutral pH. 2006 , 115, 379-383	56

2068	Temperature-Sensitive Properties of Poly(N-isopropylacrylamide) Mesoglobules Formed in Dilute Aqueous Solutions Heated above Their Demixing Point. 2006 , 39, 7686-7693	120
2067	Micelle Formation and Inversion Kinetics of a Schizophrenic Diblock Copolymer. 2006 , 39, 7378-7385	72
2066	Synthetic approaches to uniform polymers. 2006 , 58, 1671-87	31
2065	Thermoresponsive gelatin/monomethoxy poly(ethylene glycol)-poly(D,L-lactide) hydrogels: formulation, characterization, and antibacterial drug delivery. 2006 , 23, 205-14	40
2064	Adsorption of human IgG on to poly(N-isopropylacrylamide)-based polymer particles. 2006 , 28, 2019-25	30
2063	Synergistic depression of volume phase transition temperature in copolymer microgels. 2006 , 285, 471-474	62
2062	Synthesis and swelling characteristics of semi-interpenetrating polymer network hydrogels composed of poly(acrylamide) and poly(L-glutamic acid). 2006 , 60, 1390-1393	28
2061	Preparation and characterization of poly(N-isopropylacrylamide)-modified poly(2-hydroxyethyl acrylate) hydrogels by interpenetrating polymer networks for sustained drug release. 2006 , 6, 452-8	28
2060	Stimuli-responsive hydrogels based on polysaccharides incorporated with thermo-responsive polymers as novel biomaterials. 2006 , 6, 991-1008	287
2059	Kinetics of Demixing and Remixing Transitions in Aqueous Solutions of Poly(N-isopropylacrylamide): A Temperature-Jump 1H NMR Study. 2006 , 207, 1972-1979	30
2058	The Fabrication of a Photoresponsive Molecularly Imprinted Polymer for the Photoregulated Uptake and Release of Caffeine. 2006 , 16, 1759-1767	119
2057	Hydrogels in Biology and Medicine: From Molecular Principles to Bionanotechnology. 2006 , 18, 1345-1360	3009
2056	Dual-Responsive Surfaces That Switch between Superhydrophilicity and Superhydrophobicity. 2006 , 18, 432-436	295
2055	Responsive Polymers at the Biology/Materials Science Interface. 2006 , 18, 3321-3328	185
2054	Transduction of Volume Change in pH-Sensitive Hydrogels with Resonance Energy Transfer. 2006 , 18, 2289-2293	16
2053	The role and significance of extracellular polymers in activated sludge. Part I: Literature review. 2006 , 34, 411-424	98
2052	Properties of various thermoassociating polymers: pharmaceutical and cosmetic applications. 2006 , 16, 3-10	16
2051	Synthesis and Characterization of Water-Soluble Cellulose Derivatives with Thermo- and pH-Sensitive Functional Groups. 2007 , 44, 1109-1113	13

2050	The development of a novel smart mid-infrared sensing methodology for residual solvents. 2007 , 87, 29-42	8
2049	Nanotechnology and Drug Delivery. 93-113	3
2048	Nanotechnology and Tissue Engineering: The Scaffold Based Approach. 2007 ,	2
2047	Poly(vinyl alcohol) Based pH Responsive Semi-IPN Hydrogels: A Comparative Swelling Investigation. 2007 , 56, 1099-1111	7
2046	Poly(N-isopropylacrylamide)-coated thermo-responsive nanoparticles for controlled delivery of sulfonated Zn-phthalocyanine in Chinese hamster ovary cells in vitro and zebra fish in vivo. 2007 , 18, 415-101	15
2045	Polymeric hydrophilic polymers in targeted drug delivery. 2007 , 42-71	2
2044	Polymeric Nanomaterials Synthesis, Functionalization and Applications in Diagnosis and Therapy. 2007 ,	1
2043	Tetronic micellization, gelation and drug solubilization: Influence of pH and ionic strength. 2007 , 66, 244-52	88
2042	Silica-based mesoporous materials as drug delivery system for methotrexate release. 2007 , 14, 491-5	59
2041	About the Phase Transitions in Aqueous Solutions of Thermoresponsive Copolymers and Hydrogels Based on 2-(2-methoxyethoxy)ethyl Methacrylate and Oligo(ethylene glycol) Methacrylate. 2007 , 40, 2503-2508	403
2040	Layered confinement of protein in synthetic fluorinated mica via stepwise polyamine exchange. 2007 , 111, 10275-80	17
2039	Water-Soluble Star Brush Copolymer with Four Arms Composed of Poly(ethylene Oxide) as Backbone and Poly(acrylic Acid) as Side Chains. 2007 , 40, 491-498	47
2038	Nano-enabled synthetic biology. 2007 , 3, 125	92
2037	Unexpected thermal characteristics of aqueous solutions of poly(2-isopropyl-2-oxazoline). 2007 , 3, 430-431	81
2036	Actively moving polymers. 2006 , 3, 58-67	273
2035	Thermoresponsive biohybrid materials synthesized by ATRP. 2007 , 17, 4015	46
2034	Structure-LCST relationships for end-functionalized water-soluble polymers: an "accelerated" approach to phase behaviour studies. 2007 , 2962-4	37
2033	Reversible switching of substrate activity of poly-N-isopropylacrylamide peptide conjugates. 2007 , 5173-5	34

2032	Interpolymer complexes based on the core/shell micelles. interaction of polystyrene-block-poly(methacrylic acid) micelles with linear poly(2-vinylpyridine) in 1,4-dioxane water mixtures and in aqueous media. 2007 , 111, 8394-401	16
2031	Dynamic control of protein folding pathway with a polymer of tunable hydrophobicity. 2007 , 111, 12303-9	11
2030	ATRP Synthesis of Thermally Responsive Molecular Brushes from Oligo(ethylene oxide) Methacrylates. 2007 , 40, 9348-9353	124
2029	Temperature-reversible ultrathin films of N-isopropylacrylamide terpolymer adsorbed at the solid-liquid interface. 2007 , 23, 12159-66	3
2028	Probing the micellization kinetics of pyrene end-labeled diblock copolymer via a combination of stopped-flow light-scattering and fluorescence techniques. 2007 , 111, 12111-8	22
2027	pH-Responsive Random Copolymer Films with Amine Side Chains. 2007 , 111, 461-466	11
2026	Fabrication of multiresponsive shell cross-linked micelles possessing pH-controllable core swellability and thermo-tunable corona permeability. 2007 , 8, 3184-92	131
2025	Effect of silk fibroin interpenetrating networks on swelling/deswelling kinetics and rheological properties of poly(N-isopropylacrylamide) hydrogels. 2007 , 8, 258-64	65
2024	Polyisobutylene-block-poly(methacrylic acid) diblock copolymers: self-assembly in aqueous media. 2007 , 23, 12864-74	64
2023	Synthesis of Fine Hydrogel Microspheres and Capsules from Thermoresponsive Coacervate. 2007 , 40, 3394-3401	49
2022	Thermoresponsive Behaviors of Poly(oxypropylene)-amidoamine Functionalized Carbon Nanotubes. 2007 , 111, 13016-13021	6
2021	Dual Temperature- and pH-Dependent Self-Assembly of Cellulose-Based Copolymer with a Pair of Complementary Grafts. 2007 , 40, 5552-5558	75
2020	Temperature-swing solid-phase extraction of heavy metals on a poly(N-isopropylacrylamide) hydrogel. 2007 , 23, 13104-8	74
2019	Synthesis and characterization of thermo- and pH-responsive double-hydrophilic diblock copolypeptides. 2007 , 8, 3557-67	117
2018	Facile RAFT precipitation polymerization for the microwave-assisted synthesis of well-defined, double hydrophilic block copolymers and nanostructured hydrogels. 2007 , 129, 14493-9	292
2017	Nanogels: Chemistry to Drug Delivery. 131-171	16
2016	Thio-Click Modification of Poly[2-(3-butenyl)-2-oxazoline]. 2007 , 40, 7928-7933	375
2015	Temperature and pH-Sensitive Polymers with Hydrophobic Spacers for the Controlled Delivery of Drugs. 2007 , 254, 292-299	7

2014	Thermoresponsive transport through ordered mesoporous silica/PNIPAAm copolymer membranes and microspheres. 2007 , 23, 170-4	111
2013	Amphiphilic, Thermosensitive Ruthenium(II)-Bearing Star Polymer Catalysts: One-Pot Synthesis of PEG Armed Star Polymers with Ruthenium(II)-Enclosed Microgel Cores via Metal-Catalyzed Living Radical Polymerization. 2007 , 40, 3581-3588	107
2012	Synthesis of Stimuli-Responsive Polymers by Living Polymerization: Poly(N-Isopropylacrylamide) and Poly(Vinyl Ether)s. 2007 , 169-208	177
2011	. 2007 ,	21
2010	. 2007 ,	32
2009	Poly(N-isopropylacrylamide-co-sodium acrylate) hydrogels: Interactions with surfactants. 2007 , 103, 3423-3430	5
2008	Amphoteric hydrogels for immobilization of enzymes using template polymerization technique. 2007 , 106, 3571-3580	15
2007	Reversible surface switching of nanogel triggered by external stimuli. 2007 , 46, 7104-7	59
2006	Reversible Surface Switching of Nanogel Triggered by External Stimuli. 2007 , 119, 7234-7237	6
2005	Poly(N-isopropylacrylamide) Interfaces with Dissimilar Thermo-responsive Behavior for Controlling Ion Permeation and Immobilization. 2007 , 17, 3377-3382	30
2004	Multiresponsive Surfaces Change Between Superhydrophilicity and Superhydrophobicity. 2007 , 19, 2520-2524	184
2003	Thermo-responsive poly(NiPAAm-co-DEGMA) substrates for gentle harvest of human corneal endothelial cell sheets. 2007 , 80, 1003-10	86
2002	Interrogation of single synthetic polymer chains and polysaccharides by AFM-based force spectroscopy. 2007 , 8, 2290-307	107
2001	Thermo-Responsive Highly Branched Polyethers by Proton-Transfer Polymerization of 1,2,7,8-Diepoxyoctane and Multiols. 2007 , 208, 1637-1645	35
2000	Effect of Block Order of ABA- and BAB-Type NIPAAm/HEMA Triblock Copolymers on Thermoresponsive Behavior of Solutions. 2007 , 208, 1773-1781	58
1999	Structures and Chiroptical Properties of Thermoresponsive Block Copolymers Containing L-Proline Moieties. 2007 , 208, 1908-1918	35
1998	Novel Acid-Labile, Thermoresponsive Poly(methacrylamide)s with Pendent Ortho Ester Moieties. 2007 , 28, 597-603	58
1997	Fabrication of a novel temperature sensitive poly(N-isopropyl-3-butenamide) hydrogel. 2007 , 59, 158-63	10

1996	New grafted polysaccharides based on O-carboxymethyl-O-hydroxypropyl guar gum and N-isopropylacrylamide: Synthesis and phase transition behavior in aqueous media. 2007 , 67, 337-342		29
1995	Immobilization of glucoamylase and trypsin on crosslinked thermosensitive carriers. 2007 , 41, 197-204		31
1994	Modeling of ionic transport in electric-stimulus-responsive hydrogels. 2007 , 289, 284-296		33
1993	Hydrogel networks as nanoreactors: A novel approach to silver nanoparticles for antibacterial applications. 2007 , 48, 158-164		320
1992	The influence of hydrophobic substitution on self-association of poly(ethylene oxide)-b-poly(n-alkyl glycidyl carbamate)s-b-poly(ethylene oxide) triblock copolymers in aqueous media. 2007 , 48, 1866-1874		12
1991	Investigation of swelling and controlled-release behaviors of hydrophobically modified poly(methacrylic acid) hydrogels. 2007 , 48, 2665-2671		32
1990	Synthesis and pH-dependent micellization of 2-(diisopropylamino)ethyl methacrylate based amphiphilic diblock copolymers via RAFT polymerization. 2007 , 48, 3437-3443		47
1989	Nanostructured thermotropic PBLG β DMS β BBLG block copolymers. 2007 , 48, 3717-3725		33
1988	Functional copolymers of N-isopropylacrylamide for bioengineering applications. <i>Progress in Polymer Science</i> , 2007 , 32, 534-595	29.6	462
1987	Smart polymers: Physical forms and bioengineering applications. <i>Progress in Polymer Science</i> , 2007 , 32, 1205-1237	29.6	586
1986	Smart Polymeric Gels: Redefining the Limits of Biomedical Devices. <i>Progress in Polymer Science</i> , 2007 , 32, 1083-1122	29.6	483
1985	Thermosensitive water-soluble copolymers with doubly responsive reversibly interacting entities. <i>Progress in Polymer Science</i> , 2007 , 32, 1275-1343	29.6	653
1984	Temperature swing adsorption of gold(III) ions on poly(N-isopropylacrylamide) gel. 2007 , 67, 136-143		43
1983	Polyampholytic hydrogels: Poly(N-isopropylacrylamide)-based stimuli-responsive networks with poly(ethyleneimine). 2007 , 67, 144-155		56
1982	Stimuli-responsive poly(N-isopropylacrylamide-co-sodium acrylate) hydrogels: A swelling study in surfactant and polymer solutions. 2007 , 67, 844-858		44
1981	Bioresponsive hydrogels. 2007 , 10, 40-48		375
1980	End group effect on the thermo-sensitive properties of well-defined water-soluble polystyrenics with short pendant oligo(ethylene glycol) groups synthesized by nitroxide-mediated radical polymerization. 2007 , 45, 3707-3721		48
1979	Polymerization and self-assembly of thermally responsive in-chain functionalized double-hydrophilic macromonomers. 2007 , 45, 4720-4732		2

1978	Swelling behaviour of hydrogels from methacrylic acid and poly(ethylene glycol) side chains by magnetic resonance imaging. 2007 , 56, 506-511	16
1977	Preparation of a light-sensitive and reversible dissolution copolymer and its application in lysozyme purification. 2007 , 23, 1124-9	4
1976	New bioerodable thermoresponsive polymers for possible radiotherapeutic applications. 2007 , 119, 25-33	48
1975	Synthesis and "schizophrenic" micellization of double hydrophilic AB ₄ miktoarm star and AB diblock copolymers: structure and kinetics of micellization. 2007 , 23, 1114-22	112
1974	"Schizophrenic" micellization associated with coil-to-helix transitions based on polypeptide hybrid double hydrophilic rod-coil diblock copolymer. 2007 , 8, 3871-8	128
1973	Synthesis and characterization of MPEG-b-PDPA amphiphilic block copolymer via atom transfer radical polymerization and its pH-dependent micellar behavior. 2007 , 15, 385-391	19
1972	Synthesis and thermosensitive behavior of dextran graft copolymers containing poly(N-vinylcaprolactam) side chains. 2007 , 1, 72-75	2
1971	Modeling and simulation of deformation of hydrogels responding to electric stimulus. 2007 , 40, 1091-8	24
1970	Controlled synthesis of thermoresponsive polymer via RAFT polymerization of an acrylamide containing l-proline moiety. 2007 , 67, 916-927	45
1969	Synthesis and properties of pH and temperature sensitive P(NIPAAm-co-DMAEMA) hydrogels. 2008 , 64, 34-41	93
1968	Controlled synthesis of amphiphilic block copolymers based on polyester and poly(amino methacrylate): Comprehensive study of reaction mechanisms. 2008 , 68, 990-1003	30
1967	Amphiphilic polystyrene-graft-poly(N,N-dimethylamino-2-ethyl methacrylate) hydrogels synthesized via room temperature ATRP: Studies on swelling behaviour and dye sorption. 2008 , 68, 967-973	21
1966	Thermoresponsive hydrogels based on poly(N-isopropylacrylamide)/chondroitin sulfate. 2008 , 135, 336-341	24
1965	New stimuli-responsive polymers derived from morpholine and pyrrolidine. 2008 , 19, 1453-8	26
1964	New Interpenetrating Polymer Networks of N-isopropylacrylamide/ N-acryloxysuccinimide: Synthesis and Characterization. 2008 , 60, 515-524	28
1963	Radiation synthesis of a thermo-pH responsive binary graft copolymer (PP-g-DMAEMA)-g-NIPAAm by a two step method. 2008 , 61, 619-629	19
1962	Preparation and photoactivity of thermosensitive polymer supported metallophthalocyanine. 2008 , 51, 570-576	1
1961	Enzymatic hydrolysis of penicillin for 6-APA production in three-liquid-phase system. 2008 , 144, 145-59	10

1960	Modulation of the lower critical solution temperature of 2-Alkyl-2-oxazoline copolymers. 2008 , 286, 395-402	141
1959	Effect of end group polarity upon the lower critical solution temperature of poly(2-isopropyl-2-oxazoline). 2008 , 286, 1653-1661	108
1958	Synthesis of low-polydispersity poly(N-ethylmethacrylamide) by controlled radical polymerizations and their thermal phase transition behavior. 2008 , 46, 60-69	10
1957	The effect of structure on the thermoresponsive nature of well-defined poly(oligo(ethylene oxide) methacrylates) synthesized by ATRP. 2008 , 46, 194-202	98
1956	Synthesis and supramolecular self-assembly of thermosensitive amphiphilic star copolymers based on a hyperbranched polyether core. 2008 , 46, 668-681	95
1955	Micelle formation and sol-gel transition behavior of comb-like amphiphilic poly((PLGA-b-PEG)MA) copolymers. 2008 , 46, 1954-1963	17
1954	Synthesis of poly(benzyl glutamate-b-styrene) rod-coil block copolymers by dual initiation in one pot. 2008 , 46, 3068-3077	44
1953	Controlled polymerization of 2-(diethylamino)ethyl methacrylate and its block copolymer with N-isopropylacrylamide by RAFT polymerization. 2008 , 46, 3294-3305	37
1952	Thermal sensitive fluorescent hyperbranched polymer without fluorophores. 2008 , 46, 3424-3428	32
1951	Polymerization of oligo(ethylene glycol) (meth)acrylates: Toward new generations of smart biocompatible materials. 2008 , 46, 3459-3470	965
1950	Acid-labile, thermoresponsive (meth)acrylamide polymers with pendant cyclic acetal moieties. 2008 , 46, 4332-4343	21
1949	Novel temperature- and pH-responsive graft copolymers composed of poly(L-glutamic acid) and poly(N-isopropylacrylamide). 2008 , 46, 4140-4150	55
1948	Self-assembly of thermo- and pH-responsive poly(acrylic acid)-b-poly(N-isopropylacrylamide) micelles for drug delivery. 2008 , 46, 5028-5035	123
1947	Click chemistry for in situ formation of thermoresponsive P(NIPAAm-co-HEMA)-based hydrogels. 2008 , 46, 5263-5277	51
1946	Synthesis and characterization of PNIPAM-b-(PEA-g-PDEA) double hydrophilic graft copolymer. 2008 , 46, 5638-5651	46
1945	Synthesis, pH- and temperature-induced micellization and gelation of doubly hydrophilic triblock copolymer of poly(N,N-dimethylamino-2-ethylmethacrylate)-b-poly(ethylene glycol)-b-poly(N,N-dimethylamino-2-ethylmethacrylate) in aqueous solutions. 2008 , 46, 5869-5878	21
1944	Living cationic polymerization of amide-functional vinyl ethers: Specific properties of SnCl ₄ -based initiating system. 2008 , 46, 6129-6141	17
1943	Syntheses and characterization of physically crosslinked hydrogels from dithiocarbamate-derived polyurethane macroiniferter. 2008 , 46, 6272-6284	14

1942	Synthesis, self-assembly, and thermosensitive properties of ethyl cellulose-g-P(PEGMA) amphiphilic copolymers. 2008 , 46, 6907-6915	74
1941	Libraries of methacrylic acid and oligo(ethylene glycol) methacrylate copolymers with LCST behavior. 2008 , 46, 7138-7147	205
1940	Synthesis of poly(cystine bisamide)-PEG block copolymers grafted with 1-(3-aminopropyl)imidazole and their phase transition behaviors. 2008 , 19, 1558	4
1939	Protein-responsive imprinted polymers with specific shrinking and rebinding. 2008 , 21, 71-7	61
1938	Novel pH- and Temperature-Responsive Block Copolymers with Tunable pH-Responsive Range. 2008 , 29, 490-497	66
1937	Terminal Modification with 1-Adamantylamine to Endow Hyperbranched Polyamidoamine with Thermo-/pH-Responsive Properties. 2008 , 29, 1746-1751	36
1936	Synthesis of Novel Thermo- and pH-Responsive Poly(L-lysine)-Based Copolymer and its Micellization in Water. 2008 , 29, 1810-1816	47
1935	Biomaterialized polysaccharide beads for dual-stimuli-responsive drug delivery. 2008 , 8, 260-7	35
1934	Thermoresponsive degradable poly(ethylene glycol) analogues. 2008 , 84, 148-57	37
1933	Polymeric amines by chemical modifications of alternating aliphatic polyketones. 2008 , 107, 262-271	53
1932	Preparation and characterization of pH-sensitive hydrogel fibers based on hydrolyzed-polyacrylonitrile/soy protein. 2008 , 108, 1100-1108	21
1931	Synthesis, characterization, and stimuli-sensitive properties of triblock copolymer poly(ethylene oxide)-b-poly(2-(diethylamino)ethyl methacrylate)-b-poly(N-isopropylacrylamide). 2008 , 108, 2180-2188	18
1930	Preparation of temperature-sensitive poly(N-isopropylacrylamide)/ β -cyclodextrin-grafted polyethylenimine hydrogels for drug delivery. 2008 , 108, 3031-3037	51
1929	Morphology and photophysical properties of a thermally responsive fluorescent material based on a rod-coil tri-block copolymer. 2008 , 110, 18-22	15
1928	Preparation and self-assembly behavior of thermosensitive polymeric micelles comprising poly(styrene-b-N,N-diethylacrylamide). 2008 , 110, 900-907	7
1927	Synthesis and characterization of novel thermo- and pH-responsive copolymers based on amphiphilic polyaspartamides. 2008 , 111, NA-NA	2
1926	Swelling Behavior of Multiresponsive Poly(methacrylic acid)-block-poly(N-isopropylacrylamide) Brushes Synthesized Using Surface-Initiated Photoiniferter-Mediated Photopolymerization. 2008 , 18, 1232-1240	67
1925	Bimaterial Microcantilevers as a Hybrid Sensing Platform. 2008 , 20, 653-680	155

1924	Temperature-Light Dual Control of Clouding Behavior of an Oligo(ethylene glycol)-Diarylethene Hybrid System. 2008 , 20, 2137-2141		64
1923	Bio-Inspired, Smart, Multiscale Interfacial Materials. 2008 , 20, 2842-2858		847
1922	ProteinPolymer Hybrid Amphiphiles. 2008 , 20, 3953-3957		74
1921	Stimuli-Responsive Polymeric Systems for Biomedical Applications. 2008 , 10, 515-527		528
1920	Weak polyelectrolyte control of carbon nanotube dispersion in water. 2008 , 317, 346-9		53
1919	Synthesis of well-defined poly(N-isopropylacrylamide)-b-poly(L-glutamic acid) by a versatile approach and micellization. 2008 , 323, 169-75		25
1918	Polyether nanoparticles from covalently crosslinked copolymer micelles. 2008 , 325, 141-8		26
1917	Thermo-responsiveness of poly(N,N-diethylacrylamide) polymers at the air-water interface: The effect of a hydrophobic block. 2008 , 327, 129-37		31
1916	In situ gelling aqueous solutions of pH- and temperature-sensitive poly(ester amino urethane)s. 2008 , 49, 4620-4625		43
1915	Modern trends in polymer bioconjugates design. <i>Progress in Polymer Science</i> , 2008 , 33, 1-39	29.6	465
1914	Responsive polymers in controlled drug delivery. <i>Progress in Polymer Science</i> , 2008 , 33, 1088-1118	29.6	1034
1913	Radiation grafting of N,N?-dimethylacrylamide and N-isopropylacrylamide onto polypropylene films by two-step method. 2008 , 77, 936-940		42
1912	Electrical response characterization of PVAB(AA/AMPS) IPN hydrogels in aqueous Na ₂ SO ₄ solution. 2008 , 134, 281-286		42
1911	Hydrogen-bond-assisted syndiotactic-specific radical polymerization of N-isopropylacrylamide: The solvent effect on the stereospecificity. 2008 , 44, 1053-1059		22
1910	Studies on copolymerization of N-isopropylacrylamide with poly(ethylene glycol) methacrylate. 2008 , 44, 2962-2970		15
1909	Copolymer of poly(4-vinylpyridine)-g-poly(ethylene oxide) respond sharply to temperature, pH and ionic strength. 2008 , 44, 4108-4114		14
1908	Design, synthesis and characterization of a novel pH-sensitive hydrogel. 2008 , 19, 1475-1478		4
1907	Polyethylene glycol diacrylate-based supermacroporous monolithic cryogel as high-performance liquid chromatography stationary phase for protein and polymeric nanoparticle separation. 2008 , 1182, 128-31		31

1906	Functionalized temperature-sensitive copolymer for tissue engineering of articular cartilage and meniscus. 2008 , 313-314, 254-259	17
1905	Poly(N-isopropylacrylamide) thermoresponsive cross-linked conjugates containing polymeric soybean oil and/or polypropylene glycol. 2008 , 44, 1701-1713	52
1904	Stimuli-responsive poly(ethylene oxide)-b-poly(2-vinylpyridine)-b-poly(ethylene oxide) triblock copolymers and complexation with poly(acrylic acid) at low pH. 2008 , 27, 335-343	12
1903	pH- and temperature-sensitive multiblock copolymer hydrogels composed of poly(ethylene glycol) and poly(amino urethane). 2008 , 49, 4968-4973	82
1902	Disordered Phase and Self-Organization of Block Copolymer Systems. 2008 , 133-189	4
1901	Clickable Polyglycolides: Tunable Synthons for Thermoresponsive, Degradable Polymers. 2008 , 41, 1937-1944	163
1900	In situ gelling stimuli-sensitive block copolymer hydrogels for drug delivery. 2008 , 127, 189-207	693
1899	The targeted behavior of thermally responsive nanohydrogel evaluated by NIR system in mouse model. 2008 , 131, 34-40	86
1898	Nanotechnology in regenerative medicine: the materials side. 2008 , 26, 39-47	244
1897	A Thermoreversible Micellization Transfer Demicellization Shuttle between Water and an Ionic Liquid. 2008 , 41, 6615-6617	51
1896	Folate-conjugated thermoresponsive block copolymers: highly efficient conjugation and solution self-assembly. 2008 , 9, 1064-70	189
1895	Tacticity Effects on the Phase Diagram for Poly(N-isopropylacrylamide) in Water. 2008 , 41, 5955-5956	67
1894	Synthesis and characterization of injectable, thermally and chemically gelable, amphiphilic poly(N-isopropylacrylamide)-based macromers. 2008 , 9, 1558-70	87
1893	Pseudo-Block Copolymer Based on Star-Shaped Poly(N-isopropylacrylamide) with a Cyclodextrin Core and Guest-Bearing PEG: Controlling Thermoresponsivity through Supramolecular Self-Assembly. 2008 , 41, 5967-5970	138
1892	Allosteric actuation of inverse phase transition of a stimulus-responsive fusion polypeptide by ligand binding. 2008 , 130, 17867-73	32
1891	pH-Responsive branched polymernanoparticles. 2008 , 4, 985-992	63
1890	Wettability switching between high hydrophilicity at low pH and high hydrophobicity at high pH on surface based on pH-responsive polymer. 2008 , 1199-201	84
1889	Novel chromatographic separation The potential of smart polymers. 2008 , 9, 232-242	55

1888	Chitosan derivatives obtained by chemical modifications for biomedical and environmental applications. 2008 , 43, 401-14	594
1887	Solvent fuming dual-responsive switching of both wettability and solid-state luminescence in silole film. 2008 , 24, 2157-61	35
1886	Thermoresponsive Dendronized Polymers. 2008 , 41, 3659-3667	140
1885	Tuning the LCST of poly(2-oxazoline)s by varying composition and molecular weight: alternatives to poly(N-isopropylacrylamide)?. 2008 , 5758-60	284
1884	Polymeric nanocarriers possessing thermoresponsive coronas. 2008 , 4, 1745	67
1883	Strategies to improve the response rate of thermosensitive hydrogels. 2008 , 4, 385-391	135
1882	Association and Aggregation Behavior of Poly(ethylene oxide)-b-Poly (N-isopropylacrylamide) in Aqueous Solution. 2008 , 41, 4908-4913	95
1881	Temperature- and pH-Responsive Dense Copolymer Brushes Prepared by ATRP. 2008 , 41, 7013-7020	157
1880	Fine-tuning the transition temperature of a stimuli-responsive polymer by a simple blending procedure. 2008 , 2230-2	42
1879	Surface-enhanced Raman nanoparticle beacons based on bioconjugated gold nanocrystals and long range plasmonic coupling. 2008 , 130, 14934-5	214
1878	Tuning Micellization and Dissociation Transitions of Thermo- and pH-Sensitive Poly(ethylene oxide)-b-poly(methoxydi(ethylene glycol) methacrylate-co-methacrylic acid) in Aqueous Solution by Combining Temperature and pH Triggers. 2008 , 41, 9366-9375	77
1877	Photoresponsive Molecularly Imprinted Hydrogels for the Photoregulated Release and Uptake of Pharmaceuticals in the Aqueous Media. 2008 , 20, 1353-1358	117
1876	Control of Oligonucleotide Distribution on the Shell of Thermo-responsive Polymer Nanoparticles. 2008 , 112, 16331-16339	15
1875	AB ₂ + A Type Copolymerization Approach for the Preparation of Thermosensitive PEGylated Hyperbranched Polymers. 2008 , 41, 5658-5664	30
1874	Effects of graft densities and chain lengths on separation of bioactive compounds by nanolayered thermoresponsive polymer brush surfaces. 2008 , 24, 511-7	150
1873	3D Directional Temperature Responsive (N-(dl)-(1-Hydroxymethyl) Propylmethacrylamide-co-n-butyl Acrylate) Colloids and Their Coalescence. 2008 , 41, 352-360	21
1872	Bis-Hydrophilic Block Terpolymers via RAFT Polymerization: Toward Dynamic Micelles with Tunable Corona Properties. 2008 , 41, 8608-8619	40
1871	Molecular understanding of the UCST-type phase separation behavior of a stereocontrolled poly(N-isopropylacrylamide) in bis(2-methoxyethyl) ether. 2008 , 112, 10854-60	40

1870	Copolymers and Hydrogels Based on Vinylphosphonic Acid. 2008 , 41, 2785-2790	23
1869	Multiple Micellization and Dissociation Transitions of Thermo- and Light-Sensitive Poly(ethylene oxide)-b-poly(ethoxytri(ethylene glycol) acrylate-co-o-nitrobenzyl acrylate) in Water. 2008 , 41, 2632-2643	178
1868	Direct Synthesis of Well-Defined Heterotelechelic Polymers for Bioconjugations. 2008 , 41, 5641-5650	150
1867	Libraries of Statistical Hydroxypropyl Acrylate Containing Copolymers with LCST Properties Prepared by NMP. 2008 , 41, 5132-5140	102
1866	Stereochemical Effect of Trans/Cis Isomers on the Aqueous Solution Properties of Acid-Labile Thermoresponsive Polymers. 2008 , 41, 5433-5440	34
1865	Surface-confined photopolymerization of pH-responsive acrylamide/acrylate brushes on polymer thin films. 2008 , 24, 7559-64	21
1864	Advanced Polymer Architectures with Stimuli-Responsive Properties Starting from Inimers. 2008 , 41, 2593-2606	27
1863	Self-assembly behavior of A-B diblock and C-D random copolymer mixtures in the solution state through mediated hydrogen bonding. 2008 , 24, 7727-34	35
1862	Dual Temperature and pH Responsiveness of Poly(2-(N,N-dimethylamino)ethyl methacrylate-co-n-butyl acrylate) Colloidal Dispersions and Their Films. 2008 , 41, 6531-6539	62
1861	Separation Promoted by Molecular Recognition of a Core Engineered Macromolecular Nanocapsule. 2008 , 41, 7787-7789	46
1860	Multiphoton fabrication of chemically responsive protein hydrogels for microactuation. 2008 , 105, 8850-4	155
1859	Nanoparticles Comprising pH/Temperature-Responsive Amphiphilic Block Copolymers and Their Applications in Biotechnology. 31-63	1
1858	Polystyrene microbeads modified with an elastin-like biopolymer for stimuli-responsive immunodetection. 2008 , 19, 863-73	1
1857	Thermal- and pH-Responsive Degradable Polymers. 2008 , 41, 18-20	45
1856	Diversity of Nanostructured Self-Assemblies from a pH-Responsive ABC Terpolymer in Aqueous Media. 2008 , 41, 925-934	47
1855	Kinetic Study of Bovine Serum Albumin (BSA) Released from Alginate-Ca ²⁺ /PNIPAAm Hydrogels. 2008 , 266, 108-113	12
1854	Smart Hydrogel Materials. 2008 ,	1
1853	. 2008 ,	15

1852	. 2009 ,	171
1851	Temperature-responsive intelligent interfaces for biomolecular separation and cell sheet engineering. 2009 , 6 Suppl 3, S293-309	198
1850	Stimuli-Sensitive Behaviour of Binary Graft Co-polymers (PP-g-DMAEMA)-g-NIPAAm and (PP-g-4VP)-g-NIPAAm in Acidic and Basic Medium. 2009 , 12, 99-108	13
1849	In vivo anti-tumor efficacy of docetaxel-loaded thermally responsive nanohydrogel. 2009 , 20, 325102	29
1848	Modulation of the release from a w/o/w multiple emulsion by controlling the viscoelastic properties of the two interfaces. 2009 , 19, 197-203	4
1847	Fluorescence of oligonucleotides adsorbed onto the thermoresponsive poly(isopropyl acrylamide) shell of polymer nanoparticles: Application to bioassays. 2009 , 81, 1615-1634	6
1846	Bioinspired Polymers. 2009 ,	
1845	pH-Controlled drug release from mesoporous silica tablets coated with hydroxypropyl methylcellulose phthalate. 2009 , 44, 606-612	66
1844	PEG-based thermogels: applicability in physiological media. 2009 , 140, 224-9	88
1843	Temperature-Sensitive Simultaneous Interpenetrating Polymeric Networks With Improved Mechanical Properties and Shrinking Kinetics. 2009 , 11, B12-B19	8
1842	Rational Design of Conjugated Polymer Supramolecules with Tunable Colorimetric Responses. 2009 , 19, 1483-1496	145
1841	Functionalized Siloles: Versatile Synthesis, Aggregation-Induced Emission, and Sensory and Device Applications. 2009 , 19, 905-917	300
1840	Thermo-Switchable Charge Transport and Electrocatalysis Using Metal-Ion-Modified pNIPAM-Functionalized Electrodes. 2009 , 19, 2474-2480	39
1839	Temperature- and pH-Sensitive Multicolored Micellar Complexes. 2009 , 21, 2402-2406	48
1838	Chemical vapor deposition of conformal, functional, and responsive polymer films. 2010 , 22, 1993-2027	286
1837	Hybrid polymerization of vinyl and hetero-ring groups of glycidyl methacrylate resulting in thermoresponsive hyperbranched polymers displaying a wide range of lower critical solution temperatures. 2009 , 15, 7593-600	38
1836	Aqueous networks and toroids of amphiphilic block copolymer with non-ionic surfactants. 2009 , 10, 1190-4	11
1835	Electrosynthesis of hydrogel films on metal substrates for the development of coatings with tunable drug delivery performances. 2009 , 88, 1048-57	30

1834	Thermo-Responsive Copolymers Based on Poly(N-isopropylacrylamide) and Poly[2-(methacryloyloxy)ethyl phosphorylcholine]: Light Scattering and Microscopy Experiments. 2009 , 210, 1726-1733	3
1833	Poly(allylamine)-graft-poly(N-isopropylacrylamide)/Poly(styrene sulfonate) Sodium Salt Multilayers: Buildup, Wettability, and Mechanical Properties. 2009 , 210, 2022-2028	5
1832	In situ Synthesis of Magnetic Iron Oxide Nanoparticles in Thermally Responsive Alginate-Poly(N-isopropylacrylamide) Semi-Interpenetrating Polymer Networks. 2009 , 30, 176-81	80
1831	Modular Synthesis of Thermosensitive P(NIPAAm-co-HEMA)/ β CD Based Hydrogels via Click Chemistry. 2009 , 30, 157-64	46
1830	Supramolecular self-assembly of nonlinear amphiphilic and double hydrophilic block copolymers in aqueous solutions. 2009 , 30, 1523-32	97
1829	Nitroxide-mediated copolymerization of 2-hydroxyethyl acrylate and 2-hydroxypropyl acrylate: copolymerization kinetics and thermoresponsive properties. 2009 , 30, 2042-8	41
1828	Thermo-responsive polyoxazolines with widely tuneable LCST. 2009 , 9, 157-61	164
1827	Hybrid multicomponent hydrogels for tissue engineering. 2009 , 9, 140-56	213
1826	Glucose responsive hydrogel networks based on protein recognition. 2009 , 9, 864-8	54
1825	Polymer-peptide block copolymers - an overview and assessment of synthesis methods. 2009 , 9, 939-51	52
1824	Soluble Polymeric Dual Sensor for Temperature and pH Value. 2009 , 121, 5763-5766	27
1823	Poly(2-oxazoline): eine Polymerklasse mit vielfältigen Anwendungsmöglichkeiten. 2009 , 121, 8122-8138	36
1822	Soluble polymeric dual sensor for temperature and pH value. 2009 , 48, 5653-6	140
1821	Poly(2-oxazoline)s: a polymer class with numerous potential applications. 2009 , 48, 7978-94	684
1820	New binary thermoresponsive polymeric system for local chemoradiotherapy. 2009 , 111, 2220-2228	15
1819	Synthesis of thermosensitive glycopolymers containing D-glucose residue: Copolymers with N-isopropylacrylamide. 2009 , 111, 2607-2615	8
1818	Thermochromic core-shell nanofibers fabricated by melt coaxial electrospinning. 2009 , 112, 269-274	67
1817	Fabrication of pH-responsive molecularly imprinted polyethersulfone particles for bisphenol-A uptake. 2009 , 113, 916-921	29

1816	Swelling properties of CMC-g-poly (AAm-co-AMPS) superabsorbent hydrogel. 2009 , 113, 3442-3449	56
1815	Polypeptide hybrid copolymers as selective micellar nanocarriers in nonaqueous media. 2009 , 287, 1295-1304	4
1814	Preparation and evaluation of thermo-reversible copolymer hydrogels containing chitosan and hyaluronic acid as injectable cell carriers. 2009 , 50, 107-116	100
1813	Preparation of the stimuli-responsive ZnS/PNIPAM hollow spheres. 2009 , 50, 1246-1250	16
1812	Synthesis and characterization of poly(4-acetyl acryloyl ethyl acetate-co-acrylic acid) novel temperature/pH-sensitive hydrogels. 2009 , 140, 155-161	10
1811	Smart core/shell nanocomposites: intelligent polymers modified gold nanoparticles. 2009 , 149, 28-38	218
1810	Preparations and temperature-dependent release properties of Pluronic F127-containing microcapsules prepared by a double emulsion technique. 2009 , 15, 758-762	15
1809	Preparation and properties of a novel thermo-responsive poly(N-isopropylacrylamide) hydrogel containing glycyrrhetic acid. 2009 , 44, 4078-4086	15
1808	Hydrogel-based microsensors for wireless chemical monitoring. 2009 , 11, 529-38	48
1807	A monolithic polymeric microdevice for pH-responsive drug delivery. 2009 , 11, 1251-7	31
1806	A novel reversible pH-triggered release immobilized enzyme system. 2009 , 158, 747-60	9
1805	Recent developments in intelligent biomedical polymers. 2009 , 52, 117-130	14
1804	MPEG-b-poly(amino urethane) amphiphilic block copolymers and their pH-Dependent micellization behavior. 2009 , 17, 58-61	2
1803	Synthesis and properties of amino acid-derived optically active photo-responsive polymers. 2009 , 63, 803-813	8
1802	Stability of thermoresponsive methylcellulose thin film: x-ray reflectivity study. 2009 , 38, 376-381	4
1801	Swelling and hydrolytic degradation behaviour of pH-responsive hydrogels of poly[(N-isopropylacrylamide)-co-(methacrylic acid)] crosslinked by biodegradable polycaprolactone chains. 2009 , 58, 362-367	20
1800	Synthesis, characterization, and drug release behaviors of a novel thermo-sensitive poly(N-acryloylglycinates). 2009 , 21, n/a-n/a	14
1799	Phosphorus containing hydrogels. 2009 , 20, 707-722	16

1798	Linear and comb-like acrylonitrile/N-isopropylacrylamide copolymers synthesized by the combination of RAFT polymerization and ATRP. 2009 , 47, 92-102	22
1797	Poly(ether tert-amine): A novel family of multiresponsive polymer. 2009 , 47, 1292-1297	29
1796	Poly(N,N-dimethylacrylamide) hydrogels obtained by frontal polymerization. 2009 , 47, 1422-1428	54
1795	Complex micelles formed from two diblock copolymers for applications in controlled drug release. 2009 , 47, 1804-1810	32
1794	Synthesis and characterization of pH sensitive poly(glycidol)-b-poly(4-vinylpyridine) block copolymers. 2009 , 47, 1782-1794	25
1793	Facile synthesis of triple-stimuli (photo/pH/thermo) responsive copolymers of 2-diazo-1,2-naphthoquinone-mediated poly(N-isopropylacrylamide-co-N-hydroxymethylacrylamide). 2009 , 47, 2763-2773	35
1792	Unexpected reactivity for the RAFT copolymerization of oligo(ethylene glycol) methacrylates. 2009 , 47, 2811-2820	38
1791	Synthesis and properties of chitosan-based thermo- and pH-responsive nanoparticles and application in drug release. 2009 , 47, 2798-2810	45
1790	Dual responsive poly(N-isopropylacrylamide) hydrogels having spironaphthoxazines as pendant groups. 2009 , 47, 3318-3325	29
1789	PPEGMEA-g-PDEAEMA: Double hydrophilic double-grafted copolymer stimuli-responsive to both pH and salinity. 2009 , 47, 3142-3153	38
1788	AB2-type amphiphilic block copolymers composed of poly(ethylene glycol) and poly(N-isopropylacrylamide) via single-electron transfer living radical polymerization: Synthesis and characterization. 2009 , 47, 4420-4427	70
1787	Synthesis and thermoresponsive behaviors of biodegradable Pluronic analogs. 2009 , 47, 6168-6179	16
1786	Multistimuli responsive grafted poly(ether tert-amine) (gPEA): Synthesis, characterization and controlled morphology in aqueous solution. 2009 , 47, 6353-6361	16
1785	Synthesis of an oligo(ethylene glycol)-based third-generation thermoresponsive dendronized polymer. 2009 , 47, 6630-6640	63
1784	Analysis of poly(N-isopropylacrylamide) grafted onto the surface of PET films by SI-ATRP technique. 2009 , 29, 594-598	28
1783	Synthesis and phase separation of amine-functional temperature responsive copolymers based on poly(N-isopropylacrylamide). 2009 , 45, 1260-1269	17
1782	Temperature- and pH-sensitive nylon membranes prepared via consecutive surface-initiated atom transfer radical graft polymerizations. 2009 , 342, 300-306	73
1781	Biomedical nanoparticle carriers with combined thermal and magnetic responses. 2009 , 4, 52-65	250

1780	Preparation and characterization of thermo-responsive PDMS surfaces grafted with poly(N-isopropylacrylamide) by benzophenone-initiated photopolymerization. 2009 , 332, 85-90	45
1779	Aggregation in dilute solutions of high molar mass poly(ethylene) oxide and its effect on polymer turbulent drag reduction. 2009 , 50, 261-270	42
1778	UV-assisted synthesis of super-macroporous polymer hydrogels. 2009 , 50, 1118-1123	60
1777	Smart organic/inorganic nanohybrid stars based on star-shaped poly(acrylic acid) and functional silsesquioxane nanoparticles. 2009 , 50, 1908-1917	8
1776	Temperature-sensitive and highly water-soluble titanate nanotubes. 2009 , 50, 2572-2577	8
1775	pH- and thermo-multi-responsive fluorescent micelles from block copolymers via reversible addition fragmentation chain transfer (RAFT) polymerization. 2009 , 50, 4151-4158	45
1774	Size-controllable gold nanoparticles stabilized by PDEAEMA-based double hydrophilic graft copolymer. 2009 , 50, 3990-3996	35
1773	Catalytic activity of a thermosensitive hydrophilic diblock copolymer-supported 4-N,N-dialkylaminopyridine in hydrolysis of p-nitrophenyl acetate in aqueous buffers. 2009 , 50, 4363-4371	22
1772	Water-Polymer interactions in PVME hydrogels [Raman spectroscopy studies. 2009 , 50, 4535-4542	31
1771	The incorporation of metal cations into polymer backbones: An important consideration in the interpretation of ESI-MS spectra. 2009 , 50, 5175-5180	8
1770	pH-sensitive and bioadhesive poly(β-amino ester)-b-poly(ethylene glycol)-b-poly(β-amino ester) triblock copolymer hydrogels with potential for drug delivery in oral mucosal surfaces. 2009 , 50, 5205-5210	64
1769	Bioactive surfaces and biomaterials via atom transfer radical polymerization. <i>Progress in Polymer Science</i> , 2009 , 34, 719-761	29.6 327
1768	Radiation-grafting of 4-vinylpyridine and N-isopropylacrylamide onto polypropylene to give novel pH and thermo-sensitive films. 2009 , 78, 1-7	39
1767	In situ formation of thermosensitive P(NIPAAm-co-GMA)/PEI hydrogels. 2009 , 69, 14-19	23
1766	Y-shaped block copolymers of poly(ethylene glycol) and poly(N-isopropylacrylamide) synthesized by ATRP. 2009 , 20, 1353-1356	7
1765	Porous film fabricated by a thermoresponsive polymer poly(N-isopropylacrylamide-co-butylmethacrylate) with enhanced hydrophobicity. 2009 , 346, 164-169	3
1764	pH-responsive self-assembly and conformational transition of partially propyl-esterified poly(α,β-L-aspartic acid) as amphiphilic biodegradable polyanion. 2009 , 68, 13-9	18
1763	The control of cell adhesion and detachment on thin films of thermoresponsive poly[(N-isopropylacrylamide)-r-(3-(methacryloylamino)propyl)-dimethyl(3-sulfopropyl)ammonium hydroxide]. 2009 , 30, 5514-22	46

1762	Frontal polymerization as a new method for developing drug controlled release systems (DCRS) based on polyacrylamide. 2009 , 45, 690-699	56
1761	Effects of microstructure, crosslinking density, temperature and exterior load on dynamic pH-response of hydrolyzed polyacrylonitrile-blend-gelatin hydrogel fibers. 2009 , 45, 1706-1715	9
1760	Swelling behaviour of thermo-sensitive hydrogels based on oligo(ethylene glycol) methacrylates. 2009 , 45, 3418-3425	46
1759	Gold nanoparticles stabilized by thermosensitive diblock copolymers of poly(ethylene glycol) and polyphosphoester. 2009 , 25, 10298-304	26
1758	Synthesis and Self-Assembly of Coil-Rod Double Hydrophilic Diblock Copolymer with Dually Responsive Asymmetric Centipede-Shaped Polymer Brush as the Rod Segment. 2009 , 42, 2916-2924	102
1757	Stimuli-Responsive and Active Polymers in Drug Delivery. 61-88	
1756	Tuning the thickness of polymer brushes grafted from nonlinearly growing multilayer assemblies. 2009 , 25, 5949-56	28
1755	Mixed Polymer Brush-Grafted Particles: A New Class of Environmentally Responsive Nanostructured Materials. 2009 , 42, 9369-9383	175
1754	Antiplatelet and thermally responsive poly(N-isopropylacrylamide) surface with nanoscale topography. 2009 , 131, 10467-72	183
1753	Preparation of PVDF Microfiltration Membranes with Thermo-responsive PNIPAM Hydrogel Composite Particles. 2009 , 16, 329-336	2
1752	Smart organic-inorganic nanohybrids based on amphiphilic block copolymer micelles and functional silsesquioxane nanoparticles. 2009 , 25, 3407-17	15
1751	Stimuli-Induced Multiple Sol-Gel Transitions of Aqueous Solution of a Thermo- and Light-Sensitive Hydrophilic Block Copolymer. 2009 , 42, 8468-8476	56
1750	Injectable poly(amidoamine)-poly(ethylene glycol)-poly(amidoamine) triblock copolymer hydrogel with dual sensitivities: pH and temperature. 2009 , 10, 728-31	69
1749	Nonpolymeric thermosensitive supramolecules. 2009 , 131, 16666-8	58
1748	New Thermal Transitions in Stimuli-Responsive Copolymer Films. 2009 , 42, 2161-2167	21
1747	Toward the development of partially biodegradable and injectable thermoresponsive hydrogels for potential biomedical applications. 2009 , 1, 319-27	69
1746	Thermo- and pH-Responsive Dendronized Copolymers of Styrene and Maleic Anhydride Pendant with Poly(amidoamine) Dendrons as Side Groups. 2009 , 42, 4273-4281	66
1745	Shape-Memory Polymers and Shape-Changing Polymers. 2009 , 1-40	61

1744	Smart responsive surfaces switching reversibly between super-hydrophobicity and super-hydrophilicity. 2009 , 5, 275-281	157
1743	Stimuli-responsive polymers and their applications in drug delivery. 2009 , 4, 022001	456
1742	pH-Responsive Drug Release from Polymer-Coated Mesoporous Silica Spheres. 2009 , 113, 12753-12758	113
1741	Thermodynamics and mechanism of the block copolymer micelle shuttle between water and an ionic liquid. 2009 , 113, 14151-7	50
1740	Synthesis and Property of Photo- and Temperature- Dual-Responsive Amphiphilic Block Copolymers. 2009 , 87-88, 47-51	
1739	Synthesis and Property of Y-Shaped Thermoresponsive Block Copolymers. 2009 , 79-82, 1623-1626	
1738	Dual-thermoresponsive phase behavior of blood compatible zwitterionic copolymers containing nonionic poly(N-isopropyl acrylamide). 2009 , 10, 2092-100	107
1737	RAFT Polymerization of N-Vinylimidazolium Salts and Synthesis of Thermoresponsive Ionic Liquid Block Copolymers. 2009 , 42, 8082-8092	172
1736	Tailor Made Side-Chain Functionalized Macromolecules by Combination of Controlled Radical Polymerization and Click Chemistry. 2009 , 275-276, 73-81	20
1735	Stimuli responsive hydrogels prepared by frontal polymerization. 2009 , 10, 2672-7	90
1734	Multistep Thermosensitivity of Poly(N-n-propylacrylamide)-block-poly(N-isopropylacrylamide)-block-poly(N,N-ethylmethacrylamide) Triblock Terpolymers in Aqueous Solutions As Studied by Static and Dynamic Light Scattering. 2009 , 42, 2715-2720	42
1733	Is a "cloud-point curve" in aqueous poly(N-isopropylacrylamide) solution binodal?. 2009 , 113, 5440-7	32
1732	Magnetic hydrogel nanocomposites as remote controlled microfluidic valves. 2009 , 9, 1773-9	119
1731	Stimuli-responsive hydrogel membranes coupled with biocatalytic processes. 2009 , 1, 532-6	141
1730	Temperature sensitive copolymer microgels with nanophase separated structure. 2009 , 131, 3093-7	88
1729	Switchable selectivity for gating ion transport with mixed polyelectrolyte brushes: approaching 'smart' drug delivery systems. 2009 , 20, 434006	84
1728	Tunable Thermosensitivity of Biodegradable Polymer Micelles of Poly(ϵ -caprolactone) and Polyphosphoester Block Copolymers. 2009 , 42, 3026-3032	91
1727	Molecular-engineered stimuli-responsive thin polymer film: a platform for the development of integrated multifunctional intelligent materials. 2009 , 19, 6932	95

1726	Design of Oligo(ethylene glycol)-Based Thermoresponsive Polymers: an Optimization Study. 2009 , 12, 343-353	75
1725	A novel biodegradable and thermosensitive polymer with PEG-analogue macromolecular structure. 2009 , 4411-3	20
1724	Stimuli-Responsive Nanoparticles Based on Interaction of Metallocarborane with Poly(ethylene oxide). 2009 , 42, 4829-4837	35
1723	Elastomers with Reversible Nanoporosity. 2009 , 42, 5636-5641	7
1722	Temperature-induced intracellular uptake of thermoresponsive polymeric micelles. 2009 , 10, 1331-6	127
1721	Effect of monomer structure on the gelation of a class of metallo-supramolecular polymers. 2009 , 5, 4647	43
1720	Hydrogel encapsulated magnetic nanoparticles as hyperthermic actuators for microrobots designed to operate in the vascular network. 2009 ,	3
1719	Synthesis, thermomorphic characteristics, and fluorescent properties of poly[2,7-(9,9-dihexylfluorene)]-block-poly(N-isopropylacrylamide)-block-poly(N-hydroxyethylacrylamide) rod-coil-coil triblock copolymers. 2009 , 5, 3761	53
1718	A schizophrenic gradient copolymer: switching and reversing poly(2-oxazoline) micelles based on UCST and subtle solvent changes. 2009 , 5, 3590	67
1717	Synthesis and supramolecular self-assembly of stimuli-responsive water-soluble Janus-type heteroarm star copolymers. 2009 , 5, 3932	67
1716	Thermoresponsive hydrogel with embedded magnetic nanoparticles for the implementation of shrinkable medical microrobots and for targeting and drug delivery applications. 2009 , 2009, 4246-9	3
1715	Smart nanofibers from combined living radical polymerization, "click chemistry", and electrospinning. 2009 , 1, 239-43	98
1714	Lower Critical Solution Temperature Behavior of Comb and Graft Shaped Poly[oligo(2-ethyl-2-oxazoline)methacrylate]s. 2009 , 42, 2965-2971	128
1713	Dual-Stimuli-Responsive Block Copolymers Derived from Proline Derivatives. 2009 , 42, 4985-4992	52
1712	Synthesis of Smart Materials by ATRP of Oligo(Ethylene Glycol) Methacrylates. 2009 , 37-47	3
1711	Novel methods of targeted drug delivery: the potential of multifunctional nanoparticles. 2009 , 2, 265-82	26
1710	Design of Thermoresponsive Materials by ATRP of Oligo(ethylene glycol)-based (Macro)monomers. 2009 , 189-202	26
1709	Synthesis and Characterization of Hyperbranched Poly(ether amide)s with Thermoresponsive Property and Unexpected Strong Blue Photoluminescence. 2009 , 42, 3237-3246	85

1708	Cylindrical Molecular Brushes of Poly(2-oxazoline)s from 2-Isopropenyl-2-oxazoline. 2009 , 42, 2215-2221	109
1707	Thermo- and Light-Responsive Polymers Containing Photoswitchable Azobenzene End Groups. 2009 , 42, 7854-7862	177
1706	Aqueous Solution Properties of Poly(N-isopropylacrylamide). 2009 , 66, 273-288	2
1705	Fabrication of a Thermoresponsive Surface by Photocrosslinking Amphiphilic Poly(amino acid)s. 2009 , 38, 1068-1069	
1704	Thermoresponsive Biointerface with a Elastin Model Peptide. 2010 , 67, 584-589	
1703	Phase separation in aqueous solutions of polyethylaminophosphazene hydrochloride during heating. 2010 , 52, 1220-1227	6
1702	A review of multi-responsive membranous systems for rate-modulated drug delivery. 2010 , 11, 441-59	49
1701	Polymers for drug delivery systems. 2010 , 1, 149-73	929
1700	Controlled polymer synthesis--from biomimicry towards synthetic biology. 2010 , 39, 286-300	62
1699	Thermoresponsive hybrid microgel particles with intrinsic optical and magnetic anisotropy. 2010 , 6, 2174	60
1698	Synthesis and characteristics of pH-sensitive semi-interpenetrating polymer network hydrogels based on konjac glucomannan and poly(aspartic acid) for in vitro drug delivery. 2010 , 79, 500-506	87
1697	Theoretical description of a responsive magneto-hydrogel transduction principle. 2010 , 158, 240-248	14
1696	Effect of heating rate on thermo-induced aggregation of poly(ethylene oxide)-b-poly(N-isopropylacrylamide) in aqueous solutions. 2010 , 28, 437-447	8
1695	Drug delivery systems: Advanced technologies potentially applicable in personalized treatments. 2010 , 1, 164-209	221
1694	Biodegradable pH- and temperature-sensitive multiblock copolymer hydrogels based on poly(amino-ester urethane)s. 2010 , 18, 974-980	23
1693	Thermo-responsive stick-slip behavior of advancing water contact angle on the surfaces of poly(N-isopropylacrylamide)-grafted polypropylene membranes. 2010 , 53, 183-189	8
1692	Photocatalytic oxidation of 4-chlorophenol using thermosensitive zinc phthalocyanine copolymer under visible light irradiation. 2010 , 53, 638-644	10
1691	Stimulus-responsive polymeric nanoparticles for biomedical applications. 2010 , 53, 447-457	49

- 1690 Synthesis and characterization of a thermo-sensitive poly(N-methyl acryloylglycine methyl ester) used as a drug release carrier. **2010**, 4, 164-170
- 1689 Surface behavior and micelle morphology of novel nonionic polyurethane bolaform amphiphilic block copolymers. **2010**, 17, 911-921 14
- 1688 Radiation-induced grafting of stimuli-responsive binary monomers: PDMAEMA/PEGMEMA onto PP films. **2010**, 283, 559-563 6
- 1687 Room temperature synthesis of an optically and thermally responsive hybrid PNIPAM/gold nanoparticle. **2010**, 12, 1401-1414 16
- 1686 Hard and soft micro- and nanofabrication: An integrated approach to hydrogel-based biosensing and drug delivery. **2010**, 141, 303-313 75
- 1685 Hydroxy functional acrylate and methacrylate monomers prepared via lipase-catalyzed transacylation reactions. **2010**, 62, 80-89 14
- 1684 Photocatalytic treatment of acidic waste water by electrospun composite nanofibers of pH-sensitive hydrogel and TiO₂. **2010**, 64, 2431-2434 63
- 1683 NGF release from thermo-responsive collagen-polyNIPAAm polymer networks supports neuronal cell growth and differentiation. **2010**, 94, 457-65 14
- 1682 Evaluation of the biocompatibility of novel peptide hydrogel in rabbit eye. **2010**, 93, 324-32 28
- 1681 Remotely triggerable drug delivery systems. **2010**, 22, 4925-43 498
- 1680 A pH-responsive gate fabricated with nanochannels and nanoparticles. **2010**, 16, 1441-4 7
- 1679 Elastin-like polypeptides: biomedical applications of tunable biopolymers. **2010**, 94, 60-77 297
- 1678 Synthesis and self-assembling behaviors of biotinylated pluronic/poly(lactic acid) biocompatible block copolymers in aqueous solutions. **2010**, 115, 1573-1580 11
- 1677 Plasma-induced, solid-state polymerization of N-isopropylacrylamide. **2010**, 115, 3311-3320 8
- 1676 Hydrogel-MWCNT nanocomposites: Synthesis, characterization, and heating with radiofrequency fields. **2010**, 117, NA-NA 20
- 1675 Synthesis and characterization of temperature-sensitive block copolymers from poly(N-isopropylacrylamide) and 4-methyl-ε-caprolactone or 4-phenyl-ε-caprolactone. **2010**, 118, n/a-n/a 5
- 1674 The Effect of Hofmeister Salts on the LCST Transition of Poly(2-oxazoline)s with Varying Hydrophilicity. **2010**, 31, 724-8 126
- 1673 A Novel Approach for the Desalination of Seawater by Means of Reusable Poly(acrylic acid) Hydrogels and Mechanical Force. **2010**, 31, 1337-42 49

1672	Light-responsive block copolymers. 2010 , 31, 1588-607		277
1671	PNIPAM Copolymers Containing Light-Responsive Chromophores: A Method Toward Molecular Logic Gates. 2010 , 31, 1456-61		37
1670	Fabrication of a thermoresponsive biohybrid double hydrophilic block copolymer by a cofactor reconstitution approach. 2010 , 31, 2070-6		17
1669	Sharp Hydrophilicity Switching and Conformality on Nanostructured Surfaces Prepared via Initiated Chemical Vapor Deposition (iCVD) of a Novel Thermally Responsive Copolymer. 2010 , 31, 2166-72		43
1668	Biodegradable and electroactive TEMPO-substituted acrylamide/lactide copolymers. 2010 , 10, 1203-9		18
1667	Biodistribution of a radiolabelled thermoresponsive polymer in mice. 2010 , 68, 1073-8		16
1666	Optical properties and electric conductivity of gold nanoparticle-containing, hydrogel-based thin layer composite films obtained by photopolymerization. 2010 , 256, 2809-2817		33
1665	Stimuli-responsive nanoparticles, nanogels and capsules for integrated multifunctional intelligent systems. <i>Progress in Polymer Science</i> , 2010 , 35, 174-211	29.6	653
1664	Future perspectives and recent advances in stimuli-responsive materials. <i>Progress in Polymer Science</i> , 2010 , 35, 278-301	29.6	1172
1663	Stimuli-responsive molecular brushes. <i>Progress in Polymer Science</i> , 2010 , 35, 24-44	29.6	541
1662	Stimulus-responsive polymer brushes on surfaces: Transduction mechanisms and applications. <i>Progress in Polymer Science</i> , 2010 , 35, 94-112	29.6	316
1661	Thermoresponsive surfaces for cell culture and enzyme-free cell detachment. <i>Progress in Polymer Science</i> , 2010 , 35, 1311-1324	29.6	101
1660	PP films grafted with N-isopropylacrylamide and N-(3-aminopropyl) methacrylamide by γ radiation: synthesis and characterization. 2010 , 79, 615-621		15
1659	Synthesis, characterisation and solution thermal behaviour of a family of poly (N-isopropyl acrylamide-co-N-hydroxymethyl acrylamide) copolymers. 2010 , 70, 230-237		32
1658	Thermogelation properties of poly(N-isopropylacrylamide) β block β poly(ethylene glycol) β block β poly(N-isopropylacrylamide) triblock copolymer aqueous solutions. 2010 , 70, 790-797		35
1657	Micelle-like nanoparticles of block copolymer poly(ethylene oxide)-block-poly(methacrylic acid) incorporating fluorescently substituted metallacarboranes designed as HIV protease inhibitor interaction probes. 2010 , 348, 129-36		16
1656	Synthesis of Y-shaped poly(solketal acrylate)-containing block copolymers and study on the thermoresponsive behavior for micellar aggregates. 2010 , 352, 405-14		19
1655	Schizophrenic copolymer from natural biopolymer by facile grafting. 2010 , 51, 890-896		14

1654	pH-dependent self-assembly of amphiphilic poly(l-glutamic acid)-block-poly(lactic-co-glycolic acid) copolymers. 2010 , 51, 2676-2682	22
1653	RAFT polymerization of N,N-diethylacrylamide: Influence of chain transfer agent and solvent on kinetics and induction period. 2010 , 51, 2947-2953	23
1652	Self-assembly of pH-responsive and fluorescent comb-like amphiphilic copolymers in aqueous media. 2010 , 51, 3377-3386	37
1651	Synthesis and physical gels of pH- and thermo-responsive tertiary amine methacrylate based ABA triblock copolymers and drug release studies. 2010 , 51, 3618-3626	54
1650	Surface hydration: Principles and applications toward low-fouling/nonfouling biomaterials. 2010 , 51, 5283-5293	1140
1649	Synthesis and characterization of dual stimuli-responsive block copolymers based on poly(N-isopropylacrylamide)-b-poly(pseudoamino acid). 2010 , 51, 5942-5951	29
1648	Shear induced loss of saturation in a fluid infused swollen hyperelastic cylinder. 2010 , 48, 624-646	12
1647	Study on the sol-gel transition of xyloglucan hydrogels. 2010 , 80, 555-562	42
1646	Temperature- and pH-responsive behaviour of poly(2-(2-methoxyethoxy)ethyl methacrylate-co-N,N-dimethylaminoethyl methacrylate) hydrogels. 2010 , 46, 2156-2163	53
1645	Thermodynamics of phase equilibrium for systems containing N-isopropyl acrylamide hydrogels. 2010 , 296, 140-148	13
1644	On-chip integrated multi-thermo-actuated microvalves of poly(N-isopropylacrylamide) for microflow injection analysis. 2010 , 665, 107-12	22
1643	Characterisation of the dispersion stability of a stimulus responsive core-shell colloidal latex. 2010 , 353, 210-215	20
1642	Characterization and cell material interactions of PEGylated PNIPAAm nanoparticles. 2010 , 79, 164-73	33
1641	Glucose sensing through diffraction grating of hydrogel bearing phenylboronic acid groups. 2010 , 26, 772-7	56
1640	Synthesis of polyhalo acridones as pH-sensitive fluorescence probes. 2010 , 20, 4665-9	21
1639	Cell proliferation and thermally induced cell detachment of galactosylated thermo-responsive hydrogels. 2010 , 82, 578-584	26
1638	Temperature-controlled release of catechol dye in thermosensitive phenylboronate-containing copolymers: A quantitative study. 2010 , 46, 1367-1373	14
1637	Synthesis of well-defined PNIPAM-b-(PEA-g-P2VP) double hydrophilic graft copolymer via sequential SET-LRP and ATRP and its schizophrenic micellization behavior in aqueous media. 2010 , 48, 15-23	46

1636	Making smart polymers smarter: Modern concepts to regulate functions in polymer science. 2010 , 48, 1-14	55
1635	Biocompatible and pH-responsive triblock copolymer mPEG-b-PCL-b-PDMAEMA: Synthesis, self-assembly, and application. 2010 , 48, 1079-1091	92
1634	N-vinylcaprolactam-based microgels for biomedical applications. 2010 , 48, 1173-1181	87
1633	Modeling of reinitiation ability of polymer brushes grown by surface-initiated photoiniferter-mediated photopolymerization. 2010 , 48, 1586-1593	6
1632	Stimulus-responsive polymers based on 2-hydroxypropyl acrylate prepared by RAFT polymerization. 2010 , 48, 2032-2043	35
1631	Synthesis and characterization of stimuli-responsive porous/hollow nanoparticles by self-assembly of chitosan-based graft copolymers and application in drug release. 2010 , 48, 2377-2387	35
1630	Synthesis of thermosensitive guar-based hydrogels with tunable physico-chemical properties by click chemistry. 2010 , 48, 2733-2742	34
1629	Thermoresponsive super water absorbent hydrogels prepared by frontal polymerization. 2010 , 48, 2486-2490	52
1628	Water-soluble triply-responsive homopolymers of N,N-dimethylaminoethyl methacrylate with a terminal azobenzene moiety. 2010 , 48, 2564-2570	54
1627	Free radical and nitroxide mediated polymerization of hydroxyfunctional acrylates prepared via lipase catalyzed transacylation reactions. 2010 , 48, 2610-2621	17
1626	Multistimuli responsive micelles based on well-defined amphiphilic comb poly(ether amine) (acPEA). 2010 , 48, 3468-3475	5
1625	Preparation of thermoresponsive polymers bearing amino acid diamide derivatives via RAFT polymerization. 2010 , 48, 3573-3586	29
1624	Mesoglobules of random copolyethers as templates for nanoparticles. 2010 , 48, 4074-4083	15
1623	Solid-state thermal stability and degradation of a family of poly(N-isopropylacrylamide-co-hydroxymethylacrylamide) copolymers. 2010 , 48, 5848-5855	8
1622	Poly[(N-isopropylacrylamide)-co-(itaconic acid)] hydrogels with poly(ethylene glycol). 2010 , 59, 256-262	12
1621	Biodegradable stimuli-responsive hydrogels based on amphiphilic polyaspartamides with tertiary amine pendent groups. 2010 , 59, 630-636	29
1620	Cooperative, bottom-up generation of rigid-rod nanostructures through dynamic polymer chemistry. 2010 , 59, 1477-1491	19
1619	Controlling cell behavior through the design of polymer surfaces. 2010 , 6, 2208-20	257

1618	Thermoresponsive polysilsesquioxane grafted methacrylate polymer with a methoxyethylamide group. 2010 , 42, 190-194	2
1617	Core-Shell Nanofibers: Nano Channel and Capsule by Coaxial Electrospinning. 2010 ,	13
1616	Responsive surfaces for biomedical applications. 2010 , 35, 673-681	11
1615	Thin film morphologies of pi-conjugated rod-coil block copolymers with thermoresponsive property: a combined experimental and molecular simulation study. 2010 , 132, 214901	4
1614	Hygiene and cleanability: a focus on surfaces. 2010 , 50, 583-604	24
1613	Thermomodulated cell culture harvest in polydimethylsiloxane microchannels with poly(N-isopropylacrylamide)-grafted surface. 2010 , 4, 44107	16
1612	A2BA2 Block Copolymers of Poly(N-isopropylacrylamide) (A) and Poly(ethylene glycol) (B): Synthesis and Thermal Gelation Properties of Aqueous Solutions. 2010 , 48, 177-185	13
1611	Proliferation and multi-differentiation potentials of human mesenchymal stem cells on thermoresponsive PDMS surfaces grafted with PNIPAAm. 2009 , 30, 149-58	13
1610	Triggered drug delivery from biomaterials. 2010 , 7, 605-16	64
1609	Biological cell detachment from poly(N-isopropyl acrylamide) and its applications. 2010 , 26, 7695-707	152
1608	Study of Water Adsorption in Poly(N-isopropylacrylamide) Thin Films Using Fluorescence Emission of 3-Hydroxyflavone Probes. 2010 , 43, 9488-9494	18
1607	Multiresponsive reversible gels based on a carboxylic azo polymer. 2010 , 20, 3610	56
1606	Hydrogels in regenerative medicine: towards understanding structure-function relationships. 2010 , 5, 809-21	18
1605	Amphiphilic block copolymers with aldehyde and ferrocene-functionalized hydrophobic block and their redox-responsive micelles. 2010 , 20, 8375	59
1604	Dually responsive aqueous gels from thermo- and light-sensitive hydrophilic ABA triblock copolymers. 2010 , 6, 3325	61
1603	Re-examination of the Zipper Effect in Hydrogen-Bonding Complexes. 2010 , 43, 3004-3010	20
1602	"On-off" switchable bioelectrocatalysis synergistically controlled by temperature and sodium sulfate concentration based on poly(N-isopropylacrylamide) films. 2010 , 114, 5940-5	32
1601	Thermo- and pH-Responsive Association Behavior of Dual Hydrophilic Graft Chitosan Terpolymer Synthesized via ATRP and Click Chemistry. 2010 , 43, 5679-5687	124

1600	Synthesis of thermoresponsive phenyl- and naphthyl-terminated poly(NIPAM) derivatives using RAFT and their complexation with cyclobis(paraquat-p-phenylene) derivatives in water. 2010 , 1, 1024	17
1599	Solvent-driven swelling and shrinking of poly(NIPAM) gels crosslinked by tris-methacrylated phloroglucinol derivatives. 2010 , 1, 1062	10
1598	Preparation of shell cross-linked nanoparticles via miniemulsion RAFT polymerization. 2010 , 1, 1638	19
1597	Effects of salt on the lower critical solution temperature of poly (N-isopropylacrylamide). 2010 , 114, 16594-604	203
1596	Double thermoresponsive block copolymers featuring a biotin end group. 2010 , 11, 2432-9	58
1595	Magneto-responsive hydrogels based on maghemite/triblock terpolymer hybrid micelles. 2010 , 6, 2760	73
1594	Dual stimuli responsive PEG based hyperbranched polymers. 2010 , 1, 827	39
1593	Fabrication of Clickable Hydrogels via Dendron Polymer Conjugates. 2010 , 43, 3801-3808	65
1592	Thermosensitive aqueous gels with tunable sol-gel transition temperatures from thermo- and pH-responsive hydrophilic ABA triblock copolymer. 2010 , 26, 8787-96	71
1591	Designable Coordination Bonding in Mesopores as a pH-Responsive Release System. 2010 , 22, 5437-5444	72
1590	Thermoresponsive Micelles of Phenanthrene-End-labeled Poly(N-decylacrylamide-b-N,N-diethylacrylamide) in Water. 2010 , 43, 501-510	23
1589	In situ formation of thermosensitive PNIPAAm-based hydrogels by Michael-type addition reaction. 2010 , 2, 1009-18	40
1588	Microfluidic preparation of dual stimuli-responsive microparticles and light-directed clustering. 2010 , 26, 17975-80	15
1587	pH-reversible, high-capacity binding of proteins on a substrate with nanostructure. 2010 , 26, 17812-5	31
1586	Thermally Responsive P(M(EO)2MA-co-OEOMA) Copolymers via AGET ATRP in Miniemulsion. 2010 , 43, 4623-4628	72
1585	Thermally responsive injectable hydrogel incorporating methacrylate-poly lactide for hydrolytic lability. 2010 , 11, 1873-81	76
1584	Temperature-dependent optical properties of gold nanoparticles coated with a charged diblock copolymer and an uncharged triblock copolymer. 2010 , 4, 1187-201	38
1583	Proline-Based Block Copolymers Displaying Upper and Lower Critical Solution Temperatures. 2010 , 43, 1289-1298	72

1582	Synthesis and Thermo-/pH- Dual Responsive Properties of Poly(amidoamine) Dendronized Poly(2-hydroxyethyl) Methacrylate. 2010 , 43, 4314-4323	34
1581	Tunable and reversible aggregation of poly(ethylene oxide-st-propylene oxide) grafted gold nanoparticles. 2010 , 26, 12321-9	31
1580	Mixed, multicompartment, or Janus micelles? A systematic study of thermoresponsive bis-hydrophilic block terpolymers. 2010 , 26, 12237-46	76
1579	Photo-cross-linkable thermoresponsive star polymers designed for control of cell-surface interactions. 2010 , 11, 2647-52	34
1578	Uploading and temperature-controlled release of polymeric colloids via hydrophilic emulsion-templated porous polymers. 2010 , 2, 1400-6	46
1577	Mechanically robust, rapidly actuating, and biologically functionalized macroporous poly(N-isopropylacrylamide)/silk hybrid hydrogels. 2010 , 26, 15614-24	40
1576	Effect of inclusion complexation with cyclodextrin on the cloud point of poly(2-(dimethylamino)ethyl methacrylate) solution. 2010 , 26, 8966-70	23
1575	Star Polymers with Both Temperature Sensitivity and Inclusion Functionalities. 2010 , 43, 10221-10230	54
1574	General Intercalation of Poly(oxyalkylene)Amidoacids for Anionic and Cationic Layered Clays. 2010 , 49, 5001-5005	10
1573	Protein adsorption and cell adhesion/detachment behavior on dual-responsive silicon surfaces modified with poly(N-isopropylacrylamide)-block-polystyrene copolymer. 2010 , 26, 8582-8	98
1572	Molecular approach to understand the tacticity effects on the hydrophilicity of poly(N-isopropylacrylamide): solubility of dimer model compounds in water. 2010 , 114, 13312-8	32
1571	Thermoresponsive polymer brush surfaces with hydrophobic groups for all-aqueous chromatography. 2010 , 2, 1247-53	58
1570	Smart PEGylation of trypsin. 2010 , 11, 2130-5	66
1569	Unique Thermo-Induced Sequential Gel/Sol/Gel Transition of Responsive Multiblock Copolymer-Based Hydrogels. 2010 , 43, 5184-5187	44
1568	Thermoswitchable electrokinetic ion-enrichment/elution based on a poly(N-isopropylacrylamide) hydrogel plug in a microchannel. 2010 , 82, 10030-6	14
1567	Surface and bulk collapse transitions of thermoresponsive polymer brushes. 2010 , 26, 838-47	77
1566	Aqueous Solution Properties of the Acid-Labile Thermoresponsive Poly(meth)acrylamides with Pendent Cyclic Orthoester Groups. 2010 , 43, 2474-2483	33
1565	Biocompatible Thermoresponsive Polymers with Pendent Oligo(ethylene glycol) Chains and Cyclic Ortho Ester Groups. 2010 , 43, 6485-6494	94

1564	Effect of degree of branching on the thermoresponsive phase transition behaviors of hyperbranched multiarm copolymers: comparison of systems with LCST transition based on coil-to-globule transition or hydrophilic-hydrophobic balance. 2010 , 114, 6291-9	37
1563	Non-ionic Thermoresponsive Polymers in Water. 2010 , 29-89	359
1562	Responsive Polymers for Detection and Sensing Applications: Current Status and Future Developments. 2010 , 43, 8315-8330	507
1561	Liposomes incorporating hydrophobically modified silk fibroin: pH-dependent release. 2010 , 47, 635-9	12
1560	Grafted thermo-responsive gelatin microspheres as delivery systems in triggered drug release. 2010 , 76, 48-55	67
1559	pH and temperature responsive polymeric micelles and polymersomes by self-assembly of poly[2-(dimethylamino)ethyl methacrylate]-b-poly(glutamic acid) double hydrophilic block copolymers. 2010 , 26, 10546-54	153
1558	Supramolecular assembly of glucose oxidase on concanavalin A--modified gold electrodes. 2010 , 12, 8071-83	25
1557	Toward Functionalization of Thermoresponsive Poly(N-vinyl-2-pyrrolidone). 2010 , 43, 9972-9981	32
1556	Copolymerization of 2-Hydroxyethyl Acrylate and 2-Methoxyethyl Acrylate via RAFT: Kinetics and Thermoresponsive Properties. 2010 , 43, 7041-7047	62
1555	Thermo- and pH-Responsive Polymer Derived from Methacrylamide and Aspartic Acid. 2010 , 43, 8101-8108	73
1554	Dual Responsive Methacrylic Acid and Oligo(2-ethyl-2-oxazoline) Containing Graft Copolymers. 2010 , 43, 160-167	91
1553	Physical gelation of polar aprotic solvents induced by hydrogen bonding modulation of polymeric molecules. 2010 , 46, 5722-4	8
1552	Covalent Cross-Linked Polymer Gels with Reversible Sol-Gel Transition and Self-Healing Properties. 2010 , 43, 1191-1194	528
1551	Phase Diagrams of Stereocontrolled Poly(N,N-diethylacrylamide) in Water. 2010 , 43, 3120-3121	19
1550	JCE Classroom Activity Connections: NaCl or CaCl ₂ , Smart Polymer Gel Tells More. 2010 , 87, 1329-1331	2
1549	Responsive reversible hydrogels from associative smart macromolecules. 2010 , 6, 2372	238
1548	Synthesis of hetero-telechelic alpha,omega bio-functionalized polymers. 2010 , 11, 238-44	90
1547	Density effects on collapse, compression, and adhesion of thermoresponsive polymer brushes. 2010 , 26, 4762-8	106

1546	Characterization of adhesion phenomena and contact of surfaces by soft colloidal probe AFM. 2010 , 6, 1432	65
1545	Hierarchical self-assembly of a biomimetic diblock copolypeptoid into homochiral superhelices. 2010 , 132, 16112-9	119
1544	Novel semirigid water-soluble thermoresponsive polymers based on mesogen-jacketed liquid crystal polymers. 2010 , 46, 3155-7	6
1543	Synthesis and application of pH-responsive branched copolymer nanoparticles (PRBNs): a comparison with pH-responsive shell cross-linked micelles. 2010 , 6, 2575	23
1542	Preparation and applications of functional nanofibers based on the combination of electrospinning, controlled radical polymerization and 'Click Chemistry'. 2010 , 2, 1348-57	22
1541	Peculiar nanocomposite hydrogel with controllable multiple thermosensitivity: double phase transition and ternary stable states. 2010 , 46, 430-2	19
1540	Synthesis of Poly(N-isopropylacrylamide)-Poly(ethylene glycol) Miktoarm Star Copolymers via RAFT Polymerization and Aldehyde-Aminoxy Click Reaction and Their Thermoinduced Micellization. 2010 , 43, 5699-5705	49
1539	Synthesis of Stimuli-responsive Nanoparticles by Solution Polymerization. 2010 , 48, 135-141	
1538	Smart Polymer Surfaces: Concepts and Applications in Biosciences. 2010 , 1-33	21
1537	Capture/release ability of thermo-responsive polymer particles. 2010 , 20, 3496	46
1536	Microscale hydrogel-based computer-triggered polymorphic microrobots for operations in the vascular network. 2010 ,	2
1535	Thermoresponsive polymers based on poly-vinylpyrrolidone: applications in nanoparticle catalysis. 2010 , 46, 1631-3	88
1534	A stimuli-responsive coaxial nanofilm for burst release. 2011 , 7, 638-643	38
1533	Effect of enzyme modification by well-defined multi-armed poly(ethylene glycol) synthesized using polyamidoamine dendron. 2011 , 22, 1551-61	3
1532	Self-assembled nanostructures from C60-containing supramolecular complex: its stimuli-responsive reversible transition and biological antioxidative capacity. 2011 , 35, 2632	5
1531	Oxidation induced self-assembly transformation of dendron-b-oligoaniline-b-dendron dumbbell shape triblock oligomer. 2011 , 7, 8516	7
1530	Vapor-based synthesis of ultrathin hydrogel coatings for thermo-responsive nanovalves. 2011 , 21, 7946	18
1529	Triggered structural and property changes in polymeric nanomaterials. 2011 , 2, 18-26	90

1528	Vesicular assembly and thermo-responsive vesicle-to-micelle transition from an amphiphilic random copolymer. 2011 , 47, 12491-3	72
1527	Self-assembly and drug delivery studies of pH/thermo-sensitive polyampholytic (A-co-B)-b-C-b-(A-co-B) segmented terpolymers. 2011 , 7, 11160	44
1526	Oligonucleotide-functionalized hydrogels as stimuli responsive materials and biosensors. 2011 , 7, 6757	153
1525	pH-responsive mitoxantrone (MX) delivery using mesoporous silica nanoparticles (MSN). 2011 , 21, 9483	50
1524	Flower micelles of poly(N-isopropylacrylamide) with azobenzene moieties regularly inserted into the main chain. 2011 , 7, 9410	48
1523	Direct synthesis of pH-responsive polymer nanoparticles based on living radical polymerization and traditional radical polymerization. 2011 , 7, 3358	17
1522	A hydrophilic unimolecular nanocapsule with cyclodextrin moieties in the core: chemically triggered on-demand release and pH-response. 2011 , 7, 6422	9
1521	Exceptional versatility of solvated block copolymer/ionomer networks as electroactive polymers. 2011 , 7, 1651	43
1520	Micelle formation, gelation and phase separation of amphiphilic multiblock copolymers \square 2011 , 7, 2580	24
1519	"On-demand" control of thermoresponsive properties of poly(N-isopropylacrylamide) with cucurbit[8]uril host-guest complexes. 2011 , 47, 6000-2	72
1518	Biocompatible, Antifouling, and Thermosensitive CoreShell Nanogels Synthesized by RAFT Aqueous Dispersion Polymerization. 2011 , 44, 2524-2530	185
1517	Self-Assembly and Micellization of a Dual Thermoresponsive Supramolecular Pseudo-Block Copolymer. 2011 , 44, 1182-1193	128
1516	Phototunable LCST of Water-Soluble Polymers: Exploring a Topological Effect. 2011 , 44, 4007-4011	63
1515	CoreShell Molecular Bottlebrushes with Helical Polypeptide Backbone: Synthesis, Characterization, and Solution Conformations. 2011 , 44, 1491-1499	85
1514	Rheological properties of aqueous micellar gels of a thermo- and pH-sensitive ABA triblock copolymer. 2011 , 115, 2870-81	66
1513	Stimuli-responsive releasing of gold nanoparticles and liposomes from aptamer-functionalized hydrogels. 2011 , 22, 494011	35
1512	Thermoresponsive polymer brush on monolithic-silica-rod for the high-speed separation of bioactive compounds. 2011 , 27, 10830-9	49
1511	Tetraphenylthiophene-Functionalized Poly(N-isopropylacrylamide): Probing LCST with Aggregation-Induced Emission. 2011 , 44, 6546-6556	82

1510	Thermally induced changes in amphiphilicity drive reversible restructuring of assemblies of ABC triblock copolymers with statistical polyether blocks. 2011 , 133, 1058-65	78
1509	Thermogelling of double hydrophilic multiblock and triblock copolymers of N,N-dimethylacrylamide and N-isopropylacrylamide: chain architectural and Hofmeister effects. 2011 , 27, 1143-51	36
1508	Poly(2-cyclopropyl-2-oxazoline): From Rate Acceleration by Cyclopropyl to Thermoresponsive Properties. 2011 , 44, 4057-4064	66
1507	Responsive wetting transition on superhydrophobic surfaces with sparsely grafted polymer brushes. 2011 , 7, 515-523	34
1506	Novel Amphiphilic Multi-Arm, Star-Like Block Copolymers as Unimolecular Micelles. 2011 , 44, 3746-3752	164
1505	Insights into thin, thermally responsive polymer layers through quartz crystal microbalance with dissipation. 2011 , 27, 10691-8	39
1504	Temperature-induced self-assembly of triple-responsive triblock copolymers in aqueous solutions. 2011 , 27, 4465-73	74
1503	Tuning of Thermo-Triggered Gel-to-Sol Transition of Aqueous Solution of Multi-Responsive Diblock Copolymer Poly(methoxytri(ethylene glycol) acrylate-co-acrylic acid)-b-poly(ethoxydi(ethylene glycol) acrylate). 2011 , 44, 3556-3566	40
1502	Hepta(3,3,3-trifluoropropyl) polyhedral oligomeric silsesquioxane-capped poly(N-isopropylacrylamide) telechelics: synthesis and behavior of physical hydrogels. 2011 , 3, 898-909	61
1501	Solid-state nanostructured materials from self-assembly of a globular protein-polymer diblock copolymer. 2011 , 5, 5697-707	81
1500	Targeted magnetic hyperthermia. 2011 , 2, 815-38	30
1499	Aqueous polymeric sensors based on temperature-induced polymer phase transitions and solvatochromic dyes. 2011 , 47, 8750-65	143
1498	Rapid control of switchable oil wettability and adhesion on the copper substrate. 2011 , 27, 14508-13	39
1497	Synthesis, characterization, fluorescence labeling and cellular internalization of novel amine-functionalized poly(ethylene glycol)-block-poly(ϵ -caprolactone) amphiphilic block copolymers. 2011 , 2, 1331	30
1496	Synthesis and characterization of well-defined thermo- and light-responsive diblock copolymers by atom transfer radical polymerization and click chemistry. 2011 , 2, 2068	24
1495	Reversible cross-linking of hydrophilic dynamic covalent polymers with radically exchangeable alkoxyamines in aqueous media. 2011 , 2, 2021	41
1494	Synthetic protein targeting by the intrinsic biorecognition functionality of poly(ethylene glycol) using PEG antibodies as biohybrid molecular adaptors. 2011 , 5, 5180-7	9
1493	Synthesis, swelling and drug-release behaviour of a poly(N,N-diethylacrylamide-co-(2-dimethylamino) ethyl methacrylate) hydrogel. 2011 , 22, 1049-68	13

1492	Tunable thermo-responsive polymer-protein conjugates via a combination of nucleophilic thiol-ene click and SET-LRP. 2011 , 2, 572-574	81
1491	Thermoresponsive behaviour of poly[(oligo(ethyleneglycol methacrylate)]s and their protein conjugates: importance of concentration and solvent system. 2011 , 2, 975	80
1490	Nonpolymeric thermosensitive benzenetricarboxamides. 2011 , 27, 1560-4	34
1489	Tunable Thermoresponsive Polymers by Molecular Design. 2011 , 685-715	8
1488	Novel Amphiphilic Multiarm, Starlike Coil-Rod Diblock Copolymers via a Combination of Click Chemistry with Living Polymerization. 2011 , 44, 7176-7183	81
1487	Dual-responsive and super absorbing thermally cross-linked hydrogel based on methacrylate substituted polyphosphazene. 2011 , 7, 4414	35
1486	Release of photoactivatable drugs from plasmonic nanoparticles for targeted cancer therapy. 2011 , 5, 7796-804	193
1485	Assemblies of functional small-sized molecules having 4-amino-2,2,6,6-tetramethylpiperidine-1-oxyl responsive to heat and pH in water and their water proton relaxivities. 2011 , 27, 12709-19	24
1484	Preparation of biocompatible nanocapsules with temperature-responsive and bioreducible properties. 2011 , 21, 15950	25
1483	Single molecule tracking studies of lower critical solution temperature transition behavior in poly(N-isopropylacrylamide). 2011 , 27, 11037-43	23
1482	The synergistic effects of stimuli-responsive polymers with nano-structured surfaces: wettability and protein adsorption. 2011 , 1, 262	29
1481	Dendronized Polymers with Peripheral Oligo(ethylene oxide) Chains: Thermoresponsive Behavior and Shape Anisotropy in Solution. 2011 , 44, 8925-8935	50
1480	Poly(meth)acrylates. 2011 , 429-491	1
1479	Well-Defined Uncharged Polymers with a Sharp UCST in Water and in Physiological Milieu. 2011 , 44, 413-415	114
1478	Self-assembly of double thermoresponsive block copolymers end-capped with complementary trimethylsilyl groups. 2011 , 7, 483-492	43
1477	Biomimetic fabrication of alginate/CaCO ₃ hybrid beads for dual-responsive drug delivery under compressed CO ₂ . 2011 , 21, 16028	24
1476	Responsive Polymers in Biology and Technology. 2011 , 51, 53-97	64
1475	Coordination Bonding-Based Mesoporous Silica for pH-Responsive Anticancer Drug Doxorubicin Delivery. 2011 , 115, 16803-16813	67

1474	Thermoresponsive dynamers: thermally induced, reversible chain elongation of amphiphilic poly(acylhydrazones). 2011 , 133, 10966-73	83
1473	Tuned chromic process for polydiacetylenes vesicles: the influence of polymer matrices. 2011 , 7, 6529	10
1472	The Missing Lactam-Thermoresponsive and Biocompatible Poly(N-vinylpiperidone) Polymers by Xanthate-Mediated RAFT Polymerization. 2011 , 44, 886-893	44
1471	Stimulus responsive nanogels for drug delivery. 2011 , 7, 5908	289
1470	A pH-sensitive polymeric nanovesicle based on biodegradable poly(ethylene glycol)-b-poly(2-(diisopropylamino)ethyl aspartate) as a MRI-visible drug delivery system. 2011 , 21, 15316	47
1469	The critical importance of size on thermoresponsive nanoparticle transition temperatures: gold and micelle-based polymer nanoparticles. 2011 , 47, 11627-9	35
1468	Synthesis and Aggregation Behaviors of Nonlinear Multiresponsive, Multihydrophilic Block Copolymers. 2011 , 44, 3366-3373	31
1467	Aggregation behaviour of peptide-polymer conjugates containing linear peptide backbones and multiple polymer side chains prepared by nitroxide-mediated radical polymerization. 2011 , 9, 2403-12	21
1466	Novel Thermoresponsive Polymers Tunable by pH. 2011 , 44, 1628-1634	55
1465	pH Responsivity and micelle formation of gradient copolymers of methacrylic acid and methyl methacrylate in aqueous solution. 2011 , 27, 11306-15	51
1464	Temperature- and pH-triggered reversible transfer of doubly responsive hairy particles between water and a hydrophobic ionic liquid. 2011 , 27, 13324-34	36
1463	. 2011 ,	87
1462	Hydrogel Biomaterials. 2011 ,	23
1461	Chemical wave characterization of self-oscillating gelatin and polyacrylamide gels. 2011 ,	1
1460	Development of novel oral formulations prepared via hot melt extrusion for targeted delivery of photosensitizer to the colon. 2011 , 87, 867-76	19
1459	pH-responsive polymeric micelle based on PEG-poly(β-amino ester)/(amido amine) as intelligent vehicle for magnetic resonance imaging in detection of cerebral ischemic area. 2011 , 155, 11-7	94
1458	Tunable thermosensitivity in multistimuli-responsive terpolymers. 2011 , 71, 1129-1136	4
1457	Novel N-isopropylacrylamide based polymer architecture for faster LCST transition kinetics. 2011 , 52, 4429-4434	38

1456	Investigation of pH-responsive properties of polymeric micelles with a core-forming block having pendant cyclic ketal groups. 2011 , 364, 264-71	11
1455	Comparison of pH-sensitivity between two copolymer modified polyethersulfone hollow fiber membranes. 2011 , 280, 152-159	19
1454	Thermoresponsive polymeric radionuclide delivery system--an injectable brachytherapy. 2011 , 42, 484-8	28
1453	Organization of glucose-responsive systems and their properties. 2011 , 111, 7855-75	279
1452	Mathematical Modeling of Hyperbranched Water-soluble Polymers with Applications in Drug Delivery. 2011 , 5, 373-384	13
1451	Thermoresponsive supramolecular dendronized polymers. 2011 , 6, 3260-9	32
1450	Preparation, properties, and drug release of thermo- and pH-sensitive poly((2-dimethylamino)ethyl methacrylate)/poly(N,N-diethylacrylamide) semi-IPN hydrogels. 2011 , 46, 1523-1534	57
1449	Cytotoxicity and drug release behavior of PNIPAM grafted on silica-coated iron oxide nanoparticles. 2011 , 13, 5065-5075	37
1448	Surface-initiated atom transfer radical polymerization of poly(4-vinylpyridine) from magnetite nanoparticle. 2011 , 13, 6847-6857	12
1447	Facile synthesis of thermo- and pH-responsive biodegradable microgels. 2011 , 289, 447-451	25
1446	Reversible thermoresponsive behavior of poly(2-chloroethyl vinyl ether-alt-maleic anhydride) in mixed solvent of tetrahydrofuran/hexane. 2011 , 289, 791-798	4
1445	Thermoreversible UCST-type phase behavior of comb-like poly(N-phenyl maleimide-co-n-octadecyl vinyl ether) in organic media. 2011 , 289, 1917-1925	8
1444	Removal of cationic dyes from aqueous solutions with poly (N-isopropylacrylamide-co-itaconic acid) hydrogels. 2011 , 66, 551-570	53
1443	Electron beam induced grafting of N-isopropylacrylamide to a poly(ethylene-terephthalate) membrane for rapid cell sheet detachment. 2011 , 80, 182-189	4
1442	In Situ gelling and drug release behavior from novel temperature-sensitive polyaspartamides. 2011 , 19, 515-518	16
1441	Synthesis and Characterization of Poly(N-Isopropyl Acryl Amide)-g-Poly(Linoleic Acid)/Poly(Linolenic Acid) Graft Copolymers. 2011 , 88, 255-263	30
1440	Thermogelation of amphiphilic poly(asparagine) derivatives. 2011 , 22, 620-626	15
1439	Thermoresponsive super water absorbent hydrogels prepared by frontal polymerization of N-isopropyl acrylamide and 3-sulfopropyl acrylate potassium salt. 2011 , 49, 1228-1234	41

1438	Synthesis and aggregation properties in water solution of comblike methacrylic polymers with oligo(propylene glycol)-block-oligo(ethylene glycol) as side chains. 2011 , 49, 1928-1932	14
1437	Poly(L-glutamic acid) grafted with oligo(2-(2-(2-methoxyethoxy)ethoxy)ethyl methacrylate): Thermal phase transition, secondary structure, and self-assembly. 2011 , 49, 2665-2676	69
1436	Synthesis and characterization of temperature-sensitive block-graft PNiPAAm-b-(PN3CL-g-alkyne) copolymers by ring-opening polymerization and click reaction. 2011 , 49, 3163-3173	10
1435	Synthesis and self-assembly of novel amphiphilic copolymers poly(lactic acid)-block-poly(ascorbyl acrylate). 2011 , 49, 3988-3996	5
1434	Synthesis of well-defined pH-responsive PPEGMEA-g-P2VP double hydrophilic graft copolymer via sequential SET-LRP and ATRP. 2011 , 49, 4055-4064	33
1433	Synthesis, characterization, and properties of tunable thermosensitive amphiphilic dendrimer-star copolymers with Y-shaped arms. 2011 , 49, 4071-4080	21
1432	Star macromolecules with hyperbranched poly(arylene oxindole) cores and polyacid arms: Synthesis and solution behavior. 2011 , 49, 5074-5086	6
1431	Thermal and pH responsive high molecular weight poly(urethane-amine) with high urethane content. 2011 , 49, 5162-5168	26
1430	Influence of branching architecture on polymer properties. 2011 , 49, 1277-1286	103
1429	Electroactuation of solvated triblock copolymer dielectric elastomers: Decoupling the roles of mechanical prestrain and specimen thickness. 2011 , 49, 1569-1582	10
1428	Thermo- and pH-sensitive hydrogels based on 2-(2-methoxyethoxy)ethyl methacrylate and methacrylic acid. 2011 , 60, 178-185	16
1427	Synthesis of amphiphilic temperature-sensitive poly(N-isopropylacrylamide)-block-poly(tetramethylene carbonate) block copolymers and micellar characterization. 2011 , 60, 255-263	6
1426	Preparation and characterization of pH-sensitive hydrogels based on chitosan, itaconic acid and methacrylic acid. 2011 , 60, 443-452	68
1425	Assembly and degradation of low-fouling click-functionalized poly(ethylene glycol)-based multilayer films and capsules. 2011 , 7, 1075-85	53
1424	Thermo-responsive polymer brushes as intelligent biointerfaces: preparation via ATRP and characterization. 2011 , 11, 400-9	70
1423	Thermoresponsive polymer colloids for drug delivery and cancer therapy. 2011 , 11, 1722-34	79
1422	Synthesis and pH/Temperature-Responsive Behavior of PLLA-b-PDMAEMA Block Polyelectrolytes Prepared via ROP and ATRP. 2011 , 212, 744-752	47
1421	Externally Induced Thermal Actuation of Polymer Nanocomposites. 2011 , 212, 992-998	16

1420	Thermoresponsive Behavior of Mixtures of Epoxy Functionalized Oligo(ethylene glycol) Methacrylate Copolymers. 2011 , 212, n/a-n/a	3
1419	Synthesis and Properties of Novel Thermoresponsive Polyesters with Oligo(ethylene glycol) Pendent Chains. 2011 , 212, 2626-2632	19
1418	Synthesis of thermo-responsive polymers with both tunable UCST and LCST. 2011 , 32, 660-4	54
1417	Poly(meth)acrylates obtained by cascade reaction. 2011 , 32, 559-72	8
1416	Thermoresponsiveness of integrated ultra-thin silicon with poly(N-isopropylacrylamide) hydrogels. 2011 , 32, 820-4	10
1415	Controlled dispersion of silver nanoparticles into the bulk of thermosensitive polymer microspheres: tunable plasmonic coupling by temperature detected by surface enhanced Raman scattering. 2011 , 32, 1000-6	19
1414	From an epoxide monomer toolkit to functional PEG copolymers with adjustable LCST behavior. 2011 , 32, 1930-4	36
1413	Thermo-Switchable Materials Prepared Using the OEGMA-Platform. 2011 , 23, 2237-2243	346
1412	Thermoresponsive Platforms for Tissue Engineering and Regenerative Medicine. 2011 , 57, 3249-3258	34
1411	Biological- and Field-Responsive Polymers: Expanding Potential in Smart Materials. 2011 , 27-57	8
1410	Smart Polymeric Nanofibers Resolving Biorecognition Issues. 2011 , 57-71	
1409	Thermoresponsive poly(N-isopropylacrylamide)-g-methylcellulose hydrogel as a three-dimensional extracellular matrix for cartilage-engineered applications. 2011 , 98, 596-603	49
1408	Post and prepolymerization strategies to develop novel photochromic poly(esterimide)s. 2011 , 120, 631-643	19
1407	Dual-responsive semi-interpenetrating network beads based on calcium alginate/poly(N-isopropylacrylamide)/poly(sodium acrylate) for sustained drug release. 2011 , 122, 729-737	18
1406	Effect of the SA content of a novel thermo-sensitive P(NIPAM-co-SA) copolymer on denatured lysozyme refolding in vitro. 2011 , 121, 2597-2605	7
1405	In situ entrapment of urease in cryogels of poly(N-isopropylacrylamide): An effective strategy for noncovalent immobilization of enzymes. 2011 , 122, 1742-1748	22
1404	A pH-responsive cleavage route based on a metal-organic coordination bond. 2011 , 17, 7271-5	44
1403	Degradable dual pH- and temperature-responsive photoluminescent dendrimers. 2011 , 17, 5319-26	59

1402	Photochemical switching of the phase-transition temperatures of p-NIPAM-Pt nanoparticles thermosensitive polymer composites associated with electrodes: functional electrodes for switchable electrocatalysis. 2011 , 17, 11237-42	19
1401	Building of a thermoresponsive cement. 2011 , 41, 975-980	3
1400	Inhibition of protein adsorption and cell adhesion on PNIPAAm-grafted polyurethane surface: effect of graft molecular weight. 2011 , 85, 26-31	36
1399	Dual temperature/pH-sensitive drug delivery of poly(N-isopropylacrylamide-co-acrylic acid) nanogels conjugated with doxorubicin for potential application in tumor hyperthermia therapy. 2011 , 84, 447-53	108
1398	Thermoresponsive nanostructured polycarbonate block copolymers as biodegradable therapeutic delivery carriers. 2011 , 32, 5505-14	97
1397	Preparation and characterization of temperature-responsive poly(N-isopropylacrylamide-co-N,N'-methylenebisacrylamide) monolith for HPLC. 2011 , 1218, 286-92	29
1396	Bioresponsive systems based on polygalacturonate containing hydrogels. 2011 , 48, 312-8	10
1395	Precise synthesis of thermo-responsive and water-soluble star-branched polymers and star block copolymers by living anionic polymerization. 2011 , 47, 713-722	9
1394	Biomimetic material strategies for cardiac tissue engineering. 2011 , 31, 503-513	63
1393	Remarkable pH-sensitivity and anti-fouling property of terpolymer blended polyethersulfone hollow fiber membranes. 2011 , 378, 369-381	60
1392	Temperature-induced phase transition and intramolecular charge-transfer process based on poly(N-isopropylacrylamide) hydrogel with covalently attached D π A type dye. 2011 , 131, 1211-1215	6
1391	Multi-responsive poly(N-isopropylacrylamide) hydrogel with D- π A type dye. 2011 , 131, 2004-2009	11
1390	Interface interaction within nanopores in thin films of an amphiphilic block copolymer and CTAB. 2011 , 354, 219-25	5
1389	Synthesis of temperature and pH-responsive crosslinked micelles from polypeptide-based graft copolymer. 2011 , 359, 436-42	22
1388	Polymeric pH-sensitive membranes: A review. <i>Progress in Polymer Science</i> , 2011 , 36, 1499-1520	29.6 207
1387	Thermo-responsive hydrogels based on highly branched poly(ethylene glycol)- β -poly(L-lactide) copolymers. 2011 , 71, 245-253	15
1386	Organocatalytic synthesis of temperature-sensitive degradable PNiPAAm-b-PTMC block copolymers and micellar characterizations. 2011 , 71, 455-462	16
1385	Smart organic-inorganic hybrids based on the complexation of amino acid-based polymers and water-soluble silsesquioxane nanoparticles. 2011 , 71, 1023-1032	8

1384	Shape-memory polymers and their composites: Stimulus methods and applications. 2011 , 56, 1077-1135	1029
1383	Poly(N-vinylpyrrolidone)-grafted poly(N-isopropylacrylamide) copolymers: Synthesis, characterization and rapid deswelling and reswelling behavior of hydrogels. 2011 , 52, 2340-2350	25
1382	Influence of the length and grafting density of PNIPAM chains on the colloidal and optical properties of quantum dot/PNIPAM assemblies. 2011 , 22, 265701	8
1381	Poly(lactic acid)-poly(ethylene oxide) block copolymers: new directions in self-assembly and biomedical applications. 2011 , 18, 5676-86	53
1380	Thermal Properties of Oligo(2-ethyl-2-oxazoline) Containing Comb and Graft Copolymers and their Aqueous Solutions. 2011 , 308, 17-24	21
1379	Shrinkable Hydrogel-Based Magnetic Microrobots for Interventions in the Vascular Network. 2011 , 25, 1049-1067	40
1378	Synthesis and Evaluation of α -(Alanine)-Carboxy PEG Derivative as a Novel Cleavable Heterobifunctional PEG Tether for Solid-Phase Polymeric Drug Delivery. 2011 , 60, 398-408	2
1377	Temperature-Dependent Gelation Behaviour of Double Responsive P2VP-b-PEO-b-P(GME-co-EGE) Triblock Terpolymers: A SANS Study. 2011 , 306-307, 77-88	2
1376	Preparation of a Thermo-Sensitive Poly(N-Acryloyl Alanine Methyl Ester) for Controlled Drug Release. 2011 , 306-307, 675-678	1
1375	Synthesis and Properties of Superabsorbent Hygroscopic Materials Based on Polyacrylamide and Poly(2-acrylamido-2-methyl Propyl Sulfonic Acid) Co-polymer. 2011 , 60, 1164-1177	7
1374	The Application of Thermosensitive Nanocarriers in Controlled Drug Delivery. 2011 , 2011, 1-12	47
1373	Polymers and Biopolymers in Pharmaceutical Technology. 2011 , 525-558	
1372	Stimuli-Responsive Polymer Nanocoatings. 2011 ,	
1371	Chemical Vapor Deposition of Polymer Films. 2011 ,	10
1370	Magnetic field dependence of the diffusion of single dextran molecules within a hydrogel containing magnetite nanoparticles. 2011 , 134, 094901	13
1369	Fine Particles in Medicine and Pharmacy. 2012 ,	6
1368	Synthesis and Properties of a Thermo-/Light-Sensitive Hydrogel. 2012 , 557-559, 1556-1562	
1367	Preparation of PNIPAAm Grafted Cotton via O ₂ Plasma and its Thermal Sensitivity. 2012 , 441, 226-230	

1366	Reversibly crosslinked nanocarriers for on-demand drug delivery in cancer treatment. 2012 , 3, 1409-27	45
1365	Assessing the Functional Structure of Molecular Transporters by EPR Spectroscopy. 2012 ,	2
1364	Synthesis and Morphology of poly(N-isopropylacrylamide) Nanocomposites with Emulsion Templated Nanoporous Structure. 2012 , 49, 906-909	6
1363	Oral delivery of chemotherapeutic agents: background and potential of drug delivery systems for colon delivery. 2012 , 22, 459-468	11
1362	A smart hydrogel-based time bomb triggers drug release mediated by pH-jump reaction. 2012 , 13, 064202	19
1361	Smart Surfaces for Point-of-Care Diagnostics. 2012 , 31-70	
1360	Biomimetic Principles in Macromolecular Science. 2012 , 323-366	1
1359	Stimulus-Responsive Polymers as Intelligent Coatings for Biosensors: Architectures, Response Mechanisms, and Applications. 2012 , 1-30	
1358	Biodegradable hyperbranched amphiphilic polyurethane multiblock copolymers consisting of poly(propylene glycol), poly(ethylene glycol), and polycaprolactone as in situ thermogels. 2012 , 13, 3977-89	95
1357	ABC triblock terpolymers exhibiting both temperature- and pH-sensitive micellar aggregation and gelation in aqueous solution. 2012 , 28, 17785-94	30
1356	Multistage magnetic separation of microspheres enabled by temperature-responsive polymers. 2012 , 4, 3041-6	8
1355	Wound pH-responsive sustained release of therapeutics from a poly(NIPAAm-co-AAc) hydrogel. 2012 , 23, 111-32	36
1354	An underwater pH-responsive superoleophobic surface with reversibly switchable oil-adhesion. 2012 , 8, 6740	79
1353	UCST-driven self-assembly and crosslinking of diblock copolymer micelles. 2012 , 3, 2228	29
1352	Thermo-sensitive polymers based on graft polysiloxanes. 2012 , 69, 579-595	12
1351	Poly(styrene-co-maleic acid)-based pH-sensitive liposomes mediate cytosolic delivery of drugs for enhanced cancer chemotherapy. 2012 , 436, 786-97	61
1350	A comprehensive structure-function analysis shed a new light on molecular mechanism by which a novel smart copolymer, NY-3-1, assists protein refolding. 2012 , 160, 169-75	3
1349	pH-Sensitive electrical behavior of 4-vinylpyridine grafts on poly(propylene) films. 2012 , 35, 85-91	4

1348	Self-Assembly of Polymers into Soft Nanoparticles and Nanocapsules. 2012,	1
1347	Molecular Transport in Thin Thermoresponsive Poly(N-isopropylacrylamide) Brushes with Varying Grafting Density. 2012, 116, 13944-13953	30
1346	Diffusion of 1,2-dimethoxyethane and 1,2-dimethoxypropane through phosphatidylcholine bilayers: a molecular dynamics study. 2012, 116, 5141-51	23
1345	Injectable hydrogels for central nervous system therapy. 2012, 7, 024101	164
1344	Tunable wettability via counterion exchange of polyelectrolyte brushes grafted on cotton fabric. 2012, 36, 1641	19
1343	Mesostructured chitosan-silica hybrid as a biodegradable carrier for a pH-responsive drug delivery system. 2012, 41, 5038-44	29
1342	Phase separation in semidilute aqueous poly(N-isopropylacrylamide) solutions. 2012, 28, 8791-8	60
1341	Pathway-dependent re-assembly of dual-responsive ABC terpolymer in water. 2012, 8, 2618	29
1340	Copolymers of 2-hydroxyethylacrylate and 2-methoxyethyl acrylate by nitroxide mediated polymerization: kinetics, SEC-ESI-MS analysis and thermoresponsive properties. 2012, 3, 335-342	36
1339	In situ surface reaction induced adhesion force change for mobility control, droplet sorting and bio-detection. 2012, 8, 10370	11
1338	All-Organic, Stimuli-Responsive Polymer Composites with Electrospun Fiber Fillers.. 2012, 1, 80-83	37
1337	Shifting Sol-Gel Phase Diagram of a Doubly Thermosensitive Hydrophilic Diblock Copolymer Poly(methoxytri(ethylene glycol) acrylate-co-acrylic acid)-b-poly(ethoxydi(ethylene glycol) acrylate-co-acrylic acid) in Aqueous Solution. 2012, 45, 4790-4800	15
1336	Controlling the nano-bio interface to build collagen-silica self-assembled networks. 2012, 4, 7127-34	37
1335	Effect of host-guest interactions on the cloud points of neutral thermosensitive homopolymers: poly(N-n-propylmethacrylamide) and polymers with similar structures. 2012, 4, 950-4	9
1334	Shape memory performance of thermoplastic polyvinylidene fluoride/acrylic copolymer blends physically cross-linked by tiny crystals. 2012, 4, 4825-31	52
1333	Behavior of pH-sensitive core shell particles at the air-water interface. 2012, 28, 5085-92	12
1332	Supramolecular amphiphilic star-branched copolymer: from LCST to fluorescence responses. 2012, 22, 24783	41
1331	Intelligent reversible nanoporous antireflection film by solvent-stimuli-responsive phase transformation of amphiphilic block copolymer. 2012, 28, 10584-91	16

1330	Synthesis, morphology, and sensory applications of multifunctional rod-coil-coil triblock copolymers and their electrospun nanofibers. 2012 , 4, 3387-95	61
1329	Preparation and characterization of low dispersity anionic multiresponsive core-shell polymer nanoparticles. 2012 , 28, 5802-9	49
1328	pH Responsive Hybrid Zwitterionomer for Protein Separation: Smart Nanostructured Adsorbent. 2012 , 51, 3015-3022	21
1327	Tuning of thermally induced sol-to-gel transitions of moderately concentrated aqueous solutions of doubly thermosensitive hydrophilic diblock copolymers poly(methoxytri(ethylene glycol) acrylate)-b-poly(ethoxydi(ethylene glycol) acrylate-co-acrylic acid). 2012 , 116, 3125-37	20
1326	In-situ study of the structure and dynamics of thermo-responsive PNIPAAm grafted on a cotton fabric. 2012 , 53, 3577-3586	35
1325	Synthesis of terpene β poly(ethylene oxide)s by t-BuP4-promoted anionic ring-opening polymerization. 2012 , 3, 1763-1768	39
1324	Poly(tris(hydroxymethyl)acrylamidomethane)-based copolymers: a new class of acid-labile thermosensitive polymers. 2012 , 3, 2502	18
1323	Miktoarm star polymers with poly(N-isopropylacrylamide) or poly(oligo(ethylene glycol) methacrylate) as building blocks: synthesis and comparison of thermally-responsive behaviors. 2012 , 3, 1137	36
1322	Hydrophobically modified biomineralized polysaccharide alginate membrane for sustained smart drug delivery. 2012 , 50, 747-53	21
1321	Polysaccharides as a source of advanced materials: cellulose hollow microspheres for drug delivery in cancer therapy. 2012 , 384, 198-206	37
1320	Interactions between bovine serum albumin and Langmuir films composed of charged and uncharged poly(N-isopropylacrylamide) block copolymers. 2012 , 98, 50-7	9
1319	Stimuli-responsive γ -shaped polymer brushes based on junction-point-reactive block copolymers. 2012 , 24, 5559-63	34
1318	Dissipative Particle Dynamics Study on Aggregation of MPEG-PAE-PLA Block Polymer Micelles Loading Doxorubicine. 2012 , 30, 1980-1986	12
1317	Extreme wettability and tunable adhesion: biomimicking beyond nature?. 2012 , 8, 2070-2086	209
1316	Poly(alkylene H-phosphonate)s. 2012 , 1-127	5
1315	Comparison between the LCST and UCST Transitions of Double Thermoresponsive Diblock Copolymers: Insights into the Behavior of POEGMA in Alcohols. 2012 , 45, 3221-3230	95
1314	Orthogonal switching of a single supramolecular complex. 2012 , 3, 1207	140
1313	Poly(N-isopropylacrylamide) on two-dimensional graphene oxide surfaces. 2012 , 3, 621	40

1312	Nanostructures and Nanostructured Networks for Smart Drug Delivery. 2012 , 417-458	1
1311	Biomimetic Polymers (for Biomedical Applications). 2012 , 339-361	1
1310	Stimuli-Responsive Polymer Systems. 2012 , 377-413	15
1309	Atomic Force Microscopy (AFM). 2012 ,	
1308	A review of stimuli-responsive polymers for smart textile applications. 2012 , 21, 053001	388
1307	3.11 Protein Switches. 2012 , 238-266	0
1306	"Schizophrenic" hemocompatible copolymers via switchable thermoresponsive transition of nonionic/zwitterionic block self-assembly in human blood. 2012 , 13, 2849-58	85
1305	Synthesis and micellization of P(NIPAM-co-HMAM)-b-PEO-b-P(NIPAM-co-HMAM) triblock copolymers. 2012 , 19, 1	8
1304	Growth factor delivery: how surface interactions modulate release in vitro and in vivo. 2012 , 64, 1239-56	130
1303	Fabrication of conducting electrospun nanofibers scaffold for three-dimensional cells culture. 2012 , 51, 627-31	77
1302	Advances in nonfouling materials: perspectives for the food industry. 2012 , 60, 2943-57	87
1301	Smart polymer brushes and their emerging applications. 2012 , 2, 8557	82
1300	pH-Triggered reversible morphological inversion of orthogonally-addressable poly(3-acrylamidophenylboronic acid)-block-poly(acrylamidoethylamine) micelles and their shell crosslinked nanoparticles. 2012 , 3, 3146-3156	25
1299	Thermoresponsive hydrogels for cellular delivery. 2012 , 3, 1395-407	23
1298	How Structure-Related Collapse Mechanisms Determine Nanoscale Inhomogeneities in Thermoresponsive Polymers. 2012 , 45, 7535-7548	16
1297	Thermo-Induced Self-Assembly of Responsive Poly(DMAEMA-b-DEGMA) Block Copolymers into Multi- and Unilamellar Vesicles. 2012 , 45, 9292-9302	123
1296	Multiresponsive Micellar Systems from Photocleavable Block Copolymers. 2012 , 1, 949-953	35
1295	Synthesis and characterization of pH-sensitive poly(N-2-hydroxyethyl acrylamide)- <i>g</i> -acrylic acid (poly(HEAA/AA)) nanogels with antifouling protection for controlled release. 2012 , 8, 7848	68

1294	Polymers with molecular weight dependent LCSTs are essential for cooperative behaviour. 2012 , 3, 794	68
1293	Stimuli-Responsive Fine Particles. 2012 , 283-308	1
1292	Thermally reversible xyloglucan gels as vehicles for nasal drug delivery. 2012 , 19, 270-6	37
1291	First-order coil-globule transition driven by vibrational entropy. 2012 , 3, 1065	28
1290	Multi-responsive wholly aromatic sulfonated polyamide ultra-sensitive to pH value. 2012 , 55, 2503-2506	2
1289	Hydrogels for protein delivery. 2012 , 112, 2853-88	836
1288	Key Factors to Prepare Polyelectrolytes Showing Temperature-Sensitive Lower Critical Solution Temperature-type Phase Transitions in Water. 2012 , 65, 91	71
1287	Amino/quaternary ammonium groups bifunctionalized large pore mesoporous silica for pH-responsive large drug delivery. 2012 , 2, 4421	29
1286	Reversible Hydrophobic/Hydrophilic Adhesive of PS-b-PNIPAAm Copolymer Brush Nanopillar Arrays for Mimicking the Climbing Aptitude of Geckos. 2012 , 116, 6980-6992	38
1285	Synthesis of disulfide-cross-linked polypeptide nanogel conjugated with a near-infrared fluorescence probe for direct imaging of reduction-induced drug release. 2012 , 4, 5662-72	73
1284	Thermoresponsive Poly(β -peptoid)s: Tuning the Cloud Point Temperatures by Composition and Architecture. 2012 , 1, 580-584	103
1283	Biodegradable solvent-induced shape-memory hyperbranched polyurethane. 2012 , 19, 1	23
1282	. 2012 ,	4
1281	From poly(N-isopropylacrylamide)-block-poly(ethylene oxide)-block-poly(N-isopropylacrylamide) triblock copolymer to poly(N-isopropylacrylamide)-block-poly(ethylene oxide) hydrogels: Synthesis and rapid deswelling and reswelling behavior of hydrogels. 2012 , 50, 1717-1727	16
1280	Alternating copolymers with degradability and quantitatively controlled thermosensitivity. 2012 , 50, 1812-1818	12
1279	Synthesis, conformation transition, liquid crystal phase, and self-assembled morphology of thermosensitive homopolypeptide. 2012 , 50, 1834-1843	24
1278	Bioactive mesoglobules of poly(di(ethylene glycol) monomethyl ether methacrylate) β peptide conjugate. 2012 , 50, 3104-3115	17
1277	Synthesis and characterization of polymethacrylates containing conjugated oligo(phenylene ethynylene)s as side chains. 2012 , 50, 3192-3205	15

1276	Tuning the sugar-response of boronic acid block copolymers. 2012 , 50, 3373-3382	51
1275	UCST and LCST phase behavior of poly(trimethylene ether) glycol in water. 2012 , 50, 4311-4315	11
1274	Thermo-sensitive electrospun fibers prepared by a sequential thiol-ene click chemistry approach. 2012 , 50, 4182-4190	34
1273	Control of swelling of responsive nanogels by nanoconfinement. 2012 , 8, 2978-85	8
1272	Polymeric Nano-, Micellar and Core-shell Materials. 2012 , 317-345	
1271	Amino-acid-based block copolymers by RAFT polymerization. 2012 , 33, 1090-107	80
1270	Multicolored pH-tunable and activatable fluorescence nanoplatfrom responsive to physiologic pH stimuli. 2012 , 134, 7803-11	277
1269	Functional PEG-based polymers with reactive groups via anionic ROP of tailor-made epoxides. 2012 , 3, 1714	78
1268	Controlled drug delivery from mesoporous silica using a pH-response release system. 2012 , 36, 1616	24
1267	Synthesis and characterization of novel dual-responsive nanogels and their application as drug delivery systems. 2012 , 4, 2694-704	51
1266	Thermoresponsive Poly(2-oxazoline) Molecular Brushes by Living Ionic Polymerization: Kinetic Investigations of Pendant Chain Grafting and Cloud Point Modulation by Backbone and Side Chain Length Variation. 2012 , 213, 973-981	54
1265	Temperature-responsive aqueous micelles from terpyridine end-capped poly(N-isopropylacrylamide)-block-polystyrene diblock copolymers. 2012 , 33, 534-9	21
1264	Exploiting thermoresponsive polymers to modulate lipophilicity: interactions with model membranes. 2012 , 33, 779-84	13
1263	Dual temperature and thiol-responsive POEOMA-multisegmented polydisulfides: synthesis and thermoresponsive properties. 2012 , 33, 1528-34	14
1262	Alcohol elastomer based on superabsorbents. 2012 , 23, 870-876	
1261	Photo-regulated phase transition of poly(ethylene glycol) derivative containing azobenzene group. 2012 , 23, 1590-1595	1
1260	Autonomic Hydrogels through Postfunctionalization of Gelatin. 2012 , 24, 3074-3080	26
1259	Stimuli-sensitive synthetic polypeptide-based materials for drug and gene delivery. 2012 , 1, 48-78	278

1258	Thermo- and pH-Responsive Polymersomes of Poly(α -N-substituted-DL-aspartamide)s. 2012 , 125, 133-144	16
1257	Synthesis, characterization, and swelling studies of guar gum-based pH, temperature, and salt responsive hydrogels. 2012 , 126, E260-E265	19
1256	Temperature-responsive polymer/carbon nanotube hybrids: smart conductive nanocomposite films for modulating the bioelectrocatalysis of NADH. 2012 , 18, 3687-94	31
1255	Enzyme-responsive polymeric assemblies, nanoparticles and hydrogels. 2012 , 41, 5933-49	546
1254	In situ gel systems as 'smart' carriers for sustained ocular drug delivery. 2012 , 9, 383-402	113
1253	Thermosensitive block copolymers PEG-b-PBEMAGG containing functional pendant amino groups. 2012 , 20, 313-318	2
1252	Controlling the properties of poly(amino ester urethane)-poly(ethylene glycol)-poly(amino ester urethane) triblock copolymer pH/temperature-sensitive hydrogel. 2012 , 290, 1077-1086	16
1251	pH- and glucose-sensitive glycopolymer nanoparticles based on phenylboronic acid for triggered release of insulin. 2012 , 89, 124-31	60
1250	A novel positively thermo-sensitive hydrogel based on ethylenediaminetetraacetic dianhydride and piperazine: Design, synthesis and characterization. 2012 , 23, 97-100	8
1249	Smart polymer mediated purification and recovery of active proteins from inclusion bodies. 2012 , 1235, 10-25	19
1248	Thermally stable hydrogels from enzymatically oxidized polysaccharides. 2012 , 26, 212-220	21
1247	Novel PLA modification of organic microcontainers based on ring opening polymerization: synthesis, characterization, biocompatibility and drug loading/release properties. 2012 , 428, 134-42	30
1246	Optoelectrowettability conversion on superhydrophobic CdS QDs sensitized TiO ₂ nanotubes. 2012 , 366, 1-7	14
1245	Synthesis of pH and temperature sensitive, core-shell nano/microgels, by one pot, soap-free emulsion polymerization. 2012 , 369, 82-90	38
1244	Synthesis of temperature-responsive anion exchanger via click reaction. 2012 , 376, 189-95	8
1243	Bionanoparticles of amphiphilic copolymers polyacrylate bearing cholesterol and ascorbate for drug delivery. 2012 , 377, 197-206	27
1242	Study on formulation variables of methotrexate loaded mesoporous MCM-41 nanoparticles for dissolution enhancement. 2012 , 45, 8-18	54
1241	Organic/inorganic hybrid star-shaped block copolymers of poly(L-lactide) and poly(N-isopropylacrylamide) with a polyhedral oligomeric silsesquioxane core: Synthesis and self-assembly. 2012 , 48, 720-729	37

1240	Synthesis and characterization of thermosensitive interpenetrating polymer networks based on N-isopropylacrylamide/N-acryloxysuccinimide, crosslinked with polylysine, grafted onto polypropylene. 2012 , 81, 295-300	9
1239	Solution thermal properties of a family of thermo-responsive N-isopropyl acrylamide-co-N-hydroxymethyl acrylamide copolymers [Aspects intrinsic to the polymers. 2012 , 72, 77-82	12
1238	Poly(ethylene oxide)-grafted poly(N-isopropylacrylamide) networks: Preparation, characterization and rapid deswelling and reswelling behavior of hydrogels. 2012 , 72, 176-184	13
1237	A novel thermo and pH-double sensitive hydrogel immobilized Pd catalyst for Heck and Suzuki reactions in aqueous media. 2012 , 72, 233-241	25
1236	Release of Ftorafur from pH-sensitive hydrogels with hyperbranched poly(4-vinylbenzyl chloride) moieties. 2012 , 32, 953-960	8
1235	Biomimetic self-assembly of calcium phosphate templated by PNIPAAm nanogels for sustained smart drug delivery. 2012 , 32, 1299-1306	22
1234	Signal enhancement in polysaccharide based sensors for infections by incorporation of chemically modified laccase. 2012 , 29, 502-9	16
1233	Thermoresponsive biotinylated star amphiphilic block copolymer: Synthesis, self-assembly, and specific target recognition. 2012 , 53, 1684-1693	25
1232	Dual stimuli-responsive polymers derived from amino acids: Effects of molecular structure, molecular weight and end-group. 2012 , 53, 1725-1732	28
1231	Bioresponsive systems based on crosslinked polysaccharide hydrogels. 2012 , 47, 305-311	10
1230	Temperature responsive bio-compatible polymers based on poly(ethylene oxide) and poly(2-oxazoline)s. <i>Progress in Polymer Science</i> , 2012 , 37, 686-714	29.6 419
1229	Applications of surface-grafted macromolecules derived from post-polymerization modification reactions. <i>Progress in Polymer Science</i> , 2012 , 37, 871-906	29.6 115
1228	Multiple switching behaviors of poly(N-isopropylacrylamide) hydrogel with spironaphthoxazine and D-EA type dye. 2012 , 132, 665-670	14
1227	Thermo-responsiveness of polysiloxanes grafted with poly(dimethyl acrylamide) segments. 2012 , 10, 1338-1348	4
1226	Respirable rifampicin-based microspheres containing isoniazid for tuberculosis treatment. 2012 , 100, 536-42	14
1225	Breathing particles for controlling thermo-sequential on/off drug delivery. 2012 , 13, 692-4	7
1224	Advances in polymeric systems for tissue engineering and biomedical applications. 2012 , 12, 286-311	133
1223	Characterization of a hierarchical network of hyaluronic acid/gelatin composite for use as a smart injectable biomaterial. 2012 , 12, 202-10	37

1222	Well-defined N-Isopropylacrylamide Dual-Sensitive Copolymers with LCST $\approx 32^\circ\text{C}$ in Different Architectures: Linear, Block and Star Polymers. 2012 , 213, 301-314	30
1221	Beyond Orientation: The Impact of Electric Fields on Block Copolymers. 2012 , 213, 259-269	55
1220	Investigation of Thermo-responsive Nano-Confined Polymer Brushes by AFM-Based Force Spectroscopy. 2012 , 213, 580-586	8
1219	Thermo-responsive poly(2-oxazine)s. 2012 , 33, 92-6	71
1218	Hyperbranched homo and thermo-responsive graft copolymers by using ATRP-macromonomer initiators. 2012 , 124, 536-548	20
1217	Triply-responsive (thermo/light/pH) copolymeric hydrogel of N-isopropylacrylamide with an azobenzene-containing monomer. 2012 , 124, 1128-1136	16
1216	Stimuli-responsive polymers and their applications in nanomedicine. 2012 , 7, 9	309
1215	Dually stimuli-responsive hyperbranched polyethylenimine with LCST transition based on hydrophilic/hydrophobic balance. 2013 , 127, 3249-3255	8
1214	Effect of intermolecular and intramolecular forces on hydrodynamic diameters of poly(N-isopropylacrylamide) copolymers in aqueous solutions. 2013 , 127, 4280-4287	10
1213	Electrical Sensitivity and Mechanical Properties of Fast Responsive PAMPS-PAA-PVA T-IPN Hydrogels. 2013 , 32, E20-E31	6
1212	pH- and temperature-responsive poly(aspartic acid)-l-poly(N-isopropylacrylamide) conetwork hydrogel. 2013 , 49, 2392-2403	45
1211	An efficient method for the output of new self-repairing materials through a reactive isocyanate encapsulation. 2013 , 49, 2467-2476	75
1210	Electrochemically controlled release of molecular guests from redox responsive polymeric multilayers and devices. 2013 , 49, 2477-2484	42
1209	Tunable Polymers Obtained from Passerini Multicomponent Reaction Derived Acrylate Monomers. 2013 , 46, 6031-6037	80
1208	Thermally sensitive polypeptide-based copolymer for DNA complexation into stable nanosized polyplexes. 2013 , 15, 1	11
1207	Thermal reversal of polyvalent choline phosphate, a multivalent universal biomembrane adhesive. 2013 , 14, 2611-21	23
1206	SANS and DLS Study of Tacticity Effects on Hydrophobicity and Phase Separation of Poly(N-isopropylacrylamide). 2013 , 46, 6225-6232	55
1205	Synthesis, structural characterization, and thermo-responsivity of hybrid supramolecular dendrimers bearing a polyoxometalate core. 2013 , 19, 11051-61	16

1204	It is the outside that counts: chemical and physical control of dynamic surfaces. 2013 , 135, 3067-72	28
1203	Light Responsive Vesicles Based on Linear Dendritic Block Copolymers Using Azobenzene Aliphatic Codendrons. 2013 , 46, 5951-5960	75
1202	Kinetics of chitosan hydrogel formation in high internal phase oil-in-water emulsions (HIPEs) using viscoelastic measurements. 2013 , 9, 8678	21
1201	Stimuli-Responsive Surfaces for Biomedical Applications. 2013 , 63-87	1
1200	Reduction-responsive drug delivery based on mesoporous silica nanoparticle core with crosslinked poly(acrylic acid) shell. 2013 , 33, 3426-31	32
1199	Synthesis of core-shell poly (N-isopropylacrylamide) grafted silica nanoparticles by distillation precipitation polymerization. 2013 , 246, 473-477	10
1198	pH-responsive polymer core-shell nanospheres for drug delivery. 2013 , 51, 4440-4450	18
1197	Stimuli-responsive hydrogel patterns for smart microfluidics and microarrays. 2013 , 138, 6230-42	56
1196	Effects of PEG-Based Thermoresponsive Polymer Brushes on Fibroblast Spreading and Gene Expression. 2013 , 6, 287-298	15
1195	Multifunctional Up-Converting Nanocomposites with Smart Polymer Brushes Gated Mesopores for Cell Imaging and Thermo/pH Dual-Responsive Drug Controlled Release. 2013 , 23, 4067-4078	183
1194	Thermosensitivity and luminescent properties of new tetraphenylethylene derivatives bearing peripheral oligo(ethylene glycol) chains. 2013 , 1, 6767	22
1193	Effect of crosslinkers on size and temperature sensitivity of poly(N-isopropylacrylamide) microgels. 2013 , 70, 653-664	23
1192	Multistimuli-responsive hydrogels of poly(2-acrylamido-2-methyl-1-propanesulfonic acid) containing graphene. 2013 , 291, 2681-2687	11
1191	Poly(N-isopropylacrylamide-co-N-t-butylacrylamide)-block-poly(ethylene glycol)-block-poly(N-isopropylacrylamide-co-N-t-butylacrylamide) triblock copolymers: synthesis and thermogelation properties of aqueous solutions. 2013 , 291, 2523-2532	7
1190	Two-step phase transition via in situ hydrolysis of thermosensitive polymeric micelles with acid-labile core. 2013 , 291, 2469-2473	
1189	Silica particles coated with azobenzene-containing photoresponsive molecule-imprinted skin layer. 2013 , 291, 2049-2059	14
1188	Magnetic hollow poly(N-isopropylacrylamide-co-N,N'-methylenebisacrylamide-co-glycidyl acrylate) particles prepared by inverse emulsion polymerization. 2013 , 291, 205-213	16
1187	Review of chemo-responsive shape change/memory polymers. 2013 , 42, 237-246	50

1186	Actively targeting solid tumours with thermoresponsive drug delivery systems that respond to mild hyperthermia. 2013 , 29, 501-10	41
1185	Xyloglucan-derivatized films for the culture of adherent cells and their thermocontrolled detachment: a promising alternative to cells sensitive to protease treatment. 2013 , 14, 512-9	10
1184	Reactive and stimuli-responsive maleic anhydride containing macromers [multi-functional cross-linkers and building blocks for hydrogel fabrication. 2013 , 73, 1480-1492	23
1183	Thermo-Responsive Hydrogels for Stimuli-Responsive Membranes. 2013 , 1, 238-262	47
1182	Catalyst-free click cascade functionalization of unsaturated-bond-containing polymers using masked-ketene-tethering nitrile N-oxide. 2013 , 54, 4501-4510	25
1181	Poly(N-isopropylacrylamide)-stabilized gold nanoparticles in combination with tricationic branched phenylene-ethynylene fluorophore for protein identification. 2013 , 29, 12317-27	41
1180	Hybrid Nanospheres Formed by Intermixed Double-Hydrophilic Block Copolymer Poly(ethylene oxide)-block-poly(2-ethylloxazoline) with High Content of Metallacarboranes. 2013 , 46, 6881-6890	23
1179	Synthesis and characterization of physically crosslinked N-vinylcaprolactam, acrylic acid, methacrylic acid, and N,N-dimethylacrylamide hydrogels. 2013 , 51, 1555-1564	17
1178	Temperature-Controlled Reversible Localized Surface Plasmon Resonance Response of Polymer-Functionalized Gold Nanoprisms in the Solid State. 2013 , 117, 26228-26237	34
1177	Synthesis and characterization of Eu(III) complexes of modified cellulose and poly(N-isopropylacrylamide). 2013 , 94, 77-81	22
1176	Thermosensitive PNIPAM-peptide conjugate [Synthesis and aggregation. 2013 , 49, 499-509	21
1175	Immobilization of cellulase on magneto-responsive graphene nano-supports. 2013 , 90, 76-86	85
1174	Magnetic, fluorescent, and thermo-responsive Fe(3)O(4)/rare earth incorporated poly(St-NIPAM) core-shell colloidal nanoparticles in multimodal optical/magnetic resonance imaging probes. 2013 , 34, 2296-306	72
1173	Redox- and temperature-controlled drug release from hollow mesoporous silica nanoparticles. 2013 , 19, 15410-20	61
1172	Self-assembly and aggregation of ATRP prepared amphiphilic BAB tri-block copolymers contained nonionic ethylene glycol and fluorescent 9,10-di(1-naphthalenyl)-2-vinyl-anthracene/1-vinyl-pyrene segments. 2013 , 49, 3722-3733	9
1171	Assessment of cytotoxicity of (N-isopropyl acrylamide) and poly(N-isopropyl acrylamide)-coated surfaces. 2013 , 8, 19	126
1170	Poly(vinyl alcohol)/poly(acrylic acid)/TiO2/graphene oxide nanocomposite hydrogels for pH-sensitive photocatalytic degradation of organic pollutants. 2013 , 178, 1097-1103	63
1169	Agarose hydrogels embedded with pH-responsive diblock copolymer micelles for triggered release of substances. 2013 , 14, 2713-23	33

1168	Synthesis, characterization, crystalline morphologies and hydrophilicity of A4BA4 nonlinear block copolymers. 2013 , 62, 1500-1506	
1167	Thermoresponsive hyperbranched polymers via In Situ RAFT copolymerization of peg-based monomethacrylate and dimethacrylate monomers. 2013 , 51, 3751-3761	15
1166	Chelidamic acid functionalized stimuli-responsive hydrogel supported-palladium catalyst for copper-free Sonogashira reaction in aqueous media. 2013 , 73, 710-718	9
1165	pH-responsive hydrogels with dispersed hydrophobic nanoparticles for the oral delivery of chemotherapeutics. 2013 , 101, 2229-36	50
1164	Temperature-responsive drug delivery systems based on polyaspartamides with isopropylamine pendant groups. 2013 , 9, 7267	40
1163	Thermo-responsive peptide-based triblock copolymer hydrogels. 2013 , 9, 4304	14
1162	A triple thermoresponsive schizophrenic diblock copolymer. 2013 , 4, 4322	58
1161	Photoswitching of chiral supramolecular environments and photoinduced lower critical solution temperature transitions in aqueous media following a supramolecular approach. 2013 , 11, 873-80	16
1160	Synthesis by RAFT of innovative well-defined (co)polymers from a novel phosphorus-based acrylamide monomer. 2013 , 4, 795-803	36
1159	Thermoresponsive dynamic covalent single-chain polymer nanoparticles reversibly transform into a hydrogel. 2013 , 52, 956-9	124
1158	Tuning LCST with thiol-responsiveness of thermoresponsive copolymers containing pendant disulfides. 2013 , 49, 807-9	27
1157	Amphiphilic Unimolecular Nanoparticles Based on a Hyperbranched Polyacrylate Core and a PNIPAm Shell: Synthesis via ATRP and Properties. 2013 , 214, 882-891	14
1156	Acid-degradable polymers for drug delivery: a decade of innovation. 2013 , 49, 2082-102	308
1155	Synthesis of linear amphiphilic tetrablock quaterpolymers with dual stimulus response through the combination of ATRP and RAFT by a click chemistry site transformation approach. 2013 , 4, 1815	33
1154	Thermogelation Properties of ABA Triblock Copolymers of Poly(Ethylene Glycol) (B) and Copolyacrylates of Oligo(Ethylene Glycol)s (A) in Aqueous Solution. 2013 , 11, 149-156	10
1153	Thermoresponsive Dynamic Covalent Single-Chain Polymer Nanoparticles Reversibly Transform into a Hydrogel. 2013 , 125, 990-993	25
1152	Microstructure Control: An Underestimated Parameter in Recent Polymer Design. 2013 , 214, 135-142	53
1151	Nanoscale inhomogeneities in thermoresponsive polymers. 2013 , 34, 119-34	56

1150	Biodegradable poly(carbonate-ether)s with thermoresponsive feature at body temperature. 2013 , 51, 282-289	36
1149	RAFT-mediated synthesis and temperature-induced responsive properties of poly(2-(2-methoxyethoxy)ethyl methacrylate) brushes. 2013 , 51, 954-962	24
1148	Design maps for cellular uptake of gene nanovectors by computer simulation. 2013 , 34, 8401-7	36
1147	Initiated chemical vapor deposition of thermoresponsive poly(N-vinylcaprolactam) thin films for cell sheet engineering. 2013 , 9, 7691-8	47
1146	Visual optical biosensors based on DNA-functionalized polyacrylamide hydrogels. 2013 , 64, 292-8	35
1145	Thermoresponsive transition of a PEO-b-PNIPAM copolymer: From hierarchical aggregates to well defined ellipsoidal vesicles. 2013 , 54, 6373-6380	31
1144	Thermoresponsive Poly(N-C3 glycine)s. 2013 , 46, 580-587	69
1143	Thermoresponsive diblock copolymer with tunable soluble-insoluble and soluble-insoluble-soluble transitions. 2013 , 34, 574-80	27
1142	Hydrophilic-Hydrophobic-Transition-Triggered Thermosensitive Macroscopic Gel Assembly. 2013 , 214, 2398-2404	5
1141	Valve based on novel hydrogels: From synthesis to application. 2013 , 188, 176-184	8
1140	Low temperature plasma vapor treatment of thermo-sensitive poly(N-isopropylacrylamide) and its application. 2013 , 268, 332-336	7
1139	Tunable, responsive nanogels containing t-butyl methacrylate and 2-(t-butylamino)ethyl methacrylate. 2013 , 54, 3784-3795	28
1138	pH-labile sheddable block copolymers by RAFT polymerization: Synthesis and potential use as siRNA conjugates. 2013 , 49, 2895-2905	10
1137	Fabrication and aggregation of thermoresponsive glucose-functionalized double hydrophilic copolymers. 2013 , 105, 180-6	15
1136	Association of poly(N-isopropylacrylamide) containing nucleobase multiple hydrogen bonding of adenine for DNA recognition. 2013 , 271, 60-69	26
1135	Design Strategies for Fluorescent Biodegradable Polymeric Biomaterials. 2013 , 1, 132-148	68
1134	"Smart" Materials Based on Cellulose: A Review of the Preparations, Properties, and Applications. 2013 , 6, 738-781	336
1133	Photo-responsive block copolymer micelles: design and behavior. 2013 , 42, 7117-29	424

1132	Coordination bonding based pH-responsive drug delivery systems. 2013 , 257, 1933-1944	104
1131	Polymer thin films for antireflection coatings. 2013 , 1, 2266	63
1130	New directions in thermoresponsive polymers. 2013 , 42, 7214-43	918
1129	To aggregate, or not to aggregate? considerations in the design and application of polymeric thermally-responsive nanoparticles. 2013 , 42, 7204-13	150
1128	Reaction-Induced Self-Assembly of Gel Structure: A New Insight into Chemical Gelation Process of N-Isopropylacrylamide as Studied by Two-Dimensional Infrared Correlation Spectroscopy. 2013 , 46, 3587-3602	27
1127	Environmental pH-sensitive polymeric micelles for cancer diagnosis and targeted therapy. 2013 , 169, 180-4	151
1126	Bioavailability of phytochemicals and its enhancement by drug delivery systems. 2013 , 334, 133-41	174
1125	Thermoresponsive behavior of amphiphilic diblock co-oligomers of ethylene glycol and styrene in aqueous solution. 2013 , 9, 7007	12
1124	Cyclodextrin-Responsive Micelles Based on Poly(ethylene glycol)-Polypeptide Hybrid Copolymers as Drug Carriers.. 2013 , 2, 201-205	41
1123	Dual stimuli-responsive poly(N-isopropylacrylamide)-b-poly(L-histidine) chimeric materials for the controlled delivery of doxorubicin into liver carcinoma. 2013 , 14, 1434-43	102
1122	Stimuli-responsive magnetic particles and their applications in biomedical field. 2013 , 240, 54-65	14
1121	Synthesis of thermoresponsive glycopolymers via ATRP of N-isopropylacrylamide and N-allylacrylamide and subsequent thiol-ene reaction. 2013 , 49, 2660-2669	11
1120	A branching point thermo and pH dual-responsive hyperbranched polymer based on poly(N-vinylcaprolactam) and poly(N,N-diethyl aminoethyl methacrylate). 2013 , 4, 2850	24
1119	Thermoresponsive hydrogels from phosphorylated ABA triblock copolymers: a potential scaffold for bone tissue engineering. 2013 , 14, 2206-14	73
1118	Photoresponsive Coumarin Polyesters That Exhibit Cross-Linking and Chain Scission Properties. 2013 , 46, 5133-5140	72
1117	Self-tunable thermosensitive behavior by reorganizable architecture variation in the Belousov-Zhabotinsky reaction. 2013 , 3, 2182	12
1116	Biomolecular assembly of thermoresponsive superlattices of the tobacco mosaic virus with large tunable interparticle distances. 2013 , 52, 6638-42	38
1115	Fast deswelling of nanocomposite polymer hydrogels via magnetic field-induced heating for emerging FO desalination. 2013 , 47, 6297-305	72

1114	Self-healing mussel-inspired multi-pH-responsive hydrogels. 2013 , 14, 297-301	348
1113	Biomimetic intracellular matrix (ICM) materials, properties and functions. Full integration of actuators and sensors. 2013 , 1, 26-38	69
1112	A New Family of Thermo-Responsive Polymers Based on Poly[N-(4-vinylbenzyl)-N,N-dialkylamine]. 2013 , 46, 3137-3146	61
1111	Thermosensitive micelles formed from a small-molecule amphiphile: switchable LCST and potential application in cloud point separation. 2013 , 49, 5580-2	21
1110	Reversible Addition-Fragmentation Chain Transfer Synthesis of a Micelle-Forming, Structure Reversible Thermosensitive Diblock Copolymer Based on the -(2-Hydroxy propyl) Methacrylamide Backbone.. 2013 , 2, 403-408	35
1109	Applications of poloxamers in ophthalmic pharmaceutical formulations: an overview. 2013 , 10, 1223-37	86
1108	Thermoresponsive block copolymers containing reactive azlactone groups and their bioconjugation with lysozyme. 2013 , 4, 675-685	36
1107	Synthesis and Properties of Poly(p-phenylene ethynylene)s with Oxidation- and Reduction-Sensitive Moieties. 2013 , 214, 1215-1224	1
1106	Poly(acrylic acid)-graft-poly(N-vinylcaprolactam): a novel pH and thermo dual-stimuli responsive system. 2013 , 4, 3876	71
1105	pH-responsive supramolecular vesicles based on water-soluble pillar[6]arene and ferrocene derivative for drug delivery. 2013 , 135, 10542-9	539
1104	Dual thermo- and photo-responsive micelles based on miktoarm star polymers. 2013 , 4, 4506	54
1103	Improving the Separation in Microchip Electrophoresis by Surface Modification. 2013 , 95-125	1
1102	Poly(N-isopropylacrylamide)-block-poly(vinyl pyrrolidone) block copolymer networks: Synthesis and rapid thermoresponse of hydrogels. 2013 , 54, 1370-1380	26
1101	CHAPTER 5:Temperature- and pH-sensitive Polymeric Micelles for Drug Encapsulation, Release and Targeting. 2013 , 115-147	8
1100	Water-Soluble Chiral Polyisocyanides Showing Thermoresponsive Behavior. 2013 , 46, 1124-1132	57
1099	Self-assembly of near-monodisperse redox-sensitive micelles from cholesterol-conjugated biomimetic copolymers. 2013 , 13, 1084-91	26
1098	Cationic Poly(ionic liquid) with Tunable Lower Critical Solution Temperature-Type Phase Transition.. 2013 , 2, 456-459	104
1097	Aptamer-functionalized hydrogel diffraction gratings for the human thrombin detection. 2013 , 49, 5957-9	37

1096	Tuning thermoresponsive behavior of diblock copolymers and their gold core hybrids: part 1. Importance of placement of amphiphilic end groups on the diblock copolymers. 2013 , 391, 60-9	7
1095	Specificity in cationic interaction with poly(N-isopropylacrylamide). 2013 , 117, 5090-101	38
1094	Thermally modulated cationic copolymer brush on monolithic silica rods for high-speed separation of acidic biomolecules. 2013 , 5, 1442-52	37
1093	Thermal aggregation properties of nanoparticles modified with temperature sensitive copolymers. 2013 , 29, 15217-23	35
1092	Effect of charge density on water sorption and elasticity of stimuli-responsive poly(acrylamide-co-taonic acid) and poly(N,N-dimethylacrylamide-co-taonic acid) hydrogels: Comparison of experiment with theory. 2013 , 28, 3234-3244	7
1091	Fabrication of Thermoresponsive Glycopolymers Fibers for Lectin Recognition. 2013 , 821-822, 981-985	
1090	Synthesis of pH-responsive amphiphilic diblock copolymers containing polyisobutylene via oxyanion-initiated polymerization and their multiple self-assembly morphologies. 2013 , 31, 218-231	11
1089	NMR Study of Thermoresponsive Hyperbranched Polymer in Aqueous Solution with Implication on the Phase Transition. 2013 , 46, 9688-9697	16
1088	Thermoresponsive (Co)polymers through Postpolymerization Modification of Poly(2-vinyl-4,4-dimethylazlactone). 2013 , 46, 6475-6484	40
1087	Polystyrene-Poly(sodium methacrylate) Amphiphilic Block Copolymers by ATRP: Effect of Structure, pH, and Ionic Strength on Rheology of Aqueous Solutions. 2013 , 46, 7106-7111	34
1086	Preparation and self-assembly of double hydrophilic poly(ethylene phosphate)-block-poly[2-(succinyloxy)ethyl methacrylate] diblock copolymers for drug delivery. 2013 , 73, 579-587	10
1085	Tailoring enzyme activity and stability using polymer-based protein engineering. 2013 , 34, 7437-43	84
1084	Formation and structural characteristics of thermosensitive multiblock copolymer vesicles. 2013 , 29, 16010-7	22
1083	Nanomedicine as an innovative therapeutic strategy for pediatric lung diseases. 2013 , 48, 1098-111	9
1082	Temperature-regulated fluorescence and association of an oligo(ethyleneglycol)methacrylate-based copolymer with a conjugated polyelectrolyte--the effect of solution ionic strength. 2013 , 117, 14576-87	7
1081	Controlling cellular uptake of nanoparticles with pH-sensitive polymers. 2013 , 3, 2804	67
1080	Biocompatible polylactide-block-polypeptide-block-polylactide nanocarrier. 2013 , 14, 1572-7	17
1079	Temperature-Responsiveness and Antimicrobial Properties of CNT-PNIPAM Hybrid Brush Films. 2013 , 214, 464-469	17

1078	Synthesis, characterization and thermal degradation of dual temperature- and pH-sensitive RAFT-made copolymers of N,N-(dimethylamino)ethyl methacrylate and methyl methacrylate. 2013 , 62, 463-473	57
1077	"Isothermal" LCST transitions triggered by bioreduction of single polymer end-groups. 2013 , 49, 4223-5	29
1076	Temperature- and light-responsive smart polymer materials. 2013 , 42, 7468-83	732
1075	Polymer phase-transition behavior driven by a charge-transfer interaction. 2013 , 52, 4174-8	44
1074	Recent Advances in Stimuli-Responsive Photofunctional Materials Based on Accommodation of Chromophore into Layered Double Hydroxide Nanogallery. 2013 , 2013, 1-14	8
1073	Photodegradable cross-linked polymer derived from a vinylic rotaxane cross-linker possessing aromatic disulfide axle. 2013 , 85, 835-842	14
1072	Integration of biosensors and drug delivery technologies for early detection and chronic management of illness. 2013 , 13, 7680-713	38
1071	Effect of salen-metal complexes on thermosensitive reversibility of stimuli-responsive water-soluble poly(urethane amine)s. 2013 , 129, 3696-3703	4
1070	A brief review of surface-functionalized cotton fabrics. 2013 , 1, 140-156	33
1069	Synthesis and Characterization of pH- and Temperature-sensitive Hydrogels of Poly (Styrene-alt-Maleic Anhydride)-co-Pluronic for Drug Release. 2013 , 52, 1198-1211	2
1068	Biodegradable CO ₂ -based polycarbonates with rapid and reversible thermal response at body temperature. 2013 , 51, 1893-1898	22
1067	Synthesis of Poly(ϵ -caprolactone-co-methacrylic acid) Copolymer via Phosphazene-Catalyzed Hybrid Copolymerization. 2013 , 214, 378-385	23
1066	Hydrophilic CO ₂ -based biodegradable polycarbonates: Synthesis and rapid thermo-responsive behavior. 2013 , 51, 2834-2840	33
1065	Self-Assembly of Globular-Protein-Containing Block Copolymers. 2013 , 214, 1659-1668	21
1064	Remarkable pH-responsive Microfiltration Membrane from Well-defined PS-b-PDEAEMA Copolymers by ATRP Method. 2013 , 50, 991-1001	5
1063	Temperature and pH effects on the stability and rheological behavior of the aqueous suspensions of smart polymers based on N-isopropylacrylamide, chitosan, and acrylic acid. 2013 , 129, 334-345	26
1062	Remarkably stable amphiphilic random copolymer assemblies: A structure-property relationship study. 2013 , 51, 4932-4943	17
1061	Probing Macromolecular and Supramolecular Structure, Dynamics, and Function by Magnetic Resonance. 2013 , 295-320	2

1060	Stimuli-Responsive Membranes. 2013 , 1	0
1059	Functionalization with Interpenetrating Smart Polymer Networks by Gamma Irradiation for Loading and Delivery of Drugs. 2013 , 59-104	
1058	Chemical and Genetic Modification. 2013 , 1-52	2
1057	Thermoresponsive polymers as gene and drug delivery vectors: architecture and mechanism of action. 2013 , 10, 1669-86	41
1056	- Polymeric Nanoparticles for Drug Delivery. 2013 , 144-173	
1055	Switchable Aggregation Phenomena of DNA-conjugated Poly(N-isopropylacrylamide) Driven by Transformation between ssDNA and dsDNA with Control of DNA Charges and Flexibility. 2013 , 42, 1568-1570	4
1054	Advances in Smart Wearable Systems. 2013 , 167-200	
1053	Biomolecular Assembly of Thermoresponsive Superlattices of the Tobacco Mosaic Virus with Large Tunable Interparticle Distances. 2013 , 125, 6770-6774	5
1052	Polymer Phase-Transition Behavior Driven by a Charge-Transfer Interaction. 2013 , 125, 4268-4272	8
1051	Micro/nanohybrid hierarchical poly(N-isopropylacrylamide)/calcium carbonate composites for smart drug delivery. 2013 , 129, 577-584	17
1050	Environmental pH-responsive fluorescent PEG-polyurethane for potential optical imaging. 2013 , 129, 846-852	12
1049	pH-Switchable macroscopic assembly through host-guest inclusion. 2013 , 34, 1174-80	10
1048	Preparation and evaluation of radioiodinated thermoresponsive polymer based on poly(N-isopropyl acrylamide) for radiotherapy. 2013 , 130, 860-868	4
1047	Acid-triggered core cross-linked nanomicelles for targeted drug delivery and magnetic resonance imaging in liver cancer cells. 2013 , 8, 3019-31	18
1046	Preparation of Nanocomposite Based on Exfoliation of Montmorillonite in Acrylamide Thermosensitive Polymer. 2013 , 2013, 1-5	4
1045	Water sorption on a thin film of stereocontrolled poly(N-ethylacrylamide) and poly(N,N-diethylacrylamide). 2013 , 4, 03001	1
1044	Host-guest-driven color change in water: influence of cyclodextrin on the structure of a copper complex of poly((4-hydroxy-3-(pyridin-3-yl diazenyl)phenethyl)methacrylamide-co-dimethylacrylamide). 2014 , 10, 2480-3	3
1043	. 2014 ,	5

1042 . 2014,

1041 Polyacetals. **2014**, 219-233

5

1040 Synthesis and Characterisation of a Novel Thermo-responsive Dendronized Monomer Bearing Azobenzene Moiety. **2014**, 989-994, 494-4971039 Synthesis and properties of a dual responsive hydrogel by inverse microemulsion polymerization. **2014**, 126, 1623-1627

10

1038 Design of polyhedral oligomeric silsesquioxane (POSS) based thermo-responsive amphiphilic hybrid copolymers for thermally denatured protein protection applications. **2014**, 5, 6740-6753

57

1037 Development of Intelligent Nanomaterials as a Strategy to Solve Environmental Problems. **2014**, 373-3851036 CHAPTER 4:Poly(l-lysine)-Based Copolymers: Synthetic Strategies and Biomedical Applications. **2014**, 99-1321035 Studies on properties of temperature-sensitive amphiphilic copolymer-modified PVDF ultrafiltration membrane. **2014**, 1-12

5

1034 Multiblock copolymer solutions in contact with a surface: self-assembly, adsorption, and percolation. **2014**, 30, 12400-10

4

1033 A New Thermosensitive Poly(N-propionyl-aspartic acid/ethylene glycol) with No Cytotoxicity and Tunable UCST. **2014**, 215, 365-371

10

1032 Tunable Dual-Thermo-responsive Phase Behavior of Zwitterionic Polysulfobetaine Copolymers Containing Poly(N,N-dimethylaminoethyl methacrylate)-Grafted Silica Nanoparticles in Aqueous Solution. **2014**, 215, 111-120

28

1031 Gradient structure-induced temperature responsiveness in styrene/methyl methacrylate gradient copolymers micelles. **2014**, 35, 309-16

17

1030 Multifunctional Electrospun Nanofibers Prepared from Poly((N-isopropylacrylamide)-co-(N-hydroxymethylacrylamide)) and Their Blends with 1,2-Diaminoanthraquinone for NO Gas Detection. **2014**, 215, 286-294

28

1029 Temperature/pH dual responsive microgels of crosslinked poly(N-vinylcaprolactam-co-undecenoic acid) as biocompatible materials for controlled release of doxorubicin. **2014**, 131, n/a-n/a

19

1028 Thermo-responsive diblock copolymer micellar macro-RAFT agent-mediated dispersion RAFT polymerization and synthesis of temperature-sensitive ABC triblock copolymer nanoparticles. **2014**, 52, 2155-2165

46

1027 A Borinic Acid Polymer with Fluoride Ion- and Thermo-responsive Properties that are Tunable over a Wide Temperature Range. **2014**, 126, 9080-9084

14

1026 Encyclopedia of Polymeric Nanomaterials. **2014**, 1-5

1

1025 Synthesis of PAA-g-PNVCL Graft Copolymer and Studies on Its Loading of Ornidazole. **2014**, 32, 1049-1056

7

1024	Synthesis, characterization, and temperature-responsive behaviors of novel hybrid amphiphilic block copolymers containing polyhedral oligomeric silsesquioxane. 2014 , 25, 613-623	5
1023	pH- and thermo-induced morphological changes of an amphiphilic peptide-grafted copolymer in solution. 2014 , 46, 52-58	6
1022	RAFT polymerization of 4-vinylphenylboronic acid as the basis for micellar sugar sensors. 2014 , 35, 214-220	24
1021	Preparation of stimuli-responsive nanogels of poly [2-(dimethylamino) ethyl methacrylate] by heterophase and microemulsion polymerization using gamma radiation. 2014 , 54, 1625-1631	14
1020	Synthesis and self-assembly behavior of thermoresponsive poly(oligo(ethylene glycol) methyl ether methacrylate)-POSS with tunable lower critical solution temperature. 2014 , 292, 2993-3001	16
1019	New design strategy for reversible plasticity shape memory polymers with deformable glassy aggregates. 2014 , 6, 21060-8	31
1018	Polymers from 1-Vinyl-2-(hydroxymethyl)imidazole in Water: Altering from UCST to LCST Behavior via O-Ethylation. 2014 , 215, 682-687	7
1017	Dual redox and thermoresponsive double hydrophilic block copolymers with tunable thermoresponsive properties and self-assembly behavior. 2014 , 35, 752-7	30
1016	pH- and redox-responsive poly(ethylene glycol) and cholesterol-conjugated poly(amido amine)s based micelles for controlled drug delivery. 2014 , 14, 347-58	26
1015	Adsorption behavior of proteins on temperature-responsive resins. 2014 , 1324, 181-9	22
1014	Surface forces and friction between non-polar surfaces coated by temperature-responsive methylcellulose. 2014 , 441, 701-708	7
1013	Radiation grafting of oligo(ethylene glycol) ethyl ether methacrylate on polypropylene. 2014 , 94, 137-140	4
1012	Polymer-based stimuli-responsive recyclable catalytic systems for organic synthesis. 2014 , 10, 32-46	129
1011	Preparation and characterization of thermo-sensitive poly(vinyl alcohol)-based hydrogel as drug carrier. 2014 , 131, n/a-n/a	8
1010	LCST transition of PNIPAM-b-PVCL in water: cooperative aggregation of two distinct thermally responsive segments. 2014 , 10, 3578-86	48
1009	Wide range temperature detection with hybrid nanoparticles traced by surface-enhanced Raman scattering. 2014 , 57, 417-425	2
1008	Influence of crosslinker and ionic comonomer concentration on glass transition and demixing/mixing transition of copolymers poly(-isopropylacrylamide) and poly(sodium acrylate) hydrogels. 2014 , 292, 485-492	19
1007	Stimuli-Responsive Materials for Controlled Release of Theranostic Agents. 2014 , 24, 4206-4220	251

1006	Fluorescent labelled dual-stimuli (pH/thermo) responsive self-assembled side-chain amino acid based polymers. 2014 , 55, 824-832		36
1005	Solvent induced phase inversion-based in situ forming controlled release drug delivery implants. 2014 , 176, 8-23		71
1004	Thermoresponsive Polyphosphazene-Based Molecular Brushes by Living Cationic Polymerization. 2014 , 337, 116-123		18
1003	Smart nanocontainers: progress on novel stimuli-responsive polymer vesicles. 2014 , 35, 767-79		101
1002	PEG-PLGA copolymers: their structure and structure-influenced drug delivery applications. 2014 , 183, 77-86		202
1001	Intracellular Delivery II. 2014 ,		7
1000	Synthesis and characterization of a novel semi-IPN hydrogel based on Salecan and poly(N,N-dimethylacrylamide-co-2-hydroxyethyl methacrylate). 2014 , 105, 135-44		64
999	Conformational transitions and dynamics of thermal responsive poly(N-isopropylacrylamide) polymers as revealed by molecular simulation. 2014 , 55, 153-159		29
998	Silicone Rubber Modified with Methacrylic Acid to Host Antiseptic Drugs. 2014 , 299, 1240-1250		16
997	Stimuli-responsive tertiary amine methacrylate-based block copolymers: Synthesis, supramolecular self-assembly and functional applications. <i>Progress in Polymer Science</i> , 2014 , 39, 1096-1143	29.6	171
996	pH-Responsive Supramolecular Control of Polymer Thermoresponsive Behavior by Pillararene-Based Host-Guest Interactions. 2014 , 3, 110-113		80
995	In situ gelling systems: a strategy to improve the bioavailability of ophthalmic pharmaceutical formulations. 2014 , 19, 400-12		142
994	Thermoresponsive anionic copolymer brushes containing strong acid moieties for effective separation of basic biomolecules and proteins. 2014 , 15, 3846-58		32
993	Supramolecular hybrid hydrogel based on host-guest interaction and its application in drug delivery. 2014 , 6, 19544-51		93
992	Synthesis of thermo-responsive polymer-protein conjugates through disulfide bonding. 2014 , 4, 60413-60420		10
991	Synthesis of thermo- and photoresponsive polysilsesquioxane containing tetraethylene glycol chains and an azobenzene group. 2014 , 46, 243-249		7
990	Stimuli-Responsive Tertiary Amine Functional PEGs Based on N,N-Dialkylglycidylamines. 2014 , 47, 7679-7690		28
989	Novel pH- and temperature-responsive polymer: tertiary amine starch ether. 2014 , 114, 530-536		17

988	Poly(N-isopropylacrylamide)-Modified Styrene-Butadiene Rubber as Thermoresponsive Material. 2014 , 215, 32-43	7
987	Poly(N-isopropylacrylamide)-block-poly(acrylic acid) hydrogels: synthesis and rapid thermoresponsive properties. 2014 , 292, 2633-2645	15
986	A Non-ionic Thermophilic Hydrogel with Positive Thermosensitivity in Water and Electrolyte Solution. 2014 , 215, 1466-1472	25
985	Improvement of proton conductivity in nanocomposite polyvinyl alcohol (PVA)/chitosan (CS) blend membranes. 2014 , 4, 61781-61789	31
984	Development of a spatiotemporal method to control molecular function by using silica-based photodegradable nanoparticles. 2014 , 2, 4153-4158	10
983	Synthesis and characterization of thermo-responsive polypeptoid bottlebrushes. 2014 , 5, 1418-1426	34
982	Thermoresponsive fluorescence of a graphene-polymer composite based on a local surface plasmon resonance effect. 2014 , 16, 11584-9	11
981	Polymeric nanocarriers for expected nanomedicine: current challenges and future prospects. 2014 , 4, 48639-48659	51
980	Redox-responsive thermal sensitivity based on a selenium-containing small molecule. 2014 , 50, 2585-8	25
979	DNA molecular recognition of intercalators affects aggregation of a thermoresponsive polymer. 2014 , 5, 4612-4616	6
978	Magnetically enhanced bicelles delivering switchable anisotropy in optical gels. 2014 , 6, 1100-5	17
977	Synthesis of a doubly thermo-responsive schizophrenic diblock copolymer based on poly[N-(4-vinylbenzyl)-N,N-diethylamine] and its temperature-sensitive flip-flop micellization. 2014 , 5, 3910-3918	13
976	Layer-by-Layer Assembly of Light-Responsive Polymeric Multilayer Systems. 2014 , 24, 5624-5648	88
975	A borinic acid polymer with fluoride ion- and thermo-responsive properties that are tunable over a wide temperature range. 2014 , 53, 8934-8	66
974	PEG-b-PCL copolymer micelles with the ability of pH-controlled negative-to-positive charge reversal for intracellular delivery of doxorubicin. 2014 , 15, 4281-92	145
973	Fluorescent polymeric aggregates for selective response to sarin surrogates. 2014 , 50, 9965-8	17
972	Multi-stimuli sensitive supramolecular hydrogel formed by host-guest interaction between PNIPAM-Azo and cyclodextrin dimers. 2014 , 4, 4955	57
971	Absolut copper catalyzed robust living polymerization of NIPAM: Guinness is good for SET-LRP. 2014 , 5, 57-61	71

- 970 Lectin recognizing thermoresponsive double hydrophilic glycopolymer micelles by RAFT polymerization. **2014**, 4, 34912-34921 21
- 969 Multi-responsive hydrogels for drug delivery and tissue engineering applications. **2014**, 1, 57-65 112
- 968 Autonomic composite hydrogels by reactive printing: materials and oscillatory response. **2014**, 10, 1329-36 17
- 967 Thermoresponsive core-shell nanoparticles with cross-linked conjugate core based on amphiphilic block copolymers by RAFT polymerization and palladium-catalyzed coupling reactions. **2014**, 55, 6025-6035 25
- 966 Ionic liquid-doped and p-NIPAAm-based copolymer (p-NIBIm): extraordinary drug-entrapping and -releasing behaviors at 38.2 °C. **2014**, 4, 26738-26747 17
- 965 Complex thermoresponsive behavior of diblock polyacrylamides. **2014**, 5, 4358-4364 15
- 964 Hyperbranched polycaprolactone-click-poly(N-vinylcaprolactam) amphiphilic copolymers and their applications as temperature-responsive membranes. **2014**, 2, 814-825 29
- 963 New benzylidene oxazolone derived polymeric photoswitches for light-induced tunable thermoresponsive behaviors. **2014**, 5, 6426-6430 4
- 962 Stimuli-responsive one-dimensional copolymer nanostructures fabricated by metallogel template polymerization and their adsorption of aspirin. **2014**, 10, 3960-9 9
- 961 A topping gel for the treatment of nuclear contaminated small items. **2014**, 278, 481-490 5
- 960 Thermodynamic description of Hofmeister effects on the LCST of thermosensitive polymers. **2014**, 118, 10979-88 81
- 959 Synthesis of water-soluble polyisocyanates with the oligo(ethylene glycol) side-chain as new thermoresponsive polymers. **2014**, 5, 1057-1062 15
- 958 Smart Polypeptide Nanocarriers for Malignancy Therapeutics. **2014**, 523-546 1
- 957 Thermoresponsive poly(vinyl alcohol) derivatives: preparation, characterization and their capability of dispersing gold nanoparticles. **2014**, 5, 2417 10
- 956 State-of-the-art analytical methods for assessing dynamic bonding soft matter materials. **2014**, 26, 5758-85 24
- 955 Synthesis and characterization of monodispersed P(St-co-DMAEMA) nanoparticles as pH-sensitive drug delivery system. **2014**, 45, 1-7 37
- 954 Thermoresponse improvement of poly(N-isopropylacrylamide) hydrogels via formation of poly(sodium p-styrenesulfonate) nanophases. **2014**, 6, 13677-87 14
- 953 Hybrid micellar hydrogels of a thermosensitive ABA triblock copolymer and hairy nanoparticles: effect of spatial location of hairy nanoparticles on gel properties. **2014**, 30, 11212-24 16

952	Monolithic silica rods grafted with thermoresponsive anionic polymer brushes for high-speed separation of basic biomolecules and peptides. 2014 , 15, 1204-15	42
951	Thermodynamic Description of the LCST of Charged Thermoresponsive Copolymers. 2014 , 47, 2096-2102	41
950	Hydrogel diffraction grating as sensor: A tool for studying volume phase transition of thermo-responsive hydrogel. 2014 , 204, 611-616	15
949	Detection of thermoresponsive polymer phase transition in dilute low-volume format by microscale thermophoretic depletion. 2014 , 86, 6797-803	11
948	Preparation and characterization of cationic pH-sensitive SiO ₂ /polymer core-shell nanoparticles with amino groups in the shell. 2014 , 292, 2611-2620	4
947	Thermoresponsive copolymer brushes possessing quaternary amine groups for strong anion-exchange chromatographic matrices. 2014 , 15, 1031-43	34
946	Schizophrenic core-shell microgels: thermoregulated core and shell swelling/collapse by combining UCST and LCST phase transitions. 2014 , 30, 2551-8	36
945	Stimuli responsive triblock copolymers by chain-growth polymerization from telechelic macroinitiators prepared via a step-growth polymerization. 2014 , 5, 3901-3909	19
944	Remarkable structure effects on thermoresponsive properties of dendritic macromolecules. 2014 , 55, 3672-3679	4
943	Tunable temperature-responsive supramolecular hydrogels formed by prodrugs as a codelivery system. 2014 , 6, 10623-30	79
942	Electrospun glycopolymer fibers for lectin recognition. 2014 , 5, 3009-3017	15
941	Computer simulation of the role of protein corona in cellular delivery of nanoparticles. 2014 , 35, 8703-10	92
940	Tertiary-amine-containing thermo- and pH-sensitive hydrophilic ABA triblock copolymers: effect of different tertiary amines on thermally induced sol-gel transitions. 2014 , 30, 2541-50	36
939	Smart functional polymers – a new route towards creating a sustainable environment. 2014 , 4, 53352-53364	57
938	Double thermoresponsive di- and triblock copolymers based on N-vinylcaprolactam and N-vinylpyrrolidone: synthesis and comparative study of solution behaviour. 2014 , 5, 6534-6544	30
937	Temperature- and pH-responsive micelles with collapsible poly(N-isopropylacrylamide) headgroups. 2014 , 30, 7986-92	31
936	Thermoregulated formation and disintegration of cationic block copolymer vesicles: fluorescence resonance energy transfer study. 2014 , 118, 2274-83	15
935	Temperature-responsive hyperbranched amine-based polymers for solid-liquid separation. 2014 , 30, 2360-8	36

934	Synthesis and characterization of chitosan hydrogels cross-linked with dicarboxylic acids. 2014 , 84, 21-28	45
933	Thermoresponsiveness of copolymers bearing cholic acid pendants induced by complexation with β -cyclodextrin. 2014 , 30, 11770-5	29
932	Self-assembled liposomes from electrosprayed polymer-based microparticles. 2014 , 292, 2325-2334	4
931	A glucose-based diblock copolymer: synthesis, characterization and its injectable/temperature-sensitive behaviors. 2014 , 21, 1	9
930	Thermosensitive mPEG-b-PA-g-PNIPAM comb block copolymer micelles: effect of hydrophilic chain length and camptothecin release behavior. 2014 , 31, 291-304	29
929	Smart instructive polymer substrates for tissue engineering. 2014 , 301-326	4
928	Responsive linear-dendritic block copolymers. 2014 , 35, 1090-115	47
927	The effect of hydrophilic and hydrophobic block length on the rheology of amphiphilic diblock Polystyrene-b-Poly(sodium methacrylate) copolymers prepared by ATRP. 2014 , 428, 152-61	24
926	pH-responsive polymers: properties, synthesis and applications. 2014 , 45-92	36
925	Binary hairy nanoparticles: Recent progress in theory and simulations. 2014 , 52, 1583-1599	14
924	Pyrrolidone-functional smart polymers via nitroxide-mediated polymerization. 2014 , 52, 2011-2024	11
923	ISARA ATRP of methacrylic acid neutralized by simple amines yielding linear polymers and anionic molecular brushes. 2014 , 55, 66-75	7
922	New design of shape memory polymers based on natural rubber crosslinked via oxa-Michael reaction. 2014 , 6, 5695-703	48
921	Temperature-Responsive Fluorescence Polymer Probes with Accurate Thermally Controlled Cellular Uptakes.. 2014 , 3, 281-285	67
920	Mussel-inspired protein-mediated surface functionalization of electrospun nanofibers for pH-responsive drug delivery. 2014 , 10, 1324-32	83
919	pH-sensitive nanogels based on Boltorn [®] H40 and poly(vinylpyridine) using mini-emulsion polymerization for delivery of hydrophobic anticancer drugs. 2014 , 55, 3579-3590	44
918	Self-switchable catalysis by a nature-inspired polymer nanoreactor containing Pt nanoparticles. 2014 , 2, 6834-6839	27
917	Functional stimuli responsive hydrogel devices by self-folding. 2014 , 23, 094008	112

916	Shape memory polymers: properties, synthesis and applications. 2014 , 204-236	19
915	Gels and threads: mussel-inspired one-pot route to advanced responsive materials. 2014 , 50, 13278-81	97
914	On the thermodynamic phase behavior of poly(N-vinylcaprolactam) solution in the presence of different ionic liquids. 2014 , 5, 761-770	32
913	pH-responsive ibuprofen delivery in silane-modified poly(methylacrylic acid) coated bimodal mesoporous silicas. 2014 , 53, 266-271	19
912	One-Pot Synthesis and PEGylation of Hyperbranched Polyacetals with a Degree of Branching of 100%. 2014 , 47, 1532-1542	32
911	Thermoresponsive poly(oligo ethylene glycol acrylates). <i>Progress in Polymer Science</i> , 2014 , 39, 1074-1095	269
910	[Stimuli-sensitive polymer systems]. 2014 , 72, 389-99	1
909	Synthesis of star poly(N-isopropylacrylamide) with end-group of zinc-porphyrin via ATRP and its photocatalytic activity under visible light. 2014 , 283, 38-44	15
908	Controlled release from a mechanically-stimulated thermosensitive self-heating composite hydrogel. 2014 , 35, 450-5	38
907	Galactose functionalized injectable thermoresponsive microgels for sustained protein release. 2014 , 113, 368-74	12
906	Influence of the synthesis conditions on the structural and thermal properties of poly(L-lactide)-b-poly(ethylene glycol)-b-poly(L-lactide). 2014 , 131, n/a-n/a	9
905	Thermoresponsive polymerized gemini dicationic ionic liquid. 2014 , 5, 3719	40
904	Organic Nanoparticle Bioconjugate: Micelles, Cross-Linked Micelles, and Nanogels. 2014 , 203-238	1
903	Fabrication of Reversible Phase Transition Polymer Gels toward Metal Ion Sensing. 2014 , 47, 1875-1881	26
902	Post-polymerization modification of reactive polymers derived from vinylcyclopropane: a poly(vinylcyclopropane) derivative with physical gelation and UCST behaviour in ethanol/water mixtures. 2014 , 5, 5823-5828	18
901	Mesogen-jacketed liquid crystalline polymers with peripheral oligo(ethylene oxide) chains: phase structure and thermoresponsive behavior. 2014 , 5, 5147-5159	4
900	Bioresponsive polymers for the detection of bacterial contaminations in platelet concentrates. 2014 , 31, 150-5	4
899	Chitosan-Based Polymer Nanocomposites for Heavy Metal Removal. 2014 , 15-36	

898	Stimuli-Responsive Polymers Via Controlled Radical Polymerization. 2014 , 45-58	2
897	Stimuli-triggered phase transfer of polymer-inorganic hybrid hairy particles between two immiscible liquid phases. 2014 , 52, 1600-1619	11
896	Temperature-, pH-, and ion-stimulus-responsive swelling behaviors of poly(dimethylaminoethyl methacrylate) gel containing cholic acid. 2014 , 131, n/a-n/a	4
895	Multifunctional Hydrogels with Reversible 3D Ordered Macroporous Structures. 2015 , 2, 1500069	19
894	Hydrogel Nanoparticles: Synthesis and Characterization. 2015 , 3808-3816	
893	Structured Biodegradable Polymers for Drug Delivery. 2015 , 243-274	1
892	Hydrogels: Mathematical Approaches. 2015 , 3929-3950	
891	Stimuli-Responsive Polymers as Active Layers for Sensors. 2015 , 163-196	1
890	Macromolecular Design of Alkoxyamine-Containing Radically Reactive Polymers Based on Dynamic Covalent Chemistry. 2015 , 72, 341-353	
889	Poly(N-isopropylacrylamide) Phase Diagrams: Fifty Years of Research. 2015 , 54, 15342-67	557
888	Acid-Labile Thermoresponsive Copolymers That Combine Fast pH-Triggered Hydrolysis and High Stability under Neutral Conditions. 2015 , 54, 10879-83	32
887	Effects of particle size and binding affinity for small interfering RNA on the cellular processing, intestinal permeation and anti-inflammatory efficacy of polymeric nanoparticles. 2015 , 17, 244-56	15
886	Ultrathin pH-sensitive nanoporous membranes for superfast size-selective separation. 2015 , 10, 1133-7	6
885	Correlation Between Physicomechanical and Swelling Properties of Weakly Basic Copolymer Hydrogels Based on (Meth)acrylate Polycations as New Smart Materials. 2015 , 216, 2190-2201	13
884	Enhanced Wettability Changes by Synergistic Effect of Micro/Nanoimprinted Substrates and Grafted Thermoresponsive Polymer Brushes. 2015 , 36, 1965-70	19
883	Acid-Labile Thermoresponsive Copolymers That Combine Fast pH-Triggered Hydrolysis and High Stability under Neutral Conditions. 2015 , 127, 11029-11033	11
882	Poly(N-isopropylacrylamid)-Phasendiagramme: 50 Jahre Forschung. 2015 , 127, 15558-15586	15
881	Synthesis and Self-Assembly of o-Nitrobenzyl-Based Amphiphilic Hybrid Polymer with Light and pH Dual Response. 2015 , 216, 1192-1200	11

880	Synthesis and characterization of interpenetrating polymer network based on sodium alginate and methacrylic acid and potential application for immobilization of TiO ₂ nanoparticles. 2015 , 55, 2511-2518	5
879	Thermo- and pH-sensitive triblock copolymers with tunable hydrophilic/hydrophobic properties. 2015 , 53, 2606-2616	9
878	Synthesis and Properties of New "Stimuli" Responsive Nanocomposite Hydrogels Containing Silver Nanoparticles. 2015 , 1, 117-134	26
877	Drug Carrier for Photodynamic Cancer Therapy. 2015 , 16, 22094-136	159
876	Cytotoxicity of thermo-responsive polymeric nanoparticles based on N-isopropylacrylamide for potential application as a bioscaffold. 2015 , 62, 311-6	12
875	Development of dual-sensitive smart polymers by grafting chitosan with poly (N-isopropylacrylamide): an overview. 2015 , 25, 237-246	14
874	. 2015 ,	34
873	Thermoresponsive polyelectrolytes derived from ionic liquids. 2015 , 6, 2163-2178	153
872	Thermoresponsive, well-defined, poly(vinyl alcohol) co-polymers. 2015 , 6, 4749-4757	39
871	Synthesis of 2-{5-[4-((4-nitrophenyl) diazenyl)phenyl]-1,3,4-oxadiazol-2-ylthio}ethyl acrylate monomer and its application in a dual pH and temperature responsive soluble polymeric sensor. 2015 , 18, 460-469	8
870	Responsive membranes for advanced separations. 2015 , 8, 98-104	45
869	Independent temperature and pH dual-stimuli responsive yolk/shell polymer microspheres for controlled release: Structural effect. 2015 , 69, 540-551	23
868	Synthesis and Investigation of Double Stimuli-Responsive Behavior of N-Isopropylacrylamide and Maleic Acid Copolymer in Solutions. 2015 , 54, 1105-1121	19
867	Pain management via local anesthetics and responsive hydrogels. 2015 , 6, 165-76	22
866	Nano/Micro Science and Technology in Biorheology. 2015 ,	1
865	Synthesis and characterization of thermo-responsive and photo-cleavable block copolymers as nanocarriers. 2015 , 5, 497-512	35
864	Novel Thermoreversible Injectable Hydrogel Formulations Based on Sodium Alginate and Poly(N-Isopropylacrylamide). 2015 , 64, 763-771	22
863	Sol-gel transition of novel temperature responsive ABA triblock copolymer P(MEO2MA-co-HMAM)-b-PEG-b-P(MEO2MA-co- HMAM). 2015 , 22, 1	9

862	Effect of Concentration on the Properties of Heat- and PH-Sensitive Copolymers of Poly(N-Isopropylacrylamide) with Maleic Acid in Aqueous Solutions. 2015 , 47, 152-155	4
861	Synthesis and characterization of a novel pH-thermo dual responsive hydrogel based on salectan and poly(N,N-diethylacrylamide-co-methacrylic acid). 2015 , 136, 1182-92	39
860	Tailoring Stimuli Responsiveness using Dynamic Covalent Cross-Linking of Poly(vinyl alcohol)-Heparin Hydrogels for Controlled Cell and Growth Factor Delivery. 2015 , 1, 1267-1277	22
859	Sustainable shape memory polymers based on epoxidized natural rubber cured by zinc ferulate via oxa-Michael reaction. 2015 , 6, 195-210	2
858	Selenium/tellurium containing polymer materials in nanobiotechnology. 2015 , 10, 717-736	145
857	Effect of main chain conformation on thermosensitivity in elastin-like peptide-grafted polylysine. 2015 , 5, 104900-104906	7
856	Triple-Stimuli-Responsive Ferrocene-Containing PEGs in Water and on the Surface. 2015 , 7, 26137-44	22
855	Behavior of thermosensitive N-isopropylacrylamide polyelectrolyte hydrogels in aqueous solutions of Alcian Blue. 2015 , 57, 773-782	3
854	In-Situ Gelling Polymers. 2015 ,	1
853	Synthesis and characterization of block copolymers from 2-oxazolines. 2015 , 18, 170-179	12
852	Unusual thermo-responsive behaviors of poly(NIPAM-co-AM)/PEG/PTA composite hydrogels. 2015 , 143, 24-26	13
851	Crystallization-driven solution self-assembly of block copolymers with a photocleavable junction. 2015 , 137, 2203-6	59
850	Near-infrared light remote-controlled intracellular anti-cancer drug delivery using thermo/pH sensitive nanovehicle. 2015 , 17, 201-9	120
849	Comparison of LCST-transitions of homopolymer mixture, diblock and statistical copolymers of NIPAM and VCL in water. 2015 , 11, 2771-81	41
848	Crosslinkable micelles from diblock amphiphilic copolymers based on vinylbenzyl thymine and vinylbenzyl triethylammonium chloride. 2015 , 132, n/a-n/a	9
847	Using controlled radical polymerization to confirm the lower critical solution temperature of an N-(alkoxyalkyl) acrylamide polymer in aqueous solution. 2015 , 53, 59-67	6
846	Drug Delivery Systems: Smart Polymeric Materials. 2015 , 341-370	1
845	One-dimensional copolymer nanostructures loaded with silver nanoparticles fabricated via metallogel template copolymerization and their pH dependent photocatalytic degradation of methylene blue. 2015 , 399, 86-96	10

844	Ring-opening copolymerization (ROCOP): synthesis and properties of polyesters and polycarbonates. 2015 , 51, 6459-79	361
843	Tuning thermoresponsive supramolecular G-quadruplexes. 2015 , 31, 2095-103	12
842	Photoswitchable Nanocarrier with Reversible Encapsulation Properties. 2015 , 4, 58-62	18
841	Gossypol-cross-linked boronic acid-modified hydrogels: a functional matrix for the controlled release of an anticancer drug. 2015 , 31, 2237-42	22
840	Stimuli-responsive and hemocompatible pseudozwitterionic interfaces. 2015 , 31, 2861-9	12
839	Tethered poly(2-isopropyl-2-oxazoline) chains: temperature effects on layer structure and interactions probed by AFM experiments and modeling. 2015 , 31, 3039-48	9
838	Fabrication of Pyrene and Tetraphenylethylene Nanostructures by a Hydrolysis-Assisted Co-Assembly. 2015 , 33, 207-212	
837	Water-Soluble Polymeric Probes for the Selective Sensing of Mercury Ion: pH-Driven Controllable Detection Sensitivity and Time. 2015 , 48, 1048-1054	36
836	Natural-Based and Stimuli-Responsive Polymers for Tissue Engineering and Regenerative Medicine. 2015 , 49-90	3
835	Recent Trends of Polymer-Protein Conjugate Application in Biocatalysis: A Review. 2015 , 55, 163-198	13
834	Integrin-targeted pH-responsive micelles for enhanced efficiency of anticancer treatment in vitro and in vivo. 2015 , 7, 4451-60	26
833	Thermoresponsive cationic copolymer brushes for mesenchymal stem cell separation. 2015 , 16, 532-40	62
832	Physicochemical characterization of the thermo-induced self-assembly of thermo-responsive PDMAEMA-b-PDEGMA copolymers. 2015 , 53, 924-935	15
831	Smart polymers in drug delivery systems on crossroads: Which way deserves following?. 2015 , 65, 82-97	102
830	Study of bacterial adhesion on biomimetic temperature responsive glycopolymer surfaces. 2015 , 7, 1652-61	34
829	DNA-aptamer gating membranes. 2015 , 51, 5471-4	6
828	Aggregation of poly(acrylic acid)-containing elastin-mimetic copolymers. 2015 , 11, 1839-50	10
827	Synthesis and Characterization of PNIPAm Core Cross-Linked Star Polymers and Their Functionalization with Cyclodextrin. 2015 , 216, 749-760	10

- 826 Synthesis of poly(dimethylaminoethyl methacrylate) with high cloud point by RAFT polymerization under γ -irradiation. **2015**, 108, 95-101 9
- 825 Redox-Sensitive Polymeric Nanoparticles for Intracellular Drug Delivery. **2015**, 21-48
- 824 Stimuli-responsive behavior of micelles prepared from a poly(vinyl alcohol)-block-poly(acrylic acid)-block-poly(4-vinylpyridine) triblock terpolymer. **2015**, 62, 418-425 14
- 823 From commodity polymers to functional polymers. **2014**, 4, 4604 29
- 822 A polymeric ionic liquid functionalized temperature-responsive composite membrane with tunable responsive behavior. **2015**, 3, 7919-7928 22
- 821 Preparation and characterization of modified nanosilica/PNIPAm hybrid cryogels. **2015**, 72, 993-1005 8
- 820 Atomistic simulation for coil-to-globule transition of poly(2-dimethylaminoethyl methacrylate). **2015**, 11, 2423-33 31
- 819 Self-assembled nanoaggregates based on polyaspartamide graft copolymers for pH-controlled release of doxorubicin. **2015**, 3, 2978-2985 13
- 818 Classification, processing and application of hydrogels: A review. **2015**, 57, 414-33 690
- 817 Polymer Hydrogels as Smart Draw Agents in Forward Osmosis Processes. **2015**, 129-149 1
- 816 Ionization of covalent immobilized poly(4-vinylphenol) monolayers measured by ellipsometry, QCM and SPR. **2015**, 343, 166-171 6
- 815 Thermo-responsive and aqueous dispersible ZnO/PNIPAM core/shell nanoparticles. **2015**, 26, 335605 15
- 814 Synthesis and Thermosensitive Behavior of Polyacrylamide Copolymers and Their Applications in Smart Textiles. **2015**, 7, 909-920 27
- 813 Effect of copolymer composition of RAFT/MADIX-derived N-vinylcaprolactam/N-vinylpyrrolidone statistical copolymers on their thermoresponsive behavior and hydrogel properties. **2015**, 6, 5233-5243 25
- 812 Polymer mechanochemistry: from destructive to productive. **2015**, 48, 2181-90 352
- 811 Preparation and characterization of high-hydrophilic polyhydroxy functional PP hollow fiber membrane. **2015**, 159, 189-192 10
- 810 When dual and multi-responsiveness meet molecular brushes. **2015**, 69, 449-459 6
- 809 Synthesis and properties of tunable thermoresponsive aliphatic polycarbonate copolymers with oligo ethylene glycol containing thioether and/or sulphone groups. **2015**, 5, 64832-64840 12

808	Design of Environmentally Responsive Fluorescent Polymer Probes for Cellular Imaging. 2015 , 16, 2356-62	39
807	Polymeric Surfactants: Synthesis, Properties, and Links to Applications. 2015 , 115, 8504-63	191
806	Redox polymerization of N-isopropylacrylamide by using hydroxylated soya oil polymer. 2015 , 39, 382-394	3
805	Self-Assembly of Temperature-Responsive Protein-Polymer Bioconjugates. 2015 , 26, 1890-9	66
804	pH- and Ionic-Strength-Induced Contraction of Polybasic Micelles in Buffered Aqueous Solutions. 2015 , 48, 2677-2685	31
803	Photocontrolled transparent \rightarrow opaque transition of a thermosensitive homopolymer solution based on an azobenzene β -cyclodextrin system. 2015 , 27, 372-377	
802	Diversely functionalised carbohydrate-centered oligomers and polymers. Thermoresponsivity, lectin binding and degradability. 2015 , 62, 352-362	3
801	Construction the switch binding pattern of cyclodextran 6. 2015 , 71, 3447-3452	5
800	Evolution of high-temperature molecular relaxations in poly(2-(2-methoxyethoxy)ethyl methacrylate) upon network formation. 2015 , 293, 1357-1367	9
799	Microchip-Grafted P(NIPAAm-co-VPBA) with Thermoresponsive Boronate Affinity for Capture/Release of cis-Diol Biomolecules. 2015 , 78, 157-162	10
798	Mesoporous drug carrier systems for enhanced delivery rate of poorly water-soluble drug: nimodipine. 2015 , 22, 817-829	25
797	Dual-stimuli responsive polymeric micelles: preparation, characterization, and controlled drug release. 2015 , 22, 1	9
796	Modeling of Highly Branched Water-Soluble Polymers with Applications to Drug Delivery Model Extensions and Validation. 2015 , 9, 545-555	1
795	A composite hydrogels-based photonic crystal multi-sensor. 2015 , 2, 046201	4
794	Switchable electrolyte properties and redox chemistry in aqueous media based on temperature-responsive polymers. 2015 , 45, 921-930	5
793	Introduction to In Situ Forming Hydrogels for Biomedical Applications. 2015 , 5-35	13
792	New Formulations of Polysaccharide-Based Hydrogels for Drug Release and Tissue Engineering. 2015 , 1, 3-23	33
791	Polymers with upper critical solution temperature behavior in alcohol/water solvent mixtures. <i>Progress in Polymer Science</i> , 2015 , 48, 122-142	29.6 139

790	Polypeptoids with tunable cloud point temperatures synthesized from N-substituted glycine N-thiocarboxyanhydrides. 2015 , 6, 3164-3174	45
789	Responsive Polymers as Sensors, Muscles, and Self-Healing Materials. 2015 , 369, 377-424	8
788	Novel pH-tunable thermoresponsive polymers displaying lower and upper critical solution temperatures. 2015 , 6, 3875-3884	29
787	Biodegradable Thermogelling Poly(Organophosphazenes) and Their Potential Biomedical Applications. 2015 , 37-67	
786	Stimuli-responsive conjugated rod-coil block copolymers: Synthesis, morphology, and applications. 2015 , 65, A1-A16	22
785	Thermophilic films and fibers from photo cross-linkable UCST-type polymers. 2015 , 6, 2769-2776	37
784	Schizophrenic thermoresponsive block copolymer micelles based on LCST and UCST behavior in ethanol/water mixtures. 2015 , 69, 460-471	19
783	High pressure effects under phase separation of aqueous solutions of poly(N-isopropylacrylamide): A HS-DSC study. 2015 , 64, 14-18	5
782	Water-based synthesis of cationic hydrogel particles: effect of the reaction parameters and in vitro cytotoxicity study. 2015 , 3, 2842-2852	12
781	Synthesis and swelling properties of a pH- and temperature-dual responsive hydrogel by inverse microemulsion polymerization. 2015 , 132, n/a-n/a	7
780	Review of nanocellulose for sustainable future materials. 2015 , 2, 197-213	297
779	Supramolecular design of coordination bonding architecture on zein nanoparticles for pH-responsive anticancer drug delivery. 2015 , 136, 1224-33	44
778	Light-triggered chemical amplification to accelerate degradation and release from polymeric particles. 2015 , 51, 16980-3	19
777	Novel comb polymers from alternating N-acylated poly(aminoester)s obtained by spontaneous zwitterionic copolymerisation. 2015 , 51, 16213-6	22
776	Copolymers based on azidopentyl-2-oxazoline: Synthesis, characterization and LCST behavior. 2015 , 71, 523-533	15
775	Preparation and pyrolysis characteristics of PNIPAM-grafted SiO ₂ hollow spheres loading vitamin C. 2015 , 5, 81134-81141	10
774	Functionalization of electrospun poly(caprolactone) fibers for pH-controlled delivery of doxorubicin hydrochloride. 2015 , 26, 1425-38	24
773	Effect of Micellization on the Thermoresponsive Behavior of Polymeric Assemblies. 2015 , 4, 1210-1214	23

772	Tunable pH- and CO ₂ -Responsive Sulfonamide-Containing Polymers by RAFT Polymerization. 2015 , 48, 5487-5495	32
771	Stimuli-Responsive Polymers and their Potential Applications in Oil-Gas Industry. 2015 , 55, 706-733	52
770	Switchable Bioelectrocatalysis Controlled by Dual Stimuli-Responsive Polymeric Interface. 2015 , 7, 23837-47	26
769	Gelation characteristics, physico-mechanical properties and degradation kinetics of micellar hydrogels. 2015 , 72, 566-576	10
768	Smart Polymers in Drug Delivery. 2015 , 169-199	6
767	Design and synthesis of a new polymer network containing pendant spiroacetal moieties. 2015 , 18, 780-788	12
766	Preparation and properties of controllable amphiphilic P(NIPAM-co-LMA) gel for drug delivery. 2015 , 29, 245-250	4
765	Reversible sol-gel transitions of aqueous dispersions of silica nanoparticles grafted with diblock copolymer brushes composed of a thermosensitive inner block and a charged outer block. 2015 , 11, 6808-20	12
764	Anisotropic Biphasic Frontal Polymerization toward in Situ Generation of Dual-Component Polymers. 2015 , 48, 5543-5549	16
763	High-Throughput Synthesis of Thermoresponsive Poly(oligoethylene glycol acrylate) Copolymers by RAFT Polymerization. 2015 , 63-77	1
762	A new comonomer design for enhancing the pH-triggered LCST shift of thermosensitive polymers. 2015 , 6, 6644-6650	16
761	Thermoresponsive hydrophobic copolymer brushes modified porous monolithic silica for high-resolution bioseparation. 2015 , 5, 66155-66167	33
760	Enzyme-responsive polymers for microbial infection detection. 2015 , 15, 1125-31	8
759	Photocontrollable release and enhancement of photodynamic therapy based on host-guest supramolecular amphiphiles. 2015 , 3, 7417-7426	32
758	Hydrogels for central nervous system therapeutic strategies. 2015 , 229, 905-16	10
757	Reactive oxygen species (ROS) responsive PEG-PCL nanoparticles with pH-controlled negative-to-positive charge reversal for intracellular delivery of doxorubicin. 2015 , 3, 9397-9408	38
756	Water-soluble star-shaped brush-like block copolymers: synthesis and application as multicompartment nanoreactors for fabrication of quantum dot colloidal nanocrystal clusters. 2015 , 5, 96785-96798	5
755	Complexation of lysozyme with adsorbed PtBS-b-SCPI block polyelectrolyte micelles on silver surface. 2015 , 31, 685-94	8

754	Controllable Fabrication of Various Supramolecular Nanostructures Based on Nonamphiphilic Azobenzene Derivatives and Pillar[6]arene. 2015 , 33, 107-111	13
753	Pillar[10]arene-based size-selective host-guest complexation and its application in tuning the LCST behavior of a thermoresponsive polymer. 2015 , 36, 23-30	21
752	Recent advances towards the fabrication and biomedical applications of responsive polymeric assemblies and nanoparticle hybrid superstructures. 2015 , 44, 3904-22	35
751	Acid-Sensitive Polypseudorotaxanes Based on Ortho Ester-Modified Cyclodextrin and Pluronic F-127. 2015 , 4, 65-69	7
750	Rate-programming of nano-particulate delivery systems for smart bioactive scaffolds in tissue engineering. 2015 , 26, 012001	17
749	Intracellular uptake and pH-dependent release of doxorubicin from the self-assembled micelles based on amphiphilic polyaspartamide graft copolymers. 2015 , 16, 136-44	29
748	Double stimuli-responsive behavior of graft copolymer with polyimide backbone and poly(N,N-dimethylaminoethyl methacrylate) side chains. 2015 , 293, 555-565	35
747	Double thermo-responsive hydrogels from poly(vinylcaprolactam) containing diblock and triblock copolymers. 2015 , 6, 1856-1864	20
746	Advanced Polymers in Medicine. 2015 ,	15
745	Synthesis and optimization of fluorescent poly(N-isopropyl acrylamide)-coated surfaces by atom transfer radical polymerization for cell culture and detachment. 2014 , 10, 019001	10
744	Classification of stimuli-responsive polymers as anticancer drug delivery systems. 2015 , 22, 145-55	90
743	Stimuli responsive fibrous hydrogels from hierarchical self-assembly of a triblock copolypeptide. 2015 , 11, 331-42	21
742	Polymer-protein conjugation via a grafting to approach: a comparative study of the performance of protein-reactive RAFT chain transfer agents. 2015 , 6, 5602-5614	45
741	Theoretical and computational investigations of nanoparticle-biomembrane interactions in cellular delivery. 2015 , 11, 1055-71	192
740	Non-covalent interactions for synthesis of new graphene based composites. 2015 , 106, 25-31	47
739	Synthesis and click chemistry of a new class of biodegradable polylactide towards tunable thermo-responsive biomaterials. 2015 , 6, 1275-1285	19
738	Thermo-responsive block copolymers with multiple phase transition temperatures in aqueous solutions. <i>Progress in Polymer Science</i> , 2015 , 42, 154-176	29.6 108
737	Synthesis of thermal and oxidation dual responsive polymers for reactive oxygen species (ROS)-triggered drug release. 2015 , 6, 738-747	88

736	Synthesis, Characterization, and Viscoelastic Behavior of Thermo-thickening Poly (N-Isopropylacrylamide-Methacrylic acid-Vinylpyrrolidone) Nanogels as an Injectable Biocompatible Drug Carrier. 2015 , 64, 55-63	15
735	Synthesis and characterization of bead-like poly(N-isopropylacrylamide) copolymers with double decker silsesquioxane in the main chains. 2015 , 6, 256-269	29
734	. 2016 ,	4
733	Amyloid Beta Aggregation in the Presence of Temperature-Sensitive Polymers. 2016 , 8,	12
732	Exploring the Behavior of Bovine Serum Albumin in Response to Changes in the Chemical Composition of Responsive Polymers: Experimental and Simulation Studies. 2016 , 8,	24
731	. 2016 ,	12
730	Kinetics of Free Radical Polymerization of N-Substituted Amides and Their Structural Implications. 2016 , 2016, 1-9	3
729	Stimuli Responsive Poly(Vinyl Caprolactam) Gels for Biomedical Applications. 2016 , 2,	56
728	End-Functionalized Poly(N-isopropylacrylamide) with d-Glucosamine through Different Initiator from C-1 and C-2 Positions via Atom Transfer Radical Polymerization. 2016 , 9,	4
727	A Review of Injectable Polymeric Hydrogel Systems for Application in Bone Tissue Engineering. 2016 , 21,	119
726	Preparation of Uniform-Sized and Dual Stimuli-Responsive Microspheres of Poly(-Isopropylacrylamide)/Poly(Acrylic acid) with Semi-IPN Structure by One-Step Method. 2016 , 8,	22
725	Multiresponsive Behavior of Functional Poly(p-phenylene vinylene)s in Water. 2016 , 8,	6
724	Aptamer and PNIPAAm co-conjugated nanoparticles regulate activity of enzyme with different temperature. 2016 , 159, 47-54	9
723	Thermosensitive behavior of amphiphilic triblock copolymers based on poly(acrylic acid) and poly(propylene oxide). 2016 , 54, 1507-1514	4
722	Synthesis, Thermal Properties, and Thermo-responsive Behaviors of Cyclic Poly(2-(dimethylamino)ethyl Methacrylate)s. 2016 , 37, 980-6	26
721	What is the role of curvature on the properties of nanomaterials for biomedical applications?. 2016 , 8, 334-54	28
720	Phase behavior and Li ⁺ Ion conductivity of styrene-ethylene oxide multiblock copolymer electrolytes. 2016 , 27, 946-954	11
719	Multi-Stimuli-Responsive Polymer Materials: Particles, Films, and Bulk Gels. 2016 , 16, 1398-435	110

- 718 Temperature-responsive rod-pole-shaped protein-polymer hybrids and their self-assembly behavior. **2016**, 27, 1376-1382 1
- 717 Hydrophobically controlled self-association of pH- and thermo-sensitive triblock copolymers based on poly(acrylic acid-co-tert-butyl acrylate) and poly(propylene oxide). **2016**, 54, 1944-1949
- 716 Water Soluble Dual Responsive Star Copolymer for Encapsulation of Hydrophobic Dye Molecules. **2016**, 369, 74-80
- 715 Liquid-liquid phase separation of N-isopropylpropionamide aqueous solutions above the lower critical solution temperature. **2016**, 6, 24657 13
- 714 Synthesis of Protein-Polymer-Protein Bioconjugates by the Combination of Atom Transfer Radical Polymerization and Click Reaction. **2016**, 37, 1961-1965
- 713 Conjugates, Polymer-Drug: Polymer-Protein Drug Delivery. **2016**, 2066-2088
- 712 Nanogel, an Internally Networked Poly(Amino Acid) Nanoparticle for pH-Responsive Delivery. **2016**, 799-811
- 711 Influence of cleavage of photosensitive group on thermally induced micellization and gelation of a doubly responsive diblock copolymer in aqueous solutions: A SANS study. **2016**, 105, 25-34 5
- 710 Construction of pH-responsive and up-conversion luminescent NaYF₄/Er³⁺@SiO₂/PMAA nanocomposite for colon targeted drug delivery. **2016**, 6, 21335 25
- 709 Reversible transition between superhydrophobicity and superhydrophilicity of a silver surface. **2016**, 294, 47-53 13
- 708 Functionalization of poly(ester-urethane) surface by radiation-induced grafting of N-isopropylacrylamide using conventional and reversible addition-fragmentation chain transfer-mediated methods. **2016**, 65, 192-199 5
- 707 In situ fabrication of paclitaxel-loaded core-crosslinked micelles via thiol-ene click chemistry for reduction-responsive drug release. **2016**, 54, 99-107 23
- 706 Synthesis and properties of an acid-labile dual-sensitive ABCD star quaterpolymer. **2016**, 7, 2870-2881 11
- 705 Energetics of phase separation in aqueous solutions of poly(vinyl methyl ether). **2016**, 87, 283-289 8
- 704 Renewable smart materials. **2016**, 25, 073001 30
- 703 Near-Infrared Light-Triggered Switchable Nanoparticles for Targeted Chemo/Photothermal Cancer Therapy. **2016**, 8, 15103-12 45
- 702 Smart Polymeric-Based Microencapsulation: A Promising Synergic Combination. **2016**, 577-604 1
- 701 Threonine-based chiral homopolymers with multi-stimuli-responsive property by RAFT polymerization. **2016**, 97, 20-30 13

700	The Characteristics of the Smart Polymeras Temperature or pH-responsive Hydrogel. 2016 , 19, 406-409	14
699	Insight into hydrogels. 2016 , 19, 456-478	53
698	Design and mechanisms of antifouling materials for surface plasmon resonance sensors. 2016 , 40, 100-118	68
697	Ethyl cellulose amphiphilic graft copolymers with LCST-UCST transition: Opposite self-assembly behavior, hydrophilic-hydrophobic surface and tunable crystalline morphologies. 2016 , 147, 261-271	22
696	Polymeric networks for controlled release of drugs: a patent review. 2016 , 26, 703-17	8
695	Thermoswitchable Janus Gold Nanoparticles with Stimuli-Responsive Hydrophilic Polymer Brushes. 2016 , 32, 4297-304	16
694	Reversible Switched Detection of Dihydroxybenzenes Using a Temperature-sensitive Electrochemical Sensing Film. 2016 , 192, 158-166	19
693	Bioinspired Dual Stimuli-Responsive Membranous System with Multiple On-Off Gates. 2016 , 8, 11758-64	21
692	Smart Macroporous IPN Hydrogels Responsive to pH, Temperature, and Ionic Strength: Synthesis, Characterization, and Evaluation of Controlled Release of Drugs. 2016 , 8, 12018-30	88
691	Thermoresponsive poly[tri(ethylene glycol) monoethyl ether methacrylate]-peptide surfaces obtained by radiation grafting-synthesis and characterisation. 2016 , 145, 185-193	10
690	Targeted Drug Delivery with Polymers and Magnetic Nanoparticles: Covalent and Noncovalent Approaches, Release Control, and Clinical Studies. 2016 , 116, 5338-431	1059
689	5. Selected applications of electrospun fibers and chemistry of corresponding polymers. 2016 , 128-172	
688	RAFT synthesis of triply responsive poly[N-[2-(dialkylamino)ethyl]acrylamide]s and their N-substitute determined response. 2016 , 7, 3423-3433	25
687	Surface functionalization of biomaterials by radical polymerization. 2016 , 83, 191-235	99
686	ABA triblock copolymers of poly(N-isopropylacrylamide-co-5,6-benzo-2-methylene -1,3-dioxepane) (A) and poly(ethylene glycol) (B): synthesis and thermogelation and degradation properties in aqueous solutions. 2016 , 294, 743-753	8
685	Smart flocculant with temperature and pH response derived from starch. 2016 , 6, 44383-44391	17
684	Properties of Stimuli-Responsive Polymers. 2016 , 187-231	1
683	Stimuli-Responsive Polymers: Biomedical Applications. 2016 , 233-259	4

682	Recognition-Mediated Hydrogel Swelling Controlled by Interaction with a Negative Thermoresponsive LCST Polymer. 2016 , 55, 13974-13978	19
681	Smart Antibacterial Surface Made by Photopolymerization. 2016 , 8, 28047-28054	54
680	Temperature and pH-Responsive Polyacrylamide/Poly(Acrylic Acid) Interpenetrating Polymer Network Nanoparticles. 2016 , 55, 1086-1098	7
679	When CMRP met alkyl vinyl ketone: visible light induced living radical polymerization (LRP) of ethyl vinyl ketone (EVK). 2016 , 52, 12092-12095	14
678	Preparation of glycopolypeptides bearing mannose moieties and biphenyl pendants and their upper-critical-solution-temperature-type thermoresponsive properties in alcohol/water solvent mixtures. 2016 , 65, 1493-1500	5
677	Protein separations via thermally responsive ionic block copolymer brush layers. 2016 , 6, 26254-26263	30
676	Tuning Cationic Block Copolymer Micelle Size by pH and Ionic Strength. 2016 , 17, 2849-59	46
675	RGD(Arg-Gly-Asp) internalized docetaxel-loaded pH sensitive liposomes: Preparation, characterization and antitumor efficacy in vivo and in vitro. 2016 , 147, 90-99	23
674	Synthesis and UCST-type phase behaviors of OEGylated random copolypeptides in alcoholic solvents. 2016 , 54, 3444-3453	4
673	Synthesis, self-assembly and pH sensitivity of PDEAEMAPEGPDEAEMA triblock copolymer micelles for drug delivery. 2016 , 107, 1-10	24
672	Effects of Syndiotacticity on the Dynamic and Static Phase Separation Properties of Poly(N-isopropylacrylamide) in Aqueous Solution. 2016 , 120, 7724-30	14
671	Macromolecular Decoration of Nanoparticles for Guiding Self-Assembly in 2D and 3D. 2016 , 159-192	7
670	A Novel Cheap and Easy to Handle Protein Hydrogel for 3D Cell Culture Applications: A High Stability Matrix with Tunable Elasticity and Cell Adhesion Properties. 2016 , 1, 1353-1360	7
669	Structure and Property Modifications by Ion Implantation in Metal Oxide Thin Solid Films Suitable for Gas Sensing Applications. 2016 , 240-285	1
668	Thermoresponsive-polymer-based materials for temperature-modulated bioanalysis and bioseparations. 2016 , 4, 6381-6397	76
667	Radiation Grafting for the Functionalization and Development of Smart Polymeric Materials. 2016 , 374, 63	18
666	Architecture-Dependent Stabilization of Polyelectrolyte Complexes between Polyanions and Cationic Triblock Terpolymer Micelles. 2016 , 49, 6644-6654	17
665	Nanoparticles in Biochemical Engineering: Synthesis and Chemistry. 2016 , 713-744	1

664	Aggregation Behavior of Doubly Thermo-responsive Polysulfobetaine-b-poly(N-isopropylacrylamide) Diblock Copolymers. 2016 , 49, 6655-6668	39
663	Stimuli-Responsive Polymers: Design and Applications. 2016 , 7675-7707	
662	Synthesis and characterization of pH-responsive nanoscale hydrogels for oral delivery of hydrophobic therapeutics. 2016 , 108, 196-213	26
661	Anticancer nanoparticulate polymer-drug conjugate. 2016 , 1, 277-296	48
660	Coloading of Magnetic Particles and an Anionic Drug into pH-sensitive Triblock Polymeric Nanocarriers. 2016 , 45, 694-696	2
659	A Perspective of the Application of Magnetic Nanocomposites and Nanogels as Heavy Metal Sorbents for Water Purification. 2016 , 257-287	1
658	Synthesis and UCST-type phase behavior of polypeptide with alkyl side-chains in alcohol or ethanol/water solvent mixtures. 2016 , 54, 3425-3435	12
657	Nanoencapsulation and nanocontainer based delivery systems for drugs, flavors, and aromas. 2016 , 673-715	2
656	Polymers with tertiary amine groups for drug delivery and bioimaging. 2016 , 59, 991-1002	21
655	Polymeric surfactants for enhanced oil recovery: A review. 2016 , 145, 723-733	230
654	Delivery Systems Made of Natural-Origin Polymers for Tissue Engineering and Regenerative Medicine Applications. 2016 , 581-611	3
653	Conventional fluorophore-free dual pH- and thermo-responsive luminescent alternating copolymer. 2016 , 7, 6895-6900	47
652	Thermo-responsive anionic block copolymer brushes with a strongly anionic bottom segment for effective interactions with biomolecules. 2016 , 6, 93169-93179	14
651	Recognition-Mediated Hydrogel Swelling Controlled by Interaction with a Negative Thermo-responsive LCST Polymer. 2016 , 128, 14180-14184	4
650	Co-operative transitions of responsive-polymer coated gold nanoparticles; precision tuning and direct evidence for co-operative aggregation. 2016 , 4, 5673-5682	15
649	Thermo-responsive amperometric glucose biosensor. 2015 , 11, 011001	11
648	CO ₂ -responsive polymeric materials: synthesis, self-assembly, and functional applications. 2016 , 45, 4391-436	233
647	Stimuli-responsive metallopolymers. 2016 , 319, 180-195	77

- 646 Complexation of thermoresponsive dialkoxynaphthalene end-functionalized poly(oligoethylene glycol acrylate)s with CBPQT4+ in water. **2016**, 7, 3681-3690 19
- 645 Mesoscopic simulation of a micellar poly(N-isopropyl acrylamide)-b-(polyethylene oxide) copolymer system. **2016**, 24, 045004 2
- 644 Graphene and thermo-responsive polymeric nanocomposites for therapeutic applications. **2016**, 6, 10-15 13
- 643 Ionic thermo-responsive copolymer with multi LCST values: easy and fast LCST-change through anion exchange. **2016**, 27, 486-493 4
- 642 Polymeric-based particulate systems for delivery of therapeutic proteins. **2016**, 21, 367-78 26
- 641 Zinc finger-inspired nanohydrogels with glutathione/pH triggered degradation based on coordination substitution for highly efficient delivery of anti-cancer drugs. **2016**, 225, 96-108 22
- 640 Mechanically Enhanced Liquid Interfaces at Human Body Temperature Using Thermosensitive Methylated Nanocrystalline Cellulose. **2016**, 32, 1396-404 21
- 639 Cation-sensitive compartmentalization in metallacarborane containing polymer nanoparticles. **2016**, 6, 9884-9892 13
- 638 Oxidation and temperature dual responsive polymers based on phenylboronic acid and N-isopropylacrylamide motifs. **2016**, 7, 1494-1504 24
- 637 A Review: Tailor-made Hydrogel Structures (Classifications and Synthesis Parameters). **2016**, 55, 54-70 59
- 636 Hybrid micellar network hydrogels of thermosensitive ABA triblock copolymer and polymer brush-grafted nanoparticles: Effect of LCST transition of polymer brushes on gel property. **2016**, 82, 206-216 5
- 635 Phase separation behavior and fluorescence properties of poly(N-isopropylacrylamide) with chalcone side groups in mixed solvents. **2016**, 23, 1 5
- 634 Reversible plasticity shape memory polymers: Key factors and applications. **2016**, 54, 1295-1299 14
- 633 Inspired smart materials with external stimuli responsive wettability: a review. **2016**, 6, 36623-36641 110
- 632 Synthesis and Characterization of Cleavable Core-Cross-Linked Micelles Based on Amphiphilic Block Copolypeptoids as Smart Drug Carriers. **2016**, 17, 852-61 46
- 631 Reduction and pH dual-responsive nanoparticles based chitooligosaccharide-based graft copolymer for doxorubicin delivery. **2016**, 497, 8-15 14
- 630 Characterization of poly(N,N-diethylacrylamide) and cloud points in its aqueous solutions. **2016**, 48, 621-628 9
- 629 Dual pH-responsive micelles with both charge-conversional property and hydrophobic/hydrophilic transition for effective cellular uptake and intracellular drug release. **2016**, 7, 2202-2208 21

628	Surface Modification of Gd Nanoparticles with pH-Responsive Block Copolymers for Use As Smart MRI Contrast Agents. 2016 , 8, 5040-50	29
627	Recent advances in AIE polymers. 2016 , 48, 359-370	93
626	Optical and Swelling Stimuli-Response of Functional Hybrid Nanogels: Feasible Route to Achieve Tunable Smart [email[protected]] [email[protected]] Nanomaterials. 2016 , 28, 1402-1412	29
625	Synthesis and LCST-type phase behavior of water-soluble polypeptide with Y-shaped and charged side-chains. 2016 , 7, 1922-1930	24
624	Water soluble stimuli-responsive star copolymers with multiple encapsulation and release properties. 2016 , 6, 8773-8785	7
623	Design of stimuli-responsive nanoparticles with optoelectronic cores by post-assembly cross-linking and self-assembly of functionalized block copolymers. 2016 , 86, 56-68	9
622	Temperature-responsive molecular recognition chromatography using phenylalanine and tryptophan derived polymer modified silica beads. 2016 , 141, 910-7	29
621	Cellulose nanocrystal-poly(oligo(ethylene glycol) methacrylate) brushes with tunable LCSTs. 2016 , 144, 215-22	54
620	A dual-stimuli-responsive polymer into phospholipid membranes. 2016 , 123, 2257-2271	7
619	Fluorescence Analysis of Thermoresponsive Polymers. 2016 , 97-126	1
618	Effect of Urea on Phase Transition of Poly(N-isopropylacrylamide) and Poly(N,N-diethylacrylamide) Hydrogels: A Clue for Urea-Induced Denaturation. 2016 , 49, 234-243	56
617	Synthesis and Self-Aggregation of Poly(2-ethyl-2-oxazoline)-Based Photocleavable Block Copolymer: Micelle, Compound Micelle, Reverse Micelle, and Dye Encapsulation/Release. 2016 , 120, 813-24	30
616	Homodimeric Protein-Polymer Conjugates via the Tetrazine--Cyclooctene Ligation. 2016 , 49, 30-37	37
615	Nanostructure Formation Based on the Functionalized Side Chains in Liquid-Crystalline Heteroaromatic Compounds. 2016 , 92, 3	12
614	Amphiphilic graft copolymers with ethyl cellulose backbone: Synthesis, self-assembly and tunable temperature-CO ₂ response. 2016 , 136, 216-23	19
613	Influence of arm length and number on star-shaped poly(2-isopropyl-2-oxazoline) aggregation in aqueous solutions near cloud point. 2016 , 14, 15-26	23
612	Amphiphilic photosensitive dextran-g-poly(o-nitrobenzyl acrylate) glycopolymers. 2016 , 136, 598-608	25
611	Supramolecular control over thermoresponsive polymers. 2016 , 19, 44-55	74

610	Interplay of Structure and Dynamics in Functional Macromolecular and Supramolecular Systems As Revealed by Magnetic Resonance Spectroscopy. 2016 , 116, 1272-308	84
609	Switchable bioelectronics. 2016 , 76, 251-65	27
608	Thermoresponsive polymers with lower critical solution temperature: from fundamental aspects and measuring techniques to recommended turbidimetry conditions. 2017 , 4, 109-116	246
607	Selective solute adsorption and partitioning around single PNIPAM chains. 2017 , 19, 5906-5916	28
606	Effect of solvent quality and chain density on normal and frictional forces between electrostatically anchored thermoresponsive diblock copolymer layers. 2017 , 487, 88-96	13
605	Temperature and pH dually-responsive poly(β-amino ester) nanoparticles for drug delivery. 2017 , 35, 534-546	8
604	Tunable Surface Properties of Temperature-Responsive Polymer-Modified Liposomes Induce Faster Cellular Uptake. 2017 , 2, 316-325	30
603	pH and temperature responsiveness in AgNPs stabilized by a new poly(vinylidene fluoride) random graft copolymer. 2017 , 55, 960-970	3
602	Computational smart polymer design based on elastin protein mutability. 2017 , 127, 49-60	39
601	Nanotribological Investigation of Polymer Brushes with Lithographically Defined and Systematically Varying Grafting Densities. 2017 , 33, 706-713	5
600	Synthesis and characterization of thermosensitive poly(N-vinylcaprolactam)-g-collagen. 2017 , 45, 1665-1674	14
599	Temperature and glucose dual-responsive carriers bearing poly(N-isopropylacrylamide) and phenylboronic acid for insulin-controlled release: A review. 2017 , 66, 577-587	10
598	Thermoresponsive polymer-modified microfibers for cell separations. 2017 , 53, 81-92	28
597	Photocleavable and tunable thermoresponsive amphiphilic random copolymer: Self-assembly into micelles, dye encapsulation, and triggered release. 2017 , 55, 1714-1729	25
596	Thermally Triggered in Situ Assembly of Gold Nanoparticles for Cancer Multimodal Imaging and Photothermal Therapy. 2017 , 9, 10453-10460	60
595	Molecular Design Approaches to Self-healing Materials from Polymer and its Nanocomposites. 2017 , 181-218	2
594	Revisiting structure-property relationship of pH-responsive polymers for drug delivery applications. 2017 , 253, 46-63	168
593	Transiently thermoresponsive polymers and their applications in biomedicine. 2017 , 46, 1193-1239	93

592	Borinic Acid Polymer: Simplified Synthesis and Enzymatic Biofuel Cell Application. 2017 , 38, 1600687	14
591	An efficient route to synthesize thermoresponsive molecular bottlebrushes of poly[o-aminobenzyl alcohol-graft-poly(N-isopropylacrylamide)]. 2017 , 8, 1932-1942	12
590	Smart Polymer Nanocomposites. 2017 ,	10
589	Thermoresponsive polymers based on oligo(ethylene glycol) methyl ether methacrylate and modified substrates with thermosensitivity. 2017 , 25, 206-213	13
588	Temperature-Induced Shape Changing of Thermosensitive Binary Heterografted Linear Molecular Brushes between Extended Wormlike and Stable Globular Conformations. 2017 , 50, 1645-1656	28
587	Light-responsive terpolymers based on polymerizable photoacids. 2017 , 8, 2959-2971	14
586	Synthesis, characterisation and phase transition behaviour of temperature-responsive physically crosslinked poly (N-vinylcaprolactam) based polymers for biomedical applications. 2017 , 79, 130-139	30
585	Temperature induced self-assembly of amino acid-derived vinyl block copolymers via dual phase transitions. 2017 , 500, 341-348	14
584	Biomimetic polypeptides with reversible pH-dependent thermal responsive property. 2017 , 118, 173-179	9
583	Effect of the grafting ratio of poly(N-isopropylacrylamide) on thermally responsive polymer brush surfaces. 2017 , 40, 524-531	6
582	Smart Nanovalves with Thermoresponsive Amphiphilic Triblock Copolymer Brushes. 2017 , 56, 26-38	3
581	Synthesis and characterization of Eu(III)-based coordination complexes of modified d-glucosamine and poly(N-isopropylacrylamide). 2017 , 72, 115-121	6
580	Poly(oligo(ethylene glycol) vinyl acetate)s: A Versatile Class of Thermoresponsive and Biocompatible Polymers. 2017 , 129, 9306-9310	8
579	Poly(oligo(ethylene glycol) vinyl acetate)s: A Versatile Class of Thermoresponsive and Biocompatible Polymers. 2017 , 56, 9178-9182	40
578	Mild microwave activated, chemo-thermal combinational tumor therapy based on a targeted, thermal-sensitive and magnetic micelle. 2017 , 131, 36-46	45
577	Light-triggered unfolding of single linear molecular bottlebrushes from compact globular to wormlike nano-objects in water. 2017 , 8, 2702-2712	25
576	Enhanced cellular uptake and gene silencing activity of siRNA using temperature-responsive polymer-modified liposome. 2017 , 523, 217-228	29
575	Synthesis and characterization of Eu(III) complexes of modified d-glucosamine and poly(N-isopropylacrylamide). 2017 , 78, 603-608	8

574	Biomaterials in Tissue Engineering. 2017 , 35-83	4
573	Synthesis and Thermo-responsive Behaviors of Thermo-, pH-, CO ₂ -, and Oxidation-Responsive Linear and Cyclic Graft Copolymers. 2017 , 50, 3411-3423	48
572	RAFT/MADIX emulsion copolymerization of vinyl acetate and N-vinylcaprolactam: towards waterborne physically crosslinked thermo-responsive particles. 2017 , 8, 2244-2256	21
571	Facile Access to Multisensitive and Self-Healing Hydrogels with Reversible and Dynamic Boronic Ester and Disulfide Linkages. 2017 , 18, 1356-1364	145
570	Oxygen and carbon dioxide dual gas-responsive homopolymers and diblock copolymers synthesized via RAFT polymerization. 2017 , 8, 1163-1176	23
569	Preparation and characterization of temperature- and pH-sensitive hemicellulose-containing hydrogels. 2017 , 22, 187-201	14
568	Kinetics of the temperature-induced volume phase transition in poly(2-(2-methoxyethoxy)ethyl methacrylate) hydrogels of various topologies. 2017 , 110, 25-35	9
567	Reversibly Tunable Lower Critical Solution Temperature Behavior Induced by H-Bonded Aromatic Amide Macrocycle and Imidazolium Host-Guest Complexation. 2017 , 19, 18-21	12
566	Thermo-responsive polymer-peptide/protein conjugates. <i>Progress in Polymer Science</i> , 2017 , 68, 35-76	29.6 51
565	Smart Biopolymers and their Biomedical Applications. 2017 , 12, 263-279	72
564	Ultralow Friction Self-Lubricating Nanocomposites with Mesoporous Metal-Organic Frameworks as Smart Nanocontainers for Lubricants. 2017 , 9, 38146-38152	34
563	Tunable Dual-Thermo-responsive Core-Shell Nanogels Exhibiting UCST and LCST Behavior. 2017 , 38, 1700478	32
562	Thermo-responsive behavior of water-salt solutions of a graft copolymer with a main polyimide chain and side poly(N,N-dimethylamino-2-ethyl methacrylate) side chains. 2017 , 59, 605-612	
561	Soft tissue fillers for adipose tissue regeneration: From hydrogel development toward clinical applications. 2017 , 63, 37-49	54
560	Embedding Well-Defined Responsive Hydrogels with Nanocontainers: Tunable Materials from Telechelic Polymers and Cyclodextrins. 2017 , 2, 6658-6667	19
559	pH-Responsive self-assembly of cationic surfactants with a star-shaped tetra-carboxylate acid and the solubilization of hydrophobic drugs. 2017 , 13, 7804-7812	7
558	Phosphorescent Ionic Iridium(III) Complexes Displaying Counterion-Dependent Emission Colors for Flexible Electrochromic Luminescence Device. 2017 , 5, 1700587	12
557	Synthesis of Electron-Deficient Boronic Acid Polymers with Multiresponsive Properties and Their Application in the Fluorescence Detection of Alizarin Red S and Electron-Rich 8-Hydroxyquinoline and Fluoride Ion: Substituent Effects. 2017 , 50, 6872-6879	24

556	Facile synthesis of thermo-, pH-, CO ₂ - and oxidation-responsive poly(amido thioether)s with tunable LCST and UCST behaviors. 2017 , 8, 5749-5760	23
555	Responsive Dynamic Covalent Polymers. 2017 , 321-358	8
554	Layer-by-layer films of block copolymer micelles with cores exhibiting upper critical solution temperature behaviour. 2017 , 96, 278-294	4
553	Signal intensity enhancement of laser ablated volume holograms. 2017 , 73, 400-407	1
552	Thermo-responsive in-situ forming hydrogels as barriers to prevent post-operative peritendinous adhesion. 2017 , 63, 85-95	45
551	Smart Polymers. 2017 , 75-140	
550	One-step synthesis and self-assembly behavior of thermo-responsive star-shaped β -cyclodextrin(P(MEO2MA-co-PEGMA)) ₂₁ copolymers. 2017 , 11, 223-232	6
549	Synthesis and characterization of a multi-sensitive polysaccharide hydrogel for drug delivery. 2017 , 177, 275-283	99
548	Magnetic and Thermal-sensitive Poly(N-isopropylacrylamide)-based Microgels for Magnetically Triggered Controlled Release. 2017 ,	6
547	Conjugated Polymer for Voltage-Controlled Release of Molecules. 2017 , 29, 1701733	26
546	Toward the two-step microdynamic phase transition mechanism of an oligo(ethylene glycol)methacrylate-based copolymer with a LCST-type poly(ionic liquid) block. 2017 , 19, 18556-18564	6
545	Photodynamic Therapy of Oligoethylene Glycol-Dendronized Reduction-Sensitive Porphyrins. 2017 , 35, 1445-1451	0
544	Bioinspired Polymer Systems with Stimuli-Responsive Mechanical Properties. 2017 , 117, 12851-12892	200
543	Non-invasive strategies for targeting the posterior segment of eye. 2017 , 530, 326-345	32
542	Thermoresponsive poly(poly(ethylene glycol) methylacrylate)s grafted cellulose nanocrystals through SI-ATRP polymerization. 2017 , 24, 4189-4203	24
541	Synthesis of PNIPAM β EG Double Hydrophilic Polymers Using Oleic Acid Macro Peroxide Initiator. 2017 , 94, 1141-1151	13
540	Thermoresponsive Polymer Brushes for Thermally Modulated Cell Adhesion and Detachment. 2017 , 361-375	
539	Polymer Brushes by Surface-Mediated RAFT Polymerization for Biological Functions. 2017 , 97-121	2

538	Double thermoresponsive pentablock copolymers: synthesis by one-pot RAFT polymerization and self-assembly in aqueous solutions. 2017 , 8, 7217-7228	8
537	Preparation and characterization of pH sensitive crosslinked Linseed polysaccharides-co-acrylic acid/methacrylic acid hydrogels for controlled delivery of ketoprofen. 2017 , 20, 485-495	20
536	Protein exclusion is preserved by temperature sensitive PEG brushes. 2017 , 132, 362-367	5
535	On Temporal Biphilicity: Definition, Relevance, and Technical Implementation in Boiling Heat Transfer. 2017 , 139,	6
534	Thermoresponsive properties of N-isopropylacrylamide with methacrylic acid copolymer in media of different acidity. 2017 , 25, 680-688	9
533	Effects of concentration and pH on the thermosensitive behavior of a graft copolymer with polyimide backbone and poly(N,N-dimethylamino-2-ethyl methacrylate) side chains. 2017 , 59, 281-287	9
532	Multiscale modeling of poly(2-isopropyl-2-oxazoline) chains in aqueous solution. 2017 , 88, 594-604	9
531	Natural polymers. 2017 , 31-64	14
530	Probing the causes of thermal hysteresis using tunable micelles with linear and brush-like thermoresponsive coronas. 2017 , 8, 233-244	18
529	Functional surface modification of PVDF membrane for chemical pulse cleaning. 2017 , 524, 389-399	29
528	Thermoresponsive dendronized copolymers for protein recognitions based on biotin-avidin interaction. 2017 , 28, 832-838	6
527	pH-responsive core crosslinked polycarbonate micelles via thiol-acrylate Michael addition reaction. 2017 , 134,	3
526	The Role of Backbone Hydration of Poly(N-isopropyl acrylamide) Across the Volume Phase Transition Compared to its Monomer. 2017 , 7, 17012	79
525	The synthesis and application of dual temperature/pH-sensitive polymer nanoparticles. 2017 , 181, 151-155	4
524	Behavior of Aqueous Solutions of Thermosensitive Starlike Polyalkyloxazolines with Different Arm Structures. 2017 , 59, 826-838	12
523	. 2017 ,	3
522	. 2017 ,	45
521	Intratumoral Delivery of Doxorubicin on Folate-Conjugated Graphene Oxide by In-Situ Forming Thermo-Sensitive Hydrogel for Breast Cancer Therapy. 2017 , 7,	62

520	Metamorphic biomaterials. 2017 , 69-99	5
519	Xylan-Modified-Based Hydrogels with Temperature/pH Dual Sensitivity and Controllable Drug Delivery Behavior. 2017 , 10,	18
518	3D-Hydrogel Based Polymeric Nanoreactors for Silver Nano-Antimicrobial Composites Generation. 2017 , 7,	8
517	Nanotechnologies in Pancreatic Cancer Therapy. 2017 , 9,	27
516	Novel Magnet and Thermo-responsive Chemosensory Electrospinning Fluorescent Nanofibers and Their Sensing Capability for Metal Ions. 2017 , 9,	19
515	Stimuli-Regulated Smart Polymeric Systems for Gene Therapy. 2017 , 9,	23
514	Stimuli-Responsive Soft Untethered Grippers for Drug Delivery and Robotic Surgery. 2017 , 3,	69
513	Synthesis of PNVP-Based Copolymers with Tunable Thermosensitivity by Sequential Reversible Addition-Fragmentation Chain Transfer Copolymerization and Ring-Opening Polymerization. 2017 , 9,	10
512	Chitosan, Chitosan Derivatives and their Biomedical Applications. 2017 ,	17
511	Stimuli-Responsive Latexes Stabilized by Carbon Dioxide Switchable Groups. 2017 , 143-159	1
510	Biomimetic Polymers (for Biomedical Applications). 2017 ,	
509	Development of Smart Optical Gels with Highly Magnetically Responsive Bicelles. 2018 , 10, 8926-8936	11
508	Comparative Investigation of the Thermo-responsive Behavior of Two Diblock Copolymers Comprising PNIPAM and PMDEGA Blocks. 2018 , 122, 2655-2668	8
507	UCST-Type Thermo-responsive Polymers in Synthetic Lubricating Oil Polyalphaolefin (PAO). 2018 , 51, 1674-1680	11
506	Steric hindrance effect on the thermo- and photo-responsive properties of pyrene-based polymers. 2018 , 42, 5698-5708	8
505	Thermo-responsive Hydrogels Based on Telechelic Polyelectrolytes: From Dynamic to Frozen Networks. 2018 , 51, 2169-2179	34
504	Unique Shape Memory Elastomer Associated with Reversible Sacrificial Hydrogen Bonds: Tough and Flexible When below Its T _g . 2018 , 20, 1800051	2
503	Acid- and Redox-Responsive Smart Polymeric Nanomaterials for Controlled Drug Delivery. 2018 , 115-154	1

502	Stimuli-responsive fiber-like micelles from the self-assembly of well-defined rod-coil block copolymer. 2018 , 103, 304-311	8
501	In Vivo Self-Assembly Nanotechnology for Biomedical Applications. 2018 ,	1
500	Poly(N-isopropylacrylamide) based thermoresponsive polymer brushes for bioseparation, cellular tissue fabrication, and nano actuators. 2018 , 16, 9-23	41
499	Thermo- and pH-responsive phase separation of N-isopropylacrylamide with 4-vinylpyridine random copolymer in aqueous solutions. 2018 , 296, 557-565	5
498	Phase change materials in microactuators: Basics, applications and perspectives. 2018 , 271, 303-347	26
497	Micro 3D Printing of a Temperature-Responsive Hydrogel Using Projection Micro-Stereolithography. 2018 , 8, 1963	114
496	Switched voltammetric determination of ractopamine by using a temperature-responsive sensing film. 2018 , 185, 155	20
495	Synthesis of Poly(N-H benzamide)-b-poly(lauryl methacrylate)-b-poly(N-H benzamide) symmetrical triblock copolymers by combinations of CGCP, SARA ATRP, and SA ATRC. 2018 , 137, 385-394	8
494	Smart Biomimetic Superhydrophobic Materials with Switchable Wettability. 2018 , 191-227	
493	Stimuli-responsive amphiphilic PDMAEMA-b-PLMA copolymers and their cationic and zwitterionic analogs. 2018 , 56, 598-610	31
492	Synthesis of Amphiphilic Block Copolymers Based on SKA by RAFT Polymerization. 2018 , 219, 1700506	0
491	Stimuli-Responsive Bioinspired Materials for Controllable Liquid Manipulation: Principles, Fabrication, and Applications. 2018 , 28, 1705128	52
490	Atomistic insights on the LCST behavior of PMEO2MA in water by molecular dynamics simulations. 2018 , 56, 429-441	8
489	Influence of Syzygium cumini leaves extract on morphological, thermal, mechanical, and antimicrobial properties of PVA and PVA/chitosan blend films. 2018 , 135, 46188	32
488	Synthesis and characterization of carboxymethylcellulose grafted with thermoresponsive side chains of high LCST: The high temperature and high salinity self-assembly dependence. 2018 , 184, 108-117	22
487	Fabrication of Thermosensitive Cyclic Brush Copolymer with Enhanced Therapeutic Efficacy for Anticancer Drug Delivery. 2018 , 39, 1700744	23
486	Effect of pH on the Behavior of a Random Copolymer of Acrylamide. 2018 , 60, 127-133	3
485	High-Pressure Scanning Microcalorimetry - A New Method for Studying Conformational and Phase Transitions. 2018 , 83, S134-S145	2

484	Influence of additives on thermoresponsive polymers in aqueous media: a case study of poly(N-isopropylacrylamide). 2018 , 20, 9717-9744	29
483	Synthesis of Thermally Switchable Chromatographic Materials with Immobilized Ti4+ for Enrichment of Phosphopeptides by Reversible Addition Fragmentation Chain Transfer Polymerization. 2018 , 108, 022018	
482	Cationic Thermoresponsive Poly(N-vinylcaprolactam) Microgels Synthesized by Emulsion Polymerization Using a Reactive Cationic Macro-RAFT Agent. 2018 , 51, 2551-2563	13
481	Development and Characterization of Photoresponsive Polymers. 2018 , 3-47	4
480	Adapting benzoxazine chemistry for unconventional applications. 2018 , 129, 76-88	74
479	Smart Polymers: Physicochemical Characteristics and Applications in Bio-Separation Strategies. 2018 , 47, 199-213	9
478	Self-assembled supramolecular thermoreversible β -cyclodextrin/ethylene glycol injectable hydrogels with difunctional Pluronic127 as controlled delivery depot of curcumin. Development, characterization and in vitro evaluation. 2018 , 29, 1-34	36
477	Poly(N-isopropylacrylamide)-based thermoresponsive surfaces provide new types of biomedical applications. 2018 , 153, 27-48	204
476	Chitosan based nano composite adsorbent-Synthesis, characterization and application for adsorption of binary mixtures of Pb(II) and Cd(II) from water. 2018 , 182, 159-171	75
475	Novel aspects and future trends in the use of aqueous two-phase systems as a bioengineering tool. 2018 , 93, 1836-1844	16
474	Shape memory and self-healing materials from supramolecular block polymers. 2018 , 134, 35-43	34
473	Transiently Thermoresponsive Acetal Polymers for Safe and Effective Administration of Amphotericin B as a Vaccine Adjuvant. 2018 , 29, 748-760	12
472	Polymer coated mesoporous ceramic for drug delivery in bone tissue engineering. 2018 , 110, 65-73	26
471	Recent advances in smart hydrogels for biomedical applications: From self-assembly to functional approaches. 2018 , 99, 117-133	127
470	Functional Modification of Silica through Enhanced Adsorption of Elastin-Like Polypeptide Block Copolymers. 2018 , 19, 298-306	10
469	Bchizophrenic Behavior of poly (N-isopropylacrylamide)-b-poly (2-vinylpyridine) in aqueous solutions. 2018 , 65, 97-102	7
468	Synthesis and thermoresponsive properties of OEGylated polypeptide with a LCST at body temperature in water and with a UCST in alcohol or ethanol/water solvent mixture. 2018 , 56, 163-173	4
467	Mechanisms of drug release in pH-sensitive micelles for tumour targeted drug delivery system: A review. 2018 , 535, 253-260	148

466	Photocrosslinking of Polyglycidol and Its Derivative: Route to Thermo-responsive Hydrogels. 2018 , 94, 52-60	6
465	Recent Progress in Smart Polymers: Behavior, Mechanistic Understanding and Application. 2018 , 57, 945-957	11
464	Functional polymer surfaces for controlling cell behaviors. 2018 , 21, 38-59	172
463	Mapping Nanoparticles in Hydrogels: A Comparison of Preparation Methods for Electron Microscopy. 2018 , 8, 2446	10
462	RECENT ADVANCES IN HYDROGELS FOR BIOMEDICAL APPLICATIONS. 2018 , 11, 62	2
461	Preparation of Nano-TiO ₂ Modified Temperature-Responsive Chromatographic Materials for Enrichment of Phosphopeptides. 2018 , 932, 109-118	
460	Thermo-Sensitive Nanomaterials: Recent Advance in Synthesis and Biomedical Applications. 2018 , 8,	71
459	Polysulfobetaines in Aqueous Solution and in Thin Film Geometry. 2018 , 11,	12
458	Micellization and sol-gel transition of novel thermo- and pH-responsive ABC triblock copolymer synthesized by RAFT. 2018 , 25, 1	5
457	Polymer Reaction Engineering of Dispersed Systems. 2018 ,	
456	Poly-(isopropylacrylamide--2-((diethylamino)methyl)-4-formyl-6-methoxyphenyl acrylate) Environmental Functional Copolymers: Synthesis, Characterizations, and Grafting with Amino Acids. 2018 , 8,	8
455	Dielectric and Resistive Heating of Polymeric Media: Toward Remote Thermal Activation of Stimuli-Responsive Soft Materials. 2019 , 40, e1800669	
454	Structural insights into pH-responsive drug release of self-assembling human serum albumin-silk fibroin nanocapsules. 2018 , 133, 176-187	15
453	Synthesis of Thermosensitive Poly(N-vinylamide) Derivatives Bearing Oligo Ethylene Glycol Chain for Kinetic Hydrate Inhibitor. 2018 , 51, 7845-7852	8
452	Self-Assembled Hydrogels Based on Poly-Cyclodextrin and Poly-Azobenzene Compounds and Applications for Highly Efficient Removal of Bisphenol A and Methylene Blue. 2018 , 3, 11663-11672	43
451	Near-infrared AIEgen-functionalized and diselenide-linked oligo-ethylenimine with self-sufficing ROS to exert spatiotemporal responsibility for promoted gene delivery. 2018 , 6, 6660-6666	10
450	pH- and thermo-responsive solution behavior of amphiphilic, linear triblock terpolymers. 2018 , 157, 9-18	14
449	Fabrication of Hydrogel Materials for Biomedical Applications. 2018 , 1077, 197-224	12

448	Lipid Nanoparticles and Their Hydrogel Composites for Drug Delivery: A Review. 2018 , 11,	38
447	Facile synthesis of dual-responsive thioether-bridging graft copolymers by combination of controlled polymerization and thio-bromo click reaction. 2018 , 157, 59-66	5
446	Synthesis and characterization of hydrolytically degradable poly(N-vinylcaprolactam) copolymers with in-chain ester groups. 2018 , 296, 1905-1915	3
445	Carbon Dioxide-Switchable Chitosan/Polymer Composite Nanogels. 2018 , 219, 1800319	2
444	Synthesis of zinc(II) complex-containing thermo-responsive copolymer based on activated ester functionalization and its catalysis application. 2018 , 109, 473-482	7
443	Functional biomimetic nanoparticles for drug delivery and theranostic applications in cancer treatment. 2018 , 19, 771-790	40
442	Dynamic Fluctuations of Thermoresponsive Poly(oligo-ethylene glycol methyl ether methacrylate)-Based Hydrogels Investigated by Dynamic Light Scattering. 2018 , 51, 8932-8939	16
441	Asymmetric Copolymers: Synthesis, Properties, and Applications of Gradient and Other Partially Segregated Copolymers. 2018 , 39, e1800357	26
440	Effect of N-isopropylacrylamide thermoresponsive blocks on the rheological properties of water-soluble thermoassociative copolymers synthesized via RAFT polymerization. 2018 , 296, 1699-1710	3
439	Cellulose-based hydrogel materials: chemistry, properties and their prospective applications. 2018 , 7, 153-174	184
438	Using drug-loaded pH-responsive poly(4-vinylpyridine) microspheres as a new strategy for intelligent controlling of Lactobacillus plantarum contamination in bioethanol fermentation. 2018 , 34, 146	4
437	Drug delivery in nano-dimensions: A focus on oro-dental infections. 2018 , 303-331	
436	BODIPY-derived multi-channel polymeric chemosensor with pH-tunable sensitivity: selective colorimetric and fluorimetric detection of Hg ²⁺ and HSO ₄ ⁻ in aqueous media. 2018 , 9, 4882-4890	33
435	Injectable Biomaterials in Plastic and Reconstructive Surgery: A Review of the Current Status. 2018 , 15, 559-574	17
434	Tacticity effect on the upper critical solution temperature behavior of Poly(N-isopropylacrylamide) in an imidazolium ionic liquid. 2018 , 155, 101-108	6
433	Superfast and Reversible Thermoresponse of Poly(N-isopropylacrylamide) Hydrogels Grafted on Macroporous Poly(vinyl alcohol) Formaldehyde Sponges. 2018 , 10, 32747-32759	12
432	Soluble-Insoluble-Soluble Transitions of Thermoresponsive Cryptand-Containing Graft Copolymers. 2018 , 3, 10172-10179	5
431	Super macroporous poly(N-isopropyl acrylamide) cryogel for separation purpose. 2018 , 29, 2184-2191	12

430	Chitosan hydrogel-coated cotton fabric: Antibacterial, pH-responsiveness, and physical properties. 2018 , 135, 46645	20
429	Hydrogels for the Application of Articular Cartilage Tissue Engineering: A Review of Hydrogels. 2018 , 2018, 1-13	25
428	Stimuli-responsive biopolymer nanocarriers for drug delivery applications. 2018 , 405-432	7
427	Thermoresponsive light scattering device utilizing surface behavior effects between polyimide and an ionic liquid-water mixture exhibiting lower critical solution temperature (LCST)-type phase separation. 2018 , 123, 224501	1
426	Responsive polymer nanoparticles for drug delivery applications. 2018 , 289-320	7
425	Selective Molecular Transport in Thermoresponsive Polymer Membranes: Role of Nanoscale Hydration and Fluctuations. 2018 , 51, 4853-4864	18
424	Novel Superabsorbent Cellulose-Based Hydrogels: Present Status, Synthesis, Characterization, and Application Prospects. 2018 , 1-41	2
423	Multi-stimuli-responsive Polymers Based on Calix[4]arenes and Dibenzo-18-crown-6-ethers. 2018 , 145-174	1
422	Cellulose-Based Superabsorbent Hydrogels. 2018 , 1-23	1
421	Recent Progress and Advances in Stimuli-Responsive Polymers for Cancer Therapy. 2018 , 6, 110	80
420	A metallo-biopolymer conjugate of elastin-like polypeptide: photoluminescence enhancement in the coacervate microenvironment. 2018 , 23, 1153-1157	2
419	Grafting Polymers from Cellulose Nanocrystals: Synthesis, Properties, and Applications. 2018 , 51, 6157-6189	130
418	Smart Biopolymer Hydrogels Developments for Biotechnological Applications. 2018 , 1-21	
417	Nanoparticles and Controlled Delivery for Bioactive Compounds: Outlining Challenges for New "Smart-Foods" for Health. 2018 , 7,	88
416	Functional Stimuli-Responsive Gels: Hydrogels and Microgels. 2018 , 4,	87
415	Drug delivery systems for programmed and on-demand release. 2018 , 132, 104-138	141
414	Thermosensitive Injectable Hydrogel for Simultaneous Intraperitoneal Delivery of Doxorubicin and Prevention of Peritoneal Adhesion. 2018 , 19,	25
413	Stimuli-Responsive Cationic Hydrogels in Drug Delivery Applications. 2018 , 4,	47

412	Polymeric materials with switchable superwettability for controllable oil/water separation: A comprehensive review. <i>Progress in Polymer Science</i> , 2018 , 87, 1-33	29.6	131
411	Features of the Interaction of Alcian Blue with Gels Based on Copolymer of N-Vinylcaprolactam and Methacrylic Acid. 2018 , 60, 198-205		
410	Stimuli-Responsive Cellulose Based Hydrogels. 2018 , 1-40		
409	Ultrasensitive (Co)polymers Based on Poly(methacrylamide) Structure with Fining-Tunable pH Responsive Value. 2018 , 23,		2
408	Stearic acid infused polyurethane shape memory foams. 2018 , 153, 131-138		10
407	Synthesis of poly(N-isopropylacrylamide-co-2-hydroxyethyl methacrylate) with low polydispersity using ultrasonic irradiation. 2018 , 49, 310-315		6
406	Hydrogels. 2018 , 627-672		5
405	Hydrogels for biomedical applications. 2018 , 403-438		26
404	Bulk dynamics of the thermoresponsive random copolymer of di(ethylene glycol) methyl ether methacrylate (MEO2MA) and oligo(ethylene glycol) methyl ether methacrylate (OEGMA). 2018 , 148, 339-350		10
403	Grafting Onto Biopolymers: Application in Targeted Drug Delivery. 2018 , 335-389		4
402	Fabrications and investigation of physicochemical and electrochemical properties of heteropoly acid-doped sulfonated chitosan-based polymer electrolyte membranes for fuel cell applications. 2019 , 76, 1401-1422		11
401	N-doped C-dot embedded fluorescent and thermo-responsive p(NIPAAm) microgel composites. 2019 , 40, 3895-3903		0
400	Advances in biomimetic stimuli responsive soft grippers. 2019 , 6, 20		26
399	Advances in Hydrogels in Organoids and Organs-on-a-Chip. 2019 , 31, e1902042		130
398	Recent Progress of Polysaccharide-Based Hydrogel Interfaces for Wound Healing and Tissue Engineering. 2019 , 6, 1900761		103
397	Combination of Three Functionalized Temperature-Sensitive Chromatographic Materials for Serum Protein Analysis. 2019 , 24,		1
396	Functional polymers: an introduction in the context of biomedical engineering. 2019 , 1-20		2
395	ADVANCES OF HYDRAZONE LINKER IN POLYMERIC DRUG DELIVERY. 2019 , 1-4		4

394	In situ synthesis of a multifunctional polymer with a stable core-shell structure for effective dewatering. 2019 , 141, 105858	2
393	Smart Polymers in Drug Delivery Applications. 2019 , 890, 324-339	2
392	Water dynamics and thermal properties of tyramine-modified hyaluronic acid - Gelatin hydrogels. 2019 , 178, 121598	3
391	Preparation and characterization of hydrophilic temperature-dependent polyurethane containing the grafted poly(N-isopropylacrylamide). 2019 , 59, 1719-1728	4
390	Temperature-responsive mixed-mode column containing temperature-responsive polymer-modified beads and anionic polymer-modified beads. 2019 , 1079, 220-229	14
389	Glass transition and molecular dynamics in PHPMA-b-POEGMA block copolymers. 2019 , 181, 121794	2
388	AIE-Active and Thermoresponsive Alternating Polyurethanes of Bile Acid and PEG for Cell Imaging. 2019 , 1, 2973-2980	7
387	Switchable Wettability Materials for Controllable Oil/Water Separation. 2019 , 113-156	
386	Biomimetic polymer reactors and their applications in self-ruled catalysis. 2019 , 1-31	
385	Immobilization of Lipases [A Review. Part II: Carrier Materials. 2019 , 6, 167-194	20
384	Stimuli-responsive hydrogels for manipulation of cell microenvironment: From chemistry to biofabrication technology. <i>Progress in Polymer Science</i> , 2019 , 98, 101147	29.6 80
383	Bioresponse Inspired Nanomaterials for Targeted Drug and Gene Delivery. 2019 , 7, 220-233	32
382	Carboxylic acid modified pH-responsive composite polymer particles. 2019 , 39, 671-678	
381	Aqueous Nanoclusters Govern Ion Partitioning in Dense Polymer Membranes. 2019 , 13, 11224-11234	13
380	Responsive polymers as smart carriers in tunable catalytic processes. 2019 , 115-147	1
379	Highly Efficient Recovery of Water-Soluble Polymers in Synergistic Kinetic Inhibition of Gas Hydrate Formation. 2019 , 1, 130-135	3
378	NIR-Induced Disintegration of CuS-Loaded Nanogels for Improved Tumor Penetration and Enhanced Anticancer Therapy. 2019 , 19, e1800416	10
377	Effect of Polymer Phase Transition Behavior on Temperature-Responsive Polymer-Modified Liposomes for siRNA Transfection. 2019 , 20,	27

376	Amorphous and Semicrystalline Thermoplastic Polymer Nanocomposites Applied in Biomedical Engineering. 2019 , 57-84		1
375	Stimuli-responsive carbon nanotubes for targeted drug delivery. 2019 , 321-344		12
374	Polymer Nanocomposites in Biomedical Engineering. 2019 ,		7
373	Influence of molecular weight on PNIPAM brush modified colloidal silica particles. 2018 , 15, 55-64		11
372	Conformational Transformation of pH-Responsive Hairy Cellulose NanoCrystalloids in Salt-Free Dilute Solutions. 2019 , 20, 2839-2851		5
371	Engineering Biomimetic Platesomes for pH-Responsive Drug Delivery and Enhanced Antitumor Activity. 2019 , 31, e1900795		68
370	Thermo- and ultrasound-responsive polysaccharides for controlled drug delivery. 2019 , 217-270		0
369	Syntheses and applications of dendronized polymers. <i>Progress in Polymer Science</i> , 2019 , 96, 43-105	29.6	37
368	Solvation Structure of Poly(benzyl methacrylate) in a Solvate Ionic Liquid: Preferential Solvation of Li-Glyme Complex Cation. 2019 , 123, 4098-4107		1
367	Cloud Point Temperature, Thermal and Dielectrical Behaviors of Thermosensitive Block Copolymers Based N-Isopropylacrylamide. 2019 , 61, 32-41		4
366	Rheological Study on the Thermoreversible Gelation of Stereo-Controlled Poly(-Isopropylacrylamide) in an Imidazolium Ionic Liquid. 2019 , 11,		2
365	Fundamentals and Effects of Biomimicking Stimuli-Responsive Polymers for Engineering Functions. 2019 , 58, 9709-9757		37
364	Stimuli-responsive supramolecular assemblies via self-assembly of adamantane-containing block copolymers. 2019 , 175, 65-70		6
363	Modeling a pH-sensitive Zein--acrylic acid hybrid hydrogels loaded 5-fluorouracil and rutin for enhanced anticancer efficacy by oral delivery. 2019 , 9, 185		19
362	Design of low temperature-responsive hydrogels used as a temperature indicator. 2019 , 173, 182-189		12
361	Characterizing Polymer-Grafted Nanoparticles: From Basic Defining Parameters to Behavior in Solvents and Self-Assembled Structures. 2019 , 91, 6391-6402		29
360	Synthesis of AMPSA Polymeric Derivatives Monitored by Electrical Conductivity and Evaluation of Thermosensitive Properties of Resulting Microspheres. 2019 , 24,		2
359	Multiscale modeling and simulations of responsive polymers. 2019 , 23, 21-33		16

358	Interaction Forces on Polyampholytic Hydrogel Gradient Surfaces. 2019 , 4, 5670-5681	2
357	Self-assembling of Thermo-Responsive Block Copolymers: Structural, Thermal and Dielectric Investigations. 2019 , 397-444	1
356	A 'catch-and-release' receptor for the cholera toxin. 2019 , 219, 112-127	5
355	Single component Pluronic F127-lipoic acid hydrogels with self-healing and multi-responsive properties. 2019 , 115, 346-355	17
354	Toughened Poly(Lactic Acid)-PLA Formulations by Binary Blends with Poly(Butylene SuccinateAdipate)-PBSA and Their Shape Memory Behaviour. 2019 , 12,	24
353	Synthesis, Assembled Structures, and DNA Complexation of Thermoresponsive Lysine-Based Zwitterionic and Cationic Block Copolymers. 2019 , 35, 4646-4659	8
352	Thermodynamics and Biophysics of Biomedical Nanosystems. 2019 ,	3
351	Cellulosic medicine hydrogels with cyto- and biocompatible properties for ultrasound stimuli drug release materials. 2019 , 165-181	1
350	Atomistic molecular dynamics simulations of the LCST conformational transition in poly(N-vinylcaprolactam) in water. 2019 , 90, 51-58	16
349	Spirocyclic Acetal-Modified Dextran as a Flexible pH-Sensitive Solubility-Switching Material. 2019 , 20, 2008-2014	6
348	In situ probing of switchable nanomechanical properties of responsive high-density polymer brushes on poly(dimethylsiloxane): An AFM nanoindentation approach. 2019 , 93, 118-129	2
347	Smart Instructive Polymer Substrates for Tissue Engineering. 2019 , 411-438	6
346	Chitosan based thermosensitive injectable hydrogels for controlled delivery of loxoprofen: development, characterization and in-vivo evaluation. 2019 , 129, 233-245	38
345	Multiresponsive Wettability Switching on Polymer Surface: Effect of Surface Chemistry and/or Morphology Tuning. 2019 , 6, 1801937	8
344	Stimuli-responsive polymers for ocular therapy. 2019 , 463-489	0
343	Fern-Leaf Morphology Formed from an Amphiphilic Polycation Block Copolymer in the Presence of Sodium Chloride. 2019 , 76, 74-78	
342	Nanorobots With Applications in Medicine. 2019 , 123-149	5
341	An overview on preparation of emulsion-filled gels and emulsion particulate gels. 2019 , 86, 85-94	103

340	End-group ionisation enables the use of poly(N-(2-methacryloyloxy)ethyl pyrrolidone) as an electrosteric stabiliser block for polymerisation-induced self-assembly in aqueous media. 2019 , 10, 1312-1323	19
339	Influence of the cross-linker content on adsorbed functionalised microgel coatings. 2019 , 169, 29-35	19
338	pH/Thermo-Dual Responsive Tunable In Situ Cross-Linkable Depot Injectable Hydrogels Based on Poly(N-Isopropylacrylamide)/Carboxymethyl Chitosan with Potential of Controlled Localized and Systemic Drug Delivery. 2019 , 20, 119	25
337	Carbon Dioxide and Nitrogen-Modulated Shape Transformation of Chitosan-Based Composite Nanogels. 2019 , 4, 21018-21026	1
336	Preparation, Classification, and Applications of Smart Hydrogels. 2019 , 337-364	1
335	. 2019 ,	2
334	The Influence of Initiator Concentration on Selected Properties on Poly--Vinylcaprolactam Nanoparticles. 2019 , 9,	1
333	. 2019 ,	
332	Synthesis and self-assembly of photoacid-containing block copolymers based on 1-naphthol. 2019 , 10, 5602-5616	6
331	Transfer Free Energies and Partitioning of Small Molecules in Collapsed PNIPAM Polymers. 2019 , 123, 720-728	14
330	Solution effects on the self-association of a water-soluble peptoid. 2019 , 110, e23248	4
329	Super Mechanical Stimuli Responsive Hydrogel: Dynamic Cues for Cell Applications.. 2019 , 2, 277-283	5
328	Relationship between the phase diagram and hysteresis in demixing and remixing for atactic and meso-rich Poly(N-isopropylacrylamide)s in water. 2019 , 161, 92-100	6
327	Cellulose-Based Superabsorbent Hydrogels. 2019 , 245-267	3
326	Stimuli-Responsive Cellulose-Based Hydrogels. 2019 , 269-308	1
325	Smart Biopolymer Hydrogels Developments for Biotechnological Applications. 2019 , 1515-1535	
324	Novel Superabsorbent Cellulose-Based Hydrogels: Present Status, Synthesis, Characterization, and Application Prospects. 2019 , 155-195	2
323	Synthesis of pH-sensitive sulfonamide-based hydrogels with controllable crosslinking density by post thermo-curing. 2019 , 26, 1	10

322	Rational design of thermoresponsive polymers in aqueous solutions: A thermodynamics map. <i>Progress in Polymer Science</i> , 2019 , 90, 269-291	29.6	89
321	Stimuli-responsive polymer wormlike micelles. <i>Progress in Polymer Science</i> , 2019 , 89, 108-132	29.6	42
320	Vibrational Spectroscopy in Analysis of Stimuli-Responsive Polymer/Water Systems. 2019 , 223-271		
319	The temperature-sensitive water vapor permeation control of polyurethane membrane using the graft-polymerized poly(N-isopropylacrylamide) and the impact on the tensile strength and shape recovery effect. 2019 , 58, 656-666		1
318	pH-triggered intracellular release of doxorubicin from polyaspartamide-encapsulated mesoporous silica nanoparticles. 2019 , 36, 166-172		6
317	Thermally Responsive Materials for Bioimaging. 2019 , 14, 67-75		7
316	Effect of surface-modified montmorillonite incorporated biopolymer membranes for PEM fuel cell applications. 2019 , 40, E301		11
315	Effect of thermal-responsive surfaces based on PNIPAAm on cell adsorption/desorption. 2019 , 68, 145-151		1
314	Mussel-mimicking sulfobetaine-based copolymer with metal tunable gelation, self-healing and antibacterial capability. 2020 , 13, 193-204		11
313	Redox degradable 3-helix micelles with tunable sensitivity. 2020 , 112, e24117		0
312	Chitosan hydrogel-coated cellulosic fabric for medical end-use: Antibacterial properties, basic mechanical and comfort properties. 2020 , 227, 115352		39
311	Fundamental Theory and Molecular Design of Thermoresponsive Polymers Expandable to Sustainable and Smart Materials. 2020 , 351-372		1
310	Influence of vanillin acrylate and 4-acetylphenyl acrylate hydrophobic functional monomers on phase separation of N-isopropylacrylamide environmental terpolymer: fabrication and characterization. 2020 , 77, 2905-2922		7
309	Stimuli-Responsive Biopolymers: An Inspiration for Synthetic Smart Materials and Their Applications in Self-Controlled Catalysis. 2020 , 30, 69-87		6
308	Mixed polymer brush as a functional ligand of silica beads for temperature-modulated hydrophobic and electrostatic interactions. 2020 , 1095, 1-13		15
307	Motor and sensitive recovery after injection of a physically cross-linked PNIPAAm-g-PEG hydrogel in rat hemisectioned spinal cord. 2020 , 107, 110354		9
306	Switchable Wettability of Poly(NIPAAm--HEMA--NMA) Coated PET Fabric for Moisture Management. 2020 , 12,		7
305	Hypoxia-responsive nanoparticle based drug delivery systems in cancer therapy: An up-to-date review. 2020 , 319, 135-156		85

304	Energy dissipation in pH-sensitive hydrogels subjected to large amplitude oscillatory shear. 2020 , 140, 103226	4
303	Synthesis of a branched star copolymer by aqueous SET-LRP and its thermo-stimuli response. 2020 , 57, 266-273	2
302	Precisely Synthesized Sequence-Controlled Amino Acid-Derived Vinyl Polymers: New Insights into Thermo-Responsive Polymer Design. 2020 , 41, e1900550	6
301	Hydrogels as Potential Nano-, Micro- and Macro-Scale Systems for Controlled Drug Delivery. 2020 , 13,	39
300	Preparation of macroporous polyvinyl alcohol formaldehyde based hydrogels and their dual thermo- and pH-responsive behavior. 2020 , 509, 144754	6
299	Measurement of Thermodynamic Partitioning in Open Hydrogels. 2020 , 92, 875-883	11
298	Synthesis and characterization of pH- and thermo-responsive hydrogels based on poly(2-cyclopropyl-2-oxazoline) macromonomer, sodium acrylate, and acrylamide. 2020 , 77, 5553-5565	5
297	Cu (II) removal using electrospun dual-responsive polyethersulfone-poly (dimethyl amino) ethyl methacrylate (PES-PDMAEMA) blend nanofibers. 2020 , 242, 125287	22
296	Thermally Assisted Self-Healing and Shape Memory Behavior of Diphenolic Acid-Based Benzoxazines. 2020 , 305, 2000463	12
295	LCST polymers: Thermoresponsive nanostructured assemblies towards bioapplications. 2020 , 211, 123146	28
294	Tunable LCST/UCST-Type Polypeptoids and Their Structure-Property Relationship. 2020 , 21, 4980-4988	9
293	Fabrication of composite Fe ₃ O ₄ nanoparticles coupled by thermo-responsive and fluorescent Eu complex on surface. 2020 , 1-7	
292	Catalytic one-handed helix-induction and memory of amphiphilic poly(biphenylacetylene)s in water. 2020 , 2, 100016	12
291	Nanooptics and Photonics, Nanochemistry and Nanobiotechnology, and Their Applications. 2020 ,	1
290	Formation and Stability of Smooth Thin Films with Soft Microgels Made of Poly(-Isopropylacrylamide) and Poly(Acrylic Acid). 2020 , 12,	3
289	Composite Hydrogel of Poly(acrylamide) and Starch as Potential System for Controlled Release of Amoxicillin and Inhibition of Bacterial Growth. 2020 , 2020, 1-14	7
288	Stereocomplexed and homocrystalline thermo-responsive physical hydrogels with a tunable network structure and thermo-responsiveness. 2020 , 8, 7947-7955	5
287	Thermal Compaction of Disordered and Elastin-like Polypeptides: A Temperature-Dependent, Sequence-Specific Coarse-Grained Simulation Model. 2020 , 21, 3523-3538	5

286	Complex Temperature and Concentration Dependent Self-Assembly of Poly(2-oxazoline) Block Copolymers. 2020 , 12,	2
285	Implant-forming polymeric F MRI-tracer with tunable dissolution. 2020 , 327, 50-60	10
284	A Universal Coating Strategy for Controllable Functionalized Polymer Surfaces. 2020 , 30, 2004633	19
283	A coil-to-globule transition capable coarse-grained model for poly(N-isopropylacrylamide). 2020 , 22, 17913-17921	5
282	Controlled anti-cancer drug release through advanced nano-drug delivery systems: Static and dynamic targeting strategies. 2020 , 327, 316-349	79
281	The Effect Hydrophilic/Hydrophobic Interaction of 2-((Dimethylamino)methyl)-4-formyl-6-methoxyphenyl Acrylate and 4-Acetylphenyl Acrylate Monomers on the Phase Transition Temperature of N-isopropylacrylamide Terpolymers. 2020 , 28, 2584-2598	5
280	Triple Thermoresponsiveness of a TADDOL-Based Homopolymer through the Formation of Supramolecular Complexes with Chiral Guest Molecules at Variable Ratios. 2020 , 2, 4415-4424	2
279	Chitosan: A Natural Biopolymer with a Wide and Varied Range of Applications. 2020 , 25,	65
278	A novel multi-stimuli-responsive nanomedicine based on FeO@Au nanoparticles against cancer. 2020 , 46, 1832-1843	8
277	Antibody drug separation using thermoresponsive anionic polymer brush modified beads with optimised electrostatic and hydrophobic interactions. 2020 , 10, 11896	13
276	Physicochemical Properties and Hematocompatibility of Layered Double Hydroxide-Based Anticancer Drug Methotrexate Delivery System. 2020 , 12,	2
275	Topology-Specific Injectable Sticky Hydrogels. 2020 , 53, 9779-9792	5
274	Thermoresponsive Polymers of Poly(2-(-alkylacrylamide)ethyl acetate)s. 2020 , 12,	3
273	Thermo-Reversible Gelation of Aqueous Hydrazine for Safe Storage of Hydrazine. 2020 , 8, 53	
272	Poly(2-oxazoline)-based stimulus-responsive (Co)polymers: An overview of their design, solution properties, surface-chemistries and applications. <i>Progress in Polymer Science</i> , 2020 , 106, 101252	29.6 19
271	Controlled binding of organic guests by stimuli-responsive macrocycles. 2020 , 49, 3834-3862	33
270	Free Volume in a PVME Polymer/Water Solution. 2020 , 53, 4770-4782	1
269	A composite polymer of polystyrene coated with poly(4-vinylpyridine) as a sorbent for the extraction of synthetic dyes from foodstuffs. 2020 , 12, 3156-3163	1

268	Multi-stimuli-responsive nanomicelles fabricated using synthetic polymer polylysine conjugates for tumor microenvironment dependent drug delivery. 2020 , 8, 5745-5755	7
267	Controlling the thermal response of poly(N-isopropylacrylamide)-poly(ethylene glycol)-poly(N-isopropylacrylamide) triblock copolymers in aqueous solution by means of additives. 2020 , 152, 104610	4
266	Functional cellulose nanocrystals containing cationic and thermo-responsive polymer brushes. 2020 , 246, 116651	6
265	Dual-functional Janus Nanosheets with Cation Exchangeability and Thermo-responsiveness Prepared via Regioselective Modification of K4Nb6O17·BH2O. 2020 , 49, 1058-1061	1
264	Assessing the effects of cellulose-inorganic nanofillers on thermo/pH-dual responsive hydrogels. 2020 , 528, 146961	8
263	Synthesis of amino-cosubstituted polyorganophosphazenes and fabrication of their nanoparticles for anticancer drug delivery. 2020 , 137, 49424	1
262	Preparation of an antifouling and easy cleaning membrane based on amphiphobic fluorine island structure and chemical cleaning responsiveness. 2020 , 611, 118403	8
261	Temperature/pH/magnetic triple sensitive nanogel for doxorubicin anticancer drug delivery. 2020 , 50, 1189-1200	6
260	Alginate-based hydrogels as drug delivery vehicles in cancer treatment and their applications in wound dressing and 3D bioprinting. 2020 , 14, 8	96
259	Self-organization in aqueous solutions of thermosensitive star-shaped and linear gradient copolymers of 2-ethyl-2-oxazoline and 2-isopropyl-2-oxazoline. 2020 , 298, 535-546	7
258	Thermoresponsive Hydrogel Induced by Dual Supramolecular Assemblies and Its Controlled Release Property for Enhanced Anticancer Drug Delivery. 2020 , 21, 1516-1527	36
257	Fabrication of Poly(N-isopropylacrylamide) with Higher Deposition Rate and Easier Phase Transition by Initiated Plasma Enhanced Chemical Vapor Deposition. 2020 , 40, 1063-1079	10
256	L-proline functionalized pH-responsive copolymers as supported organocatalysts for asymmetric aldol reaction in water. 2020 , 150, 104544	4
255	Tweaking the acid-sensitivity of transiently thermoresponsive Polyacrylamides with cyclic acetal repeating units. 2020 , 63, 504-512	1
254	Well-controlled polymerization of tri-vinyl dynamic covalent boroxine monomer: one dynamic covalent boroxine moiety toward a tunable penta-responsive polymer. 2020 , 11, 2914-2922	2
253	Recent developments in stimuli-responsive poly(ionic liquid)s. 2020 , 27, 1	8
252	Smart polymers and nanocomposites for 3D and 4D printing. 2020 , 40, 215-245	59
251	Smart Hydrogels - Synthetic Stimuli-Responsive Antitumor Drug Release Systems. 2020 , 15, 4541-4572	39

250	Synthesis, Phase-Transition Behaviour, and Oil Adsorption Performance of Porous Poly((ethylene glycol) Alkyl Ether Acrylate) Gels. 2020 , 12,	2
249	Confined Microenvironments from Thermoresponsive Dendronized Polymers. 2020 , 41, e2000325	12
248	Anisotropic mesoporous silica/microgel core-shell responsive particles.. 2020 , 10, 25393-25401	8
247	Smart polymers. 2020 , 257-279	1
246	pH-Sensitive Nanomaterials for Smart Release of Drugs. 2020 , 17-41	
245	Synthesis and characterization of pH-sensitive block polymer poly (propylene carbonate)-b-poly (acrylic acid) for sustained chlorpyrifos release. 2020 , 24, 100974	2
244	A Novel Self-protection Hydroquinone Electrochemical Sensor Based on Thermo-sensitive Triblock Polymer PS-PNIPAm-PS. 2020 , 32, 1354-1363	3
243	Crosslinked electrospinning fibers with tunable swelling behaviors: A novel and effective adsorbent for Methylene Blue. 2020 , 390, 124472	18
242	Vinyl Iodide Containing Polymers Directly Prepared via an Iodo-yne Polymerization. 2020 , 9, 410-415	5
241	Investigation of Thermoresponsive Microgel Polymer Swelling Theory. 2020 , 60, 648-670	6
240	Synthesis of spiropyran with methacrylate at the benzopyran moiety and control of the water repellency and cell adhesion of its polymer film. 2020 , 8, 1489-1495	7
239	Well-Defined Dual Light- and Thermo-Responsive Rod-Coil Block Copolymers Containing an Azobenzene, MEOMA and OEGMA. 2020 , 12,	6
238	Electro-conductive and temperature-sensitive poly(N-isopropylacrylamide) composite hydrogels with improved mechanical properties. 2020 , 10, 2189-2198	0
237	Solid polymer desiccants based on poly(acrylic acid-co-acrylamide) and Laponite RD: Adsorption isotherm and kinetics studies. 2020 , 599, 124813	30
236	Fluorescent tumor-targeted polymer-bioconjugate: A potent theranostic platform for cancer therapy. 2020 , 130, 109661	5
235	A Global View on Block Copolymers. 2020 , 12,	6
234	Self-Organization Processes in Poly(N-[2-(diethylamino)ethyl]acrylamide) Buffer Solutions with Change in Concentration and pH of a Medium. 2020 , 62, 24-31	1
233	Shape memory polystyrene-based nanocomposite: present status and future opportunities. 2021 , 58, 182-191	4

- 232 Molecular dynamics study of the thermosensitive properties of poly (N-vinyl caprolactam) in water. **2021**, 527, 112831 2
- 231 A novel bioreducible and pH-responsive magnetic nanohydrogel based on β -cyclodextrin for chemo/hyperthermia therapy of cancer. **2021**, 252, 117229 23
- 230 Functional Dyes in Polymeric 3D Printing: Applications and Perspectives. **2021**, 3, 1-17 18
- 229 Pyranine Based Ion-Paired Complex as a Mechanophore in Polyurethanes. **2021**, 42, e2000476 2
- 228 Application of stimuli-responsive materials for extraction purposes. **2021**, 1636, 461764 1
- 227 Molecular dynamics and crystallization in polymers based on ethylene glycol methacrylates (EGMAs) with melt memory characteristics: from linear oligomers to comb-like polymers. **2021**, 17, 1284-1298 9
- 226 Dual stimuli-responsive silver nanoparticles decorated SBA-15 hybrid catalyst for selective oxidation of alcohols under mild conditions. **2021**, 311, 110697 2
- 225 Chitin and chitosan as adsorbents. **2021**, 73-91
- 224 An insight into smart self-lubricating composites. **2021**, 85-101 4
- 223 Biomimetic strategies for fabricating musculoskeletal tissue scaffolds: a review. **2021**, 112, 1211-1229 2
- 222 Stimulus-Responsive Polymers. **2021**, 109-125 0
- 221 Smart Materials in Regenerative Medicine. **2021**, 4, 39-51 0
- 220 Polymer Composites: Smart Synthetic Fibers Approach in Energy and Environmental Care. **2021**, 3637-3661
- 219 The bionic sunflower: a bio-inspired autonomous light tracking photocatalytic system. **2021**, 14, 3931-3937 11
- 218 Smart fibrous materials. **2021**, 111-141
- 217 Smart biopolymers and their applications. **2021**, 145-167
- 216 Trends in Stimuli Responsive Biomaterials in Tissue Engineering. **2021**, 305-343
- 215 Phase transitions of poly(oligo(ethylene glycol) methyl ether methacrylate)-water systems. **2021**, 212, 123247 6

214	Intelligent Biomaterials for Tissue Engineering and Biomedical Applications: Current Landscape and Future Prospects. 2021 , 535-560	0
213	Mobility of bound water in PNIPAM microgels. 2021 , 23, 14252-14259	1
212	Fully Recyclable Polycarbonates from Simple, Bio-Derived Building Blocks. 2021 , 3, 730-736	2
211	Implication of polymer-based immobilized enzymes in medicine. 2021 , 27-67	
210	Polymer-based liquid biphasic system. 2021 , 17-37	
209	Physiologically relevant pH- and temperature-responsive polypeptide hydrogels with adhesive properties. 2021 , 12, 2832-2839	4
208	Thermoresponsive Polymer Nanocomposites. 2021 , 510-526	0
207	Evolving Trends of Nanotechnology for Medical and Biomedical Applications: A Review. 2021 ,	
206	Recent progress of photochromic materials towards photocontrollable devices.	6
205	Single-Molecule Mechanism of pH Sensitive Smart Polymer. 2021 , 79, 500	2
204	Geometrical Confinement Modulates the Thermoresponse of a Poly(N-isopropylacrylamide) Brush. 2021 , 54, 2541-2550	5
203	pH-sensitive polymers: Classification and some fine potential applications. 2021 , 32, 1455-1484	35
202	Nexus between in silico and in vivo models to enhance clinical translation of nanomedicine. 2021 , 36, 101057	31
201	Design and Development of Hybrid Hydrogels for Biomedical Applications: Recent Trends in Anticancer Drug Delivery and Tissue Engineering. 2021 , 9, 630943	15
200	Bioactive Materials for Soft Tissue Repair. 2021 , 9, 613787	15
199	Dealing with the complexity of conjugated and self-assembled polymer-nanostructures using field-flow fractionation. 2021 , 2, 95-108	3
198	Switching (bio-) adhesion and friction in liquid by stimulus responsive polymer coatings. 2021 , 147, 110298	7
197	Self-assembly, pH-responsibility and controlled release of doxorubicin of PDEAEMA-PEG-PDEAEMA triblock copolymers: effects of PEG length. 2021 , 28, 1	1

196	Molecular dynamics of poly(2-(2-methoxyethoxy)ethyl methacrylate) hydrogels studied by broadband dielectric spectroscopy. 2021 , 222, 123618	1
195	Synthesis of magnetic ferrogels: a tool-box approach for finely tuned magnetic- and temperature-dependent properties. 2021 ,	1
194	In vivo and in vitro Evaluation of in situ Gel Formulation of Pemirolast Potassium in Allergic Conjunctivitis. 2021 , 15, 2099-2107	1
193	Shape-Changing Bottlebrush Polymers. 2021 , 125, 6373-6389	9
192	Recent Advances in Thermoresponsive OEGylated Poly(amino acid)s. 2021 , 13,	2
191	Molecular Self-Assembly and Supramolecular Chemistry of Cyclic Peptides. 2021 , 121, 13936-13995	13
190	Influence of Molecular Weight Distribution on the Thermoresponsive Transition of Poly(N-isopropylacrylamide). 2021 , 42, e2100212	4
189	An Overview on Starch-Based Sustainable Hydrogels: Potential Applications and Aspects. 1	9
188	Trends of Chitosan Based Delivery Systems in Neuroregeneration and Functional Recovery in Spinal Cord Injuries. 2021 , 2, 519-537	3
187	Stimulus-Responsive Polymers Based on Polypeptoid Skeletons. 2021 , 13,	9
186	Streamlined access to end-functionalized thermoresponsive polymers via a combination of bulk RAFT polymerization and quasi solvent-free Passerini three-component reaction.	0
185	A novel 'smart' PNIPAM-based copolymer for breast cancer targeted therapy: Synthesis, and characterization of dual pH/temperature-responsive lactoferrin-targeted PNIPAM-co-AA. 2021 , 202, 111694	10
184	Oxi-HA/ADH Hydrogels: A Novel Approach in Tissue Engineering and Regenerative Medicine. 2021 , 2, 477-496	1
183	A Review on Hydrogels and Ferrogels for Biomedical Applications. 2021 , 73, 2440	2
182	Synergistic Stain Removal Achieved by Controlling the Fractions of Light and Thermo Responsive Components in the Dual-Responsive Copolymer Immobilized on Cotton Fabrics by Cross-Linker. 2021 , 13, 27372-27381	5
181	The removal of Cu(II) and Pb(II) ions from aqueous solutions by temperature-sensitive hydrogels based on N-isopropylacrylamide and itaconic acid. 2021 , 1-19	1
180	4D printing: Fundamentals, materials, applications and challenges. 2021 , 228, 123926	24
179	Salinity durable self-healing hydrogels as functional biomimetic systems based on the intercalation of polymer ions into mica. 2021 , 228, 123870	

178	Topological changes in telechelic micelles: flowers versus stars.	
177	Recent advances in nanocarriers-based drug delivery for cancer therapeutics: A review. 2021 , 165, 104970	4
176	Hybridization of Poly(oxazoline) and Poly(ethylene oxide)-Based Amphiphilic Copolymers into Thermosensitive Mixed Micelles of Tunable Cloud Point. 2021 , 37, 11447-11456	1
175	Thermoresponsive interfaces obtained using poly(N-isopropylacrylamide)-based copolymer for bioseparation and tissue engineering applications. 2021 , 295, 102487	9
174	Preparation of Synthetic Polypeptide-PolyHIPE Hydrogels with Stimuli-Responsive Behavior. 2021 , 54, 8321-8330	4
173	Altering of lower critical solution temperature of environmentally responsive poly (N-isopropylacrylamide-co-acrylic acid-co-vanillin acrylate) affected by acrylic acid, vanillin acrylate, and post-polymerization modification. 2021 , 299, 1617-1629	0
172	Temperature-responsive spin column for sample preparation using an all-aqueous eluent. 2021 , 1179, 338806	3
171	Multifunctional Size-Expandable Nanomedicines Enhance Tumor Accumulation and Penetration for Synergistic Chemo-Photothermal Therapy. 2021 , 13, 46361-46374	2
170	Control of the temperature responsiveness of poly(N-isopropylacrylamide-co-2-hydroxyethyl methacrylate) copolymer using ultrasonic irradiation. 2021 , 79, 105752	0
169	Chapter 22:Stimuli-responsive Drug Delivery Hydrogels. 2021 , 542-565	1
168	Application of smart polymers in nanomedicine. 2021 , 215-233	
167	Recent advances in stimuli-responsive polymers for sensing and actuation. 2021 , 6, 108-121	9
166	Recent Advances in Host-Guest Self-Assembled Cyclodextrin Carriers: Implications for Responsive Drug Delivery and Biomedical Engineering. 2020 , 30, 1909049	116
165	In-Situ Gelling Stimuli-Sensitive PEG-Based Amphiphilic Copolymer Hydrogels. 2010 , 123-146	3
164	Synthesis of thermoresponsive polymers for drug delivery. 2014 , 1141, 77-101	9
163	Influence of Salt and pH on the Swelling Equilibrium of Ionizable N-IPAAm Based Hydrogels: Experimental Results and Modeling. 2013 , 163-173	1
162	Responsive Polymer Nanostructures. 2017 , 173-304	2
161	Application in the Field of Biomedical Materials. 2010 , 240-272	1

160	Synthesis of optothermal responsive polymers by thiol-ene click reaction and their aggregation behavior. 2020 , 27, 1	2
159	CHAPTER 18:pH- and Temperature-responsive Hydrogels in Drug Delivery. 2013 , 153-179	3
158	A cyanine-based polymeric nanoplatform with microenvironment-driven cascaded responsiveness for imaging-guided chemo-photothermal combination anticancer therapy. 2020 , 8, 2115-2122	7
157	Modeling of the Photo-Thermal-pH Triple-Responsive Hydrogels Considering the Coupled Effect of Photothermal Conversion and Electrochemistry. 2020 , 87,	6
156	Microfluidics and BIO-encapsulation for drug- and cell-therapy. 2017 ,	2
155	Overview of Shape-Memory Polymers. 2010 , 1-20	4
154	The Method of Small-Angle X-ray Scattering and Its Application to the Structural Analysis of Oligo- and Polysaccharides in Solution. 2016 , 281-340	2
153	Novel Pentablock Copolymers as Thermosensitive Self-Assembling Micelles for Ocular Drug Delivery. 2017 , 7, 11-20	25
152	Environmentally responsive polymeric "intelligent" materials: the ideal components of non-mechanical valves that control flow in microfluidic systems. 2010 , 27, 1-14	4
151	Stimuli-responsive Carriers for Controlled Intracellular Drug Release. 2019 , 26, 2377-2388	9
150	Advancements in Polymer and Lipid-based Nanotherapeutics for Cancer Drug Targeting. 2020 , 26, 5119-5127	3
149	Complexation of poly(ethylene glycol) with poly(ethyl methacrylate-co-N-vinyl-2-pyrrolidone) gel based on hydrogen bonds. 2013 , 15, 85-90	4
148	Early Age Hydration, Microstructure and Micromechanical Properties of Cement Paste Modified with Polymeric Vesicles. 2013 , 11, 291-300	1
147	PHOTO AND H ⁺ DUAL-RESPONSIVE BEHAVIORS OF AZOBENZENE SHELLLED POLY(AMINOAMINE) DENDRIMERS. 2008 , 008, 32-40	3
146	ACID SENSITIVE MICELLAR AGGREGATES BASED ON AMPHIPHILIC BLOCK COPOLYMERS WITH PENDANT CYCLIC ORTHOESTER. 2009 , 009, 88-92	4
145	REGULATION OF PROTEIN ADSORPTION ON pH-RESPONSIVE SURFACES. 2011 , 011, 812-816	3
144	Poly (N-Isopropyl Acrylamide-<i>Co</i>-Vanillin Acrylate) Dual Responsive Functional Copolymers for Grafting Biomolecules by Schiff's Base Click Reaction. 2018 , 08, 15-32	8
143	Smart Polymers and Coatings Obtained by Ionizing Radiation: Synthesis and Biomedical Applications. 2015 , 05, 17-33	14

- 142 Biosurface Organic Chemistry: Interfacial Chemical Reactions for Applications to Nanobiotechnology and Biomedical Sciences. **2005**, 26, 361-370 32
- 141 Preparation of Biodegradable Thermo-responsive Polyaspartamides with N-Isopropylamine Pendent Groups (I). **2006**, 27, 1981-1984 16
- 140 Preparation and Properties of Novel Biodegradable Hydrogel based on Cationic Polyaspartamide Derivative. **2006**, 27, 981-985 26
- 139 Well-Defined Thermoresponsive Copolymers with Tunable LCST and UCST in Water. **2014**, 35, 501-504 7
- 138 Investigation of the potential of mixed solvent mobile phases in temperature-responsive liquid chromatography (TRLIC). **2021**, 146, 6990-6996 1
- 137 Shape-shifting thermoreversible diblock copolymer nano-objects RAFT aqueous dispersion polymerization of 4-hydroxybutyl acrylate. **2021**, 12, 13719-13729 5
- 136 Thermocontrolled Reversible Enzyme Complexation-Inactivation-Protection by Poly(-acryloyl glycinamide). **2021**, 13, 2
- 135 Chemically specific coarse-graining of polymers: Methods and prospects. 13
- 134 Biomedical applications of hydrogels in drug delivery system: An update. **2021**, 66, 102914 11
- 133 The Use of Monte Carlo Simulations for the Interpretation of Light Scattering and Fluorescence Data on Self-Assembling Polymer Systems in Solutions. **2008**, 73, 293-313
- 132 PREPARATION AND PROPERTIES OF A NOVEL THERMOSENSITIVE POLYMER CONTAINING COBALT PHTHALOCYANINE. **2008**, 008, 567-573
- 131 Application of AuNPs immobilized on UV Cross-linked P4VP Thin Film as pH Nanosensors. **2008**, 21, 1010-1018
- 130 PREPARATION OF TEMPERATURE-SENSITIVE HYPERBRANCHED POLYMERS FROM POLY(PROPYLENE GLYCOL) DIGLYCIDYL ETHER AND GLYCEROL. **2009**, 007, 1097-1101
- 129 General Introduction. **2012**, 1-6
- 128 Collapse, Compression and Adhesion of Poly(N-Isopropylacrylamide) Brushes. **2012**,
- 127 Synthesis and Characterization of Temperature and pH Sensitive Graft Copolymers Based on Pluronic. **2012**, 36, 223-228 1
- 126 SYNTHESIS AND ELECTRIC-SENSITIVE PROPERTIES OF PAMPS/SiO₂ HYBRID HYDROGELS. **2012**, 012, 728-734
- 125 Pegylated Zinc Protoporphyrin: A Micelle-Forming Polymeric Drug for Cancer Therapy. **2012**, 181-212

- 124 Polymer-Based Colloidal Aggregates as a New Class of Drug Delivery Systems. **2013**, 659-682
- 123 STUDIES ON AZOBENZENE-TERMINATED PNIPAM WITH THERMOSENSITIVITY AND PHOTSENSITIVITY. **2013**, 013, 1291-1297
- 122 PREPARATION OF POLYESTER FILMS WITH THERMOSENSITIVE SURFACE. **2013**, 013, 1419-1423
- 121 Polymeric Nanohydrogels of Poly(N-Isopropylacrylamide) Combined with Others Functionalized Monomers: Synthesis and Characterization. **2014**, 05, 31-38
- 120 Photo-Responsive Polymeric Nanocarriers for On-Demand Drug Delivery. **2014**, 93-113
- 119 General Introduction. **2014**, 1-25
- 118 Facile Synthesis of Thermoresponsive Block Copolymers Bearing Poly(N,N-diethylacrylamide) Segment Through Group Transfer Polymerization. **2014**, 61-77
- 117 Rheological Aspects of Conformational Change and Molecular Aggregation of Macromolecules. **2015**, 7-41
- 116 Introduction and background. **2015**, 3-51
- 115 Lotus Leaf Effect: Micro- and Nanostructures. **2015**, 1-49
- 114 Drug Delivery: pH-Sensitive Biopolymers. 2812-2823
- 113 Hydrogels: Multi-Responsive Biomedical Devices. 3970-3993
- 112 Hydrogels: Smart Cationic Interpenetrating Networks. 4011-4024
- 111 Nanocarriers: Stimuli-Responsive. 5062-5076
- 110 Novel Method to Monitor the De-Swelling of PNIPAAm Hydrogels of Different Cross-Link Density. **2016**, 07, 306-317
- 109 Thermoresponsive Gels. 7835-7846
- 108 Stimuli-Responsive Polymers. 7663-7674
- 107 Colloidal Aggregates, Polymer-Based: Drug Delivery Systems. 1901-1916

88	Bioinspired tunable hydrogels: An update on methods of preparation, classification, and biomedical and therapeutic applications.. 2021 , 612, 121368	4
87	Smart surfaces with reversibly switchable wettability: Concepts, synthesis and applications.. 2021 , 300, 102584	8
86	Glycosaminoglycans as polyelectrolytes: implications in bioactivity and assembly of biomedical devices. 1-31	0
85	Responsive biomaterials for 3D bioprinting: A review. 2022 ,	8
84	A Review on the Design of Hydrogels With Different Stiffness and Their Effects on Tissue Repair.. 2022 , 10, 817391	2
83	Tunable biomaterials for myocardial tissue regeneration: promising new strategies for advanced biointerface control and improved therapeutic outcomes.. 2022 ,	3
82	Metal-Catalyzed Alternating Polymerization Reactions with Carbon Monoxide. 2022 , 827-859	
81	Topological Changes in Telechelic Micelles: Flowers versus Stars. 2022 , 55, 517-522	0
80	Local Electronic Charge Transfer in the Helical Induction of Poly(4-carboxyphenyl)acetylene by Chiral Amines.. 2022 ,	0
79	Highly selective recovery of perfluorooctanoic acid from semiconductor wastewater via adsorption on pH-stimulated poly (dimethyl amino) ethyl methacrylate microgels. 2022 , 287, 120479	1
78	Recent progress in polymeric non-invasive insulin delivery.. 2022 , 203, 222-222	3
77	Temperature responsive chromatography for therapeutic drug monitoring with an aqueous mobile phase. 2021 , 11, 23508	2
76	Stimuli-Responsive Hydrogels in Drug Delivery. 2022 , 75-103	
75	Biocompatible poly(N-(β -acryloyloxy-n-alkyl)-2-pyrrolidone)s with widely-tunable lower critical solution temperatures (LCSTs): a promising alternative to poly(N-isopropylacrylamide).	2
74	Multi-stimuli distinct responsive DNA based fluorogen oligomeric tool and efficient detection of TNT vapor. 2022 , 46, 6560-6569	1
73	An amino acid-derived ABCBA-type antifouling biohybrid with multi-stimuli responsivity and contaminant removal capability. 2022 , 13, 1960-1969	1
72	Reactive and Responsive Polymers for Sensing Applications in Bodily Fluids. 1-32	
71	Chemistry-Induced Effects on Cell Behavior upon Plasma Treatment of pNIPAAm.. 2022 , 14,	

- 70 The Removal of Hydrophobic Matter from Thermosensitive Poly[(ethylene glycol) Monomethyl Ether Acrylate] Gel Adsorbent in Alcohol-Water Mixtures.. **2022**, 8,
- 69 Highly band-selective meta-surfaces exhibiting perfect near infrared absorption and concurrent visible band sensing: A numerical study. 1
- 68 New Poly(N-isopropylacrylamide-butylacrylate) Copolymer Biointerfaces and Their Characteristic Influence on Cell Behavior In Vitro.. **2022**, 23, 0
- 67 Facile fabrication of high nanofiller-content natural rubber nanocomposites for reversible plasticity shape memory polymers. **2022**, 221, 109349 1
- 66 Radiation-induced graft polymerization of N-isopropyl acrylamide onto microcrystalline cellulose: Assessing the efficiency of the peroxidation method. **2022**, 194, 110038 0
- 65 Dendronized Gelatins Showing Both LCST and UCST-type Thermoresponsive Behavior. 0
- 64 Nanoparticulate Carriers As Objects to Study Intentional and Unintentional Bioconjugation.. **2022**,
- 63 Reversible Deactivation Radical Copolymerization: Synthesis of Copolymers with Controlled Unit Sequence. 1
- 62 Synthesis and application of temperature-sensitive polymer as a novel plugging agent for water-based drilling fluids. 0
- 61 A pH/Temperature-Sensitive s-IPN Based on Poly(vinyl alcohol), Poly(vinyl methyl ether-alt-maleic acid) and Poly(vinyl methyl ether) Prepared by Autoclaving. 1 0
- 60 Amphiphilic block copolymers: From synthesis including living polymerization methods to applications in drug delivery. **2022**, 172, 111224 2
- 59 Recent advances in drug delivery nanocarriers incorporated in temperature-sensitive Pluronic F-127: A critical review. **2022**, 72, 103390 3
- 58 Temperature-sensitive polymers for biomaterials for drug delivery, gene delivery, and tissue engineering. **2022**, 335-367
- 57 Polymer nanoparticles (nanomedicine) for therapeutic applications. **2022**, 71-123
- 56 Effect of Nano and Hybrid Fillers on Shape-Memory Polymers Properties. **2022**, 213-251
- 55 Assessing the viability of carbamoyl ethyl pullulan-g-stearic acid based smart polymeric micelles for tumor targeting of Raloxifene. 1-14
- 54 Influence of Microstructure on the Elution Behavior of Gradient Copolymers in Different Modes of Liquid Interaction Chromatography. 3
- 53 Stimulus-responsive polymers for safe batteries and smart electronics. 1

52	Graphene-reinforced polymeric membranes for water desalination and gas separation/barrier applications. 2022 , 133-165	0
51	Selection and Role of Polymers for Designing of a Drug Carrier.	1
50	Combined Strategy of Wound Healing Using Thermo-Sensitive PNIPAAm Hydrogel and CS/PVA Membranes: Development and In-Vivo Evaluation. 2022 , 14, 2454	0
49	Hydrogel. 1-37	
48	Bioinspired poly(cationic) micelles drug delivery platform for improving chemotherapy efficacy. 2022 , 349, 486-501	
47	A theory for the flow of chemically responsive polymer solutions: Equilibrium and shear-induced phase separation. 2022 , 66, 813-835	
46	Self-lubrication and tribological properties of SBA -15 as smart microcontainer and resin composites.	
45	Bioavailability and Bio-Accessibility of Phytochemical Compounds. 2022 , 496-520	
44	Glycerol methacrylate-based copolymers: Reactivity ratios, physicochemical characterization and cytotoxicity. 2022 , 178, 111478	0
43	Improved proton conductivity in MoS ₂ /NiO/TiO ₂ /SO ₄ filled chitosan based proton exchange membranes for fuel cell applications. 2022 , 290, 126654	0
42	Implication toward a simple strategy to generate pH tunable FRET-based biosensing. 2022 , 282, 121687	
41	Biopolymers based aerogels: A review on revolutionary solutions for smart therapeutics delivery. 2023 , 131, 101014	3
40	Comprehensive review of natural based hydrogels as an upcoming trend for food packing. 2023 , 135, 108124	1
39	Water-soluble copolymers and their hydrogels with pH-tunable diverse thermoresponsive behaviors enabled by hydrogen bonding.	1
38	Design of LCST-type phase separation of poly(4-hydroxystyrene).	0
37	Ultrasound triggered nanovesicular drug delivery systems. 2022 , 403-418	0
36	Memory Effect in Thermoresponsive Proline-based Polymers.	0
35	Research progress on the encapsulation and sustained controlled-release of essential oils.	0

34	Polyurethanes Based on Polylactic Acid for 3D Printing and Shape-Memory Applications.	0
33	Memory Effect in Thermoresponsive Proline-based Polymers.	0
32	Chitosan: A biopolymer for textile processes and products. 004051752211273	0
31	A novel pH-and temperature sensitive polymer based on MoS ₂ modified poly (N-Isopropyl Acrylamide)/ allyl acetoacetate for doxorubicin delivery: synthesis, characterization, in-vitro release and cytotoxicity studies. 2022 , 29,	0
30	Injectable thermosensitive chitosan/gelatin hydrogel for dental pulp stem cells proliferation and differentiation.	0
29	Opportunities and Challenges of Switchable Materials for Pharmaceutical Use. 2022 , 14, 2331	1
28	pH variation in medical implant biofilms: Causes, measurements, and its implications for antibiotic resistance. 13,	1
27	Poly(2-oxazoline)s as Stimuli-Responsive Materials for Biomedical Applications: Recent Developments of Polish Scientists. 2022 , 14, 4176	1
26	Self-Healing Hydrogels: Development, Biomedical Applications, and Challenges. 2022 , 14, 4539	4
25	Bibliometrics of Functional Polymeric Biomaterials with Bioactive Properties Prepared by Radiation-Induced Graft Copolymerisation: A Review. 2022 , 14, 4831	0
24	From Static to Active Photoluminescence Tuning: Functional Spacer Materials for Plasmon-Fluorophore Interactions.	0
23	Folic acid-poly(N-isopropylacrylamide-maltodextrin) nanohydrogels as novel thermo-/pH-responsive polymer for resveratrol breast cancer targeted therapy. 2023 , 182, 111721	0
22	Recent advances in poly(N -isopropylacrylamide) hydrogels and derivatives as promising materials for biomedical and engineering emerging applications.	0
21	Light responsive hydrogels for controlled drug delivery. 10,	0
20	One-Pot Synthesis of Stimuli-Responsive Fluorescent Polymers through Polymerization-Induced Emission. 40-47	0
19	Thermo-sensitive hydrogels for forward osmosis with NIR light-induced freshwater recovery.	0
18	Polyacrylic acid mediated targeted drug delivery nano-systems: A review. 2023 , 104169	1
17	Semi-Interpenetrating Polymer Networks Based on Hydroxy-Ethyl Methacrylate and Poly(4-vinylpyridine)/Polybetaines, as Supports for Sorption and Release of Tetracycline. 2023 , 15, 490	0

- 16 Development of a Soft Actuator from Fast Swelling Macroporous PNIPAM Gels for Smart Braille Device Applications in Haptic Technology. **2023**, 15, 7340-7352
- 15 Atomistic simulations of pristine and nanoparticle reinforced hydrogels: A review.
- 14 Thermo-responsive functionalized polymeric nanocomposites. **2023**, 219-240
- 13 Self-assembly in newly synthesized dual-responsive double hydrophilic block copolymers (DHBCs) in aqueous solution.
- 12 Hafnium-doped nano-magnetite/poly(N-vinylcaprolactam) composites for doxorubicin release. **2023**, 301, 127670
- 11 Construction of isoniazid pharmaceutical logic system based on poly(N, N-diethylacrylamide) hydrogel films. **2023**, 5, 100147
- 10 Prevention strategies of postoperative adhesion in soft tissues by applying biomaterials: Based on the mechanisms of occurrence and development of adhesions. **2023**, 26, 387-412
- 9 The Diffusion of TEMPONE Radical in the Graft Copolymer of N-Isopropylacrylamide with Oligolactide in the Presence of Supercritical Carbon Dioxide by In Situ EPR Method. **2022**, 16, 1208-1212
- 8 Soft underwater adhesives based on weak molecular interactions. **2023**, 139, 101649
- 7 Biologically Responsive Polymers. **2016**, 199-253
- 6 Controlled 5-FU Release from P(NIPAM-co-VIm)-g-PEG Dual Responsive Hydrogels. **2023**, 8,
- 5 Thermal Lens Measurements of Thermal Expansivity in Thermosensitive Polymer Solutions. **2023**, 15, 1283
- 4 Copolymerization of N-[3-dialkylaminopropyl]methacrylamides with acrylic amides and esters in organic solvents. **2023**, 1, 21-26
- 3 Preparation of PNIPAM-Azo by RAFT polymerization and their application in thermo- and light-responsive hydrogel. **2023**, 30,
- 2 A novel thermoresponsive hydrogel composite controlled by infrared irradiation. 1-7
- 1 Dual Thermo- and pH-Responsive Block Copolymer of Poly(N-isopropylacrylamide)-block-Poly(N,N-diethylamino Ethyl Acrylamide): Synthesis, Characterization, Phase Transition, and Self-Assembly Behavior in Aqueous Solution.