

CITATION REPORT

List of articles citing

Vibrational spectrum of PVDF and its interpretation

DOI: 10.1016/j.polymertesting.2004.04.001
Polymer Testing, 2004, 23, 791-796.

Source: <https://exaly.com/paper-pdf/37201221/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
324	High-Field Dielectric Properties of Oriented Poly(vinylidene fluoride-co-hexafluoropropylene): Structure Dielectric Property Relationship and Implications for Energy Storage Applications.		
323	Aging mechanisms of polymeric films for PV encapsulation. 2005 , 79, 612-617		101
322	Dynamic response of the piezoelectric polymer PVDF. 2005 , 22, 39-51		11
321	Luminescence and absorption spectra of Eu-complex-doped PVDF film: influence of controlled stretch. 2006 , 6116, 86		
320	Processing and characterization of a novel nonporous poly(vinylidene fluoride) films in the β phase. 2006 , 352, 2226-2229		150
319	Vibrational frequency and LO-TO splitting determination for planar zigzag β -poly(vinylidene fluoride) using density-functional theory. 2006 , 47, 424-428		16
318	Structure and piezoelectric properties of poly(vinylidene fluoride) studied by density functional theory. 2006 , 47, 7988-7996		61
317	Proton exchange membranes based on PVDF/SEBS blends. 2006 , 154, 51-58		50
316	The effects of quenching on the phase structure of vinylidene fluoride segments in PVDF-HFP copolymer and PVDF-HFP/PMMA blends. 2006 , 41, 417-421		49
315	The effect of controlled stretch on luminescence of Eu(III)(NO ₃) ₃ (o-Phen) ₂ complex doped into PVDF film. 2006 , 60, 1911-1914		17
314	What Can We Learn from Vibrational Analysis Calculations of Defective Polymer Chains?. 2006 , 338, 185-191		3
313	Localized Pressure-Induced Ferroelectric Pattern Arrays of Semicrystalline Poly(vinylidene fluoride) by Microimprinting. 2007 , 19, 581-586		91
312	Preparation and characterization of PVDF/PFSA blend hollow fiber UF membrane. 2007 , 288, 123-131		137
311	Morphology, polymorphism behavior and molecular orientation of electrospun poly(vinylidene fluoride) fibers. 2007 , 48, 512-521		302
310	Effect of surface modification of nanosilica on crystallization, thermal and mechanical properties of poly(vinylidene fluoride). 2007 , 42, 8408-8417		50
309	Stress-induced structural changes in electrospun polyvinylidene difluoride nanofibers collected using a modified rotating disk. 2008 , 49, 4196-4203		87
308	Effect of crystallization rate on the formation of the polymorphs of solution cast poly(vinylidene fluoride). 2008 , 49, 4009-4016		221

307	Performance of electroactive poly(vinylidene fluoride) against UV radiation. <i>Polymer Testing</i> , 2008 , 27, 818-822	4.5	28
306	Porous PVDF/TPU blends asymmetric hollow fiber membranes prepared with the use of hydrophilic additive PVP (K30). <i>Desalination</i> , 2008 , 223, 438-447	10.3	86
305	Poly(vinylidene fluoride)/polydiphenylamine composite electrospun membrane as high-performance polymer electrolyte for lithium batteries. 2008 , 318, 422-428		58
304	Electrospinning of polyvinylidene difluoride with carbon nanotubes: synergistic effects of extensional force and interfacial interaction on crystalline structures. 2008 , 24, 13621-6		132
303	Contact angle hysteresis on polymer substrates established with various experimental techniques, its interpretation, and quantitative characterization. 2008 , 24, 4020-5		90
302	Preparation and investigation of PVDF/PMMA/TiO ₂ composite film. 2009 , 44, 2977-2984		60
301	Polymer nanocomposites as electrostrictive materials. 2009 ,		
300	The Effect of Gases on Pyroelectric Properties of PVDF/TiO ₂ Treated by Plasma Etcher. 2009 , 34, 67-71		2
299	Preparation of TiO ₂ Polymer Nanodielectrics via a Solvent-Based Technique. 2010 ,		
298	Crystal Structure Control of Poly(vinylidene fluoride) Using Solvent Casting. 2010 , 67, 632-639		9
297	Effect of poly(methyl methacrylate) addition on the dielectric and energy storage properties of poly(vinylidene fluoride). 2010 , 116, NA-NA		18
296	Structural, optical and dielectric behavior of PVDF films filled with different concentrations of iodine. 2010 , 405, 94-98		42
295	Effect of thermal treatment on the characteristics of electrospun PVDF/silica composite nanofibrous membrane. 2010 , 46, 1957-1965		78
294	Effect of hypochlorite cleaning on the physiochemical characteristics of polyvinylidene fluoride membranes. 2010 , 162, 1050-1056		86
293	Controlled crystallization of poly(vinylidene fluoride) chains from mixed solvents composed of its good solvent and nonsolvent. 2010 , 48, 575-581		37
292	Morphological and dielectric properties of barium chloride-filled poly(vinylidene fluoride) films. 2010 , 31, 1782-1789		14
291	Non-linear actuation response of polyvinylidene fluoride (PVDF) based nanocomposites. 2010 ,		1
290	Nanoporous artificial proboscis for probing minute amount of liquids. 2011 , 3, 4685-95		37

289	Piezoelectric Materials and Devices for Wind Energy Harvesting. 2011 , 1325, 117	3
288	PVDF microbelts for harvesting energy from respiration. 2011 , 4, 4508	259
287	Chemical Cleaning of Membranes in a Long-Term Operated Full-Scale MBR for Restaurant Wastewater Treatment. 2011 , 46, 2481-2488	4
286	Study on the interface of PVDF coatings and HF-treated AZ31 magnesium alloy: Determination of interfacial interactions and reactions with self-healing properties. 2011 , 53, 712-719	32
285	Characteristics of electrospun PVDF/SiO ₂ composite nanofiber membranes as polymer electrolyte. 2011 , 127, 137-142	145
284	Morphology and polymorph study of a polyvinylidene fluoride (PVDF) membrane for protein binding: Effect of the dissolving temperature. <i>Desalination</i> , 2011 , 278, 318-324	10.3 37
283	Effect of annealing on phase transition in poly(vinylidene fluoride) films prepared using polar solvent. 2011 , 34, 727-733	144
282	Crystal Structure Control of Poly(vinylidene fluoride) (PVDF) in the Blend Films of PVDF and Poly(methyl methacrylate) (PMMA) Prepared by Solvent Casting. 2012 , 69, 135-141	3
281	Preparation and characterization of PVDF-PFSA flat sheet ultrafiltration membranes. 2012 , 6, 301-310	7
280	Structural and microwave dielectric properties of ferroelectric poly(vinylidene difluoride)/polyaniline composite thin films. 2012 , 526, 274-277	11
279	High-field antiferroelectric behaviour and minimized energy loss in poly(vinylidene-co-trifluoroethylene)-graft-poly(ethyl methacrylate) for energy storage application. 2012 , 22, 23468	101
278	Fabrication of PVDF/PVA microtubules by coaxial electrospinning. 2012 , 53, 2736-2743	52
277	Influence of Copper Nanoparticles Concentration on the Properties of Poly(vinylidene fluoride)/Cu Nanoparticles Nanocomposite Films. 2012 , 22, 878-885	21
276	Nanofiltration membranes based on polyvinylidene fluoride nanofibrous scaffolds and crosslinked polyethyleneimine networks. 2012 , 14, 1	50
275	Piezoelectric PU/PVDF electrospun scaffolds for wound healing applications. 2012 , 96, 29-36	141
274	Nanoscale characterization of synthetic polymeric porous membranes: Scrutinizing their stiffness, roughness, and chemical composition. 2012 , 407-408, 128-135	23
273	Analysis of the torsion angle distribution of poly(vinylidene fluoride) in the melt. 2012 , 53, 1109-1114	21
272	Poly(vinylidene fluoride)/halloysite nanotubes nanocomposites: The structures, properties, and tensile fracture behaviors. 2013 , 128, 869-878	14

271	On the electrospinning of PVDF: influence of the experimental conditions on the nanofiber properties. 2013 , 62, 41-48	94
270	Structural changes in PVDF fibers due to electrospinning and its effect on biological function. 2013 , 8, 045007	105
269	All-organic PANI/DBSA/PVDF dielectric composites with unique electrical properties. 2013 , 48, 3737-3744	40
268	Effect of TiO ₂ on PVDF/PMMA composite films prepared by thermal casting. 2013 , 21, 349-355	21
267	Application of nanofiltration for the removal of carbamazepine, diclofenac and ibuprofen from drinking water sources. 2013 , 127, 177-87	98
266	. 2013 , 20, 166-167	25
265	Effect of PPEGMA content on the structure and hydrophilicity of PVDF/PPEGMA blends prepared by in situ polymerization. 2013 , 291, 1573-1580	5
264	Magnetic, dielectric and magnetodielectric properties of PVDF-La _{0.7} Sr _{0.3} MnO ₃ polymer nanocomposite film. 2013 , 3, 112109	32
263	Segmental relaxations and crystallization-induced phase separation in PVDF/PMMA blends in the presence of surface-functionalized multiwall carbon nanotubes. 2013 , 117, 8589-602	88
262	Effect of drawing on the molecular orientation and polymorphism of melt-spun polyvinylidene fluoride fibers: Toward the development of piezoelectric force sensors. 2013 , 129, 2699-2706	24
261	Ionic liquid based polymer electrolyte dispersed with dedoped polyaniline nanorods. 2013 , 253, 8-17	22
260	Tuning phase transition and ferroelectric properties of poly(vinylidene fluoride-co-trifluoroethylene) via grafting with desired poly(methacrylic ester)s as side chains. 2013 , 1, 1111-1121	75
259	Preparation of PVDF/Al ₂ O ₃ hybrid membrane via the sol-gel process and characterization of the hybrid membrane. 2013 , 51, 3685-3690	18
258	Piezoelectric membranes for separation processes: Fabrication and piezoelectric properties. 2013 , 434, 184-192	52
257	Phase nucleation and electrical response of poly(vinylidene fluoride)/microporous titanosilicates composites. 2013 , 138, 553-558	16
256	Functional Hollow Fiber Adsorbent Materials with a Self-Regulating Composite Outer Layer for Gas Purification with Energy Efficient Electrothermal Regeneration. 2013 , 52, 1335-1351	7
255	Large-area PVDF membranes with through-thickness porosity prepared by uni-directional freezing. 2013 , 21, 194-201	19
254	Unusual process-induced curl and shrinkage of electrospun PVDF membranes. 2013 , 54, 4588-4593	8

253	Continuous production of piezoelectric PVDF fibre for e-textile applications. 2013 , 22, 075017	72
252	Ferroelectric and magnetic studies on unpoled Poly (vinylidene Fluoride)/Fe ₃ O ₄ magnetoelectric nanocomposite structures. 2013 , 137, 781-787	59
251	Effect of heat-treatment temperature after polymer melt and blending ratio on the crystalline structure of PVDF in a PVDF/PMMA blend. 2013 , 45, 1195-1201	16
250	Correlation Between Different Crystal Structures and Physical Properties of PVDF Films Fabricated by Solvent Casting from a Single Solvent. 2013 , 70, 489-495	3
249	Síntese e caracterização estrutural de compósitos a base de poli(fluoreto de vinilideno)/(Pb _{0,91} La _{0,09})(Zr _{0,65} Ti _{0,35}) _{0,98} O ₃ . 2014 , 60, 83-87	2
248	Effect of thermal processing conditions on the structure and dielectric properties of PVDF films. 2014 , 21, 1	44
247	Electrical power generation from piezoelectric electrospun nanofibers membranes: electrospinning parameters optimization and effect of membranes thickness on output electrical voltage. 2014 , 21, 1	47
246	Poly(vinylidene fluoride) membrane with piezoelectric E-form prepared by immersion precipitation from mixed solvents containing an ionic liquid. 2014 , 131, n/a-n/a	7
245	Track a: biomaterials and biocompatibility. 2014 , 59 Suppl 1, s1-s112	
244	Characterization of Polymer Synthesized from the Nonequilibrium Plasma Conversion of CFC-12 and Methane in a Dielectric Barrier Discharge Reactor. 2014 , 53, 19380-19386	4
243	The changes of spectroscopic, thermal and electrical properties of PVDF/PEO containing lithium nanoparticles. 2014 , 617, 877-883	31
242	Ferroelectric polymer-ceramic composite thick films for energy storage applications. 2014 , 4, 087117	54
241	Electrical and spectroscopic characterization of PVdF-HFP and TFSI ⁻ ionic liquids-based gel polymer electrolyte membranes. Influence of ZnTf ₂ salt. 2014 , 469, 499-506	45
240	Morphology and properties of poly(vinylidene fluoride) (PVDF)/ethylene vinyl acetate copolymer (EVA) blends. 2014 , 43, 8-14	8
239	Preparation and characterization of novel poly(vinylidene fluoride) membranes using self-assembled dibenzylidene sorbitol for membrane distillation. <i>Desalination</i> , 2014 , 332, 7-17	10.3 8
238	Electroactive phases of poly(vinylidene fluoride): Determination, processing and applications. 2014 , 39, 683-706	1743
237	Investigation on (EC/DMC)(70x)wt% to LiBETI(x)wt% impact on PVdF-co-HFP/octadecylamine-MMT(montmorillonite) nano clay composite electrolytes. 2014 , 20, 681-690	1
236	Preparation of PVDF/PVP core-shell nanofibers mats via homogeneous electrospinning. 2014 , 55, 2188-2196	75

235	Enhanced cycle performance of lithium-sulfur batteries using a separator modified with a PVDF-C layer. 2014 , 6, 20276-81	115
234	Quantification of the solvent evaporation rate during the production of three PVDF crystalline structure types by solvent casting. 2014 , 46, 104-110	23
233	Enhancement of β phase crystallization and dielectric behavior of kaolinite/halloysite modified poly(vinylidene fluoride) thin films. 2014 , 99, 149-159	108
232	Electrosprayed poly(vinylidene fluoride) microparticles for tissue engineering applications. 2014 , 4, 33013-33021	21
231	Electrochemistry of interlayer supported polypyrrole tri-layer linear actuators. 2014 , 122, 322-328	12
230	Contribution of residual solvent to the nucleation and reinforcement of poly (vinylidene fluoride). <i>Polymer Testing</i> , 2014 , 34, 78-84	4-5 6
229	Influence of the Ionic Liquid Type on the Gel Polymer Electrolytes Properties. 2015 , 5, 752-71	31
228	Preparation and Characterization of Polyvinylidene Fluoride/Graphene Superhydrophobic Fibrous Films. 2015 , 7, 1444-1463	82
227	Synthesis-Dependent Parameters: Molecular Weight, Constitution and Configuration. 2015 , 265-299	
226	Self-oriented β crystalline phase in the polyvinylidene fluoride ferroelectric and piezo-sensitive ultrathin Langmuir-Schaefer film. 2015 , 17, 8159-65	53
225	Hydrophobin-stabilized dispersions of PVDF nanoparticles in water. 2015 , 177, 62-69	21
224	Preparation and properties of the copper calcium titanate modified poly(vinylidene fluoride). 2015 , 47, 463-476	1
223	Interaction between Zn ²⁺ cations and n-methyl-2-pyrrolidone in ionic liquid-based Gel Polymer Electrolytes for Zn batteries. 2015 , 176, 1447-1453	35
222	Self-assembled structures of 1,3:2,4-di(3,4-dimethylbenzylidene) sorbitol in hydrophobic polymer matrices prepared using different heat treatments. 2015 , 17, 1	3
221	Nanofiller induced electroactive phase formation in solution derived poly(vinylidene fluoride) polymer composites. 2015 ,	5
220	Organic/inorganic hybrid polyvinylidene fluoride/Co _{0.6} Zn _{0.4} Mn _{0.3} Fe _{1.7} O ₄ nanocomposite film with significant optical and magnetodielectric properties. 2015 , 5, 10110-10118	12
219	High-performance coils and yarns of polymeric piezoelectric nanofibers. 2015 , 7, 5358-66	98
218	Effect of electrospinning parameters and polymer concentrations on mechanical-to-electrical energy conversion of randomly-oriented electrospun poly(vinylidene fluoride) nanofiber mats. 2015 , 5, 14345-14350	139

217	Preparation and characterization of nano-chitin whisker reinforced PVDF membrane with excellent antifouling property. 2015 , 480, 1-10	44
216	Orientation of PVDF and Crystals in nanolayered films. 2015 , 293, 1289-1297	37
215	Measurements of Nonlinear Optical Properties of PVDF/ZnO Using Z-Scan Technique. 2015 , 45, 538-544	15
214	Effect of copper nanoparticles incorporation on the polar beta-phase development in polyvinylidene fluoride. 2015 , 162, 794-800	4
213	Electrospinning polyvinylidene fluoride fibrous membranes containing anti-bacterial drugs used as wound dressing. 2015 , 130, 278-86	65
212	Free-standing nanocrystalline-Cadmium sulfide/Polyvinylidene fluoride composite thin film: synthesis and characterization. 2015 , 22, 1	8
211	Fabrication of flexible and self-standing inorganic-organic three phase magneto-dielectric PVDF based multiferroic nanocomposite films through a small loading of graphene oxide (GO) and Fe ₃ O ₄ nanoparticles. 2015 , 44, 15872-81	48
210	CF ₄ Adsorption on Microporous Carbons Prepared by Carbonization of Poly(vinylidene fluoride). 2015 , 54, 8561-8568	20
209	Effect of ionic liquid anion and cation on the physico-chemical properties of poly(vinylidene fluoride)/ionic liquid blends. 2015 , 71, 304-313	63
208	Electrospinning/electrospray of polyvinylidene fluoride (PVDF): piezoelectric nanofibers. 2015 , 1-19	24
207	Preparation and properties of E-phase graphene oxide/PVDF composite films. 2015 , 132, n/a-n/a	32
206	Membranes with Great Hydrophobicity: A Review on Preparation and Characterization. 2015 , 44, 109-134	96
205	Fabrication, Polarization of Electrospun Polyvinylidene Fluoride Electret Fibers and Effect on Capturing Nanoscale Solid Aerosols. 2016 , 9,	39
204	A Novel Polyvinylidene Fluoride Tree-Like Nanofiber Membrane for Microfiltration. <i>Nanomaterials</i> , 2016 , 6,	5-4 13
203	Thermomechanical properties and long-term behavior evaluation of poly(vinylidene fluoride) (PVDF) exposed to bioethanol fuel under heating. 2016 , 51, 9074-9094	11
202	Probing the synergism of halloysite nanotubes and electrospinning on crystallinity, polymorphism and piezoelectric performance of poly(vinylidene fluoride). 2016 , 6, 114052-114060	28
201	Synthesis of PVDF/SBT composite thin films by spin coating technology and their ferroelectric properties. 2016 , 34, 650-654	5
200	Experimental investigation of the reaction of HCFC-22 and methane in a dielectric barrier discharge non-equilibrium plasma. 2016 , 301, 73-82	2

199	Piezoelectric PVDF Polymeric Films and Fibers: Polymorphisms, Measurements, and Applications. 2016 , 313-336	10
198	Systematic Investigation of Binders for Silicon Anodes: Interactions of Binder with Silicon Particles and Electrolytes and Effects of Binders on Solid Electrolyte Interphase Formation. 2016 , 8, 12211-20	146
197	Fabrication of a polyvinylidene fluoride tree-like nanofiber web for ultra high performance air filtration. 2016 , 6, 91243-91249	29
196	Flexible nano-ZnO/polyvinylidene difluoride piezoelectric composite films as energy harvester. 2016 , 122, 1	23
195	Electroactive poly(vinylidene fluoride) fluoride separator for sodium ion battery with high coulombic efficiency. 2016 , 292, 130-135	59
194	Influence of nickel ion-doped mullite composite on electrical properties, phase behavior, and microstructure of poly(vinylidene fluoride) matrix. 2016 , 23, 1	4
193	Structure and dielectric performance of poly(vinylidene fluoride)/organically modified montmorillonites nanocomposites. 2016 , 48, 251-265	4
192	Enhanced dielectric and ferroelectric properties in PVDF composite flexible films through doping with diisopropylammonium bromide. 2016 , 6, 7364-7369	38
191	Thermo-electromechanical Behavior of Piezoelectric Nanofibers. 2016 , 8, 2540-51	50
190	Outstanding dielectric constant and piezoelectric coefficient in electrospun nanofiber mats of PVDF containing silver decorated multiwall carbon nanotubes: assessing through piezoresponse force microscopy. 2016 , 6, 6251-6258	87
189	The effect of reduction degree of GO nanosheets on microstructure and performance of PVDF/GO hybrid membranes. 2016 , 501, 169-178	81
188	Surface Acoustic Wave Device with Reduced Insertion Loss by Electrospinning P(VDF-TrFE)/ZnO Nanocomposites. 2016 , 8, 282-290	32
187	Multiferroic PVDF/Fe ₃ O ₄ hybrid films with reduced graphene oxide and ZnO nanofillers. 2016 , 6, 20089-20094	35
186	Experimental Study on the Reaction of CCl ₃ F and CH ₄ in a Dielectric Barrier Discharge Nonequilibrium Plasma Reactor. 2016 , 55, 463-471	2
185	Superhydrophobic nanofiber membrane containing carbon nanotubes for high-performance direct contact membrane distillation. 2016 , 502, 158-170	256
184	Benford's law, its applicability and breakdown in the IR spectra of polymers. 2016 , 444, 524-529	8
183	Crystalline polymorph transition in poly(vinylidene fluoride) (PVDF)/acrylic rubber(ACM)/clay partially miscible hybrid. 2016 , 73, 65-73	8
182	Polyvinylidene fluoride/hydroxyapatite/tricalcium phosphate multifunctional biocomposite: Potentialities for bone tissue engineering. 2017 , 17, 767-773	20

181	Influence of annealing on dielectric and polarization behavior of PVDF thick films. 2017 , 28, 8391-8396	20
180	Interaction of Polar and Nonpolar Polyfluorenes with Layers of Two-Dimensional Titanium Carbide (MXene): Intercalation and Pseudocapacitance. 2017 , 29, 2731-2738	128
179	Electrostatically Active Polymer Hybrid Aerogels for Airborne Nanoparticle Filtration. 2017 , 9, 6401-6410	31
178	Enhanced dielectric and ferroelectric properties of PVDF-BiFeO ₃ composites in 0B connectivity. 2017 , 715, 29-36	67
177	Solvent driven polymorphism in Langmuir and Langmuir Schaefer film of poly(vinylidene fluoride). 2017 , 86, 132-142	7
176	Enhanced Switchable Dielectric Performance of β -Phase-Dominated PVDF Composite Films Modified with Single-Protonated 1,4-Diazabicyclo[2.2.2]octane Fluoborate. 2017 , 121, 13586-13592	10
175	Investigation of the solid electrolyte interphase on hard carbon electrode for sodium ion batteries. 2017 , 799, 181-186	45
174	Effect of solvent on the dipole rotation of poly(vinylidene fluoride) during porous membrane formation by precipitation in alcohol baths. 2017 , 115, 164-175	17
173	Preparation and properties of PVDF composite films modified with organic ferroelectric croconic acid. 2017 , 506, 165-173	3
172	Optimization of porous polymer electrolyte for quasi-solid-state electrical double layer supercapacitor. 2017 , 235, 570-582	55
171	A critical analysis of the β and γ phases in poly(vinylidene fluoride) using FTIR. 2017 , 7, 15382-15389	518
170	Room Temperature Magnetism in Free-Standing Nano-Ni/PVDF Composites. 2017 , 56, 1213-1224	4
169	Improved Cycling Performance of a Si Nanoparticle Anode Utilizing Citric Acid as a Surface-Modifying Agent. 2017 , 33, 9254-9261	38
168	Correlation of annealing temperature, morphology, and electro-mechanical properties of electrospun piezoelectric nanofibers. 2017 , 127, 192-202	24
167	Noticeable Role of TFSI Anion in the Carbon Cathode Degradation of Li-O Cells. 2017 , 9, 31710-31720	9
166	Structure, morphology and wettability studies on Langmuir-Schaefer multilayer of poly(vinylidene fluoride)/poly(methyl methacrylate) blends. 2017 , 96, 97-110	8
165	Influence of the spinning rate on the β -phase formation in poly(vinylidene fluoride) (PVDF) films. 2017 ,	3
164	Dielectric, ferroelectric, and photoluminescent properties of Dy ³⁺ doped flexible multifunctional PVDF films. 2017 , 520, 212-223	4

163	A novel vibration multi-resonance sensor with a wide range of frequency resolution. 2017 ,	
162	CoFe ₂ O ₄ nanofiller effect on β phase formation of PVDF matrix for polymer-based magnetoelectric composites. 2018 , 223, 73-77	23
161	Linear dependence between content of effective piezo-phase and mechanical-to-electrical conversion in electrospun poly(vinylidene fluoride) fibrous membrane. 2018 , 218, 71-75	9
160	Synergism of Electrospinning and Nano-alumina Trihydrate on the Polymorphism, Crystallinity and Piezoelectric Performance of PVDF Nanofibers. 2018 , 70, 1313-1318	8
159	Synthesis of Ag ₂ SiO ₂ @PTES Nanocomposites by Blending Poly(Vinylidene Fluoride) Membrane with Potential Applications on Dye Wastewater Treatment. 2018 , 13, 1850034	8
158	Effects of Gamma Irradiation on Polyvinylidene Fluoride Thin Films. 2018 , 310, 012074	3
157	Structural and Optical Properties of Manganese-Doped Nanocrystalline Zinc Oxide/Polyvinylidene Fluoride Flexible Composite Thin Films Deposited by the Sol-Gel Method. 2018 , 37, 60-70	1
156	Antibacterial photocatalytic self-cleaning poly(vinylidene fluoride) membrane for dye wastewater treatment. 2018 , 29, 254-262	14
155	Structural and dielectric properties of hot-pressed poly(vinylidene fluoride)-based composites. 2018 , 52, 1399-1412	9
154	Flexible thin films with enhanced switchable dielectric property by incorporating single-protonated 1,4-diazabicyclo[2.2.2]octane perrhenate into β phase dominated PVDF. 2018 , 537, 161-172	
153	Impurity detection in polymer parts for the semiconductor manufacturing industry. 2018 , 85, 700-712	
152	Evaluation of the electromechanical behavior of polyvinylidene fluoride used as a component of risers in the offshore oil industry. 2018 , 73, 48	7
151	On the synthesis and characterization of (bio)ferroelectrically active PVDF-BCP composites. 2018 , 533, 63-71	0
150	Polydopamine-coated poly(vinylidene fluoride) membranes with high ultraviolet resistance and antifouling properties for a photocatalytic membrane reactor. 2018 , 136, 47312	14
149	Hierarchically porous polymer coatings for highly efficient passive daytime radiative cooling. 2018 , 362, 315-319	541
148	Double-layer structured PVDF nanocomposite film designed for flexible nanogenerator exhibiting enhanced piezoelectric output and mechanical property. 2018 , 168, 327-335	40
147	Influence of Hydrothermally Synthesized Cubic-Structured BaTiO ₃ Ceramic Fillers on Ionic Conductivity, Mechanical Integrity, and Thermal Behavior of P(VDF/HFP)/PVAc-Based Composite Solid Polymer Electrolytes for Lithium-Ion Batteries. 2018 , 122, 25741-25752	34
146	Light intensity-induced phase transitions in graphene oxide doped polyvinylidene fluoride. 2018 , 8, 2579	10

145	Manipulating Dielectric Properties by Modifying Molecular Structure of Polymers. 2018 , 103-163	2
144	PVDF-based dielectric polymers and their applications in electronic materials. 2018 , 1, 17-31	102
143	Polarization behavior of polyvinylidene fluoride films with the addition of reduced graphene oxide. 2018 , 67, 478-485	6
142	Development of Electrolytes for Si-Graphite Composite Electrodes. 2018 , 165, A2154-A2161	18
141	Composite Materials Obtained via Two-Nozzle Electrospinning from Polycarbonate and Vinylidene Fluoride/Tetrafluoroethylene Copolymer. 2018 , 9, 184-191	3
140	Breathable and Flexible Piezoelectric ZnO@PVDF Fibrous Nanogenerator for Wearable Applications. 2018 , 10,	56
139	Phase-Separation-Induced PVDF/Graphene Coating on Fabrics toward Flexible Piezoelectric Sensors. 2018 , 10, 30732-30740	72
138	Durable, efficient, and flexible piezoelectric nanogenerator from electrospun PANi/HNT/PVDF blend nanocomposite. 2019 , 40, 1663-1675	34
137	The effects of PVAc on surface morphological and electrochemical performance of P(VdF-HFP)-based blend solid polymer electrolytes for lithium ion-battery applications. 2019 , 25, 2171-2181	14
136	Ultrafiltration membranes modified by PSS deposition and plasma treatment for Cr(VI) removal. 2019 , 210, 371-381	19
135	Flexible Quasi-Solid State Ionogels with Remarkable Seebeck Coefficient and High Thermoelectric Properties. 2019 , 9, 1901085	84
134	Electrospun Polyvinylidene Fluoride-Based Fibrous Scaffolds with Piezoelectric Characteristics for Bone and Neural Tissue Engineering. <i>Nanomaterials</i> , 2019 , 9,	5-4 54
133	Enhanced dielectric properties and theoretical modeling of PVDF/ceramic composites. 2019 , 30, 19309-19318	5
132	On the synthesis and characterization of environmentally friendly BTNN-PVDF bulk composites. 2019 , 545, 70-79	1
131	Direct electrophoretic deposition of an ultra-strong separator on an anode in a surfactant-free colloidal system for lithium ion batteries. 2019 , 7, 1410-1417	24
130	Inclusion of water and KDP as a mechanism for controlling structural and dielectric parameters in PVDF films. 2019 , 42, 1	2
129	Design and development of advanced BaTiO ₃ /MWCNTs/PVDF multi-layered systems for microwave applications. 2019 , 224, 111075	15
128	The effect of Li ₄ Ti ₅ O ₁₂ nanoparticles on structural, linear and third order nonlinear optical properties of PVDF films. 2019 , 6, 085312	5

127	Synthesis and characterization of a spun membrane with modified Al ₂ O ₃ . 2019 , 35, 380-400	3
126	The Role of the Binder/Solvent Pair on the Electrochemical Performance of Aluminium Batteries. 2019 , 4, 807-812	3
125	Development of a PVDF Multi-resonance Vibration Sensor with a Wide Range of Frequency Resolution. 2019 , 267-287	1
124	Enhanced performance of polyvinylidene fluoride ultrafiltration membranes by incorporating TiO ₂ /graphene oxide. 2019 , 141, 492-501	33
123	Energy-induced polymorphic changes in poly(vinylidene fluoride): How ultrasonication results in polymer with predominantly β phase. 2019 , 57, 40-50	13
122	Preparation and characterization of a piezoelectric poly (vinylidene fluoride)/nanohydroxyapatite scaffold capable of naproxen delivery. 2019 , 112, 442-451	11
121	PVDF/halloysite nanocomposite-based non-wovens as gel polymer electrolyte for high safety lithium ion battery. 2019 , 40, 2320-2334	33
120	Cleaner preparation of poly(vinylidene fluoride)/barium titanate composites: Thermal, mechanical, and dielectric properties and relaxation dynamics. 2019 , 136, 47254	2
119	Impact of ionic liquid's self-assembly on the crystallization behavior of poly (vinylidene fluoride). 2019 , 276, 115-119	11
118	Enhancing conjugation degree and interfacial interactions to enhance dielectric properties of noncovalent functionalized graphene/poly (vinylidene fluoride) composites. 2019 , 141, 728-738	37
117	PVDF mediated fabrication of freestanding AlF ₃ sub-microspheres: Facile and controllable synthesis of β -AlF ₃ and α -AlF ₃ . 2020 , 240, 122287	3
116	Improved energy storage performance of nanocomposites with Bi ₄ .2K _{0.8} Fe ₂ O ₉ +nanobelts. 2020 , 6, 371-376	6
115	Fabrication of well dispersed poly(vinylidene fluoride)/expanded graphite/ionic liquid composites with improved properties by water-assisted mixing extrusion. 2020 , 185, 107904	5
114	Functional separators for the batteries of the future. 2020 , 449, 227556	13
113	One-step fabrication of superhydrophobic P(VDF-co-HFP) nanofibre membranes using electrospinning technique. 2020 , 137, 48817	7
112	Effect of stimuli-responsive polydiacetylene on the crystallization and mechanical properties of PVDF nanofibers. 2020 , 77, 5373-5388	2
111	Humidity Controlled Mechanical Properties of Electrospun Polyvinylidene Fluoride (PVDF) Fibers. 2020 , 8, 65	9
110	Kinetics of thermal degradation and lifetime study of poly(vinylidene fluoride) (PVDF) subjected to bioethanol fuel accelerated aging. 2020 , 6, e04573	22

109	Electrodeposition of bactericidal and bioactive nano-hydroxyapatite onto electrospun piezoelectric polyvinylidene fluoride scaffolds. 2020 , 35, 3265-3275	5
108	Suppressing loss tangent with significantly enhanced dielectric permittivity of poly(vinylidene fluoride) by filling with Au-NaYCuTiO hybrid particles.. 2020 , 10, 40442-40449	4
107	Beta Phase Crystallization and Ferro- and Piezoelectric Performances of Melt-Processed Poly(vinylidene difluoride) Blends with Poly(methyl methacrylate) Copolymers Containing Ionizable Moieties. 2020 , 2, 3766-3780	5
106	Na _{1/3} Ca _{1/3} Bi _{1/3} Cu ₃ Ti ₄ O ₁₂ /poly(vinylidene fluoride) composites with high dielectric permittivity and low dielectric loss. 2020 , 256, 123664	5
105	4-Miktoarm star architecture induces PVDF β phase formation in (PVDF) ₂ -b-(PEO) ₂ miktoarm star copolymers. 2020 , 8, 13786-13797	4
104	Study of P(VDF-co-HFP)-ionic liquid based ionogels for designing flexible displays. 2020 , 318, 114033	4
103	Cross-Linked Porous Polymeric Coating without a Metal-Reflective Layer for Sub-Ambient Radiative Cooling. 2020 , 12, 57832-57839	17
102	Electrospun SiO ₂ /PVDF copolymer composite nanofiber: effect of SiO ₂ content on nanostructure, morphology, and thermal property. 2020 , 426, 012060	
101	Reprocessed poly(vinylidene fluoride): A comparative approach for mechanical recycling purposes. 2020 , 25, 101269	1
100	Comparison of hydrophilic PVA/TiO ₂ and hydrophobic PVDF/TiO ₂ microfiber webs on the dye pollutant photo-catalyzation. 2020 , 8, 103914	11
99	Embedded Corrosion Sensing with ZnO-PVDF Sensor Textiles. 2020 , 20,	4
98	Preparation of novel polyvinylidene fluoride (PVDF)-Tin(IV) oxide (SnO ₂) ion exchange mixed matrix membranes for the removal of heavy metals from aqueous solutions. 2020 , 250, 117250	36
97	Study of the changes in the polar phase and optical properties of poly (vinylidene fluoride) matrix by neodymium compound addition. 2020 , 25, 101274	1
96	Preparation and Properties of PVDF/Fe ₃ O ₄ Nanofibers with Magnetic and Electret Effects and their Application in Air Filtration. 2020 , 305, 1900856	11
95	From superhydrophilic to superhydrophobic polymer-nanoparticles coated meshes for water-oil separation systems with resistance to hard water. 2020 , 194, 107513	2
94	Spectroscopic investigations on PVDF-Fe ₂ O ₃ nanocomposites. 2020 , 137, 48907	7
93	High-Field Dielectric Properties of Oriented Poly(vinylidene fluoride-co-hexafluoropropylene): Structure Dielectric Property Relationship and Implications for Energy Storage Applications. 2020 , 2, 1356-1368	26
92	High and Temperature-Independent Dielectric Constant Dielectrics from PVDF-Based Terpolymer and Copolymer Blends. 2020 , 6, 1901250	8

91	Direct writing of PVDF piezoelectric film based on near electric field added by [Emim]BF ₄ . 2020 , 7, 016437	8
90	"Self-Matched" Tribo/Piezoelectric Nanogenerators Using Vapor-Induced Phase-Separated Poly(vinylidene fluoride) and Recombinant Spider Silk. 2020 , 32, e1907336	33
89	Stretching-induced phase transitions in barium titanate-poly(vinylidene fluoride) flexible composite piezoelectric films. 2021 , 193, 64-70	8
88	Manipulating polymer decomposition to alter burn performance in aluminium/poly(vinylidene fluoride) filaments. 2021 , 70, 768-774	3
87	Structural, magnetic and electrical properties of electroactive-superparamagnetic PVDF-Sn _{0.2} Fe _{2.8} O ₄ nanocomposite films. 2021 , 47, 9727-9735	3
86	Melting Temperature of Individual Electrospun Poly(vinylidene fluoride) Fibers Studied by AFM-based Local Thermal Analysis. 2021 , 39, 219-227	1
85	Aging retardation strategy of PVDF membranes: evaluation of free radical scavenging effect of nano-particles. 2021 , 45, 6108-6119	2
84	Enhanced ionic transport in ferroelectric polymer fiber mats.	1
83	Salt-induced and alcohol-induced hydrophobic and underoil superhydrophobic poly (vinylidene fluoride) membranes for effective oil collection. 2021 , 9, 104714	4
82	A Conductive Hydrophobic Polyaniline Sandwiched Polyvinylidene Fluoride Membrane for Early Detection of Surfactant-Induced Wetting in Membrane Distillation Using Impedance. 2021 , 3, 679-690	1
81	Electrically Stimulated Tunable Drug Delivery From Polypyrrole-Coated Polyvinylidene Fluoride. 2021 , 9, 599631	7
80	Piezoelectric Properties of Three Types of PVDF and ZnO Nanofibrous Composites. 2021 , 3, 160-171	7
79	Dielectric properties of poly(vinylidene fluoride)-based nanocomposites containing a LaFeO ₃ nanoparticle filler. 2021 , 32, 13985-13993	2
78	Development of a novel multi-scale structured superhydrophobic nanofiber membrane with enhanced thermal efficiency and high flux for membrane distillation. <i>Desalination</i> , 2021 , 501, 114834	10.3 11
77	Hierarchically Hollow Microfibers as a Scalable and Effective Thermal Insulating Cooler for Buildings. 2021 , 15, 10076-10083	24
76	A solid-like dual-salt polymer electrolyte for Li-metal batteries capable of stable operation over an extended temperature range. 2021 , 37, 609-618	18
75	Chemical cleaning reagent of sodium hypochlorite eroding polyvinylidene fluoride ultrafiltration membranes: Aging pathway, performance decay and molecular mechanism. 2021 , 625, 119141	7
74	Properties and Applications of Flexible Poly(Vinylidene Fluoride)-Based Piezoelectric Materials. 2021 , 11, 644	8

73	Revisiting the polyvinylidene fluoride heterogeneous alkaline reaction mechanism in propan-2-ol: An additional hydrogenation step. 2021 , 156, 110605	1
72	PVDF Fibers Modification by Nitrate Salts Doping. 2021 , 13,	8
71	Electrospun Fe ₃ O ₄ -PVDF Nanofiber Composite Mats for Cryogenic Magnetic Sensor Applications. 2021 , 1, 227-238	5
70	Phase Transitions in Poly(vinylidene fluoride)/Polymethylene-Based Diblock Copolymers and Blends. 2021 , 13,	2
69	Exploration of polyvinylidene difluoride (PVDF) for improvement of weathering resistance of textile substrates. 1-9	0
68	Bilayer porous polymer for efficient passive building cooling. 2021 , 85, 105971	25
67	Multifunctional lead-free K _{0.5} Bi _{0.5} TiO ₃ -based ceramic reinforced PVDF matrix composites. 2021 , 871, 159616	5
66	Highly sensitive and wearable NO _x gas sensor based on PVDF nanofabric containing embedded polyaniline/g-CN nanosheet composites. 2021 , 32,	0
65	Polybenzimidazole functionalized electrolyte with Li-wetting and self-fluorination functionalities for practical Li metal batteries.	5
64	Efficient Fenton-Like Catalysis Boosting the Antifouling Performance of the Heterostructured Membranes Fabricated via Vapor-Induced Phase Separation and In Situ Mineralization. 2021 , 13, 43648-43660	5
63	Relaxation processes and conduction behaviour in PVDF-TrFE and KNN-based composites. 2021 , 232, 124164	0
62	Antimicrobial PVDF nanofiber composites with the ZnO - vermiculite - chlorhexidine based nanoparticles and their tensile properties. <i>Polymer Testing</i> , 2021 , 103, 107367	4-5 3
61	Relaxation transitions and compatibility of binary blended PVDF/PVB systems. 2021 , 571, 121077	0
60	Balancing processing ease with combustion performance in aluminum/PVDF energetic filaments. 2021 , 36, 203-210	2
59	Nanofiltration membranes based on polyvinylidene fluoride nanofibrous scaffolds and crosslinked polyethyleneimine networks. 2012 , 33-46	2
58	Flexible dopamine-functionalized BaTiO ₃ /BaTiZrO ₃ /BaZrO ₃ -PVDF ferroelectric nanofibers for electrical energy storage. 2020 , 837, 155492	31
57	Improved Dielectric Properties of Poly(vinylidene fluoride) Composites Incorporating Na _{1/2} Y _{1/2} Cu ₃ Ti ₄ O ₁₂ Particles. 2020 , 25, 101654	8
56	Ionic liquid based Fluoropolymer solid electrolytes for Lithium-ion batteries. 2020 , 25, e00176	11

55	Enhancing the permeation and antifouling performance of PVDF hybrid membranes by incorporating CoFe hydroxide nanoparticles in reverse microemulsion. 2021 , 9, 106556	1
54	Significantly improved dielectric properties of poly(vinylidene fluoride) polymer nanocomposites by the addition of nAuBaFeO ₃ hybrid particles. 2022 , 146, 111603	0
53	Significant Enhancement in the Thermoelectric Properties of Ionogels through the Solid Network Engineering. 2109772	8
52	Balancing processing ease with combustion performance in aluminum/PVDF energetic filaments. 2021 , 36, 1-8	
51	Structural and microstructural analysis of spin-coated PVDF thin films. 2021 , 583, 151-161	
50	Fabrication of modified PVDF membrane in the presence of PVI polymer and evaluation of its performance in the filtration process. 2021 , 106, 411-411	3
49	Absorption-dominant microwave shielding properties of Sn _{0.2} Fe _{2.8} O ₄ -graphite-PVDF ternary nanocomposite films. 2022 , 55, 095002	1
48	The Effects of Metal Ion Doped Ceramic Fillers into Poly (Vinylidene Fluoride) Matrix: A Comparative Investigation and Its Application in Micro-Electronics Industry. 2022 , 309-324	
47	Functionalized Fluoropolymer-Compatibilized Elastomeric Bilayer Composites for Osteochondral Repair: Unraveling the Role of Substrate Stiffness and Functionalities.. 2021 , 4, 8543-8558	2
46	Poly(vinylidene fluoride)/Mica nanocomposite: A potential material for photovoltaic backsheet application. 2022 , 277, 125551	3
45	Fabrication of Polyvinylidene Difluoride Membrane with Enhanced Pore and Filtration Properties by Using Tannic Acid as an Additive.. 2022 , 14,	0
44	Fluorescent PVDF dots: from synthesis to biocidal activity. 1	0
43	Electrospun BiFeO ₃ Nanofibers for Vibrational Energy Harvesting Application. 2101394	2
42	Fabrication of PVDF-blended ultrafiltration membranes incorporated by chiral mesoporous silica for enantioseparation. 2022 ,	1
41	Suppression of self-discharge in aqueous supercapacitor devices incorporating highly polar nanofiber separators.	0
40	Enhanced piezoelectric performance of PVDF/BiCl ₃ /ZnO nanofiber-based piezoelectric nanogenerator. 2022 , 166, 110956	2
39	Enhanced Output Performance of Piezoelectric Nanogenerators by Tb-Modified (BaCa)(ZrTi)O and 3D Core/shell Structure Design with PVDF Composite Spinning for Microenergy Harvesting.. 2022 ,	2
38	Proton exchange membrane from the blend of poly(vinylidene fluoride) and functional copolymer: Preparation, proton conductivity, methanol permeability, and stability. 2022 ,	1

- 37 Structural and electrical response of poly(vinylidene fluoride-co-chlorotrifluoroethylene) copolymer free-standing films.
- 36 Self-Healable and Stretchable Ionic-Liquid-Based Thermoelectric Composites with High Ionic Seebeck Coefficient.. **2022**, e2106937 4
- 35 Anisotropic porous designed polymer coatings for high-performance passive all-day radiative cooling.. **2022**, 25, 104126 1
- 34 A controllable gradient structure of hydrophobic composite fabric constructed by silver nanowires and polyvinylidene fluoride microspheres for electromagnetic interference shielding with low reflection. **2022**, 156, 106884 3
- 33 A Near-Room-Temperature Hybrid Organic-Inorganic Lead Halide Perovskite Ferroelectric [BrCH₂CH₂N(CH₃)₃][PbBr₃] and Its Flexible Composite Film. **2022**, 126, 728-736 2
- 32 Investigation of Mg²⁺ Ion Effect on the Structural Characteristics and Properties of PVDF-HFP Based Solid Polymer Electrolytes for Electrochemical Applications. 1
- 31 Mofs Encapsulated Bi₂WO₆ Nanoflowers for Magnetically Induced Modification of Conventional Blending Membranes and Enhanced Water Purification Based on Synergistic Adsorption and Piezocatalysis.
- 30 Colossal dielectric properties of (Zn_{0.5}Ta_{0.5})_{0.02}Ti_{0.98}O₂/PVDF composites. **2022**, 45, 1
- 29 PVDF-Fe₃O₄ nanocomposites: spectroscopic investigations. **2022**, 29, 1
- 28 Investigation on the Electrical and Magnetic Properties of PvdF/Srfe₁₂o₁₉ Composite Membranes.
- 27 PVDF mixed matrix membranes by incorporation of ionic liquid and MXene for enhancing permeation and antifouling performance. **2022**, 10, 108027
- 26 Characterization methods used for the identification of ferroelectric beta phase of fluoropolymers. **2022**, 43-64
- 25 Compressibility and crystalline structures of PVDF membranes under elevated gravity acceleration by two-axis spin coating technology. 1
- 24 Effect of Fabrication Method on the Thermo Mechanical and Electrical Properties of Graphene Doped PVDF Nanocomposites. *Nanomaterials*, **2022**, 12, 2315 5-4
- 23 Electrically stimulated bioactivity in hydroxyapatite/Etricalcium phosphate/polyvinylidene fluoride biocomposites. *Journal of Materials Research and Technology*, **2022**, 5-5 1
- 22 Effect of adsorption and coagulation pretreatment sequence on ultrafiltration membrane fouling: Process study and targeted prediction. *Desalination*, **2022**, 540, 115967 10-3 1
- 21 Graphene oxide membranes for effective removal of humic acid.
- 20 Hybrid Nanofillers Creating the Stable PVDF Nanocomposite Films and Their Effect on the Friction and Mechanical Properties. **2022**, 14, 3831 1

19	4th Generation Biomaterials Based on PVDF-Hydroxyapatite Composites Produced by Electrospinning: Processing and Characterization. 2022 , 14, 4190	2
18	Multifunctional knit fabrics for self-powered sensing through nanocomposites coatings. 2023 , 293, 126951	0
17	Functionalized MIL-53 and its derivatives modified Bi ₂ WO ₆ as effective piezocatalysts and membranes for adsorption and decomposition of organic pollutants. 2023 , 306, 122618	0
16	Characterization of a Biocomposite of Electrospun PVDF Membranes with Embedded BaTiO ₃ Micro- and Nanoparticles. 2022 , 2, 531-542	0
15	Role of polyaniline coating on nanosilica particles in polyvinylidene fluoride nanocomposites for energy storage. 2023 , 36, 102546	0
14	Highly robust UiO-66@PVDF metal-organic framework beads for tartrazine removal from aqueous solutions. 2023 , 288, 116165	1
13	Enhanced photodetection properties of GO incorporated flexible PVDF membranes under solar spectrum. 2022 , 29,	0
12	On the structural, dielectric, piezoelectric, and energy storage behavior of polyvinylidene fluoride (PVDF) thick film: Role of annealing temperature. 2022 , 132, 224109	0
11	Enhancement of dielectric and magnetic properties of electroactive LaNiO ₃ based PVDF films by inclusion of magnetic Sn _{0.2} Fe _{2.8} O ₄ nanofiller. 2022 , 127259	0
10	Cu(I) catalyzed ATRP for the preparation of high-performance poly (vinylidene fluoride)-g-poly 2-(dimethylamino)ethyl methacrylate crosslinked anion exchange membranes for enhanced acid recovery. 2023 , 121387	0
9	Carbon nitride @PVDF photocatalytic membranes for visible-light degradation of venlafaxine as emerging water micropollutant. 2023 , 418, 114042	0
8	A review on 3D printed piezoelectric energy harvesters: Materials, 3D printing techniques, and applications. 2023 , 35, 105541	0
7	Performance investigation on GO-TiO ₂ /PVDF composite ultrafiltration membrane for slightly polluted ground water treatment. 2023 , 273, 127215	0
6	Triboelectric Nanogenerator-Based Near-Field Electrospinning System for Optimizing PVDF Fibers with High Piezoelectric Performance. 2023 , 15, 5242-5252	1
5	Investigation on the electrical and magnetic properties of PVDF/SrFe ₁₂ O ₁₉ composite membranes. 2023 , 572, 170601	0
4	Electrical impedance spectroscopy for non-destructive detection of wetting, fouling and scaling in membrane distillation. 2023 , 53, 103608	0
3	In-situ fabricated poly (vinylidene fluoride)-incorporated perovskite nanocrystals with better Schottky performance and enhanced stability. 2023 , 138, 113685	0
2	2D Nanomaterials Incorporated Poly(vinylidene fluoride) Nanocomposites: Morphology, Crystalline Structure, and Dielectric, Ferroelectric, and Piezoelectric Properties. 2023 , 127, 6483-6502	0

- 1 Highly Selective Polyene-Polyyne Resistive Gas Sensors: Response Tuning by Low-Energy Ion Irradiation. **2023**, 7, 156

o