

CITATION REPORT

List of articles citing

Nanostructured surface layer on metallic materials induced by surface mechanical attrition treatment

DOI: 10.1016/j.msea.2003.10.261

Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 375-377, 38-45.

Source: <https://exaly.com/paper-pdf/37203023/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
853	Strain-induced grain refinement of cobalt during surface mechanical attrition treatment. 2005 , 53, 681-691		187
852	Chromizing behaviors of a low carbon steel processed by means of surface mechanical attrition treatment. 2005 , 53, 2081-2089		132
851	Super-elastic titanium alloy with unstable plastic deformation. 2005 , 87, 091906		177
850	Effect of ultrasonic plastic treatment on the surface structure and phase state of nickel titanium. 2005 , 31, 912		10
849	Tensile properties of a nanocrystalline 316L austenitic stainless steel. 2005 , 52, 1039-1044		335
848	Recent Developments in Nanostructured Materials. 2005 , 7, 983-992		61
847	Martensitic phase transformations in the nanostructured surface layers induced by mechanical attrition treatment. 2005 , 98, 114319		5
846	Localized solid-state amorphization at grain boundaries in a nanocrystalline Al solid solution subjected to surface mechanical attrition. 2005 , 38, 4140-4143		35
845	Phase transformations and phase stability in nanocrystalline materials. 2005 , 9, 287-295		26
844	Deformation-induced nanostructuring in a Ti-Nb-Ta alloy. 2006 , 89, 031906		44
843	Surface nanocrystallization by surface mechanical attrition treatment and its effect on structure and properties of plasma nitrided AISI 321 stainless steel. 2006 , 54, 5599-5605		204
842	Martensite and its reverse transformation in nanocrystalline bulk Co. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 438-440, 420-426	5.3	17
841	Low temperature nitriding of iron by alternating current pretreatment. <i>Surface and Coatings Technology</i> , 2006 , 200, 6666-6670	4.4	10
840	Nanomechanical properties of nanostructured titanium prepared by SMAT. <i>Surface and Coatings Technology</i> , 2006 , 201, 208-213	4.4	63
839	Wear and corrosion properties of a low carbon steel processed by means of SMAT followed by lower temperature chromizing treatment. <i>Surface and Coatings Technology</i> , 2006 , 201, 2796-2801	4.4	75
838	Low temperature nitriding of medium carbon steel. 2006 , 80, 855-859		3
837	Friction and wear behaviors of nanocrystalline surface layer of pure copper. <i>Wear</i> , 2006 , 260, 942-948	3.5	218

836	Nanocrystallization and magnetic properties of Fe-30 weight percent Ni alloy by surface mechanical attrition treatment. 2006 , 37, 1413-1421		27
835	Surface nanocrystallization of Ni3Al by surface mechanical attrition treatment. 2006 , 60, 2076-2079		22
834	Diffusion of Cr in Nanostructured Fe and Low Carbon Steel Produced by Means of Surface Mechanical Attrition Treatment. 2006 , 249, 147-154		21
833	Nanocrystalline Formation during Mechanical Attrition of Cobalt. 2006 , 503-504, 751-756		1
832	Gradient Structure Formation by Severe Plastic Deformation. 2006 , 503-504, 787-792		2
831	Twinning in nanocrystalline Ni by severe plastic deformation. 2006 , 39, 746-749		4
830	Bulk nanocrystalline stainless steel fabricated by equal channel angular pressing. 2006 , 21, 1687-1692		31
829	Analysis of dislocation-induced strain field in an idealized wafer-bonded microstructure. 2007 , 40, 1118-1127	2	
828	Mechanical Properties of 316L Stainless Steel with Nanostructure Surface Layer Induced by Surface Mechanical Attrition Treatment. 2007 , 353-358, 1810-1813		3
827	Biomechanical and Biocorrosion Properties of Nanostructured Titanium. 2007 , 29-30, 51-54		6
826	Effect of Annealing Temperature on Microstructure and Properties of Surface Nanocrystalline Structure in Low Carbon Steel Specimen. 2007 , 353-358, 1601-1604		
825	Formation mechanism of nanostructures in austenitic stainless steel during equal channel angular pressing. 2007 , 87, 4949-4971		34
824	Nanocrystalline Titanium to Mesoporous Anatase with High Bioactivity. 2007 , 7, 2400-2403		11
823	Contribution of the Experimental Mechanics to the Automotive Design. 2007 ,		
822	Formation of nanoporous titania on bulk titanium by hybrid surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2007 , 201, 6285-6289	4-4	19
821	Thermal-induced inverse β phase transformation in surface nanocrystallization layer of 304 stainless steel. <i>Surface and Coatings Technology</i> , 2007 , 201, 7462-7466	4-4	8
820	Friction and wear behaviors of nanocrystalline surface layer of chrome-silicon alloy steel. <i>Surface and Coatings Technology</i> , 2007 , 202, 254-260	4-4	38
819	In situ synthesis of nanocrystalline intermetallic layer during surface plastic deformation of zirconium. <i>Surface and Coatings Technology</i> , 2007 , 202, 583-589	4-4	21

818	Microstructural evolution and formation of nanocrystalline intermetallic compound during surface mechanical attrition treatment of cobalt. 2007 , 55, 5768-5779		41
817	Influences of crystallographic orientations on deformation mechanism and grain refinement of Al single crystals subjected to one-pass equal-channel angular pressing. 2007 , 55, 5889-5900		39
816	Dry sliding wear behavior of copper with nano-scaled twins. <i>Wear</i> , 2007 , 262, 1463-1470	3.5	53
815	Fretting wear behavior of nanocrystalline surface layer of pure copper under oil lubrication. 2007 , 27, 53-59		23
814	The tensile properties of titanium processed by surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2008 , 202, 4728-4733	4.4	49
813	Increased osteoblast adhesion on nanophase Ti6Al4V. 2008 , 53, 1757-1762		6
812	Surface evolution of a gradient structured Ti in hydrogen peroxide solution. 2008 , 254, 2905-2910		17
811	Modélisation géométrique des structures granulaires. 2008 , 336, 506-511		4
810	Strain-induced refinement in a steel with spheroidal cementite subjected to surface mechanical attrition treatment. 2008 , 56, 78-87		114
809	Fatigue properties of a metastable beta-type titanium alloy with reversible phase transformation. 2008 , 4, 305-17		140
808	Sliding friction surface microstructure and wear resistance of 9SiCr steel with low-temperature austempering treatment. <i>Surface and Coatings Technology</i> , 2008 , 202, 4036-4040	4.4	49
807	Fretting wear behavior of nanocrystalline surface layer of copper under dry condition. <i>Wear</i> , 2008 , 265, 396-401	3.5	60
806	Investigations on the nanocrystallization of 40Cr using ultrasonic surface rolling processing. 2008 , 255, 1824-1829		165
805	Nanocrystallization and martensitic transformation in Fe-3.4Mn-0.5Si-0.1Cr (wt.%) alloy by surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 481-482, 484-488	5.3	10
804	Effect of SiC film on tensile properties of nanostructured Ti produced by compressive deformation at liquid-nitrogen temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 195-201	5.3	24
803	XRD investigation of thermostability of TiB ₂ /Al deformation layer introduced by shot peening. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 480, 1-4	5.3	29
802	Microstructure and properties of mechanical attrition enhanced electroless Ni-P plating on magnesium alloy. 2008 , 58, 504-507		67
801	Fabrication of a gradient nano-micro-structured surface layer on bulk copper by means of a surface mechanical grinding treatment. 2008 , 59, 546-549		258

800	Phase Transformation in the nanostructured surface layer of pearlitic steels near room temperature. 2008 , 59, 806-809	7
799	Grain growth kinetics of nanocrystalline martensite in Fe-0.1wt.%Ni alloy. 2008 , 62, 3262-3265	6
798	Characterization and properties of nanocrystalline surface layer in Mg alloy induced by surface mechanical attrition treatment. 2008 , 452, 336-342	80
797	Surface alloying of an Mg alloy subjected to surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2008 , 202, 3947-3953	4.4 65
796	Toward the existence of ultrafast diffusion paths in Cu with a gradient microstructure: Room temperature diffusion of Ni. 2008 , 93, 131904	17
795	Transfer behavior in low-amplitude oscillating wear of nanocrystalline copper under oil lubrication. 2008 , 23, 150-159	5
794	Tribological Behaviors of Nanostructured Surface Layer Processed by Means of Surface Mechanical Attrition Treatment. 2008 , 384, 321-334	11
793	Combined effects of crystallographic orientation, stacking fault energy and grain size on deformation twinning in fcc crystals. 2008 , 88, 3011-3029	69
792	Ultrafine-grained β -type titanium alloy with nonlinear elasticity and high ductility. 2008 , 92, 043128	31
791	Nanostructured Surface Layer of Ti-4Al-2V by Means of High Energy Shot Peening. 2008 , 48, 218-223	12
790	A Simulation of the Abnormal Grain Growth in a Nano-Structural AZ31 Mg Alloy by Phase Field Model. 2009 , 633-634, 697-705	1
789	EFFECT OF VELOCITY OF BALLS ON THE STRAIN AND STRESS OF LOW CARBON STEEL SURFACE LAYER DURING SMAT. 2009 , 23, 1924-1930	6
788	Review of shot peening processes to obtain nanocrystalline surfaces in metal alloys. 2009 , 25, 3-14	184
787	EFFECT OF PULSE DUTY CYCLE ON PROPERTIES OF HARD NANOCRYSTALLINE SURFACE FABRICATED BY DUPLEX TREATMENTS. 2009 , 16, 441-447	1
786	Deformation-induced ambient temperature α -to- β phase transition and nanocrystallization in β -titanium alloy. 2009 , 24, 3439-3445	12
785	Comparative responses of welded joints to surface mechanical attrition treatment and shot peening. 2009 , 25, 15-20	11
784	Relationship Study among Nanocrystallite Distribution and Roughness of a Nanostructured Hard Layer. 2009 , 293, 83-90	1
783	Effect of Alloy Nanocrystallization and Cr Distribution on the Development of a Chromia Scale. 2009 , 156, C95	13

782	Nanostructured Ti2448 Biomedical Titanium Alloy. 2009 , 633-634, 535-547		2
781	Nanoscale structural refinement via deformation twinning in face-centered cubic metals. 2009 , 60, 1039-1043	156	
780	Geometrical modeling of granular structures in two and three dimensions. Application to nanostructures. 2009 , 80, 425-454		26
779	The effect of nanostructured surface layer on the fatigue behaviors of a carbon steel. 2009 , 255, 3811-3816		87
778	Dislocation evolution in titanium during surface severe plastic deformation. 2009 , 255, 6097-6102		87
777	Strengthening of the RAFMS RUSFER α -Ti181 through nanostructuring surface layers. 2009 , 386-388, 466-470		5
776	Enhancement of mechanical properties of heat-resistant martensitic steel processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 515, 199-206	5-3	27
775	Microstructural characterization of nanocrystalline nickel produced by surface mechanical attrition treatment. 2009 , 44, 2925-2930		14
774	Surface nanocrystallization of magnesium alloy AZ91D by high-energy shot peening. 2009 , 24, 515-519		1
773	Effect of electrolyte temperature on the nano-carbonitride layer fabricated by surface nanocrystallization and plasma treatment on a TiAl alloy. 2009 , 28, 454-459		2
772	The texture effect of warm peening on TiB ₂ /Al composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 504, 124-128	5-3	4
771	TEM study of TiN coatings fabricated by mechanical milling using vibration technique. <i>Surface and Coatings Technology</i> , 2009 , 203, 1879-1884	4-4	30
770	Evolution of initial grain boundaries and shear bands in Cu bicrystals during one-pass equal-channel angular pressing. 2009 , 57, 1132-1146		30
769	Surface nanocrystallization mechanism of a rare earth magnesium alloy induced by HVOF supersonic microparticles bombarding. 2009 , 256, 619-626		14
768	Estimation of the quality of strengthening frictional treatment and subsequent tempering of eutectoid steel by the eddy-current method. 2009 , 45, 133-142		5
767	Measurement of microstructural parameters of nanocrystalline Fe-30wt.%Ni alloy produced by surface mechanical attrition treatment. 2009 , 474, 546-550		41
766	Surface mechanical attrition treatment induced phase transformation behavior in NiTi shape memory alloy. 2009 , 482, 298-301		13
765	Microstructure and mechanical properties of Ni-based superalloy foil with nanocrystalline surface layer produced by EB-PVD. 2009 , 484, 626-630		10

764	Surface roughness and wettability of AISI 316L induced by surface mechanical attrition treatment with different milling ball diameter. 2009 ,			1
763	Effect of surface mechanical attrition treatment on corrosion behavior of 316 stainless steel. 2009 , 16, 68-72			66
762	Effect of Shot Peening on Surface Characteristics and Fatigue Properties of T5-Treated ZK60 Alloy. 2009 , 50, 791-798			26
761	Nanocrystalline body-centred cubic beta-titanium alloy processed by high-pressure torsion. 2009 , 100, 1662-1667			16
760	Effect of strengthening friction treatment on the chemical composition, structure, and tribological properties of a high-carbon steel. 2010 , 110, 507-521			18
759	Numerical modeling of nanostructured materials. 2010 , 46, 165-180			19
758	Effect of hardening friction treatment with hard-alloy indenter on microstructure, mechanical properties, and deformation and fracture features of constructional steel under static and cyclic tension. <i>Surface and Coatings Technology</i> , 2010 , 205, 841-852	4.4		30
757	The bipolar plate of AISI 1045 steel with chromized coatings prepared by low-temperature pack cementation for proton exchange membrane fuel cell. 2010 , 195, 779-786			33
756	Enhanced chromizing kinetics of tool steel by means of surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 995-1002	5.3		44
755	The main factor influencing the tensile properties of surface nano-crystallized graded materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 7040-7044	5.3		28
754	Influence of interface energy and grain boundary on the elastic modulus of nanocrystalline materials. 2010 , 213, 223-234			25
753	Thermal Stability in Nanocrystalline Fe-30 Wt Pct Ni Alloy Induced by Surface Mechanical Attrition Treatment. 2010 , 41, 2992-2999			2
752	Deformation-induced microstructure refinement in primary β -phase-containing Ti-10V-2Fe-3Al alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 7225-7234	5.3		24
751	Mechanisms of hardening, wear and corrosion improvement of 316L stainless steel by low energy high current pulsed electron beam surface treatment. 2010 , 519, 1404-1415			106
750	Wear resistance of NiTi alloy after surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2010 , 205, 506-510	4.4		26
749	Interfacial diffusion in Cu with a gradient nanostructured surface layer. 2010 , 58, 2376-2386			57
748	Optimization of the strain rate to achieve exceptional mechanical properties of 304 stainless steel using high speed ultrasonic surface mechanical attrition treatment. 2010 , 58, 5086-5096			117
747	Fatigue properties of a S45C steel subjected to ultrasonic nanocrystal surface modification. 2010 , 256, 6297-6303			107

746	The effect of surface nanocrystallization on plasma nitriding behaviour of AISI 4140 steel. 2010 , 257, 979-984	38
745	Effects of surface nanocrystallization pretreatment on low-temperature ion sulfurization behavior of 1Cr18Ni9Ti stainless steel. 2010 , 257, 1204-1210	29
744	Fabrication of Nanostructured Electroforming Copper Layer by Means of an Ultrasonic-assisted Mechanical Treatment. 2010 , 23, 599-603	9
743	Nanostructured Surface Layers In Low Carbon Steel and Pure Titanium Induced By High-Speed Rotating Wire-Wheel Deformation. 2010 , 97-101, 1352-1355	1
742	Microstructure Evolution and Tensile Properties of 304L Stainless Steel Subjected to Surface Mechanical Attrition Treatment. 2010 , 667-669, 175-179	2
741	Structure and Performance of 35 Steel after Strengthened Shot Peening Surface Nanocrystallization and Gas Tufftriding Process. 2010 , 152-153, 125-130	
740	The Effect of Initial Microstructure on Surface Nanocrystallization of Quenched and Tempered Steel. 2010 , 148-149, 778-782	
739	Investigation of defects and nanoparticles with martensitic phase transformation in surface nanostructured 316L stainless steel by slow-positron beam. 2010 , 25, 587-591	1
738	Interface Microstructure of Diffusion Bonded Fe3Al/Al with Ultrafine Grain Layer. 2010 , 667-669, 1171-1175	
737	Mechanical Properties and Microstructure of a Duplex Nanostructure. 2010 , 667-669, 973-978	
736	Effect of annealing treatment on the structure and properties of the nanograined TiN coatings produced by ultrasonic-based coating process. 2010 , 495, 625-628	5
735	Evolution of texture and microstructure in pulsed electro-deposited Cu treated by Surface Mechanical Attrition Treatment (SMAT). 2010 , 504, S410-S413	27
734	Effect of surface nanocrystallization on the corrosion behaviour of AISI 409 stainless steel. 2010 , 52, 3826-3834	158
733	Corrosion behaviour and characteristics of reforming chromized coatings on SS 420 steel in the simulated environment of proton exchange membrane fuel cells. 2010 , 52, 3599-3608	30
732	Effect of surface nanocrystallization and PPEC time on complex nanocrystalline hard layer fabricated by plasma electrolysis. 2010 , 20, 425-431	4
731	Thermal stability of nanocrystalline in surface layer of magnesium alloy AZ91D. 2010 , 20, 1340-1344	6
730	Strain-induced Microstructure Refinement in a Tool Steel Subjected to Surface Mechanical Attrition Treatment. 2010 , 26, 258-263	26
729	The Effect of Strain Rate on the Plastic Deformation Mode of CP-Ti during Surface Nanocrystallization. 2011 , 675-677, 239-242	1

728	Revealing extraordinary intrinsic tensile plasticity in gradient nano-grained copper. 2011 , 331, 1587-90	962
727	. 2011 ,	
726	Effect of Sandblasting and Surface Mechanical Attrition Treatment on Surface Roughness, Wettability, and Microhardness Distribution of AISI 316L. 2011 , 462-463, 738-743	13
725	High-temperature surface alloying of nanocrystalline nickel produced by surface mechanical attrition treatment. 2011 , 509, 518-522	12
724	Effect of surface nanocrystallization on the microstructural and corrosion characteristics of AZ91D magnesium alloy. 2011 , 509, 9150-9156	87
723	Microstructural evolution in NiTi alloy subjected to surface mechanical attrition treatment and mechanism. 2011 , 19, 1136-1145	28
722	Fine-grained structure fabricated by strain-induced martensite and its reverse transformations in a metastable Titanium alloy. 2011 , 64, 1098-1101	29
721	Numerical Evaluation of Energy Transfer during Surface Mechanical Attrition Treatment. 2011 , 63-68	
720	Localisation Phenomenon Investigation on SMATed Stainless Steel Samples by Speckle Interferometry. 2011 , 47, 363-371	8
719	Effect of eutectic Si on surface nanocrystallization of Al ₃ Si alloys by surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 530, 304-314	5.3 16
718	High speed pounding: A novel technique for the preparation of a thick surface layer with a hardness gradient distribution on Hadfield steel. 2011 , 64, 560-563	15
717	Effects of grain growth on interface diffusion in nanostructured Cu. 2011 , 64, 1055-1058	4
716	Effect of surface mechanical attrition treatment (SMAT) on microhardness, surface roughness and wettability of AISI 316L. 2011 , 125, 418-426	119
715	Iron-rich layer introduced by SMAT and its effect on corrosion resistance and wear behavior of 2024 Al alloy. 2011 , 126, 301-309	30
714	Corrosion behavior on orthopedic NiTi alloy with nanocrystalline/amorphous surface. 2011 , 126, 102-107	43
713	Introducing a hierarchical structure for fabrication of a high performance steel. 2011 , 129, 1096-1103	21
712	Suppression of chromium depletion and sensitization in austenitic stainless steel by surface mechanical attrition treatment. 2011 , 65, 1935-1937	24
711	Electrochemical Behaviour of Surface Modified AISI 304 Grade Stainless Steel in Ringer's Solution. 2011 , 64, 507-511	7

710	Effects of stacking fault energy, strain rate and temperature on microstructure and strength of nanostructured Cu ₃ Al alloys subjected to plastic deformation. 2011 , 59, 6048-6058	102
709	In vitro and in vivo mineralization and osseointegration of nanostructured Ti6Al4V. 2011 , 13, 645-654	20
708	Short-circuit diffusion growth of long bi-crystal CuO nanowires. 2011 , 504, 41-45	32
707	Lower temperature aluminizing and its effect on improving corrosion resistance of iron treated by surface mechanical attrition treatment. 2011 , 8, 107-116	9
706	Hierarchical titanium surface textures affect osteoblastic functions. 2011 , 99, 666-75	33
705	Surface nanocrystallization and its properties of a rare earth magnesium alloy induced by HVOF [®] MB. 2011 , 11, 677-681	11
704	The influence of strain rate on the microstructure transition of 304 stainless steel. 2011 , 59, 3697-3709	197
703	Grain size effects on the austenitization process in a nanostructured ferritic steel. 2011 , 59, 3710-3719	46
702	Evaluation of Nanostructured coating layers formed on Ni balls during mechanical alloying of Cu powder. 2011 , 257, 2830-2837	29
701	Investigation of mechanically attrited structures induced by repeated impacts on an AISI1045 steel. 2011 , 339, 552-562	13
700	The characteristics of chromized 1020 steel with electrical discharge machining and Ni electroplating pretreatments. 2011 , 257, 3529-3537	14
699	Structural characteristics of nanocrystalline copper after carbon ion implantation. 2011 , 42, 691-4	3
698	Mechanics of High Strength and High Ductility Materials. 2011 , 10, 2202-2207	4
697	Mechanical Property of Duplex Stainless Steel with Nanostructured Layer by Surface Mechanical Attrition Treatment. 2011 , 682, 123-130	1
696	Wear Behaviour of Pure Ti with a Nanocrystalline Surface Layer. 2011 , 66-68, 1500-1504	5
695	Surface Nanocrystallines of Fe ₃ Al Produced by Surface Mechanical Attrition. 2011 , 320, 325-328	2
694	Low-Temperature Pack Aluminizing of X80 Pipeline Steel through Addition of Zinc and Surface Self-Nanocrystallization. 2011 , 233-235, 2516-2521	0
693	Investigation on Texture Evolution in Plastic Deformation Layer of SMAT Iron. 2011 , 702-703, 920-923	1

692	Enhanced Saturation Magnetization of Nanocrystalline Cobalt Produced by Surface Mechanical Attrition Treatment. 2011 , 686, 733-739		1
691	Study on Mechanical Properties of 2024 Al Sheet Treated by SMAT. 2011 , 410, 257-262		2
690	Microstructure and Wear Resisting Property of 40Cr Steel Treated by Supersonic Particles Bombarding. 2012 , 499, 49-52		
689	Fabrication and Properties of Cu-Cr Coatings on the Inner Wall of Steel Pipe by Mechanical Alloying Method. 2012 , 602-604, 1663-1666		
688	Influence of Surface Mechanical Attrition Treatment on Fretting Wear Behaviour of Ti-6Al-4V. 2012 , 463-464, 316-320		12
687	Enhanced mechanical properties and in vitro cell response of surface mechanical attrition treated pure titanium. 2012 , 27, 113-8		14
686	An experimental investigation of surface generation using an integrated ultra-precision polishing process and different polishing trajectories. 2012 , 226, 203-220		12
685	Plasma Nitriding of 20CrMo Steel with Nanostructured Surface Layer. 2012 , 472-475, 30-34		
684	Annealing-induced Grain Refinement in a Nanostructured Ferritic Steel. 2012 , 28, 41-45		10
683	Microstructural Evolution of Surface Layer of TWIP Steel Deformed by Mechanical Attrition Treatment. 2012 , 19, 38-46		8
682	Modeling of the plastic deformation of nanostructured materials with grain size gradient. 2012 , 39, 88-102		105
681	Effect of Surface Mechanical Attrition Treatment on Fatigue Lives of Alloy 718. 2012 , 65, 473-477		11
680	Surface Alloying of Nanocrystalline Fe-0.45 wt Pct C Alloy Subjected to Surface Mechanical Attrition Treatment Within Cr Powders. 2012 , 138, 58-64		
679	Oxidation Behavior of Cu-38at%Zn Foils After Surface Mechanical Attrition Treatment. 2012 , 68, 035003-1-035003-7		
678	Fretting wear behaviour of surface mechanical attrition treated alloy 718. <i>Surface and Coatings Technology</i> , 2012 , 206, 4425-4432	4.4	43
677	Protective diffusion coatings on magnesium alloys: A review of recent developments. 2012 , 520, 11-21		112
676	Grain refined and basal textured surface produced by burnishing for improved corrosion performance of AZ31B Mg alloy. 2012 , 57, 192-201		183
675	Thermal oxidation behaviour of bulk titanium with nanocrystalline surface layer. 2012 , 59, 352-359		50

674	Prevention of weld-decay in austenitic stainless steel by using surface mechanical attrition treatment. 2012 , 2, 1		1
673	Enhanced ductility of surface nano-crystallized materials by modulating grain size gradient. 2012 , 20, 085002		27
672	Hall-Petch and dislocation strengthening in graded nanostructured steel. 2012 , 60, 5933-5943		108
671	Effect of treatment duration on surface nanocrystallization induced by fast multiple rotation rolling and its thermal stability. 2012 , 263, 445-448		12
670	Surface nanocrystallization of aluminium alloy by controlled ball impact technique. <i>Surface and Coatings Technology</i> , 2012 , 210, 78-89	4-4	19
669	Effect of surface mechanical attrition treatment (SMAT) on boronizing of EN8 steel. <i>Surface and Coatings Technology</i> , 2012 , 213, 221-228	4-4	37
668	Evaluation of surface-modified 20CrMo by plasma nitriding coupled with ion sputtering and SMAT. <i>Surface and Coatings Technology</i> , 2012 , 213, 247-252	4-4	19
667	Effect of ultrasonic nanocrystal surface modification on the fatigue behaviors of plasma-nitrided S45C steel. <i>Surface and Coatings Technology</i> , 2012 , 213, 271-277	4-4	39
666	Surface Nanocrystallization of 35# Type Carbon Steel Induced by Ultrasonic Impact Treatment (UIT). 2012 , 27, 1718-1722		17
665	Diffusion of Zn in Nanostructured Aluminum Alloys Produced by Surface Mechanical Attrition Treatment. 2012 , 43, 2378-2389		
664	Influence of Surface Finishing on the Oxidation Behaviour of VPS MCrAlY Coatings. 2012 , 21, 314-324		14
663	Enhanced reactive diffusion of Zn in a nanostructured Fe produced by means of surface mechanical attrition treatment. 2012 , 60, 1762-1770		40
662	Corrosion fatigue of biomedical metallic alloys: mechanisms and mitigation. 2012 , 8, 937-62		163
661	Preparation of TiAl ₂ O ₃ and TiAl ₂ O ₃ /TiO ₂ flame-retardant coatings on TiAl ₃ using a high-energy mechanical alloying method: A preliminary research. 2012 , 35, 25-36		41
660	Effect of surface nanocrystallization induced by fast multiple rotation rolling on mechanical properties of a low carbon steel. 2012 , 35, 754-759		28
659	Formation of UFG-surface layers on a HSLA steel by a continuous Surface-SPD-Process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 535, 1-5	5-3	16
658	Multilayer modelling of stainless steel with a nanocrystallised superficial layer. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 536, 124-128	5-3	11
657	Thermal stability of nanocrystallized surface produced by surface mechanical attrition treatment in aluminum alloys. <i>Surface and Coatings Technology</i> , 2012 , 206, 3970-3980	4-4	41

656	Deformation-Induced Grain Refinement and Amorphization in Ti-10V-2Fe-3Al Alloy. 2012 , 43, 316-326		36
655	Tribological Behaviour of Pure Ti with a Nanocrystalline Surface Layer Under Different Loads. 2012 , 45, 59-66		28
654	Enhancing grain refinement in polycrystalline materials using surface mechanical attrition treatment at cryogenic temperatures. 2013 , 69, 461-464		44
653	Size effects of primary/secondary twins on the atomistic deformation mechanisms in hierarchically nanotwinned metals. 2013 , 113, 203516		34
652	In-depth quantitative analysis of the microstructures produced by Surface Mechanical Attrition Treatment (SMAT). 2013 , 83, 129-138		51
651	Reinforcement of laser-welded stainless steels by surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 571, 161-166	5-3	5
650	Investigation of Surface Nanocrystallization by Pre-Forceing Rolling Technology. 2013 , 750-752, 1963-1966		1
649	Low-Temperature Nitriding of Nanocrystalline Stainless Steel and Its Effect on Improving Wear and Corrosion Resistance. 2013 , 22, 1304-1310		30
648	Nanocrystalline Surface Layer on AISI 52100 Steel Induced by Supersonic Fine Particles Bombarding. 2013 , 22, 1007-1013		11
647	Evaluation of stress corrosion cracking susceptibility of nanocrystallized stainless steel 304L welded joint by small punch test. 2013 , 52, 849-860		20
646	Gradient micro-structured surface layer on aluminum alloy fabricated by in situ rolling friction stir welding. 2013 , 52, 821-827		16
645	Nanocrystallization of a quenched RAFM steel and microstructure evolution during annealing heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 583, 61-68	5-3	12
644	Microstructures and formation mechanism of WâŁtu composite coatings on copper substrate prepared by mechanical alloying method. 2013 , 282, 757-764		38
643	On the deformation mechanism of ultrafine-grained titanium with multilayered hierarchical structure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 582, 162-169	5-3	3
642	Influence of surface mechanical attrition treatment (SMAT) on the corrosion behaviour of AISI 304 stainless steel. 2013 , 74, 332-344		120
641	Improvement of the tribological properties of Al6061âŁ6 alloy under dry sliding conditions. 2013 , 64, 24-32		29
640	Electrochemical corrosion properties of the surface layer produced by supersonic fine-particles bombarding on low-carbon steel. <i>Surface and Coatings Technology</i> , 2013 , 232, 412-418	4-4	13
639	Plasma nitriding of AISI 304 stainless steel: Role of surface mechanical attrition treatment. 2013 , 85, 38-47		54

638	Unlubricated sliding friction and wear characteristics of thermally oxidized commercially pure titanium. <i>Wear</i> , 2013 , 308, 61-70	3-5	36
637	Formation of Fe-Al intermetallic coating on low-carbon steel by a novel mechanical alloying technique. 2013 , 247, 24-29		40
636	Pack boronizing of AISI H11 tool steel: Role of surface mechanical attrition treatment. 2013 , 97, 36-43		34
635	Role of grain size in the regulation of osteoblast response to Ti-25Nb-3Mo-3Zr-2Sn alloy. 2013 , 111, 232-41		50
634	Structure evolution and thermal stability of SMAT-derived nanograined layer on Ti-25Nb-3Mo-3Zr-2Sn alloy at elevated temperatures. 2013 , 554, 1-11		30
633	Corrosion in biomass combustion: A materials selection analysis and its interaction with corrosion mechanisms and mitigation strategies. 2013 , 76, 6-26		101
632	Investigation of Microstructure and Properties of Surface Nanocrystallization Layer by Rolling Technology. 2013 , 395-396, 746-750		
631	An investigation of the tribological and nano-scratch behaviors of Fe-Ni-Cr alloy sintered by direct metal laser sintering. 2013 , 47, 386-394		19
630	Precipitation phenomena in an ultrafine-grained Al alloy. 2013 , 61, 2163-2178		160
629	Research Progress of Surface Nanocrystallization on Metallic Materials by Surface Mechanical Attrition Treatment. 2013 , 456, 406-410		1
628	Microstructural characterization of Ti-6Al-4V alloy subjected to the duplex SMAT/plasma nitriding. 2013 , 76, 897-903		8
627	Sliding wear behaviour of surface mechanical attrition treated AISI 304 stainless steel. 2013 , 57, 67-75		76
626	Quantification of local plastic strain distribution beneath surface of deformed iron. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 564, 169-175	5-3	6
625	Prediction of fretting wear behavior of surface mechanical attrition treated Ti-Al-V using artificial neural network. 2013 , 49, 992-999		16
624	Surface nanocrystallization by mechanical punching process for improving microstructure and properties of Cu-30Ni alloy. 2013 , 23, 1694-1700		11
623	Enhanced fatigue resistance of Cu with a gradient nanograined surface layer. 2013 , 68, 801-804		90
622	Work hardening in ultrafine-grained titanium: Multilayering and grading. 2013 , 61, 2840-2852		35
621	Wear mechanisms of structural steels and effect of wear on their mechanical and acoustic properties during tension. 2013 , 34, 6-13		3

620	The effect of surface mechanical attrition treatment on low temperature plasma nitriding of an austenitic stainless steel. <i>Surface and Coatings Technology</i> , 2013 , 221, 191-195	4.4	61
619	Effect of surface mechanical attrition treatment of titanium using alumina balls: surface roughness, contact angle and apatite forming ability. 2013 , 7, 285-294		15
618	Strain-induced refinement and thermal stability of a nanocrystalline steel produced by surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 568, 176-183	5.3	15
617	Low-temperature plasma nitriding of titanium layer on Ti/Al clad sheet. 2013 , 47, 408-415		42
616	Formation sequences and roles of multiple deformation twins during the plastic deformation in nanocrystalline fcc metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 580, 58-65	5.3	9
615	Microstructure evolution and mechanical properties of nanocrystalline zirconium processed by surface circulation rolling treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 565, 27-32	5.3	13
614	Microstructural characteristics of a nanoeutectic Ag-Cu alloy processed by surface mechanical attrition treatment. 2013 , 68, 499-502		13
613	Effect of surface mechanical attrition treatment (SMAT) on pack boronizing of AISI 304 stainless steel. <i>Surface and Coatings Technology</i> , 2013 , 232, 60-67	4.4	48
612	Influence of Surface Mechanical Attrition Treatment Attrition Media on the Surface Contamination and Corrosion of Magnesium. 2013 , 69, 527-535		26
611	Effect of surface nanocrystallization on the corrosion behavior of Ti-6Al-4V titanium alloy. <i>Surface and Coatings Technology</i> , 2013 , 224, 82-87	4.4	132
610	Ti-based amorphous/nanocrystal composite with high ductility and strain-hardening. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 560, 339-342	5.3	4
609	Architected surface layer with a gradient nanotwinned structure in a Fe-Mn austenitic steel. 2013 , 68, 22-27		73
608	Tough ultrafine-grained Ti through multilayering and grading. 2013 , 68, 309-312		5
607	Enhancing torsion fatigue behaviour of a martensitic stainless steel by generating gradient nanograined layer via surface mechanical grinding treatment. <i>Materials Science and Technology</i> , 2013 , 29, 1200-1205	1.5	48
606	Influences of surface grain size and gradient variation along depth on fatigue life of metallic materials. 2013 , 43, 454-459		17
605	Prepare and Properties of Titanium with Surface Nanostructure by High Energy Shot Peening. 2013 , 842, 267-270		1
604	Constitutive Modeling of Mechanical Behavior of Metallic Materials with Nanocrystalline Surface Layer. 2013 , 634-638, 2813-2817		
603	Formation of Surface Nano- and Textured Austenite Induced by Pulsed Electron Beam Irradiation under Melting Mode. 2013 , 2013, 1-8		1

602	Effect of Ultrasonic Impact Treatment on Corrosion Resistance of Welded Joints of 16MnR Steel. 2013 , 815, 689-694		2
601	Atomistic scale fracture behaviours in hierarchically nanotwinned metals. 2013 , 93, 3248-3259		31
600	Effect of strain rate on the plastic strain gradient beneath the deformed surface of iron. 2013 , 419, 012037		
599	Microstructure control in surface layer of metallic materials by severe plastic deformation and related properties. 2013 , 63, 392-399		
598	Plastic deformation to enhance plasma-assisted nitriding: On surface contamination induced by Surface Mechanical Attrition Treatment. 2014 , 63, 012020		4
597	Structural Characterization of Carbon Nanomaterial Film In Situ Synthesized on Various Bulk Metals. 2014 , 2014, 1-6		
596	Effect of Surface Mechanical Attrition Treatment on Microstructure and Oxidation Behavior in T91 Steel at High Temperature. 2014 , 54, 1935-1942		7
595	Effect of treatment time on characterization and properties of nanocrystalline surface layer in copper induced by surface mechanical attrition treatment. 2014 , 37, 1087-1094		6
594	Effect of surface mechanical attrition treatment (SMAT) on zinc phosphating of steel. 2014 , 92, 161-168		7
593	Nanostructures in austenitic steel after EDM and pulsed electron beam irradiation. <i>Surface and Coatings Technology</i> , 2014 , 259, 465-472	4.4	25
592	Irradiation-induced grain growth in nanocrystalline reduced activation ferrite/martensite steel. 2014 , 105, 121905		15
591	Benefit of a Surface Nanocrystallization Treatment on Co ₂₈ Cr ₆ Mo Abrasive Wear Properties. 2014 , 966-967, 435-441		3
590	In Situ Formation of Carbon Nanomaterials on Bulk Metallic Materials. 2014 , 2014, 1-9		4
589	Improving the Reactivity and Receptivity of Alloy and Tool Steels for Phosphate Conversion Coatings: Role of Surface Mechanical Attrition Treatment. 2014 , 53, 20124-20138		9
588	Twin boundary spacing effects on shock response and spall behaviors of hierarchically nanotwinned fcc metals. 2014 , 115, 063509		20
587	Two softening stages in nanotwinned Cu. 2014 , 94, 4037-4052		16
586	Microstructure evolution of Cr coatings on Cu substrates prepared by mechanical alloying method. 2014 , 268, 165-172		17
585	Tribological aspects in nanostructuring burnishing of structural steels. 2014 , 17, 250-264		28

584	Behavior Identification of a Multi-Layered Graded Stainless Steel Using an Inverse Method. 2014 , 626, 85-90		
583	Fatigue properties of a biomedical 316L steel processed by surface mechanical attrition. 2014 , 63, 012021		7
582	Surface Microstructure of Fe ₃ Al After Severe Plastic Deformation. 2014 , 23, 308-314		5
581	Influence of Surface Mechanical Attrition Treatment Duration on Fatigue Lives of Ti-6Al-4V. 2014 , 67, 137-141		18
580	Indentation Size Effect (ISE) in Copper Subjected to Severe Plastic Deformation (SPD). 2014 , 45, 2487-2497		4
579	Improvement of the biomedical properties of titanium using SMAT and thermal oxidation. 2014 , 116, 658-65		47
578	Cell response to nanocrystallized metallic substrates obtained through severe plastic deformation. 2014 , 6, 7963-85		100
577	Second-phase-dependent grain refinement in Ti-25Nb-3Mo-3Zr-2Sn alloy and its enhanced osteoblast response. 2014 , 35, 144-52		23
576	The effects of ultrasonic nanocrystal surface modification (UNSM) on pack aluminizing for the fabrication of Pt-modified aluminide coatings at low temperatures. 2014 , 46, 65-71		5
575	High-strength and high-ductility nanostructured and amorphous metallic materials. 2014 , 26, 5518-24		170
574	A research on the microstructure evolution of austenite stainless steel by surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 617, 127-138	5.3	17
573	Numerical analysis of layered surface mechanical attrition treated 304SS with nanograin layer based on cohesive model. <i>Materials Science and Technology</i> , 2014 , 30, 241-247	1.5	1
572	Enhanced osteoblast functions and bactericidal effect of Ca and Ag dual-ion implanted surface layers on nanograined titanium alloys. 2014 , 2, 4531-4543		22
571	Lower-temperature aluminizing behaviors of a ferritic-bainitic steel processed by means of surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2014 , 258, 329-336	4.4	25
570	Effect of ultrasonic nanocrystal surface modification on surface and fatigue properties of quenching and tempering S45C steel. 2014 , 321, 318-330		41
569	Finite element analysis of the grain size effect on diffusion in polycrystalline materials. 2014 , 95, 187-191		18
568	Friction and wear behaviors of surface nanocrystalline layer prepared on medium manganese surfacing layer under oil lubrication. 2014 , 80, 210-215		10
567	Gradient nanostructure and residual stresses induced by Ultrasonic Nano-crystal Surface Modification in 304 austenitic stainless steel for high strength and high ductility. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 613, 274-288	5.3	192

566	Microstructure and properties of Fe-Al intermetallic coatings on the low carbon steel synthesized by mechanical alloying. 2014 , 73, 849-858		17
565	Lightweight structure design for wind energy by integrating nanostructured materials. 2014 , 57, 689-696		17
564	Synergetic Strengthening by Gradient Structure. 2014 , 2, 185-191		309
563	Effects of surface nanocrystallization on corrosion resistance of Type titanium alloy. 2014 , 24, 2529-2535		36
562	Deformation behavior and microstructure evolution of pure Cu subjected to electromagnetic bulging. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 593, 127-135	5:3	12
561	Improved contact load-bearing capacity of ultra-fine grained titanium: Multilayering and grading. 2014 , 58, 217-225		4
560	Formation of nanocrystalline structure in tantalum by sliding friction treatment. 2014 , 45, 71-75		42
559	Microstructure and thermal stability of bulk nanocrystalline alloys produced by surface mechanical attrition treatment. 2014 , 292, 556-562		24
558	The influence of DLC coating on the mechanical and frictional properties of unpeened and peened Cu-based bimetal under dry sliding conditions. 2014 , 143, 814-824		8
557	Analysis of the Grain Refinement Mechanism for Commercial Pure Titanium by ECAP and SMAT. 2014 , 937, 162-167		2
556	The Impact of Machining on the Corrosion Behaviour of AA7150-T651 Aluminium Alloy. 2014 , 794-796, 217-222		7
555	Improvement in tribocorrosion behavior of 304 stainless steel by surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2014 , 253, 284-291	4:4	45
554	Effect study and application to improve high cycle fatigue resistance of TC11 titanium alloy by laser shock peening with multiple impacts. <i>Surface and Coatings Technology</i> , 2014 , 253, 68-75	4:4	87
553	Effects of surface nanocrystallization on tribological properties of 316L stainless steel under MoDTC/ZDDP lubrications. 2014 , 79, 42-51		39
552	Effects of Cu content and mechanical alloying parameters on the preparation of W-Cu composite coatings on copper substrate. 2014 , 585, 368-375		35
551	Modeling nitriding enhancement resulting from the NanoPeening treatment of a Pure Iron. 2014 , 63, 012124		7
550	Mechanical nano-structuration of a C45 steel under repeated normal impacts. 2014 , 63, 012019		2
549	Investigation of a new shear deformation method for the production of nanostructures in low-carbon steel. 2014 , 63, 012008		2

548	The role of temperature in the strengthening of Cu-Al alloys processed by surface mechanical attrition treatment. 2015 , 30, 1670-1677		2
547	Electron Backscatter Diffraction and Transmission Kikuchi Diffraction Analysis of an Austenitic Stainless Steel Subjected to Surface Mechanical Attrition Treatment and Plasma Nitriding. 2015 , 21, 919-26		19
546	Simultaneous nitriding for two components of Ti/steel clad sheet. 2015 , 31, 605-611		3
545	Tribocorrosion Behavior of Nanocrystalline Metals — a Review. 2015 , 56, 1759-1763		13
544	Analytical modelling for ultrasonic surface mechanical attrition treatment. 2015 , 5, 077126		7
543	Mechanical Behavior of Ultrafine Gradient Grain Structures Produced via Ambient and Cryogenic Surface Mechanical Attrition Treatment in Iron. 2015 , 5, 976-985		11
542	Gradient nanostructured surface of a Cu plate processed by incremental frictional sliding. 2015 , 89, 012026		2
541	Analysis of the residual stress in zirconium subjected to surface severe plastic deformation. 2015 , 21, 260-269		6
540	Investigation of indentation-, impact- and scratch-induced mechanically affected zones in a copper single crystal. 2015 , 343, 344-353		6
539	Investigation of Controllable Parameters of Mechanical Treatment on Aluminum-Based Composite in Marine Application. 2015 , 813, 307-314		
538	Relationship between microstructure and properties for ultrasonic surface mechanical attrition treatment. 2015 , 103, 45-48		20
537	Effect of oxide layers and near surface transformations on friction and wear during tool steel and boron steel interaction at high temperatures. <i>Wear</i> , 2015 , 330-331, 223-229	3.5	46
536	Influence of Surface Nanocrystallization on Ti Ion Implantation of Pure Iron. 2015 , 31, 305-310		5
535	Modeling the Nitrogen Diffusion Enhancement Resulting from a NanoPeening Treatment on a Pure Iron —Influence of the Grain Morphology. 2015 , 363, 178-185		2
534	Grain Boundary Diffusion in Severely Deformed Metals: State of the Art and Unresolved Issues. 2015 , 5, 57-73		15
533	Ultrahigh Strength Copper Obtained by Surface Mechanical Attrition Treatment at Cryogenic Temperature. 2015 , 24, 5058-5064		10
532	Thermal Stability of Nanocrystalline AZ31 Magnesium Alloy Fabricated by Surface Mechanical Attrition Treatment. 2015 , 28, 1162-1169		11
531	Enhanced mechanical properties in Cu-Zn alloys with a gradient structure by surface mechanical attrition treatment at cryogenic temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 626, 144-149	5.3	30

530	Fatigue behaviors of AISI 316L stainless steel with a gradient nanostructured surface layer. 2015 , 87, 150-160		289
529	Vacuum Tribological Properties of Titanium with a Nanocrystalline Surface Layer. 2015 , 57, 1		31
528	The influence of the surface roughness on the microstructures and mechanical properties of 6061 aluminium alloy using friction stir welding. <i>Surface and Coatings Technology</i> , 2015 , 270, 272-283	4-4	20
527	Development of Surface Nano-Crystallization in Alloys by Surface Mechanical Attrition Treatment (SMAT). 2015 , 40, 164-181		61
526	Plastic deformation due to interfacial sliding in amorphous/crystalline nanolaminates. 2015 , 109, 266-276		12
525	Microstructural evolution of pure copper subjected to friction sliding deformation at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 639, 448-455	5-3	22
524	The role of shear strain on texture and microstructural gradients in low carbon steel processed by Surface Mechanical Attrition Treatment. 2015 , 108, 100-103		43
523	Formation of nano-laminated structure in nickel by means of surface mechanical grinding treatment. 2015 , 96, 24-36		106
522	Experimental assessment and simulation of surface nanocrystallization by severe shot peening. 2015 , 97, 105-115		115
521	Metal/ceramic interface structures and segregation behavior in aluminum-based composites. 2015 , 95, 254-263		47
520	Effect of bead quantity in ultrasonic shot peening: Surface analysis and numerical simulations. <i>Journal of Materials Processing Technology</i> , 2015 , 225, 413-420	5-3	22
519	The formation mechanisms of surface nanocrystallites in E-type biomedical TiNbZrFe alloy by surface mechanical attrition treatment. 2015 , 347, 553-560		19
518	Electrodeposition of nanocrystalline nickel and cobalt coatings. 2015 , 93, 8-17		25
517	Effects of Cu content on the microstructures and properties of Cr/Cu composite coatings fabricated via mechanical alloying method. 2015 , 277, 36-46		13
516	New Coating Technique for Al/B ₄ C Composite Coatings by Mechanical Milling and Composite Coating. 2015 , 53, 672-679		18
515	Microstructure evolution and mechanical properties of an Mg alloy subjected to surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 630, 146-154	5-3	41
514	Deformation and fracture behavior of commercially pure titanium with gradient nano-to-micron-grained surface layer. 2015 , 25, 738-747		17
513	Immobilization effect of bone morphogenetic protein-2 on collagen membrane via photoreactive gelatin derivatives: Biocompatibility and preservability of osteoinductive activity. 2015 , 23, 525-530		1

512	Enhancing the mechanical and biological performance of a metallic biomaterial for orthopedic applications through changes in the surface oxide layer by nanocrystalline surface modification. 2015 , 7, 7704-16			52
511	Surface Nanocrystallization of EN8 Steel: Correlation of Change in Material Characteristics with Corrosion Behavior. 2015 , 162, C285-C293			7
510	A Computational Method of Residual Stress Calculation for Incremental Hole-Drilling Method Utilized Composite Materials. 2015 , 813, 94-101			
509	Numerical analysis of highly reactive interfaces in processing of nanocrystallised multilayered metallic materials by using duplex technique. <i>Surface and Coatings Technology</i> , 2015 , 277, 170-180	4-4		3
508	Effect of LASER shock peening on microstructure, mechanical properties and corrosion behavior of interstitial free steel. <i>Surface and Coatings Technology</i> , 2015 , 280, 216-224	4-4		52
507	An Aluminide Surface Layer Containing Lower-Al on Ferritic-Martensitic Steel Formed by Lower-Temperature Aluminization. 2015 , 31, 1268-1273			8
506	Gradient structure produced by three roll planetary milling: Numerical simulation and microstructural observations. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 639, 165-172	5-3		40
505	Surface Integrity and Carbon Chemical Vapor Deposition on Nickel Foil: Surface Abrasive Treatment. 2015 , 4, M51-M59			
504	Research on Surface Nanocrystallization of Surfacing Layer by Pre-loading Rolling Technology. 2015 , 163, 54-63			
503	Size effect and atomistic deformation mechanisms of hierarchically nanotwinned fcc metals under nanoindentation. 2015 , 50, 7557-7567			17
502	3D cohesive modeling of nanostructured metallic alloys with a Weibull random field in torsional fatigue. 2015 , 101-102, 227-240			7
501	Enhanced Grain Refining Efficiency Assisted by Martensitic Transformation in Metastable Titanium Alloy. 2015 , 44, 1601-1606			4
500	Redesign of Indonesian-made osteosynthesis plates to enhance their mechanical behavior. 2015 , 42, 274-81			4
499	Layer wise evolution of the Cu-Zn alloy microstructure after sandblasting. 2015 , 327, 1-6			7
498	The influence of nanocrystalline structure and processing route on corrosion of stainless steel: A review. 2015 , 92, 1-15			185
497	Effect of bombarding steel with Xe ⁺ ions on the surface nanostructure and on pulsed plasma nitriding process. 2015 , 149-150, 261-269			10
496	Characterization of surface layer in TC17 alloy treated by air blast shot peening. 2015 , 65, 120-126			62
495	Formation of nanolaminated structure in an interstitial-free steel. 2015 , 95, 54-57			44

494	Microstructure and Antiwear Property of Laser Cladding Ni-Co Duplex Coating on Copper. 2016 , 9,		13
493	Role of surface mechanical attrition treatment and chemical etching on plasma nitriding behavior of AISI 304L steel. <i>Surface and Coatings Technology</i> , 2016 , 304, 413-424	4-4	27
492	Microstructure Characteristic and Electrochemical Corrosion Behavior of Surface Nano-crystallization Modified Carbon Steel. 2016 , 23, 1281-1289		8
491	Back stress strengthening and strain hardening in gradient structure. 2016 , 4, 145-151		396
490	Surface nanocrystallization of metallic alloys with different stacking fault energy induced by laser shock processing. <i>Materials and Design</i> , 2016 , 104, 320-326	8.1	71
489	A gradient nanostructure generated in pure copper by platen friction sliding deformation. 2016 , 117, 41-45		40
488	Effect of electropulsing on surface mechanical properties and microstructure of AISI 304 stainless steel during ultrasonic surface rolling process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 662, 456-467	5.3	51
487	Combining gradient structure and TRIP effect to produce austenite stainless steel with high strength and ductility. 2016 , 112, 337-346		179
486	Effect of surface nanostructuring on corrosion behavior of Ti-6Al-4V alloy. 2016 , 121, 23-30		36
485	Ultrasonic studies of texture inhomogeneities in pressure vessel steel subjected to ultrasonic impact treatment and shock compression. <i>Surface and Coatings Technology</i> , 2016 , 307, 693-701	4.4	6
484	Jet electrodeposition of nanocrystalline nickel assisted by controllable friction. <i>Surface and Coatings Technology</i> , 2016 , 305, 231-240	4.4	22
483	On the effectiveness of surface severe plastic deformation by shot peening at cryogenic temperature. 2016 , 389, 1169-1174		33
482	Microstructures and properties of Cr/Cu/W/Cu bi-layer composite coatings prepared by mechanical alloying. 2016 , 107, 544-552		2
481	Effect of electropulsing-ultrasonic surface treatment on the surface properties and the corrosion behavior of 45 steel. 2016 , 31, 2114-2124		1
480	Microstructure evolution during helium irradiation and post-irradiation annealing in a nanostructured reduced activation steel. 2016 , 479, 323-330		15
479	Synergetic strengthening far beyond rule of mixtures in gradient structured aluminum rod. 2016 , 122, 106-109		58
478	A novel method for development of hard nano crystalline surface through SMAT and mechanical alloying. 2016 , 3, 1968-1976		6
477	High strength and high ductility copper obtained by topologically controlled planar heterogeneous structures. 2016 , 124, 103-107		26

476	Stabilizing nanostructures in metals using grain and twin boundary architectures. 2016 , 1,		455
475	Nanoscale self-organization reaction in Cu–Ag alloys subjected to dry sliding and its impact on wear resistance. 2016 , 100, 420-429		21
474	Surface nanocrystallization and its effect on fatigue performance of high-strength materials treated by ultrasonic rolling process. 2016 , 83, 123-131		29
473	Assessment of mechanical property gradients after impact-based surface treatment: application to pure Iron. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 667, 189-198	5.3	17
472	Strength and ductility of gradient structured copper obtained by surface mechanical attrition treatment. <i>Materials and Design</i> , 2016 , 105, 89-95	8.1	74
471	Enhanced mechanical properties of medium carbon steel casting via friction stir processing and subsequent annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 670, 153-158	5.3	25
470	Synergetic effect of thicker nanocrystalline structure with high amount of strain induced martensite on surface characteristics of plasma nitrided austenitic stainless steel. <i>Surface and Coatings Technology</i> , 2016 , 302, 265-274	4.4	3
469	Enhanced attachment of human mesenchymal stem cells on nanograined titania surfaces. 2016 , 6, 55825-55833		2
468	Enhanced bonding property of cold-sprayed Zn-Al coating on interstitial-free steel substrate with a nanostructured surface layer. 2016 , 385, 341-348		25
467	Mechanical behavior and deformation kinetics of gradient structured Cu-Al alloys with varying stacking fault energy. 2016 , 687, 152-160		18
466	Effects of pre-formed nanostructured surface layer on oxidation behaviour of 9Cr2WVTa steel in air and liquid Pb–Bi eutectic alloy. 2016 , 102, 301-309		23
465	Microstructure and tensile behaviour of pure titanium produced after high-energy shot peening. <i>Materials Science and Technology</i> , 2016 , 32, 1323-1329	1.5	11
464	The Role of Surface Structure in Normal Contact Stiffness. 2016 , 56, 359-368		41
463	Strain hardening behaviors and strain rate sensitivity of gradient-grained Fe under compression over a wide range of strain rates. 2016 , 95, 71-82		15
462	Enhanced strength and plasticity of gas nitrided iron by surface mechanical attrition pretreatment. <i>Surface and Coatings Technology</i> , 2016 , 286, 279-284	4.4	10
461	Fine surface microstructure of Fe–3Al alloy after severe plastic deformation. 2016 , 171, 133-136		4
460	Plasma nitriding of AISI 2205 steel: effects of surface mechanical attrition treatment and chemical etching. 2016 , 32, 61-68		10
459	Effect of Ultrasonic Shot Peening on Surface Microstructure and Fatigue Behavior of Structural Alloys. 2016 , 69, 295-301		13

458	Surface Modification of Oilfield Alloys by Ultrasonic Impact Peening: UNS N07718, N07716, G41400, and S17400. 2016 , 25, 338-347		11
457	Enhancement of siliconizing behaviors in pure iron induced by surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2017 , 309, 462-470	4-4	12
456	In situ coating of low carbon steel with Ni Al Fe powder mixture via mechanical alloying. <i>Surface and Coatings Technology</i> , 2017 , 315, 268-273	4-4	11
455	Characterization of the near-surface nanocrystalline microstructure of ultrasonically treated Ti-6Al-4V using ASTARâprecession electron diffraction technique. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 688, 524-531	5-3	9
454	High-rate squeezing process of bulk metallic glasses. 2017 , 7, 45051		7
453	Enhanced mechanical behaviors of gradient nano-grained austenite stainless steel by means of ultrasonic impact treatment. 2017 , 7, 1412-1421		32
452	Influence of charged defects on the interfacial bonding strength of tantalum- and silver-doped nanograined TiO. 2017 , 19, 11881-11891		8
451	Surface self-nanocrystallization of #titanium alloy by surface mechanical grinding treatment. 2017 , 23, 512-518		12
450	Design, analysis and testing of a new piezoelectric tool actuator for elliptical vibration turning. 2017 , 26, 085008		11
449	Fabrication and Characterization of Ni-SiC Nanocomposite Coatings on Al Substrates by Ball Impact Deposition Method. 2017 , 48, 4180-4192		8
448	Enhanced fatigue property by suppressing surface cracking in a gradient nanostructured bearing steel. 2017 , 5, 258-266		30
447	Stress/strain gradient plasticity model for size effects in heterogeneous nano-microstructures. 2017 , 97, 46-63		35
446	Effect of Ultrasonic Impact Treating on Wear Resistance and Microhardness of AZ91D Magnesium Alloy. 2017 , 46, 17-22		6
445	Effect of surface mechanical attrition treatment on low cycle fatigue properties of an austenitic stainless steel. 2017 , 103, 309-317		43
444	Investigation into nanoscratching mechanical response of AlCrCuFeNi high-entropy alloys using atomic simulations. 2017 , 416, 470-481		56
443	Mechanical properties and deformation mechanism of Mg-Al-Zn alloy with gradient microstructure in grain size and orientation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 694, 98-109	5-3	30
442	Accelerated precipitation and growth of phases in an Al-Zn-Mg-Cu alloy processed by surface abrasion. 2017 , 131, 233-245		47
441	A Novel Method for Achieving Gradient Microstructure in a CuâAl Alloy: Surface Spinning Strengthening (3S). 2017 , 30, 212-217		11

440	Influence of SMAT Parameters on Microstructural and Mechanical Properties of Al-Mg-Si Alloy AA 6061. 2017 , 26, 1947-1957			2
439	Towards strength&ductility synergy through the design of heterogeneous nanostructures in metals. 2017 , 20, 323-331			425
438	Incorporating the principles of shot peening for a better understanding of surface mechanical attrition treatment (SMAT) by simulations and experiments. <i>Materials and Design</i> , 2017 , 116, 365-373	8.1		45
437	Tensile properties and surface nanocrystallization analyses of H62 brass subjected to room-temperature and warm laser shock peening. 2017 , 698, 633-642			36
436	Experimental study of microstructure changes due to low cycle fatigue of a steel nanocrystallised by Surface Mechanical Attrition Treatment (SMAT). 2017 , 124, 117-121			30
435	Grain rotations during uniaxial deformation of gradient nano-grained metals using crystal plasticity finite element simulations. 2017 , 16, 41-48			15
434	The deformation behavior of AZ31 Mg alloy with surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 707, 636-646	5.3		42
433	Inhomogeneity of plastic deformation in austenitic stainless steel after surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2017 , 329, 202-211	4.4		5
432	Influence of the ultrasonic surface rolling process on stress corrosion cracking susceptibility of high strength pipeline steel in neutral pH environment. 2017 , 7, 36876-36885			6
431	Deformation behavior and formability of gradient nano-grained AISI 304 stainless steel processed by ultrasonic impact treatment. 2017 , 32, 1147-1155			2
430	Enhanced Pitting Corrosion Resistance of 304 SS in 3.5 wt% NaCl by Ultrasonic Nanocrystal Surface Modification. 2017 , 164, C682-C689			11
429	Preparation and characterization of ultra-refined expanded martensite ϵ -N. <i>Surface and Coatings Technology</i> , 2017 , 326, 216-223	4.4		4
428	Microstructural evolution and mechanical properties of a 5052 Al alloy with gradient structures. 2017 , 32, 4443-4451			20
427	Surface strengthening behaviors of four structural steels processed by surface spinning strengthening. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 704, 262-273	5.3		16
426	Microstructural and hardness gradients in Cu processed by high pressure surface rolling. 2017 , 219, 012025			1
425	The effect of surface contamination on corrosion performance of ultrasonic shot peened 7150 Al alloy. <i>Surface and Coatings Technology</i> , 2017 , 328, 469-479	4.4		33
424	Delayed atom diffusion at the interface of Fe ₃ Al/Al. 2017 , 209, 185-187			
423	Ultrafine grain formation and coating mechanism arising from a blast coating process: A transmission electron microscopy analysis. 2017 , 49, 1271-1278			3

4 ²²	Role and effect of mechanical polishing on the enhancement of the duplex mechanical attrition/plasma nitriding treatment of AISI 316L steel. <i>Surface and Coatings Technology</i> , 2017 , 325, 454-461	44	12
4 ²¹	Superhydrophobic NiTi shape memory alloy surfaces fabricated by anodization and surface mechanical attrition treatment. 2017 , 425, 594-602		7
4 ²⁰	Gradient shear banding in a magnesium alloy induced by sliding friction treatment. 2017 , 143, 95-97		10
4 ¹⁹	An investigation of the properties of conventional and severe shot peened low alloy steel. 2017 , 4, 076501		8
4 ¹⁸	Bauschinger Effect and Back Stress in Gradient Cu-Ge Alloy. 2017 , 48, 3943-3950		18
4 ¹⁷	Enhanced quasi-static and dynamic shear properties by heterogeneous gradient and lamella structures in 301 stainless steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 680, 305-316	5-3	21
4 ¹⁶	Microstructure Evolution and Mechanical Properties of a SMATed Mg Alloy under In Situ SEM Tensile Testing. 2017 , 33, 224-230		30
4 ¹⁵	Optimizing ductility and fracture of amorphous metal thin films on polyimide using multilayers. 2017 , 204, 129-142		8
4 ¹⁴	Shot peening in a novel centrifugal air blast reactor. 2017 , 33, 667-678		5
4 ¹³	Combined effect of shot peening, subcritical austenitic nitriding, and cryo-treatment on surface modification of AISI 4140 steel. 2017 , 32, 349-354		7
4 ¹²	Low friction and high strength of 316L stainless steel tubing for biomedical applications. 2017 , 71, 176-185		29
4 ¹¹	Elucidating microstructural evolution and strengthening mechanisms in nanocrystalline surface induced by surface mechanical attrition treatment of stainless steel. 2017 , 122, 138-151		76
4 ¹⁰	On strain hardening mechanism in gradient nanostructures. 2017 , 88, 89-107		127
4 ⁰⁹	Mechanical and tribological behaviors of the tribo-layer with nanocrystalline structure during sliding contact: Experiments and model assessment. 2017 , 108, 354-363		17
4 ⁰⁸	Detection of structural changes and mechanical properties of light alloys after severe plastic deformation. 2017 , 919, 012012		1
4 ⁰⁷	Experimental Research on Microhardness and Wear Resistance of MB8 Magnesium Alloy Treated by Ultrasonic Impact. 2017 , 46, 1798-1802		3
4 ⁰⁶	Formation mechanism and mechanical properties of surface nanocrystallized Ti-6Al-4V alloy processed by surface mechanical attrition treatment. 2017 , 1		3
4 ⁰⁵	Effect of surface nanocrystallization layer on formation process of low temperature ion sulphurizing layer. 2017 , 182, 21-29		

404	2.7 Recent Advances in Mechanical Surface Treatment. 2017 , 171-179		3
403	Surface nanocrystallization of C45E4 steel by ultrafast electropulsing-ultrasonic surface treatment. 2017 , 32, 1426-1432		1
402	Diffusion and surface alloying of gradient nanostructured metals. 2017 , 8, 547-560		14
401	A gradient surface produced by combined electroplating and incremental frictional sliding. 2017 , 219, 012048		
400	Investigation of graded strengthened hyper-deformed surfaces by impact treatment: micro-percussion testing. 2017 , 194, 012024		
399	The plastic flow machining: A new SPD process for producing metal sheets with gradient structures. 2018 , 138, 208-214		13
398	Improvements in Mechanical Properties of Spring Steel Through Surface Tempering and Hardening Assisted by SMAT. 2018 , 71, 1543-1552		3
397	A comparison of AA2024 and AA7150 subjected to ultrasonic shot peening: Microstructure, surface segregation and corrosion. <i>Surface and Coatings Technology</i> , 2018 , 337, 552-560	4-4	30
396	Surface-modified steel sheets and corrugated panels in three-point bending. 2018 , 142-143, 10-20		6
395	Superior strength and ductility of 316L stainless steel with heterogeneous lamella structure. 2018 , 53, 10442-10456		102
394	Axial-torsional high-cycle fatigue of both coarse-grained and nanostructured metals: A 3D cohesive finite element model with uncertainty characteristics. 2018 , 195, 30-43		5
393	Plane stress fracture toughness of cryorolled 6082 Al alloy. 2018 , 95, 28-41		3
392	Enhanced repeated frictional sliding properties in 304 stainless steel with a gradient nanostructured surface. <i>Surface and Coatings Technology</i> , 2018 , 339, 14-19	4-4	9
391	Epidermis Microstructure Inspired Graphene Pressure Sensor with Random Distributed Spinosum for High Sensitivity and Large Linearity. 2018 , 12, 2346-2354		361
390	High-order hierarchical nanotwins with superior strength and ductility. 2018 , 149, 397-406		45
389	Strain-induced formation of a gradient nanostructured surface layer on an ultrahigh strength bearing steel. 2018 , 34, 1676-1684		9
388	Effect of gradient-structure versus uniform nanostructure on hydrogen storage of Ti-V-Cr alloys: Investigation using ultrasonic SMAT and HPT processes. 2018 , 737, 337-346		21
387	Influence of the surface mechanical attrition treatment (SMAT) on the corrosion behavior of Co28Cr6Mo alloy in Ringerâs solution. 2018 , 22, 1091-1098		13

386	Grain size effects on indentation-induced plastic deformation and amorphization process of polycrystalline silicon. 2018 , 144, 113-119		14
385	Bistable metallic materials produced by nanocrystallization process. <i>Materials and Design</i> , 2018 , 141, 374-383	8.1	11
384	Grain size gradient and length scale effect on mechanical behaviors of surface nanocrystalline metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 725, 1-7	5.3	13
383	Aluminizing mechanism on a nickel-based alloy with surface nanostructure produced by laser shock peening and its effect on fatigue strength. <i>Surface and Coatings Technology</i> , 2018 , 342, 29-36	4.4	21
382	Influence of Surface Mechanical Attrition Treatment on the oxidation behaviour of 316L stainless steel. 2018 , 136, 188-200		35
381	Microstructural and micromechanical investigations of surface strengthening mechanisms induced by repeated impacts on pure iron. <i>Materials and Design</i> , 2018 , 147, 56-64	8.1	15
380	Effect of cryogenic temperatures and processing parameters on gradient-structure of a stainless steel treated by ultrasonic surface mechanical attrition treatment. 2018 , 139, 197-207		27
379	ENHANCEMENT OF MECHANICAL PROPERTIES AND CORROSION RESISTANCE OF LOW-CARBON STEEL WITH GRADIENT MICROSTRUCTURE BY IMPACT PEENING AND RECOVERY TREATMENT. 2018 , 25, 1850048		1
378	Nanocrystalline gradient engineering: Grain evolution and grain boundary networks. 2018 , 141, 282-292		4
377	Finite element multi-impact simulations using a crystal plasticity law based on dislocation dynamics. 2018 , 101, 42-57		15
376	The effect of nanocrystallized surface on the tribocorrosion behavior of 304L stainless steel. <i>Wear</i> , 2018 , 394-395, 71-79	3.5	18
375	Effect of surface nanocrystallisation on the microstructure and wear resistance of vacuum carburised alloy. <i>Materials Science and Technology</i> , 2018 , 34, 220-228	1.5	5
374	Effects of grain size on the microstructures and mechanical properties of 304 austenitic steel processed by torsional deformation. 2018 , 105, 93-97		26
373	Improvement in tribological behavior of commercial pure titanium (CP-Ti) by surface mechanical attrition treatment (SMAT). 2018 , 119, 744-752		43
372	Molecular dynamics simulations of tensile deformation of gradient nano-grained copper film. 2018 , 142, 389-394		18
371	Localized corrosion behaviour of AA7150 after ultrasonic shot peening: Corrosion depth vs. impact energy. 2018 , 130, 218-230		46
370	Effect of Surface Nanocrystallization on Corrosion Resistance of the Conformed Cu-0.4%Mg Alloy in NaCl Solution. 2018 , 8, 765		3
369	Finite element analysis of strain gradients in aluminium alloy sheets processed by asymmetric rolling. 2018 , 15, 129-136		6

368	Influence of deformation conditions on the inhomogeneity of plastic flow of structurally graded bimetal systems. 2018 , 15, 1649-1655		1
367	Fabrication of Co-Ni-P film with excellent wear and corrosion resistance by electroplating with supercritical CO ₂ emulsion. 2018 , 28, 2489-2498		10
366	Surface Nanocrystallization of 7A52 Aluminum Alloy Welded Joint by Aging and Ultrasonic Impact Compound Treatment. 2018 , 47, 2637-2641		9
365	Development of severe plastic deformation methods for the production of contact wires from a Cu-Zr alloy for high-speed railways. 2018 , 447, 012088		3
364	Enhancement of Hot Corrosion Resistance of Modified 9Cr-1Mo Steel Through Surface Nanostructuring and Pre-oxidation. 2018 , 27, 6443-6457		5
363	Eliminating deformation incompatibility in composites by gradient nanolayer architectures. 2018 , 8, 16216		6
362	Dislocation plasticity reigns in a traditional twinning-induced plasticity steel by in situ observation. 2018 , 3, 48-53		16
361	Enhanced fatigue performance and surface mechanical properties of AISI 304 stainless steel induced by electropulsing-assisted ultrasonic surface rolling process. 2018 , 33, 3827-3840		8
360	Precipitation Behavior of IN718 After Surface Mechanical Attrition Treatment (SMAT) and Its Effect on Wear Properties. 2018 , 70, 2667-2676		3
359	Characterization of nanocrystallised multilayered metallic materials produced by the SMAT followed by constrained compression. 2018 , 145, 250-257		4
358	An Energetic Approach to Predict the Effect of Shot Peening-Based Surface Treatments. 2018 , 8, 190		8
357	Improving Contact Load-Bearing Resistance of Ultrafine- Grained Materials Through Multilayering and Grading. 2018 ,		
356	Strengthening mechanism of gradient nanostructured body-centred cubic iron film: From inverse Hall-Petch to classic Hall-Petch. 2018 , 152, 236-242		12
355	Evaluating the fatigue cracking risk of surface strengthened 50CrMnMoVNb spring steel with abnormal life time distribution. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 732, 192-204	5.3	13
354	Comparative study of the effects of surface mechanical attrition treatment and conventional shot peening on low cycle fatigue of a 316L stainless steel. <i>Surface and Coatings Technology</i> , 2018 , 349, 556-566	4.4	41
353	Optical Characterization of Nanomaterials. 2018 , 269-299		8
352	FEM Simulation of Influence of Asymmetric Cold Rolling on Through-Thickness Strain Gradient in Low-Carbon Steel Sheets. 2018 , 385, 455-460		2
351	The influence of the sandblasting as a surface mechanical attrition treatment on the electrochemical behavior of carbon steel in different pH solutions. <i>Surface and Coatings Technology</i> , 2018 , 352, 112-119	4.4	29

350	Impact of surface topography and coating on osteogenesis and bacterial attachment on titanium implants. 2018 , 9, 2041731418790694		87
349	Abnormal grain coarsening mechanism in conical nickel. 2018 , 768, 613-617		6
348	The Portevin-Le Châtelier effect of gradient nanostructured 5182 aluminum alloy by surface mechanical attrition treatment. 2018 , 34, 2307-2315		18
347	Constitutive modeling of TWIP/TRIP steels and numerical simulation of single impact during Surface Mechanical Attrition Treatment. 2018 , 122, 69-75		7
346	Surface Severe Plastic Deformation of an Orthopedic Ti-Nb-Sn Alloy Induces Unusual Precipitate Remodeling and Supports Stem Cell Osteogenesis through Akt Signaling. 2018 , 4, 3132-3142		14
345	Microstructures and Mechanical Properties of Commercially Pure Ti Processed by Rotationally Accelerated Shot Peening. 2018 , 11,		8
344	Surface Nanocrystallization and Amorphization of Dual-Phase TC11 Titanium Alloys under Laser Induced Ultrahigh Strain-Rate Plastic Deformation. 2018 , 11,		11
343	Fatigue Fracture Characteristics of Ti6Al4V Subjected to Ultrasonic Nanocrystal Surface Modification. 2018 , 8, 77		7
342	Local Monte Carlo Method for Fatigue Analysis of Coarse-Grained Metals with a Nanograined Surface Layer. 2018 , 8, 479		
341	Surface strengthening behaviors of pure Cu with heterogeneous microstructures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 727, 192-199	5-3	12
340	Significant improvement in cell adhesion and wear resistance of biomedical Ti type titanium alloy through ultrasonic nanocrystal surface modification. 2018 , 762, 941-949		36
339	Effect of nanostructuring frictional treatment on the properties of high-carbon pearlitic steel. Part I: microstructure and surface properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 734, 506-512	5-3	15
338	Numerical study of grain refinement induced by severe shot peening. 2018 , 146-147, 280-294		23
337	The ball to powder ratio (BPR) dependent morphology and microstructure of tungsten powder refined by ball milling. 2018 , 339, 256-263		11
336	Thermal growth of exclusive alumina scale on a TiAl based alloy: Shot peening effect. 2018 , 143, 76-83		13
335	Establishing the microstructure-strengthening correlation in severely deformed surface of titanium. 2018 , 98, 2095-2119		4
334	Effect of Surface Mechanical Attrition Treatment on the very high cycle fatigue behavior of TC11. 2018 , 165, 09001		4
333	Evolution of grain refinement mechanism in Cu-4wt.%Ti alloy during surface mechanical attrition treatment. 2018 , 763, 835-843		13

332	A novel way to enhance the strength of twinning induced plasticity (TWIP) steels. 2018 , 154, 207-211		35
331	Formability of Ultrafine Grained Metals Produced by Severe Plastic Deformation—An Overview. 2019 , 21, 1800316		11
330	Development of hard and wear resistant surface coating on Ni-Cr-Mo steel by surface mechano-chemical carburization treatment (SMCT). <i>Journal of Materials Processing Technology</i> , 2019 , 263, 285-295	5:3	8
329	FEM simulation of strain gradients induced in metal sheets by special rolling techniques. 2019 ,		
328	Effective design space exploration of gradient nanostructured materials using active learning based surrogate models. <i>Materials and Design</i> , 2019 , 183, 108085	8:1	10
327	Enhanced mechanical properties of a large-size metallic alloy through a gradient microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 764, 138193	5:3	4
326	Surface nanocrystallization and enhanced surface mechanical properties of nickel-based superalloy by coupled electric pulse and ultrasonic treatment. <i>Surface and Coatings Technology</i> , 2019 , 375, 292-302	4:4	11
325	Progress in Mechanical Properties of Gradient Structured Metallic Materials Induced by Surface Mechanical Attrition Treatment. 2019 , 60, 1543-1552		8
324	Effect of surface mechanical attrition treatment on corrosion fatigue behavior of AZ31B magnesium alloy. 2019 , 127, 461-469		22
323	Design of Architected Materials Based on Mechanically Driven Structural and Compositional Patterning. 2019 , 21, 1900487		25
322	Mechanical properties and corrosion behaviors of AZ31 alloy with dual-phase glass-crystal coating. 2019 , 154, 200-211		7
321	Characterization of gradient properties generated by SMAT for a biomedical grade 316L stainless steel. 2019 , 155, 109788		14
320	Characterization and Mechanical Properties of As-Built SLM Ti-6Al-4V subjected to surface mechanical post-treatment. 2019 , 81, 1225-1229		14
319	Enhanced Corrosion Resistance of SA106B Low-Carbon Steel Fabricated by Rotationally Accelerated Shot Peening. 2019 , 9, 872		5
318	Improve stress corrosion cracking resistance and mechanical properties of Al-Zn-Mg-Cu-Zr alloy with heterogeneous lamellae structure produced by high pressure torsion. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2019 , 50, 1273-1281	0:9	1
317	Microstructure and Mechanical Properties of Zamak 3 Alloy Subjected to Sliding Friction Treatment. 2019 , 50, 5888-5895		2
316	Surface finish and properties enhancement of selective laser melted 316L stainless steel by surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2019 , 378, 124993	4:4	21
315	Formation of the gradient microstructure of a new Al alloy based on the Al-Zn-Mg-Fe-Ni system processed by radial-shear rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 746, 134-144	5:3	19

- 314 Strain-Induced Refinement and Extension of Solubility in Cu-1Cr-0.1Zr (wt.%) Alloy Subjected to Surface Mechanical Attrition Treatment. **2019**, 71, 4153-4161
- 313 The Effect of Surface Self-Nanocrystallization on Low-Temperature Gas Carburization for AISI 316L Steel. **2019**, 795, 137-144
- 312 Determination of mechanical properties of pure zirconium processed by surface severe plastic deformation through nanoindentation. **2019**, 38, 824-831 5
- 311 Functionally graded titanium implants: Characteristic enhancement induced by combined severe plastic deformation. **2019**, 14, e0221491 30
- 310 Mechanical Properties of Pure Titanium Processed by Cryogenic Rolling and Annealing. **2019**, 60, 513-518 1
- 309 Mechanical behaviour of AZ31 magnesium alloy with the laminate and gradient structure. **2019**, 99, 3059-3077 3
- 308 Effective femtosecond laser shock peening on a Mg β Gd alloy at low pulse energy 430 μ J of 1 kHz. **2019**, 7, 529-535 13
- 307 Microstructure Evolution and Some Properties of Hard Magnetic FeCr30Co8 Alloy Subjected to Torsion Combined with Tension. **2019**, 12, 3
- 306 Mechanochemistry of Metal Hydrides: Recent Advances. **2019**, 12, 41
- 305 A novel approach to achieve high yield strength high nitrogen stainless steel with superior ductility and corrosion resistance. **2019**, 242, 91-94 5
- 304 Recent Developments in the Application of Surface Mechanical Attrition Treatments for Improved Gradient Structures: Processing Parameters and Surface Reactivity. **2019**, 60, 1344-1355 15
- 303 Datasets on the corrosion behaviour of nanostructured AISI 316 stainless steel treated by SMAT. **2019**, 25, 104033 14
- 302 Improving mechanical properties for pure irons by local surface mechanical attrition treatment. *Materials Science and Technology*, **2019**, 35, 1257-1264 1.5 3
- 301 Strength-ductility modulation via surface severe plastic deformation and annealing. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2019**, 761, 138023 5.3 17
- 300 Metallophysical Foundations of Nanostructuring Frictional Treatment of Steels. **2019**, 120, 303-311 10
- 299 Enhanced surface strengthening of titanium treated by combined surface deep-rolling and oxygen boost diffusion technique. **2019**, 157, 256-267 9
- 298 The mechanism of surface nanocrystallization during plasma nitriding. **2019**, 488, 462-467 13
- 297 Oxide dependent wear mechanisms of titanium against a steel counterface: Influence of SMAT nanostructured surface. *Wear*, **2019**, 430-431, 245-255 3.5 14

296	Enhanced Wear Resistance of 316 L Stainless Steel with a Nanostructured Surface Layer Prepared by Ultrasonic Surface Rolling. 2019 , 9, 276		3
295	Enhanced Passivation Layer by Cr Diffusion of 301 Stainless Steel Facilitated by SMAT. 2019 , 21, 1900125		21
294	Combining surface mechanical attrition treatment with friction stir processing to optimize the mechanical properties of a magnesium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 756, 184-189	5:3	9
293	Accelerated biodegradation and improved mechanical performance of pure iron through surface grain refinement. 2019 , 98, 88-102		24
292	Obtaining hexagon-shaped billets of copper with gradient structure by twist extrusion. 2019 , 153, 215-223		13
291	Characterization of the Corrosion of Nanostructured 17-4 PH Stainless Steel by Surface Mechanical Attrition Treatment (SMAT). 2019 , 52, 2454-2471		17
290	Degradation of Mechanically Surface Treated AZ31B Magnesium Alloy in 3.5 wt.% NaCl Solution. 2019 , 948, 237-242		2
289	Surface layer characteristics of SAF2507 duplex stainless steel treated by stress shot peening. 2019 , 481, 226-233		8
288	Thermal and microstructural stability of nanostructured surface of the aluminium alloy 7075. 2019 , 151, 242-251		5
287	Severe Plastic Deformation as a Way to Produce Architected Materials. 2019 , 231-255		5
286	Fretting fatigue characteristics of Ti-6Al-4V alloy with a gradient nanostructured surface layer induced by ultrasonic surface rolling process. 2019 , 125, 249-260		40
285	Improving fatigue performance of Ti-6Al-4V alloy via ultrasonic surface rolling process. 2019 , 35, 1555-1562		42
284	Influence of ultrasonic rolling on surface integrity and corrosion fatigue behavior of 7B50-T7751 aluminum alloy. 2019 , 125, 237-248		33
283	A Coupled EBSD/TEM Analysis of the Microstructure Evolution of a Gradient Nanostructured Ferritic/Martensitic Steel Subjected to Surface Mechanical Attrition Treatment. 2019 , 12,		7
282	Tailoring tensile ductility of thin film by grain size graded substrates. 2019 , 166, 124-134		6
281	Nanoindentation characterization of the surface mechanical properties of a 17-4PH stainless steel substrate treated with grit blasting and coated with a Cr3C2-NiCr coating. <i>Surface and Coatings Technology</i> , 2019 , 368, 119-125	4:4	5
280	Investigation of ductile damage during surface mechanical attrition treatment for TWIP steels using a dislocation density based viscoplasticity and damage models. 2019 , 129, 279-289		18
279	Effects of Different Mechanical Surface Enhancement Techniques on Surface Integrity and Fatigue Properties of Ti-6Al-4V: A Review. 2019 , 44, 445-469		9

278	Deformation mechanism and dynamic precipitation in a Mg-7Al-2Sn alloy processed by surface mechanical attrition treatment. 2019 , 35, 1473-1478		6
277	Hardness and wear behavior of surface mechanical attrition treated titanium. 2019 , 6, 065003		8
276	Effect of Gradient Nanostructures on Tribological Properties of 316L Stainless Steel with High Energy Ion Implantation Tungsten Carbide. 2019 , 62, 189-197		4
275	Relationship between the stress-strain state and the imperfection of the structure of metals with SPD shear. 2019 , 672, 012031		2
274	Anti-buckling design of cylindrical shells by local surface nanocrystallization. 2019 , 531, 012069		
273	Forming of nanostructured Cu-Ni coatings of tool steel H12M after surface machining attrition treatment. 2019 , 666, 012004		
272	Theoretical and experimental study of bistable symmetric shells built by locally nanostructuring an isotropic plate. 2019 , 531, 012018		
271	Mechanical properties of AA6061 aluminium alloy subjected to severe surface mechanical treatment. 2019 , 6, 1165f6		2
270	Gradient Microstructure in a Gear Steel Produced by Pressurized Gas Nitriding. 2019 , 12,		1
269	Experimental and Theoretical Investigation on Bistable Symmetric Shells Built by Locally Nanostructuring Isotropic Rectangular Plates. 2019 , 19, 1950141		2
268	On the Use of Functionally Graded Materials to Differentiate the Effects of Surface Severe Plastic Deformation, Roughness and Chemical Composition on Cell Proliferation. 2019 , 9, 1344		7
267	Effects of Torsional Deformation on the Mechanical Properties and Microstructures of a Commercial Pure Copper. 2019 , 28, 543-548		5
266	Improved fatigue resistance of gradient nanograined Cu. 2019 , 166, 56-66		51
265	Surface modification of high carbon steel through microstructural engineering. 2019 , 148, 116-122		6
264	Enhanced in-vitro osteoblastic functions on β -type titanium alloy using surface mechanical attrition treatment. 2019 , 97, 688-697		19
263	Investigation into Plastic Deformation and Machining-Induced Subsurface Damage of High-Entropy Alloys. 2019 , 23-52		1
262	Non-equiatomic FeNiCoAl-based high entropy alloys with multiscale heterogeneous lamella structure for strength and ductility. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 743, 361-371	5-3	24
261	Gradient nanostructure evolution and phase transformation of β phase in Ti-6Al-4V alloy induced by ultrasonic surface rolling process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 742, 820-834	5-3	46

260	Multiscale Dislocation-Based Plasticity. 2019 , 51-85		1
259	Slip, twinning and twin-twin interaction in a gradient structured titanium. 2019 , 149, 52-62		17
258	The influence of stacking fault energy on mechanical properties of Cu-Al-Zn alloys processed by surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 744, 235-240	5:3	5
257	Enhanced Surface Properties and Microstructure Evolution of Cr12MoV Using Ultrasonic Surface Rolling Process Combined with Deep Cryogenic Treatment. 2019 , 28, 1132-1140		9
256	Various configurations and transition strategies of nanostructure induced bistable disks. 2019 , 160, 80-95		7
255	Effect of stacking fault energy on microstructural feature and back stress hardening in Cu-Al alloys subjected to surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 740-741, 235-242	5:3	10
254	Investigation of crack initiation mechanisms responsible for the fish eye formation in the Very High Cycle Fatigue regime. 2019 , 119, 320-329		10
253	Origin of strengthening-softening trade-off in gradient nanostructured body-centred cubic alloys. 2019 , 775, 270-280		8
252	Effect of combined shot peening and ultrasonic nanocrystal surface modification processes on the fatigue performance of AISI 304. <i>Surface and Coatings Technology</i> , 2019 , 358, 695-705	4:4	62
251	Numerical and experimental comparison of two nano-structuring processing techniques on making stronger stainless steels. 2020 , 24, 100419		
250	Effect of Gradient Nanostructure on Plasma Sulfitrocarburizing of 42MnCr52 Steel. 2020 , 63, 133-143		2
249	High temperature oxidation behaviour of AISI 321 stainless steel with an ultrafine-grained surface at 800 °C in Ar+20 vol.% O ₂ . 2020 , 163, 108282		12
248	Mechanical Properties and Microstructures of Commercial-Purity Aluminum Processed by Rotational Accelerated Shot Peening Plus Cold Rolling. 2020 , 22, 1900478		6
247	Mechanical and corrosion fatigue behaviors of gradient structured 7B50-T7751 aluminum alloy processed via ultrasonic surface rolling. 2020 , 40, 88-98		18
246	Investigation on microstructure and properties of AlxCoCrFeMnNi high entropy alloys by ultrasonic impact treatment. 2020 , 816, 152626		22
245	Microstructural evolution of AZ31 Mg alloy with surface mechanical attrition treatment: Grain and texture gradient. 2020 , 823, 153691		39
244	In-situ EBSD investigation of thermal stability of a 316L stainless steel nanocrystallized by Surface Mechanical Attrition Treatment. 2020 , 263, 127249		2
243	Cyclic deformation and fatigue behavior of 316L stainless steel processed by surface mechanical rolling treatment. 2020 , 134, 105469		15

242	A good combination of strength and ductility of ultra-coarse-grained Cu-Al alloy with coarse-grained surface layer via pre-torsional treatment. 2020 , 129, 102783		5
241	Effective Surface Nano-Crystallization of NiFeCoMoV Medium Entropy Alloy by Rotationally Accelerated Shot Peening (RASP). 2020 , 22,		3
240	An investigation on diffusion bonding of Cu/Cu using various grain size of Ni interlayers at low temperature. 2020 , 14, 100882		7
239	Microstructure evolution and residual stress distribution of nanostructured Mg-8Gd-3Y alloy induced by severe shot peening. <i>Surface and Coatings Technology</i> , 2020 , 404, 126465	4-4	4
238	Microstructural Modification and Tensile Behavior of IF Steel Processed through Surface Mechanical Attrition Treatment. 2020 , 72, 4330-4339		3
237	Gradient Microstructure Induced by Surface Mechanical Attrition Treatment (SMAT) in Magnesium Studied Using Positron Annihilation Spectroscopy and Complementary Methods. 2020 , 13,		4
236	Effect of Carbon in Severe Plastically Deformed Metals. 2020 , 22, 2000879		3
235	Microstructural and Passivation Response of Severely Deformed AISI 304 Steel Surface: The Role of Surface Mechanical Attrition Treatment. 2020 , 29, 6898-6911		5
234	Effect of Heterogeneous Surface Structure on Mechanical Properties of Interstitial-Free Steel Subjected to Laser Surface Treatment. 2020 , 29, 6831-6839		
233	Surface nanocrystallized structural steel with enhanced tribological properties under different sliding conditions. <i>Wear</i> , 2020 , 460-461, 203429	3-5	1
232	Wearproof structural and phase status of the surface of preparation of steel 45 after plasma spraying of powder PN85Y15. 2020 , 30, 650-655		0
231	How does surface integrity of nanostructured surfaces induced by severe plastic deformation influence fatigue behaviors of Al alloys with enhanced precipitation?. 2020 , 140, 105792		10
230	Cyclic deformation behavior of gradient structured austenitic stainless steels. 2020 , 770, 012031		
229	Aluminum Surface Inclusions of Insoluble Lead Enhanced through Mechanical Attrition of Al Substrates. 2020 , 835, 93-100		
228	Forming of nanostructured CuâNi coverings of tool steel H12MF after surface machining attrition treatment. 2020 , 30, 619-624		0
227	Mechanical Behavior and Strengthening Mechanisms in Precipitation-Strengthened Aluminum Alloy with Gradient Structure Induced by Sliding Friction Treatment. 2020 , 51, 6207-6221		2
226	Corrosion of Copper in 0.1 M Hydrochloric Acid Solution with Benzotriazole as Corrosion Inhibitor. 2020 , 56, 803-815		3
225	Effects of Ultrasonic Surface Rolling Processing and Subsequent Recovery Treatment on the Wear Resistance of AZ91D Mg Alloy. 2020 , 13,		2

224	A dislocation densityâbased comparative study of grain refinement, residual stresses, and surface roughness induced by shot peening and surface mechanical attrition treatment. 2020 , 108, 505-525		8
223	Local surface nanocrystallization for buckling-resistant thin-walled structures. 2020 , 16, 693-705		0
222	Deformation mechanisms in meta-stable and nitrogen-stabilized austenitic stainless steel during severe surface deformation. 2020 , 12, 100751		5
221	Formation of a Gradient Structure in a Material by Twist Extrusion. 2020 , 2020, 573-578		2
220	A superior strength-ductility combination in gradient structured CuâAlâZn alloys with proper stacking fault energy and processing time. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 789, 139619	5-3	5
219	Effect of Ultrasonic Surface Impact on the Fatigue Properties of Ti3Zr2Sn3Mo25Nb. 2020 , 13,		3
218	Microstructure and mechanical properties of CoCrFeMnNi high entropy alloy with ultrasonic nanocrystal surface modification process. 2020 , 57, 123-130		26
217	Role of surface nanocrystallization on corrosion properties of low carbon steel during surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2020 , 396, 125964	4-4	4
216	Surface hardening treatment of Fe40(CoCrMnNi)60 medium entropy alloy via aerosol deposition technique: A new approach. 2020 , 269, 127633		2
215	He ion irradiation response of a gradient T91 steel. 2020 , 196, 175-190		10
214	Effects of grain and twin boundary on friction and contact characteristics of CuZrAl nanocrystallines. 2020 , 524, 146458		14
213	Production of Gradient Structures in Metals by Means of Severe Plastic Deformation. 2020 , 84, 508-511		2
212	Effect of deformed subsurface on the corrosion resistance of biomedical CoCrMo alloy in simulated physiological solution. 2020 , 55, 13351-13362		3
211	Internal crack characteristics in very-high-cycle fatigue of a gradient structured titanium alloy. 2020 , 10, 4742		5
210	Enhanced Corrosion Behavior and Mechanical Properties of Al-Zn-Mg-Cu Sheet Alloy by Ultrasonic Surface Rolling Treatment. 2020 , 51, 1967-1971		3
209	Determination of surface mechanical property and residual stress stability for shot-peened SAF2507 duplex stainless steel by in situ X-ray diffraction stress analysis. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 7644-7654	5-5	6
208	Development of Methods for Steel Surface Deformation Nanostructuring. 2020 , 62, 61-69		7
207	Influence of Surface Mechanical Attrition Treatment (SMAT) post-treatment on microstructural, mechanical and tensile behaviour of additive manufactured AISI 316L. 2020 , 167, 110463		19

206	Effect of surface mechanical attrition treatment on high cycle and very high cycle fatigue of a 7075-T6 aluminium alloy. 2020 , 139, 105798		17
205	An improvement in fatigue behavior of AISI 4340 steel by shot peening and ultrasonic nanocrystal surface modification. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 791, 139752	5-3	31
204	Mechanical properties and deformation mechanisms of gradient nanostructured metals and alloys. 2020 , 5, 706-723		126
203	Anti-Buckling Design of Rectangular Thin Plate Based on Local Surface Nanocrystallization. 2020 , 975, 103-108		
202	Energy Absorption Analysis and Optimization Design of Local Surface Nanocrystallization Rectangular Tubes. 2020 , 975, 109-114		
201	Surface mechano-chemical case carburising treatment (SMCT) of Ni-Cr-Mo steel: a post-annealing and differential scanning calorimetric (DSC) analysis. 2020 , 6, 338-349		
200	Effect of surface nanocrystallization on low-temperature gas carburization for AISI 316L austenitic stainless steel. 2020 , 182, 104053		5
199	Production of Surface Layer with Gradient Microstructure and Microhardness on Copper by High Pressure Surface Rolling. 2020 , 10, 73		3
198	Surface mechanical attrition treatment of low modulus Ti-Nb-Ta-O alloy for orthopedic applications. 2020 , 110, 110729		15
197	Improving strength-ductility synergy in 301 stainless steel by combining gradient structure and TRIP effect. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 780, 139146	5-3	6
196	Biodegradable Magnesium-Based Implants in Orthopedics-A General Review and Perspectives. 2020 , 7, 1902443		105
195	Surface nanocrystallization of Titanium alloy by ultrasonic shot peening. 2020 , 28, 486-490		7
194	Effect of ultrasonic shot peening duration on microstructure, corrosion behavior and cell response of cp-Ti. 2020 , 104, 106110		14
193	Atomistic simulation study of the grain-size effect on hydrogen embrittlement of nanograined Fe. 2020 , 45, 3294-3306		9
192	Effects of Ultrasonic Surface Rolling on the Localized Corrosion Behavior of 7B50-T7751 Aluminum Alloy. 2020 , 13,		6
191	Design and analysis of additive manufactured bimodal structures obtained by cold spray deposition. 2020 , 33, 101131		10
190	Microstructural characterization and mechanical behavior of ultrasonic impact peened and laser shock peened AISI 316L stainless steel. <i>Surface and Coatings Technology</i> , 2020 , 385, 125403	4-4	22
189	Low-cycle fatigue behavior of austenitic stainless steels with gradient structured surface layer. 2020 , 134, 105481		6

188	Ultrafine-grained W alloy prepared by spark plasma sintering with high thermal stability and excellent irradiation resistance. 2020 , 60, 036006		2
187	Plastic and energy absorption behavior of compressed circular rings with locally nanocrystallized segments. 2020 , 151, 106738		2
186	Microstructure and tensile behavior of nanostructured gradient TWIP steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 785, 139346	5-3	7
185	Effect of Shot Peening Operation on the Microstructure and Wear Behavior of AZ31 Magnesium Alloy. 2020 , 56, 164-168		1
184	On the microstructure evolution and nanocrystalline formation of pearlitic wheel material in a rolling-sliding contact. 2020 , 164, 110333		13
183	Effect of surface mechanical attrition treatment on stainless steel corrosion. 2021 , 37, 739-748		2
182	Heterostructured materials: superior properties from hetero-zone interaction. 2021 , 9, 1-31		160
181	Nanograins on Ti-25Nb-3Mo-2Sn-3Zr alloy facilitate fabricating biological surface through dual-ion implantation to concurrently modulate the osteogenic functions of mesenchymal stem cells and kill bacteria. 2021 , 73, 31-44		1
180	Molecular dynamics studies of the grain-size dependent hydrogen diffusion coefficient of nanograined Fe. 2021 , 46, 5842-5851		5
179	A novel design of thin-walled energy absorption structures with local surface nanocrystallization. 2021 , 160, 107337		5
178	Microstructure and mechanical properties of an MP159 alloy processed by torsional deformation and subsequent annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 802, 140676	5-3	7
177	Electrochemical Impedance Spectroscopic Analyses of the Influence of the Surface Nanocrystallization on the Passivation of Carbon Steel in the Pore Solution. 2021 , 33, 04020419		5
176	Surface Nanostructuring of Metallic Materials for Implant Applications. 2021 , 465-511		1
175	Grain Refinement Modeling Based on Dislocation Density and Optimization for Surface Mechanical Grinding Treatment of Ti-6Al-4V Alloy. 2021 , 11, 281-290		
174	Effects of SMAT at cryogenic and room temperatures on the kink band and martensite formations with associated fatigue resistance in a metastable titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 803, 140618	5-3	8
173	Surface Modification and Biological Approaches for Tackling Titanium Wear-Induced Aseptic Loosening. 2021 , 7, 1		4
172	The tribological behavior of a surface-nanocrystallized magnesium alloy AZ31 sheet after ultrasonic shot peening treatment. 2021 , 9, 1187-1187		8
171	Microstructural and Mechanical Stability of Gradient-Nanostructured Mg-Li Alloy During Thermal Exposure. 2021 , 73, 1173-1179		

170	Microstructure and Wear Resistance of Multi-Layer Ni-Based Alloy Cladding Coating on 316L SS under Different Laser Power. 2021 , 14,			9
169	Nanocrystallization of a Ti40 cladding layer by ultrasonic impact to improve burn resistance. <i>Journal of Materials Research and Technology</i> , 2021 , 11, 1331-1342	5-5		3
168	Microstructure Evolution of Surface Gradient Nanocrystalline by Shot Peening of TA17 Titanium Alloy. 2021 , 52, 1790-1798			2
167	Modeling for Cyclic Plasticity of Gradient Nanostructured Metals and Fatigue Life Prediction. 2021 , 13, 2150021			
166	Effect of Coupling of Eletropulsing Treatment and Ultrasonic Surface Modification on the Surface Nanostructure Layer of Steel. 2021 , 1855, 012021			
165	Fatigue and fracture of nanostructured metals and alloys. 2021 , 46, 258-264			10
164	Microstructure and Tribological Response of Selective Laser Melted AISI 316L Stainless Steel: The Role of Severe Surface Deformation. 2021 , 30, 5170-5183			2
163	Analysis of surface mechanical attrition treated AISI 316L Steel: Variation in nanomechanical response within the treated layer. 2021 , 47, 5542-5542			
162	Enhanced mechanical properties and corrosion resistance of 316L stainless steel by pre-forming a gradient nanostructured surface layer and annealing. 2021 , 208, 116773			13
161	Microstructure evolution and formation of gradient structure in Zr upon surface corrugation rolling treatment. 2021 , 56, 12898-12908			1
160	Dynamic stress propagation induced transition of stress state and microstructure characteristics during high-speed cutting of OFHC copper. 2021 , 115, 2365-2378			1
159	Effect of High-Energy Shot Peening on Surface Nanocrystallization and Integrity of AISI 4140 Steel: A Numerical and Experimental Investigation. 2021 , 30, 5579-5592			0
158	Microstructure and high-temperature wear behaviour of Inconel 625 multi-layer cladding prepared on H13 mould steel by a hybrid additive manufacturing method. <i>Journal of Materials Processing Technology</i> , 2021 , 291, 117036	5-3		9
157	Recent development of thermally assisted surface hardening techniques: A review. 2021 , 2, 100006			4
156	Investigation on grinding-induced dynamic recrystallization behavior of 40Cr alloy steel. 2021 , 867, 158773			1
155	Fatigue behaviors of 2205 duplex stainless steel with gradient nanostructured surface layer. 2021 , 147, 106170			7
154	Surface mechanical attrition treatment of additively manufactured 316L stainless steel yields gradient nanostructure with superior strength and ductility. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 820, 141540	5-3		7
153	Gradient plasticity in gradient nanocrystalline metals: Extra toughness from dislocation migration. 2021 , 158, 103879			3

152	Inclined and multi-directional surface impacts accelerate biodegradation and improve mechanical properties of pure iron. 2021 , 119, 104476		1
151	An investigation on the effect of stacking fault energies on surface mechanical treatment process of AA6061 alloy and ETP-copper. 2021 , 9, 035010		3
150	Enhanced frictional performance in gradient nanostructures by strain delocalization. 2021 , 201, 106458		3
149	TEM evaluation of steel nanocrystalline surfaces obtained by severe shot peening. <i>Surface and Coatings Technology</i> , 2021 , 418, 127238	4.4	6
148	Mechanomaterials: A Rational Deployment of Forces and Geometries in Programming Functional Materials. 2021 , 33, e2007977		10
147	Influences of Shot Peening Parameters on Mechanical Properties and Fatigue Behavior of 316 L Steel: Experimental, Taguchi Method and Response Surface Methodology. 2021 , 27, 4418		4
146	A new approach to monitoring the operational success of shot peening with electromechanical impedance technique. 1		1
145	Strong effect of carbides and alloy elements in gradient nanostructured 32Cr2Mo1VE steel on nitrogen atom diffusion. 2021 , 178, 111274		1
144	Enhanced corrosion resistance of the surface modified Ti-13Nb-13Zr alloy by ultrasonic shot peening. 2021 , 189, 109597		16
143	Nano-Gradient Materials Prepared by Rotary Swaging. 2021 , 11,		5
142	Introduction to Heterostructured Materials: A Fast Emerging Field. 2021 , 52, 4715		4
141	Microstructure and Mechanical Properties of a MP159 Superalloy after Pre-tensile Deformation and Subsequent Annealing. 2100920		1
140	Synthesis of Heterostructured Metallic Films with Precisely Defined Multimodal Microstructures. 2021 , 13, 46097-46104		0
139	Gradient Enhanced Strain Hardening and Tensile Deformability in a Gradient-Nanostructured Ni Alloy. 2021 , 11,		0
138	Gradient Microstructure Design in Stainless Steel: A Strategy for Uniting Strength-Ductility Synergy and Corrosion Resistance. 2021 , 11,		0
137	Modelling the Shear Banding in Gradient Nano-Grained Metals. 2021 , 11,		0
136	Numerical study on laser shock peening of TC4 titanium alloy based on the plate and blade model. 2021 , 142, 107163		1
135	Effects of surface nanocrystallization on the anodic oxidation behavior of Aluminum. 2021 , 4, 100028		

134	Gradient-structured ferrous medium-entropy alloys with enhanced strength-ductility synergy by ultrasonic nanocrystalline surface modification. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 826, 141966	5.3	3
133	Effect of global constraint on the mechanical behavior of gradient materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 826, 141963	5.3	0
132	Evolution of gradient structured layer on AZ91D magnesium alloy and its corrosion behaviour. 2021 , 882, 160659		6
131	Significance of surface layer integrity for sustaining the ductility of gradient-structured nickel. 2021 , 303, 130491		1
130	Effects of ultrasonic surface rolling processing on the corrosion properties of uranium metal. 2021 , 556, 153239		5
129	Microstructure and mechanical properties of additively manufactured CrMnFeCoNi high-entropy alloys after ultrasonic surface rolling process. 2021 , 887, 161393		8
128	Investigation of mechanical properties and microstructural evolution in Cu-Al alloys with gradient structure. 2022 , 890, 161835		0
127	Review of recent developments in surface nanocrystallization of metallic biomaterials. 2021 , 13, 2286-2301		11
126	Effect of stress shot peening on the residual stress field and microstructure of nanostructured Mg-8Gd-3Y alloy. <i>Journal of Materials Research and Technology</i> , 2021 , 10, 74-83	5.5	4
125	Nanomechanical Properties of Zirconium Processed by Means of Surface Mechanical Attrition Treatment. 579-584		1
124	Sphere Packing and Applications to Granular Structure Modeling. 2008 , 1-18		6
123	Effects of ultrasonic nanocrystal surface modification on the surface integrity, microstructure, and wear resistance of 300M martensitic ultra-high strength steel. <i>Journal of Materials Processing Technology</i> , 2020 , 285, 116767	5.3	21
122	Microstructural changes caused by friction loading in high manganese TWIP steel and case-hardened 16MnCr5. 2020 , 163, 110231		3
121	Surface segregation phenomenon of surface severe plastic deformed Al ₅₀ Zn ₄₅ Mg ₅ Cu alloys. 2020 , 11, 100741		4
120	Effect of precipitated phase on dislocation activity under high-frequency impacting and rolling. 2018 , 13, 1542-1544		2
119	Identification des propriétés mécaniques des surfaces tribologiquement transformées (TTS) ^ partir des essais de nano-indentation et micro-compression de piliers. 2015 , 103, 303		1
118	Micro-pillar compression tests to characterize the mechanical behavior of a nanocrystalline layer induced by SMAT in a 316L stainless steel. 2015 , 103, 304		4
117	Regularities of Formation of StructureâPhase States and Functional Properties of Zirconium Alloys in Conditions of Ultrasonic Impact Treatment. 2016 , 17, 119-152		1

116	Nanoscale Surface Modifications of Orthopaedic Implants: State of the Art and Perspectives. 2016 , 10, 920-938	10
115	Influence of Strain Rate on Mechanical Behaviours of Gradient-Structured Copper. 2020 , 61, 708-717	3
114	Deep rolling of austenitic steel AISI 304 at different temperatures and fatigue. 2012 , 67, 188-194	12
113	Investigation of the Relation between Rolling Contact Fatigue Property and Microstructure on the Surface Layer of D2 Wheel Steel. 2019 , 10, 509-526	2
112	Bioinformatics analysis and identification of circular RNAs promoting the osteogenic differentiation of human bone marrow mesenchymal stem cells on titanium treated by surface mechanical attrition. 2020 , 8, e9292	7
111	Microstructural Characterization of SS304 upon Various Shot Peening Treatments. 2015 , 45, 155-169	18
110	Surface Alloying of Internal Surfaces of Low-Carbon Steel Castings through Incorporation of Nickel, Nickel and Chromium, and 316L Stainless Steel Powders to Mold and Core Surfaces. 2100385	0
109	Influence of co-existing medium Mn and dual phase steel microstructures on ductility and Lüders band formation. 2021 , 221, 117418	1
108	Nanostructured Titanium Alloys for Implant Applications. 2008 ,	
107	Characterization of the Mechanical Properties of Surface Nanocrystallized Materials. 2011 , 311-317	
106	Study on Mechanical Properties of 2024 Al Sheet Treated by Smat and Hot/Cold Rolling. 2012 , 239-244	
105	Study on Mechanical Properties of 2024 Al Sheet Treated by SMAT and Hot/Cold Rolling. 239-244	1
104	Characteristic Length Scale Investigation on the Nanoscale Deformation of Copper. 2013 , 93-99	
103	Conclusions and Future Scope. 2014 , 125-131	
102	Electrochemical Corrosion of Dental Alloys. 2019 , 20, 310-346	1
101	Corrosion. 2020 , 439-499	0
100	Corrosion, Wear and In-vitro Biocompatibility Property of Surface Mechanical Attrition Treatment Processed Ti-6Al-4V Alloy. 2021 , 73, 4387	0
99	Influence of Fine Grains on the Bending Fatigue Behavior of Two Implant Titanium Alloys. 2020 , 14,	0

- 98 Research of the effect of severe plastic deformation with the following ion nitriding on the thickness and microhardness of the hardened layer of tool steel R6M5. **2020**, 1713, 012007
- 97 A new strategy for fabrication of unique heterostructured titanium laminates and visually tracking their synchronous evolution of strain partitions versus microstructure. **2022**, 107, 70-81 2
- 96 Mechanical and electrochemical response in Surface treated low modulus biomedical alloy Ti-Nb-Ta-O. **2020**, 321, 05014
- 95 Deformation Mechanisms in Meta-Stable and Nitrogen-Stabilized Austenitic Stainless Steel During Severe Surface Deformation.
- 94 Improvement in bioactivity and corrosion resistance of Ti by hydroxyapatite deposition using ultrasonic mechanical coating and armoring. **2021**, 48, 4999-4999 3
- 93 On Force-Displacement Characteristics and Surface Deformation in Piezo Vibration Striking Treatment (PVST). 1-27
- 92 Development of Methods for Steel Surface Deformation Nanostructuring.
- 91 Effect of surface mechanical attrition treatment on the microstructure of cobalt-chromium-molybdenum biomedical alloy. **2021**, 84, 238-245 1
- 90 Effects of Mechanical Post-Treatments on Additive Manufactured 17-4PH Stainless Steel Produced by Bound Powder Extrusion. **2021**, 104, 957-961 2
- 89 Enhanced corrosion resistance and wear resistance of duplex stainless steel processed by shot-peening combined with electrochemical nitriding. 1-9 2
- 88 Surface hardening of high- and medium-entropy alloys by mechanical attrition at room and cryogenic temperatures. **2021**, 119, 201912 1
- 87 Effect of laser shock peening without protective coating on the surface mechanical properties of NiTi alloy. **2021**, 896, 163011 1
- 86 Toward tunable mechanical behavior and enhanced elastocaloric effect in NiTi alloy by gradient structure. **2022**, 226, 117609 5
- 85 Role of gradient nano-structured surface in collapsed pitting corrosion on AISI 316L stainless steel during tribocorrosion. **2022**, 197, 110043 1
- 84 The Effect of Grain Size of Steel R6M5 on the Diffusion Rate and Growth Kinetics of the Hardened Layer After Ion Nitriding in a Glow Discharge. **2020**,
- 83 A novel approach to producing architected ultra-high strength dual phase steels. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2022**, 833, 142582 5,3 1
- 82 Passivation Behaviour of Surface-Treated 17-4PH Stainless Steel in Chloride-Containing Environment with Varying Concentrations. **2022**, 5, 333 1
- 81 Effects of ultrasonic surface rolling and plasma nitriding on microstructure and properties of 690TT alloy. **2022**, 10, 015004 0

80	Influence of Surface Nano-Structuring on Microstructure, Corrosion Behavior and Osteoblast Response of Commercially Pure Titanium Treated Through Ultrasonic Shot Peening. 2022 , 74, 584-595	3
79	Size-dependent deformation mechanisms in copper gradient nano-grained structure: A molecular dynamics simulation. 2022 , 103198	2
78	Twin density gradient induces enhanced yield strength-and-ductility synergy in a S31254 super austenitic stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 837, 142727	5.3 0
77	Plastic deformation induced formation of supersaturated solid solution nanostructure in a dual-phase Cu-Ag alloy. 2022 , 903, 163903	0
76	Fatigue Properties Improvement of Low-Carbon Alloy Axle Steel by Induction Hardening and Shot Peening: A Prospective Comparison. 1	0
75	Synergistic effect of essential oil distillates on the corrosion protection of GX4CrNiMo16-5-1 stainless in acid-chloride electrolyte. 2022 , 1222, 012005	0
74	Establishing a quantitative relationship between strain gradient and hetero-deformation-induced stress in gradient-structured metals. 2022 , 233, 961-989	0
73	A comprehensive review on incremental deformation in rolling processes. 2022 , 69,	0
72	Effect of Nano-YO on the Microstructure and Properties of WC-Reinforced Ni-Based Composite Surfacing Layer.. 2022 , 15,	1
71	Nanomaterials by severe plastic deformation: review of historical developments and recent advances. 2022 , 10, 163-256	26
70	Effect of bimodal grain size and gradient structure on heterogeneous deformation induced (HDI) stress and mechanical properties of Cu. 2022 , 9, 035004	0
69	Effect of Rolling Temperature on Microstructural Characteristics and Deformation Mechanisms of a Metastable Austenitic Stainless Steel.	
68	Investigation of Grain Boundary Content on Crack Propagation Behavior of Nanocrystalline Al by Molecular Dynamics Simulation. 2100570	
67	Application of crosswise repetitive ultrasonic nanocrystal surface modification treatment to Inconel 690 alloy: Efficiency of single-path and multi-paths. <i>Surface and Coatings Technology</i> , 2022 , 437, 128343	4.4 0
66	Combining synergetic effects of gradient nanotwins and nanoprecipitates in heterogeneous bronze alloy. 2022 , 229, 117831	0
65	Dynamic recrystallization in face-centered cubic particles during high-velocity impacts. 2022 , 168, 104268	1
64	Corrosion resistance of surface-conditioned 301 and 304 stainless steels by salt spray test. 2021 , 15, 9-19	1
63	Comparison of SP, SMAT, SMRT, LSP, and UNSM Based on Treatment Effects on the Fatigue Properties of Metals in the HCF and VHCF Regimes. 2022 , 12, 642	0

62	Gradient microstructure, recrystallization and mechanical properties of copper processed by high pressure surface rolling. 2022,		0
61	A review on different techniques to produce gradient structured material. 2022,		
60	Literature Review on the Fatigue Properties of Materials Processed by Surface Mechanical Attrition Treatment (SMAT). 2022, 12, 775		0
59	Effect of surface mechanical attrition treatment on the fatigue properties of 7075 aluminum alloy 2022, 42-53		
58	Effect of Surface Mechanical Attrition Treatment on Torsional Fatigue Properties of a 7075 Aluminum Alloy. 2022, 12, 785		1
57	Effect of surface rolling extrusion processing on corrosion resistance of Uâ.7Nb alloy. <i>Materials Science and Technology</i> , 1-10	1.5	0
56	Review on Grain Refinement of Metallic Materials to Regulate Cellular Behavior. 2022, 12, 829		0
55	Nanotwinning-assisted dynamic recrystallization at high strains and strain rates.. 2022,		2
54	A novel through-length gradient structure assisted strength-ductility synergy in hot-rolled tungsten. <i>Materials and Design</i> , 2022 , 110775	8.1	1
53	A Review on the Role of Surface Nanocrystallization in Corrosion of Stainless Steel. <i>Journal of Materials Research and Technology</i> , 2022,	5.5	0
52	Analysis of shot peening residual stress distribution based on dislocation configuration. <i>Materials Science and Technology</i> , 1-9	1.5	0
51	Achieving gradient ultrafine-grained heterostructure by friction stir-assisted incremental sheet forming. <i>Journal of Materials Processing Technology</i> , 2022 , 117654	5.3	0
50	Fatigue-Resistant Heterogeneous Gradient Nanocrystalline NiTi Shape Memory Alloy Fabricated by Pre-Strain Laser Shock Peening. <i>Shape Memory and Superelasticity</i> ,	2.8	0
49	Influence of crystal orientation on twinning in austenitic stainless-steel during single micro-asperity tribology and nanoindentation. <i>Wear</i> , 2022 , 204403	3.5	
48	Recent advances in energy field assisted hybrid electrodeposition and electroforming processes. <i>CIRP Journal of Manufacturing Science and Technology</i> , 2022 , 38, 518-546	3.4	0
47	A Review on the Effect of Mechanical and Thermal Treatment Techniques on Shape Memory Alloys.		
46	Accumulative roll-bonding of aluminum alloys and composites: An overview of properties and performance. <i>Journal of Materials Research and Technology</i> , 2022 , 19, 4381-4403	5.5	2
45	Metallic surface architectures realized through plastically deformed micro-volumes. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2022 , 53, 835-847	0.9	

44	Review on Corrosion Performance of Laser Powder-Bed Fusion Printed 316L Stainless Steel: Effect of Processing Parameters, Manufacturing Defects, Post-Processing, Feedstock, and Microstructure. <i>Materials and Design</i> , 2022 , 110874	8.1	2
43	Additional Strengthening of âCreperâ Jewelry Tool Using Friction. <i>Solid State Phenomena</i> , 334, 100-106o.4		
42	Heterostructured stainless steel: Properties, current trends, and future perspectives. <i>Materials Science and Engineering Reports</i> , 2022 , 150, 100691	30.9	1
41	Enhanced bonding property of ion-plated TiN coating on stainless steel by mechanically pre-forming a gradient nanostructure. <i>Surface and Coatings Technology</i> , 2022 , 444, 128664	4.4	
40	Finite element modelling of indentation testing in an AA1050 microstructure. 2022 , 1249, 012031		
39	Modelling residual stress and residual work hardening induced by surface mechanical attrition treatment. 2022 , 107688		0
38	The effect of mechanical incompatibility and strain delocalization on the mechanical properties of gradient structure Cu-4.5Al alloy. 2022 , 853, 143693		0
37	Ductile and high strength Cu fabricated by solid-state cold spray additive manufacturing. 2023 , 134, 234-243		2
36	Investigation of Surface Nanostructuring, Mechanical Performance and Deformation Mechanisms of AISI 316L Stainless Steel Treated by Surface Mechanical Impact Treatment.		0
35	Soybean-inspired nanomaterial-based broadband piezoelectric energy harvester with local bistability. 2022 , 103, 107823		0
34	The synergetic effects of shot peening and laser-shot peening on the microstructural evolution and fatigue performance of a medium carbon steel. 2023 , 166, 107246		0
33	Forming Mechanism, Mechanical Properties, and Corrosion Properties of Aluminum Alloy Sheet with Gradient Structure Processed by Plastic Flow Machining.		0
32	Powder metallurgy route to ultrafine-grained refractory metals. 2205807		0
31	Advances of machining techniques for gradient structures in multi-principal-element alloys.		0
30	Advances in surface modification of tantalum and porous tantalum for rapid osseointegration: A thematic review. 10,		1
29	Modeling of extra strengthening in gradient nanotwinned metals based on molecular dynamics. 9,		0
28	In situ investigation on plastic deformation behaviors in austenite-ferrite heterostructured stainless steel. 2022 , 144111		0
27	Effect of grain size on mechanical property and corrosion behavior of a metastable austenitic stainless steel. 2022 , 194, 112360		0

- 26 Surface Nanocrystallization and Numerical Modeling of 316L Stainless Steel during Ultrasonic Shot Peening Process. **2022**, 12, 1673 ○
- 25 Numerical Study of Ultrasonic Vibration-Driven Shot Impact on Pure Copper. ○
- 24 Forming mechanism, mechanical properties, and corrosion properties of aluminum alloy sheet with gradient structure processed by plastic flow machining. **2023**, 933, 167800 1
- 23 Effect of Surface Mechanical Pulse Treatment on Nanocrystallization and Properties of Structural Steels. **2022**, ○
- 22 The structure and the properties of WC-Co samples produced by SLM technology and carbon-doped prior to HIP processing. **2022**, 28, 102-122 1
- 21 Surface Hardening of Ti6Al4V Alloy Using High-Frequency Mechanical Impacts. **2022**, 44, 1453-1474 ○
- 20 Adiabatic shear localization induced by rotationally accelerated shot peening. **2023**, 58, 1670-1679 ○
- 19 A novel microwall sliding test uncovering the origin of grain refined tribolayers. **2023**, 246, 118670 ○
- 18 Overcoming strengthâ€¦ductility trade-off of nanocrystalline metals by engineering grain boundary, texture, and gradient microstructure. **2023**, 173, 105200 ○
- 17 Mechanical Properties and Formation Mechanism of Surface Hard Nanocrystalline Carbon Diffusion Layer on 18Cr2Ni4WA Steel Induced by Supersonic Fine Particle Bombarding. ○
- 16 Local chemical ordering coordinated thermal stability of nanograined high-entropy alloys. 1
- 15 Investigation of magnetron sputtered nano-silver coating on titanium surface with micro-nanostructure. **2023**, 38, 102770 ○
- 14 Optimized corrosion resistance in pure copper via surface mechanical attrition treatment and subsequent annealing. **2023**, 35, 105645 ○
- 13 Improving embrittlement in the Ti-Al-C MAX phase system: A composite approach for surface severe plastic deformation. **2023**, 950, 169946 ○
- 12 Effect of ultrasonic rolling on surface integrity, machining accuracy, and tribological performance of bearing steels under different process schemes. **2023**, 43, 143-157 ○
- 11 Effect of FS-SMAT on microstructure and mechanical property of pure magnesium and AZ31 magnesium alloy. **2023**, 5, ○
- 10 Improved mechanical properties of nano structured 316L stainless steel by statistically optimized low pulsed laser shock peening process for aeronautical application. **2023**, 276, 170654 ○
- 9 Microstructure and Property Evolutions of Q345B Steel during Ultrasonic Shot Peening. **2023**, 13, 299 ○

- 8 Exceptional Strain-Hardening Capacity of a Medium-Entropy Alloy CoCrNi With Grain-Size Gradient Structure. **2023**, 54, 1332-1341
- 7 Improvement of hydrogen embrittlement resistance of 2205 duplex stainless steel by laser peening. **2023**,
- 6 Effect of High-Temperature-Assisted Ultrasonic Deep Rolling on Microstructure and Tribological Properties of Ni-WC Coatings. **2023**, 13, 499
- 5 Research and development of nanocrystalline W/W-based materials: novel preparation approaches, formation mechanisms, and unprecedented excellent properties. **2023**, 17,
- 4 Influence of the microstructure of the carbon steel reinforcing bar on its corrosion in concrete. **2023**, 187-197
- 3 Effects of supersonic fine particle bombardment on the microstructure and corrosion properties of Ti-6Al-3Nb-2Zr-1Mo alloy. **2023**, 459, 129383
- 2 Additive manufacturing and characterization of a stainless steel and a nickel alloy. **2023**, 65, 378-388
- 1 An Overview on the Effect of Severe Plastic Deformation on the Performance of Magnesium for Biomedical Applications. **2023**, 16, 2401