

# CITATION REPORT

List of articles citing

Relationship of physical activity and body mass index to the risk of hypertension: a prospective study in Finland

DOI: 10.1161/01.hyp.0000107400.72456.19  
Hypertension, 2004, 43, 25-30.

**Source:** <https://exaly.com/paper-pdf/37328989/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
279	Occupational, commuting, and leisure-time physical activity in relation to total and cardiovascular mortality among Finnish subjects with type 2 diabetes. <i>Circulation</i> , <b>2004</b> , 110, 666-73	16.7	182
278	Low physical activity as a predictor for total and cardiovascular disease mortality in middle-aged men and women in Finland. <b>2004</b> , 25, 2204-11		170
277	Joint effects of physical activity, body mass index, waist circumference and waist-to-hip ratio with the risk of cardiovascular disease among middle-aged Finnish men and women. <b>2004</b> , 25, 2212-9		205
276	Recommendations for Special Populations. <b>2004</b> , 14, 368-381		7
275	Bibliography current world literature. Clinical trials. <b>2004</b> , 19, 396-406		
274	You Asked for It. <b>2004</b> , 8, 3-4		
273	Fat distribution, body mass index and blood pressure in 22,090 men and women in the Norfolk cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Norfolk) study. <b>2004</b> , 22, 2067-74		99
272	Daily life activity and the risk of developing hypertension in middle-aged Japanese men. <b>2005</b> , 165, 214-20		29
271	Low physical activity as a predictor for antihypertensive drug treatment in 25-64-year-old populations in eastern and south-western Finland. <b>2005</b> , 23, 293-9		37
270	Medical history of circulatory diseases and colorectal cancer death in the JACC Study. <b>2005</b> , 15 Suppl 2, S168-72		6
269	Association of physical inactivity with components of metabolic syndrome and coronary artery disease--the Chennai Urban Population Study (CUPS no. 15). <b>2005</b> , 22, 1206-11		64
268	The effects of physical activity and body mass index on cardiovascular, cancer and all-cause mortality among 47 212 middle-aged Finnish men and women. <i>International Journal of Obesity</i> , <b>2005</b> , 29, 894-902	5.5	200
267	Urinary sodium and potassium excretion and the risk of type 2 diabetes: a prospective study in Finland. <b>2005</b> , 48, 1477-83		74
266	Adrenaline during mental stress in relation to fitness, metabolic risk factors and cardiovascular responses in young men. <b>2005</b> , 14, 217-26		12
265	Prospective study of body mass index and risk of stroke in apparently healthy women. <i>Circulation</i> , <b>2005</b> , 111, 1992-8	16.7	199
264	Leisure time, occupational, and commuting physical activity and the risk of stroke. <b>2005</b> , 36, 1994-9		179
263	Associations between estimated aerobic fitness and cardiovascular risk factors in adults with different levels of abdominal obesity. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 126-131		1

262	Epidemiological evidence for the role of physical activity in reducing risk of type 2 diabetes and cardiovascular disease. <b>2005</b> , 99, 1193-204		473
261	Physical activity, physical fitness and the incidence of hypertension. <b>2005</b> , 23, 265-7		29
260	Hypertension in Latvia--epidemiology and management. <b>2005</b> , 2, 29-32		3
259	Lower hypertension risk in Mexico City than in San Antonio. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 385-91	2.3	9
258	Task Force 5: systemic hypertension. <b>2005</b> , 45, 1346-8		39
257	Physical activity, cardiovascular risk factors, and mortality among Finnish adults with diabetes. <b>2005</b> , 28, 799-805		195
256	Oxidative stress in insulin-resistant conditions: cardiovascular implications. <b>2005</b> , 4, 343-51		26
255	[Physical activity in hypertension management]. <b>2006</b> , 35, 1081-7		5
254	Diabetic hypertension. <b>2006</b> , 2, 25-36		4
253	Interaction between body mass index and alcohol intake in relation to blood pressure in HAN and SHE Chinese. <i>American Journal of Hypertension</i> , <b>2006</b> , 19, 448-53	2.3	22
252	Epidemiology of obesity and hypertension and related risk factors in Uzbekistan. <b>2006</b> , 60, 1355-66		22
251	The effect of diabetes and stroke at baseline and during follow-up on stroke mortality. <b>2006</b> , 49, 2309-16		27
250	Effects of coffee consumption on glucose tolerance, serum glucose and insulin levels--a cross-sectional analysis. <b>2006</b> , 38, 38-43		37
249	Body mass index and the risk of Parkinson disease. <b>2006</b> , 67, 1955-9		147
248	Cardiorespiratory fitness is an independent predictor of hypertension incidence among initially normotensive healthy women. <b>2006</b> , 163, 142-50		150
247	Different forms of physical activity and cardiovascular risk factors among 2484-year-old men and women in Finland. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2006</b> , 13, 51-59		2
246	Joint association of coffee consumption and other factors to the risk of type 2 diabetes: a prospective study in Finland. <i>International Journal of Obesity</i> , <b>2006</b> , 30, 1742-9	5.5	51
245	Obesity and Diabetes. <b>2006</b> ,		4

244	Body mass index, waist circumference, and waist-hip ratio on the risk of total and type-specific stroke. <b>2007</b> , 167, 1420-7		145
243	Type 2 diabetes and the risk of Parkinson® disease. <b>2007</b> , 30, 842-7		313
242	Physical Activity and Hypertension: Evidence of Cross-Sectional Studies, Cohort Studies and Meta-Analysis. <b>2007</b> , 3, 255-263		7
241	Cardiorespiratory fitness, BMI, and risk of hypertension: the HYPGENE study. <b>2007</b> , 39, 1687-92		50
240	Controlling high blood pressure: the art of the soluble and the hope of progress. <i>Journal of Clinical Hypertension</i> , <b>2007</b> , 9, 827-30	2.3	
239	A prospective study of body mass index and the risk of developing hypertension in men. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 370-7	2.3	143
238	Cardiorespiratory fitness and risk of nonfatal cardiovascular disease in women and men with hypertension. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 608-15	2.3	44
237	Occupational, commuting and leisure-time physical activity in relation to coronary heart disease among middle-aged Finnish men and women. <b>2007</b> , 194, 490-7		123
236	Undiagnosed obesity in hypertension: clinical and therapeutic implications. <b>2007</b> , 16, 347-53		25
235	Decreasing population blood pressure is not mediated by changes in habitual physical activity. Results from 15 years of follow-up. <b>2007</b> , 16, 28-35		7
234	Sedentary behaviors and the risk of incident hypertension: the SUN Cohort. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 1156-62	2.3	102
233	Occupational, commuting, and leisure-time physical activity in relation to cardiovascular mortality among finnish subjects with hypertension. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 1242-50	2.3	57
232	Coffee consumption and the incidence of antihypertensive drug treatment in Finnish men and women. <b>2007</b> , 86, 457-64		39
231	The role of physician counseling in improving adherence to physical activity among the general population. <b>2007</b> , 125, 115-21		12
230	Insulin Resistance and Diabetes in Hypertension. <b>2007</b> , 681-692		2
229	Hypertension and Diabetes Mellitus. <b>2007</b> , 406-417		2
228	Coffee and tea consumption and the risk of Parkinson® disease. <b>2007</b> , 22, 2242-8		191
227	The cost-effectiveness of sibutramine in non-diabetic obese patients: evidence from four Western countries. <b>2007</b> , 8, 363-71		12

226	Association of hypertension with changes in the body mass index of university students. <b>2008</b> , 13, 271-80		9
225	Twenty-five year socioeconomic trends in leisure-time and commuting physical activity among employed Finns. <b>2009</b> , 19, 188-97		25
224	Increases in weight and body size increase the odds for hypertension during 7 years of follow-up. <b>2008</b> , 16, 2541-8		32
223	Overweight, obesity and high blood pressure in an ethnically diverse sample of adolescents in Britain: the Medical Research Council DASH study. <i>International Journal of Obesity</i> , <b>2008</b> , 32, 82-90	5.5	33
222	Obesity prevalence from a European perspective: a systematic review. <i>BMC Public Health</i> , <b>2008</b> , 8, 200	4.1	448
221	The Italian Diabetes and Exercise Study (IDES): design and methods for a prospective Italian multicentre trial of intensive lifestyle intervention in people with type 2 diabetes and the metabolic syndrome. <b>2008</b> , 18, 585-95		46
220	Does physical activity ameliorate the health hazards of obesity?. <b>2009</b> , 43, 49-51		57
219	Body mass index and risk of future hypertension in women. <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 599	2.3	
218	Current status and characteristics of hypertension control in community resident elderly Korean people: data from a Korean longitudinal study on health and aging (KLoSHa study). <b>2008</b> , 31, 97-105		34
217	Body mass index as a predictor of hypertension incidence among initially healthy normotensive women. <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 613-9	2.3	61
216	A Prospective Study of Body Mass Index and the Risk of Developing Hypertension in Men. <b>2008</b> , 2008, 10-11		1
215	Health Benefits of Exercise and Physical Fitness. 399-416		
214	A Prospective Study of Body Mass Index and the Risk of Developing Hypertension in Men. <b>2008</b> , 2008, 343-345		
213	A prospective study of glycemia, body size, insulin resistance and the risk of hypertension in Mauritius. <b>2008</b> , 26, 1742-9		12
212	. <b>2008</b> ,		2
211	Relationship of anthropometric indicators with blood pressure levels and the risk of hypertension in Nigerian adults. <b>2008</b> , 1, 33-40		12
210	[The influence of programmed physical activity on blood pressure of hypertensive elderly patients on non-pharmacological treatment]. <b>2008</b> , 54, 328-33		10
209	[Prevalence of overweight and obesity among members of the Brazilian army: association with arterial hypertension]. <b>2008</b> , 13, 1661-8		9

208	The use of sibutramine in the management of obesity and related disorders: an update. <i>Vascular Health and Risk Management</i> , <b>2009</b> , 5, 441-52	4.4	39
207	The association of cardiorespiratory fitness and physical activity with incidence of hypertension in men. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 417-24	2.3	87
206	Social- and behavioral-specific genetic effects on blood pressure traits: the Strong Heart Family Study. <b>2009</b> , 2, 396-401		6
205	The incidence of co-morbidities related to obesity and overweight: a systematic review and meta-analysis. <i>BMC Public Health</i> , <b>2009</b> , 9, 88	4.1	2115
204	Prevalence of overweight and obesity among 2.6 million rural Chinese adults. <b>2009</b> , 48, 59-63		21
203	Five-year change in physical activity is associated with changes in cardiovascular disease risk factors: the Inter99 study. <b>2009</b> , 48, 326-31		64
202	High birth weight and overweight or obesity among Chinese children 3-6 years old. <b>2009</b> , 49, 172-8		48
201	Physical activity levels in American-Indian adults: the Strong Heart Family Study. <b>2009</b> , 37, 481-7		29
200	Exercise and cardiovascular outcomes in hypertensive patients in relation to structure and function of left ventricular hypertrophy: the LIFE study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2009</b> , 16, 242-8		20
199	Physical therapy in the 21st century (Part I): toward practice informed by epidemiology and the crisis of lifestyle conditions. <b>2009</b> , 25, 330-53		109
198	A significant decrease in blood pressure through a family-based nutrition health education programme among community residents in Taiwan. <b>2009</b> , 12, 570-7		22
197	Effects of Road Transport Policies from Cars to Walk and Bicycle for Commuting on Health Promotion. <b>2009</b> , 26, 947-956		1
196	Muscular strength and incident hypertension in normotensive and prehypertensive men. <b>2010</b> , 42, 288-95		55
195	Individual and joint associations of obesity and physical activity on the risk of heart failure. <b>2010</b> , 16, 292-9		8
194	Evolution and predictors of morphological and functional arterial changes in the course of type 1 diabetes mellitus. <b>2010</b> , 26, 646-55		11
193	Excess weight and the risk of incident coronary heart disease among men and women. <b>2010</b> , 18, 377-83		79
192	Obesity and functional impairment: influence of comorbidity, joint pain, and mental health. <b>2010</b> , 18, 2030-8		29
191	Role of physical activity and diet in incidence of hypertension: a population-based study in Portuguese adults. <b>2010</b> , 64, 1441-9		16

190	The association between body mass index and incident hypertension in rural women in China. <b>2010</b> , 64, 769-75		21
189	Bewegungstherapie bei arterieller Hypertonie. <b>2010</b> , 89-96		
188	[Physical activity and sedentary behavior among adolescent high school students]. <b>2010</b> , 13, 105-17		43
187	Risk of progression to hypertension in a rural Chinese women population with prehypertension and normal blood pressure. <i>American Journal of Hypertension</i> , <b>2010</b> , 23, 627-32	2.3	18
186	Joint effects of physical activity, body mass index, waist circumference, and waist-to-hip ratio on the risk of heart failure. <i>Circulation</i> , <b>2010</b> , 121, 237-44	16.7	132
185	Occupational, commuting, and leisure-time physical activity in relation to heart failure among finnish men and women. <b>2010</b> , 56, 1140-8		63
184	Body mass index, waist circumference, and risk of coronary heart disease: a prospective study among men and women. <i>Obesity Research and Clinical Practice</i> , <b>2010</b> , 4, e171-e181	5.4	102
183	A systematic review of the evidence for Canada's Physical Activity Guidelines for Adults. <b>2010</b> , 7, 39		529
182	Fitness, fatness, and systolic blood pressure: data from the Cooper Center Longitudinal Study. <b>2010</b> , 160, 166-70		16
181	Beneficial effect of physical activity on blood pressure and blood glucose among Japanese male workers. <b>2010</b> , 87, 394-400		8
180	Adiposity assessment: explaining the association between obesity, hypertension and stroke. <b>2011</b> , 9, 1557-64		21
179	Interaction between leptin and leisure-time physical activity and development of hypertension. <b>2011</b> , 20, 362-9		12
178	Exercise: Should it matter to internal medicine?. <b>2011</b> , 22, 363-70		11
177	Long-term stable obesity increases risk of hypertension. <i>International Journal of Obesity</i> , <b>2011</b> , 35, 1056-63		18
176	Body composition measured by dual-energy X-ray absorptiometry half-body scans in obese children. <b>2011</b> , 100, e260-6		10
175	Body mass index and etiology of intracerebral hemorrhage. <b>2011</b> , 42, 2526-30		35
174	Trunk versus extremity adiposity and cardiometabolic risk factors in white and African American adults. <b>2011</b> , 34, 1415-8		38
173	Long-term exposure to elevated blood pressure and mortality from cardiovascular disease in a Japanese population: the Ibaraki Prefectural Health Study. <b>2011</b> , 34, 139-44		9

172	SNP-by-fitness and SNP-by-BMI interactions from seven candidate genes and incident hypertension after 20 years of follow-up: the CARDIA Fitness Study. <b>2011</b> , 25, 509-18	6
171	Lifestyle factors on the risks of ischemic and hemorrhagic stroke. <b>2011</b> , 171, 1811-8	86
170	Body mass index and hypertension among Chinese governmental and institutional employees in Beijing. <b>2012</b> , 63, 337-42	1
169	Blood pressure tracking over the adult life course: patterns and correlates in the Framingham heart study. <i>Hypertension</i> , <b>2012</b> , 60, 1393-9	8.5 89
168	Comparative study of physical activity of hypertensives and normotensives: A cross-sectional study of adults in Saudi Arabia. <b>2012</b> , 19, 162-6	4
167	The HALO submaximal treadmill protocol to measure cardiorespiratory fitness in obese children and youth: a proof of principle study. <b>2012</b> , 37, 308-14	11
166	Mechanisms of neuronal damage and neuroprotection underlying ischemia/reperfusion injury after physical exercise. <b>2012</b> , 13, 247-62	22
165	TRANSPORT POLICY TOWARD LOW-CARBON SOCIETY FOCUSING ON HEALTH ASPECT IN PROVINCIAL CITY. <b>2012</b> , 68, 400-411	
164	The impact of physical activity on mortality in patients with high blood pressure: a systematic review. <b>2012</b> , 30, 1277-88	114
163	Impact of obesity on incident hypertension independent of weight gain among nonhypertensive Japanese: the Ibaraki Prefectural Health Study (IPHS). <b>2012</b> , 30, 1122-8	27
162	Using the oxygen uptake efficiency slope as an indicator of cardiorespiratory fitness in the obese pediatric population. <b>2012</b> , 24, 357-68	13
161	Changes in fitness and fatness on the development of cardiovascular disease risk factors hypertension, metabolic syndrome, and hypercholesterolemia. <b>2012</b> , 59, 665-72	194
160	Dietary Pattern, Lifestyle Factors, and Cardiovascular Diseases. <b>2012</b> , 1, 64-72	4
159	The Effect of Aquatic-Resistance Training on Quality of Life in Postmenopausal Women. <b>2013</b> , 70, 1732-1739	2
158	Association of adherence to the seventh report of the Joint National Committee guidelines with hypertension in Korean men and women. <b>2013</b> , 33, 789-95	7
157	Hypertension and Diabetes Mellitus. <b>2013</b> , 313-319	
156	Dose-response association between physical activity and metabolic syndrome. <b>2013</b> , 8, 273-282	4
155	Physical activity in obesity and metabolic syndrome. <b>2013</b> , 1281, 141-59	135



154	Exercise standards for testing and training: a scientific statement from the American Heart Association. <i>Circulation</i> , <b>2013</b> , 128, 873-934	16.7	1060
153	Prevalence and predictors of diabetes and cardiometabolic risk among construction workers in Ireland: the Construction Workers Health Trust screening study. <b>2013</b> , 10, 337-45		17
152	Physical Inactivity as a Predictor of High Prevalence of Hypertension and Health Expenditures in the United States: A Cross-Sectional Study. <b>2013</b> , 11,		1
151	Risk factors for hypertension in a population-based sample of postmenopausal women in Kolkata, West Bengal, India. <b>2013</b> , 25, 388-97		6
150	Comparison of the prevalence and treatment of hypertension in two populations in the United States: masters swimmers versus the NHANES population. <b>2013</b> , 31, 930-5		3
149	Neuroprotection and Physical Preconditioning: Exercise, Hypothermia, and Hyperthermia. <b>2013</b> , 105-131		1
148	Health risk factors and the incidence of hypertension: 4-year prospective findings from a national cohort of 60 569 Thai Open University students. <i>BMJ Open</i> , <b>2013</b> , 3,	3	38
147	The rising burden of diabetes and hypertension in southeast asian and african regions: need for effective strategies for prevention and control in primary health care settings. <i>International Journal of Hypertension</i> , <b>2013</b> , 2013, 409083	2.4	89
146	Hypertension and kidney function in an adult population of West Bengal, India: role of body weight, waist circumference, proteinuria and rural area living. <b>2013</b> , 18, 798-807		5
145	Physical inactivity is associated with low self efficacy and social support among patients with hypertension in Nigeria. <b>2013</b> , 9, 156-64		6
144	Physical activity, cardiorespiratory fitness, and exercise training in primary and secondary coronary prevention. <b>2013</b> , 77, 281-92		222
143	Obesity phenotype and incident hypertension: a prospective community-based cohort study. <b>2013</b> , 31, 145-51		63
142	Secular trends in prevalence of overweight and obesity among adults in rural Tianjin, China from 1991 to 2011: a population-based study. <i>PLoS ONE</i> , <b>2014</b> , 9, e116019	3.7	23
141	Joint effects of physical activity and BMI on risk of hypertension in women: a longitudinal study. <b>2014</b> , 2014, 271532		27
140	Association of overtime work and hypertension in a Japanese working population: a cross-sectional study. <b>2014</b> , 31, 1108-14		18
139	BMI and coronary heart disease risk among low-income and underinsured diabetic patients. <b>2014</b> , 37, 3204-12		10
138	Impact of abdominal obesity and systemic hypertension on risk of coronary heart disease in men and women: the EPIC-Norfolk Population Study. <b>2014</b> , 32, 2224-30; discussion 2230		8
137	Hypertension in Diabetes Mellitus. <b>2014</b> , 119-134		

136	Diabetes and Kidney Disease. <b>2014,</b>		0
135	How should we advise heart failure patients on exercise and what should we tell them?. <b>2014, 11, 274-80</b>		4
134	Body Mass Index Is Associated with Hypertension in Japanese Young Elderly Individuals: Findings of the New Integrated Suburban Seniority Investigation. <b>2015, 54, 3121-5</b>		5
133	Association of physical activity with blood pressure and blood glucose among Malaysian adults: a population-based study. <i>BMC Public Health</i> , <b>2015, 15, 1205</b>	4.1	8
132	Prevalence of hypertension and associated anthropometric risk factors in indigenous adults of Guatemala. <b>2015, 6, 16-20</b>		3
131	Obesity is associated with increased postoperative complications after operative management of proximal humerus fractures. <b>2015, 24, 593-600</b>		30
130	Prevalence of Hypertension in Low- and Middle-Income Countries: A Systematic Review and Meta-Analysis. <b>2015, 94, e1959</b>		162
129	Eligibility and Disqualification Recommendations for Competitive Athletes With Cardiovascular Abnormalities: Task Force 6: Hypertension: A Scientific Statement from the American Heart Association and the American College of Cardiology. <b>2015, 66, 2393-2397</b>		26
128	Eligibility and Disqualification Recommendations for Competitive Athletes With Cardiovascular Abnormalities: Task Force 6: Hypertension: A Scientific Statement from the American Heart Association and the American College of Cardiology. <i>Circulation</i> , <b>2015, 132, e298-302</b>	16.7	29
127	Bariatric Surgery Prior to Total Knee Arthroplasty is Associated With Fewer Postoperative Complications. <b>2015, 30, 81-5</b>		57
126	Exercise and the cardiovascular system: clinical science and cardiovascular outcomes. <b>2015, 117, 207-19</b>		373
125	Gender differences in hypertension and hypertension awareness among young adults. <b>2015, 61, 1-17</b>		102
124	Obesity, albuminuria, and gamma-glutamyl transferase predict incidence of hypertension in indigenous Australians in rural and remote communities in northern Australia. <b>2015, 33, 704-9; discussion 709-10</b>		8
123	Obesity is associated with increased postoperative complications after total elbow arthroplasty. <b>2015, 24, 1594-601</b>		20
122	Exercise interventions and peripheral arterial function: implications for cardio-metabolic disease. <b>2015, 57, 521-34</b>		49
121	Exercise and cardiovascular risk in patients with hypertension. <i>American Journal of Hypertension</i> , <b>2015, 28, 147-58</b>	2.3	86
120	Survey of the Relationship Between Activity Energy Expenditure Metabolic Equivalents and Barrier Factors of Physical Activity in the Elderly in Kashan. <b>2016, 18, e31455</b>		
119	Effect of Motivation by "Instagram" on Adherence to Physical Activity among Female College Students. <b>2016, 2016, 1546013</b>		21

118	Self-Care Behaviors and Related Factors in Hypertensive Patients. <b>2016</b> , 18, e35805		20
117	Blood pressure and body composition of rural Oraons of North 24 Parganas, West Bengal, India. <b>2016</b> , 73,		0
116	Age and gender differential relationship between employment status and body mass index among middle-aged and elderly adults: a cross-sectional study. <i>BMJ Open</i> , <b>2016</b> , 6, e012117	3	3
115	Height and prevalence of hypertension in a middle-aged and older Chinese population. <i>Scientific Reports</i> , <b>2016</b> , 6, 39480	4.9	20
114	How much excess weight loss can reduce the risk of hypertension?. <b>2017</b> , 39, e95-e102		6
113	Assessing Physical Activity as a Core Component in Cardiac Rehabilitation: A POSITION STATEMENT OF THE AMERICAN ASSOCIATION OF CARDIOVASCULAR AND PULMONARY REHABILITATION. <b>2016</b> , 36, 217-29		40
112	Physical activity, obesity and risk of cardiovascular disease in middle-aged men during a median of 30 years of follow-up. <b>2016</b> , 23, 359-65		24
111	Interactive Effects of Physical Fitness and Body Mass Index on the Risk of Hypertension. <b>2016</b> , 176, 210-6		72
110	Television viewing duration and blood pressure among 18-74-year-old adults. The French nutrition and health survey (ENNS, 2006-2007). <b>2016</b> , 19, 738-43		1
109	Is waist circumference $\geq 102/88$ cm better than body mass index $\geq 30$ to predict hypertension and diabetes development regardless of gender, age group, and race/ethnicity? Meta-analysis. <b>2017</b> , 97, 100-108		50
108	Physical Activity and Incident Hypertension in African Americans: The Jackson Heart Study. <i>Hypertension</i> , <b>2017</b> , 69, 421-427	8.5	36
107	Dose-Response Association Between Physical Activity and Incident Hypertension: A Systematic Review and Meta-Analysis of Cohort Studies. <i>Hypertension</i> , <b>2017</b> , 69, 813-820	8.5	110
106	Leisure-Time Physical Activity Reduces Total and Cardiovascular Mortality and Cardiovascular Disease Incidence in Older Adults. <b>2017</b> , 65, 504-510		49
105	Formation of New Cardiomyocytes in Exercise. <i>Advances in Experimental Medicine and Biology</i> , <b>2017</b> , 999, 91-102	3.6	4
104	Cardiovascular fitness attenuates obesity-related risk for chronic disease. <b>2017</b> , 8, 23-26		1
103	The effect of body mass index and physical activity on hypertension among Chinese middle-aged and older population. <i>Scientific Reports</i> , <b>2017</b> , 7, 10256	4.9	16
102	Systemic blood pressure at exercise in hypoxia in hypertensive and normotensive patients. <b>2017</b> , 35, 2402-2410		10
101	Birth cohort or measurement protocol differences?. <b>2017</b> , 35, 1366-1367		

100	Aging and obesity are associated with undiagnosed hypertension in a cohort of males in the Central Province of Sri Lanka: a cross-sectional descriptive study. <b>2017</b> , 17, 165		15
99	Weight status, cardiorespiratory fitness and high blood pressure relationship among 5-12-year-old Chinese primary school children. <b>2017</b> , 31, 808-814		1
98	Prevalence and associated factors of hypertension among adults in Ethiopia: a community based cross-sectional study. <b>2017</b> , 10, 629		30
97	Heritability and risks associated with early onset hypertension: multigenerational, prospective analysis in the Framingham Heart Study. <b>2017</b> , 357, j1949		37
96	The Association between Physical Activity and the Metabolic Syndrome among Type 2 Diabetes Patients in Gaza Strip, Palestine. <b>2017</b> , 27, 273-282		11
95	Influence of distance between residence and health facilities on non-communicable diseases: An assessment over hypertension and diabetes in Bangladesh. <i>PLoS ONE</i> , <b>2017</b> , 12, e0177027	3-7	11
94	Leisure Time Physical Activity and Hypertension: Evidence from the China Health & Nutrition Survey, 2004-2011. <b>2017</b> , 07,		
93	A demonstration area for type 2 diabetes prevention in Barranquilla and Juan Mina (Colombia): Baseline characteristics of the study participants. <b>2018</b> , 97, e9285		3
92	Adiposity, physical activity, and risk of hypertension: prospective data from the population-based HUNT Study, Norway. <b>2018</b> , 32, 278-286		7
91	Body mass index, abdominal adiposity, weight gain and risk of developing hypertension: a systematic review and dose-response meta-analysis of more than 2.3 million participants. <b>2018</b> , 19, 654-667		63
90	Prevalence, awareness, treatment, and control of hypertension in Cameroonians aged 50 years and older: A community-based study. <b>2018</b> , 1, e44		10
89	Occupational and leisure time physical inactivity and the risk of type II diabetes and hypertension among Mexican adults: A prospective cohort study. <i>Scientific Reports</i> , <b>2018</b> , 8, 5399	4-9	18
88	Body mass index, abdominal fatness, and hypertension incidence: a dose-response meta-analysis of prospective studies. <b>2018</b> , 32, 321-333		11
87	High Amounts of Sitting, Low Cardiorespiratory Fitness, and Low Physical Activity Levels: 3 Key Ingredients in the Recipe for Influencing Metabolic Syndrome Prevalence. <b>2018</b> , 32, 587-594		9
86	Beyond gut feelings: how the gut microbiota regulates blood pressure. <b>2018</b> , 15, 20-32		177
85	Technology-based counseling in the management of weight and lifestyles of obese or overweight children and adolescents: A descriptive systematic literature review. <b>2018</b> , 43, 126-141		8
84	Efeito de três protocolos de treinamento na pressão arterial e frequência cardíaca em normotensos. <b>2018</b> , 43,		
83	Body composition and physical activity as mediators in the relationship between socioeconomic status and blood pressure in young South African women: a structural equation model analysis. <i>BMJ Open</i> , <b>2018</b> , 8, e023404	3	4

82	Models and methods for conditioning the ischemic brain. <b>2018</b> , 310, 63-74		9
81	Gender differences in factors associated with prehypertension and hypertension in Nepal: A nationwide survey. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203278	3.7	12
80	Framework for Human Activity Recognition on Smartphones and Smartwatches. <b>2018</b> , 90-99		
79	Exercise and Cardiovascular Disease: Emphasis on Efficacy, Dosing, and Adverse Effects and Toxicity. <b>2018</b> , 137-151		
78	The Length of Residence is Associated with Cardiovascular Disease Risk Factors among Foreign-English Teachers in Korea. <i>Behavioral Sciences (Basel, Switzerland)</i> , <b>2017</b> , 8,	2.3	1
77	Diabetes Mellitus. <b>2018</b> , 341-352		
76	Slightly increased BMI at young age is a risk factor for future hypertension in Japanese men. <i>PLoS ONE</i> , <b>2018</b> , 13, e0191170	3.7	10
75	Age- and body weight-dependent association between sleep duration and hypertension in US adults: findings from the 2014-2017 National Health Interview Survey. <i>Sleep Health</i> , <b>2019</b> , 5, 509-513	4	10
74	Practice and predictors of self-care behaviors among ambulatory patients with hypertension in Ethiopia. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218947	3.7	13
73	A gender analysis of the impact of physical education on the mental health of brazilian schoolchildren. <i>SSM - Population Health</i> , <b>2019</b> , 8, 100419	3.8	1
72	arly Lifestyle Interventions in People with Impaired Glucose Tolerance in Northern Colombia: The DEMOJUAN Project. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	2
71	Cerebrovascular Disease Is a Risk for Getting Lost Behavior in Prodromal Dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , <b>2019</b> , 34, 344-352	2.5	1
70	Combined effects of obesity and objectively-measured daily physical activity on the risk of hypertension in middle-aged Japanese men: A 4-year prospective cohort study. <i>Obesity Research and Clinical Practice</i> , <b>2019</b> , 13, 365-370	5.4	0
69	Assessing the Magnitude and Risk Factors Associated With Undiagnosed Hypertension in Rural Rwanda. <i>Journal of Management and Strategy</i> , <b>2019</b> , 10, 3	0.1	
68	Association between physical activity level and blood pressure: varied and graded mediating effects of obesity indices in schoolchildren. <i>Cardiology in the Young</i> , <b>2020</b> , 30, 82-88	1	0
67	Association between body mass index and fitness in Korean adults according to the lump mean value and Gaussian fitting. <i>Medical Hypotheses</i> , <b>2020</b> , 135, 109471	3.8	2
66	Long-Distance Skiing and Incidence of Hypertension: A Cohort Study of 206 889 Participants in a Long-Distance Cross-Country Skiing Event. <i>Circulation</i> , <b>2020</b> , 141, 743-750	16.7	2
65	Walking Volume and Speed Are Inversely Associated With Incidence of Treated Hypertension in Postmenopausal Women. <i>Hypertension</i> , <b>2020</b> , 76, 1435-1443	8.5	2

64	Associations Between Physical Activity and Incident Hypertension Across Strata of Body Mass Index: A Prospective Investigation in a Large Cohort of French Women. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e015121	6	4
63	Association between Serum Vitamin C and the Blood Pressure: A Systematic Review and Meta-Analysis of Observational Studies. <i>Cardiovascular Therapeutics</i> , <b>2020</b> , 2020, 4940673	3.3	10
62	Modifiable risk factors associated with non-communicable diseases among adult outpatients in Manzini, Swaziland: a cross-sectional study. <i>BMC Public Health</i> , <b>2020</b> , 20, 665	4.1	5
61	Incidence of hypertension among Asian Indians: 10 year follow up of the Chennai Urban Rural Epidemiology Study (CURES-153). <i>Journal of Diabetes and Its Complications</i> , <b>2020</b> , 34, 107652	3.2	3
60	Joint Effects of Body Mass Index and Waist Circumference on the Incidence of Hypertension in a Community-Based Chinese Population. <i>Obesity Facts</i> , <b>2020</b> , 13, 245-255	5.1	9
59	Individual and Obstetric Risk Factors of Preeclampsia among Singleton Pregnancy in Hospitals of Southern Ethiopia. <i>International Journal of Hypertension</i> , <b>2021</b> , 2021, 7430827	2.4	
58	Risk of Incident Hypertension According to Physical Activity and Temporal Changes in Weight. <i>American Journal of Hypertension</i> , <b>2021</b> , 34, 212-219	2.3	0
57	Factors associated with hypertension among stroke-free indigenous Africans: Findings from the SIREN study. <i>Journal of Clinical Hypertension</i> , <b>2021</b> , 23, 773-784	2.3	2
56	The Effect of Cognitive-Behavioral Intervention on Self-Care Behaviors and Blood Pressure Control in Patients with Primary Hypertension. <i>Journal of Education and Community Health</i> , <b>2021</b> , 8, 41-49	0.7	
55	Associations between PM2.5 exposure duration and physical activity intensity on the health of hypertension in urban residents of Beijing. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 29742-29754	5.1	2
54	Exercise and food supplement of vitamin C ameliorate hypertension through improvement of gut microflora in the spontaneously hypertensive rats. <i>Life Sciences</i> , <b>2021</b> , 269, 119097	6.8	6
53	The Effect of Testosterone on Cardiovascular Disease and Cardiovascular Risk Factors in Men: A Review of Clinical and Preclinical Data. <i>CJC Open</i> , <b>2021</b> , 3, 1238-1248	2	4
52	Leisure-Time Physical Activity and Cardiovascular Disease Risk Among Hypertensive Patients: A Longitudinal Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 644573	5.4	1
51	Association Between Obesity and Blood Pressure in Common Korean People. <i>Vascular Health and Risk Management</i> , <b>2021</b> , 17, 371-377	4.4	2
50	Testing the Youth Physical Activity Promotion Model during the COVID-19 Pandemic, with Partial Least Squares Second-Order Latent Constructs. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	
49	Demographic, socioeconomic, and biological correlates of hypertension in an adult population: evidence from the Bangladesh demographic and health survey 2017-18. <i>BMC Public Health</i> , <b>2021</b> , 21, 1229	4.1	3
48	The Association of Stage 1 Hypertension, Defined by the 2017 ACC/AHA Guidelines, With Cardiovascular Events Among Rural Women in Liaoning Province, China. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 710500	5.4	1
47	Prevalence of Hypertension and Its Associated Risk Factors in a Rural Black Population of Mthatha Town, South Africa. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	4

46	Exercise and Hypertension. <i>Advances in Experimental Medicine and Biology</i> , <b>2020</b> , 1228, 153-167	3.6	9
45	Arterielle Hypertonie. <b>2016</b> , 121-168		1
44	Physical activity and the risk of abdominal aortic aneurysm: a systematic review and meta-analysis of prospective studies. <i>Scientific Reports</i> , <b>2020</b> , 10, 22287	4.9	3
43	Associations between estimated aerobic fitness and cardiovascular risk factors in adults with different levels of abdominal obesity. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 126-31		13
42	Different forms of physical activity and cardiovascular risk factors among 24-64-year-old men and women in Finland. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2006</b> , 13, 51-9		30
41	Body mass index and the risk of dementia among Louisiana low income diabetic patients. <i>PLoS ONE</i> , <b>2012</b> , 7, e44537	3.7	21
40	Change in body fat mass is independently associated with executive functions in older women: a secondary analysis of a 12-month randomized controlled trial. <i>PLoS ONE</i> , <b>2013</b> , 8, e52831	3.7	8
39	Joint association of sitting time and physical activity with metabolic risk factors among middle-aged Malays in a developing country: a cross-sectional study. <i>PLoS ONE</i> , <b>2013</b> , 8, e61723	3.7	20
38	Chapter 11 High Blood Pressure. <b>2010</b> ,		1
37	Effect of Physical Activity on Controlling Blood Pressure among Hypertensive Patients from Mishref Area of Kuwait. <i>Electronic Journal of General Medicine</i> , <b>2010</b> , 7,	2.1	6
36	[Prevalence of geriatric syndrome and risk factors associated with obesity in community-dwelling elderly women]. <i>Japanese Journal of Geriatrics</i> , <b>2008</b> , 45, 414-20	0	7
35	Hypertension in Children: Could the Prevalence be on the Increase?. <i>Nigerian Medical Journal</i> , <b>2019</b> , 60, 256-261	0.6	4
34	Anthropometric Assessment. <b>2007</b> , 581-587		
33	Physical Activity, Fitness, and the Prevention of Cardiovascular Disease. <b>2008</b> , 158-177		
32	Cardiometabolic Syndrome, Diabetes and Oxidative Stress. <i>Modern Nutrition</i> , <b>2008</b> , 91-102		
31	Physical Activity in Diet-Induced Disease Causation and Prevention in Women and Men. <b>2010</b> , 443-454		
30	Exercise intensity effective for primary prevention of hypertension, type 2 diabetes mellitus, and hyperlipidemia. <i>Japanese Journal of Health Promotion and Physical Therapy</i> , <b>2011</b> , 1, 3-11	0	
29	The Effects of the Obesity and Physical Activity on the Prevalence of Hypertension in Korean Adults' ". <i>Journal of the East Asian Society of Dietary Life</i> , <b>2015</b> , 25, 432	0.5	1

28	Effect of physical exercise on the major components of metabolic syndrome. <i>Profilakticheskaya Meditsina</i> , <b>2016</b> , 19, 28	0.5	1
27	13. High Blood Pressure. <b>2016</b> ,		
26	Validation of Korean Version of International Physical Activity Questionnaire: Construct-Related Validity. <i>Korean Journal of Sport Studies</i> , <b>2017</b> , 56, 605-616	0	
25	High normal blood pressure and hypertension among Polish students: prevalence and risk factors. <i>Anthropological Review</i> , <b>2019</b> , 82, 139-154	0.6	
24	Exercise intensity during walking football game. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , <b>2020</b> , 69, 335-341	0.1	0
23	Obesity, Diabetes, and Hypertension. <b>2006</b> , 169-192		1
22	The Exercise Rehabilitation Paradox: Less May Be More?. <i>Ochsner Journal</i> , <b>2016</b> , 16, 297-303	1.5	3
21	Blood Pressure Nomograms for Children and Adolescents by Age and Body Mass Index in Tehran, Iran. <i>Iranian Journal of Public Health</i> , <b>2017</b> , 46, 368-379	0.7	2
20	Effects of the total physical activity and its changes on incidence, progression, and remission of hypertension. <i>Journal of Geriatric Cardiology</i> , <b>2021</b> , 18, 175-184	1.7	
19	Metabolic health, menopause, and physical activity-a 4-year follow-up study. <i>International Journal of Obesity</i> , <b>2021</b> ,	5.5	4
18	Protocol of a Prospective Cohort Study of Physical Activity in Cardiovascular Outcomes (PACVO) in China: Objective, Design, and Baseline Characteristics.. <i>Journal of Cardiovascular Translational Research</i> , <b>2022</b> , 1	3.3	
17	Hypertension and Diabetes. <b>2022</b> , 263-291		1
16	Prevalence and associated factors of hypertension complications among hypertensive patients at University of Gondar Comprehensive Specialized Referral Hospital. <i>Clinical Epidemiology and Global Health</i> , <b>2022</b> , 13, 100951	1.8	
15	Body Mass Index (BMI): A Screening Tool Analysis.. <i>Cureus</i> , <b>2022</b> , 14, e22119	1.2	1
14	Global prevalence and trends in hypertension and type 2 diabetes mellitus among slum residents: a systematic review and meta-analysis.. <i>BMJ Open</i> , <b>2022</b> , 12, e052393	3	0
13	Effects of Endurance Training and Adenosine on the Expression of the A2B Gene on the Ischemic-Reperfusion Model of the Male Rat Brain. <i>The Neuroscience Journal of Shefaye Khatam</i> , <b>2020</b> , 9, 79-89	0.1	1
12	Relationship of frequency of participation in a physical checkup and physical fitness in middle-aged and elderly people: the Yakumo study.. <i>Nagoya Journal of Medical Science</i> , <b>2021</b> , 83, 841-850	0.7	
11	Diabetes and Hypertension: What Is the Connection?. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2022</b> , 159-169	0.1	0



10 Yoga in the Management of Arterial Hypertension. **2022**, 285-301

9 Hemodynamics and functional outcomes after resistance training in hypertensive and normotensive elderly: An experimental study. *Motriz Revista De Educacao Fisica*, 28, 0.9

8 Unravelling the Mechanistic Role of ACE2 and TMPRSS2 in Hypertension: a Risk Factor for COVID-19. **2022**, 18, 0

7 The effect of the Mediterranean diet on health outcomes in post-stroke adults: a systematic literature review of intervention trials. 0

6 Long-term use of probiotics for the management of office and ambulatory blood pressure: A systematic review and meta-analysis of randomized, controlled trials. 0

5 Design and Development of a Smartphone Application for Hypertension Management: An Intervention Mapping Approach (Preprint). 0

4 Management of arterial hypertension: practical aspects in young athletes. **2022**, 67, 130-134 0

3 Relationship between novel anthropometric indices and the incidence of hypertension in Chinese individuals: a prospective cohort study based on the CHNS from 1993 to 2015. **2023**, 23, 0

2 Design and development of a smartphone app for hypertension management: An intervention mapping approach. 11, 0

1 Different associations of occupational and leisure-time physical activity with the prevalence of hypertension among middle-aged community dwellers in rural Khốh Hố, Vietnam. **2023**, 23, 0