

CITATION REPORT

List of articles citing

A technology-based global inventory of black and organic carbon emissions from combustion

DOI: 10.1029/2003jd003697

Journal of Geophysical Research, 2004, 109, .

Source: <https://exaly.com/paper-pdf/37380262/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1781	Global atmospheric impacts of residential fuels. 2004 , 8, 20-32		91
1780	New methodology for estimating biofuel consumption for cooking: Atmospheric emissions of black carbon and sulfur dioxide from India. 2004 , 18, n/a-n/a		49
1779	A study of the global cycle of carbonaceous aerosols in the LMDZT general circulation model. <i>Journal of Geophysical Research</i> , 2004 , 109,		72
1778	Anthropogenic black carbon and fine aerosol distribution over Europe. <i>Journal of Geophysical Research</i> , 2004 , 109,		86
1777	Analysis of Multi-angle Imaging SpectroRadiometer (MISR) aerosol optical depths over greater India during winter 2001-2004. 2004 , 31,		170
1776	Climate sensitivity to black carbon aerosol from fossil fuel combustion. <i>Journal of Geophysical Research</i> , 2004 , 109,		94
1775	On the future of carbonaceous aerosol emissions. <i>Journal of Geophysical Research</i> , 2004 , 109,		165
1774	Climate response of fossil fuel and biofuel soot, accounting for soot's feedback to snow and sea ice albedo and emissivity. <i>Journal of Geophysical Research</i> , 2004 , 109, n/a-n/a		295
1773	CURRENT UNCERTAINTIES IN ASSESSING AEROSOL EFFECTS ON CLIMATE. 2004 , 29, 1-30		61
1772	Switching to a U.S. hydrogen fuel cell vehicle fleet: The resultant change in emissions, energy use, and greenhouse gases. 2005 , 150, 150-181		122
1771	Tropospheric ozone and aerosols in climate agreements: scientific and political challenges. 2005 , 8, 29-43		54
1770	Atmospheric aerosols: composition, transformation, climate and health effects. 2005 , 44, 7520-40		1473
1769	Atmosphärische Aerosole: Zusammensetzung, Transformation, Klima- und Gesundheitseffekte. 2005 , 117, 7690-7712		15
1768	Black Smoke in China and Its Climate Effects. 2005 , 4, 1-23		10
1767	Preface. 2005 , xiii-xiii		
1766	Atmospheric structure, composition, and thermodynamics. 2005 , 12-60		1
1765	The momentum equation in Cartesian and spherical coordinates. 2005 , 82-137		

- 1764 Boundary-layer and surface processes. **2005**, 228-272 0
- 1763 Gas-phase species, chemical reactions, and reaction rates. **2005**, 336-356
- 1762 Urban, free-tropospheric, and stratospheric chemistry. **2005**, 357-417
- 1761 Methods of solving chemical ordinary differential equations. **2005**, 418-445
- 1760 Particle components, size distributions, and size structures. **2005**, 446-469
- 1759 Aerosol emission and nucleation. **2005**, 470-493 1
- 1758 Condensation, evaporation, deposition, and sublimation. **2005**, 525-552
- 1757 Cloud thermodynamics and dynamics. **2005**, 598-644
- 1756 Sedimentation, dry deposition, and air-sea exchange. **2005**, 661-680 2
- 1755 Model design, application, and testing. **2005**, 681-708 1
- 1754 Appendix A Conversions and constants. **2005**, 709-713
- 1753 Introduction. **2005**, 1-11 1
- 1752 The continuity and thermodynamic energy equations. **2005**, 61-81
- 1751 Vertical-coordinate conversions. **2005**, 138-168
- 1750 Numerical solutions to partial differential equations. **2005**, 169-203
- 1749 Finite-differencing the equations of atmospheric dynamics. **2005**, 204-227
- 1748 Radiative energy transfer. **2005**, 273-335 1
- 1747 Coagulation. **2005**, 494-524 1

1746 Chemical equilibrium and dissolution processes. **2005**, 553-597

1745 Irreversible aqueous chemistry. **2005**, 645-660

1744 Appendix B Tables. **2005**, 714-751

1743 References. **2005**, 752-783

1742 Long-term scenarios for black and organic carbon emissions. **2005**, 2, 205-216 11

1741 Residential biofuels in South Asia: carbonaceous aerosol emissions and climate impacts. **2005**, 307, 1454-6 487

1740 Historical emissions of carbonaceous aerosols from biomass and fossil fuel burning for the period 1870-2000. **2005**, 19, n/a-n/a 160

1739 The origin of water soluble particulate iron in the Asian atmospheric outflow. **2005**, 32, n/a-n/a 126

1738 Regional aerosol properties: Comparisons of boundary layer measurements from ACE 1, ACE 2, Aerosols99, INDOEX, ACE Asia, TARFOX, and NEAQS. *Journal of Geophysical Research*, **2005**, 110, n/a-n/a 122

1737 Distant origins of Arctic black carbon: A Goddard Institute for Space Studies ModelE experiment. *Journal of Geophysical Research*, **2005**, 110, 243

1736 Export efficiency of black carbon aerosol in continental outflow: Global implications. *Journal of Geophysical Research*, **2005**, 110, 154

1735 Climate response of direct radiative forcing of anthropogenic black carbon. *Journal of Geophysical Research*, **2005**, 110, 220

1734 Emissions from international shipping: 1. The last 50 years. *Journal of Geophysical Research*, **2005**, 110, 388

1733 Adjoint inverse modeling of black carbon during the Asian Pacific Regional Aerosol Characterization Experiment. *Journal of Geophysical Research*, **2005**, 110, n/a-n/a 94

1732 Optical, physical, and chemical properties of tar balls observed during the Yosemite Aerosol Characterization Study. *Journal of Geophysical Research*, **2005**, 110, 144

1731 The importance of China's household sector for black carbon emissions. **2005**, 32, n/a-n/a 36

1730 Response of a coupled chemistry-climate model to changes in aerosol emissions: Global impact on the hydrological cycle and the tropospheric burdens of OH, ozone, and NOx. **2005**, 32, 49

1729 Electron tomography of nanoparticle clusters: Implications for atmospheric lifetimes and radiative forcing of soot. **2005**, 32, 83

1728	Efficacy of climate forcings. <i>Journal of Geophysical Research</i> , 2005 , 110,	947
1727	Impacts of black carbon aerosol on photolysis and ozone. <i>Journal of Geophysical Research</i> , 2005 , 110,	134
1726	Aerosol organic carbon to black carbon ratios: Analysis of published data and implications for climate forcing. <i>Journal of Geophysical Research</i> , 2005 , 110,	94
1725	Global anthropogenic aerosol direct forcing derived from satellite and ground-based observations. <i>Journal of Geophysical Research</i> , 2005 , 110,	228
1724	Contributions of fossil fuel, biomass-burning, and biogenic emissions to carbonaceous aerosols in Zurich as traced by ¹⁴ C. <i>Journal of Geophysical Research</i> , 2006 , 111,	289
1723	Emissions from open biomass burning in India: Integrating the inventory approach with high-resolution Moderate Resolution Imaging Spectroradiometer (MODIS) active-fire and land cover data. 2006 , 20, n/a-n/a	214
1722	Temporal variations of elemental carbon in Tokyo. <i>Journal of Geophysical Research</i> , 2006 , 111,	142
1721	Optical properties of soot-water drop agglomerates: An experimental study. <i>Journal of Geophysical Research</i> , 2006 , 111,	150
1720	Black carbon measurement in a coastal area of south China. <i>Journal of Geophysical Research</i> , 2006 , 111,	55
1719	Characteristics of atmospheric transport into the Arctic troposphere. <i>Journal of Geophysical Research</i> , 2006 , 111,	474
1718	Two-decadal aerosol trends as a likely explanation of the global dimming/brightening transition. 2006 , 33,	237
1717	Measurements of emission factors for primary carbonaceous particles from residential raw-coal combustion in China. 2006 , 33,	151
1716	Revisiting China's CO emissions after the Transport and Chemical Evolution over the Pacific (TRACE-P) mission: Synthesis of inventories, atmospheric modeling, and observations. <i>Journal of Geophysical Research</i> , 2006 , 111,	245
1715	Pan-Arctic enhancements of light absorbing aerosol concentrations due to North American boreal forest fires during summer 2004. <i>Journal of Geophysical Research</i> , 2006 , 111,	180
1714	Limitations in the enhancement of visible light absorption due to mixing state. <i>Journal of Geophysical Research</i> , 2006 , 111,	470
1713	Significant enhancements of nitrogen oxides, black carbon, and ozone in the North Atlantic lower free troposphere resulting from North American boreal wildfires. <i>Journal of Geophysical Research</i> , 2006 , 111,	143
1712	Concentrations and sources of organic carbon aerosols in the free troposphere over North America. <i>Journal of Geophysical Research</i> , 2006 , 111,	97
1711	Light Absorption by Carbonaceous Particles: An Investigative Review. 2006 , 40, 27-67	1871

1710	Intercomparison of thermal and optical measurement methods for elemental carbon and black carbon at an urban location. <i>Environmental Science & Technology</i> , 2006 , 40, 6377-83	10.3	115
1709	CCN activation of pure and coated carbon black particles. <i>Environmental Science & Technology</i> , 2006 , 40, 1223-30	10.3	97
1708	Smoke-impacted regional haze in California during the summer of 2002. 2006 , 137, 25-42		52
1707	Size distribution of black (BC) and total carbon (TC) in Vienna and Ljubljana. <i>Chemosphere</i> , 2006 , 65, 2106-13	6.13	25
1706	On-line measurement of ultrafine aggregate surface area and volume distributions by electrical mobility analysis: II. Comparison of measurements and theory. <i>Journal of Aerosol Science</i> , 2006 , 37, 272-282	4.3	48
1705	Emissions of primary aerosol and precursor gases in the years 2000 and 1750 prescribed data-sets for AeroCom. <i>Atmospheric Chemistry and Physics</i> , 2006 , 6, 4321-4344	6.8	765
1704	The contribution of boundary layer nucleation events to total particle concentrations on regional and global scales. <i>Atmospheric Chemistry and Physics</i> , 2006 , 6, 5631-5648	6.8	299
1703	The effect of physical and chemical aerosol properties on warm cloud droplet activation. <i>Atmospheric Chemistry and Physics</i> , 2006 , 6, 2593-2649	6.8	571
1702	Strong spectral dependence of light absorption by organic carbon particles formed by propane combustion. <i>Atmospheric Chemistry and Physics</i> , 2006 , 6, 2981-2990	6.8	124
1701	Black carbon or brown carbon? The nature of light-absorbing carbonaceous aerosols. <i>Atmospheric Chemistry and Physics</i> , 2006 , 6, 3131-3148	6.8	1386
1700	Radiative forcing by aerosols as derived from the AeroCom present-day and pre-industrial simulations. <i>Atmospheric Chemistry and Physics</i> , 2006 , 6, 5225-5246	6.8	561
1699	The sensitivity of aerosol in Europe to two different emission inventories and temporal distribution of emissions. <i>Atmospheric Chemistry and Physics</i> , 2006 , 6, 4287-4309	6.8	91
1698	Climate-relevant properties of primary particulate emissions from oil and natural gas combustion. 2006 , 40, 3574-3587		31
1697	Inventory of black carbon and organic carbon emissions from China. 2006 , 40, 6516-6527		291
1696	Air emission inventories in North America: a critical assessment. 2006 , 56, 1115-29		30
1695	Major components of China's anthropogenic primary particulate emissions. 2007 , 2, 045027		104
1694	Global and Country Inventory of Road Passenger and Freight Transportation: Fuel Consumption and Emissions of Air Pollutants in Year 2000. 2007 , 2011, 127-136		42
1693	Can warming particles enter global climate discussions?. 2007 , 2, 045030		55

1692	Evaluation of a global aerosol microphysics model against size-resolved particle statistics in the marine atmosphere. <i>Atmospheric Chemistry and Physics</i> , 2007 , 7, 2073-2090	6.8	46
1691	Nitrate aerosols today and in 2030: a global simulation including aerosols and tropospheric ozone. <i>Atmospheric Chemistry and Physics</i> , 2007 , 7, 5043-5059	6.8	202
1690	Efficiency of cloud condensation nuclei formation from ultrafine particles. <i>Atmospheric Chemistry and Physics</i> , 2007 , 7, 1367-1379	6.8	155
1689	An Asian emission inventory of anthropogenic emission sources for the period 1980-2020. <i>Atmospheric Chemistry and Physics</i> , 2007 , 7, 4419-4444	6.8	1134
1688	Aerosol absorption and radiative forcing. <i>Atmospheric Chemistry and Physics</i> , 2007 , 7, 5237-5261	6.8	211
1687	PM measurement campaign HOVERT in the Greater Berlin area: model evaluation with chemically specified particulate matter observations for a one year period. <i>Atmospheric Chemistry and Physics</i> , 2007 , 7, 55-68	6.8	37
1686	Size distributions of non-volatile particle residuals ($D > 800 \text{ nm}$) at a rural site in Germany and relation to air mass origin. <i>Atmospheric Chemistry and Physics</i> , 2007 , 7, 5785-5802	6.8	71
1685	Effect of black carbon on mid-troposphere and surface temperature trends. 18-33		1
1684	Climate system science. 1-4		
1683	Cost-effective reduction of fine primary particulate matter emissions in Finland. 2007 , 2, 044002		6
1682	Pinnacles and pitfalls for source apportionment of potential health effects from airborne particle exposure. 2007 , 19, 727-44		26
1681	Oxygenated interface on biomass burn tar balls determined by single particle scanning transmission X-ray microscopy. 2007 , 111, 5448-58		86
1680	Effects of Mixing State on Black Carbon Measurements by Laser-Induced Incandescence. 2007 , 41, 398-417		235
1679	Heterogeneous Soot Nanostructure in Atmospheric and Combustion Source Aerosols. 2007 , 21, 801-811		45
1678	Direct radiative effect modeled for regional aerosols in central Europe including the effect of relative humidity. <i>Journal of Geophysical Research</i> , 2007 , 112,		6
1677	Global impacts of aerosols from particular source regions and sectors. <i>Journal of Geophysical Research</i> , 2007 , 112,		191
1676	Global biofuel use, 1850-2000. 2007 , 21, n/a-n/a		89
1675	Historical emissions of black and organic carbon aerosol from energy-related combustion, 1850-2000. 2007 , 21, n/a-n/a		601

1674	Dominant impact of residential wood burning on particulate matter in Alpine valleys during winter. 2007 , 34,	167
1673	Regional and global trends in sulfate aerosol since the 1980s. 2007 , 34,	68
1672	Climate impact of black carbon emitted from energy consumption in the world's regions. 2007 , 34,	60
1671	Source characterization of biomass burning particles: The combustion of selected European conifers, African hardwood, savanna grass, and German and Indonesian peat. <i>Journal of Geophysical Research</i> , 2007 , 112,	231
1670	Parameterizing the optical properties of carbonaceous aerosols in the Canadian Centre for Climate Modeling and Analysis Atmospheric General Circulation Model with impacts on global radiation and energy fluxes. <i>Journal of Geophysical Research</i> , 2007 , 112,	16
1669	Trans-Pacific transport of black carbon and fine aerosols (D <i>Journal of Geophysical Research</i> , 2007 , 112,	58
1668	Present-day climate forcing and response from black carbon in snow. <i>Journal of Geophysical Research</i> , 2007 , 112,	898
1667	Modeling historical long-term trends of sulfate, ammonium, and elemental carbon over Europe: A comparison with ice core records in the Alps. <i>Journal of Geophysical Research</i> , 2007 , 112,	52
1666	Aerosol modeling over Europe: 1. Interannual variability of aerosol distribution. <i>Journal of Geophysical Research</i> , 2007 , 112,	13
1665	Levoglucosan levels at background sites in Europe for assessing the impact of biomass combustion on the European aerosol background. <i>Journal of Geophysical Research</i> , 2007 , 112,	316
1664	Atmospheric brown clouds: Hemispherical and regional variations in long-range transport, absorption, and radiative forcing. <i>Journal of Geophysical Research</i> , 2007 , 112,	349
1663	Impacts of enhanced biomass burning in the boreal forests in 1998 on tropospheric chemistry and the sensitivity of model results to the injection height of emissions. <i>Journal of Geophysical Research</i> , 2007 , 112,	80
1662	Modeling carbonaceous aerosol over Europe: Analysis of the CARBOSOL and EMEP EC/OC campaigns. <i>Journal of Geophysical Research</i> , 2007 , 112,	145
1661	Modeling of elemental carbon over Europe. <i>Journal of Geophysical Research</i> , 2007 , 112,	50
1660	Spatial and seasonal distributions of carbonaceous aerosols over China. <i>Journal of Geophysical Research</i> , 2007 , 112,	363
1659	Fractal parameters of individual soot particles determined using electron tomography: Implications for optical properties. <i>Journal of Geophysical Research</i> , 2007 , 112,	102
1658	A methodology to retrieve self-consistent aerosol optical properties using common aircraft measurements. <i>Journal of Geophysical Research</i> , 2007 , 112,	14
1657	Determination of water and alkaline extractable atmospheric humic-like substances with the TU Vienna HULIS analyzer in samples from six background sites in Europe. <i>Journal of Geophysical Research</i> , 2007 , 112,	74

1656	A satellite- and model-based assessment of the 2003 Russian fires: Impact on the Arctic region. <i>Journal of Geophysical Research</i> , 2007 , 112,	66
1655	Evaluating the impacts of carbonaceous aerosols on clouds and climate. 34-48	12
1654	. 2007 , 59, 283-302	17
1653	Primary emissions of fine carbonaceous particles in Europe. 2007 , 41, 2156-2170	105
1652	On the variability of Black Smoke and carbonaceous aerosols in the Netherlands. 2007 , 41, 5908-5920	44
1651	Secondary organic aerosol importance in the future atmosphere. 2007 , 41, 4682-4692	188
1650	Characterization of carbonaceous aerosols in urban air. 2007 , 41, 6872-6883	109
1649	A study for development of emission factors for trace gases and carbonaceous particulate species from in situ burning of wheat straw in agricultural fields in india. 2007 , 41, 9173-9186	79
1648	Source profiles of particulate organic matters emitted from cereal straw burnings. 2007 , 19, 167-75	197
1647	Carbonaceous aerosols in PM10 and pollution gases in winter in Beijing. 2007 , 19, 564-71	63
1646	Sources and Transport of Urban and Biomass Burning Aerosol Black Carbon at the SouthWest Atlantic Coast. 2007 , 56, 225-238	25
1645	Dissecting Future Aerosol Emissions: warming Tendencies and Mitigation Opportunities. 2007 , 81, 313-330	23
1644	Climate simulations for 1880-2003 with GISS modelE. 2007 , 29, 661-696	209
1643	Estimation and prediction of black carbon emissions in Beijing City. 2007 , 52, 1274-1281	24
1642	Regional modeling of carbonaceous aerosols over Europe focus on secondary organic aerosols. 2008 , 61, 175-202	134
1641	Estimation of emissions from field burning of crop straw in China. 2008 , 53, 784-790	139
1640	Chemical characteristics of aerosols in MABL of Bay of Bengal and Arabian Sea during spring inter-monsoon: A comparative study. 2008 , 117, 325-332	66
1639	Simulation of direct effects of black carbon aerosol on temperature and hydrological cycle in Asia by a Regional Climate Model. 2008 , 100, 179-193	31

1638	Climate trade-off between black carbon and carbon dioxide emissions. 2008 , 36, 193-200	140
1637	Emission of polycyclic aromatic hydrocarbons from indoor straw burning and emission inventory updating in China. 2008 , 1140, 218-27	133
1636	Global and regional climate changes due to black carbon. 2008 , 1, 221-227	2394
1635	Black carbon concentrations and diesel vehicle emission factors derived from coefficient of haze measurements in California: 1967-2003. 2008 , 42, 480-491	58
1634	Morphological characterization of carbonaceous aggregates in soot and free fall aerosol samples. 2008 , 42, 1025-1034	39
1633	Carbonaceous aerosols in MABL of Bay of Bengal: Influence of continental outflow. 2008 , 42, 4089-4100	60
1632	Factors affecting the indoor concentrations of carbonaceous aerosols of outdoor origin. 2008 , 42, 5660-5671	33
1631	A regional scale chemical transport modeling of Asian aerosols with data assimilation of AOD observations using optimal interpolation technique. 2008 , 42, 8600-8615	89
1630	Effects of Siberian forest fires on air quality in East Asia during May 2003 and its climate implication. 2008 , 42, 8910-8922	34
1629	Aerosol-cloud-precipitation interactions. Part 1. The nature and sources of cloud-active aerosols. 2008 , 89, 13-41	1079
1628	Characteristics of particulate carbon emissions from real-world Chinese coal combustion. <i>Environmental Science & Technology</i> , 2008 , 42, 5068-73	10.3 367
1627	Particulate-phase and gaseous elemental mercury emissions during biomass combustion: controlling factors and correlation with particulate matter emissions. <i>Environmental Science & Technology</i> , 2008 , 42, 721-7	10.3 69
1626	Combustion iron distribution and deposition. 2008 , 22, n/a-n/a	225
1625	Pan-Arctic patterns in black carbon sources and fluvial discharges deduced from radiocarbon and PAH source apportionment markers in estuarine surface sediments. 2008 , 22, n/a-n/a	64
1624	Global wildland fire emissions from 1960 to 2000. 2008 , 22, n/a-n/a	333
1623	Decadal growth of black carbon emissions in India. 2008 , 35,	54
1622	Fossil and contemporary fine particulate carbon fractions at 12 rural and urban sites in the United States. <i>Journal of Geophysical Research</i> , 2008 , 113,	135
1621	A global model study of processes controlling aerosol size distributions in the Arctic spring and summer. <i>Journal of Geophysical Research</i> , 2008 , 113,	64

1620	Sources of particulate matter in the northeastern United States in summer: 1. Direct emissions and secondary formation of organic matter in urban plumes. <i>Journal of Geophysical Research</i> , 2008 , 113,	158
1619	Using aircraft measurements to estimate the magnitude and uncertainty of the shortwave direct radiative forcing of southern African biomass burning aerosol. <i>Journal of Geophysical Research</i> , 2008 , 113, n/a-n/a	18
1618	A satellite-based assessment of transpacific transport of pollution aerosol. <i>Journal of Geophysical Research</i> , 2008 , 113,	105
1617	Sensitivity of multiangle imaging to the optical and microphysical properties of biomass burning aerosols. <i>Journal of Geophysical Research</i> , 2008 , 113,	48
1616	Origin of surface and columnar Indian Ocean Experiment (INDOEX) aerosols using source- and region-tagged emissions transport in a general circulation model. <i>Journal of Geophysical Research</i> , 2008 , 113,	28
1615	Distribution and direct radiative forcing of carbonaceous and sulfate aerosols in an interactive size-resolving aerosol-climate model. <i>Journal of Geophysical Research</i> , 2008 , 113,	76
1614	Global distribution of atmospheric phosphorus sources, concentrations and deposition rates, and anthropogenic impacts. 2008 , 22, n/a-n/a	504
1613	Globally significant oceanic source of organic carbon aerosol. 2008 , 35, n/a-n/a	110
1612	The Environmental Reach of Asia. 2008 , 33, 461-481	21
1611	Aerosol trends over China, 1980-2000. <i>Atmospheric Research</i> , 2008 , 88, 174-182	5.4 140
1610	Fine organic particle, formaldehyde, acetaldehyde concentrations under and after the influence of fire activity in the atmosphere of Riverside, California. 2008 , 108, 7-14	20
1609	Light absorbing carbon emissions from commercial shipping. 2008 , 35,	61
1608	Empirical correlations between black carbon aerosol and carbon monoxide in the lower and middle troposphere. 2008 , 35,	54
1607	Overview of the Dust and Biomass-burning Experiment and African Monsoon Multidisciplinary Analysis Special Observing Period-0. <i>Journal of Geophysical Research</i> , 2008 , 113,	154
1606	Short-term effects of agriculture on air pollution and climate in California. <i>Journal of Geophysical Research</i> , 2008 , 113,	14
1605	Emission characteristics of carbonaceous particles from various residential coal-stoves in China. <i>Environmental Science & Technology</i> , 2008 , 42, 3310-5	10.3 144
1604	Physical and chemical characterization of residential oil boiler emissions. <i>Environmental Science & Technology</i> , 2008 , 42, 2496-502	10.3 25
1603	Measurements of nanoparticles of organic carbon and soot in flames and vehicle exhausts. <i>Environmental Science & Technology</i> , 2008 , 42, 859-63	10.3 44

1602	Climate forcing from the transport sectors. 2008 , 105, 454-8		210
1601	Albedo Measurements and Optical Sizing of Single Aerosol Particles. 2008 , 42, 958-969		19
1600	Technical Note: Molecular characterization of aerosol-derived water soluble organic carbon using ultrahigh resolution electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 5099-5111	6.8	166
1599	Black carbon record based on a shallow Himalayan ice core and its climatic implications. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 1343-1352	6.8	201
1598	The role of iron and black carbon in aerosol light absorption. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 3623-3637	6.8	82
1597	Size distributions of elemental carbon in the atmosphere of a coastal urban area in South China: characteristics, evolution processes, and implications for the mixing state. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 5843-5853	6.8	53
1596	MATRIX (Multiconfiguration Aerosol TRacker of mIXing state): an aerosol microphysical module for global atmospheric models. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 6003-6035	6.8	134
1595	Influence of future air pollution mitigation strategies on total aerosol radiative forcing. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 6405-6437	6.8	36
1594	Radiative budget in the presence of multi-layered aerosol structures in the framework of AMMA SOP-0. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 6839-6864	6.8	36
1593	Mass concentrations of black carbon measured by four instruments in the middle of Central East China in June 2006. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 7637-7649	6.8	53
1592	The aerosol distribution in Europe derived with the Community Multiscale Air Quality (CMAQ) model: comparison to near surface in situ and sunphotometer measurements. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 5077-5097	6.8	34
1591	Climate forcing and air quality change due to regional emissions reductions by economic sector. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 7101-7113	6.8	45
1590	A Study on Aerosol Optical Properties in an Urban Atmosphere of Nagoya, Japan. 2009 , 87, 19-38		7
1589	Biogenic carbon and anthropogenic pollutants combine to form a cooling haze over the southeastern United States. 2009 , 106, 8835-40		251
1588	Brown clouds over South Asia: biomass or fossil fuel combustion?. 2009 , 323, 495-8		504
1587	Deployment of coal briquettes and improved stoves: possibly an option for both environment and climate. <i>Environmental Science & Technology</i> , 2009 , 43, 5586-91	10.3	78
1586	Atmosphere. Sources of Asian haze. 2009 , 323, 470-1		61
1585	Carbonaceous aerosol emissions from household biofuel combustion in China. <i>Environmental Science & Technology</i> , 2009 , 43, 6076-81	10.3	166

1584	Laboratory and field investigations of particulate and carbon monoxide emissions from traditional and improved cookstoves. 2009 , 43, 1170-1181	240
1583	Air pollution, greenhouse gases and climate change: Global and regional perspectives. 2009 , 43, 37-50	490
1582	Impaired visibility: the air pollution people see. 2009 , 43, 182-195	185
1581	Global atmospheric emission inventory of polycyclic aromatic hydrocarbons (PAHs) for 2004. 2009 , 43, 812-819	599
1580	Aqueous-phase reactive uptake of dicarbonyls as a source of organic aerosol over eastern North America. 2009 , 43, 1814-1822	101
1579	Elemental carbon in urban soils and road dusts in Xi'an, China and its implication for air pollution. 2009 , 43, 2464-2470	56
1578	Climate forcing by the on-road transportation and power generation sectors. 2009 , 43, 3077-3085	37
1577	Evaluating inter-continental transport of fine aerosols: (1) Methodology, global aerosol distribution and optical depth. 2009 , 43, 4327-4338	52
1576	Designing ambient particulate matter monitoring program for source apportionment study by receptor modeling. 2009 , 43, 3334-3344	29
1575	Evaluating inter-continental transport of fine aerosols:(2) Global health impact. 2009 , 43, 4339-4347	76
1574	Atmospheric composition change: Climate-Chemistry interactions. 2009 , 43, 5138-5192	206
1573	Atmospheric composition change Global and regional air quality. 2009 , 43, 5268-5350	592
1572	Atmospheric emissions from road transportation in India. 2009 , 37, 3812-3822	75
1571	Characterizing the long-range transport of black carbon aerosols during Transport and Chemical Evolution over the Pacific (TRACE-P) experiment. 2009 , 154, 85-92	10
1570	Fractionation analysis of transport engine-generated soot particles with respect to hygroscopicity. 2009 , 64, 129-147	7
1569	A modeling study of the effects of direct radiative forcing due to carbonaceous aerosol on the climate in East Asia. 2009 , 26, 57-66	83
1568	Modelling of chemical and physical aerosol properties during the ADRIEX aerosol campaign. 2009 , 135, 53-66	7
1567	A black-carbon mitigation wedge. 2009 , 2, 533-534	74

1566	Aerosol light absorption and its measurement: A review. 2009 , 110, 844-878		563
1565	Black carbon in marine particulate organic carbon: Inputs and cycling of highly recalcitrant organic carbon in the Gulf of Maine. 2009 , 113, 172-181		52
1564	Electron tomography for heterogeneous catalysts and related nanostructured materials. 2009 , 109, 1613-29	210	
1563	Inferring black carbon concentrations in particulate organic matter by observing pyrene fluorescence losses. <i>Environmental Science & Technology</i> , 2009 , 43, 4864-70	10.3	10
1562	Derivation of the density and refractive index of organic matter and elemental carbon from closure between physical and chemical aerosol properties. <i>Environmental Science & Technology</i> , 2009 , 43, 1166-72	10.3	21
1561	Organic aerosols in the Earth's atmosphere. <i>Environmental Science & Technology</i> , 2009 , 43, 7614-8	10.3	322
1560	Climate-relevant properties of diesel particulate emissions: results from a piggyback study in Bangkok, Thailand. <i>Environmental Science & Technology</i> , 2009 , 43, 4213-8	10.3	50
1559	Measurements of black and organic carbon emission factors for household coal combustion in China: implication for emission reduction. <i>Environmental Science & Technology</i> , 2009 , 43, 9495-500	10.3	119
1558	Gas/particle partitioning and global distribution of polycyclic aromatic hydrocarbons--a modelling approach. <i>Chemosphere</i> , 2009 , 76, 98-106	8.4	98
1557	Characteristics of organic and elemental carbon in PM2.5 samples in Shanghai, China. <i>Atmospheric Research</i> , 2009 , 92, 434-442	5.4	181
1556	Implications of changing climate for global wildland fire. 2009 , 18, 483		840
1555	Fluxes of soot black carbon to South Atlantic sediments. 2009 , 23, n/a-n/a		48
1554	Impacts of increasing anthropogenic soluble iron and nitrogen deposition on ocean biogeochemistry. 2009 , 23, n/a-n/a		98
1553	Atmospheric budget of primary biological aerosol particles from fungal spores. 2009 , 36,		146
1552	Estimating biomass consumed from fire using MODIS FRE. 2009 , 36,		73
1551	Sensitivity of inverse estimation of 2004 elemental carbon emissions inventory in the United States to the choice of observational networks. 2009 , 36, n/a-n/a		22
1550	Top-down analysis of the elemental carbon emissions inventory in the United States by inverse modeling using Community Multiscale Air Quality model with decoupled direct method (CMAQ-DDM). <i>Journal of Geophysical Research</i> , 2009 , 114,		17
1549	Consistency between satellite-derived and modeled estimates of the direct aerosol effect. 2009 , 325, 187-90		220

1548	Anthropogenic aerosols observed in Asian continental outflow at Jeju Island, Korea, in spring 2005. <i>Journal of Geophysical Research</i> , 2009 , 114,	42
1547	Coupled IMPACT aerosol and NCAR CAM3 model: Evaluation of predicted aerosol number and size distribution. <i>Journal of Geophysical Research</i> , 2009 , 114,	55
1546	Transition metal-catalyzed oxidation of atmospheric sulfur: Global implications for the sulfur budget. <i>Journal of Geophysical Research</i> , 2009 , 114,	141
1545	Aging of black carbon in outflow from anthropogenic sources using a mixing state resolved model: Model development and evaluation. <i>Journal of Geophysical Research</i> , 2009 , 114,	56
1544	Spatial and temporal variations of aerosols around Beijing in summer 2006: Model evaluation and source apportionment. <i>Journal of Geophysical Research</i> , 2009 , 114,	77
1543	Effects of soot-induced snow albedo change on snowpack and hydrological cycle in western United States based on Weather Research and Forecasting chemistry and regional climate simulations. <i>Journal of Geophysical Research</i> , 2009 , 114,	105
1542	Estimates of ground-level aerosol mass concentrations using a chemical transport model with Moderate Resolution Imaging Spectroradiometer (MODIS) aerosol observations over East Asia. <i>Journal of Geophysical Research</i> , 2009 , 114,	24
1541	Evaluation of tropical and extratropical Southern Hemisphere African aerosol properties simulated by a climate model. <i>Journal of Geophysical Research</i> , 2009 , 114,	32
1540	An approach to estimate global biomass burning emissions of organic and black carbon from MODIS fire radiative power. <i>Journal of Geophysical Research</i> , 2009 , 114,	132
1539	Influence of future anthropogenic emissions on climate, natural emissions, and air quality. <i>Journal of Geophysical Research</i> , 2009 , 114,	91
1538	Elemental carbon distribution in Svalbard snow. <i>Journal of Geophysical Research</i> , 2009 , 114,	63
1537	Anthropogenic and natural contributions to regional trends in aerosol optical depth, 1980-2006. <i>Journal of Geophysical Research</i> , 2009 , 114,	172
1536	An evaluation of real-time air quality forecasts and their urban emissions over eastern Texas during the summer of 2006 Second Texas Air Quality Study field study. <i>Journal of Geophysical Research</i> , 2009 , 114,	59
1535	Temporal variability in emission category influence on organic matter aerosols in the Indian region. 2009 , 36,	7
1534	Integrating anthropogenic heat flux with global climate models. 2009 , 36, n/a-n/a	161
1533	Distinguishing Aerosol Impacts on Climate over the Past Century. 2009 , 22, 2659-2677	115
1532	Light absorption by organic carbon from wood combustion. 2009 ,	12
1531	Optical soundings of cars' exhaust and urban atmosphere with laser-plasma light and open-path spectrophotometry. 2009 , 182, 012037	

1530	Uncertainty in global CCN concentrations from uncertain aerosol nucleation and primary emission rates. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 1339-1356	6.8	265
1529	Impacts of aerosol-cloud interactions on past and future changes in tropospheric composition. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 4115-4129	6.8	24
1528	Significant variations of trace gas composition and aerosol properties at Mt. Cimone during air mass transport from North Africa [Contributions from wildfire emissions and mineral dust. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 4603-4619	6.8	48
1527	Impact of nucleation on global CCN. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 8601-8616	6.8	568
1526	The formation, properties and impact of secondary organic aerosol: current and emerging issues. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 5155-5236	6.8	2861
1525	Modelled radiative forcing of the direct aerosol effect with multi-observation evaluation. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 1365-1392	6.8	161
1524	Development of a global model of mineral dust aerosol microphysics. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 2441-2458	6.8	48
1523	Variable CCN formation potential of regional sulfur emissions. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 3253-3259	6.8	17
1522	Particulate absorption of solar radiation: anthropogenic aerosols vs. dust. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 3935-3945	6.8	30
1521	Asian emissions in 2006 for the NASA INTEX-B mission. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 5131-5153	6.8	1699
1520	What can we learn about ship emission inventories from measurements of air pollutants over the Mediterranean Sea?. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 6815-6831	6.8	49
1519	Formation of secondary organic aerosol from isoprene oxidation over Europe. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 7003-7030	6.8	19
1518	Chemical apportionment of southern African aerosol mass and optical depth. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 7643-7655	6.8	30
1517	Simulation of particle size distribution with a global aerosol model: contribution of nucleation to aerosol and CCN number concentrations. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 7691-7710	6.8	302
1516	The continental source of glyoxal estimated by the synergistic use of spaceborne measurements and inverse modelling. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 8431-8446	6.8	122
1515	Reduction in biomass burning aerosol light absorption upon humidification: roles of inorganically-induced hygroscopicity, particle collapse, and photoacoustic heat and mass transfer. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 8949-8966	6.8	101
1514	Evaluation of black carbon estimations in global aerosol models. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 9001-9026	6.8	510
1513	Seasonal variation of aliphatic amines in marine sub-micrometer particles at the Cape Verde islands. <i>Atmospheric Chemistry and Physics</i> , 2009 , 9, 9587-9597	6.8	120

1512	Historical (1850-2000) gridded anthropogenic and biomass burning emissions of reactive gases and aerosols: methodology and application. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 7017-7039	6.8	1724
1511	Black carbon measurements in the boundary layer over western and northern Europe. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 9393-9414	6.8	136
1510	Atmospheric pollutant outflow from southern Asia: a review. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 11017-11096	6.8	344
1509	Light-absorbing impurities in Arctic snow. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 11647-11680	6.8	323
1508	Light absorption by organic carbon from wood combustion. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 1773-1787	6.8	495
1507	Evaluation of aerosol distributions in the GISS-TOMAS global aerosol microphysics model with remote sensing observations. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 2129-2144	6.8	45
1506	Sources of uncertainties in modelling black carbon at the global scale. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 2595-2611	6.8	149
1505	Enhancement of marine cloud albedo via controlled sea spray injections: a global model study of the influence of emission rates, microphysics and transport. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 4133-4143	6.8	56
1504	A global perspective on aerosol from low-volatility organic compounds. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 4377-4401	6.8	209
1503	Direct radiative effect of aerosols emitted by transport: from road, shipping and aviation. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 4477-4489	6.8	62
1502	Black carbon aerosols and the third polar ice cap. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 4559-4576	6.8	225
1501	Mexico city aerosol analysis during MILAGRO using high resolution aerosol mass spectrometry at the urban supersite (T0) [Part 2: Analysis of the biomass burning contribution and the non-fossil carbon fraction. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 5315-5341	6.8	157
1500	Trace gas and particle emissions from domestic and industrial biofuel use and garbage burning in central Mexico. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 565-584	6.8	153
1499	Contributions from transport, solid fuel burning and cooking to primary organic aerosols in two UK cities. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 647-668	6.8	308
1498	Single particle characterization of black carbon aerosols at a tropospheric alpine site in Switzerland. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 7389-7407	6.8	89
1497	Atmospheric Brown Clouds in the Himalayas: first two years of continuous observations at the Nepal Climate Observatory-Pyramid (5079 m). <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 7515-7531	6.8	202
1496	Temporal and vertical variations of aerosol physical and chemical properties over West Africa: AMMA aircraft campaign in summer 2006. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 8437-8451	6.8	24
1495	The impact of dust on sulfate aerosol, CN and CCN during an East Asian dust storm. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 365-382	6.8	86

1494	A trajectory analysis of atmospheric transport of black carbon aerosols to Canadian high Arctic in winter and spring (1990-2005). <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 5065-5073	6.8	38
1493	Sulfur dioxide emissions in China and sulfur trends in East Asia since 2000. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 6311-6331	6.8	439
1492	Temporal variations of black carbon in Guangzhou, China, in summer 2006. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 6471-6485	6.8	51
1491	A global modeling study on carbonaceous aerosol microphysical characteristics and radiative effects. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 7439-7456	6.8	125
1490	Climate effects of seasonally varying Biomass Burning emitted Carbonaceous Aerosols (BBCA). <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 8373-8389	6.8	8
1489	Fire in the Earth System. 2010 , 21-48		53
1488	Aerosols and environmental pollution. 2010 , 97, 117-31		51
1487	Characteristics and source of black carbon aerosol over Taklimakan Desert. 2010 , 53, 1202-1209		7
1486	Measuring and modeling black carbon (BC) contamination in the SE Tibetan Plateau. 2010 , 67, 45-60		71
1485	Carbonaceous particles in the atmosphere and precipitation of the Nam Co region, central Tibet. 2010 , 22, 1748-56		80
1484	Oxidation of ketone groups in transported biomass burning aerosol from the 2008 Northern California Lightning Series fires. 2010 , 44, 4142-4154		64
1483	Catalytic oxidation of heavy hydrocarbons over Pt/Al ₂ O ₃ . Influence of the structure of the molecule on its reactivity. 2010 , 95, 217-227		87
1482	Association of marine viral and bacterial communities with reference black carbon particles under experimental conditions: an analysis with scanning electron, epifluorescence and confocal laser scanning microscopy. 2010 , 74, 382-96		21
1481	Warming influenced by the ratio of black carbon to sulphate and the black-carbon source. 2010 , 3, 542-545		189
1480	Black Carbon Mitigation. 142-171		3
1479	Description and evaluation of the Model for Ozone and Related chemical Tracers, version 4 (MOZART-4). 2010 , 3, 43-67		1258
1478	Combustion-Derived Carbonaceous Aerosols (Soot) in the Atmosphere: Water Interaction and Climate Effects. 2010 , 127-157		1
1477	Attribution of climate forcing to economic sectors. 2010 , 107, 3382-7		186

1476	Brown carbon in tar balls from smoldering biomass combustion. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 6363-6370	6.8	341
1475	Direct Aerosol Radiative Forcing Uncertainty Based on a Radiative Perturbation Analysis. 2010 , 23, 5288-5293		93
1474	Using black carbon metrics in climate policyView all notes. 2010 , 7, 135-144		
1473	Composition, Transformation and Effects of Nanoparticles in the Atmosphere. 2010 , 195		
1472	Assessing the climatic benefits of black carbon mitigation. 2010 , 107, 11703-8		80
1471	Effect of intrinsic organic carbon on the optical properties of fresh diesel soot. 2010 , 107, 6699-704		102
1470	The Fire INventory from NCAR (FINN) a high resolution global model to estimate the emissions from open burning. 2010 ,		36
1469	Composition and Morphology of Individual Combustion, Biomass Burning, and Secondary Organic Particle Types Obtained Using Urban and Coastal ATOFMS and STXM-NEXAFS Measurements. 2010 , 44, 551-562		19
1468	Characteristics of atmospheric transport into the Antarctic troposphere. <i>Journal of Geophysical Research</i> , 2010 , 115,		88
1467	Synthesis of satellite (MODIS), aircraft (ICARTT), and surface (IMPROVE, EPA-AQS, AERONET) aerosol observations over eastern North America to improve MODIS aerosol retrievals and constrain surface aerosol concentrations and sources. <i>Journal of Geophysical Research</i> , 2010 , 115,		126
1466	Shapes of soot aerosol particles and implications for their effects on climate. <i>Journal of Geophysical Research</i> , 2010 , 115,		273
1465	A climatology of aerosol optical and microphysical properties over the Indian subcontinent from 9 years (2000-2008) of Multiangle Imaging Spectroradiometer (MISR) data. <i>Journal of Geophysical Research</i> , 2010 , 115,		196
1464	Direct climate effect of black carbon in China and its impact on dust storms. <i>Journal of Geophysical Research</i> , 2010 , 115,		49
1463	Short-term effects of controlling fossil-fuel soot, biofuel soot and gases, and methane on climate, Arctic ice, and air pollution health. <i>Journal of Geophysical Research</i> , 2010 , 115,		223
1462	Will black carbon mitigation dampen aerosol indirect forcing?. 2010 , 37, n/a-n/a		81
1461	Levoglucosan stability in biomass burning particles exposed to hydroxyl radicals. 2010 , 37, n/a-n/a		363
1460	Aged black carbon identified in marine dissolved organic carbon. 2010 , 37, n/a-n/a		129
1459	Global-scale black carbon profiles observed in the remote atmosphere and compared to models. 2010 , 37, n/a-n/a		159

1458	Constraints on black carbon aerosol distribution from Measurement of Pollution in the Troposphere (MOPITT) CO. 2010 , 37, n/a-n/a		7
1457	Premonsoon aerosol characterization and radiative effects over the Indo-Gangetic Plains: Implications for regional climate warming. <i>Journal of Geophysical Research</i> , 2010 , 115,		165
1456	An optimal fitting approach to improve the GISS ModelE aerosol optical property parameterization using AERONET data. <i>Journal of Geophysical Research</i> , 2010 , 115,		5
1455	Emission factors of particulate matter and elemental carbon for crop residues and coals burned in typical household stoves in China. <i>Environmental Science & Technology</i> , 2010 , 44, 7157-62	10.3	197
1454	Estimating black carbon aging time-scales with a particle-resolved aerosol model. <i>Journal of Aerosol Science</i> , 2010 , 41, 143-158	4.3	103
1453	Optical and physical properties of primary on-road vehicle particle emissions and their implications for climate change. <i>Journal of Aerosol Science</i> , 2010 , 41, 36-50	4.3	34
1452	Special Issue for the 9th International Conference on Carbonaceous Particles in the Atmosphere. <i>Journal of Aerosol Science</i> , 2010 , 41, 1-4	4.3	1
1451	Environmental health in China: progress towards clean air and safe water. 2010 , 375, 1110-9		301
1450	Interaction of internally mixed aerosols with light. 2010 , 12, 21-31		54
1449	Heterogeneous oxidation kinetics of organic biomass burning aerosol surrogates by O ₃ , NO ₂ , N ₂ O ₅ , and NO ₃ . 2011 , 13, 21050-62		70
1448	Pathways for climate change effects on fire: Models, data, and uncertainties. 2011 , 35, 393-407		79
1447	Harmonizing aerosol carbon measurements between two conventional thermal/optical analysis methods. <i>Environmental Science & Technology</i> , 2011 , 45, 2902-8	10.3	17
1446	Concentration and photochemistry of PAHs, NPAHs, and OPAHs and toxicity of PM _{2.5} during the Beijing Olympic Games. <i>Environmental Science & Technology</i> , 2011 , 45, 6887-95	10.3	233
1445	Case study of water-soluble metal containing organic constituents of biomass burning aerosol. <i>Environmental Science & Technology</i> , 2011 , 45, 1257-63	10.3	39
1444	Intercomparison of thermal-optical methods for the determination of organic and elemental carbon: influences of aerosol composition and implications. <i>Environmental Science & Technology</i> , 2011 , 45, 10117-23	10.3	26
1443	An aerosol climatology for a rapidly growing arid region (southern Arizona): Major aerosol species and remotely sensed aerosol properties. <i>Journal of Geophysical Research</i> , 2011 , 116, 16		58
1442	Quantification of the hygroscopic effect of soot aging in the atmosphere: laboratory simulations. 2011 , 115, 298-306		23
1441	Effects of diesel particle filter retrofits and accelerated fleet turnover on drayage truck emissions at the Port of Oakland. <i>Environmental Science & Technology</i> , 2011 , 45, 10773-9	10.3	81

1440	Fossil and contemporary aerosol particulate organic carbon in the eastern United States: Implications for deposition and inputs to watersheds. 2011 , 25, n/a-n/a	19
1439	Impacts of atmospheric nutrient deposition on marine productivity: Roles of nitrogen, phosphorus, and iron. 2011 , 25, n/a-n/a	148
1438	Comparison of measured and calculated scattering from surface aerosols with an average, a size-dependent, and a time-dependent refractive index. <i>Journal of Geophysical Research</i> , 2011 , 116,	16
1437	EMTACS: Development and regional-scale simulation of a size, chemical, mixing type, and soot shape resolved atmospheric particle model. <i>Journal of Geophysical Research</i> , 2011 , 116,	27
1436	Pollution transport efficiency toward the Arctic: Sensitivity to aerosol scavenging and source regions. <i>Journal of Geophysical Research</i> , 2011 , 116,	100
1435	Atmospheric tar balls from biomass burning in Mexico. <i>Journal of Geophysical Research</i> , 2011 , 116,	91
1434	Evaluation of factors controlling long-range transport of black carbon to the Arctic. <i>Journal of Geophysical Research</i> , 2011 , 116,	131
1433	Seasonal and diurnal variations of black carbon and organic carbon aerosols in Bangkok. <i>Journal of Geophysical Research</i> , 2011 , 116,	63
1432	Morphological features of soot-containing particles internally mixed with water-soluble materials in continental outflow observed at Cape Hedo, Okinawa, Japan. <i>Journal of Geophysical Research</i> , 2011 , 116,	29
1431	Emissions of black carbon in East Asia estimated from observations at a remote site in the East China Sea. <i>Journal of Geophysical Research</i> , 2011 , 116,	73
1430	Seasonal variations of the transport of black carbon and carbon monoxide from the Asian continent to the western Pacific in the boundary layer. <i>Journal of Geophysical Research</i> , 2011 , 116,	35
1429	Black carbon and its correlation with trace gases at a rural site in Beijing: Top-down constraints from ambient measurements on bottom-up emissions. <i>Journal of Geophysical Research</i> , 2011 , 116, n/a-n/a	37
1428	Emissions of PAHs from indoor crop residue burning in a typical rural stove: emission factors, size distributions, and gas-particle partitioning. <i>Environmental Science & Technology</i> , 2011 , 45, 1206-12	10.3 174
1427	Dissolved Organic Carbon Cycling and Transformation. 2011 , 7-67	65
1426	Characteristics of black carbon aerosol mass concentration over the East Baltic region from two-year measurements. 2011 , 13, 1027-38	14
1425	Light absorption from particulate impurities in snow and ice determined by spectrophotometric analysis of filters. 2011 , 50, 2037-48	74
1424	Nitrogen as a threat to the European greenhouse balance. 434-462	43
1423	The Fire INventory from NCAR (FINN): a high resolution global model to estimate the emissions from open burning. 2011 , 4, 625-641	935

1422	Emission Ratios for Ammonia and Formic Acid and Observations of Peroxy Acetyl Nitrate (PAN) and Ethylene in Biomass Burning Smoke as Seen by the Tropospheric Emission Spectrometer (TES). <i>Atmosphere</i> , 2011 , 2, 633-654	2.7	28
1421	Renewable Energy in the Context of Sustainable Development. 707-790		32
1420	Source identification and airborne chemical characterisation of aerosol pollution from long-range transport over Greenland during POLARCAT summer campaign 2008. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 10097-10123	6.8	44
1419	Biomass burning contribution to black carbon in the Western United States Mountain Ranges. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 11253-11266	6.8	29
1418	Effects of aging on organic aerosol from open biomass burning smoke in aircraft and laboratory studies. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 12049-12064	6.8	418
1417	Aerosol mass spectrometer constraint on the global secondary organic aerosol budget. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 12109-12136	6.8	349
1416	Chemical, physical, and optical evolution of biomass burning aerosols: a case study. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 1491-1503	6.8	109
1415	Characteristics, sources, and transport of aerosols measured in spring 2008 during the aerosol, radiation, and cloud processes affecting Arctic Climate (ARCPAC) Project. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 2423-2453	6.8	217
1414	Origin and radiative forcing of black carbon transported to the Himalayas and Tibetan Plateau. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 2837-2852	6.8	180
1413	Emission factors for open and domestic biomass burning for use in atmospheric models. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 4039-4072	6.8	1136
1412	Using measurements for evaluation of black carbon modeling. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 439-455	6.8	15
1411	Organic functional groups in aerosol particles from burning and non-burning forest emissions at a high-elevation mountain site. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 6367-6386	6.8	72
1410	Trace gas and particle emissions from open biomass burning in Mexico. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 6787-6808	6.8	102
1409	Primary anthropogenic aerosol emission trends for China, 1990-2005. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 931-954	6.8	346
1408	Sulfur dioxide and primary carbonaceous aerosol emissions in China and India, 1996-2010. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 9839-9864	6.8	594
1407	Aerosol emissions and dimming/brightening in Europe: Sensitivity studies with ECHAM5-HAM. <i>Journal of Geophysical Research</i> , 2011 , 116,		62
1406	Soot microphysical effects on liquid clouds, a multi-model investigation. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 1051-1064	6.8	51
1405	The European aerosol budget in 2006. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 1117-1139	6.8	50

1404	Spatiotemporal distribution of light-absorbing carbon and its relationship to other atmospheric pollutants in Stockholm. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 11553-11567	6.8	16
1403	Anthropogenic radiative forcing time series from pre-industrial times until 2010. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 11827-11857	6.8	123
1402	Primary versus secondary contributions to particle number concentrations in the European boundary layer. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 12007-12036	6.8	95
1401	Airborne and ground-based measurements of the trace gases and particles emitted by prescribed fires in the United States. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 12197-12216	6.8	113
1400	Sensitivity studies on the impacts of Tibetan Plateau snowpack pollution on the Asian hydrological cycle and monsoon climate. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 1929-1948	6.8	233
1399	Quantifying the uncertainties of a bottom-up emission inventory of anthropogenic atmospheric pollutants in China. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 2295-2308	6.8	341
1398	Decreases in elemental carbon and fine particle mass in the United States. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 4679-4686	6.8	85
1397	Future emissions from shipping and petroleum activities in the Arctic. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 5305-5320	6.8	112
1396	Aerosol optical properties in the North China Plain during HaChi campaign: an in-situ optical closure study. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 5959-5973	6.8	121
1395	Impacts of global, regional, and sectoral black carbon emission reductions on surface air quality and human mortality. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 7253-7267	6.8	62
1394	Chemical and physical transformations of organic aerosol from the photo-oxidation of open biomass burning emissions in an environmental chamber. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 7669-7686	6.8	287
1393	The influence of semi-volatile and reactive primary emissions on the abundance and properties of global organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 7727-7746	6.8	71
1392	Re-analysis of tropospheric sulfate aerosol and ozone for the period 1980-2005 using the aerosol-chemistry-climate model ECHAM5-HAMMOZ. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 9563-9594	6.8	53
1391	Correlation of black carbon aerosol and carbon monoxide in the high-altitude environment of Mt. Huang in Eastern China. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 9735-9747	6.8	63
1390	Global cloud condensation nuclei influenced by carbonaceous combustion aerosol. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 9067-9087	6.8	164
1389	Assessing boreal forest fire smoke aerosol impacts on U.S. air quality: A case study using multiple data sets. <i>Journal of Geophysical Research</i> , 2011 , 116, n/a-n/a		40
1388	Emission of Polycyclic Aromatic Hydrocarbons in China. 2011 , 267-281		3
1387	Mass absorption efficiency of elemental carbon and water-soluble organic carbon in Beijing, China. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 11497-11510	6.8	212

1386	Practical Paths towards Lowering Black Carbon Emissions. 2011 , 2, 12-22		1
1385	Elemental carbon deposition to Svalbard snow from Norwegian settlements and long-range transport. 2011 , 63, 340-351		42
1384	The use of polar organic compounds to estimate the contribution of domestic solid fuel combustion and biogenic sources to ambient levels of organic carbon and PM _{2.5} in Cork Harbour, Ireland. <i>Science of the Total Environment</i> , 2011 , 409, 2143-55	10.2	54
1383	Multiple effects and uncertainties of emission control policies in China: Implications for public health, soil acidification, and global temperature. <i>Science of the Total Environment</i> , 2011 , 409, 5177-87	10.2	12
1382	Combustion-derived substances in deep basins of Puget Sound: historical inputs from fossil fuel and biomass combustion. 2011 , 159, 983-90		39
1381	Historical estimation of carbonaceous aerosol emissions from biomass open burning in China for the period 1990-2005. 2011 , 159, 3316-23		43
1380	CHARACTERIZATION OF PARTICULATE MATTER EMISSION FROM OPEN BURNING OF RICE STRAW. 2011 , 45, 493-502		184
1379	Characteristics of summertime PM _{2.5} organic and elemental carbon in four major Chinese cities: Implications of high acidity for water-soluble organic carbon (WSOC). 2011 , 45, 318-325		117
1378	Nationwide summer peaks of OC/EC ratios in the contiguous United States. 2011 , 45, 578-586		44
1377	Source contributions to carbonaceous aerosol concentrations in Korea. 2011 , 45, 1116-1125		42
1376	Determining contributions of biomass burning and other sources to fine particle contemporary carbon in the western United States. 2011 , 45, 1986-1993		42
1375	Applications of optical spectroscopy and stable isotope analyses to organic aerosol source discrimination in an urban area. 2011 , 45, 1960-1969		46
1374	Source characterization of organic aerosols using Monte Carlo source apportionment of PAHs at two South Asian receptor sites. 2011 , 45, 3874-3881		23
1373	Global aerosol model-derived black carbon concentration and single scattering albedo over Indian region and its comparison with ground observations. 2011 , 45, 3277-3285		40
1372	Trends, temporal and spatial characteristics, and uncertainties in biomass burning emissions in the Pearl River Delta, China. 2011 , 45, 4051-4059		86
1371	Aerosol black carbon at five background measurement sites over Finland, a gateway to the Arctic. 2011 , 45, 4042-4050		57
1370	Attribution of aerosol radiative forcing over India during the winter monsoon to emissions from source categories and geographical regions. 2011 , 45, 4398-4407		26
1369	Global emission projections of particulate matter (PM): I. Exhaust emissions from on-road vehicles. 2011 , 45, 4830-4844		76

1368	Emission estimates of particulate matter (PM) and trace gases (SO ₂ , NO and NO ₂) from biomass fuels used in rural sector of Indo-Gangetic Plain, India. 2011 , 45, 5913-5923		43
1367	PM _{2.5} source profiles for black and organic carbon emission inventories. 2011 , 45, 5407-5414		92
1366	Black carbon aerosols over an urban area in south-eastern Spain: Changes detected after the 2008 economic crisis. 2011 , 45, 6423-6432		53
1365	Emissions inventory of anthropogenic PM _{2.5} and PM ₁₀ in Delhi during Commonwealth Games 2010. 2011 , 45, 6180-6190		97
1364	Atmospheric polycyclic aromatic hydrocarbons (PAHs) from post-harvest biomass burning emissions in the Indo-Gangetic Plain: Isomer ratios and temporal trends. 2011 , 45, 6732-6740		106
1363	Estimation of county-level black carbon emissions and its spatial distribution in China in 2000. 2011 , 45, 6995-7004		24
1362	Characteristics of fine particle carbonaceous aerosol at two remote sites in Central Asia. 2011 , 45, 6955-6964		23
1361	Evolution of anthropogenic and biomass burning emissions of air pollutants at global and regional scales during the 1980-2010 period. 2011 , 109, 163-190		623
1360	Radiative forcing and climate response due to black carbon in snow and ice. 2011 , 28, 1336-1344		20
1359	Emission inventories of primary particles and pollutant gases for China. 2011 , 56, 781-788		100
1358	Investigations of primary and secondary particulate matter of different wood combustion appliances with a high-resolution time-of-flight aerosol mass spectrometer. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 5945-5957	6.8	188
1357	Anthropogenic sulfur dioxide emissions: 1850-2005. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 1101-1116	11.6	655
1356	Hazardous waste in the Asian Pacific region. 2011 , 26, 31-8		
1355	CAM-chem: description and evaluation of interactive atmospheric chemistry in CESM. 2011 ,		16
1354	Evaluating the effects of climate change on summertime ozone using a relative response factor approach for policymakers. 2012 , 62, 1061-74		17
1353	Interannual Tropospheric Aerosol Variability in the Late Twentieth Century and Its Impact on Tropical Atlantic and West African Climate by Direct and Semidirect Effects. 2012 , 25, 8031-8056		10
1352	Sensitivity of the Single Particle Soot Photometer to different black carbon types. 2012 , 5, 1031-1043		154
1351	Development of risk-based air quality management strategies under impacts of climate change. 2012 , 62, 557-65		4

1350	Effect of internal mixture on black carbon radiative forcing. 2012 , 64, 10925		51
1349	A Fast and Efficient Version of the TwO-Moment Aerosol Sectional (TOMAS) Global Aerosol Microphysics Model. 2012 , 46, 678-689		45
1348	Modeling wet deposition of inorganics over Northeast Asia with MRI-PM/c and the effects of super large sea salt droplets at near-the-coast stations. 2012 ,		
1347	Brown carbon and internal mixing in biomass burning particles. 2012 , 109, 14802-7		324
1346	Observationally constrained estimates of carbonaceous aerosol radiative forcing. 2012 , 109, 11624-9		307
1345	The composition and variability of atmospheric aerosol over Southeast Asia during 2008. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 1083-1100	6.8	12
1344	Black carbon in seasonal snow across northern Xinjiang in northwestern China. 2012 , 7, 044002		47
1343	Soot Particle Aerosol Mass Spectrometer: Development, Validation, and Initial Application. 2012 , 46, 804-817		267
1342	. 2012 ,		
1341	CAM-chem: description and evaluation of interactive atmospheric chemistry in the Community Earth System Model. 2012 , 5, 369-411		519
1340	Modeling wet deposition and concentration of inorganics over Northeast Asia with MRI-PM/c. 2012 , 5, 1363-1375		17
1339	Aerosol indirect effects from shipping emissions: sensitivity studies with the global aerosol-climate model ECHAM-HAM. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 5985-6007	6.8	22
1338	Atmospheric aerosol compositions in China: spatial/temporal variability, chemical signature, regional haze distribution and comparisons with global aerosols. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 779-799	6.8	626
1337	Emerging pattern of anthropogenic NO _x emission over Indian subcontinent during 1990s and 2000s. <i>Atmospheric Pollution Research</i> , 2012 , 3, 262-269	4.5	29
1336	Spectral absorption of biomass burning aerosol determined from retrieved single scattering albedo during ARCTAS. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 10505-10518	6.8	33
1335	Airborne observations of aerosol microphysical properties and particle ageing processes in the troposphere above Europe. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 11533-11554	6.8	12
1334	Evolution of trace gases and particles emitted by a chaparral fire in California. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 1397-1421	6.8	247
1333	The characteristics and origins of carbonaceous aerosol at a rural site of PRD in summer of 2006. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 1811-1822	6.8	53

1332	A new method to determine the mixing state of light absorbing carbonaceous using the measured aerosol optical properties and number size distributions. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 2381-2397	6.8	70
1331	Evaluating WRF-Chem aerosol indirect effects in Southeast Pacific marine stratocumulus during VOCALS-REx. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 3045-3064	6.8	68
1330	Climatic effects of 1950-2050 changes in US anthropogenic aerosols [Part 1: Aerosol trends and radiative forcing. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 3333-3348	6.8	136
1329	Aerosols in the CALIOPE air quality modelling system: evaluation and analysis of PM levels, optical depths and chemical composition over Europe. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 3363-3392	6.8	53
1328	Hygroscopic growth and droplet activation of soot particles: uncoated, succinic or sulfuric acid coated. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 4525-4537	6.8	50
1327	Estimating aerosol emissions by assimilating observed aerosol optical depth in a global aerosol model. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 4585-4606	6.8	75
1326	Spatial and temporal variation of anthropogenic black carbon emissions in China for the period 1980-2009. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 4825-4841	6.8	87
1325	Contribution of organic carbon to wood smoke particulate matter absorption of solar radiation. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 6067-6072	6.8	195
1324	Arctic climate response to forcing from light-absorbing particles in snow and sea ice in CESM. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 7903-7920	6.8	34
1323	The global aerosol-climate model ECHAM-HAM, version 2: sensitivity to improvements in process representations. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 8911-8949	6.8	255
1322	Carbonaceous aerosols in China: top-down constraints on primary sources and estimation of secondary contribution. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 2725-2746	6.8	117
1321	A high-resolution emission inventory of primary pollutants for the Huabei region, China. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 481-501	6.8	165
1320	Parameterization of black carbon aging in the OsloCTM2 and implications for regional transport to the Arctic. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 6999-7014	6.8	26
1319	Importance of tropospheric volcanic aerosol for indirect radiative forcing of climate. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 7321-7339	6.8	101
1318	Contribution of garbage burning to chloride and PM _{2.5} in Mexico City. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 8751-8761	6.8	87
1317	Effect of primary organic sea spray emissions on cloud condensation nuclei concentrations. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 89-101	6.8	50
1316	Household light makes global heat: high black carbon emissions from kerosene wick lamps. <i>Environmental Science & Technology</i> , 2012 , 46, 13531-8	10.3	118
1315	The Global Alliance for Clean Cookstoves: A Public-private Initiative to Save Lives, Improve Livelihoods, Empower Women, and Combat Climate Change. 2012 ,		

1314	Emission characteristics of black carbon in anthropogenic and biomass burning plumes over California during ARCTAS-CARB 2008. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a		60
1313	Bibliography. 2012 , 531-621		
1312	Characteristics and source of black carbon aerosols at Akedala station, Central Asia. 2012 , 118, 189-197		6
1311	High resolution of black carbon and organic carbon emissions in the Pearl River Delta region, China. <i>Science of the Total Environment</i> , 2012 , 438, 189-200	10.2	27
1310	Impacts on Human Health of Climate and Land Use Change in the Hindu Kush-Himalayan Region. 2012 , 32, 480-486		13
1309	Climate effects of emission standards: the case for gasoline and diesel cars. <i>Environmental Science & Technology</i> , 2012 , 46, 5205-13	10.3	19
1308	Global emission of black carbon from motor vehicles from 1960 to 2006. <i>Environmental Science & Technology</i> , 2012 , 46, 1278-84	10.3	35
1307	Real-time assessment of black carbon pollution in Indian households due to traditional and improved biomass cookstoves. <i>Environmental Science & Technology</i> , 2012 , 46, 2993-3000	10.3	97
1306	Influence of Feedstock: Air Pollution and Climate-Related Emissions from a Diesel Generator Operating on Soybean, Canola, and Yellow Grease Biodiesel. 2012 , 26, 686-700		10
1305	Molecular distribution and stable carbon isotopic composition of dicarboxylic acids, ketocarboxylic acids, and dicarbonyls in size-resolved atmospheric particles from Xi'an City, China. <i>Environmental Science & Technology</i> , 2012 , 46, 4783-91	10.3	95
1304	Characterizing the aging of biomass burning organic aerosol by use of mixing ratios: a meta-analysis of four regions. <i>Environmental Science & Technology</i> , 2012 , 46, 13093-102	10.3	93
1303	On-road measurement of gas and particle phase pollutant emission factors for individual heavy-duty diesel trucks. <i>Environmental Science & Technology</i> , 2012 , 46, 8511-8	10.3	101
1302	Black carbon emissions in China from 1949 to 2050. <i>Environmental Science & Technology</i> , 2012 , 46, 7595-603	10.3	201
1301	Characterization of Soot Aerosol Produced from Combustion of Propane in a Shock Tube. 2012 , 46, 925-936		24
1300	Continuous flux of dissolved black carbon from a vanished tropical forest biome. 2012 , 5, 618-622		141
1299	A semi-empirical, receptor-oriented Lagrangian model for simulating fine particulate carbon at rural sites. 2012 , 61, 361-370		6
1298	Emission estimates of organic and elemental carbon from household biomass fuel used over the Indo-Gangetic Plain (IGP), India. 2012 , 61, 212-220		62
1297	EMAC model evaluation and analysis of atmospheric aerosol properties and distribution with a focus on the Mediterranean region. <i>Atmospheric Research</i> , 2012 , 114-115, 38-69	5-4	39

1296	The sequestration sink of soot black carbon in the Northern European Shelf sediments. 2012 , 26, n/a-n/a	39
1295	Atmospheric fluxes of organic N and P to the global ocean. 2012 , 26,	152
1294	Gasoline emissions dominate over diesel in formation of secondary organic aerosol mass. 2012 , 39, n/a-n/a	163
1293	Wet removal of black carbon in Asian outflow: Aerosol Radiative Forcing in East Asia (A-FORCE) aircraft campaign. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	97
1292	Radiative forcing due to enhancements in tropospheric ozone and carbonaceous aerosols caused by Asian fires during spring 2008. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	14
1291	Tracer-based estimation of secondary organic carbon in the Pearl River Delta, south China. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	121
1290	Simulation of South Asian aerosols for regional climate studies. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	81
1289	Aerosol direct, indirect, semidirect, and surface albedo effects from sector contributions based on the IPCC AR5 emissions for preindustrial and present-day conditions. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	70
1288	An A-train and model perspective on the vertical distribution of aerosols and CO in the Northern Hemisphere. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	34
1287	Isotopic characterization of aerosol organic carbon components over the eastern United States. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	16
1286	Year-round radiocarbon-based source apportionment of carbonaceous aerosols at two background sites in South Asia. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	34
1285	Investigating cloud absorption effects: Global absorption properties of black carbon, tar balls, and soil dust in clouds and aerosols. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a	121
1284	Determination of and evidence for non-core-shell structure of particles containing black carbon using the Single-Particle Soot Photometer (SP2). 2012 , 39, n/a-n/a	69
1283	Emissions of parent, nitro, and oxygenated polycyclic aromatic hydrocarbons from residential wood combustion in rural China. <i>Environmental Science & Technology</i> , 2012 , 46, 8123-30	10.3 136
1282	Reductions in emissions of carbonaceous particulate matter and polycyclic aromatic hydrocarbons from combustion of biomass pellets in comparison with raw fuel burning. <i>Environmental Science & Technology</i> , 2012 , 46, 6409-16	10.3 81
1281	Global Climate Forcing by Criteria Air Pollutants. 2012 , 37, 1-24	27
1280	Assessment of black carbon radiative effects in climate models. 2012 , 3, 359-370	11
1279	Wood energy fuel cycle optimization in beech and spruce forests. 2012 , 7, 014001	

1278	Aerosols from overseas rival domestic emissions over North America. 2012 , 337, 566-9	195
1277	Aerosol Forcing: Rapporteur's Report and Summary. 2012 , 33, 693-700	1
1276	Particulate Matter Emissions From Domestic Biomass Burning in a Rural Tribal Location in the Lower Himalayas in India: Concern Over Climate Change. 2012 , 11, 185-192	11
1275	Simulation of direct radiative forcing of aerosols and their effects on East Asian climate using an interactive AGCM-aerosol coupled system. 2012 , 38, 1675-1693	112
1274	Spatio-temporal variability of concentrations and speciation of particulate matter across Spain in the CALIOPE modeling system. 2012 , 46, 376-396	53
1273	Climatological aspects of seasonal variation of aerosol vertical distribution over central Indo-Gangetic belt (IGB) inferred by the space-borne lidar CALIOP. 2012 , 46, 365-375	47
1272	Characteristics of water-soluble organic carbon associated with aerosol particles in the eastern United States. 2012 , 46, 181-188	54
1271	Black carbon emissions from on-road vehicles in China, 1990-2030. 2012 , 51, 320-328	27
1270	Influence of continental outflow on aerosol chemical characteristics over the Arabian Sea during winter. 2012 , 50, 182-191	29
1269	Sectoral and geographical contributions to summertime continental United States (CONUS) black carbon spatial distributions. 2012 , 51, 165-174	8
1268	Characteristics of water-soluble ions and carbon in fine and coarse particles collected near an open burning site. 2012 , 51, 39-45	10
1267	Black carbon aerosol characterization in a coastal city in South China using a single particle soot photometer. 2012 , 51, 21-28	68
1266	Trend analysis in aerosol optical depths and pollutant emission estimates between 2000 and 2009. 2012 , 51, 75-85	95
1265	Reduction of black carbon aerosols in Tokyo: Comparison of real-time observations with emission estimates. 2012 , 54, 242-249	22
1264	Seasonal variations of sugars in atmospheric particulate matter from Gosan, Jeju Island: Significant contributions of airborne pollen and Asian dust in spring. 2012 , 55, 234-239	123
1263	Characterization of carbonaceous aerosol by the stepwise-extraction thermal-optical-transmittance (SE-TOT) method. 2012 , 59, 551-558	14
1262	Dissolved organic carbon in the precipitation of Seoul, Korea: Implications for global wet depositional flux of fossil-fuel derived organic carbon. 2012 , 59, 117-124	44
1261	Particulate, black carbon and organic emissions from small-scale residential wood combustion appliances in Switzerland. 2012 , 36, 31-42	37

1260	Estimating the health benefits from natural gas use in transport and heating in Santiago, Chile. <i>Science of the Total Environment</i> , 2012 , 429, 257-65	10.2	44
1259	Dependence of climate forcing and response on the altitude of black carbon aerosols. 2012 , 38, 897-911		124
1258	Analysis of summertime atmospheric transport of fine particulate matter in Northeast Asia. 2013 , 49, 347-360		23
1257	Source forensics of black carbon aerosols from China. <i>Environmental Science & Technology</i> , 2013 , 47, 9102-8	10.3	119
1256	Transportation and Energy. 2013 , 183-205		6
1255	Spatial distribution of black carbon emissions in China. 2013 , 58, 3830-3839		13
1254	The OH-initiated atmospheric reaction mechanism and kinetics for levoglucosan emitted in biomass burning. <i>Chemosphere</i> , 2013 , 93, 2004-10	8.4	34
1253	Mass absorption efficiency of elemental carbon for source samples from residential biomass and coal combustions. 2013 , 79, 79-84		28
1252	Size distribution of water-soluble components in particulate matter emitted from biomass burning. 2013 , 73, 62-72		59
1251	Effects of local, regional meteorology and emission sources on mass and compositions of particulate matter in Hanoi. 2013 , 78, 105-112		55
1250	The use of levoglucosan and radiocarbon for source apportionment of PM(2.5) carbonaceous aerosols at a background site in East China. <i>Environmental Science & Technology</i> , 2013 , 47, 10454-61 ^{10.3}		36
1249	Pyrogeography and the Global Quest for Sustainable Fire Management. 2013 , 38, 57-80		68
1248	Regional and Global Emissions of Air Pollutants: Recent Trends and Future Scenarios. 2013 , 38, 31-55		135
1247	Estimated range of black carbon dry deposition and the related snow albedo reduction over Himalayan glaciers during dry pre-monsoon periods. 2013 , 78, 259-267		55
1246	Black carbon mass size distributions of diesel exhaust and urban aerosols measured using differential mobility analyzer in tandem with Aethalometer. 2013 , 80, 31-40		52
1245	Large contribution of natural aerosols to uncertainty in indirect forcing. 2013 , 503, 67-71		614
1244	The health significance of gas- and particle-phase terpene oxidation products: a review. 2013 , 60, 145-62		78
1243	Reduction of short-lived atmospheric pollutant emissions as an alternative strategy for climate-change moderation. 2013 , 49, 461-478		7

1242	The 2010 California Research at the Nexus of Air Quality and Climate Change (CalNex) field study. 2013 , 118, 5830-5866		178
1241	Removal of black carbon particles from experimental flue gas by surfactant solution in a new type of umbrella plate scrubber. 2013 , 34, 101-11		3
1240	Influence of large changes in public transportation (Transantiago) on the black carbon pollution near streets. 2013 , 65, 153-163		16
1239	Characteristics and health impacts of particulate matter pollution in China (2001-2011). 2013 , 65, 186-194		167
1238	Trends in global warming and human health impacts related to Brazilian sugarcane ethanol production considering black carbon emissions. 2013 , 104, 576-582		64
1237	¹³ C- and ¹⁴ C-based study of sources and atmospheric processing of water-soluble organic carbon (WSOC) in South Asian aerosols. 2013 , 118, 614-626		103
1236	Influence of fuel mass load, oxygen supply and burning rate on emission factor and size distribution of carbonaceous particulate matter from indoor corn straw burning. 2013 , 25, 511-9		27
1235	Emission inventory evaluation using observations of regional atmospheric background stations of China. 2013 , 25, 537-46		21
1234	16-year simulation of Arctic black carbon: Transport, source contribution, and sensitivity analysis on deposition. 2013 , 118, 943-964		125
1233	Emissions of parent, nitrated, and oxygenated polycyclic aromatic hydrocarbons from indoor corn straw burning in normal and controlled combustion conditions. 2013 , 25, 2072-80		22
1232	Light absorption of black carbon aerosol and its enhancement by mixing state in an urban atmosphere in South China. 2013 , 69, 118-123		77
1231	Optical characterization of nano-sized organic carbon particles emitted from a small gasoline engine. 2013 , 11, 249-255		6
1230	Research on aerosol sources and chemical composition: Past, current and emerging issues. <i>Atmospheric Research</i> , 2013 , 120-121, 1-28	5.4	230
1229	Spatial variation of chemical constituents from the burning of commonly used biomass fuels in rural areas of the Indo-Gangetic Plain (IGP), India. 2013 , 71, 158-169		40
1228	A methodology for elemental and organic carbon emission inventory and results for Lombardy region, Italy. <i>Science of the Total Environment</i> , 2013 , 450-451, 22-30	10.2	14
1227	Bounding the role of black carbon in the climate system: A scientific assessment. 2013 , 118, 5380-5552		3330
1226	Field measurement of emission factors of PM, EC, OC, parent, nitro-, and oxy- polycyclic aromatic hydrocarbons for residential briquette, coal cake, and wood in rural Shanxi, China. <i>Environmental Science & Technology</i> , 2013 , 47, 2998-3005	10.3	160
1225	Evaluating MODIS active fire products in subtropical Yucatán forest. 2013 , 4, 455-464		27

1224	Emission inventory of carbonaceous pollutants from biomass burning in the Pearl River Delta Region, China. 2013 , 76, 189-199		127
1223	Heterogeneous OH oxidation of biomass burning organic aerosol surrogate compounds: assessment of volatilisation products and the role of OH concentration on the reactive uptake kinetics. 2013 , 15, 5898-915		93
1222	Observing and understanding the Southeast Asian aerosol system by remote sensing: An initial review and analysis for the Seven Southeast Asian Studies (7SEAS) program. <i>Atmospheric Research</i> , 2013 , 122, 403-468	5.4	207
1221	Potential impact on air pollution from ambitious national CO ₂ emission abatement strategies in the Nordic countries [Environmental links between the UNFCCC and the UNECE [CLRTAP]. 2013 , 53, 114-124		10
1220	Emission characteristics for polycyclic aromatic hydrocarbons from solid fuels burned in domestic stoves in rural China. <i>Environmental Science & Technology</i> , 2013 , 47, 14485-94	10.3	94
1219	Role of OH-initiated oxidation of isoprene in aging of combustion soot. <i>Environmental Science & Technology</i> , 2013 , 47, 2254-63	10.3	69
1218	Impacts of Siberian biomass burning on organic aerosols over the North Pacific Ocean and the Arctic: primary and secondary organic tracers. <i>Environmental Science & Technology</i> , 2013 , 47, 3149-57	10.3	53
1217	Black carbon and other light-absorbing impurities in snow across Northern China. 2013 , 118, 1471-1492		119
1216	Performance evaluation of chemistry transport models over India. 2013 , 71, 210-225		48
1215	An integrated approach to identify the biomass burning sources contributing to black carbon episodes in Hong Kong. 2013 , 80, 478-487		19
1214	Metal particle emissions in the exhaust stream of diesel engines: an electron microscope study. <i>Environmental Science & Technology</i> , 2013 , 47, 14495-501	10.3	33
1213	Morphology and mixing state of individual freshly emitted wildfire carbonaceous particles. 2013 , 4, 2122		209
1212	Energy and Environmental Implications of Hybrid and Electric Vehicles in China. 2013 , 6, 2663-2685		25
1211	Comparison of Spheroidal Carbonaceous Particle Data with Modelled Atmospheric Black Carbon Concentration and Deposition and Air Mass Sources in Northern Europe, 1850-2010. 2013 , 2013, 1-15		12
1210	Sensitivity of remote aerosol distributions to representation of cloud-aerosol interactions in a global climate model. 2013 ,		5
1209	A novel approach for determining source-receptor relationships in model simulations: a case study of black carbon transport in northern hemisphere winter. 2013 , 8, 024042		19
1208	Global warming potentials and radiative efficiencies of halocarbons and related compounds: A comprehensive review. 2013 , 51, 300-378		301
1207	Near-term climate mitigation by short-lived forcers. 2013 , 110, 14202-6		64

1206	14C and 10Be in Dust Deposited During the Storm of 16 April 2006 in Beijing. <i>2013</i> , 55, 1790-1800		1
1205	Characterization of organic aerosol produced during pulverized coal combustion in a drop tube furnace. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 10919-10932	6.8	53
1204	Evaluation of preindustrial to present-day black carbon and its albedo forcing from Atmospheric Chemistry and Climate Model Intercomparison Project (ACCMIP). <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 2607-2634	6.8	111
1203	The mass and number size distributions of black carbon aerosol over Europe. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 4917-4939	6.8	75
1202	Coupling field and laboratory measurements to estimate the emission factors of identified and unidentified trace gases for prescribed fires. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 89-116	6.8	203
1201	Long-term in situ observations of biomass burning aerosol at a high altitude station in Venezuela: sources, impacts and interannual variability. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 9837-9853	6.8	20
1200	Absorptivity of brown carbon in fresh and photo-chemically aged biomass-burning emissions. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 7683-7693	6.8	231
1199	Secondary organic aerosol formation from biomass burning intermediates: phenol and methoxyphenols. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 8019-8043	6.8	134
1198	High-resolution mapping of combustion processes and implications for CO ₂ emissions. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 5189-5203	6.8	131
1197	Measurements of reactive trace gases and variable O ₃ formation rates in some South Carolina biomass burning plumes. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 1141-1165	6.8	135
1196	Biogenic and biomass burning organic aerosol in a boreal forest at Hyytiälä, Finland, during HUMPPA-COPEC 2010. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 12233-12256	6.8	46
1195	Influence of biomass burning and anthropogenic emissions on ozone, carbon monoxide and black carbon at the Mt. Cimone GAW-WMO global station (Italy, 2165 m a.s.l.). <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 15-30	6.8	55
1194	Modeling the impacts of biomass burning on air quality in and around Mexico City. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 2299-2319	6.8	26
1193	Impact of the modal aerosol scheme GLOMAP-mode on aerosol forcing in the Hadley Centre Global Environmental Model. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 3027-3044	6.8	84
1192	Black carbon concentration and deposition estimations in Finland by the regional aerosol-climate model REMO-HAM. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 4033-4055	6.8	20
1191	Source attribution of insoluble light-absorbing particles in seasonal snow across northern China. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 6091-6099	6.8	33
1190	Impact of a future H ₂ -based road transportation sector on the composition and chemistry of the atmosphere [Part 1: Tropospheric composition and air quality. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 6117-6137	6.8	8
1189	Atmospheric inversion of SO ₂ and primary aerosol emissions for the year 2010. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 6555-6573	6.8	23

1188	Biomass burning contribution to Beijing aerosol. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 7765-7781	6.8	16.8	273
1187	Overview of the Mount Tai Experiment (MTX2006) in central East China in June 2006: studies of significant regional air pollution. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 8265-8283	6.8		36
1186	Black carbon in the Arctic: the underestimated role of gas flaring and residential combustion emissions. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 8833-8855	6.8		263
1185	The magnitude and causes of uncertainty in global model simulations of cloud condensation nuclei. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 8879-8914	6.8		172
1184	Measuring and modeling the hygroscopic growth of two humic substances in mixed aerosol particles of atmospheric relevance. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 8973-8989	6.8		13
1183	Key chemical NO _x sink uncertainties and how they influence top-down emissions of nitrogen oxides. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 9057-9082	6.8		95
1182	Secondary organic aerosol formation from gasoline vehicle emissions in a new mobile environmental reaction chamber. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 9141-9158	6.8		166
1181	Wintertime aerosol chemical composition and source apportionment of the organic fraction in the metropolitan area of Paris. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 961-981	6.8		307
1180	When is cloud condensation nuclei activity sensitive to particle characteristics at emission?. 2013 , 118, 13,476-13,488			14
1179	Vertical transport mechanisms of black carbon over East Asia in spring during the A-FORCE aircraft campaign. 2013 , 118, 13,175-13,198			28
1178	Spatial and temporal variations of new particle formation in East Asia using an NPF-explicit WRF-chem model: North-south contrast in new particle formation frequency. 2013 , 118, 11,647-11,663			28
1177	Modeling of observed mineral dust aerosols in the arctic and the impact on winter season low-level clouds. 2013 , 118, 11,161-11,174			20
1176	Global modeling study of potentially bioavailable iron input from shipboard aerosol sources to the ocean. 2013 , 27, 1-10			173
1175	Top-down estimate of China's black carbon emissions using surface observations: Sensitivity to observation representativeness and transport model error. 2013 , 118, 5781-5795			22
1174	Evaluation of multidecadal variability in CMIP5 surface solar radiation and inferred underestimation of aerosol direct effects over Europe, China, Japan, and India. 2013 , 118, 6311-6336			61
1173	Seasonal variations of Asian black carbon outflow to the Pacific: Contribution from anthropogenic sources in China and biomass burning sources in Siberia and Southeast Asia. 2013 , 118, 9948-9967			24
1172	Gas-particle partitioning of primary organic aerosol emissions: 3. Biomass burning. 2013 , 118, 11,327-11,338			144
1171	The role of circulation features on black carbon transport into the Arctic in the Community Atmosphere Model version 5 (CAM5). 2013 , 118, 4657-4669			56

1170	Seasonal variations of black carbon observed at the remote mountain site Happo in Japan. 2013 , 118, 3709-3722	12
1169	GCM simulations of anthropogenic aerosol-induced changes in aerosol extinction, atmospheric heating and precipitation over India. 2013 , 118, 2938-2955	30
1168	Blackcarbon in coastal and large river systems. 200-234	8
1167	Sensitivity of remote aerosol distributions to representation of cloud-aerosol interactions in a global climate model. 2013 , 6, 765-782	134
1166	Measurements of the mass absorption cross section of atmospheric soot particles using Raman spectroscopy. 2013 , 118, 12,075-12,085	26
1165	Elemental carbon measurements in European Arctic snow packs. 2013 , 118, 13,614-13,627	33
1164	A Miniature Catalytic Stripper for Particles Less Than 23 Nanometers. 2013 , 6, 542-551	16
1163	Trend and Interannual Variability of Chinese Air Pollution since 2000 in Association with Socioeconomic Development: A Brief Overview. 2013 , 6, 84-89	24
1162	Rapid organic aerosol formation downwind of a highway: Measured and model results from the FEVER study. 2014 , 119, 1663-1679	16
1161	Assessing the CAM5 physics suite in the WRF-Chem model: implementation, resolution sensitivity, and a first evaluation for a regional case study. 2014 , 7, 755-778	56
1160	PM2.5 and tropospheric O3 in China and an analysis of the impact of pollutant emission control. 2014 , 5, 136-141	10
1159	Effects of trans-Eurasian transport of air pollutants on surface ozone concentrations over Western China. 2014 , 119, 12,338-12,354	27
1158	Urban impacts on regional carbonaceous aerosols: case study in central Texas. 2014 , 64, 917-26	13
1157	Reassessment of satellite-based estimate of aerosol climate forcing. 2014 , 119, 10,394-10,409	13
1156	Relationship between fine-mode AOD and precipitation on seasonal and interannual time scales. 2014 , 66, 23037	6
1155	Household cooking with solid fuels contributes to ambient PM2.5 air pollution and the burden of disease. 2014 , 122, 1314-20	299
1154	Processes limiting the emergence of detectable aerosol indirect effects on tropical warm clouds in global aerosol-climate model and satellite data. 2014 , 66, 24054	15
1153	Potential for reducing air-pollutants while achieving 2°C global temperature change limit target. 2014 , 195, 336-43	12

1152	How you count carbon matters: implications of differing cookstove carbon credit methodologies for climate and development cobenefits. <i>Environmental Science & Technology</i> , 2014 , 48, 14112-20	10.3	14
1151	Characterization of black carbon concentrations of haze with different intensities in Shanghai by a three-year field measurement. 2014 , 99, 536-545		20
1150	Effectiveness of mitigation measures in reducing future primary particulate matter emissions from on-road vehicle exhaust. <i>Environmental Science & Technology</i> , 2014 , 48, 14455-63	10.3	8
1149	Changes in weather and climate extremes: state of knowledge relevant to air and water quality in the United States. 2014 , 64, 184-97		40
1148	Impact of co-firing a traditional Peruvian biomass cookstove with biogas on emissions and combustion efficiency. 2014 ,		
1147	Exposure to ambient black carbon derived from a unique inventory and high-resolution model. 2014 , 111, 2459-63		122
1146	Deposition flux of aerosol particles and 15 polycyclic aromatic hydrocarbons in the North China Plain. 2014 , 33, 753-60		10
1145	Multiyear Measurements of the Aerosol Absorption Coefficient Near the Surface in a Small-Sized Urban Area in Portugal. 2014 , 2014, 1-8		2
1144	Sensitivity analyses of factors influencing CMAQ performance for fine particulate nitrate. 2014 , 64, 374-87		28
1143	Explosive growth in African combustion emissions from 2005 to 2030. 2014 , 9, 035003		96
1142	Field measurement on the emissions of PM, OC, EC and PAHs from indoor crop straw burning in rural China. 2014 , 184, 18-24		70
1141	Chemical characteristics of PM10 during the summer in the mega-city Guangzhou, China. <i>Atmospheric Research</i> , 2014 , 137, 25-34	5.4	26
1140	Impacts of controlling biomass burning emissions on wintertime carbonaceous aerosol in Europe. 2014 , 87, 175-182		21
1139	Particulate carbon emissions from electrostatic precipitators used for mercury emissions control: operational factors and implications. <i>Air Quality, Atmosphere and Health</i> , 2014 , 7, 155-163	5.6	
1138	Seasonal variability of aerosol vertical profiles over east US and west Europe: GEOS-Chem/APM simulation and comparison with CALIPSO observations. <i>Atmospheric Research</i> , 2014 , 140-141, 28-37	5.4	25
1137	An approach to a black carbon emission inventory for Mexico by two methods. <i>Science of the Total Environment</i> , 2014 , 479-480, 181-8	10.2	6
1136	Size and mass distributions of ground-level sub-micrometer biomass burning aerosol from small wildfires. 2014 , 89, 392-402		17
1135	Concentrations, seasonal and diurnal variations of black carbon in PM2.5 in Shanghai, China. <i>Atmospheric Research</i> , 2014 , 147-148, 1-9	5.4	42

1134	A Unique Online Method to Infer Water-Insoluble Particle Contributions. 2014 , 48, 706-714		3
1133	Air pollutant emissions from the development, production, and processing of Marcellus Shale natural gas. 2014 , 64, 19-37		89
1132	Emissions and climate-relevant optical properties of pollutants emitted from a three-stone fire and the Berkeley-Darfur stove tested under laboratory conditions. <i>Environmental Science & Technology</i> , 2014 , 48, 6484-91	10.3	31
1131	Estimating emissions from the Indian transport sector with on-road fleet composition and traffic volume. 2014 , 98, 123-133		52
1130	Secondary organic aerosol production from aqueous reactions of atmospheric phenols with an organic triplet excited state. <i>Environmental Science & Technology</i> , 2014 , 48, 1049-57	10.3	94
1129	Near-road modeling and measurement of cerium-containing particles generated by nanoparticle diesel fuel additive use. <i>Environmental Science & Technology</i> , 2014 , 48, 10607-13	10.3	24
1128	Brownness of organics in aerosols from biomass burning linked to their black carbon content. 2014 , 7, 647-650		314
1127	Trend in global black carbon emissions from 1960 to 2007. <i>Environmental Science & Technology</i> , 2014 , 48, 6780-7	10.3	85
1126	Atmospheric black carbon deposition and characterization of biomass burning tracers in a northern temperate forest. 2014 , 95, 383-390		10
1125	Seasonal changes, identification and source apportionment of PAH in PM1.0. 2014 , 96, 186-200		83
1124	A review of receptor modelling of industrially emitted particulate matter. 2014 , 97, 109-120		101
1123	Impacts of nonrefractory material on light absorption by aerosols emitted from biomass burning. 2014 , 119, 12,272-12,286		59
1122	Consideration of black carbon and primary organic carbon emissions in life-cycle analysis of Greenhouse gas emissions of vehicle systems and fuels. <i>Environmental Science & Technology</i> , 2014 , 48, 12445-53	10.3	12
1121	Chemical properties of emission from biomass fuels used in the rural sector of the western region of India. 2014 , 99, 411-424		29
1120	Spatio-temporal variation of biomass burning sources over South and Southeast Asia. 2014 , 71, 1-19		19
1119	Trends in multi-pollutant emissions from a technology-linked inventory for India: II. Residential, agricultural and informal industry sectors. 2014 , 99, 341-352		77
1118	Trends in multi-pollutant emissions from a technology-linked inventory for India: I. Industry and transport sectors. 2014 , 99, 353-364		79
1117	Estimation and characterization of gaseous pollutant emissions from agricultural crop residue combustion in industrial and household sectors of Pakistan. 2014 , 84, 189-197		59

1116	Global emission projections of particulate matter (PM): II. Uncertainty analyses of on-road vehicle exhaust emissions. 2014 , 87, 189-199		22
1115	Long term trends in Black Carbon Concentrations in the Northeastern United States. <i>Atmospheric Research</i> , 2014 , 137, 49-57	5-4	21
1114	An integrated process rate analysis of a regional fine particulate matter episode over Yangtze River Delta in 2010. 2014 , 91, 60-70		21
1113	Comparison of carbonaceous particulate matter emission factors among different solid fuels burned in residential stoves. 2014 , 89, 337-345		70
1112	Spatial heterogeneity in near surface aerosol characteristics across the Brahmaputra valley. 2014 , 123, 651-663		15
1111	Quantitative determination of the biomass-burning contribution to atmospheric carbonaceous aerosols in Daejeon, Korea, during the rice-harvest period. 2014 , 89, 642-650		43
1110	A UV-Vis photoacoustic spectrophotometer. 2014 , 86, 6049-56		26
1109	Funeral Pyres in South Asia: Brown Carbon Aerosol Emissions and Climate Impacts. 2014 , 1, 44-48		44
1108	Public health and components of particulate matter: the changing assessment of black carbon. 2014 , 64, 620-60		163
1107	Isotope ratio studies of atmospheric organic compounds: Principles, methods, applications and potential. 2014 , 365-366, 206-221		30
1106	Can air pollutant controls change global warming?. 2014 , 41, 33-43		11
1105	Characterization of carbonaceous aerosols over the urban tropical location and a new approach to evaluate their climatic importance. 2014 , 92, 493-500		65
1104	Wildland fire emissions, carbon, and climate: Wildfire-climate interactions. 2014 , 317, 80-96		128
1103	Estimating global black carbon emissions using a top-down Kalman Filter approach. 2014 , 119, 307-323		90
1102	The mass concentration and optical properties of black carbon aerosols over a semi-arid region in the northwest of China. <i>Atmospheric Pollution Research</i> , 2014 , 5, 601-609	4-5	11
1101	Organic aerosol emission ratios from the laboratory combustion of biomass fuels. 2014 , 119, 12,850-12,871		26
1100	Aerosol emissions from prescribed fires in the United States: A synthesis of laboratory and aircraft measurements. 2014 , 119, 11,826-11,849		81
1099	Annual distributions and sources of Arctic aerosol components, aerosol optical depth, and aerosol absorption. 2014 , 119, 4107-4124		65

1098	Effects of soot deposition on particle dynamics and microbial processes in marine surface waters. 2014 , 28, 662-678		31
1097	Effects of biomass burning on climate, accounting for heat and moisture fluxes, black and brown carbon, and cloud absorption effects. 2014 , 119, 8980-9002		137
1096	The vertical distribution of black carbon in CMIP5 models: Comparison to observations and the importance of convective transport. 2014 , 119, 4808-4835		42
1095	The AeroCom evaluation and intercomparison of organic aerosol in global models. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 10845-10895	6.8	280
1094	Source apportionment of PM ₁₀ in a north-western Europe regional urban background site (Lens, France) using positive matrix factorization and including primary biogenic emissions. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 3325-3346	6.8	157
1093	Primary and secondary biomass burning aerosols determined by proton nuclear magnetic resonance (¹ H-NMR) spectroscopy during the 2008 EUCAARI campaign in the Po Valley (Italy). <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 5089-5110	6.8	39
1092	The direct and indirect radiative effects of biogenic secondary organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 447-470	6.8	146
1091	Two hundred fifty years of aerosols and climate: the end of the age of aerosols. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 537-549	6.8	57
1090	Quantifying black carbon from biomass burning by means of levoglucosan in a one-year time series at the Arctic observatory Zeppelin. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 6427-6442	6.8	58
1089	A global 3-D CTM evaluation of black carbon in the Tibetan Plateau. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 7091-7112	6.8	39
1088	Black carbon concentrations and sources in the marine boundary layer of the tropical Atlantic Ocean using four methodologies. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 7431-7443	6.8	14
1087	Absorption and scattering properties of organic carbon versus sulfate dominant aerosols at Gosan climate observatory in Northeast Asia. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 7781-7793	6.8	23
1086	Simplifying the calculation of light scattering properties for black carbon fractal aggregates. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 7825-7836	6.8	30
1085	The effects of energy paths and emission controls and standards on future trends in China's emissions of primary air pollutants. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 8849-8868	6.8	42
1084	Trace gas emissions from combustion of peat, crop residue, domestic biofuels, grasses, and other fuels: configuration and Fourier transform infrared (FTIR) component of the fourth Fire Lab at Missoula Experiment (FLAME-4). <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 9727-9754	6.8	142
1083	A global process-based study of marine CCN trends and variability. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 13631-13642	6.8	5
1082	Global emission projections for the transportation sector using dynamic technology modeling. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 5709-5733	6.8	37
1081	The Pagami Creek smoke plume after long-range transport to the upper troposphere over Europe: aerosol properties and black carbon mixing state. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 6111-6137	6.8	90

1080	Analysis of transpacific transport of black carbon during HIPPO-3: implications for black carbon aging. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 6315-6327	6.8	28
1079	Seasonal and elevational variations of black carbon and dust in snow and ice in the Solu-Khumbu, Nepal and estimated radiative forcings. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 8089-8103	6.8	120
1078	Does the POA/BOA split matter for global CCN formation?. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 995-1010	6.8	6
1077	Diesel particulate matter emission factors and air quality implications from in-service rail in Washington State, USA. <i>Atmospheric Pollution Research</i> , 2014 , 5, 344-351	4.5	15
1076	Implementation of an aerosol-cloud-microphysics-radiation coupling into the NASA unified WRF: Simulation results for the 6-7 August 2006 AMMA special observing period. 2014 , 140, 2158-2175		36
1075	Water-soluble organic carbon aerosols during a full New Delhi winter: Isotope-based source apportionment and optical properties. 2014 , 119, 3476-3485		131
1074	Russian anthropogenic black carbon: Emission reconstruction and Arctic black carbon simulation. 2015 , 120, 11,306-11,333		68
1073	Pollution and its Impacts on the South American Cryosphere. 2015 , 3, 345-369		28
1072	Contribution of brown carbon and lensing to the direct radiative effect of carbonaceous aerosols from biomass and biofuel burning emissions. 2015 , 120, 10,285		93
1071	Global lung cancer risk from PAH exposure highly depends on emission sources and individual susceptibility. 2014 , 4, 6561		85
1070	Flux and budget of BC in the continental shelf seas adjacent to Chinese high BC emission source regions. 2015 , 29, 957-972		44
1069	Is atmospheric phosphorus pollution altering global alpine Lake stoichiometry?. 2015 , 29, 1369-1383		88
1068	Long-term variations in PM _{2.5} emission from open biomass burning in Northeast Asia derived from satellite-derived data for 2000-2013. 2015 , 107, 342-350		10
1067	Radiocarbon-based source apportionment of elemental carbon aerosols at two South Asian receptor observatories over a full annual cycle. 2015 , 10, 064004		32
1066	Real-time measurements of ambient aerosols in a polluted Indian city: Sources, characteristics, and processing of organic aerosols during foggy and nonfoggy periods. 2015 , 120, 9006-9019		53
1065	Simulating direct effects of dust aerosol on arid and semi-arid regions using an aerosol-climate coupled system. 2015 , 35, 1858-1866		33
1064	Black carbon surface oxidation and organic composition of beech-wood soot aerosols. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 11885-11907	6.8	31
1063	Investigating a two-component model of solid fuel organic aerosol in London: processes, PM _{2.5} contributions, and seasonality. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 2429-2443	6.8	25

1062	Estimates of black carbon emissions in the western United States using the GEOS-Chem adjoint model. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 7685-7702	6.8	10
1061	Properties and evolution of biomass burning organic aerosol from Canadian boreal forest fires. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 3077-3095	6.8	52
1060	Sensitivity of tropospheric loads and lifetimes of short lived pollutants to fire emissions. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 3543-3563	6.8	25
1059	Simultaneous reductions in emissions of black carbon and co-emitted species will weaken the aerosol net cooling effect. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 3671-3685	6.8	16
1058	Evaluating the effects of China's pollution controls on inter-annual trends and uncertainties of atmospheric mercury emissions. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 4317-4337	6.8	36
1057	Sources, transport and deposition of iron in the global atmosphere. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 6247-6270	6.8	62
1056	Particulate emissions from residential wood combustion in Europe [revised estimates and an evaluation. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 6503-6519	6.8	153
1055	Particulate matter, air quality and climate: lessons learned and future needs. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 8217-8299	6.8	462
1054	Black carbon emissions from Russian diesel sources: case study of Murmansk. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 8349-8359	6.8	13
1053	Characterization of biomass burning emissions from cooking fires, peat, crop residue, and other fuels with high-resolution proton-transfer-reaction time-of-flight mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 845-865	6.8	192
1052	Uncertainties in global aerosols and climate effects due to biofuel emissions. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 8577-8596	6.8	50
1051	Patterns in atmospheric carbonaceous aerosols in China: emission estimates and observed concentrations. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 8657-8678	6.8	27
1050	Current model capabilities for simulating black carbon and sulfate concentrations in the Arctic atmosphere: a multi-model evaluation using a comprehensive measurement data set. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 9413-9433	6.8	111
1049	Evaluating BC and NO _x emission inventories for the Paris region from MEGAPOLI aircraft measurements. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 9799-9818	6.8	13
1048	Carbonaceous aerosols recorded in a southeastern Tibetan glacier: analysis of temporal variations and model estimates of sources and radiative forcing. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 1191-1204	6.8	59
1047	The effects of global change upon United States air quality. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 12645-12665	6.8	25
1046	Reactive uptake of ammonia to secondary organic aerosols: kinetics of organonitrogen formation. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 13569-13584	6.8	56
1045	Chemical aging of single and multicomponent biomass burning aerosol surrogate particles by OH: implications for cloud condensation nucleus activity. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 10183-10201	6.8	19

1044	Constraining black carbon aerosol over Asia using OMI aerosol absorption optical depth and the adjoint of GEOS-Chem. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 10281-10308	6.8	33
1043	A study of the impact of synoptic weather conditions and water vapor on aerosol-cloud relationships over major urban clusters of China. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 10955-10964	6.8	36
1042	Estimating ground-level PM _{2.5} in eastern China using aerosol optical depth determined from the GOCI satellite instrument. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 13133-13144	6.8	51
1041	Evaluation of black carbon emission inventories using a Lagrangian dispersion model: a case study over southern India. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 1447-1461	6.8	33
1040	An overview of regional and local characteristics of aerosols in South Africa using satellite, ground, and modeling data. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 4259-4278	6.8	53
1039	Ice nucleation by combustion ash particles at conditions relevant to mixed-phase clouds. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 5195-5210	6.8	45
1038	Long-term changes in surface solar radiation and their effects on air temperature in the Shanghai region. 2015 , 35, 3385-3396		10
1037	Comparison of aerosol properties over Beijing and Kanpur: Optical, physical properties and aerosol component composition retrieved from 12 years ground-based Sun-sky radiometer remote sensing data. 2015 , 120, 1520-1535		23
1036	Inter-annual variability of aerosols and its relationship with regional climate over Indian subcontinent. 2015 , 35, 1041-1053		16
1035	Pyrogenic carbon from tropical savanna burning: production and stable isotope composition. 2015 , 12, 1849-1863		27
1034	Uncertainty in temperature response of current consumption-based emissions estimates. 2015 , 6, 287-309		19
1033	Characteristics of Carbonaceous Species in PM _{2.5} in Wanzhou in the Hinterland of the Three Gorges Reservoir of Northeast Chongqing, China. <i>Atmosphere</i> , 2015 , 6, 534-546	2.7	12
1032	Global analysis of radiative forcing from fire-induced shortwave albedo change. 2015 , 12, 557-565		11
1031	A Modelling Study of the Impact of On-Road Diesel Emissions on Arctic Black Carbon and Solar Radiation Transfer. <i>Atmosphere</i> , 2015 , 6, 318-340	2.7	8
1030	The influence of different black carbon and sulfate mixing methods on their optical and radiative properties. 2015 , 161, 105-116		14
1029	Measurements of emission factors of PM _{2.5} , OC, EC, and BC for household stoves of coal combustion in China. 2015 , 109, 190-196		91
1028	Modelling of primary aerosols in the chemical transport model MOCAGE: development and evaluation of aerosol physical parameterizations. 2015 , 8, 381-408		27
1027	Global organic carbon emissions from primary sources from 1960 to 2009. 2015 , 122, 505-512		41

1026	Regional biomass burning trends in India: Analysis of satellite fire data. 2015 , 124, 1377-1387		38
1025	Diesel particulate matter and coal dust from trains in the Columbia River Gorge, Washington State, USA. <i>Atmospheric Pollution Research</i> , 2015 , 6, 946-952	4.5	13
1024	Size-resolved global emission inventory of primary particulate matter from energy-related combustion sources. 2015 , 107, 137-147		15
1023	Long-term NO _x trends over large cities in the United States during the great recession: Comparison of satellite retrievals, ground observations, and emission inventories. 2015 , 107, 70-84		87
1022	Projections of summertime ozone concentration over East Asia under multiple IPCC SRES emission scenarios. 2015 , 106, 335-346		25
1021	Estimation of organic and elemental carbon emitted from wood burning in traditional and improved cookstoves using controlled cooking test. <i>Environmental Science & Technology</i> , 2015 , 49, 3958-65	10.3	26
1020	Learning About New Technologies Through Social Networks: Experimental Evidence on Nontraditional Stoves in Bangladesh. 2015 , 34, 480-499		70
1019	Future climate change under RCP emission scenarios with GISS ModelE2. 2015 , 7, 244-267		88
1018	Source prioritization for urban particulate emission control in India based on an inventory of PM ₁₀ and its carbonaceous fraction in six cities. 2015 , 16, 44-53		5
1017	The identification of source regions of black carbon at a receptor site off the eastern coast of China. 2015 , 100, 78-84		16
1016	Analysis of the emission inventories and model-ready emission datasets of Europe and North America for phase 2 of the AQMEII project. 2015 , 115, 345-360		80
1015	Modification in light absorption cross section of laboratory-generated black carbon-brown carbon particles upon surface reaction and hydration. 2015 , 116, 253-261		13
1014	Wet deposition of fossil and non-fossil derived particulate carbon: Insights from radiocarbon measurement. 2015 , 115, 257-262		13
1013	Effects of olive tree branches burning emissions on PM _{2.5} concentrations. 2015 , 112, 148-158		7
1012	Characteristics of black carbon aerosol in Jiaxing, China during autumn 2013. 2015 , 20, 10-15		11
1011	Study of the carbonaceous aerosol and morphological analysis of fine particles along with their mixing state in Delhi, India: a case study. 2015 , 22, 10744-57		18
1010	Characteristics of carbonaceous aerosols emitted from peatland fire in Riau, Sumatra, Indonesia (2): Identification of organic compounds. 2015 , 110, 1-7		32
1009	Emission characteristics of carbonaceous particles and trace gases from open burning of crop residues in China. 2015 , 123, 399-406		95

1008	Accelerated glacier melt on Snow Dome, Mount Olympus, Washington, USA, due to deposition of black carbon and mineral dust from wildfire. 2015 , 120, 2793-2807		58
1007	Light absorption properties and radiative effects of primary organic aerosol emissions. <i>Environmental Science & Technology</i> , 2015 , 49, 4868-77	10.3	119
1006	Determining particulate matter and black carbon exfiltration estimates for traditional cookstove use in rural Nepalese village households. <i>Environmental Science & Technology</i> , 2015 , 49, 5555-62	10.3	24
1005	Emission Projections for Long-Haul Freight Trucks and Rail in the United States through 2050. <i>Environmental Science & Technology</i> , 2015 , 49, 11569-76	10.3	18
1004	Effects of Fuel Aromatic Content on Nonvolatile Particulate Emissions of an In-Production Aircraft Gas Turbine. <i>Environmental Science & Technology</i> , 2015 , 49, 13149-57	10.3	61
1003	Physicochemical and optical properties of combustion-generated particles from a coal-fired power plant, automobiles, ship engines, and charcoal kilns. 2015 , 161, 120-128		24
1002	Air quality and climate responses to anthropogenic black carbon emission changes from East Asia, North America and Europe. 2015 , 120, 262-276		12
1001	Sensitivity of the Climate Response to the Altitude of Black Carbon in the Northern Subtropics in an Aquaplanet GCM. 2015 , 28, 6351-6359		10
1000	Isotope-Based Source Apportionment of EC Aerosol Particles during Winter High-Pollution Events at the Zeppelin Observatory, Svalbard. <i>Environmental Science & Technology</i> , 2015 , 49, 11959-66	10.3	27
999	Aqueous benzene-diols react with an organic triplet excited state and hydroxyl radical to form secondary organic aerosol. 2015 , 17, 10227-37		33
998	Atmospheric impacts of black carbon emission reductions through the strategic use of biodiesel in California. <i>Science of the Total Environment</i> , 2015 , 538, 412-22	10.2	9
997	Chemical compositions of black carbon particle cores and coatings via soot particle aerosol mass spectrometry with photoionization and electron ionization. 2015 , 119, 4589-99		39
996	Brown haze types due to aerosol pollution at Hefei in the summer and fall. <i>Chemosphere</i> , 2015 , 119, 1158-1162		25
995	Critical pollutant emissions from the Indian telecom network. 2015 , 103, 34-42		9
994	Characteristics and applications of size-segregated biomass burning tracers in China's Pearl River Delta region. 2015 , 102, 290-301		44
993	Stable carbon fractionation in size-segregated aerosol particles produced by controlled biomass burning. <i>Journal of Aerosol Science</i> , 2015 , 79, 86-96	4.3	27
992	An 11-year global gridded aerosol optical thickness reanalysis (v1.0) for atmospheric and climate sciences. 2016 , 9, 1489-1522		99
991	A new method for estimating aerosol mass flux in the urban surface layer using LAS technology. 2016 , 9, 1925-1937		6

990	Analysis of functional groups in atmospheric aerosols by infrared spectroscopy: sparse methods for statistical selection of relevant absorption bands. 2016 , 9, 3429-3454	13
989	Evaluation of Air Quality Model Performance for Simulating Long-Range Transport and Local Pollution of PM _{2.5} in Japan. 2016 , 2016, 1-13	29
988	Climate Justice in Rural Southeastern United States: A Review of Climate Change Impacts and Effects on Human Health. 2016 , 13, 189	19
987	Critical Review of the Millennium Project in Nepal. 2016 , 8, 1043	3
986	Identification of columnar aerosol types under high aerosol optical depth conditions for a single AERONET site in Korea. 2016 , 121, 1264-1277	9
985	Outdoor, indoor, and personal black carbon exposure from cookstoves burning solid fuels. 2016 , 26, 784-95	22
984	Estimation of global black carbon direct radiative forcing and its uncertainty constrained by observations. 2016 , 121, 5948-5971	50
983	OH-Initiated Oxidation of m-Xylene on Black Carbon Aging. <i>Environmental Science & Technology</i> , 2016 , 50, 8605-12	10.3 36
982	Estimates of greenhouse gas and black carbon emissions from a major Australian wildfire with high spatiotemporal resolution. 2016 , 121, 9892-9907	11
981	The sources of atmospheric black carbon at a European gateway to the Arctic. 2016 , 7, 12776	46
980	Black carbon simulations using a size- and mixing-state-resolved three-dimensional model: 1. Radiative effects and their uncertainties. 2016 , 121, 1793-1807	19
979	Towards a global assessment of pyrogenic carbon from vegetation fires. 2016 , 22, 76-91	189
978	Experimental and theoretical studies on gas-phase reactions of NO ₃ radicals with three methoxyphenols: Guaiacol, creosol, and syringol. 2016 , 125, 243-251	30
977	Characterization of organic and black carbon aerosol formation during coal combustion: An experimental study in a 1 MW pilot scale coal combustor. 2016 , 180, 653-658	14
976	Estimating emissions from crop residue open burning in China based on statistics and MODIS fire products. 2016 , 44, 158-170	47
975	Measurements of NO ₂ , SO ₂ , NH ₃ , HNO ₃ and O ₃ in West African urban environments. 2016 , 135, 31-40	20
974	The Whirl Cookstove: A Novel Development for Clean Biomass Burning. 2016 , 188, 594-610	5
973	Quantifying sources of elemental carbon over the Guanzhong Basin of China: A consistent network of measurements and WRF-Chem modeling. 2016 , 214, 86-93	12

972	Light absorption of organic aerosol from pyrolysis of corn stalk. 2016 , 144, 249-256	21
971	Inter-comparison of model-simulated and satellite-retrieved componential aerosol optical depths in China. 2016 , 141, 320-332	24
970	Air Quality in European Cities. 2016 , 73, 517-542	1
969	Tibetan Plateau Geladaindong black carbon ice core record (1843-1982): Recent increases due to higher emissions and lower snow accumulation. 2016 , 7, 132-138	13
968	Climate effects of a hypothetical regional nuclear war: Sensitivity to emission duration and particle composition. 2016 , 4, 498-511	16
967	Carbon dioxide, methane and black carbon emissions from upstream oil and gas flaring in the United States. 2016 , 13, 119-123	10
966	Assessment of biomass burning smoke influence on environmental conditions for multi-year tornado outbreaks by combining aerosol-aware microphysics and fire emission constraints. 2016 , 121, 10294-10311	17
965	Air Quality Impact of Diffuse and Inefficient Combustion Emissions in Africa (DICE-Africa). <i>Environmental Science & Technology</i> , 2016 , 50, 10739-10745	10.3 59
964	Direct radiative effect due to brownness in organic carbon aerosols generated from biomass combustion. 2016 , 185, 101-109	1
963	The significant impacts on traffic and emissions of ferrying children to school in Beijing. 2016 , 47, 265-275	10
962	The interplay between assumed morphology and the direct radiative effect of light-absorbing organic aerosol. 2016 , 43, 8735-8743	9
961	Anomalous Increase in Winter Temperature and Decline in Forest Growth Associated with Severe Winter Smog in the Ulan Bator Basin. 2016 , 227, 1	4
960	Effect of photochemical self-action of carbon-containing aerosol: Wildfires. 2016 , 52, 263-270	5
959	A survey of jet aircraft PM by TEM in APEX III. 2016 , 140, 614-622	6
958	Atmospheric outflow of PM2.5 saccharides from megacity Shanghai to East China Sea: Impact of biological and biomass burning sources. 2016 , 143, 1-14	58
957	Semi-coke briquettes: towards reducing emissions of primary PM2.5, particulate carbon, and carbon monoxide from household coal combustion in China. 2016 , 6, 19306	70
956	A three-dimensional sectional representation of aerosol mixing state for simulating optical properties and cloud condensation nuclei. 2016 , 121, 5912-5929	19
955	Seasonality of global and Arctic black carbon processes in the Arctic Monitoring and Assessment Programme models. 2016 , 121, 7100-7116	31

954	An integrated systems model for energy services in rural developing communities. 2016 , 113, 536-557		18
953	Assessing the Climate Trade-Offs of Gasoline Direct Injection Engines. <i>Environmental Science & Technology</i> , 2016 , 50, 8385-92	10.3	38
952	Radiocarbon-derived source apportionment of fine carbonaceous aerosols before, during, and after the 2014 Asia-Pacific Economic Cooperation (APEC) summit in Beijing, China. 2016 , 121, 4177-4187		14
951	Joint measurements of black carbon and particle mass for heavy-duty diesel vehicles using a portable emission measurement system. 2016 , 141, 435-442		23
950	Chemical Composition of Aerosols of Different Origin. 2016 , 183-221		2
949	Dual carbon isotope characterization of total organic carbon in wintertime carbonaceous aerosols from northern India. 2016 , 121, 4797-4809		17
948	Life-cycle assessment of a biogas power plant with application of different climate metrics and inclusion of near-term climate forcers. 2016 , 184, 517-527		24
947	Global atmospheric particle formation from CERN CLOUD measurements. 2016 , 354, 1119-1124		207
946	A two-dimensional volatility basis set [Part 3: Prognostic modeling and NO _x dependence. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 123-134	6.8	20
945	Light absorption of brown carbon aerosol in the PRD region of China. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 1433-1443	6.8	53
944	The aerosol radiative effects of uncontrolled combustion of domestic waste. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 6771-6784	6.8	21
943	Russia's black carbon emissions: focus on diesel sources. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 11267-11281	6.8	9
942	Evaluation of the size segregation of elemental carbon (EC) emission in Europe: influence on the simulation of EC long-range transportation. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 1823-1835	6.8	13
941	A global simulation of brown carbon: implications for photochemistry and direct radiative effect. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 3413-3432	6.8	106
940	Single-particle characterization of biomass burning organic aerosol (BBOA): evidence for non-uniform mixing of high molecular weight organics and potassium. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 5561-5572	6.8	33
939	Impacts of aviation fuel sulfur content on climate and human health. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 10521-10541	6.8	20
938	Long-term observations of black carbon mass concentrations at Fukue Island, western Japan, during 2009-2015: constraining wet removal rates and emission strengths from East Asia. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 10689-10705	6.8	48
937	Field measurements of trace gases and aerosols emitted by peat fires in Central Kalimantan, Indonesia, during the 2015 El Niño. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 11711-11732	6.8	116

936	Monthly and spatially resolved black carbon emission inventory of India: uncertainty analysis. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 12457-12476	6.8	36
935	Transformation of logwood combustion emissions in a smog chamber: formation of secondary organic aerosol and changes in the primary organic aerosol upon daytime and nighttime aging. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 13251-13269	6.8	52
934	Physical and optical properties of aged biomass burning aerosol from wildfires in Siberia and the Western USA at the Mt. Bachelor Observatory. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 15185-15197	6.8	44
933	Light absorption and morphological properties of soot-containing aerosols observed at an East Asian outflow site, Noto Peninsula, Japan. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 2525-2541	6.8	39
932	Production of peroxy nitrates in boreal biomass burning plumes over Canada during the BORTAS campaign. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 3485-3497	6.8	4
931	Global fine-mode aerosol radiative effect, as constrained by comprehensive observations. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 8071-8080	6.8	12
930	The impact of residential combustion emissions on atmospheric aerosol, human health, and climate. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 873-905	6.8	91
929	Parameterization of single-scattering albedo (SSA) and absorption Ångström exponent (AAE) with EC / OC for aerosol emissions from biomass burning. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 9549-9561	6.8	104
928	Global burden of mortalities due to chronic exposure to ambient PM 2.5 from open combustion of domestic waste. 2016 , 11, 124022		30
927	Stable carbon isotopic compositions of low-molecular-weight dicarboxylic acids, oxocarboxylic acids, dicarbonyls, and fatty acids: Implications for atmospheric processing of organic aerosols. 2016 , 121, 3707-3717		29
926	Agricultural fires in the southeastern U.S. during SEAC4RS: Emissions of trace gases and particles and evolution of ozone, reactive nitrogen, and organic aerosol. 2016 , 121, 7383-7414		71
925	Carbonaceous aerosols over Pune and Hyderabad (India) and influence of meteorological factors. 2016 , 73, 1-27		25
924	Profile of particulate-bound organic compounds in ambient environment of Srinagar: a high-altitude urban location in the North-Western Himalayas. 2016 , 23, 7660-75		15
923	Fine carbonaceous aerosol characteristics at a megacity during the Chinese Spring Festival as given by OC/EC online measurements. <i>Atmospheric Research</i> , 2016 , 181, 20-28	5.4	23
922	High-resolution historical emission inventories of crop residue burning in fields in China for the period 1990-2013. 2016 , 138, 152-161		54
921	Emissions from residential combustion considering end-uses and spatial constraints: Part I, methods and spatial distribution. 2016 , 125, 126-139		16
920	Atmospheric heating due to black carbon aerosol during the summer monsoon period over Ballia: A rural environment over Indo-Gangetic Plain. <i>Atmospheric Research</i> , 2016 , 178-179, 393-400	5.4	26
919	Black carbon emissions from trucks and trains in the Midwestern and Northeastern United States from 1977 to 2007. 2016 , 129, 155-166		12

918	Evaluation of portable dilution system for aerosol measurement from stationary and mobile combustion sources. 2016 , 50, 717-731		15
917	Atmospheric deposition of organic carbon via precipitation. 2016 , 146, 153-163		58
916	Seasonal and Diurnal Air Pollution from Residential Cooking and Space Heating in the Eastern Tibetan Plateau. <i>Environmental Science & Technology</i> , 2016 , 50, 8353-61	10.3	50
915	Impacts of meteorological parameters and emissions on decadal and interannual variations of black carbon in China for 1980-2010. 2016 , 121, 1822-1843		17
914	A review of the relationships between drought and forest fire in the United States. 2016 , 22, 2353-69		203
913	Trend and driving forces of Beijing's black carbon emissions from sectoral perspectives. <i>Journal of Cleaner Production</i> , 2016 , 112, 1272-1281	10.3	31
912	Characterization of aerosols and fibers emitted from composite materials combustion. 2016 , 301, 153-62		12
911	Health effects of carbon-containing particulate matter: focus on sources and recent research program results. 2016 , 46, 97-137		23
910	Long-term variation of black carbon and PM2.5 in Beijing, China with respect to meteorological conditions and governmental measures. 2016 , 212, 269-278		82
909	A methodology for calculating transport emissions in cities with limited traffic data: Case study of diesel particulates and black carbon emissions in Murmansk. <i>Science of the Total Environment</i> , 2016 , 547, 305-313	10.2	25
908	Are emissions of black carbon from gasoline vehicles overestimated? Real-time, in situ measurement of black carbon emission factors. <i>Science of the Total Environment</i> , 2016 , 547, 422-428	10.2	24
907	On the relationship between aerosol model uncertainty and radiative forcing uncertainty. 2016 , 113, 5820-7		53
906	Highlighting Uncertainty and Recommendations for Improvement of Black Carbon Biomass Fuel-Based Emission Inventories in the Indo-Gangetic Plain Region. 2016 , 3, 73-80		7
905	Effects of Moisture Contents in the Common Oak on Carbonaceous Aerosols Generated from Combustion Processes in an Indoor Wood Stove. 2016 , 188, 982-996		7
904	Interprovincial Reliance for Improving Air Quality in China: A Case Study on Black Carbon Aerosol. <i>Environmental Science & Technology</i> , 2016 , 50, 4118-26	10.3	51
903	How much do alternative cookstoves reduce biomass fuel use? Evidence from North India. 2016 , 43, 153-171		50
902	Concentrations and light absorption characteristics of carbonaceous aerosol in PM 2.5 and PM 10 of Lhasa city, the Tibetan Plateau. 2016 , 127, 340-346		73
901	Distribution, input pathway and mass inventory of black carbon in sediments of the Gulf of Thailand, SE Asia. 2016 , 170, 10-19		15

900	Molecular markers of biomass burning, fungal spores and biogenic SOA in the Taklimakan desert aerosols. 2016 , 130, 64-73		42
899	Carbonaceous aerosols over China--review of observations, emissions, and climate forcing. 2016 , 23, 1671-80		26
898	Source sector and region contributions to concentration and direct radiative forcing of black carbon in China. 2016 , 124, 351-366		54
897	Influence of agricultural activities, forest fires and agro-industries on air quality in Thailand. 2017 , 52, 85-97		40
896	Climatic benefits of black carbon emission reduction when India adopts the US onroad emission level. 2017 , 1, 13		7
895	A small, lightweight multipollutant sensor system for ground-mobile and aerial emission sampling from open area sources. 2017 , 154, 31-41		22
894	In-Use Emissions and Estimated Impacts of Traditional, Natural- and Forced-Draft Cookstoves in Rural Malawi. <i>Environmental Science & Technology</i> , 2017 , 51, 1929-1938	10.3	59
893	Large reductions in urban black carbon concentrations in the United States between 1965 and 2000. 2017 , 151, 17-23		16
892	Aerosol optical properties at the Lulin Atmospheric Background Station in Taiwan and the influences of long-range transport of air pollutants. 2017 , 150, 366-378		14
891	Siberian Arctic black carbon sources constrained by model and observation. 2017 , 114, E1054-E1061		56
890	Historical variation in black carbon deposition and sources to Northern China sediments. <i>Chemosphere</i> , 2017 , 172, 242-248	8.4	13
889	Improvement of a Global High-Resolution Ammonia Emission Inventory for Combustion and Industrial Sources with New Data from the Residential and Transportation Sectors. <i>Environmental Science & Technology</i> , 2017 , 51, 2821-2829	10.3	76
888	Temporal and diurnal variations of carbonaceous aerosols and major ions in biomass burning influenced aerosols over Mt. Tai in the North China Plain during MTX2006. 2017 , 154, 106-117		11
887	Emission of organic carbon, elemental carbon and water-soluble ions from crop straw burning under flaming and smoldering conditions. 2017 , 31, 181-190		13
886	Village energy survey reveals missing rural raw coal in northern China: Significance in science and policy. 2017 , 223, 705-712		64
885	Investigation of the organic carbon ratio analysis on particles from biomass combustion and its evolution in three generations of firewood stoves. 2017 , 99, 106-115		6
884	Absorption/Transmission Measurements of PSAP Particle-Laden Filters from the Biomass Burning Observation Project (BBOP) Field Campaign. 2017 , 51, 451-466		5
883	Organic aerosols over Indo-Gangetic Plain: Sources, distributions and climatic implications. 2017 , 157, 59-74		52

882	Light-absorbing impurities accelerate glacier melt in the Central Tibetan Plateau. <i>Science of the Total Environment</i> , 2017 , 587-588, 482-490	10.2	74
881	Characteristics and source apportionment of black carbon aerosols over an urban site. 2017 , 24, 8411-8424		38
880	Assessment of emissions of greenhouse gases and air pollutants in Indonesia and impacts of national policy for elimination of kerosene use in cooking. 2017 , 154, 82-94		22
879	What factors control the trend of increasing AOD over the United States in the last decade?. 2017 , 122, 1797-1810		16
878	Atmospheric Aerosols: Clouds, Chemistry, and Climate. 2017 , 8, 427-444		50
877	Intercomparison of methods to estimate black carbon emissions from cookstoves. <i>Science of the Total Environment</i> , 2017 , 595, 886-893	10.2	13
876	Light absorption of biomass burning and vehicle emission-sourced carbonaceous aerosols of the Tibetan Plateau. 2017 , 24, 15369-15378		29
875	Estimates of spatially and temporally resolved constrained black carbon emission over the Indian region using a strategic integrated modelling approach. <i>Atmospheric Research</i> , 2017 , 195, 9-19	5-4	12
874	Biomass burning in Indo-China peninsula and its impacts on regional air quality and global climate change-a review. 2017 , 227, 414-427		44
873	Biomass burning sources and their contributions to the local air quality in Hong Kong. <i>Science of the Total Environment</i> , 2017 , 596-597, 212-221	10.2	33
872	Smog chamber study on aging of combustion soot in isoprene/SO ₂ /NO _x system: Changes of mass, size, effective density, morphology and mixing state. <i>Atmospheric Research</i> , 2017 , 184, 139-148	5-4	24
871	Black carbon emissions in Russia: A critical review. 2017 , 163, 9-21		25
870	Primary and Photochemically Aged Aerosol Emissions from Biomass Cookstoves: Chemical and Physical Characterization. <i>Environmental Science & Technology</i> , 2017 , 51, 9379-9390	10.3	26
869	The effects of biodiesels on semivolatile and nonvolatile particulate matter emissions from a light-duty diesel engine. 2017 , 230, 72-80		9
868	Impact on short-lived climate forcers (SLCFs) from a realistic land-use change scenario via changes in biogenic emissions. 2017 , 200, 101-120		5
867	Emission factors of fine particulate matter, organic and elemental carbon, carbon monoxide, and carbon dioxide for four solid fuels commonly used in residential heating by the U.S. Navajo Nation. 2017 , 67, 1020-1035		9
866	Monitoring of fire incidences in vegetation types and Protected Areas of India: Implications on carbon emissions. 2017 , 126, 1		14
865	Current and future emissions of primary pollutants from coal-fired power plants in Shaanxi, China. <i>Science of the Total Environment</i> , 2017 , 595, 505-514	10.2	44

864	Long-Lived Species Enhance Summertime Attribution of North American Ozone to Upwind Sources. <i>Environmental Science & Technology</i> , 2017 , 51, 5017-5025	10.3	8
863	Impact of Southeast Asian smoke on aerosol properties in Southwest China: First comparison of model simulations with satellite and ground observations. 2017 , 122, 3904-3919		22
862	Heterogeneous reaction of peroxyacetyl nitrate (PAN) on soot. <i>Chemosphere</i> , 2017 , 177, 339-346	8.4	7
861	Benefits on public health from transport-related greenhouse gas mitigation policies in Southeastern European cities. <i>Science of the Total Environment</i> , 2017 , 579, 1427-1438	10.2	17
860	Sensitivity of climate effects of black carbon in China to its size distributions. <i>Atmospheric Research</i> , 2017 , 185, 118-130	5.4	6
859	A review of biomass burning: Emissions and impacts on air quality, health and climate in China. <i>Science of the Total Environment</i> , 2017 , 579, 1000-1034	10.2	551
858	Atmospheric emissions of typical toxic heavy metals from open burning of municipal solid waste in China. 2017 , 152, 6-15		52
857	In situ measurements of water uptake by black carbon-containing aerosol in wildfire plumes. 2017 , 122, 1086-1097		15
856	Heating with Biomass in the United Kingdom: Lessons from New Zealand. 2017 , 152, 431-454		4
855	Heterogeneous reaction of SO ₂ with soot: The roles of relative humidity and surface composition of soot in surface sulfate formation. 2017 , 152, 465-476		44
854	Emission of volatile organic compounds from domestic coal stove with the actual alternation of flaming and smoldering combustion processes. 2017 , 221, 385-391		53
853	Assessment of national emissions of air pollutants and climate forcers from thermal power plants and industrial activities in Vietnam. <i>Atmospheric Pollution Research</i> , 2017 , 8, 503-513	4.5	19
852	Optical Property Measurements of Mixed Coal Fly Ash and Particulate Carbon Aerosols Likely Emitted during Activated Carbon Injection for Mercury Emissions Control. 2017 , 31, 11793-11801		2
851	Characteristics of black carbon emissions from in-use light-duty passenger vehicles. 2017 , 231, 348-356		28
850	Bird specimens track 135 years of atmospheric black carbon and environmental policy. 2017 , 114, 11321-11326		25
849	Atmospheric Photooxidation Diminishes Light Absorption by Primary Brown Carbon Aerosol from Biomass Burning. 2017 , 4, 540-545		92
848	Monumental heritage exposure to urban black carbon pollution. 2017 , 170, 22-32		24
847	Characterizing Particulate Matter Exfiltration Estimates for Alternative Cookstoves in a Village-Like Household in Rural Nepal. 2017 , 60, 797-808		3

846	Air pollutant emissions from straw open burning: A case study in Tianjin. 2017 , 171, 155-164		38
845	Seasonal variation and risk assessment of PM2.5 and PM2.5-10 in the ambient air of Kenitra, Morocco. 2017 , 19, 1427-1436		11
844	Fractal Dimensions and Mixing Structures of Soot Particles during Atmospheric Processing. 2017 , 4, 487-493		90
843	New Emission Factors and Efficiencies from in-Field Measurements of Traditional and Improved Cookstoves and Their Potential Implications. <i>Environmental Science & Technology</i> , 2017 , 51, 12508-12517	10.3	48
842	Using radiocarbon to constrain black and organic carbon aerosol sources in Salt Lake City. 2017 , 122, 9843-9857		11
841	Characteristics of size-resolved atmospheric inorganic and carbonaceous aerosols in urban Shanghai. 2017 , 167, 625-641		31
840	Natural aging of cool walls: Impact on solar reflectance, sensitivity to thermal shocks and building energy needs. 2017 , 153, 287-296		23
839	Aerosols as a source of dissolved black carbon to the ocean. 2017 , 8, 510		66
838	Characterization of black carbon in the ambient air of Agra, India: Seasonal variation and meteorological influence. 2017 , 34, 1082-1094		20
837	Observations of biomass burning tracers in PM2.5 at two megacities in North China during 2014 APEC summit. 2017 , 169, 54-64		18
836	Divergent Evolution of Carbonaceous Aerosols during Dispersal of East Asian Haze. 2017 , 7, 10422		21
835	Costs and impacts of potential energy strategies for rural households in developing communities. 2017 , 138, 1157-1174		10
834	Distribution of light-absorbing impurities in snow of glacier on Mt. Yulong, southeastern Tibetan Plateau. <i>Atmospheric Research</i> , 2017 , 197, 474-484	5.4	26
833	Impact of drought and normal monsoon scenarios on aerosol induced radiative forcing and atmospheric heating in Varanasi over middle Indo-Gangetic Plain. <i>Journal of Aerosol Science</i> , 2017 , 113, 95-107	4.3	21
832	Norwegian Waste-to-Energy: Climate change, circular economy and carbon capture and storage. 2017 , 126, 50-61		49
831	Simulated effects of internal mixing of anthropogenic aerosols on the aerosol radiation interaction and global temperature. 2017 , 37, 972-986		8
830	Absorption of chemically aged biomass burning carbonaceous aerosol. <i>Journal of Aerosol Science</i> , 2017 , 113, 141-152	4.3	21
829	Black carbon cookstove emissions: A field assessment of 19 stove/fuel combinations. 2017 , 169, 140-149		51

828	Size-resolved measurements of mixing state and cloud-nucleating ability of aerosols in Nanjing, China. 2017 , 122, 9430-9450		17
827	Seasonal fuel consumption, stoves, and end-uses in rural households of the far-western development region of Nepal. 2017 , 12, 125011		17
826	High Contribution of Nonfossil Sources to Submicrometer Organic Aerosols in Beijing, China. <i>Environmental Science & Technology</i> , 2017 , 51, 7842-7852	10.3	49
825	Towards a balanced view of Arctic shipping: estimating economic impacts of emissions from increased traffic on the Northern Sea Route. 2017 , 143, 143-155		37
824	Organohalogenated contaminants (OHCs) in high-altitude environments: A review and implication for a black carbon relationship. 2017 , 47, 1143-1190		5
823	Modeling study of biomass burning plumes and their impact on urban air quality; a case study of Santiago de Chile. 2017 , 166, 79-91		14
822	Aerosol optical depths and their contributing sources in Taiwan. 2017 , 148, 364-375		26
821	Spatiotemporal characteristics of TOMS-based dust aerosol optical depth in northern China during 1978-2005. 2017 , 10, 41-53		1
820	Particulate matters emitted from maize straw burning for winter heating in rural areas in Guanzhong Plain, China: Current emission and future reduction. <i>Atmospheric Research</i> , 2017 , 184, 66-76	5.4	79
819	Dioxins from Biomass Combustion: An Overview. 2017 , 8, 1-20		53
818	Impacts of household coal and biomass combustion on indoor and ambient air quality in China: Current status and implication. <i>Science of the Total Environment</i> , 2017 , 576, 347-361	10.2	100
817	Chinese vehicle emissions characteristic testing with small sample size: Results and comparison. <i>Atmospheric Pollution Research</i> , 2017 , 8, 154-163	4.5	15
816	Space-borne observations of aerosol - cloud relations for cloud systems of different heights. <i>Atmospheric Research</i> , 2017 , 183, 191-201	5.4	10
815	Sources and mass inventory of sedimentary polycyclic aromatic hydrocarbons in the Gulf of Thailand: Implications for pathways and energy structure in SE Asia. <i>Science of the Total Environment</i> , 2017 , 575, 982-995	10.2	21
814	Sub-micrometer refractory carbonaceous particles in the polar stratosphere. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 12475-12493	6.8	6
813	The observed influence of local anthropogenic pollution on northern Alaskan cloud properties. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 14709-14726	6.8	20
812	Direct radiative effect of carbonaceous aerosols from crop residue burning during the summer harvest season in East China. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 5205-5219	6.8	20
811	Spatial, temporal and source contribution assessments of black carbon over the northern interior of South Africa. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 6177-6196	6.8	13

810	Influence of biomass burning from South Asia at a high-altitude mountain receptor site in China. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 6853-6864	6.8	30
809	Global anthropogenic emissions of particulate matter including black carbon. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 8681-8723	6.8	308
808	Plume-exit modeling to determine cloud condensation nuclei activity of aerosols from residential biofuel combustion. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 9399-9415	6.8	4
807	Measurements of light-absorbing particles in snow across the Arctic, North America, and China: Effects on surface albedo. 2017 , 122, 10,149		34
806	Release of Black Carbon From Thawing Permafrost Estimated by Sequestration Fluxes in the East Siberian Arctic Shelf Recipient. 2017 , 31, 1501-1515		9
805	Aerosol emissions factors from traditional biomass cookstoves in India: insights from field measurements. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 13721-13729	6.8	22
804	Open burning of rice, corn and wheat straws: primary emissions, photochemical aging, and secondary organic aerosol formation. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 14821-14839	6.8	42
803	Multi-pollutant emissions from the burning of major agricultural residues in China and the related health-economic effects. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 4957-4988	6.8	34
802	The variability in the relationship between black carbon and carbon monoxide over the eastern coast of China: BC aging during transport. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 10395-10403	6.8	12
801	Potential impact of carbonaceous aerosol on the upper troposphere and lower stratosphere (UTLS) and precipitation during Asian summer monsoon in a global model simulation. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 11637-11654	6.8	16
800	Emission characteristics of refractory black carbon aerosols from fresh biomass burning: a perspective from laboratory experiments. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 13001-13016	6.8	23
799	Evaluation of climate model aerosol seasonal and spatial variability over Africa using AERONET. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 13999-14023	6.8	17
798	Regional influence of wildfires on aerosol chemistry in the western US and insights into atmospheric aging of biomass burning organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 2477-2493	6.8	72
797	The contribution of wood burning and other pollution sources to wintertime organic aerosol levels in two Greek cities. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 3145-3163	6.8	53
796	Biomass burning and biogenic aerosols in northern Australia during the SAFIRED campaign. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 3945-3961	6.8	9
795	Emission factors and light absorption properties of brown carbon from household coal combustion in China. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 4769-4780	6.8	76
794	Impacts of East Asian summer and winter monsoons on interannual variations of mass concentrations and direct radiative forcing of black carbon over eastern China. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 4799-4816	6.8	16
793	Investigation of the aerosol-cloud-rainfall association over the Indian summer monsoon region. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 5185-5204	6.8	48

792	Size-resolved chemical composition, effective density, and optical properties of biomass burning particles. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 7481-7493	6.8	28
791	MIX: a mosaic Asian anthropogenic emission inventory under the international collaboration framework of the MICS-Asia and HTAP. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 935-963	6.8	744
790	Online quantification and compound-specific stable isotopic analysis of black carbon in environmental matrices via liquid chromatography-isotope ratio mass spectrometry. 2017 , 15, 995-1006		17
789	The Spatial and Temporal Distributions of Absorbing Aerosols over East Asia. 2017 , 9, 1050		31
788	Using Copernicus Atmosphere Monitoring Service Products to Constrain the Aerosol Type in the Atmospheric Correction Processor MAJA. 2017 , 9, 1230		12
787	Regional Disparities in Emissions of Rural Household Energy Consumption: A Case Study of Northwest China. 2017 , 9, 726		3
786	Properties of black carbon and other insoluble light-absorbing particles in seasonal snow of northwestern China. 2017 , 11, 1213-1233		17
785	Trial by Fire: On the Terminology and Methods Used in Pyrogenic Organic Carbon Research. 2017 , 5,		17
784	Modeling the Effects of Future Growing Demand for Charcoal in the Tropics. <i>Frontiers in Environmental Science</i> , 2017 , 5,	4.8	13
783	Social Interaction and Technology Adoption: Experimental Evidence from Improved Cookstoves in Mali. 2017 ,		4
782	Uncertainty in projected climate change arising from uncertain fossil-fuel emission factors. 2018 , 13, 044017		10
781	Evaluation of the performance of distributed and centralized biomass technologies in rural China. 2018 , 125, 445-455		30
780	Chemical characterization of long-range transport biomass burning emissions to the Himalayas: insights from high-resolution aerosol mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 4617-4638	6.8	24
779	Dissolved black carbon in aquatic ecosystems. 2018 , 3, 168-185		55
778	Better kitchens and toilets: both needed for better health. 2018 , 25, 12299-12302		23
777	Emission factors of atmospheric and climatic pollutants from crop residues burning. 2018 , 68, 849-865		25
776	Cooling aerosols and changes in albedo counteract warming from CO and black carbon from forest bioenergy in Norway. 2018 , 8, 3299		12
775	Characterizing and sourcing ambient PM _{2.5} over key emission regions in China III: Carbon isotope based source apportionment of black carbon. 2018 , 177, 12-17		11

774	Characteristics of individual particles in Beijing before, during and after the 2014 APEC meeting. <i>Atmospheric Research</i> , 2018 , 203, 254-260	5-4	7
773	Trends of atmospheric black carbon concentration over the United Kingdom. 2018 , 178, 148-157		37
772	Sea Spray Aerosol Fluxes in the Sea-Air Boundary Layer Description of Currently Used Methods and Review of Recent Achievements. 2018 , 203-216		
771	How light absorbing properties of organic aerosol modify the Asian summer monsoon rainfall?. 2018 , 123, 2244-2255		5
770	UV-Vis-IR spectral complex refractive indices and optical properties of brown carbon aerosol from biomass burning. 2018 , 206, 392-398		31
769	Causes and consequences of decreasing atmospheric organic aerosol in the United States. 2018 , 115, 290-295		45
768	Variability of PM10 in industrialized-urban areas. New coefficients to establish significant differences between sampling points. 2018 , 234, 969-978		12
767	Primary Organic Aerosols. 2018 , 109-117		1
766	Emissions from residential combustion sector: how to build a high spatially resolved inventory. <i>Air Quality, Atmosphere and Health</i> , 2018 , 11, 259-270	5.6	5
765	Black carbon emissions from biomass and coal in rural China. 2018 , 176, 158-170		36
764	Impact on short-lived climate forcers increases projected warming due to deforestation. 2018 , 9, 157		54
763	Light absorption of organic carbon emitted from burning wood, charcoal, and kerosene in household cookstoves. 2018 , 240, 60-67		26
762	Investigating biomass burning aerosol morphology using a laser imaging nephelometer. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 1879-1894	6.8	11
761	Nepal Ambient Monitoring and Source Testing Experiment (NAMaSTE): emissions of particulate matter from wood- and dung-fueled cooking fires, garbage and crop residue burning, brick kilns, and other sources. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 2259-2286	6.8	74
760	Aerosol optical properties and trace gas emissions by PAX and OP-FTIR for laboratory-simulated western US wildfires during FIREX. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 2929-2948	6.8	71
759	Aerosol optical characteristics and their vertical distributions under enhanced haze pollution events: effect of the regional transport of different aerosol types over eastern China. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 2949-2971	6.8	53
758	Origin of elemental carbon in snow from western Siberia and northwestern European Russia during winter-spring 2014, 2015 and 2016. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 963-977	6.8	19
757	Is Black Carbon an Unimportant Ice-Nucleating Particle in Mixed-Phase Clouds?. 2018 , 123, 4273-4283		27

756	Long-term (2001-2012) trends of carbonaceous aerosols from a remote island in the western North Pacific: an outflow region of Asian pollutants. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 1291-1306	6.8	30
755	Bulk and molecular-level characterization of laboratory-aged biomass burning organic aerosol from oak leaf and heartwood fuels. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 2199-2224	6.8	21
754	Role of Carbonaceous Aerosols in Catalyzing Sulfate Formation. 2018 , 8, 3825-3832		35
753	Ecosystem Carbon Stock, Atmosphere, and Food Security in Slash-and-Burn Land Use: A Geospatial Study in Mountainous Region of Laos. 2018 , 641-665		6
752	Four years of highly time resolved measurements of elemental and organic carbon at a rural background site in Central Europe. 2018 , 182, 335-346		15
751	Assessment of Health Risk of Children from Traditional Biomass Burning in Rural Households. 2018 , 10, 15-26		13
750	Historical releases of mercury to air, land, and water from coal combustion. <i>Science of the Total Environment</i> , 2018 , 615, 131-140	10.2	69
749	Insights into the characteristics and sources of primary and secondary organic carbon: High time resolution observation in urban Shanghai. 2018 , 233, 1177-1187		26
748	Characterization of biomass burning from olive grove areas: A major source of organic aerosol in PM 10 of Southwest Europe. <i>Atmospheric Research</i> , 2018 , 199, 1-13	5.4	7
747	Carbonaceous and inorganic aerosols over a sub-urban site in peninsular India: Temporal variability and source characteristics. <i>Atmospheric Research</i> , 2018 , 199, 40-53	5.4	19
746	Absorbing Refractive Index and Direct Radiative Forcing of Atmospheric Brown Carbon over Gangetic Plain. 2018 , 2, 31-37		22
745	Global and regional evaluation of a global model simulated AODs with AERONET and MODIS observations. 2018 , 38, e269-e289		5
744	Morphology, molecular structure, and stable carbon isotopic composition of black carbon (BC) in urban topsoils. 2018 , 25, 3301-3312		6
743	Source apportionment of black carbon during winter in Beijing. <i>Science of the Total Environment</i> , 2018 , 618, 531-541	10.2	68
742	Environmental Human Health Issues Related to Indoor Air Pollution from Domestic Biomass Use in Rural China: A Review. 2018 , 417-434		1
741	Source apportionment of PM light extinction in an urban atmosphere in China. 2018 , 63, 277-284		19
740	Assessment of environmental impact of open burning of scrap tyres on ambient air quality. 2018 , 15, 1323-1330		13
739	Vertical distribution of aerosols over the Maritime Continent during El Niño. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 7095-7108	6.8	17

738	Measurements of I/SVOCs in biomass-burning smoke using solid-phase extraction disks and two-dimensional gas chromatography. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 17801-17817	6.8	26
737	The implementation of NEMS GFS Aerosol Component (NGAC) Version 2.0 for global multispecies forecasting at NOAA/NCEP [Part 1: Model descriptions. 2018 , 11, 2315-2332		12
736	Informing energy consumption uncertainty: an analysis of energy data revisions. 2018 , 13, 124023		5
735	Top-down estimates of black carbon emissions at high latitudes using an atmospheric transport model and a Bayesian inversion framework. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 15307-15327	6.8	5
734	Apparatus for dry deposition of aerosols on snow. 2018 , 11, 6803-6813		3
733	Variations in FINN Emissions of Particulate Matters and Associated Carbonaceous Aerosols from Remote Sensing of Open Biomass Burning over Northeast China during 2002-2016. 2018 , 10, 3353		5
732	Influences of the Internal Mixing of Anthropogenic Aerosols on Global Aridity Change. 2018 , 32, 723-733		4
731	Principal component analysis of summertime ground site measurements in the Athabasca oil sands with a focus on analytically unresolved intermediate-volatility organic compounds. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 17819-17841	6.8	20
730	Simultaneous measurement of multiple organic tracers in fine aerosols from biomass burning and fungal spores by HPLC-MS/MS. 2018 , 8, 34136-34150		5
729	Contribution of jet fuel from forest residues to multiple Sustainable Development Goals. 2018 , 1, 799-807		16
728	Direct Measurements of Dry and Wet Deposition of Black Carbon Over a Grassland. 2018 , 123, 12,277-12,290		18
727	Direct Observations of Fine Primary Particles From Residential Coal Burning: Insights Into Their Morphology, Composition, and Hygroscopicity. 2018 , 123, 12,964		44
726	Satellite-based estimate of the variability of warm cloud properties associated with aerosol and meteorological conditions. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 18187-18202	6.8	4
725	Understanding Composition, Formation, and Aging of Organic Aerosols in Wildfire Emissions via Combined Mountain Top and Airborne Measurements. 2018 , 363-385		4
724	The influence of photochemical aging on light absorption of atmospheric black carbon and aerosol single-scattering albedo. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 16829-16844	6.8	17
723	Characteristics and Mechanism of Soot Formation during the Fast Pyrolysis of Biomass in an Entrained Flow Reactor. 2018 , 32, 11477-11488		16
722	Biomass and fossil fuel combustion contributions to elemental carbon across the San Francisco Bay Area. 2018 , 195, 229-242		7
721	Black carbon aerosols over urban and high altitude remote regions: Characteristics and radiative implications. 2018 , 194, 110-122		16

720	Concentration, temporal variation, and sources of black carbon in the Mt. Everest region retrieved by real-time observation and simulation. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 12859-12875	6.8	44
719	Quantifying the single-scattering albedo for the January 2017 Chile wildfires from simulations of the OMI absorbing aerosol index. 2018 , 11, 5261-5277		3
718	Molecular insights on aging and aqueous-phase processing from ambient biomass burning emissions-influenced Po Valley fog and aerosol. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 13197-13214	6.8	35
717	19th century glacier retreat in the Alps preceded the emergence of industrial black carbon deposition on high-alpine glaciers. 2018 , 12, 3311-3331		42
716	Black carbon (BC) in a northern Tibetan mountain: effect of Kuwait fires on glaciers. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 13673-13685	6.8	3
715	Climate effects of non-compliant Volkswagen diesel cars. 2018 , 13, 044020		9
714	Speciated online PM _{2.5} from South Asian combustion sources [Part 1: Fuel-based emission factors and size distributions. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 14653-14679	6.8	24
713	Prices, peers, and perceptions (P3): study protocol for improved biomass cookstove project in northern Ghana. 2018 , 18, 1209		6
712	In-Use Performance and Durability of Particle Filters on Heavy-Duty Diesel Trucks. <i>Environmental Science & Technology</i> , 2018 , 52, 11913-11921	10.3	12
711	Retrieval of desert dust and carbonaceous aerosol emissions over Africa from POLDER/PARASOL products generated by the GRASP algorithm. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 12551-12580	6.8	44
710	Black and brown carbon over central Amazonia: long-term aerosol measurements at the ATTO site. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 12817-12843	6.8	35
709	Aerosol-induced intensification of cooling effect of clouds during Indian summer monsoon. 2018 , 9, 3754		39
708	Cloud droplet activation of black carbon particles coated with organic compounds of varying solubility. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 12477-12489	6.8	24
707	An Emission Inventory-Based Study on Black Carbon Aerosols Produced During Biomass Burning. 2018 , 2, 141-152		
706	Emissions from the Road Traffic of West African Cities: Assessment of Vehicle Fleet and Fuel Consumption. 2018 , 11, 2300		11
705	Determination of black carbon, PM _{2.5} , particle number and NO _x emission factors from roadside measurements and their implications for emission inventory development. 2018 , 186, 229-240		39
704	Fractal-like Tar Ball Aggregates from Wildfire Smoke. 2018 , 5, 360-365		18
703	Cycling and Budgets of Organic and Black Carbon in Coastal Bohai Sea, China: Impacts of Natural and Anthropogenic Perturbations. 2018 , 32, 971-986		13

702	The pyrogeography of eastern boreal Canada from 1901 to 2012 simulated with the LPJ-LMfire model. 2018 , 15, 1273-1292		7
701	Historical (1750-2014) anthropogenic emissions of reactive gases and aerosols from the Community Emissions Data System (CEDS). 2018 , 11, 369-408		585
700	Composition, Sources, and Distribution of PM _{2.5} Saccharides in a Coastal Urban Site of China. <i>Atmosphere</i> , 2018 , 9, 274	2.7	9
699	Aircraft observations of the chemical composition and aging of aerosol in the Manaus urban plume during GoAmazon 2014/5. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 10773-10797	6.8	20
698	Mixing State of Carbonaceous Aerosols of Primary Emissions from "Improved" African Cookstoves. <i>Environmental Science & Technology</i> , 2018 , 52, 10134-10143	10.3	13
697	Spatiotemporal Trends of Elemental Carbon and Char/Soot Ratios in Five Sediment Cores from Eastern China Marginal Seas: Indicators of Anthropogenic Activities and Transport Patterns. <i>Environmental Science & Technology</i> , 2018 , 52, 9704-9712	10.3	12
696	Gas-phase composition and secondary organic aerosol formation from standard and particle filter-retrofitted gasoline direct injection vehicles investigated in a batch and flow reactor. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 9929-9954	6.8	35
695	Constrained simulation of aerosol species and sources during pre-monsoon season over the Indian subcontinent. <i>Atmospheric Research</i> , 2018 , 214, 91-108	5.4	3
694	Particle and VOC emission factor measurements for anthropogenic sources in West Africa. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 7691-7708	6.8	30
693	Emission factors of organic carbon and elemental carbon for residential coal and biomass fuels in China- A new database for 39 fuel-stove combinations. 2018 , 190, 241-248		34
692	Air-Pollutant Emissions from Agricultural Burning in Mae Chaem Basin, Chiang Mai Province, Thailand. <i>Atmosphere</i> , 2018 , 9, 145	2.7	19
691	Source influence on emission pathways and ambient PM pollution over India (2015-2050). <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 8017-8039	6.8	86
690	Role of elemental carbon in the photochemical aging of soot. 2018 , 115, 7717-7722		37
689	Polycyclic aromatic hydrocarbons in PM ₁₀ , PM _{2.5} and PM ₁ particle fractions in an urban area. <i>Air Quality, Atmosphere and Health</i> , 2018 , 11, 843-854	5.6	22
688	Radiative forcing by light-absorbing aerosols of pyrogenetic iron oxides. 2018 , 8, 7347		28
687	High Time- and Size-Resolved Measurements of PM and Chemical Composition from Coal Combustion: Implications for the EC Formation Process. <i>Environmental Science & Technology</i> , 2018 , 52, 6676-6685	10.3	32
686	Enhanced global primary production by biogenic aerosol via diffuse radiation fertilization. 2018 , 11, 640-644		59
685	Estimating emissions from open burning of municipal solid waste in municipalities of Nepal. 2018 , 79, 481-490		33

684	Seasonal variation and light absorption property of carbonaceous aerosol in a typical glacier region of the southeastern Tibetan Plateau. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 6441-6460	6.8	36
683	Validation of a HILIC/ESI-MS/MS method for the wood burning marker levoglucosan and its isomers in airborne particulate matter. <i>Chemosphere</i> , 2018 , 211, 617-623	8.4	5
682	Primary PM2.5 and trace gas emissions from residential coal combustion: assessing semi-coke briquette for emission reduction in the Beijing-Tianjin-Hebei region, China. 2018 , 191, 378-386		34
681	Estimating the open biomass burning emissions in central and eastern China from 2003 to 2015 based on satellite observation. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 11623-11646	6.8	44
680	Chemical characteristics of filterable and condensable PM2.5 emissions from industrial boilers with five different fuels. 2018 , 232, 415-422		33
679	Nighttime particle growth observed during spring in New Delhi: Evidences for the aqueous phase oxidation of SO2. 2018 , 188, 82-96		10
678	Effects of black carbon and boundary layer interaction on surface ozone in Nanjing, China. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 7081-7094	6.8	35
677	Agricultural Fire Impacts on Ozone Photochemistry Over the Yangtze River Delta Region, East China. 2018 , 123, 6605-6623		12
676	An observational study on the variation of black carbon aerosol and source identification over a tropical station in south India. <i>Atmospheric Pollution Research</i> , 2019 , 10, 30-44	4.5	9
675	Atmospheric emission inventory of multiple pollutants from civil aviation in China: Temporal trend, spatial distribution characteristics and emission features analysis. <i>Science of the Total Environment</i> , 2019 , 648, 871-879	10.2	18
674	Dissolved organic carbon in snow cover of the Chinese Altai Mountains, Central Asia: Concentrations, sources and light-absorption properties. <i>Science of the Total Environment</i> , 2019 , 647, 1385-1397	10.2	27
673	Exposure-Response Associations of Household Air Pollution and Buccal Cell Telomere Length in Women Using Biomass Stoves. 2019 , 127, 87004		9
672	Household Air Pollution in a Changing Tibet: A Mixed Methods Ethnography and Indoor Air Quality Measurements. 2019 , 64, 353-365		5
671	Radiocarbon Characterization study of Atmospheric PM2.5 in Beijing during the 2014 APEC Summit. 2019 , 61, 1643-1652		
670	Extensive Soot Compaction by Cloud Processing from Laboratory and Field Observations. 2019 , 9, 11824		29
669	The remote sensing of radiative forcing by light-absorbing particles (LAPs) in seasonal snow over northeastern China. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 9949-9968	6.8	12
668	Source apportionment of carbonaceous aerosols during haze days in Shanghai based on dual carbon isotopes. 2019 , 321, 383-389		7
667	Sources of black carbon in the atmosphere and in snow in the Arctic. <i>Science of the Total Environment</i> , 2019 , 691, 442-454	10.2	11

666	Global Modeling of Secondary Organic Aerosol With Organic Nucleation. 2019 , 124, 8260-8286		10
665	Lali'an Versus Improved Cook Stoves: How Change Happens in Urban Households in Timor-Leste. 2019 , 43, 72-85		0
664	Spatial inventory of selected atmospheric emissions from oil industry in Ecuadorian Amazon: Insights from comparisons among satellite and institutional datasets. 2019 , 120, 107-116		6
663	Variability of polycyclic aromatic hydrocarbons and their oxidative derivatives in wintertime Beijing, China. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 8741-8758	6.8	18
662	Nepal emission inventory [Part I: Technologies and combustion sources (NEEMI-Tech) for 2001-2016. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 12953-12973	6.8	14
661	Light absorption properties and potential sources of particulate brown carbon in the Pearl River Delta region of China. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 11669-11685	6.8	17
660	Air Quality and Health Impact of Future Fossil Fuel Use for Electricity Generation and Transport in Africa. <i>Environmental Science & Technology</i> , 2019 , 53, 13524-13534	10.3	21
659	Secondary organic aerosol formation from the laboratory oxidation of biomass burning emissions. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 12797-12809	6.8	43
658	Mechanistic and Kinetic Investigations on the Ozonolysis of Biomass Burning Products: Guaiacol, Syringol and Creosol. 2019 , 20,		8
657	The importance of the representation of air pollution emissions for the modeled distribution and radiative effects of black carbon in the Arctic. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 11159-11183	6.8	19
656	Photochemical Aging of Soot in the Aqueous Phase: Release of Dissolved Black Carbon and the Formation of O. <i>Environmental Science & Technology</i> , 2019 , 53, 12311-12319	10.3	22
655	Emission Characteristics of Primary Brown Carbon Absorption From Biomass and Coal Burning: Development of an Optical Emission Inventory for China. 2019 , 124, 1879		22
654	Investigating the dependence of light-absorption properties of combustion carbonaceous aerosols on combustion conditions. 2019 , 53, 419-434		12
653	Emission inventory of anthropogenic air pollutant sources and characteristics of VOCs species in Sichuan Province, China. 2019 , 76, 21-58		16
652	Characterization and source estimates of primary and secondary carbonaceous aerosols at urban and suburban atmospheres of Düzce, Turkey. 2019 , 26, 6839-6854		3
651	Polarity-Dependent Chemical Characteristics of Water-Soluble Organic Matter from Laboratory-Generated Biomass-Burning Revealed by 1-Octanol-Water Partitioning. <i>Environmental Science & Technology</i> , 2019 , 53, 8047-8056	10.3	13
650	The air quality and health impacts of projected long-haul truck and rail freight transportation in the United States in 2050. 2019 , 130, 104922		13
649	Top-down estimate of black carbon emissions for city clusters using ground observations: a case study in southern Jiangsu, China. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 2095-2113	6.8	4

648	The EMEP Intensive Measurement Period campaign, 2008-2009: characterizing carbonaceous aerosol at nine rural sites in Europe. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 4211-4233	6.8	12
647	Contribution and uncertainty of sectorial and regional emissions to regional and global PM _{2.5} ; health impacts. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 5165-5186	6.8	31
646	Simulation of the chemical evolution of biomass burning organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 5403-5415	6.8	13
645	Distribution and isotopic composition of sedimentary black carbon in a subtropical estuarine-coastal region of the western Taiwan Strait: Implications for tracing anthropogenic inputs. <i>Science of the Total Environment</i> , 2019 , 684, 509-518	10.2	6
644	Characterizing Emissions from Agricultural Diesel Pumps in the Terai Region of Nepal. <i>Atmosphere</i> , 2019 , 10, 56	2.7	9
643	Spirometry for Chronic Obstructive Pulmonary Disease Due to Inhalation of Smoke from Indoor Fires Used for Cooking and Heating. 2019 , 306-326		
642	Collective impacts of biomass burning and synoptic weather on surface PM _{2.5} and CO in Northeast China. 2019 , 213, 64-80		21
641	In-Home Emissions Performance of Cookstoves in Asia and Africa. <i>Atmosphere</i> , 2019 , 10, 290	2.7	15
640	Impacts of household sources on air pollution at village and regional scales in India. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 7719-7742	6.8	18
639	Investigating Smoke Aerosol Emission Coefficients Using MODIS Active Fire and Aerosol Products: A Case Study in the CONUS and Indonesia. 2019 , 124, 1413-1429		8
638	Recent Advances in Quantifying Wet Scavenging Efficiency of Black Carbon Aerosol. <i>Atmosphere</i> , 2019 , 10, 175	2.7	7
637	Relationship between long-range transported atmospheric black carbon and carbon monoxide at a high-altitude background station in East Asia. 2019 , 210, 86-99		23
636	Simulating secondary organic aerosol in a regional air quality model using the statistical oxidation model [Part 3: Assessing the influence of semi-volatile and intermediate-volatility organic compounds and NO _x]. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 4561-4594	6.8	18
635	Estimation of emissions from biomass burning in China (2003-2017) based on MODIS fire radiative energy data. 2019 , 16, 1629-1640		31
634	Composition and light absorption of N-containing aromatic compounds in organic aerosols from laboratory biomass burning. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 2899-2915	6.8	43
633	Gridded Emissions of CO, NO _x , SO ₂ , CO ₂ , NH ₃ , HCl, CH ₄ , PM ₁₀ , PM _{2.5} , BC, and NMVOC from Open Municipal Waste Burning in India. <i>Environmental Science & Technology</i> , 2019 , 53, 4765-4774	10.3	46
632	China's black carbon emission from fossil fuel consumption in 2015, 2020, and 2030. 2019 , 212, 201-207		13
631	Estimation of Metal Emissions From Tropical Peatland Burning in Indonesia by Controlled Laboratory Experiments. 2019 , 124, 6583-6599		3

630	Emissions from Solid Fuel Cook Stoves in the Himalaya Region. 2019 , 12, 1089		8
629	Spatial and seasonal variations of sugars (alcohol) in China: Emerging results from the CARE-China network. 2019 , 209, 136-143		5
628	New Method for Improving Spatial Allocation Accuracy of Industrial Energy Consumption and Implications for Polycyclic Aromatic Hydrocarbon Emissions in China. <i>Environmental Science & Technology</i> , 2019 , 53, 4326-4334	10.3	11
627	Effect of heterogeneous oxidative aging on light absorption by biomass burning organic aerosol. 2019 , 53, 663-674		33
626	In situ measurements of trace gases, PM, and aerosol optical properties during the 2017 NW US wildfire smoke event. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 3905-3926	6.8	29
625	Water-Soluble Brown Carbon in Atmospheric Aerosols from Godavari (Nepal), a Regional Representative of South Asia. <i>Environmental Science & Technology</i> , 2019 , 53, 3471-3479	10.3	70
624	Evaluating Recent Updated Black Carbon Emissions and Revisiting the Direct Radiative Forcing in Arctic. 2019 , 46, 3560-3570		4
623	Constraining a Historical Black Carbon Emission Inventory of the United States for 1960-2000. 2019 , 124, 4004-4025		4
622	Absorption properties of black carbon aerosols over environmentally distinct locations in south-western India: Temporal, spectral characterization and source apportionment. 2019 , 189, 1-17		3
621	Simulations of black carbon (BC) aerosol impact over Hindu Kush Himalayan sites: validation, sources, and implications on glacier runoff. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 2441-2460	6.8	16
620	Crop residue open field burning in Pakistan; multi-year high spatial resolution emission inventory for 2000-2014. 2019 , 208, 20-33		14
619	Aerosol and gaseous pollutant characteristics during the heating season (winter-spring transition) in the Harbin-Changchun megalopolis, northeastern China. 2019 , 188, 26-43		9
618	Differences in oxidative potential of black carbon from three combustion emission sources in China. 2019 , 240, 57-65		6
617	Radiative Forcing by Dust and Black Carbon on the Juneau Icefield, Alaska. 2019 , 124, 3943-3959		16
616	Retrieval of black carbon aerosol surface concentration using satellite remote sensing observations. 2019 , 226, 93-108		11
615	Emission Measurements from Traditional Biomass Cookstoves in South Asia and Tibet. <i>Environmental Science & Technology</i> , 2019 , 53, 3306-3314	10.3	29
614	Field Emission Measurements of Solid Fuel Stoves in Yunnan, China Demonstrate Dominant Causes of Uncertainty in Household Emission Inventories. <i>Environmental Science & Technology</i> , 2019 , 53, 3323-3330	10.3	24
613	Aerosol variability induced by atmospheric dynamics in a coastal area of Senegal, North-Western Africa. 2019 , 203, 228-241		4

612	Green Activity-Based Costing Production Planning and Scenario Analysis for the Aluminum-Alloy Wheel Industry under Industry 4.0. 2019 , 11, 756		7
611	Widespread Pollution From Secondary Sources of Organic Aerosols During Winter in the Northeastern United States. 2019 , 46, 2974-2983		17
610	Spherical tarball particles form through rapid chemical and physical changes of organic matter in biomass-burning smoke. 2019 , 116, 19336-19341		37
609	NO reactive uptake kinetics and chlorine activation on authentic biomass-burning aerosol. 2019 , 21, 1684-1698		9
608	Effects of land use and anthropogenic aerosol emissions in the Roman Empire. 2019 , 15, 1885-1911		5
607	Variation of Carbonaceous Atmospheric Aerosol Near St. Petersburg. 2019 , 55, 619-627		2
606	Dissolved black carbon in throughfall and stemflow in a fire-managed longleaf pine woodland. 2019 , 146, 191-207		10
605	Aerosol vertical mass flux measurements during heavy aerosol pollution episodes at a rural site and an urban site in the Beijing area of the North China Plain. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 12857-12874	6.8	7
604	Characteristics of carbonaceous aerosols analyzed using a multiwavelength thermal/optical carbon analyzer: A case study in Lanzhou City. 2019 , 62, 389-402		10
603	Abundance and Light Absorption Properties of Brown Carbon Emitted from Residential Coal Combustion in China. <i>Environmental Science & Technology</i> , 2019 , 53, 595-603	10.3	58
602	Global and regional trends in mercury emissions and concentrations, 2010-2015. 2019 , 201, 417-427		90
601	Comparing black and brown carbon absorption from AERONET and surface measurements at wintertime Fresno. 2019 , 199, 164-176		15
600	Source apportionment of black carbon in different seasons in the northern suburb of Nanjing, China. 2019 , 201, 190-200		34
599	Black carbon aggregates: A database for optical properties. 2019 , 222-223, 170-179		24
598	Characterization and source apportionment of marine aerosols over the East China Sea. <i>Science of the Total Environment</i> , 2019 , 651, 2679-2688	10.2	10
597	Organic markers and OC source apportionment for seasonal variations of PM2.5 at 5 rural sites in France. 2019 , 198, 142-157		30
596	Comparing and modeling sedimentary profiles of elemental carbon and polycyclic aromatic hydrocarbons between early- and newly-urbanized areas in Shanghai. 2019 , 244, 971-979		11
595	Large-river dominated black carbon flux and budget: A case study of the estuarine-inner shelf of East China Sea, China. <i>Science of the Total Environment</i> , 2019 , 651, 2489-2496	10.2	12

594	Size Dependence of the Physical Characteristics of Particles Containing Refractory Black Carbon in Diesel Vehicle Exhaust. <i>Environmental Science & Technology</i> , 2019 , 53, 137-145	10.3	12
593	Heavy near-surface PM pollution in Lhasa, China during a relatively static winter period. <i>Chemosphere</i> , 2019 , 214, 314-318	8.4	8
592	Bottom-up emission inventories of multiple air pollutants from open straw burning: A case study of Jiangsu province, Eastern China. <i>Atmospheric Pollution Research</i> , 2019 , 10, 501-507	4.5	11
591	Characterization of carbonaceous fractions in PM and PM over a typical industrial city in central China. 2019 , 26, 16855-16867		10
590	High airborne black carbon concentrations measured near roadways in Nairobi, Kenya. 2019 , 68, 99-109		7
589	Using authentic science in climate change education. 2019 , 18, 350-381		1
588	Modelling of sectoral emissions of short-lived and long-lived climate pollutants under various control technological strategies. <i>Science of the Total Environment</i> , 2020 , 699, 134358	10.2	3
587	Biomass burning impacts on ambient aerosol at a background site in East China: Insights from a yearlong study. <i>Atmospheric Research</i> , 2020 , 231, 104660	5.4	14
586	Interplay between technological innovation and environmental quality: Formulating the SDG policies for next 11 economies. <i>Journal of Cleaner Production</i> , 2020 , 242, 118549	10.3	120
585	Characterization and source apportionment of black carbon aerosol in the Nanjing Jiangbei New Area based on two years of measurements from Aethalometer. <i>Journal of Aerosol Science</i> , 2020 , 139, 105461	4.3	15
584	Size distribution of particulate polycyclic aromatic hydrocarbons in fresh combustion smoke and ambient air: A review. 2020 , 88, 370-384		36
583	Emissions and source allocation of carbonaceous air pollutants from wood stoves in developed countries: A review. <i>Atmospheric Pollution Research</i> , 2020 , 11, 234-251	4.5	13
582	Investigation of physical and optical properties of aerosol over high altitude stations along the sub-Himalayan region of North-Eastern India. <i>Atmospheric Pollution Research</i> , 2020 , 11, 383-392	4.5	2
581	Investigation of distribution, transportation, and impact factors of atmospheric black carbon in the Arctic region based on a regional climate-chemistry model. 2020 , 257, 113127		12
580	Characteristics of MERRA-2 black carbon variation in east China during 2000-2016. 2020 , 222, 117140		13
579	Potential Effect of Black Carbon on Glacier Mass Balance during the Past 55 Years of Laohugou Glacier No. 12, Western Qilian Mountains. 2020 , 31, 410-418		7
578	Nitrogen isotopic composition of free Gly in aerosols at a forest site. 2020 , 222, 117179		7
577	Characteristics of black carbon aerosol mixing state over an urban region deduced using single particle soot photometer (SP2) and differential mobility analyzer (DMA). <i>Atmospheric Pollution Research</i> , 2020 , 11, 574-582	4.5	1

576	Interdecadal variation in aerosol optical properties and their relationships to meteorological parameters over northeast China from 1980 to 2017. <i>Chemosphere</i> , 2020 , 247, 125737	8.4	8
575	Technology policy and environmental quality at crossroads: Designing SDG policies for select Asia Pacific countries. 2020 , 161, 120317		47
574	Interactions of particulate matter and pulmonary surfactant: Implications for human health. 2020 , 284, 102244		22
573	Air Pollution and Climate Forcing of the Charcoal Industry in Africa. <i>Environmental Science & Technology</i> , 2020 , 54, 13429-13438	10.3	7
572	Unexpected Biomass Burning Aerosol Absorption Enhancement Explained by Black Carbon Mixing State. 2020 , 47, e2020GL089055		6
571	Optical and Chemical Analysis of Absorption Enhancement by Mixed Carbonaceous Aerosols in the 2019 Woodbury, AZ, Fire Plume. 2020 , 125, e2020JD032399		4
570	Aerosol Mass and Optical Properties, Smoke Influence on O ₃ , and High NO ₃ Production Rates in a Western U.S. City Impacted by Wildfires. 2020 , 125, e2020JD032791		12
569	Carbon fractionation and stable carbon isotopic fingerprint of road dusts near coal power plant with emphases on coal-related source apportionment. 2020 , 202, 110888		4
568	Comparison of physical and chemical characteristics and oxidative potential of fine particles emitted from rice straw and pine stem burning. 2020 , 267, 115599		5
567	Emission factors of some common grass species in West Africa. 2020 , 192, 758		0
566	Variability in Observation-based Onroad Emission Constraints from a Near-road Environment. <i>Atmosphere</i> , 2020 , 11, 1243	2.7	2
565	Black and organic carbon fractions in fine particulate matter by sectors in the South Hemisphere emissions for decision-making on climate change and health effects. 2020 , 27, 38344-38352		3
564	Source apportionment of black carbon and the feedback effect on the meteorological factors in Beijing, China. 2020 , 27, 41764-41775		3
563	Biomass-burning-derived particles from a wide variety of fuels [Part 2: Effects of photochemical aging on particle optical and chemical properties. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 8511-8532 ^{6.8}		24
562	High mass absorption efficiency of carbonaceous aerosols during the biomass burning season in Chiang Mai of northern Thailand. 2020 , 240, 117821		6
561	Aerosol carbonaceous, elemental and ionic composition variability and origin at the Siberian High Arctic, Cape Baranova. 2020 , 72, 1-14		8
560	Analysis of aerosol optical depth over Bahrain and Eastern Province of Saudi Arabia based on MERRA-2 model. 2020 , 1		1
559	Characterizing Black Carbon Emissions from Gasoline, LPG, and Diesel Vehicles via Transient Chassis-Dynamometer Tests. 2020 , 10, 5856		2

558	A Mineralogy-Based Anthropogenic Combustion-Iron Emission Inventory. 2020 , 125, e2019JD032114		11
557	Oxidation of Phenolic Aldehydes by Ozone and Hydroxyl Radicals at the Air-Water Interface. 2020 , 124, 8822-8833		6
556	Wildfire and prescribed burning impacts on air quality in the United States. 2020 , 70, 961-970		11
555	Comparing the Use of High- to Low-Cost Black Carbon and Carbon Dioxide Sensors for Characterizing On-Road Diesel Truck Emissions. 2020 , 20,		1
554	Spatial Distribution of Atmospheric Aerosol Physicochemical Characteristics in the Russian Sector of the Arctic Ocean. <i>Atmosphere</i> , 2020 , 11, 1170	2.7	4
553	Long-Term Variation of Black Carbon Absorption Aerosol Optical Depth from AERONET Data over East Asia. 2020 , 12, 3551		3
552	Quantification of organic aerosol and brown carbon evolution in fresh wildfire plumes. 2020 , 117, 29469-29477	3.1	
551	Regional and Sectoral Sources for Black Carbon Over South China in Spring and Their Sensitivity to East Asian Summer Monsoon Onset. 2020 , 125, e2020JD033219		4
550	Size-segregated carbonaceous aerosols emission from typical vehicles and potential depositions in the human respiratory system. 2020 , 264, 114705		16
549	Field Observations of Secondary Organic Aerosols. 2020 , 453-508		
548	High levels of primary biogenic organic aerosols are driven by only a few plant-associated microbial taxa. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 5609-5628	6.8	9
547	Prediction of organic aerosol precursor emission from the pyrolysis of thermally thick wood. 2020 , 269, 117333		3
546	Molecular characteristics of organic compositions in fresh and aged biomass burning aerosols. <i>Science of the Total Environment</i> , 2020 , 741, 140247	10.2	7
545	Simultaneous Transmission/Absorption Photometry of Particle-Laden Filters from Wildland Fires during the Biomass Burning Observation Project (BBOP) Field Campaign. <i>Journal of Aerosol Science</i> , 2020 , 150, 105614-105614	4.3	
544	On black carbon emission from automotive disc brakes. <i>Journal of Aerosol Science</i> , 2020 , 148, 105610	4.3	8
543	Effects of coal types and combustion conditions on carbonaceous aerosols in flue gas and their light absorption properties. 2020 , 277, 118148		7
542	Vertical distribution of particulate matter, black carbon and ultra-fine particles in Stuttgart, Germany. <i>Atmospheric Pollution Research</i> , 2020 , 11, 1441-1450	4.5	11
541	Trends and source apportionment of atmospheric heavy metals at a subarctic site during 1996-2018. 2020 , 236, 117644		5

540	FLEXPART v10.1 simulation of source contributions to Arctic black carbon. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 1641-1656	6.8	9
539	Black carbon and mineral dust on two glaciers on the central Tibetan Plateau: sources and implications. 2020 , 66, 248-258		6
538	Understanding the emission pattern and source contribution of hazardous air pollutants from open burning of municipal solid waste in China. 2020 , 263, 114417		18
537	Responses of Mean and Extreme Precipitation to Different Climate Forcing Under Radiative-Convective Equilibrium. 2020 , 37, 377-386		1
536	Deposition of brown carbon onto snow: changes in snow optical and radiative properties. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 6095-6114	6.8	13
535	Using Low-Cost Measurement Systems to Investigate Air Quality: A Case Study in Palapye, Botswana. <i>Atmosphere</i> , 2020 , 11, 583	2.7	2
534	Rapid reduction in black carbon emissions from China: evidence from 2009-2019 observations on Fukue Island, Japan. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 6339-6356	6.8	18
533	Evaluation of equivalent black carbon source apportionment using observations from Switzerland between 2008 and 2018. 2020 , 13, 1867-1885		11
532	Long-term brown carbon and smoke tracer observations in Bogotá, Colombia: association with medium-range transport of biomass burning plumes. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 7459-7472	6.8	8
531	The Global Atmospheric Pollution Forum (GAPF) emission inventory preparation tool and its application to Côte d'Ivoire. <i>Atmospheric Pollution Research</i> , 2020 , 11, 1500-1512	4.5	1
530	Impact of the Emission Control of Diesel Vehicles on Black Carbon (BC) Concentrations over China. <i>Atmosphere</i> , 2020 , 11, 696	2.7	5
529	Characteristics and potential sources of black carbon particles in suburban Nanjing, China. <i>Atmospheric Pollution Research</i> , 2020 , 11, 981-991	4.5	11
528	Occurrence frequencies and regional variations in Visible Infrared Imaging Radiometer Suite (VIIRS) global active fires. 2020 , 26, 2970-2987		5
527	Production and consumption-based primary PM _{2.5} emissions: Empirical analysis from China's interprovincial trade. 2020 , 155, 104661		10
526	Improved method for the optical analysis of particulate black carbon (BC) using smartphones. 2020 , 224, 117291		3
525	Cookstove Smoke Impact on Ambient Air Quality and Probable Consequences for Human Health in Rural Locations of Southern Nepal. 2020 , 17,		8
524	Characterization of Equivalent Black Carbon at a regional background site in Central Europe: Variability and source apportionment. 2020 , 260, 113771		9
523	Achieving environmental sustainability through information technology: "Digital Pakistan" initiative for green development. 2020 , 27, 10011-10026		20

522	A quantitative assessment of atmospheric emissions and spatial distribution of trace elements from natural sources in China. 2020 , 259, 113918		9
521	Quantifying the air quality, climate and equity implications of India's household energy transition. 2020 , 55, 37-47		12
520	Size-fractionated carbonaceous aerosols down to PM in southern Thailand: Local and long-range transport effects. 2020 , 260, 114031		20
519	Generation of Viable Bacterial and Fungal Aerosols during Biomass Combustion. <i>Atmosphere</i> , 2020 , 11, 313	2.7	1
518	Long-term sub-micrometer aerosol chemical composition in the boreal forest: inter- and intra-annual variability. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 3151-3180	6.8	15
517	The evolutionary behavior of chromophoric brown carbon during ozone aging of fine particles from biomass burning. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 4593-4605	6.8	18
516	Variation in black carbon concentration and aerosol optical properties in Beijing: Role of emission control and meteorological transport variability. <i>Chemosphere</i> , 2020 , 254, 126849	8.4	13
515	Source apportionment of PM by positive matrix factorization model at a source region of biomass burning. 2020 , 266, 110545		10
514	Water Promotes the Oxidation of SO by O over Carbonaceous Aerosols. <i>Environmental Science & Technology</i> , 2020 , 54, 7070-7077	10.3	9
513	Establishment and evaluation of anthropogenic black and organic carbon emissions over Central Plain, China. 2020 , 226, 117406		6
512	A study of cardiorespiratory related mortality as a result of exposure to black carbon. <i>Science of the Total Environment</i> , 2020 , 725, 138422	10.2	16
511	Mitigating the impacts of air pollutants in Nepal and climate co-benefits: a scenario-based approach. <i>Air Quality, Atmosphere and Health</i> , 2020 , 13, 361-370	5.6	4
510	A multi-scale model analysis of ozone formation in the Bangkok Metropolitan Region, Thailand. 2020 , 229, 117433		4
509	Emission sources and full spectrum of health impacts of black carbon associated polycyclic aromatic hydrocarbons (PAHs) in urban environment: A review. 2021 , 51, 857-896		15
508	Measuring non-road diesel emissions in the construction industry: a synopsis of the literature. 2021 , 21, 582-597		12
507	Simulation of long-term direct aerosol radiative forcing over the arctic within the framework of the iAREA project. 2021 , 244, 117882		3
506	A feasibility study of metabolic phenotyping of dried blood spot specimens in rural Chinese women exposed to household air pollution. 2021 , 31, 328-344		1
505	Characteristics of particulate matter and meteorological conditions of a typical air-pollution episode in Shenyang, northeastern China, in winter 2017. <i>Atmospheric Pollution Research</i> , 2021 , 12, 316-327	4.5	5

504	Seasonal variability and source apportionment of black carbon over a rural high-altitude and an urban site in western India. <i>Atmospheric Pollution Research</i> , 2021 , 12, 32-45	4.5	7
503	Light absorption enhancement of particulate matters and their source apportionment over the Asian continental outflow site and South Yellow Sea. 2021 , 28, 8022-8035		1
502	Association of aerosols, trace gases and black carbon with mortality in an urban pollution hotspot over central Indo-Gangetic Plain. 2021 , 246, 118088		13
501	Light absorption and fluorescence characteristics of water-soluble organic compounds in carbonaceous particles at a typical remote site in the southeastern Himalayas and Tibetan Plateau. 2021 , 272, 116000		6
500	In-use emissions from biomass and LPG stoves measured during a large, multi-year cookstove intervention study in rural India. <i>Science of the Total Environment</i> , 2021 , 758, 143698	10.2	11
499	Optically Measured Black and Particulate Brown Carbon Emission Factors from Real-World Residential Combustion Predominantly Affected by Fuel Differences. <i>Environmental Science & Technology</i> , 2021 , 55, 169-178	10.3	11
498	Characterization and emission factors of carbonaceous aerosols originating from coke production in China. 2021 , 268, 115768		5
497	Development of 2015 Vietnam emission inventory for power generation units. 2021 , 247, 118042		4
496	Outdoor air pollutants. 2021 , 491-554		0
495	Physicochemical properties and cytotoxicity of brown carbon produced under different combustion conditions. 2021 , 244, 117881		5
494	Survey-based inventory for atmospheric emissions from residential combustion in Vietnam. 2021 , 28, 10678-10695		3
493	Impact of combustion conditions on physical and morphological properties of biomass burning aerosol. 2021 , 55, 80-91		5
492	The impact of urbanization and consumption patterns on China's black carbon emissions based on input-output analysis and structural decomposition analysis. 2021 , 28, 2914-2922		4
491	Studies of Atmospheric PM _{2.5} and its Inorganic Water Soluble Ions and Trace Elements around Southeast Asia: a Review. 2021 , 57, 361-385		7
490	Transport Mechanisms, Potential Sources, and Radiative Impacts of Black Carbon Aerosols on the Himalayas and Tibetan Plateau Glaciers. 2021 , 7-23		0
489	Darnaus judumo priemonī integravimo pagal miesto susisiekimo sistemas infrastrukt̄ modelis. 2021 ,		
488	Climate Change Projection in the Twenty-First Century Simulated by NIMS-KMA CMIP6 Model Based on New GHGs Concentration Pathways. 2021 , 57, 851-862		7
487	Multi-model intercomparisons of air quality simulations for the KORUS-AQ campaign. 2021 , 9,		13

486	Direct measurements of black carbon fluxes in central Beijing using the eddy covariance method. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 147-162	6.8	3
485	Aerosol Optical Properties Measured Using a PAX in Central Asia from 2016 to 2019 and the Climatic and Environmental Outlooks. 2021 , 5, 95-105		1
484	Estimating Submicron Aerosol Mixing State at the Global Scale With Machine Learning and Earth System Modeling. 2021 , 8, e2020EA001500		6
483	Daytime Oxidized Reactive Nitrogen Partitioning in Western U.S. Wildfire Smoke Plumes. 2021 , 126, e2020JD033484		18
482	Anthropogenic Perturbations to the Atmospheric Molybdenum Cycle. 2021 , 35, e2020GB006787		1
481	Effect of discrepancies caused by model resolution on model-measurement comparison for surface black carbon. 2021 , 247, 118178		
480	Fuel Aromaticity Promotes Low-Temperature Nucleation Processes of Elemental Carbon from Biomass and Coal Combustion. <i>Environmental Science & Technology</i> , 2021 , 55, 2532-2540	10.3	4
479	Impacts of Chemical Degradation on the Global Budget of Atmospheric Levoglucosan and Its Use As a Biomass Burning Tracer. <i>Environmental Science & Technology</i> , 2021 , 55, 5525-5536	10.3	8
478	Observed and Modeled Black Carbon Deposition and Sources in the Western Russian Arctic 1800-2014. <i>Environmental Science & Technology</i> , 2021 , 55, 4368-4377	10.3	1
477	Food systems are responsible for a third of global anthropogenic GHG emissions. 2021 , 2, 198-209		211
476	Study on the real-world emissions of rural vehicles on different road types. 2021 , 273, 116453		6
475	Characterization of intra-continental smoke transport and impact on New York State air quality using aerosol reanalysis and multi-platform observations. <i>Atmospheric Pollution Research</i> , 2021 , 12, 154-166	4.5	1
474	Spatially Resolved Emission Factors to Reduce Uncertainties in Air Pollutant Emission Estimates from the Residential Sector. <i>Environmental Science & Technology</i> , 2021 , 55, 4483-4493	10.3	7
473	Measurement report: Chemical characteristics of PM _{2.5} during typical biomass burning season at an agricultural site of the North China Plain. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 3181-3192	6.8	5
472	Measurement report: Long-range transport patterns into the tropical northwest Pacific during the CAMP ² Ex aircraft campaign: chemical composition, size distributions, and the impact of convection. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 3777-3802	6.8	3
471	Simulation of the evolution of biomass burning organic aerosol with different volatility basis set schemes in PMCAMx-SRv1.0. 2021 , 14, 2041-2055		1
470	Drought-induced biomass burning as a source of black carbon to the central Himalaya since 1781 CE as reconstructed from the Dasuopu ice core. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 5615-5633	6.8	1
469	Aqueous-phase oxidation of syringic acid emitted from biomass burning: Formation of light-absorbing compounds. <i>Science of the Total Environment</i> , 2021 , 765, 144239	10.2	0

468	Uncertainties in the Emissions Database for Global Atmospheric Research (EDGAR) emission inventory of greenhouse gases. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 5655-5683	6.8	16
467	Black carbon concentration in the central Himalayas: Impact on glacier melt and potential source contribution. 2021 , 275, 116544		11
466	Chemical composition of PM _{2.5} in October 2017 Northern California wildfire plumes. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 5719-5737	6.8	3
465	Characterizing Black Carbon and Gaseous Pollutants on the Yangtze River Across Eastern China Continent. 2021 , 126, e2020JD033488		
464	Kinetics and Mass Yields of Aqueous Secondary Organic Aerosol from Highly Substituted Phenols Reacting with a Triplet Excited State. <i>Environmental Science & Technology</i> , 2021 , 55, 5772-5781	10.3	2
463	Dry Deposition of Atmospheric Aerosols: Approaches, Observations, and Mechanisms. 2021 , 72, 375-397		8
462	Using TROPOspheric Monitoring Instrument (TROPOMI) measurements and Weather Research and Forecasting (WRF) CO modelling to understand the contribution of meteorology and emissions to an extreme air pollution event in India. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 5393-5414	6.8	3
461	Understanding global changes in fine-mode aerosols during 2008-2017 using statistical methods and deep learning approach. 2021 , 149, 106392		9
460	Coal Is Dirty, but Where It Is Burned Especially Matters. <i>Environmental Science & Technology</i> , 2021 , 55, 7316-7326	10.3	6
459	Relationship between circum-Arctic atmospheric wave patterns and large-scale wildfires in boreal summer. 2021 , 16, 064009		4
458	Temporal variations of black carbon, carbon monoxide, and carbon dioxide in Mexico City: Mutual correlations and evaluation of emissions inventories. 2021 , 37, 100855		5
457	Wintertime direct radiative effects due to black carbon (BC) over the Indo-Gangetic Plain as modelled with new BC emission inventories in CHIMERE. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 7671-7694	6.8	1
456	Mechanisms and kinetics studies of the atmospheric oxidation of eugenol by hydroxyl radicals and ozone molecules. <i>Science of the Total Environment</i> , 2021 , 770, 145203	10.2	4
455	An Alternative Co-Benefit Framework Prioritizing Health Impacts: Potential Air Pollution and Climate Change Mitigation Pathways through Energy Sector Fuel Substitution in South Korea. 2021 , 9, 101		1
454	Particulate emissions from a modern wood stove Influence of KCl. 2021 , 170, 1215-1227		6
453	Updated Global Black Carbon Emissions from 1960 to 2017: Improvements, Trends, and Drivers. <i>Environmental Science & Technology</i> , 2021 , 55, 7869-7879	10.3	10
452	Analysis of the Effect of Optical Properties of Black Carbon on Ozone in an Urban Environment at the Yangtze River Delta, China. 2021 , 38, 1153-1164		2
451	Concentration and Physical Characteristics of Black Carbon in Winter Snow of Beijing in 2015. <i>Atmosphere</i> , 2021 , 12, 816	2.7	0

450	Evaluating Carbon Monoxide and Aerosol Optical Depth Simulations from CAM-Chem Using Satellite Observations. 2021 , 13, 2231		2
449	Deposition characteristics of soot and tire-wear particles on urban tree leaves. <i>Journal of Aerosol Science</i> , 2021 , 155, 105768	4.3	2
448	Qualitative Study on the Observations of Emissions, Transport, and the Influence of Climatic Factors from Sugarcane Burning: A South African Perspective. 2021 , 18,		3
447	Present and future aerosol impacts on Arctic climate change in the GISS-E2.1 Earth system model. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 10413-10438	6.8	2
446	Burned Area Mapping over the Southern Cape Forestry Region, South Africa Using Sentinel Data within GEE Cloud Platform. 2021 , 10, 511		4
445	Characterization of Black Carbon and Its Correlations with VOCs in the Northern Region of Hangzhou Bay in Shanghai, China. <i>Atmosphere</i> , 2021 , 12, 870	2.7	2
444	Assessing transition pathways to low-carbon electricity generation in Kenya: A hybrid approach using backcasting, socio-technical scenarios and energy system modelling. 2021 , 1, 100004		0
443	Envisioning an Integrated Assessment System and Observation Network for the North Atlantic Ocean. <i>Atmosphere</i> , 2021 , 12, 955	2.7	
442	Spatial Distribution of Black Carbon Concentrations in the Atmosphere of the North Atlantic and the European Sector of the Arctic Ocean. <i>Atmosphere</i> , 2021 , 12, 949	2.7	0
441	Establishing a link between fine particulate matter (PM) zones and COVID -19 over India based on anthropogenic emission sources and air quality data. 2021 , 38, 100883		9
440	African anthropogenic emissions inventory for gases and particles from 1990 to 2015. 2021 , 13, 3691-3705		1
439	Reduced light absorption of black carbon (BC) and its influence on BC-boundary-layer interactions during APEC Blue. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 11405-11421	6.8	2
438	Using a New Top-Down Constrained Emissions Inventory to Attribute the Previously Unknown Source of Extreme Aerosol Loadings Observed Annually in the Monsoon Asia Free Troposphere. 2021 , 9, e2021EF002167		5
437	An Improved Representation of Aerosol Wet Removal by Deep Convection and Impacts on Simulated Aerosol Vertical Profiles. 2021 , 126, e2020JD034173		1
436	Digestive Elimination of Coexisting Microplastics for Determination of Particulate Black Carbon in Environmental Waters. 2021 , 93, 11184-11190		0
435	Assessing the magnitude of PM _{2.5} polycyclic aromatic hydrocarbon emissions from residential solid fuel combustion and associated health hazards in South Asia. <i>Atmospheric Pollution Research</i> , 2021 , 12, 101142	4.5	0
434	Mass absorption cross-section of black carbon from residential biofuel stoves and diesel trucks based on real-world measurements. <i>Science of the Total Environment</i> , 2021 , 784, 147225	10.2	4
433	Inferring Polluted Asian Absorbing Aerosol Properties Using Decadal Scale AERONET Measurements and a MIE Model. 2021 , 48, e2021GL094300		2

432	Particulate and Dissolved Black Carbon in Bohai and Laizhou Bays, China: Distributions, Sources, and Contrasts Under Two Distinct Fluvial Hydrological Regimes. 2021 , 9,		1
431	Spectral characteristics of dissolved organic carbon derived from biomass-pyrogenic smoke (SDOC) in the aqueous environment and its solubilization effect on hydrophobic organic pollutants. 2021 , 203, 117515		2
430	Organic compound source profiles of PM from traffic emissions, coal combustion, industrial processes and dust. <i>Chemosphere</i> , 2021 , 278, 130429	8.4	5
429	Reviews and syntheses: Arctic fire regimes and emissions in the 21st century. 2021 , 18, 5053-5083		14
428	Diurnal evolutions and sources of water-soluble chromophoric aerosols over Xi'an during haze event, in Northwest China. <i>Science of the Total Environment</i> , 2021 , 786, 147412	10.2	4
427	High-Resolution Modeling and Apportionment of Diesel-Related Contributions to Black Carbon Concentrations. <i>Environmental Science & Technology</i> , 2021 , 55, 12250-12260	10.3	0
426	Black Carbon over Wuhan, China: Seasonal Variations in Its Optical Properties, Radiative Forcing and Contribution to Atmospheric Aerosols. 2021 , 13, 3620		1
425	Extreme Molecular Complexity Resulting in a Continuum of Carbonaceous Species in Biomass Burning Tar Balls from Wildfire Smoke.		1
424	Emissions and light absorption of carbonaceous aerosols from on-road vehicles in an urban tunnel in south China. <i>Science of the Total Environment</i> , 2021 , 790, 148220	10.2	1
423	Spatiotemporal distribution of atmospheric polycyclic aromatic hydrocarbon emissions during 2013-2017 in mainland China. <i>Science of the Total Environment</i> , 2021 , 789, 148003	10.2	5
422	A novel clean combustion technology for solid fuels to efficiently reduce gaseous and particulate emissions. <i>Journal of Cleaner Production</i> , 2021 , 320, 128864	10.3	3
421	Quantifying the high resolution seasonal emission of air pollutants from crop residue burning in India. 2021 , 286, 117165		13
420	Assessment of the effects of straw burning bans in China: Emissions, air quality, and health impacts. <i>Science of the Total Environment</i> , 2021 , 789, 147935	10.2	10
419	A long-term analysis of atmospheric black carbon MERRA-2 concentration over China during 1980–2019. 2021 , 264, 118662		2
418	A method for estimating the ratio of aerosol mass concentration to the imaginary part of the atmospheric complex refractive index and its application. <i>Atmospheric Research</i> , 2021 , 264, 105848	5.4	
417	Underreporting and open burning – the two largest challenges for sustainable waste management in India. 2021 , 175, 105865		3
416	A critical review of pollutant emission factors from fuel combustion in home stoves. 2021 , 157, 106841		30
415	Role of sulphate and carbonaceous aerosols on the radiative effects of aerosols over a remote high-altitude site Lachung in the Eastern Himalayas. <i>Atmospheric Research</i> , 2021 , 263, 105799	5.4	0

414	Real-world emission characteristics of black carbon emitted by on-road China IV and China V diesel trucks. <i>Science of the Total Environment</i> , 2021 , 799, 149435	10.2	3
413	Atmospheric emissions of PCDDs and PCDFs in China from 1960 to 2014. 2022 , 424, 127320		3
412	Interannual evolution of elemental carbon-containing particles in winter in the atmosphere of Chengdu, China. <i>Science of the Total Environment</i> , 2022 , 804, 150133	10.2	0
411	Atmospheric chemistry in Asia: Need of integrated approach. 2022 , 55-74		
410	Aerosols in Atmospheric Chemistry. 2022 ,		
409	Unraveling the complexity of atmospheric brown carbon produced by smoldering boreal peat using size-exclusion chromatography with selective mobile phases.		
408	Black Carbon Emissions from Trucks and Trains in the Midwestern and Northeastern United States, 1977-2007. 2021 , 63-84		
407	Contribution of brown carbon and lensing to the direct radiative effect of carbonaceous aerosols from biomass and biofuel burning emissions. 2015 , n/a-n/a		11
406	Identification of Black Carbon in the Earth System. 157-176		9
405	Sources and Nature of Atmospheric Aerosols. 2009 , 45-89		9
404	Review Processing, Properties and Applications of Agricultural Solid Waste: Effect of an Open Burning in Environmental Toxicology. 2017 , 161-181		4
403	Ocean-Atmosphere Interactions of Particles. 2014 , 171-246		21
402	Effects of Disturbance, Succession and Management on Carbon Sequestration. 2010 , 103-157		5
401	Interactions of Arctic Aerosols with Land-Cover and Land-Use Changes in Northern Eurasia and their Role in the Arctic Climate System. 2010 , 237-268		4
400	Environmental Issues of Biomass-Burning in Sub-Saharan African Countries. 2020 , 1-14		2
399	Asian Dust, Eolian Iron and Black Carbon-Connections to Climate Changes. 2014 , 339-433		2
398	Correlation and time-series analysis of black carbon in the coal mine regions of India: a case study. 2020 , 6, 659-669		5
397	100% Clean, Renewable Energy and Storage for Everything. 2020 ,		14

396	Fundamentals of Atmospheric Modeling. 2005 ,		393
395	CARBON EMISSIONS AND ECONOMIC GROWTH IN AFRICA: ARE THEY RELATED?. 2020 , 8, 1850400		12
394	A new perspective on the spatial, temporal, and vertical distribution of biomass burning: quantifying a significant increase in CO emissions. 2020 , 15, 104091		9
393	Smoke emissions from agricultural fires in Mexico and Central America. 2019 , 13, 1		7
392	Atmospheric aerosol particles. 213-293		1
391	Infrared spectroscopy of secondary organic aerosol precursors and investigation of the hygroscopicity of SOA formed from the OH reaction with guaiacol and syringol. 2017 , 56, E116-E122		13
390	Evolution of air quality in Santiago: The role of mobility and lessons from the science-policy interface. 2018 , 6,		21
389	TOC and Black Carbon records in sediment of Lake Yangzong, Yunnan Province under the influence of human activities during the past century. 2017 , 29, 1018-1028		6
388	Win-Win Scenarios at the Climate-Development Interface: Challenges and Opportunities for Cookstove Replacement Programs Through Carbon Finance.		2
387	Formation and Transport of Aerosols in Tokyo in Relation to Their Physical and Chemical Properties: A Review. 2010 , 88, 597-624		24
386	Temporal variations in black carbon recorded on Rishiri Island, northern Japan. 2015 , 49, 283-294		6
385	PROSPECT OF RESEARCH ON ARCTIC BLACK CARBON AEROSOL. 2010 , 22, 56-68		2
384	DUST PARTICLE DEPOSITION QUALITY ASSESSMENT IN RURAL AREAS LOCATED NOT FAR FROM A CONGESTED HIGHWAY AND SEVERAL SEBKHAS: CASE OF MONASTIR REGION, EASTERN TUNISIA. 2018 , 26, 141-157		4
383	Simulation and Evaluation of Dust Emission with Polair3D-SIREAM Model over West Africa Focused on Ouagadougou (Burkina Faso). 2019 , 10, 80-102		3
382	Laboratory studies of fresh and aged biomass burning aerosol emitted from east African biomass fuels [Part 1: Optical properties. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 10149-10168	6.8	7
381	Electricity savings and greenhouse gas emission reductions from global phase-down of hydrofluorocarbons. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 11305-11327	6.8	10
380	Long-term historical trends in air pollutant emissions in Asia: Regional Emission inventory in ASIA (REAS) version 3. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 12761-12793	6.8	64
379	Chemical composition and light absorption of carbonaceous aerosols emitted from crop residue burning: influence of combustion efficiency. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 13721-13734	6.8	8

378	The effects of morphology, mobility size, and secondary organic aerosol (SOA) material coating on the ice nucleation activity of black carbon in the cirrus regime. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 13957-13984	6.8	10
377	Chemical composition, structures, and light absorption of N-containing aromatic compounds emitted from burning wood and charcoal in household cookstoves. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 14077-14090	6.8	5
376	A comparison of PM _{2.5} -bound polycyclic aromatic hydrocarbons in summer Beijing (China) and Delhi (India). <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 14303-14319	6.8	14
375	Arctic shipping emissions inventories and future scenarios.		2
374	Black carbon measurements in the boundary layer over western and northern Europe.		3
373	Anthropogenic sulfur dioxide emissions: 1850–2005.		15
372	Direct radiative effect of aerosols emitted by transport: from road, shipping and aviation.		3
371	Primary aerosol emission trends for China, 1990–2005.		10
370	Light-absorbing impurities in Arctic snow.		12
369	The European aerosol budget in 2006.		2
368	Origin and radiative forcing of black carbon transported to the Himalayas and Tibetan Plateau.		1
367	Sensitivity studies on the impacts of Tibetan Plateau snowpack pollution on the Asian hydrological cycle and monsoon climate.		5
366	Characteristics, sources, and transport of aerosols measured in spring 2008 during the aerosol, radiation, and cloud processes affecting Arctic climate (ARCPAC) project.		9
365	Emission factors for open and domestic biomass burning for use in atmospheric models.		28
364	Quantifying the uncertainties of a bottom-up emission inventory of anthropogenic atmospheric pollutants in China.		2
363	Global and regional trends in aerosol optical depth based on remote sensing products and pollutant emission estimates between 2000 and 2009.		20
362	Impact of Mexico City emissions on regional air quality from MOZART-4 simulations.		3
361	A global perspective on aerosol from low-volatility organic compounds.		2

360	Temporal and spatial variations of aerosol physical and chemical properties over West Africa: AMMA aircraft campaign in summer 2006.	3
359	A global modeling study on carbonaceous aerosol microphysical characteristics and radiative forcing.	3
358	Atmospheric Brown Clouds in the Himalayas: first two years of continuous observations at the Nepal-Climate Observatory at Pyramid (5079 m).	18
357	Historical (1850–2000) gridded anthropogenic and biomass burning emissions of reactive gases and aerosols: methodology and application.	24
356	Brown carbon in tar balls from smoldering biomass combustion.	1
355	Enhancement of marine cloud albedo via controlled sea spray injections: a global model study of the influence of emission rates, microphysics and transport.	4
354	Sulfur dioxide emissions in China and sulfur trends in East Asia since 2000.	7
353	Single particle characterization of black carbon aerosols at a tropospheric alpine site in Switzerland.	2
352	Climate effects of seasonally varying biomass burning emitted carbonaceous aerosols (BBCA).	1
351	Atmospheric pollutant outflow from southern Asia: a review.	6
350	Reanalysis of tropospheric sulphate aerosol and ozone for the period 1980–2005 using the aerosol-chemistry-climate model ECHAM5-HAMMOZ.	6
349	Chemical and physical transformations of organic aerosol from the photo-oxidation of open biomass burning emissions in an environmental chamber.	8
348	Effects of aging on organic aerosol from open biomass burning smoke in aircraft and lab studies.	20
347	Biomass burning contribution to black carbon in the western United States mountain ranges.	1
346	Airborne and ground-based measurements of the trace gases and particles emitted by prescribed fires in the United States.	5
345	Sulfur dioxide and primary carbonaceous aerosol emissions in China and India, 1996–2010.	5
344	A high-resolution emission inventory of primary pollutants for the Huabei region, China.	4
343	Decreases in elemental carbon and fine particle mass in the United States.	3

342	Evolution of trace gases and particles emitted by a chaparral fire in California.	5
341	Anthropogenic radiative forcing time series from pre-industrial times until 2010.	1
340	Climatic effects of 1950–2050 changes in US anthropogenic aerosols [Part 1: Aerosol trends and radiative forcing.	8
339	Mass absorption efficiency of elemental carbon and water-soluble organic carbon in Beijing, China.	3
338	Organic functional groups in aerosol particles from burning and non-burning forest emissions at a high-elevation mountain site.	3
337	Atmospheric aerosol compositions in China: spatial/temporal variability, chemical signature, regional haze distribution and comparisons with global aerosols.	26
336	A new method to determine the mixing state of light absorbing carbonaceous using the measured aerosol optical properties and number size distributions.	2
335	Carbonaceous aerosols in China: top-down constraints on primary sources and estimation of secondary contribution.	5
334	Hygroscopic growth and droplet activation of soot particles: uncoated, succinic or sulfuric acid coated.	1
333	Parameterization of black carbon aging in the OsloCTM2 and implications for regional transport to the Arctic.	4
332	Spatial and temporal variation of anthropogenic black carbon emissions in China for the period 1980–2009.	1
331	Correlation of black carbon aerosol and carbon monoxide concentrations measured in the high-altitude environment of Mt. Huangshan, Eastern China.	2
330	Future emissions from oil, gas, and shipping activities in the Arctic.	2
329	The influence of semi-volatile and reactive primary emissions on the abundance and properties of global organic aerosol.	4
328	Effect of primary organic sea spray emissions on cloud condensation nuclei concentrations.	4
327	Global cloud condensation nuclei influenced by carbonaceous combustion aerosol.	2
326	Trace gas and particle emissions from open biomass burning in Mexico.	5
325	Source identification and airborne chemical characterisation of aerosol pollution from long-range transport over Greenland during POLARCAT summer campaign 2008.	3

324	Investigations of primary and secondary particulate matter of different wood combustion appliances with a high-resolution time-of-flight aerosol mass spectrometer.	6
323	Aerosol optical properties in the North China Plain during HaChi campaign: an in-situ optical closure study.	3
322	Contribution of garbage burning to chloride and PM _{2.5} in Mexico City.	3
321	Spectral absorption of biomass burning aerosol determined from retrieved single scattering albedo during ARCTAS.	1
320	Aerosol direct radiative forcing based on GEOS-Chem-APM and uncertainties.	2
319	High resolution mapping of combustion processes and implications for CO ₂ emissions.	9
318	Influence of biomass burning and anthropogenic emissions on ozone, carbon monoxide and black carbon concentrations at the Mt. Cimone GAW-WMO global station (Italy, 2165 m a.s.l.).	2
317	Impact of the modal aerosol scheme GLOMAP-mode on aerosol forcing in the Hadley Centre Global Environmental Model.	4
316	Coupling field and laboratory measurements to estimate the emission factors of identified and unidentified trace gases for prescribed fires.	2
315	Evaluation of preindustrial to present-day black carbon and its albedo forcing from ACCMIP (Atmospheric Chemistry and Climate Model Intercomparison Project).	12
314	Single particle characterization of black carbon aerosol in the Northeast Tibetan Plateau, China.	1
313	Wintertime aerosol chemical composition and source apportionment of the organic fraction in the metropolitan area of Paris.	6
312	Modeling the impacts of biomass burning on air quality in and around Mexico City.	5
311	Black carbon concentration and deposition estimations in Finland by the regional aerosol-climate model REMO-HAM.	1
310	Anthropogenic, biomass burning, and volcanic emissions of black carbon, organic carbon, and SO ₂ from 1980 to 2010 for hindcast model experiments.	171
309	Measurements of reactive trace gases and variable O ₃ formation rates in some South Carolina biomass burning plumes.	2
308	The size distribution and mixing state of black carbon aerosol over Europe.	4
307	Secondary organic aerosol formation from gasoline vehicle emissions in a new mobile environmental reaction chamber.	6

306	Estimating aerosol emissions by assimilating observed aerosol optical depth in a global aerosol model.	3
305	Insights into dissolved organic matter complexity in rainwater from continental and coastal storms by ultrahigh resolution Fourier transform ion cyclotron resonance mass spectrometry.	2
304	Observationally-constrained estimates of global small-mode AOD.	4
303	Aerosol-induced changes in summer rainfall and circulation in the Australasian region: a study using single-forcing climate simulations.	15
302	Contribution of organic carbon to wood smoke particulate matter absorption of solar radiation.	3
301	Importance of tropospheric volcanic aerosol for indirect radiative forcing of climate.	3
300	Does the POA-SOA split matter for global CCN formation?.	2
299	Absorptivity of brown carbon in fresh and photo-chemically aged biomass-burning emissions.	2
298	Water-soluble organic carbon over the Pearl River Delta region during fall/winter: spatial variations and source apportionment.	4
297	Overview of the Mount Tai Experiment (MTX2006) in Central East China in June 2006: studies of significant regional air pollution.	3
296	Biogenic and biomass burning organic aerosol in a boreal forest at Hyytiö, Finland, during HUMPPA-COPEC 2010.	1
295	The direct and indirect radiative effects of biogenic secondary organic aerosol.	6
294	Global emission projections for the transportation sector using dynamic technology modeling.	1
293	Black carbon emissions from in-use ships: a California regional assessment.	2
292	Source apportionment of PM ₁₀ in a North-Western Europe regional urban background site (Lens, France) using Positive Matrix Factorization and including primary biogenic emissions.	2
291	The Pagami Creek smoke plume after long-range transport to the upper troposphere over Europe: aerosol properties and black carbon mixing state.	2
290	Primary and secondary biomass burning aerosols determined by proton nuclear magnetic resonance (H-NMR) spectroscopy during the 2008 EUCAARI campaign in the Po Valley (Italy).	2
289	Characterization of organic aerosol produced during pulverized coal combustion in a drop tube furnace.	3

288	Seasonal and elevational variations of black carbon and dust in snow and ice in the Solu-Khumbu, Nepal and estimated radiative forcings.	8
287	Secondary organic aerosol formation from biomass burning intermediates: phenol and methoxyphenols.	8
286	The magnitude and causes of uncertainty in global model simulations of cloud condensation nuclei.	10
285	Two hundred fifty years of aerosols and climate: the end of the age of aerosols.	5
284	Key chemical NO _x sink uncertainties and how they influence top-down emissions of nitrogen oxides.	6
283	Biomass burning contribution to Beijing aerosol.	5
282	Why models struggle to capture Arctic Haze: the underestimated role of gas flaring and domestic combustion emissions.	4
281	Trace gas emissions from combustion of peat, crop residue, biofuels, grasses, and other fuels: configuration and FTIR component of the fourth Fire Lab at Missoula Experiment (FLAME-4).	7
280	Investigating the two-component model of solid fuel organic aerosol in London: processes, PM ₁ contributions, and seasonality.	3
279	Variational estimates of black carbon emissions in the western United States.	3
278	Characterization of biomass burning smoke from cooking fires, peat, crop residue and other fuels with high resolution proton-transfer-reaction time-of-flight mass spectrometry.	3
277	Properties and evolution of biomass burning organic aerosol from Canadian boreal forest fires.	3
276	Evaluation of black carbon emission inventories using a Lagrangian dispersion model – a case study over Southern India.	1
275	Constraining black carbon aerosol over Southeast Asia using OMI aerosol absorption optical depth and the adjoint of GEOS-Chem.	5
274	Evaluating BC and NO _x emission inventories for the Paris region from MEGAPOLI aircraft measurements.	2
273	Particulate emissions from residential wood combustion in Europe – revised estimates and an evaluation.	7
272	The effects of global change upon United States air quality.	2
271	Analysis of transpacific transport of black carbon during HIPPO-3: implications for black carbon aging.	2

270	The AeroCom evaluation and intercomparison of organic aerosol in global models.	11
269	Uncertainties in global aerosols and climate effects due to biofuel emissions.	4
268	Current model capabilities for simulating black carbon and sulfate concentrations in the Arctic atmosphere: a multi-model evaluation using a comprehensive measurement data set.	5
267	A study of the impact of synoptic weather conditions and water vapor on aerosol-cloud relationships over major urban clusters of China.	1
266	Estimating ground-level PM _{2.5} in Eastern China using aerosol optical depth determined from the GOCI Satellite Instrument.	4
265	Reactive uptake of ammonia to secondary organic aerosols: kinetics of organonitrogen formation.	2
264	Impacts of aviation fuel sulfur content on climate and human health.	3
263	The impact of residential combustion emissions on atmospheric aerosol, human health and climate.	4
262	A global simulation of brown carbon: implications for photochemistry and direct radiative effect.	6
261	Light absorption of brown carbon aerosol in the PRD region of China.	3
260	Single particle characterization of biomass burning organic aerosol (BBOA): evidence for non-uniform mixing of high molecular weight organics and potassium.	7
259	Observationally-constrained carbonaceous aerosol source estimates for the Pearl River Delta area of China.	1
258	MIX: a mosaic Asian anthropogenic emission inventory for the MICS-Asia and the HTAP projects.	75
257	Particulate matter, air quality and climate: lessons learned and future needs.	12
256	Sources, transport and deposition of iron in the global atmosphere.	1
255	Black-carbon-surface oxidation and organic composition of beech-wood soot aerosols.	1
254	Nitrate aerosols today and in 2030: importance relative to other aerosol species and tropospheric ozone.	1
253	An Asian emission inventory of anthropogenic emission sources for the period 1980-2020.	61

252	Aerosol absorption and radiative forcing.	8
251	Climate forcing and air quality change due to regional emissions reductions by economic sector.	3
250	Radiative budget in the presence of multi-layered aerosol structures in the framework of AMMA SOP-0.	5
249	Radiative forcing of the direct aerosol effect using a multi-observation approach.	3
248	Mass concentrations of black carbon measured by four instruments in the middle of Central East China in June 2006.	1
247	Laboratory investigation of photochemical oxidation of organic aerosol from wood fires [Part 1: Measurement and simulation of organic aerosol evolution.	7
246	Uncertainty in global CCN concentrations from uncertain aerosol nucleation and primary emission rates.	3
245	Laboratory investigation of photochemical oxidation of organic aerosol from wood fires [Part 2: Analysis of aerosol mass spectrometer data.	6
244	Influence of future air pollution mitigation strategies on total aerosol radiative forcing.	3
243	Molecular characterization of aerosol-derived water soluble organic carbon using ultrahigh resolution electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry.	1
242	Combustion particulate emissions in Africa: regional climate modeling and validation.	5
241	MATRIX (Multiconfiguration Aerosol TRacker of mIXing state): an aerosol microphysical module for global atmospheric models.	1
240	Detailed heterogeneous chemistry in an urban plume box model: reversible co-adsorption of O_3 , NO_2 , and H_2O on soot coated with benzo[a]pyrene.	2
239	Trace gas and particle emissions from domestic and industrial biofuel use and garbage burning in central Mexico.	6
238	Simulation of particle size distribution with a global aerosol model: contribution of nucleation to aerosol and CCN number concentrations.	1
237	Impact of nucleation on global CCN.	4
236	The continental source of glyoxal estimated by the synergistic use of spaceborne measurements and inverse modelling.	2
235	The impact of dust on sulfate aerosol, CN and CCN during an East Asian dust storm.	1

234	Reduction in biomass burning aerosol light absorption upon humidification: roles of inorganically-induced hygroscopicity, particle collapse, and photoacoustic heat and mass transfer.	3
233	Evaluation of black carbon estimations in global aerosol models.	5
232	Evaluation of aerosol distributions in the GISS-TOMAS global aerosol microphysics model with remote sensing observations.	1
231	Sources of uncertainties in modelling Black Carbon at the global scale.	2
230	Temporal variation of elemental carbon in Guangzhou, China, in summer 2006.	2
229	Mexico City aerosol analysis during MILAGRO using high resolution aerosol mass spectrometry at the urban supersite (T0) [Part 2: Analysis of the biomass burning contribution and the modern carbon fraction.	5
228	Black carbon aerosols and the third polar ice cap.	5
227	The formation, properties and impact of secondary organic aerosol: current and emerging issues.	24
226	Asian emissions in 2006 for the NASA INTEX-B mission.	53
225	Impacts of aerosol indirect effect on past and future changes in tropospheric composition.	1
224	Particulate absorption of solar radiation: anthropogenic aerosols vs. dust.	1
223	What can we learn about ship emission inventories from measurements of air pollutants over the Mediterranean Sea?.	4
222	Significant variations of trace gas composition and aerosol properties at Mt. Cimone during air mass transport from North Africa [Contributions from wildfire emissions and mineral dust.	2
221	Pyrogenic carbon from tropical savanna burning: production and stable isotope composition.	6
220	Gridded emissions of air pollutants for the period 1970-2012 within EDGAR v4.3.2. 2018 , 10, 1987-2013	266
219	A global anthropogenic emission inventory of atmospheric pollutants from sector- and fuel-specific sources (1970-2017): an application of the Community Emissions Data System (CEDS). 2020 , 12, 3413-3442	50
218	European anthropogenic AFOLU greenhouse gas emissions: a review and benchmark data. 2020 , 12, 961-1001	20
217	Daily black carbon emissions from fires in northern Eurasia for 2002-2015. 2016 , 9, 4461-4474	20

216	Description and evaluation of the Model for Ozone and Related chemical Tracers, version 4 (MOZART-4).		21
215	Assessing the CAM5 physics suite in the WRF-Chem model: implementation, evaluation, and resolution sensitivity.		6
214	Development studies towards an 11-year global gridded aerosol optical thickness reanalysis for climate and applied applications.		1
213	Black carbon concentrations from a Tibetan Plateau ice core spanning 1843–1982: recent increases due to emissions and glacier melt.		6
212	Multi-Gas Forcing Stabilization with Minicam. 2006 , SI2006,		59
211	Visualization of Artificially Deposited Submicron-sized Aerosol Particles on the Surfaces of Leaves and Needles in Trees. 2012 , 6, 275-280		6
210	Urban Air Quality Model Inter-Comparison Study (UMICS) for Improvement of PM2.5 Simulation in Greater Tokyo Area of Japan. 2018 , 12, 139-152		9
209	An Evaluation of the Influence of Boundary Conditions from GEOS-Chem on CMAQ Simulations over East Asia. 2013 , 29, 186-198		2
208	Chemical Characterization of Emissions Arising from Solid Fuel Combustion—Contrasting Wood and Cow Dung Burning. 2021 , 5, 2925-2937		1
207	Biomass Burning Over the United States East Coast and Western North Atlantic Ocean: Implications for Clouds and Air Quality. 2021 , 126, e2021JD034916		0
206	Observations of supermicron-sized aerosols originating from biomass burning in southern Central Africa. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 14815-14831	6.8	0
205	Nighttime chemistry of biomass burning emissions in urban areas: A dual mobile chamber study. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 15337-15349	6.8	1
204	A black carbon peak and its sources in the free troposphere of Beijing induced by cyclone lifting and transport from central China. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 15555-15567	6.8	1
203	Determination of Emission Factors of Pollutants From Biomass Burning of African Fuels in Laboratory Measurements. 2021 , 126, e2021JD034731		2
202	Technical note: Pyrolysis principles explain time-resolved organic aerosol release from biomass burning. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 15605-15618	6.8	0
201	Light absorption enhancement due to mixing in black carbon and organic carbon generated during biomass burning. <i>Atmospheric Pollution Research</i> , 2021 , 12, 101236	4.5	0
200	Development of a global model of mineral dust aerosol microphysics.		
199	Formation of secondary organic aerosol from isoprene oxidation over Europe.		

- 198 Variable CCN formation potential of regional sulfur emissions.
- 197 Chemical apportionment of southern African aerosol mass and optical depth.
- 196 Using measurements for evaluation of black carbon modeling.
- 195 Soot microphysical effects on liquid clouds, a multi-model investigation.
- 194 Aerosols as Transport Vehicles of Persistent Pollutants. **2011**, 267-286
- 193 Aerosol Forcing: Rapporteur's Report and Summary. **2011**, 361-368
- 192 Optical properties of elemental carbon and water-soluble organic carbon in Beijing, China.
- 191 Spatiotemporal distribution of light-absorbing carbon and its relationship to other atmospheric pollutants in Stockholm. 1
- 190 Impacts of global, regional, and sectoral black carbon emission reductions on surface air quality and human mortality.
- 189 Primary versus secondary contributions to particle number concentrations in the European boundary layer.
- 188 Aerosols in the CALIOPE air quality modelling system: validation and analysis of PM levels, optical depths and chemical composition over Europe.
- 187 Aerosol in Global Atmosphere. **2012**, 239-278
- 186 Encyclopedia of Sustainability Science and Technology. **2012**, 111-148
- 185 Arctic climate response to forcing from light-absorbing particles in snow and sea ice in CESM.
- 184 Aerosol indirect effects from shipping emissions: sensitivity studies with the global aerosol-climate model ECHAM-HAM.
- 183 Airborne observations of aerosol microphysical properties and particle ageing processes in the troposphere above Europe.
- 182 The impact of a future H₂-based road transportation sector on the composition and chemistry of the atmosphere [Part 1: Tropospheric composition and air quality. 0
- 181 Intra-Seasonal Variability of Aerosols and Their Radiative Impacts on Sahel Climate during the Period 2000-2010 Using AERONET Data. **2013**, 04, 267-273 7

- 180 Source attribution of light-absorbing impurities in seasonal snow across northern China.
- 179 Meeting Environmental and Energy Challenges: CNG Conversion of Motor Vehicles in Dhaka. **2013**, 205-220
- 178 GLOMAP-Mode Overview. **2013**, 31-43
- 177 Measuring and modeling the hygroscopic growth of two humic substances in mixed aerosol particles of atmospheric relevance.
- 176 Atmospheric inversion of SO₂ and primary aerosol emissions for the year 2010.
- 175 Physico-Chemical Characterization of Black Carbon Emitted from Coal-fired Power Plant, Charcoal Kiln and Diesel Vehicle. **2013**, 29, 152-162 3
- 174 Geographical variability of relationships among black carbon from wildfires, climate and vegetation in Africa. **2013**, 57, 221-231
- 173 Black carbon concentrations and sources in the marine boundary layer of the tropical Atlantic Ocean using four methodologies.
- 172 Absorption and scattering properties of organic carbon vs. sulfate dominant aerosols at Gosan climate observatory in Northeast Asia.
- 171 Quantifying black carbon from biomass burning by means of levoglucosan in a one year time series at the Arctic observatory Zeppelin.
- 170 Field Measurement. **2014**, 163-176
- 169 Introduction. **2014**, 1-10
- 168 Research Background. **2014**, 11-43
- 167 Model Description. **2014**, 35-52
- 166 Method. **2014**, 45-59
- 165 Carbonaceous Particulate Matter. **2014**, 61-84
- 164 Simplifying the calculation of light scattering properties for black carbon fractal aggregates. 1
- 163 The effects of energy paths and emission controls and standards on future trends in China's emissions of primary air pollutants.

- 162 A global 3-D CTM evaluation of black carbon in the Tibetan Plateau.
- 161 A global process-based study of marine CCN trends and variability.
- 160 Sensitivity of tropospheric loads and lifetimes of short lived pollutants to fire emissions. 1
- 159 Ice nucleation by combustion ash particles at conditions relevant to mixed-phase clouds.
- 158 Global Emissions of Black Carbon from 1960 to 2007. **2015**, 115-129
- 157 Development of a High-Resolution Fuel Consumptions Database. **2015**, 69-85
- 156 Research Background. **2015**, 9-27
- 155 Research Method. **2015**, 29-68
- 154 Black carbon emissions from Russian diesel sources: case study of Murmansk.
- 153 Chemical aging of single and multicomponent biomass burning aerosol surrogate-particles by OH: implications for cloud condensation nucleus activity.
- 152 Patterns in atmospheric carbonaceous aerosols in China: emission estimates and observed concentrations. 2
- 151 A two-dimensional volatility basis set [Part 3: Prognostic modeling and NO_x dependence].
- 150 Light absorption and morphological properties of soot-containing aerosols observed at an East Asian outflow site, Noto Peninsula, Japan. 1
- 149 Evaluation of size segregation of elemental carbon emission in Europe: influence on atmospheric long-range transportation. 1
- 148 Research Background. **2016**, 7-21
- 147 Modeling Global-scale Data Marts Based on Federated Data Warehousing Application Framework. **2016**, 447-456
- 146 Evaluation of Portable Dilution System for Aerosol Measurement from Stationary and Mobile Combustion Sources. 00-00
- 145 Tempo-Spatial Processes and Modelling of Environmental Pollutants. **2017**, 367-390

144	Social Interaction and Technology Adoption: Experimental Evidence from Improved Cookstoves in Mali.			2
143	Optimal Production Planning Strategy for Deteriorating Items in Terms of Emission Tax, Pollution, and R&D Investment. 2018 , 119-141			
142	Organic Air Pollutants: Measurement, Properties & Control. 2020 , 107-130			
141	Biodegradation of Agricultural Wastes by Chaetomium Species. 2020 , 301-341			
140	100% Clean, Renewable Energy and Storage for Everything. 2020 , 84-137			
139	100% Clean, Renewable Energy and Storage for Everything. 2020 , 395-407			
138	100% Clean, Renewable Energy and Storage for Everything. 2020 , 298-345			
137	Non-negligible emissions of black carbon from non-road construction equipment based on real-world measurements in China. <i>Science of the Total Environment</i> , 2022 , 806, 151300	10.2		0
136	Impacts of Biomass Burning in Peninsular Southeast Asia on PM2.5 Concentration and Ozone Formation in Southern China During Springtime: A Case Study. 2021 , 126, e2021JD034908			2
135	Evaluating urban methane emissions from space using TROPOMI methane and carbon monoxide observations. 2022 , 268, 112756			3
134	Wintertime vertical distribution of black carbon and single scattering albedo in a semi-arid region derived from tethered balloon observations. <i>Science of the Total Environment</i> , 2022 , 807, 150790	10.2		2
133	Characteristics of MERRA-2 Black Carbon in Eight Key Climatic Regions across China from 2007 to 2018. 2020 , 194, 04060			
132	Measurements of Aerosol Physicochemical Characteristics in the 80th Cruise of RV Akademik Mstislav Keldysh on the Route from the Baltic to Barents Sea. 2021 , 34, 455-463			0
131	Process-based and observation-constrained SOA simulations in China: the role of semivolatile and intermediate-volatility organic compounds and OH levels. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 16183-16201	6.8		3
130	Bottom-Up Inventory of Residential Combustion Emissions in Poland for National Air Quality Modelling: Current Status and Perspectives. <i>Atmosphere</i> , 2021 , 12, 1460	2.7		1
129	100% Clean, Renewable Energy and Storage for Everything. 2020 , 138-157			
128	100% Clean, Renewable Energy and Storage for Everything. 2020 , 1-16			
127	100% Clean, Renewable Energy and Storage for Everything. 2020 , xiii-xv			

126	100% Clean, Renewable Energy and Storage for Everything. 2020 , 346-388		
125	100% Clean, Renewable Energy and Storage for Everything. 2020 , 389-390		
124	100% Clean, Renewable Energy and Storage for Everything. 2020 , 158-191		
123	100% Clean, Renewable Energy and Storage for Everything. 2020 , 248-297		
122	100% Clean, Renewable Energy and Storage for Everything. 2020 , 192-247		
121	100% Clean, Renewable Energy and Storage for Everything. 2020 , 408-428		
120	Appendix. 2020 , 391-394		
119	Wind-Water-Solar (WWS) and Storage Solution. 2020 , 17-83		
118	Impact of meteorological parameterization schemes on CTM model simulations. 2022 , 268, 118832		1
117	Polycyclic Aromatic Carbon: A Key Fraction Determining the Light Absorption Properties of Methanol-Soluble Brown Carbon of Open Biomass Burning Aerosols. <i>Environmental Science & Technology</i> , 2021 , 55, 15724-15733	10.3	1
116	Identification of Isoprene Oxidation Reaction Products via Anion Photoelectron Spectroscopy. 2021 , 125, 10089-10102		0
115	Impacts of chemical degradation of levoglucosan on quantifying biomass burning contribution to carbonaceous aerosols: A case study in Northeast China. <i>Science of the Total Environment</i> , 2021 , 152007	10.2	0
114	Emission inventory processing of biomass burning from a global dataset for air quality modeling. <i>Air Quality, Atmosphere and Health</i> , 2022 , 15, 721	5.6	1
113	Evolution of Acyl Peroxynitrates (PANs) in wildfire smoke plumes detected by the Cross-Track Infrared Sounder (CrIS) over the western U.S. during summer 2018.		1
112	Global anthropogenic CO ₂ emissions and uncertainties as a prior for Earth system modelling and data assimilation. 2021 , 13, 5311-5335		3
111	Sources of cellular oxidative potential of water-soluble fine ambient particulate matter in the Midwestern United States. 2021 , 425, 127777		3
110	Organic carbon in atmospheric precipitation in the urbanized territory of the South of Western Siberia, Russia. 2022 ,		
109	Transport of black carbon from Central and West Asia to the Tibetan Plateau: Seasonality and climate effect. <i>Atmospheric Research</i> , 2022 , 267, 105987	5.4	

108	Influences of Coal Type and Particle Size on Soot Measurement by Laser-Induced Incandescence and Soot Formation Characteristics in Laminar Pulverized Coal Flames. 2020 , 34, 13740-13749		1
107	Particulate Matter-Induced Acute Coronary Syndrome: MicroRNAs as Microregulators for Inflammatory Factors.. 2021 , 2021, 6609143		0
106	A review of atmospheric individual particle analyses: Methodologies and applications in environmental research. 2022 ,		5
105	Air Contaminants and Atmospheric Black Carbon Association with White Sky Albedo at Hindukush Karakorum and Himalaya Glaciers. 2022 , 12, 962		1
104	Aqueous secondary organic aerosol formation from the direct photosensitized oxidation of vanillin in the absence and presence of ammonium nitrate. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 273-293 ^{6.8}		5
103	Potential for future reductions of global GHG and air pollutants from circular waste management systems.. 2022 , 13, 106		7
102	Chemical properties of emissions from solid residential fuels used for energy in the rural sector of the southern region of India.. 2022 , 1		
101	Carbonaceous aerosols and their light absorption properties over the Bay of Bengal during continental outflow.. 2021 ,		0
100	Evaluation of Secondary Organic Aerosol (SOA) Simulations for Seoul, Korea. 2022 , 14,		1
99	Life-cycle assessment to unravel co-benefits and trade-offs of large-scale biochar deployment in Norwegian agriculture. 2022 , 179, 106030		1
98	Quantitative of instantaneous BC emissions based on vehicle specific power from real-world driving diesel trucks in China.. <i>Science of the Total Environment</i> , 2022 , 819, 153230	10.2	1
97	Sulfur, lead, and mercury characteristics in South Africa coals and emissions from the coal-fired power plants. 2022 , 81, 1		0
96	High PM2.5 Emission from Typical Old, Small Fishing Vessels in China.		0
95	Advancement in Airborne Particulate Estimation Using Machine Learning. 2022 , 243-263		
94	Optical Characterization of Fresh and Photochemically Aged Aerosols Emitted from Laboratory Siberian Peat Burning. <i>Atmosphere</i> , 2022 , 13, 386	2.7	0
93	Future PM2.5 emissions from metal production to meet renewable energy demand. 2022 , 17, 044043		
92	A comprehensive high-resolution gridded emission inventory of anthropogenic sources of air pollutants in Indian megacity Kolkata. 2022 , 4, 1		1
91	Retrieval of Black Carbon Absorption Aerosol Optical Depth from AERONET Observations over the World during 2000-2018. 2022 , 14, 1510		1

90	Contributions of Open Biomass Burning and Crop Straw Burning to Air Quality: Current Research Paradigm and Future Outlooks. <i>Frontiers in Environmental Science</i> , 2022 , 10,	4.8	5
89	Spatial Distribution of Aerosol Characteristics over the South Atlantic and Southern Ocean Using Multiyear (2004–2021) Measurements from Russian Antarctic Expeditions. <i>Atmosphere</i> , 2022 , 13, 427	2.7	
88	Real-World Emission Characteristics of Environmentally Persistent Free Radicals in PM from Residential Solid Fuel Combustion.. <i>Environmental Science & Technology</i> , 2022 ,	10.3	2
87	Acute effects of black carbon on mortality in nine megacities of China, 2008-2016: a time-stratified case-crossover study.. 2022 , 1		0
86	Toward Cleaner Transport Alternatives: Reduction in Exposure to Air Pollutants in a Mass Public Transport.. <i>Environmental Science & Technology</i> , 2022 ,	10.3	0
85	High-resolution spatial-distribution maps of road transport exhaust emissions in Chile, 1990–2020. 2022 , 14, 1359-1376		0
84	Quantifying brown carbon light absorption in real-world biofuel combustion emissions. 1-15		0
83	Distribution of CO2 emissions in China's supply chains: A sub-national MRIO analysis. <i>Journal of Cleaner Production</i> , 2022 , 345, 130986	10.3	1
82	Seasonal variation of water-soluble brown carbon in Qingdao, China: Impacts from marine and terrestrial emissions.. 2022 , 212, 113144		0
81	Combining POLDER-3 satellite observations and WRF-Chem numerical simulations to derive biomass burning aerosol properties over the southeast Atlantic region. <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 17775-17805	6.8	0
80	Research Status and Prospects of Proton Exchange Membrane Fuel Cell Vehicle. 2021 ,		0
79	Differential mortality risks associated with PM2.5 components: a multi-country, multi-city study.. <i>Epidemiology</i> , 2021 , 33,	3.1	0
78	Impact of dry intrusion events on the composition and mixing state of particles during the winter Aerosol and Cloud Experiment in the Eastern North Atlantic (ACE-ENA). <i>Atmospheric Chemistry and Physics</i> , 2021 , 21, 18123-18146	6.8	1
77	Investigation of Forest Fire Activity Changes Over the Central India Domain Using Satellite Observations During 2001-2020.. <i>GeoHealth</i> , 2021 , 5, e2021GH000528	5	10
76	Insights into aerosol chemical composition and optical properties at Lulin Atmospheric Background Station (2862 m asl) during two contrasting seasons.. <i>Science of the Total Environment</i> , 2022 , 155291	10.2	0
75	The impact of temperature inversions on black carbon and particle mass concentrations in a mountainous area. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 5577-5601	6.8	1
74	A Review of Progress in Constraining Global Black Carbon Climate Effects. <i>Earth Systems and Environment</i> ,	7.5	
73	Evaluation of Vietnam air emissions and the impacts of revised power development plan (PDP7 rev) on spatial changes in the thermal power sector. <i>Atmospheric Pollution Research</i> , 2022 , 101454	4.5	

72	Development and assessment of inventory of air pollutants that deteriorate air quality in indian Megacity Bengaluru. <i>Journal of Cleaner Production</i> , 2022 , 132209	10.3	0
71	Airborne Emission Rate Measurements Validate Remote Sensing Observations and Emission Inventories of Western U.S. Wildfires.. <i>Environmental Science & Technology</i> , 2022 ,	10.3	2
70	Intense Biomass Burning Over Northern India and Its Impact on Air Quality, Chemistry and Climate. <i>Disaster Resilience and Green Growth</i> , 2022 , 169-204	0.3	1
69	Seasonal variations and potential sources of biomass burning tracers in particulate matter in Nanjing aerosols during 2017-2018. <i>Chemosphere</i> , 2022 , 135015	8.4	0
68	Evolution of light absorption properties during photochemical aging of straw open burning aerosols. <i>Science of the Total Environment</i> , 2022 , 838, 156431	10.2	0
67	Characterization of carbonaceous aerosols during the Indian summer monsoon over a rain-shadow region. <i>Air Quality, Atmosphere and Health</i> ,	5.6	
66	Climate change mitigation of drop-in biofuels for deep-sea shipping under a prospective life-cycle assessment. <i>Journal of Cleaner Production</i> , 2022 , 364, 132662	10.3	2
65	Physical, chemical and optical properties of PM2.5 and gaseous emissions from cooking with biomass fuel in the Indo-Gangetic Plain. <i>Science of the Total Environment</i> , 2022 , 841, 156730	10.2	0
64	Chemical Composition, Optical Properties and Sources of PM2.5 From a Highly Urbanized Region in Northeastern Mexico. <i>Frontiers in Environmental Science</i> , 10,	4.8	0
63	Global brown carbon emission from combustion sources. <i>Environmental Science and Ecotechnology</i> , 2022 , 100201	7.4	0
62	Estimation of real-time brown carbon absorption: An observationally constrained Mie theory-based optimization method. <i>Journal of Aerosol Science</i> , 2022 , 166, 106047	4.3	
61	Source Identification of PM2.5 during a Smoke Haze Period in Chiang Mai, Thailand, Using Stable Carbon and Nitrogen Isotopes. <i>Atmosphere</i> , 2022 , 13, 1149	2.7	1
60	Influence of smoke aerosols on low-level clouds over the Indian region during winter. <i>Atmospheric Research</i> , 2022 , 106358	5.4	0
59	Emissions of organic compounds from western US wildfires and their near-fire transformations. 2022 , 22, 9877-9893		1
58	Development of numerical model to describe water transfer in hygroscopic soil: use of a new method based on off-center upstream principle for convective flux.		0
57	Effects of atmospheric aging processes on carbonaceous species and water-soluble inorganic ions in biomass burning aerosols. 2022 , 288, 119322		
56	Size distributions, mixing state, and morphology of refractory black carbon in an urban atmosphere of northeast Asia during summer. 2022 , 158436		0
55	The interaction between black carbon and planetary boundary layer in the Yangtze River Delta from 2015 to 2020: Why O3 didn't decline so significantly as PM2.5. 2022 , 214, 114095		2

- 54 Nitrated and oxygenated polycyclic aromatic hydrocarbons emissions from solid fuel combustion in rural China: Database of 12 real-world scenarios for residential cooking and heating activities. **2022**, 852, 158501 0
- 53 Aerosol Composition and Reactivity. **2022**, 227-251 2
- 52 Snow particles physiochemistry: feedback on air quality, climate change, and human health. **2022**, 2, 891-920 0
- 51 Aerosol and precursor gas emissions. **2022**, 299-342 0
- 50 Satellite-based evaluation of AeroCom model bias in biomass burning regions. **2022**, 22, 11009-11032 0
- 49 Diesel soot photooxidation enhances the heterogeneous formation of H₂SO₄. **2022**, 13, 2 2
- 48 Biomass briquette fuel, boiler types and pollutant emissions of industrial biomass boiler: A review. **2022**, 2 2
- 47 Emission Factors and Inventories of Carbonaceous Aerosols from Residential Biomass Burning in Guizhou Province, China. **2022**, 13, 1595 0
- 46 Analysis of BC Pollution Characteristics under PM_{2.5} and O₃ Pollution Conditions in Nanjing from 2015 to 2020. **2022**, 13, 1440 0
- 45 Surface Oxidation of Phenolic Aldehydes: Fragmentation, Functionalization, and Coupling Reactions. **2022**, 126, 6502-6516 0
- 44 Molecular Characterization by Ultrahigh Resolution Mass Spectrometry of Dissolved Black Carbon-like Molecules in Summer Along the Pearl River Estuary, China. **2022**, 100297 0
- 43 Spatial Predictive Modeling of the Burning of Sugarcane Plots in Northeast Thailand with Selection of Factor Sets Using a GWR Model and Machine Learning Based on an ANN-CA. **2022**, 14, 1989 1
- 42 Development of volatility distributions for organic matter in biomass burning emissions. 0
- 41 Long-term trends of light pollution assessed from SQM measurements and an empirical atmospheric model. 0
- 40 Impacts of Urban Rail Transit on On-Road Carbon Emissions: A Structural Equation Modeling Approach. **2022**, 13, 1783 0
- 39 Energy potentials, negative emissions, and spatially explicit environmental impacts of perennial grasses on abandoned cropland in Europe. **2023**, 98, 106942 0
- 38 Concentrations, sources, fluxes, and absorption properties of carbonaceous matter in a central Tibetan Plateau river basin. **2023**, 216, 114680 0
- 37 A high-resolution refractory black carbon (rBC) record since 1932 deduced from the Chongce ice core, Tibetan plateau. **2022**, 119480 0

- 36 Utilization of Agricultural Waste for the Sustainable Production of Clay Bricks. **2023**, 349-360 ○
- 35 Estimates of spatially and temporally resolved constrained organic matter and sulfur dioxide emissions over the Indian region through the strategic source constraints modelling. **2022**, 106504 ○
- 34 Measurement report: Contrasting elevation-dependent light absorption by black and brown carbon: lessons from in situ measurements from the highly polluted Sichuan Basin to the pristine Tibetan Plateau. **2022**, 22, 14693-14708 ○
- 33 Theoretical study of hydrogen bond interactions of methanesulfonic acid with eugenol/methyleugenol. **2023**, 1219, 113977 ○
- 32 Assessing the quantum yield spectrum of photochemically produced reactive intermediates from black carbon of various sources and properties. **2023**, 229, 119450 ○
- 31 Investigating Southeast Asian biomass burning by the WRF-CMAQ two-way coupled model: Emission and direct aerosol radiative effects. **2023**, 294, 119521 ○
- 30 An innovative passive sampler to reveal the high contribution of biomass burning to black carbon over Indo-China Peninsula: Radiocarbon constraints. **2023**, 294, 119522 1
- 29 Black carbon emissions and reduction potential in China: 2015-2020. **2023**, 329, 117087 ○
- 28 New method to determine black carbon mass size distribution. **2022**, 15, 6807-6817 ○
- 27 Instant and delayed effects of March biomass burning aerosols over the Indochina Peninsula. **2022**, 22, 15425-15447 ○
- 26 Spatial distribution and temporal variation of biomass burning and surface black carbon concentrations during summer (2015-2021) in India. ○
- 25 The Effects of Trash, Residential Biofuel, and Open Biomass Burning Emissions on Local and Transported PM 2.5 and its Attributed Mortality in Africa. ○
- 24 The influence of regional transport on the three-dimensional distributions of black carbon and its sources over eastern China. **2023**, 119585 ○
- 23 Reduced rural residential emissions in the Northern China Plain from 2015 to 2021. **2023**, 865, 161236 1
- 22 Fire Influence on Regional to Global Environments and Air Quality (FIREX-AQ). 1
- 21 Temporal and spatial variations in atmospheric unintentional PCB emissions in Chinese mainland from 1960 to 2019. **2023**, 23, 1091-1101 ○
- 20 Optical trapping and light scattering in atmospheric aerosol science. **2023**, 25, 7066-7089 ○
- 19 Source apportionment of black carbon aerosols in winter across China. **2023**, 298, 119622 ○

- 18 Assessing oxidative stress induction ability and oxidative potential of PM2.5 in cities in eastern and western Japan. **2023**, 324, 138308 ○
- 17 Black carbon pollution in China from 2001 to 2019: Patterns, trends, and drivers. **2023**, 324, 121381 ○
- 16 Difference between global and regional aerosol model classifications and associated implications for spaceborne aerosol optical depth retrieval. **2023**, 300, 119674 ○
- 15 Development of a high-resolution emissions inventory of carbonaceous particulate matters and their growth during 2011-2018 over India. **2023**, 303, 119750 ○
- 14 Atmospheric dry deposition fluxes of trace metals over the Eastern China Marginal Seas: Impact of emission controls. **2023**, 873, 162117 ○
- 13 Reaction Mechanism of Multistage N2O5 Uptake on Methane Flame Soot. **2022**, 16, 1182-1190 ○
- 12 VOC emission profiles from typical solid fuel combustion in Fenhe River Basin: Field measurements and environmental implication. **2023**, 322, 121172 ○
- 11 Aggravated multi-source air pollution exposure caused by open fires in China. **2023**, 394, 136402 ○
- 10 Características químicas y físicas del material PM2.5 y del carbono orgánico soluble en agua (WSOC) colectado en una zona del Area Metropolitana de Monterrey. **2023**, 11, 37-43 ○
- 9 Atmospheric aging increases the cytotoxicity of bare soot particles in BEAS-2B lung cells. **2023**, 57, 367-383 ○
- 8 Marginal Damage of Methane Emissions: Ozone Impacts on Agriculture. **2023**, 84, 1095-1126 ○
- 7 Characterisation of hydrogen jet flames under different pressures with varying coflow oxygen concentrations. **2023**, ○
- 6 Orman Yangınları Sonrası Ekosistem Tabanlı Planlamaya Doğru: Yanma Derinliğinin Sınırlamaları ○
- 5 Emissions of Toxic Substances from Biomass Burning: A Review of Methods and Technical Influencing Factors. **2023**, 11, 853 ○
- 4 Application of geoinformation systems in sounding the ecological and economic network of the urban environment in the northern territories. **2023**, 97-107 ○
- 3 Influence of stubble burning on air quality of Northern India: a case study of Indo-Gangetic plains of India. **2023**, 195, ○
- 2 Modeling the Time-Dependent O3 Uptake on a Methane Flame Soot Coating Under Conditions of Competitive O3/NO2 and O3/N2O5 Adsorption. **2023**, 17, 234-243 ○
- 1 Reduction potentials for particulate emissions from household energy in India. **2023**, 18, 054009 ○

