

Risk factors for psychosis in an ultra high-risk group: personality features

Schizophrenia Research

67, 131-142

DOI: [10.1016/s0920-9964\(03\)00192-0](https://doi.org/10.1016/s0920-9964(03)00192-0)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Commentary: The Schizophrenia Prodrome: A High-Risk Concept. Schizophrenia Bulletin, 2003, 29, 859-865.	2.3	58
3	Evaluating and treating the prodromal stage of schizophrenia. Current Psychiatry Reports, 2004, 6, 289-295.	2.1	15
4	Precursors of schizophrenia. Current Psychosis & Therapeutics Reports, 2004, 2, 67-72.	0.1	2
5	Risk factors for transition to first episode psychosis among individuals with "at-risk mental states"™. Schizophrenia Research, 2004, 71, 227-237.	1.1	269
6	Management of early-onset psychosis. Current Opinion in Psychiatry, 2004, 17, 249-254.	3.1	8
7	Emerging findings in ethics of schizophrenia research. Current Opinion in Psychiatry, 2005, 18, 111-119.	3.1	22
8	Early detection of schizophrenia. Current Opinion in Psychiatry, 2005, 18, 147-150.	3.1	22
9	Predicting schizophrenia: findings from the Edinburgh High-Risk Study. British Journal of Psychiatry, 2005, 186, 18-25.	1.7	283
10	Obstetric complications and transition to psychosis in an 'ultra' high risk sample. Australian and New Zealand Journal of Psychiatry, 2005, 39, 460-466.	1.3	3
11	Evaluating and treating the prodromal stage of schizophrenia. Current Psychosis & Therapeutics Reports, 2005, 3, 79-85.	0.1	0
12	Progress in the prospective study of the schizophrenia prodrome. Current Psychosis & Therapeutics Reports, 2005, 3, 169-175.	0.1	0
13	How does studying schizotypal personality disorder inform us about the prodrome of schizophrenia?. Current Psychiatry Reports, 2005, 7, 41-50.	2.1	43
14	Adolescents and young adults with 22q11 deletion syndrome: psychopathology in an at-risk group. British Journal of Psychiatry, 2005, 186, 115-120.	1.7	162
16	Anomalous Subjective Experience among First-Admitted Schizophrenia Spectrum Patients: Empirical Investigation. Psychopathology, 2005, 38, 259-267.	1.1	159
17	Interventions in the initial prodromal states of psychosis in Germany: concept and recruitment. British Journal of Psychiatry, 2005, 187, s45-s48.	1.7	57
18	Obstetric Complications and Transition to Psychosis in an "Ultra"™ High Risk Sample. Australian and New Zealand Journal of Psychiatry, 2005, 39, 460-466.	1.3	14
19	Mapping the Onset of Psychosis: The Comprehensive Assessment of At-Risk Mental States. Australian and New Zealand Journal of Psychiatry, 2005, 39, 964-971.	1.3	1,677
20	Cognitive Function and Symptoms in Adolescents with Schizotypal Personality Disorder. Schizophrenia Bulletin, 2005, 32, 489-497.	2.3	30

#	ARTICLE	IF	CITATIONS
21	Psychiatry as a Clinical Neuroscience Discipline. JAMA - Journal of the American Medical Association, 2005, 294, 2221.	3.8	265
22	Risk and Protection in Prodromal Schizophrenia: Ethical Implications for Clinical Practice and Future Research. Schizophrenia Bulletin, 2005, 32, 166-178.	2.3	201
23	Phenomenology and Diagnostic Stability of Youths with Atypical Psychotic Symptoms. Journal of Child and Adolescent Psychopharmacology, 2005, 15, 497-509.	0.7	62
24	Generalized and Specific Cognitive Performance in Clinical High-Risk Cohorts: A Review Highlighting Potential Vulnerability Markers for Psychosis. Schizophrenia Bulletin, 2005, 32, 538-555.	2.3	218
25	Structural Brain Imaging Evidence for Multiple Pathological Processes at Different Stages of Brain Development in Schizophrenia. Schizophrenia Bulletin, 2005, 31, 672-696.	2.3	479
26	Pituitary Volume Predicts Future Transition to Psychosis in Individuals at Ultra-High Risk of Developing Psychosis. Biological Psychiatry, 2005, 58, 417-423.	0.7	202
27	Prodromal interventions for schizophrenia vulnerability: the risks of being "at risk". Schizophrenia Research, 2005, 73, 173-184.	1.1	170
28	The prodromal questionnaire (PQ): Preliminary validation of a self-report screening measure for prodromal and psychotic syndromes. Schizophrenia Research, 2005, 79, 117-125.	1.1	259
29	Subjective quality of life in subjects at risk for a first episode of psychosis: A comparison with first episode schizophrenia patients and healthy controls. Schizophrenia Research, 2005, 79, 137-143.	1.1	90
30	Sustained attention in young people at high risk of psychosis does not predict transition to psychosis. Schizophrenia Research, 2005, 79, 127-136.	1.1	73
32	The Schizophrenia Prodrome: A Developmentally Informed Review and Update for Psychopharmacologic Treatment. Child and Adolescent Psychiatric Clinics of North America, 2006, 15, 109-133.	1.0	18
34	WC5F DISORGANISATION SYMPTOMATOLOGY AND THE P300 EVENT-RELATED IN ULTRA HIGH RISK PATIENTS: CROSS-SECTIONAL AND LONGITUDINAL DATA. Schizophrenia Research, 2006, 86, S14.	1.1	0
35	WC5G NEUROPHYSIOLOGIC MARKERS OF RISK OF DEVELOPING PSYCHOSIS. Schizophrenia Research, 2006, 86, S14.	1.1	0
36	Generalized and Specific Neurocognitive Deficits in Prodromal Schizophrenia. Biological Psychiatry, 2006, 59, 863-871.	0.7	364
37	Positive family environment predicts improvement in symptoms and social functioning among adolescents at imminent risk for onset of psychosis. Schizophrenia Research, 2006, 81, 269-275.	1.1	128
38	Perceptual organization in first episode schizophrenia and ultra-high-risk states. Schizophrenia Research, 2006, 83, 41-52.	1.1	49
39	Early-onset of symptoms predicts conversion to non-affective psychosis in ultra-high risk individuals. Schizophrenia Research, 2006, 84, 67-76.	1.1	77
40	Testing the Ultra High Risk (prodromal) criteria for the prediction of psychosis in a clinical sample of young people. Schizophrenia Research, 2006, 84, 57-66.	1.1	242

#	ARTICLE	IF	CITATIONS
41	Disturbances of visual information processing in early states of psychosis and experimental delta-9-tetrahydrocannabinol altered states of consciousness. <i>Schizophrenia Research</i> , 2006, 88, 142-150.	1.1	86
42	Genetically predisposed offspring with schizotypal features: An ultra high-risk group for schizophrenia?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 230-238.	2.5	72
43	Identification of young people at risk of psychosis. <i>Advances in Psychiatric Treatment</i> , 2006, 12, 249-255.	0.6	10
44	Applications and limitations of empiric data in provision of recurrence risks for schizophrenia: a practical review for healthcare professionals providing clinical psychiatric genetics consultations. <i>Clinical Genetics</i> , 2006, 70, 177-187.	1.0	39
45	Prospective investigations of the prodromal state of schizophrenia: review of studies. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 247-272.	2.2	130
46	Prospective investigations of the prodromal state of schizophrenia: assessment instruments. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 273-282.	2.2	96
47	Early detection and treatment of schizophrenia: how early?. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 73-80.	2.2	73
48	Recent approaches to psychological interventions for people at risk of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 159-173.	1.8	48
49	Assessment of adolescents at risk for psychosis. <i>Current Psychiatry Reports</i> , 2006, 8, 313-321.	2.1	8
51	Fear of gaining weight: its validity as a visual analogue scale in anorexia nervosa. <i>European Eating Disorders Review</i> , 2006, 14, 104-110.	2.3	10
52	Psychotic-Like Experiences in Nonpsychotic Help-Seekers: Associations With Distress, Depression, and Disability. <i>Schizophrenia Bulletin</i> , 2006, 32, 352-359.	2.3	220
53	Transition to Psychosis: 6-Month follow-up of a Chinese High-Risk Group in Hong Kong. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 414-420.	1.3	29
54	Hippocampal and Amygdala Volumes According to Psychosis Stage and Diagnosis. <i>Archives of General Psychiatry</i> , 2006, 63, 139.	13.8	559
55	The Phenomenological Critique and Self-disturbance: Implications for Ultra-High Risk ("Prodrome") Research. <i>Schizophrenia Bulletin</i> , 2007, 34, 381-392.	2.3	121
56	Declining Transition Rate in Ultra High Risk (Prodromal) Services: Dilution or Reduction of Risk?. <i>Schizophrenia Bulletin</i> , 2007, 33, 673-681.	2.3	376
57	Progressive Changes in the Development Toward Schizophrenia: Studies in Subjects at Increased Symptomatic Risk. <i>Schizophrenia Bulletin</i> , 2007, 34, 322-329.	2.3	169
58	Cognitive decline following psychosis onset. <i>British Journal of Psychiatry</i> , 2007, 191, s52-s57.	1.7	59
59	The prevention of schizophrenia. <i>International Review of Psychiatry</i> , 2007, 19, 633-646.	1.4	74

#	ARTICLE	IF	CITATIONS
61	Prediction of psychosis: setting the stage. <i>British Journal of Psychiatry</i> , 2007, 191, s1-s8.	1.7	82
62	Comparing Genes and Phenomenology in the Major Psychoses: Schizophrenia and Bipolar 1 Disorder. <i>Schizophrenia Bulletin</i> , 2007, 34, 734-742.	2.3	50
63	How well do patients with schizophrenia track multiple moving targets?. <i>Neuropsychology</i> , 2007, 21, 319-325.	1.0	7
64	Cannabis abuse and risk for psychosis in a prodromal sample. <i>Psychiatry Research</i> , 2007, 151, 151-154.	1.7	106
65	Social functioning in young people at risk for schizophrenia. <i>Psychiatry Research</i> , 2007, 151, 29-35.	1.7	97
66	Quality of life and functioning ability in subjects vulnerable to psychosis. <i>Comprehensive Psychiatry</i> , 2007, 48, 155-160.	1.5	54
67	Early recognition of bipolar disorder. <i>European Psychiatry</i> , 2007, 22, 92-98.	0.1	49
68	Grey matter correlates of early psychotic symptoms in adolescents at enhanced risk of psychosis: A voxel-based study. <i>NeuroImage</i> , 2007, 35, 1181-1191.	2.1	42
69	Can antidepressants prevent psychosis?. <i>Lancet, The</i> , 2007, 370, 1746-1748.	6.3	84
70	Dementiaâ€” call for papers. <i>Lancet, The</i> , 2007, 370, 1748.	6.3	0
72	Neuroimaging and emerging psychotic disorders: The Melbourne ultra-high risk studies. <i>International Review of Psychiatry</i> , 2007, 19, 371-379.	1.4	119
73	Association between psychotic experiences and depression in a clinical sample over 6 months. <i>Schizophrenia Research</i> , 2007, 91, 246-253.	1.1	122
74	Sensory dysfunction is correlated to cerebellar volume reduction in early schizophrenia. <i>Schizophrenia Research</i> , 2007, 91, 266-269.	1.1	30
75	Neurocognitive indicators for a conversion to psychosis: Comparison of patients in a potentially initial prodromal state who did or did not convert to a psychosis. <i>Schizophrenia Research</i> , 2007, 92, 116-125.	1.1	175
76	Self-report of attenuated psychotic experiences in a college population. <i>Schizophrenia Research</i> , 2007, 93, 144-151.	1.1	109
77	Medium term follow-up of a randomized controlled trial of interventions for young people at ultra high risk of psychosis. <i>Schizophrenia Research</i> , 2007, 96, 25-33.	1.1	128
78	Neuropsychological deficits in individuals with an at risk mental state for psychosis â€” Working memory as a potential trait marker. <i>Schizophrenia Research</i> , 2007, 97, 14-24.	1.1	88
79	PACE: a specialised service for young people at risk of psychotic disorders. <i>Medical Journal of Australia</i> , 2007, 187, S43-6.	0.8	78

#	ARTICLE	IF	CITATIONS
80	The Palau early psychosis study: Distribution of cases by level of genetic risk. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 5-9.	1.1	19
81	Neurofunctional correlates of vulnerability to psychosis: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2007, 31, 465-484.	2.9	276
82	Randomized controlled multicentre trial of cognitive behaviour therapy in the early initial prodromal state: effects on social adjustment post treatment. <i>Microbial Biotechnology</i> , 2007, 1, 71-78.	0.9	54
83	The First-€Episode Psychosis Outcome Study: premorbid and baseline characteristics of an epidemiological cohort of 661 first-€episode psychosis patients. <i>Microbial Biotechnology</i> , 2007, 1, 191-200.	0.9	100
84	When things are not as they seem: detecting first-episode psychosis upon referral to ultra high risk (?prodromal?) clinics. <i>Microbial Biotechnology</i> , 2007, 1, 208-211.	0.9	16
85	Comorbid depressive symptoms in the developmental course of adolescent-€onset psychosis. <i>Microbial Biotechnology</i> , 2007, 1, 183-190.	0.9	21
86	Identification and treatment of the prodromal phase of psychotic disorders: perspectives from the PACE Clinic. <i>Microbial Biotechnology</i> , 2007, 1, 224-235.	0.9	15
87	The Basel early-detection-of-psychosis (FEPSY)-study ? design and preliminary results. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 114-125.	2.2	187
88	Stress and HPA-axis functioning in young people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2007, 41, 561-569.	1.5	132
89	Developing services for the early detection of psychosis. <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 96-103.	2.8	15
90	Psychiatric Disorders in Clinical Genetics II: Individualizing Recurrence Risks. <i>Journal of Genetic Counseling</i> , 2008, 17, 18-29.	0.9	36
91	Kraepelin and psychotic prodromal conditions. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 74-84.	1.8	45
92	The occurrence and nature of early signs of schizophrenia and psychotic mood disorders among former child and adolescent psychiatric patients followed into adulthood. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2008, 2, 30.	1.2	5
93	Reduced subjective quality of life in persons at risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 357-368.	2.2	68
94	Twins discordant for schizophrenia: psychopathology of the non-€schizophrenic co-€twins. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 214-219.	2.2	21
95	Prospective outcome of early intervention for individuals at ultra-€high-€risk for psychosis. <i>Microbial Biotechnology</i> , 2008, 2, 277-284.	0.9	14
96	The Italian guidelines for early intervention in schizophrenia: development and conclusions. <i>Microbial Biotechnology</i> , 2008, 2, 291-302.	0.9	21
97	Social functioning in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2008, 99, 119-124.	1.1	219

#	ARTICLE	IF	CITATIONS
98	Prevalence of large cavum septi pellucidi in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2008, 105, 236-244.	1.1	46
99	Validation of "prodromal" criteria to detect individuals at ultra high risk of psychosis: 2-year follow-up. <i>Schizophrenia Research</i> , 2008, 105, 10-17.	1.1	325
100	Temporal association of cannabis use with symptoms in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2008, 106, 286-293.	1.1	71
101	Summary of the 1st Schizophrenia International Research Society Conference oral sessions, Venice, Italy, June 21-25, 2008: The rapporteur reports. <i>Schizophrenia Research</i> , 2008, 105, 289-383.	1.1	5
102	Anatomic Abnormalities of the Anterior Cingulate Cortex Before Psychosis Onset: An MRI Study of Ultra-High-Risk Individuals. <i>Biological Psychiatry</i> , 2008, 64, 758-765.	0.7	169
103	White matter abnormalities in subjects at ultra high-risk for schizophrenia and first-episode schizophrenic patients. <i>Schizophrenia Research</i> , 2008, 102, 141-149.	1.1	74
104	Adhesio interthalamica in individuals at high-risk for developing psychosis and patients with psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1708-1714.	2.5	32
105	An integrated psychobiological predictive model of emergent psychopathology among young relatives at risk for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1873-1878.	2.5	19
106	Abnormal P300 in people with high risk of developing psychosis. <i>NeuroImage</i> , 2008, 41, 553-560.	2.1	87
107	Structural brain alterations in subjects at high-risk of psychosis: A voxel-based morphometric study. <i>Schizophrenia Research</i> , 2008, 102, 150-162.	1.1	132
108	Early detection and intervention of psychosis. A review. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 92-105.	0.7	74
109	The Concept of Psychosis: Historical and Phenomenological Aspects. <i>Schizophrenia Bulletin</i> , 2008, 34, 1200-1210.	2.3	93
110	Identifying the Ultra-High Risk (Prodromal) Population: Evaluation of Training Workshops with Mental Health Services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 236-243.	1.3	13
111	Back to the Future. <i>Archives of General Psychiatry</i> , 2008, 65, 25.	13.8	80
112	Borderline Personality Disorder in Young People and the Prospects for Prevention and Early Intervention. <i>Current Psychiatry Reviews</i> , 2008, 4, 48-57.	0.9	119
113	Prediction of Psychosis in Youth at High Clinical Risk. <i>Archives of General Psychiatry</i> , 2008, 65, 28.	13.8	1,160
115	Neurobiology of the early course of schizophrenia. <i>Expert Review of Neurotherapeutics</i> , 2008, 8, 1093-1100.	1.4	14
116	Met and unmet need in youth mental health. <i>Journal of Mental Health</i> , 2008, 17, 618-628.	1.0	29

#	ARTICLE	IF	CITATIONS
118	A clinical trials agenda for testing interventions in earlier stages of psychotic disorders. <i>Medical Journal of Australia</i> , 2009, 190, S33-6.	0.8	16
119	Emotional and personality dysfunctions in early psychosis. , 2009, , 283-302.		3
120	Gender Difference in the Prodromal Symptoms of First-episode Schizophrenia. <i>Journal of Korean Medical Science</i> , 2009, 24, 1083.	1.1	29
121	Depressive Symptoms and Brain Metabolite Alterations in Subjects at Ultra-high Risk for Psychosis: A Preliminary Study. <i>Psychiatry Investigation</i> , 2009, 6, 264.	0.7	18
122	Childhood Onset Diagnoses in a Case Series of Teens at Clinical High Risk for Psychosis. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2009, 19, 771-776.	0.7	10
123	Economic impact of early intervention in people at high risk of psychosis. <i>Psychological Medicine</i> , 2009, 39, 1617.	2.7	104
124	Progressive Gray Matter Reduction of the Superior Temporal Gyrus During Transition to Psychosis. <i>Archives of General Psychiatry</i> , 2009, 66, 366.	13.8	303
125	Neuroanatomical correlates of different vulnerability states for psychosis and their clinical outcomes. <i>British Journal of Psychiatry</i> , 2009, 195, 218-226.	1.7	85
127	Use of Neuroanatomical Pattern Classification to Identify Subjects in At-Risk Mental States of Psychosis and Predict Disease Transition. <i>Archives of General Psychiatry</i> , 2009, 66, 700.	13.8	382
128	Differential Targeting of the CA1 Subfield of the Hippocampal Formation by Schizophrenia and Related Psychotic Disorders. <i>Archives of General Psychiatry</i> , 2009, 66, 938.	13.8	321
129	Gray matter abnormalities in subjects at ultra-high risk for schizophrenia and first-episode schizophrenic patients compared to healthy controls. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 163-169.	0.9	127
130	EEG: a helpful tool in the prediction of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 257-262.	1.8	26
131	A disturbed sense of self in the psychosis prodrome: Linking phenomenology and neurobiology. <i>Neuroscience and Biobehavioral Reviews</i> , 2009, 33, 807-817.	2.9	129
133	Early intervention in patients at ultra high risk of psychosis: benefits and risks. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 426-442.	2.2	68
134	Does disturbance of self underlie social cognition deficits in schizophrenia and other psychotic disorders?. <i>Microbial Biotechnology</i> , 2009, 3, 83-93.	0.9	47
135	Prodromal unfolding: the validation of the Schizotypic Syndrome Questionnaire model in a sample of first-episode schizophrenic patients. <i>Microbial Biotechnology</i> , 2009, 3, 137-150.	0.9	6
136	Psychotic-Like Experiences in a Community Sample of Adolescents: Implications for the Continuum Model of Psychosis and Prediction of Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 118-128.	1.3	309
137	Pre-Attentive Auditory Processing in Ultra-High-Risk for Schizophrenia with Magnetoencephalography. <i>Biological Psychiatry</i> , 2009, 65, 1071-1078.	0.7	88



#	ARTICLE	IF	CITATIONS
138	Efficacy of Using Cognitive Status in Predicting Psychosis: A 7-Year Follow-Up. <i>Biological Psychiatry</i> , 2009, 66, 1023-1030.	0.7	244
139	Obsessive compulsive symptoms in the psychosis prodrome: Correlates of clinical and functional outcome. <i>Schizophrenia Research</i> , 2009, 108, 170-175.	1.1	93
140	Increased pituitary volume in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2009, 108, 114-121.	1.1	40
141	Basic symptoms in the general population and in psychotic and non-psychotic psychiatric adolescents. <i>Schizophrenia Research</i> , 2009, 111, 32-38.	1.1	42
142	Insular cortex gray matter changes in individuals at ultra-high-risk of developing psychosis. <i>Schizophrenia Research</i> , 2009, 111, 94-102.	1.1	156
143	Pituitary volume and early treatment response in drug-naïve first-episode psychosis patients. <i>Schizophrenia Research</i> , 2009, 113, 65-71.	1.1	32
144	Symptomatic and functional outcome in youth at ultra-high risk for psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2009, 115, 121-129.	1.1	72
145	Very Early Interventions in Psychotic Disorders. <i>Psychiatric Clinics of North America</i> , 2009, 32, 81-94.	0.7	3
146	The association between early cannabis use and psychotic-like experiences in a community adolescent sample. <i>Schizophrenia Research</i> , 2009, 112, 130-135.	1.1	59
147	Validity of the Prodromal Risk Syndrome for First Psychosis: Findings From the North American Prodrome Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2009, 35, 894-908.	2.3	368
148	Prescription of antipsychotic medication to patients at ultra high risk of developing psychosis. <i>International Clinical Psychopharmacology</i> , 2009, 24, 223-228.	0.9	22
149	Are Patients With Schizophrenia Insensitive to Pain? A Reconsideration of the Question. <i>Clinical Journal of Pain</i> , 2009, 25, 244-252.	0.8	104
150	Intervention in the at-risk state to prevent transition to psychosis. <i>Current Opinion in Psychiatry</i> , 2009, 22, 177-183.	3.1	24
151	At-risk mental state and prediction. , 0, , 83-106.		1
152	Validation and Use of the Functioning Assessment Short Test in First Psychotic Episodes. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 836-840.	0.5	37
153	Decrements in Sustained Attention Across Trials in a Continuous Performance Test. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 154-158.	0.5	13
154	Superior temporal gyrus volume in antipsychotic-naïve people at risk of psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 206-211.	1.7	56
155	Disability in people clinically at high risk of psychosis. <i>British Journal of Psychiatry</i> , 2010, 197, 278-284.	1.7	113

#	ARTICLE	IF	CITATIONS
156	Clinical Staging: A Heuristic and Practical Strategy for New Research and Better Health and Social Outcomes for Psychotic and Related Mood Disorders. Canadian Journal of Psychiatry, 2010, 55, 486-497.	0.9	204
157	Course of neurocognitive deficits in the prodrome and first episode of schizophrenia.. Neuropsychology, 2010, 24, 109-120.	1.0	142
158	Clinical Staging in the Pathophysiology of Psychotic and Affective Disorders: Facilitation of Prognosis and Treatment. Neurotoxicity Research, 2010, 18, 211-228.	1.3	12
160	Neurocognitive Indicators of Clinical High-Risk States for Psychosis: A Critical Review of the Evidence. Neurotoxicity Research, 2010, 18, 272-286.	1.3	65
161	Cluster A Personality Disorders: Schizotypal, Schizoid and Paranoid Personality Disorders in Childhood and Adolescence. Journal of Psychopathology and Behavioral Assessment, 2010, 32, 515-528.	0.7	52
162	Social dysfunction predicts two years clinical outcome in people at ultra high risk for psychosis. Journal of Psychiatric Research, 2010, 44, 294-301.	1.5	92
163	Caudate nucleus volume in individuals at ultra-high risk of psychosis: A cross-sectional magnetic resonance imaging study. Psychiatry Research - Neuroimaging, 2010, 182, 223-230.	0.9	41
164	Sensitivity and specificity of the Chinese version of the Schizotypal Personality Questionnaire-Brief for identifying undergraduate students susceptible to psychosis. International Journal of Nursing Studies, 2010, 47, 1535-1544.	2.5	21
165	A preliminary evaluation of the validity of at-risk criteria for bipolar disorders in help-seeking adolescents and young adults. Journal of Affective Disorders, 2010, 127, 316-320.	2.0	104
166	Neuroimaging predictors of transition to psychosisâ€”A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2010, 34, 1207-1222.	2.9	287
167	Predicting hospital admission and discharge with symptom or function scores in patients with schizophrenia: pooled analysis of a clinical trial extension. Annals of General Psychiatry, 2010, 9, 24.	1.2	22
168	Research in people with psychosis risk syndrome: a review of the current evidence and future directions. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2010, 51, 390-431.	3.1	167
169	Experience of trauma and conversion to psychosis in an ultraâ€”highâ€”risk (prodromal) group. Acta Psychiatrica Scandinavica, 2010, 121, 377-384.	2.2	154
170	Correlation between attenuated psychotic experiences and depressive symptoms among Japanese students. Microbial Biotechnology, 2010, 4, 200-205.	0.9	6
171	Atâ€”risk mental state (ARMS) detection in a community service center for early attention to psychosis in Barcelona. Microbial Biotechnology, 2010, 4, 257-262.	0.9	13
172	Can Clinicians Predict Psychosis in an Ultra High Risk Group?. Australian and New Zealand Journal of Psychiatry, 2010, 44, 625-630.	1.3	27
173	Basic Symptoms and Ultrahigh Risk Criteria: Symptom Development in the Initial Prodromal State. Schizophrenia Bulletin, 2010, 36, 182-191.	2.3	186
174	Young Rural People at Risk for Schizophrenia: Time for Mental Health Services to Translate Research Evidence into Best Practice of Care. Australian and New Zealand Journal of Psychiatry, 2010, 44, 872-882.	1.3	8

#	ARTICLE	IF	CITATIONS
175	Psicoterapia de la Psicosis: De la Persona en Riesgo al Paciente Cr�nico. Clinica Y Salud, 2010, 21, 285-297.	0.3	1
176	ESQUIZO-Q: Un Instrumento para la Valoraci�n del �Alto Riesgo Psicom�trico�a la Psicosis. Clinica Y Salud, 2010, 21, 255-269.	0.3	2
177	Early intervention in psychosis: keeping faith with evidence-based health care. Psychological Medicine, 2010, 40, 399-404.	2.7	74
179	Prediction of Psychosis in Adolescents and Young Adults at High Risk. Archives of General Psychiatry, 2010, 67, 241.	13.8	575
180	Early signs, diagnosis and therapeutics of the prodromal phase of schizophrenia and related psychotic disorders. Expert Review of Neurotherapeutics, 2010, 10, 1347-1359.	1.4	152
182	Psychotic-like experiences and correlation with distress and depressive symptoms in a community sample of adolescents and young adults. Schizophrenia Research, 2010, 119, 258-265.	1.1	235
183	Valuing prodromal psychosis: What do we get and what is the price?. Schizophrenia Research, 2010, 120, 38-41.	1.1	30
184	The psychosis threshold in Ultra High Risk (prodromal) research: Is it valid?. Schizophrenia Research, 2010, 120, 1-6.	1.1	138
185	Probably at-risk, but certainly ill � Advocating the introduction of a psychosis spectrum disorder in DSM-V. Schizophrenia Research, 2010, 120, 23-37.	1.1	138
186	Risk syndromes, clinical staging and DSM V: New diagnostic infrastructure for early intervention in psychiatry. Schizophrenia Research, 2010, 120, 49-53.	1.1	97
187	Should a �Risk Syndrome for Psychosis� be included in the DSMV?. Schizophrenia Research, 2010, 120, 7-15.	1.1	78
188	Altered semantic but not phonological verbal fluency in young help-seeking individuals with ultra high risk of psychosis. Schizophrenia Research, 2010, 123, 53-58.	1.1	46
189	The relationship between psychotic-like symptoms and neurocognitive performance in a general adolescent psychiatric sample. Schizophrenia Research, 2010, 123, 77-85.	1.1	52
190	Randomized-controlled trials in people at ultra high risk of psychosis: A review of treatment effectiveness. Schizophrenia Research, 2010, 123, 30-36.	1.1	171
191	The case for including Attenuated Psychotic Symptoms Syndrome in DSM-5 as a psychosis risk syndrome. Schizophrenia Research, 2010, 123, 199-207.	1.1	117
192	Neuroanatomical correlates of executive dysfunction in the at-risk mental state for psychosis. Schizophrenia Research, 2010, 123, 160-174.	1.1	46
193	Use of neuroanatomical pattern regression to predict the structural brain dynamics of vulnerability and transition to psychosis. Schizophrenia Research, 2010, 123, 175-187.	1.1	58
194	Hippocampal pathology in individuals at ultra-high risk for psychosis: A multi-modal magnetic resonance study. NeuroImage, 2010, 52, 62-68.	2.1	111

#	ARTICLE	IF	CITATIONS
195	Predictors of schizophrenia in patients with a first episode of psychosis. <i>Psychiatry Research</i> , 2010, 175, 11-14.	1.7	12
196	DSM-5 and the "Psychosis Risk Syndrome": The DSM-5 proposal is better than DSM-IV. <i>Psychosis</i> , 2010, 2, 187-190.	0.74	10
197	Predictive validity of clinical variables in the "at risk" for psychosis population: International comparison with results from the North American Prodrome Longitudinal Study. <i>Schizophrenia Research</i> , 2011, 126, 51-57.	1.1	79
198	Ultra high risk (UHR) for psychosis criteria: Are there different levels of risk for transition to psychosis?. <i>Schizophrenia Research</i> , 2011, 125, 62-68.	1.1	71
199	The Comprehensive Assessment of At-Risk Mental States: From mapping the onset to mapping the structure. <i>Schizophrenia Research</i> , 2011, 127, 107-114.	1.1	45
200	Subclinical psychosis and depression: Co-occurring phenomena that do not predict each other over time. <i>Schizophrenia Research</i> , 2011, 130, 277-281.	1.1	41
201	Suicide risk in first episode psychosis: A selective review of the current literature. <i>Schizophrenia Research</i> , 2011, 129, 1-11.	1.1	131
202	Does a parent-report measure of behavioral problems enhance prediction of conversion to psychosis in clinical high-risk adolescents?. <i>Schizophrenia Research</i> , 2011, 130, 157-163.	1.1	11
203	Abnormal movements are associated with poor psychosocial functioning in adolescents at high risk for psychosis. <i>Schizophrenia Research</i> , 2011, 130, 164-169.	1.1	37
204	Sub-clinical psychosis symptoms in young adults are risk factors for subsequent common mental disorders. <i>Schizophrenia Research</i> , 2011, 131, 18-23.	1.1	85
205	Ultra high-risk state for psychosis and non-transition: A systematic review. <i>Schizophrenia Research</i> , 2011, 132, 8-17.	1.1	137
206	Different hemodynamic response patterns in the prefrontal cortical sub-regions according to the clinical stages of psychosis. <i>Schizophrenia Research</i> , 2011, 132, 54-61.	1.1	53
207	An fMRI study of "theory of mind" in at-risk states of psychosis: Comparison with manifest schizophrenia and healthy controls. <i>NeuroImage</i> , 2011, 55, 329-337.	2.1	94
208	Auditory ERP components before and after transition to a first psychotic episode. <i>Biological Psychology</i> , 2011, 87, 350-357.	1.1	37
209	Expressed emotion in first-episode schizophrenia and in ultra high-risk patients: Results from the Programma2000 (Milan, Italy). <i>Psychiatry Research</i> , 2011, 189, 331-338.	1.7	37
210	Predictors of response and remission in the acute treatment of first-episode schizophrenia patients "Is it all about early response?". <i>European Neuropsychopharmacology</i> , 2011, 21, 370-378.	0.3	46
211	Prediction of conversion to psychosis: review and future directions. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s129-s142.	0.9	42
212	Young people at ultra high risk for psychosis: research from the PACE clinic. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s143-s160.	0.9	15

#	ARTICLE	IF	CITATIONS
213	Is clinical intervention in the ultra high risk phase effective?. Revista Brasileira De Psiquiatria, 2011, 33, s161-s174.	0.9	5
214	Should a risk syndrome for first episode psychosis be included in the DSM-5?. Current Opinion in Psychiatry, 2011, 24, 128-133.	3.1	27
215	Predicting the development of schizophrenia in high-risk populations: Systematic review of the predictive validity of prodromal criteria. British Journal of Psychiatry, 2011, 199, 361-366.	1.7	31
216	The CACNA1C and ANK3 risk alleles impact on affective personality traits and startle reactivity but not on cognition or gating in healthy males. Bipolar Disorders, 2011, 13, 250-259.	1.1	92
217	Correlations of cerebello-thalamo-prefrontal structure and neurological soft signs in patients with first-episode psychosis. Acta Psychiatrica Scandinavica, 2011, 123, 451-458.	2.2	59
218	Clinical efficacy of individual cognitive therapy in reducing psychiatric symptoms in people at ultra-high risk for psychosis. Microbial Biotechnology, 2011, 5, 174-178.	0.9	21
219	Young people at ultra high risk for psychosis: a research update. Microbial Biotechnology, 2011, 5, 52-57.	0.9	50
220	Differential results between self-report and interview-based ratings of risk symptoms of psychosis. Microbial Biotechnology, 2011, 5, 309-314.	0.9	20
221	Associations between number of different type of care meetings with social network and improvement in mental well-being in adolescents at risk of first-episode psychosis. Microbial Biotechnology, 2011, 5, 212-218.	0.9	5
222	Social cognition deficits and the "ultra high risk"™ for psychosis population: a review of literature. Microbial Biotechnology, 2011, 5, 192-202.	0.9	68
223	How does social functioning in the early stages of psychosis relate to depression and social anxiety?. Microbial Biotechnology, 2011, 5, 224-232.	0.9	37
224	Prevalence of suicide risk factors in people at ultra-high risk of developing psychosis: a service audit. Microbial Biotechnology, 2011, 5, 375-380.	0.9	48
225	Early detection of schizophrenia. Neurology Psychiatry and Brain Research, 2011, 17, 1-10.	2.0	2
226	Disability is already pronounced in young people with early stages of affective disorders: Data from an early intervention service. Journal of Affective Disorders, 2011, 131, 84-91.	2.0	57
227	New life for schizophrenia psychotherapy in the light of phenomenology. Clinical Psychology and Psychotherapy, 2011, 18, 187-201.	1.4	25
228	Dysconnectivity in schizophrenia: Where are we now?. Neuroscience and Biobehavioral Reviews, 2011, 35, 1110-1124.	2.9	610
229	Prediction and prevention of schizophrenia: what has been achieved and where to go next?. World Psychiatry, 2011, 10, 165-174.	4.8	101
230	Do we have any solid evidence of clinical utility about the pathophysiology of schizophrenia?. World Psychiatry, 2011, 10, 19-31.	4.8	53

#	ARTICLE	IF	CITATIONS
231	Poor functioning ability is associated with high risk of developing psychosis in adolescents. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 16-21.	0.7	33
232	The relationship of social function to depressive and negative symptoms in individuals at clinical high risk for psychosis. <i>Psychological Medicine</i> , 2011, 41, 251-261.	2.7	133
233	Neuroanatomical Abnormalities That Predate the Onset of Psychosis. <i>Archives of General Psychiatry</i> , 2011, 68, 489.	13.8	227
234	Cortical Thickness Reduction in Individuals at Ultra-High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 839-849.	2.3	127
235	Longitudinal Patterns of Social Functioning and Conversion to Psychosis in Subjects at Ultra-High Risk. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 763-770.	1.3	33
236	Factor Analysis of the Scale of Prodromal Symptoms: Differentiating between Negative and Depression Symptoms. <i>Psychopathology</i> , 2011, 44, 379-385.	1.1	20
237	Rationale and Baseline Characteristics of PREVENT: A Second-Generation Intervention Trial in Subjects At-Risk (Prodromal) of Developing First-Episode Psychosis Evaluating Cognitive Behavior Therapy, Aripiprazole, and Placebo for the Prevention of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, S111-S121.	2.3	69
238	Different vulnerability indicators for psychosis and their neuropsychological characteristics in the Northern Finland 1986 Birth Cohort. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 385-394.	0.8	16
239	"Attenuated psychotic symptoms syndrome" as a risk syndrome of psychosis, diagnosis in DSM-V: The debate. <i>Indian Journal of Psychiatry</i> , 2011, 53, 57.	0.4	23
240	Risk, Disorder and Diagnosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 915-919.	1.3	11
241	Early Recognition and Disease Prediction in the At-Risk Mental States for Psychosis Using Neurocognitive Pattern Classification. <i>Schizophrenia Bulletin</i> , 2012, 38, 1200-1215.	2.3	121
242	Providing care to young people with emerging risk of psychosis: balancing potential risks and benefits. <i>Clinical Practice (London, England)</i> , 2012, 9, 669-682.	0.1	3
243	Burning the straw men: Intellectual integrity in the early intervention debate. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 812-815.	1.3	3
244	“At-risk”™ for psychosis research: where are we heading?. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 329-334.	1.8	33
245	Predicting Psychosis. <i>Archives of General Psychiatry</i> , 2012, 69, 220.	13.8	1,214
247	N-acetylcysteine as a potentially useful medication to prevent conversion to schizophrenia in at-risk individuals. <i>Reviews in the Neurosciences</i> , 2012, 23, 353-62.	1.4	22
248	Disorganization/Cognitive and Negative Symptom Dimensions in the At-Risk Mental State Predict Subsequent Transition to Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 351-359.	2.3	168
249	Clinical and neurocognitive profiles of subjects at high risk for psychosis with and without obsessive-compulsive symptoms. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 161-169.	1.3	34

#	ARTICLE	IF	CITATIONS
250	Managing the Prodrome of Schizophrenia. Handbook of Experimental Pharmacology, 2012, , 125-134.	0.9	11
251	Evidence That Psychotic Symptoms Are Prevalent in Disorders of Anxiety and Depression, Impacting on Illness Onset, Risk, and Severity–Implications for Diagnosis and Ultra-High Risk Research. Schizophrenia Bulletin, 2012, 38, 247-257.	2.3	324
252	Comparison of Experiences of Stress and Coping Between Young People at Risk of Psychosis and a Non-Clinical Cohort. Behavioural and Cognitive Psychotherapy, 2012, 40, 69-88.	0.9	49
253	Visual information processing dysfunction across the developmental course of early psychosis. Psychological Medicine, 2012, 42, 2167-2179.	2.7	12
254	Prospective study of cannabis use in adolescents at clinical high risk for psychosis: impact on conversion to psychosis and functional outcome. Psychological Medicine, 2012, 42, 2485-2497.	2.7	75
255	Insular volume abnormalities associated with different transition probabilities to psychosis. Psychological Medicine, 2012, 42, 1613-1625.	2.7	50
256	Biochemical Markers of Impending Psychosis. Current Pharmaceutical Design, 2012, 18, 505-509.	0.9	3
257	Predicting the development of schizophrenia. British Journal of Psychiatry, 2012, 200, 254-255.	1.7	4
258	Rationale and First Results of Developing At-Risk (Prodromal) Criteria for Bipolar Disorder. Current Pharmaceutical Design, 2012, 18, 358-375.	0.9	70
259	Reliability and Validity of the Comprehensive Assessment of the at Risk Mental State, Italian Version (CAARMS-I). Current Pharmaceutical Design, 2012, 18, 386-391.	0.9	19
260	Ethical Implications for Clinical Practice and Future Research in ‘At Risk’ Individuals. Current Pharmaceutical Design, 2012, 18, 606-612.	0.9	10
261	Neuroimaging and Resilience Factors - Staging of the At-risk Mental State?. Current Pharmaceutical Design, 2012, 18, 416-421.	0.9	12
262	The Ultra High Risk Approach to Define Psychosis Risk. Current Pharmaceutical Design, 2012, 18, 346-350.	0.9	20
263	Can We Detect Psychotic-like Experiences in the General Population?. Current Pharmaceutical Design, 2012, 18, 376-385.	0.9	44
264	Brain imaging correlates of emerging schizophrenia. Neuropsychiatry, 2012, 2, 147-154.	0.4	1
265	Neurocognition in the Psychosis Risk Syndrome: A Quantitative and Qualitative Review. Current Pharmaceutical Design, 2012, 18, 399-415.	0.9	209
266	Initial Data Characterizing the Progression from Obsessions and Compulsions to Full-Blown Obsessive Compulsive Disorder. Cognitive Therapy and Research, 2012, 36, 685-693.	1.2	23
267	Substantial Genetic Overlap Between Schizotypy and Neuroticism: A Twin Study. Behavior Genetics, 2012, 42, 732-742.	1.4	37

#	ARTICLE	IF	CITATIONS
268	Reduced volume in the anterior internal capsule but its maintained correlation with the frontal gray matter in subjects at ultra-high risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 82-90.	0.9	7
269	Phenylthiocarbamide (PTC) perception in ultra-high risk for psychosis participants who develop schizophrenia: Testing the evidence for an endophenotypic marker. <i>Psychiatry Research</i> , 2012, 199, 8-11.	1.7	8
270	Stress abnormalities in individuals at risk for psychosis: A review of studies in subjects with familial risk or with "at risk" mental state. <i>Psychoneuroendocrinology</i> , 2012, 37, 1600-1613.	1.3	129
271	Clinique de l'enfance d'une population d'adultes schizophréniques. Étude rétrospective à propos de 50 cas. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2012, 60, 526-533.	0.1	3
272	Pharmacological Prevention and Treatment in Clinical At-Risk States for Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 550-557.	0.9	20
273	Preventing progression to first-episode psychosis in early initial prodromal states. <i>British Journal of Psychiatry</i> , 2012, 200, 22-29.	1.7	196
274	Fear of annihilation in subjects at risk of psychosis: A pilot study. <i>Psychosis</i> , 2012, 4, 149-160.	0.4	4
275	Assessment of Cognitive Insight: A Qualitative Review. <i>Schizophrenia Bulletin</i> , 2012, 38, 338-350.	2.3	134
276	Negative symptoms in individuals at clinical high risk of psychosis. <i>Psychiatry Research</i> , 2012, 196, 220-224.	1.7	226
277	Emotion Recognition in Individuals at Clinical High-Risk for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 1030-1039.	2.3	149
278	A survey of psychosis risk symptoms in Kenya. <i>Comprehensive Psychiatry</i> , 2012, 53, 516-524.	1.5	23
280	Early intervention in psychosis: Insights from Korea. <i>Asian Journal of Psychiatry</i> , 2012, 5, 98-105.	0.9	46
281	Multivariate pattern classification reveals differential brain activation during emotional processing in individuals with psychosis proneness. <i>NeuroImage</i> , 2012, 59, 3033-3041.	2.1	47
282	Reduced mismatch negativity predates the onset of psychosis. <i>Schizophrenia Research</i> , 2012, 134, 42-48.	1.1	119
283	Structural abnormalities in the cuneus associated with Herpes Simplex Virus (type 1) infection in people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2012, 135, 175-180.	1.1	22
284	Adolescents at ultra-high risk for psychosis with and without 22q11 deletion syndrome: A comparison of prodromal psychotic symptoms and general functioning. <i>Schizophrenia Research</i> , 2012, 139, 151-156.	1.1	48
285	Effects of omega-3 dietary supplement in prevention of positive, negative and cognitive symptoms: A study in adolescent rats with ketamine-induced model of schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 162-167.	1.1	65
286	Social cognition in clinical "at risk" for psychosis and first episode psychosis populations. <i>Schizophrenia Research</i> , 2012, 141, 204-209.	1.1	96



#	ARTICLE	IF	CITATIONS
287	Prediction and Prevention of Psychosis in Youth at Clinical High Risk. <i>Annual Review of Clinical Psychology</i> , 2012, 8, 269-289.	6.3	163
288	Treatment of Early Onset Schizophrenia: Recent Trends, Challenges and Future Considerations. <i>Frontiers in Psychiatry</i> , 2012, 3, 29.	1.3	23
290	Different duration of at-risk mental state associated with neurofunctional abnormalities. A multimodal imaging study. <i>Human Brain Mapping</i> , 2012, 33, 2281-2294.	1.9	63
292	Towards a multifactorial approach for prediction of bipolar disorder in at risk populations. <i>Journal of Affective Disorders</i> , 2012, 140, 82-91.	2.0	85
293	Pharmacotherapy and clinical characteristics of ultra-high-risk for psychosis according to conversion status: a naturalistic observational study. <i>Microbial Biotechnology</i> , 2012, 6, 30-37.	0.9	20
294	Borderline personality features and development of psychosis in an "Ultra High Risk" (UHR) population: a case control study. <i>Microbial Biotechnology</i> , 2012, 6, 247-255.	0.9	27
295	Predicting the risk of psychosis onset: advances and prospects. <i>Microbial Biotechnology</i> , 2012, 6, 368-379.	0.9	20
296	Executive Function in MCDD and PDD-NOS: A Study of Inhibitory Control, Attention Regulation and Behavioral Adaptivity. <i>Journal of Autism and Developmental Disorders</i> , 2013, 43, 1356-1366.	1.7	7
297	The development of psychotic disorders in adolescence: A potential role for hormones. <i>Hormones and Behavior</i> , 2013, 64, 411-419.	1.0	47
298	Striatal dopamine D2/3 receptor binding following dopamine depletion in subjects at Ultra High Risk for psychosis. <i>European Neuropsychopharmacology</i> , 2013, 23, 126-132.	0.3	34
299	Neurocognition in clinical high risk young adults who did or did not convert to a first schizophrenic psychosis: A meta-analysis. <i>Schizophrenia Research</i> , 2013, 149, 48-55.	1.1	97
300	Do sleep abnormalities and misaligned sleep/circadian rhythm patterns represent early clinical characteristics for developing psychosis in high risk populations?. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2631-2637.	2.9	53
301	Externalized attributional bias in the Ultra High Risk (UHR) for psychosis population. <i>Psychiatry Research</i> , 2013, 206, 200-205.	1.7	37
302	School-Associated Problem Behavior in Childhood and Adolescence and Development of Adult Schizotypal Symptoms: A Follow-Up of a Clinical Cohort. <i>Journal of Abnormal Child Psychology</i> , 2013, 42, 813-23.	3.5	7
303	Depression symptoms in help-seeking adolescents: A comparison between adolescents at-risk for psychosis and other help-seekers. <i>Journal of Mental Health</i> , 2013, 22, 317-324.	1.0	6
304	At Risk for Schizophrenic or Affective Psychoses? A Meta-Analysis of DSM/ICD Diagnostic Outcomes in Individuals at High Clinical Risk. <i>Schizophrenia Bulletin</i> , 2013, 39, 923-932.	2.3	165
305	Evidence of a dimensional relationship between schizotypy and schizophrenia: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 317-327.	2.9	255
306	Stress and neurodevelopmental processes in the emergence of psychosis. <i>Neuroscience</i> , 2013, 249, 172-191.	1.1	209

#	ARTICLE	IF	CITATIONS
307	Olfaction in the psychosis prodrome: Electrophysiological and behavioral measures of odor detection. <i>International Journal of Psychophysiology</i> , 2013, 90, 190-206.	0.5	25
308	Transition to first episode psychosis in ultra high risk populations: Does baseline functioning hold the key?. <i>Schizophrenia Research</i> , 2013, 143, 132-137.	1.1	33
309	The Early Recognition Inventory ERIraos detects at risk mental states of psychosis with high sensitivity. <i>Comprehensive Psychiatry</i> , 2013, 54, 1068-1076.	1.5	25
311	Symptom dimensions and functional impairment in early psychosis: More to the story than just negative symptoms. <i>Schizophrenia Research</i> , 2013, 147, 125-131.	1.1	82
312	The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.	6.0	1,222
313	The Strauss and Carpenter Prognostic Scale in subjects clinically at high risk of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 53-61.	2.2	23
314	Reduced P3a amplitudes in antipsychotic naïve first-episode psychosis patients and individuals at clinical high-risk for psychosis. <i>Journal of Psychiatric Research</i> , 2013, 47, 755-761.	1.5	62
315	Can cognitive deficits facilitate differential diagnosis between at-risk mental state for psychosis and depressive disorders?. <i>Microbial Biotechnology</i> , 2013, 7, 381-390.	0.9	16
316	Long-term Follow-up of a Group at Ultra High Risk (‘‘Prodromal’’) for Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 793.	6.0	373
317	Decision curve analysis for assessing the usefulness of tests for making decisions to treat: An application to tests for prodromal psychosis.. <i>Psychological Assessment</i> , 2013, 25, 730-737.	1.2	7
318	Prediction of Functional Outcome in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 1133.	6.0	202
319	Measuring psychosocial outcome is good. <i>Current Opinion in Psychiatry</i> , 2013, 26, 138-143.	3.1	36
320	Does specific psychopathology predict development of psychosis in ultra high-risk (UHR) patients?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 380-390.	1.3	22
321	‘‘A Rose Is a Rose Is a Rose’’, but At-Risk Criteria Differ. <i>Psychopathology</i> , 2013, 46, 75-87.	1.1	54
322	Depressive symptoms are associated with (sub)clinical psychotic symptoms in patients with non-affective psychotic disorder, siblings and healthy controls. <i>Psychological Medicine</i> , 2013, 43, 747-756.	2.7	16
323	Premorbid functional development and conversion to psychosis in clinical high-risk youths. <i>Development and Psychopathology</i> , 2013, 25, 1171-1186.	1.4	75
324	Specificity of childhood psychotic symptoms for predicting schizophrenia by 38 years of age: a birth cohort study. <i>Psychological Medicine</i> , 2013, 43, 2077-2086.	2.7	257
325	Sleep dysfunction prior to the onset of schizophrenia: A review and neurodevelopmental diathesis-stress conceptualization.. <i>Clinical Psychology: Science and Practice</i> , 2013, 20, 291-320.	0.6	50

#	ARTICLE	IF	CITATIONS
326	Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. <i>Translational Psychiatry</i> , 2013, 3, e251-e251.	2.4	31
327	The relationship between psychosocial functioning and resilience and negative symptoms in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 762-771.	1.3	74
328	Adolescents at risk of psychosis have higher level of hopelessness than adolescents not at risk of psychosis. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 258-264.	0.7	5
329	Neurocognitive predictors of transition to psychosis: medium- to long-term findings from a sample at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2013, 43, 2349-2360.	2.7	44
330	The Ultra-High Risk Conceptâ€”A Review. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 5-12.	0.9	75
331	Handwriting Analysis Indicates Spontaneous Dyskinesias in Neuroleptic Na&#239;ve Adolescents at High Risk for Psychosis. <i>Journal of Visualized Experiments</i> , 2013, , e50852.	0.2	25
332	Cortex Morphology in First-Episode Psychosis Patients With Neurological Soft Signs. <i>Schizophrenia Bulletin</i> , 2013, 39, 820-829.	2.3	70
333	Research in young people at ultra-high risk for psychosis: a review of the current evidence. <i>Irish Journal of Psychological Medicine</i> , 2013, 30, 77-89.	0.7	6
334	â€œTo see or not to see: that is the question.â€•The â€œProtection-Against-Schizophreniaâ€•(PaSZ) model: evidence from congenital blindness and visuo-cognitive aberrations. <i>Frontiers in Psychology</i> , 2013, 4, 352.	1.1	46
335	Negative correlation between leftward bias in line bisection and schizotypal features in healthy subjects. <i>Frontiers in Psychology</i> , 2013, 4, 846.	1.1	4
336	Social Anxiety Disorder in Psychosis: A Critical Review. , 2013, , .		2
337	The Concept of Schizophrenia: From Unity to Diversity. <i>Advances in Psychiatry</i> , 2014, 2014, 1-39.	0.4	7
338	Prediction and prevention of the first psychotic episode: new directions and opportunities. <i>Therapeutics and Clinical Risk Management</i> , 2014, 10, 241.	0.9	9
339	Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention. <i>Psychological Medicine</i> , 2014, 44, 17-24.	2.7	174
340	Changes in depression, anxiety and hopelessness symptoms during family- and community-oriented intervention for help-seeking adolescents and adolescents at risk of psychosis. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 93-99.	0.7	11
341	Characterization of the Deficit Syndrome in Drug-Naive Schizophrenia Patients: The Role of Spontaneous Movement Disorders and Neurological Soft Signs. <i>Schizophrenia Bulletin</i> , 2014, 40, 214-224.	2.3	70
342	Biomarkers in psychosis: an approach to early identification and individualized treatment. <i>Biomarkers in Medicine</i> , 2014, 8, 51-57.	0.6	11
344	Healthâ€related quality of life among adolescents: a comparison between subjects at risk for psychosis and other help seekers. <i>Microbial Biotechnology</i> , 2014, 8, 163-169.	0.9	12

#	ARTICLE	IF	CITATIONS
345	Obsessive-compulsive symptoms in at-risk mental states for psychosis: associations with clinical impairment and cognitive function. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 214-226.	2.2	42
346	Positive emotions from social company in women with persisting subclinical psychosis: lessons from daily life. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 202-210.	2.2	8
347	Cerebellar networks in individuals at ultra high-risk of psychosis: Impact on postural sway and symptom severity. <i>Human Brain Mapping</i> , 2014, 35, 4064-4078.	1.9	104
348	Cerebellar Morphology and Procedural Learning Impairment in Neuroleptic-Naive Youth at Ultrahigh Risk of Psychosis. <i>Clinical Psychological Science</i> , 2014, 2, 152-164.	2.4	44
349	Ten-year audit of clients presenting to a specialised service for young people experiencing or at increased risk for psychosis. <i>BMC Psychiatry</i> , 2014, 14, 318.	1.1	18
350	Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2014, 44, 489-498.	2.7	43
351	Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2014, 153, 18-24.	1.1	24
352	Adolescents at ultra-high risk for psychosis: Long-term outcome of individuals who recover from their at-risk state. <i>European Neuropsychopharmacology</i> , 2014, 24, 865-873.	0.3	57
353	Psychopathology and affect dysregulation across the continuum of psychosis: a multiple comparison group study. <i>Microbial Biotechnology</i> , 2014, 8, 221-228.	0.9	8
354	Psychosis Prediction: Stratification of Risk Estimation With Information-Processing and Premorbid Functioning Variables. <i>Schizophrenia Bulletin</i> , 2014, 40, 1482-1490.	2.3	91
355	Functional development in clinical high risk youth: Prediction of schizophrenia versus other psychotic disorders. <i>Psychiatry Research</i> , 2014, 215, 52-60.	1.7	18
356	Validation of a modified version of the PRIME screen for psychosis-risk symptoms in a non-clinical Kenyan youth sample. <i>Comprehensive Psychiatry</i> , 2014, 55, 380-387.	1.5	25
357	White Matter Microstructure in Individuals at Clinical High Risk of Psychosis: A Whole-Brain Diffusion Tensor Imaging Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 895-903.	2.3	97
358	New developments in diagnosis and treatment update: Schizophrenia/first episode psychosis in children and adolescents. <i>Journal of Child and Adolescent Mental Health</i> , 2014, 26, 109-124.	1.7	17
359	Response initiation in young adults at risk for psychosis in the Northern Finland 1986 Birth Cohort. <i>Cognitive Neuropsychiatry</i> , 2014, 19, 226-240.	0.7	2
360	Evidence for an agitated-aggressive syndrome predating the onset of psychosis. <i>Schizophrenia Research</i> , 2014, 157, 26-32.	1.1	20
361	Racial discrimination is associated with distressing subthreshold positive psychotic symptoms among US urban ethnic minority young adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1545-1555.	1.6	56
362	Sexual Trauma Increases the Risk of Developing Psychosis in an Ultra High-Risk "Prodromal" Population. <i>Schizophrenia Bulletin</i> , 2014, 40, 697-706.	2.3	108

#	ARTICLE	IF	CITATIONS
363	Beyond "Cold" Cognition: Exploring Cognitive Control of Emotion as a Risk Factor for Psychosis. <i>Current Behavioral Neuroscience Reports</i> , 2014, 1, 170-181.	0.6	13
364	Therapeutic Considerations in Individuals at Clinical Risk for Developing Psychosis. <i>Current Treatment Options in Psychiatry</i> , 2014, 1, 134-148.	0.7	1
365	Do psychosis prodrome onset negative symptoms predict first presentation negative symptoms?. <i>European Psychiatry</i> , 2014, 29, 153-159.	0.1	19
366	Sex differences in first-episode psychosis and in people at ultra-high risk. <i>Psychiatry Research</i> , 2014, 215, 314-322.	1.7	24
367	Assessing depression in youth at clinical high risk for psychosis: A comparison of three measures. <i>Psychiatry Research</i> , 2014, 215, 323-328.	1.7	18
368	Anxiety mediates the association between cannabis use and attenuated positive psychotic symptoms. <i>Psychiatry Research</i> , 2014, 218, 180-186.	1.7	28
369	Prodromal psychosis detection in a counseling center population in China: An epidemiological and clinical study. <i>Schizophrenia Research</i> , 2014, 152, 391-399.	1.1	104
370	Relationship Between Brain Glutamate Levels and Clinical Outcome in Individuals at Ultra High Risk of Psychosis. <i>Neuropsychopharmacology</i> , 2014, 39, 2891-2899.	2.8	76
371	Polyunsaturated fatty acids in emerging psychosis: a safer alternative?. <i>Microbial Biotechnology</i> , 2014, 8, 199-208.	0.9	28
372	Symptomatic and functional remission of subjects at clinical high risk for psychosis: A 2-year naturalistic observational study. <i>Schizophrenia Research</i> , 2014, 156, 266-271.	1.1	46
373	Toward a Comprehensive Clinical Staging Model for Bipolar Disorder: Integrating the Evidence. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 659-666.	0.9	68
374	The impact of childhood adversity on the persistence of psychotic symptoms: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2015, 45, 2481-2498.	2.7	187
375	Childhood maltreatment and transition to psychotic disorder independently predict long-term functioning in young people at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2015, 45, 3453-3465.	2.7	51
376	Spontaneous parkinsonisms and striatal impairment in neuroleptic free youth at ultrahigh risk for psychosis. <i>NPJ Schizophrenia</i> , 2015, 1, .	2.0	37
377	Classifying individuals at high-risk for psychosis based on functional brain activity during working memory processing. <i>NeuroImage: Clinical</i> , 2015, 9, 555-563.	1.4	21
378	Ethical, Legal, and Clinical Considerations when Disclosing a High-Risk Syndrome for Psychosis. <i>Bioethics</i> , 2015, 29, 543-556.	0.7	40
379	Reasons for cannabis use among youths at ultra high risk for psychosis. <i>Microbial Biotechnology</i> , 2015, 9, 207-210.	0.9	42
380	Lower functioning predicts identification of psychosis risk screening status in help-seeking adolescents. <i>Microbial Biotechnology</i> , 2015, 9, 363-369.	0.9	7

#	ARTICLE	IF	CITATIONS
381	Interaction of social role functioning and coping in people with recent-onset attenuated psychotic symptoms: a case study of three Chinese women at clinical high risk for psychosis. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 1647.	1.0	17
382	Approaching a network connectivity-driven classification of the psychosis continuum: a selective review and suggestions for future research. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 1047.	1.0	56
383	Gender Differences in Individuals at High-Risk of Psychosis: A Comprehensive Literature Review. <i>Scientific World Journal</i> , The, 2015, 2015, 1-13.	0.8	88
384	Negative symptoms and impaired social functioning predict later psychosis in Latino youth at clinical high risk in the North American prodromal longitudinal studies consortium. <i>Microbial Biotechnology</i> , 2015, 9, 467-475.	0.9	26
385	Psychosis Prevention: A Modified Clinical High Risk Perspective From the Recognition and Prevention (RAP) Program. <i>American Journal of Psychiatry</i> , 2015, 172, 986-994.	4.0	128
386	Sources of clinical distress in young people at ultra high risk of psychosis. <i>Schizophrenia Research</i> , 2015, 165, 15-21.	1.1	50
387	The Importance of Measuring Multi-level Risk and Illness Progression Markers in High-risk Youth From Well-characterized Bipolar Parents. <i>EBioMedicine</i> , 2015, 2, 796-797.	2.7	1
388	Sensory gating deficits in the attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2015, 161, 277-282.	1.1	11
389	Emotional and behavioral symptomatology reported by help-seeking youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2015, 162, 79-85.	1.1	38
390	The association between cognitive deficits and depressive symptoms in at-risk mental state: A comparison with first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 162, 67-73.	1.1	20
391	Negative symptoms in youths with psychosis spectrum features: Complementary scales in relation to neurocognitive performance and function. <i>Schizophrenia Research</i> , 2015, 166, 322-327.	1.1	37
392	The Continuum of Psychosis Proneness and Schizotypal Traits: A Comment on Loas, et al. (2013). <i>Psychological Reports</i> , 2015, 116, 914-919.	0.9	0
393	Auditory P300 as a predictor of short-term prognosis in subjects at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 165, 138-144.	1.1	24
394	Relationships of perceived public stigma of mental illness and psychosis-like experiences in a non-clinical population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 289-298.	1.6	17
395	Discrete Alterations of Brain Network Structural Covariance in Individuals at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2015, 77, 989-996.	0.7	46
396	Abnormalities in sleep patterns in individuals at risk for psychosis and bipolar disorder. <i>Schizophrenia Research</i> , 2015, 169, 262-267.	1.1	54
397	Toward Improved Risk Prediction in Individuals at High Risk of Psychotic Disorders. <i>American Journal of Psychiatry</i> , 2015, 172, 932-933.	4.0	3
398	Screening for schizophrenia in initial prodromal phase: Detecting the sub-threshold psychosis. <i>Asian Journal of Psychiatry</i> , 2015, 16, 26-31.	0.9	7

#	ARTICLE	IF	CITATIONS
399	Parental socioeconomic status and prognosis in individuals with ultra-high risk for psychosis: A 2-year follow-up study. <i>Schizophrenia Research</i> , 2015, 168, 56-61.	1.1	50
400	Alcohol confounds relationship between cannabis misuse and psychosis conversion in a high-risk sample. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 60-68.	2.2	44
401	Longer-term outcome in the prevention of psychotic disorders by the Vienna omega-3 study. <i>Nature Communications</i> , 2015, 6, 7934.	5.8	152
402	Assessing suicidal ideation in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 165, 152-156.	1.1	35
403	Severity of thought disorder predicts psychosis in persons at clinical high-risk. <i>Schizophrenia Research</i> , 2015, 169, 169-177.	1.1	43
404	Predictors of treatment response in young people at ultra-high risk for psychosis who received long-chain omega-3 fatty acids. <i>Translational Psychiatry</i> , 2015, 5, e495-e495.	2.4	48
405	Disorder, not just state of risk: Meta-analysis of functioning and quality of life in people at high risk of psychosis. <i>British Journal of Psychiatry</i> , 2015, 207, 198-206.	1.7	226
406	A selective review of structural connectivity abnormalities of schizophrenic patients at different stages of the disease. <i>Schizophrenia Research</i> , 2015, 161, 19-28.	1.1	155
407	Structural magnetic resonance imaging markers of susceptibility and transition to schizophrenia: A review of familial and clinical high risk population studies. <i>Journal of Psychopharmacology</i> , 2015, 29, 144-154.	2.0	53
408	Formal thought disorder in autism spectrum disorder predicts future symptom severity, but not psychosis prodrome. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 163-172.	2.8	26
409	Stati mentali a rischio di psicosi: identificazione e strategie attuali di trattamento [translation of "At-risk mental state for psychosis: identification and current treatment approaches" by Dr. Giulia Rioli]. <i>BJ Psych Advances</i> , 2016, 22, .	0.5	0
410	Rethinking Schizophrenia in the Context of the Person and Their Circumstances: Seven Reasons. <i>Frontiers in Psychology</i> , 2016, 7, 1650.	1.1	11
411	Offspring of Parents with Schizophrenia. <i>Harvard Review of Psychiatry</i> , 2016, 24, 104-117.	0.9	84
412	Physical health promotion in people with schizophrenia: why we should consider the ultra high-risk state. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 166-167.	2.2	0
413	Discrepancy between self-reported and interviewed psychosis risk symptoms: auditory distortions are the most reliably reported symptom by self-report. <i>Microbial Biotechnology</i> , 2016, 10, 129-136.	0.9	11
414	Reply. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 165-166.	2.2	0
415	Deficits of cognitive theory of mind and its relationship with functioning in individuals with an at-risk mental state and first-episode psychosis. <i>Psychiatry Research</i> , 2016, 243, 318-325.	1.7	16
416	Abnormal regional homogeneity as potential imaging biomarker for psychosis risk syndrome: a resting-state fMRI study and support vector machine analysis. <i>Scientific Reports</i> , 2016, 6, 27619.	1.6	25

#	ARTICLE	IF	CITATIONS
417	Development of a stage-dependent prognostic model to predict psychosis in ultra-high-risk patients seeking treatment for co-morbid psychiatric disorders. <i>Psychological Medicine</i> , 2016, 46, 1839-1851.	2.7	12
418	Cognitive functioning in individuals at ultra-high risk for psychosis, first-degree relatives of patients with psychosis and patients with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2016, 174, 71-76.	1.1	47
419	Cardiometabolic risk factors in young people at ultra-high risk for psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2016, 170, 290-300.	1.1	84
420	Perceived ethnic discrimination and persecutory paranoia in individuals at ultra-high risk for psychosis. <i>Psychiatry Research</i> , 2016, 241, 309-314.	1.7	29
421	Towards diagnostic markers for the psychoses. <i>Lancet Psychiatry</i> , the, 2016, 3, 375-385.	3.7	16
422	At-risk mental state for psychosis: identification and current treatment approaches. <i>BJ Psych Advances</i> , 2016, 22, 186-193.	0.5	11
423	Further examination of the reducing transition rate in ultra high risk for psychosis samples: The possible role of earlier intervention. <i>Schizophrenia Research</i> , 2016, 174, 43-49.	1.1	47
424	fMRI in Psychiatric Disorders. <i>Neuromethods</i> , 2016, , 657-697.	0.2	0
425	Prediction of transition from ultra-high risk to first-episode psychosis using a probabilistic model combining history, clinical assessment and fatty-acid biomarkers. <i>Translational Psychiatry</i> , 2016, 6, e897-e897.	2.4	51
426	Comparison of measures of functioning for use with treatment-seeking adolescents experiencing attenuated symptoms of psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 81-87.	0.9	5
427	Characterizing psychosis risk traits in Africa: A longitudinal study of Kenyan adolescents. <i>Schizophrenia Research</i> , 2016, 176, 340-348.	1.1	29
428	Incidence of stressful life events and influence of sociodemographic and clinical variables on the onset of first-episode psychosis. <i>Psychiatry Research</i> , 2016, 245, 108-115.	1.7	18
429	Physical health promotion for young people at ultra-high risk for psychosis: An application of the COMEB model and behaviour-change wheel. <i>International Journal of Mental Health Nursing</i> , 2016, 25, 536-545.	2.1	36
430	Not All Differences between Patients with Schizophrenia and Healthy Subjects Are Pathological: Performance on the Conners™ Continuous Performance Test. <i>Archives of Clinical Neuropsychology</i> , 2016, 31, 983-995.	0.3	7
431	Deconstructing Pretest Risk Enrichment to Optimize Prediction of Psychosis in Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 1260.	6.0	111
432	Early interventions for prodromal stage of psychosis. <i>The Cochrane Library</i> , 2016, , .	1.5	3
433	Progress and Future Directions in Research on the Psychosis Prodrome. <i>Harvard Review of Psychiatry</i> , 2016, 24, 87-103.	0.9	55
434	Coping as a predictor of treatment outcome in people at clinical high risk of psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 17-27.	0.9	19



#	ARTICLE	IF	CITATIONS
435	Early psychosis research at Orygen, The National Centre of Excellence in Youth Mental Health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1-13.	1.6	31
436	Prognosis of Brief Psychotic Episodes. <i>JAMA Psychiatry</i> , 2016, 73, 211.	6.0	137
437	Are UHR patients who present with hallucinations alone at lower risk of transition to psychosis?. <i>Psychiatry Research</i> , 2016, 235, 177-196.	1.7	12
438	Early Detection and Intervention in Psychosis. <i>Key Issues in Mental Health</i> , 2016, , 179-189.	0.6	4
439	Do affective or dissociative symptoms mediate the association between childhood sexual trauma and transition to psychosis in an ultra-high risk cohort?. <i>Psychiatry Research</i> , 2016, 236, 182-185.	1.7	20
440	Prediction of outcome in the psychosis prodrome using neuroanatomical pattern classification. <i>Schizophrenia Research</i> , 2016, 173, 159-165.	1.1	50
441	Interpersonal sensitivity and functioning impairment in youth at ultra-high risk for psychosis. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 7-16.	2.8	24
442	Examining the association between social cognition and functioning in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 83-92.	1.3	29
443	NEURAPRO study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , 2017, 11, 418-428.	0.9	55
444	Primary and persistent negative symptoms: Concepts, assessments and neurobiological bases. <i>Schizophrenia Research</i> , 2017, 186, 19-28.	1.1	110
445	Do the Trajectories of Bipolar Disorder and Schizophrenia Follow a Universal Staging Model?. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 115-122.	0.9	40
446	Two-year follow-up of a Chinese sample at clinical high risk for psychosis: timeline of symptoms, help-seeking and conversion. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 287-298.	1.8	55
447	Borderline personality pathology in young people at ultra high risk of developing a psychotic disorder. <i>Microbial Biotechnology</i> , 2017, 11, 208-214.	0.9	24
448	A Transdiagnostic Network Approach to Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 122-132.	2.3	55
449	Innovations in Practice: Identifying young people at ultra-high risk of psychosis in a Child and Adolescent Mental Health Service. <i>Child and Adolescent Mental Health</i> , 2017, 22, 91-95.	1.8	1
450	Prediction of transition to psychosis in patients with a clinical high risk for psychosis: a systematic review of methodology and reporting. <i>Psychological Medicine</i> , 2017, 47, 1163-1178.	2.7	75
451	Diagnostic and Prognostic Significance of Brief Limited Intermittent Psychotic Symptoms (BLIPS) in Individuals at Ultra High Risk. <i>Schizophrenia Bulletin</i> , 2017, 43, 48-56.	2.3	106
452	Schizotypal and affective traits in the offspring of antenatally depressed mothers – Relationship to family history of psychosis in the Northern Finland 1966 Birth Cohort. <i>European Psychiatry</i> , 2017, 42, 36-43.	0.1	3

#	ARTICLE	IF	CITATIONS
453	The associations between quality of life and clinical symptoms in individuals with an at-risk mental state and first-episode psychosis. <i>Psychiatry Research</i> , 2017, 254, 54-59.	1.7	11
454	Effect of $\omega$ -3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 19.	6.0	216
455	Examining the physical health and lifestyle of young people at ultra-high risk for psychosis: A qualitative study involving service users, parents and clinicians. <i>Psychiatry Research</i> , 2017, 255, 87-93.	1.7	24
456	Schizophrenia and Psychosis. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2017, 26, 341-366.	1.0	33
457	Using clinical information to make individualized prognostic predictions in people at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2017, 184, 32-38.	1.1	58
458	Cannabis-induced attenuated psychotic symptoms: implications for prognosis in young people at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2017, 47, 616-626.	2.7	41
459	Clinical staging models: From general medicine to mental disorders. <i>BJ Psych Advances</i> , 2017, 23, 292-299.	0.5	22
460	Mapping the developmental trajectory of bipolar disorder: Importance of prerequisite groundwork. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 761-763.	1.3	8
461	A qualitative phenomenological analysis of the subjective experience and understanding of the at risk mental state. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2017, 12, 1342504.	0.6	13
462	Ventricular volumes across stages of schizophrenia and other psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 1041-1051.	1.3	17
463	Psychosis risk screening: Validation of the youth psychosis at-risk questionnaire "brief in a community-derived sample of adolescents. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	11
464	Substance use in youth at risk for psychosis. <i>Schizophrenia Research</i> , 2017, 181, 23-29.	1.1	41
465	Lithium suppression of tau induces brain iron accumulation and neurodegeneration. <i>Molecular Psychiatry</i> , 2017, 22, 396-406.	4.1	66
466	Associations of attention-deficit/hyperactivity and other childhood disorders with psychotic experiences and disorders in adolescence. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 421-431.	2.8	25
467	Neurocognitive Impairments in Unaffected First-degree Relatives of Schizophrenia. <i>Indian Journal of Psychological Medicine</i> , 2017, 39, 250-253.	0.6	9
468	The Intricate Relationship between Psychotic-Like Experiences and Associated Subclinical Symptoms in Healthy Individuals. <i>Frontiers in Psychology</i> , 2017, 8, 1537.	1.1	21
469	Prevention and treatment of long-term social disability amongst young people with emerging severe mental illness with social recovery therapy (The PRODIGY Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 315.	0.7	14
470	Imaging and Genetic Biomarkers Predicting Transition to Psychosis. <i>Current Topics in Behavioral Neurosciences</i> , 2018, 40, 353-388.	0.8	13

#	ARTICLE	IF	CITATIONS
471	Sexually dimorphic subcortical brain volumes in emerging psychosis. <i>Schizophrenia Research</i> , 2018, 199, 257-265.	1.1	12
472	Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , 2018, 197, 550-556.	1.1	54
473	Prevalence of psychotic-like experiences and their correlations with internalizing problems: A study of early adolescents in rural area in Karawang, Indonesia. <i>Asia-Pacific Psychiatry</i> , 2018, 10, e12313.	1.2	6
474	Dopamine in high-risk populations: A comparison of subjects with 22q11.2 deletion syndrome and subjects at ultra high-risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2018, 272, 65-70.	0.9	6
475	Brain morphologic changes in early stages of psychosis: Implications for clinical application and early intervention. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 556-571.	1.0	68
477	The early recognition inventory <sc>ERI</sc> assesses the entire spectrum of symptoms through the course of an at-risk mental state. <i>Microbial Biotechnology</i> , 2018, 12, 217-228.	0.9	18
478	Monitoring of physical health in services for young people at ultra-high risk of psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 153-159.	0.9	26
479	Premorbid adjustment in individuals at ultra-high risk for developing psychosis: a case-control study. <i>Microbial Biotechnology</i> , 2018, 12, 839-847.	0.9	14
480	The relationship between cognitive insight and cognitive performance among individuals with at-risk mental state for developing psychosis. <i>Schizophrenia Research</i> , 2018, 192, 281-286.	1.1	21
481	Clinical utility of the Calgary Depression Scale for Schizophrenia in individuals at ultra-high risk of psychosis. <i>Schizophrenia Research</i> , 2018, 193, 423-427.	1.1	18
482	The Ultra-High-Risk for psychosis groups: Evidence to maintain the status quo. <i>Schizophrenia Research</i> , 2018, 195, 543-548.	1.1	28
483	Negative symptoms of psychosis: A life course approach and implications for prevention and treatment. <i>Microbial Biotechnology</i> , 2018, 12, 561-571.	0.9	28
484	A comparative study of psychotic and affective symptoms in Rwandan and Kenyan students. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 157-168.	1.8	12
485	A new method for analysing transition to psychosis: Joint modelling of time-to-event outcome with time-dependent predictors. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	1.1	19
486	Affective reactivity to daily life stress: Relationship to positive psychotic and depressive symptoms in a general population sample. <i>Journal of Affective Disorders</i> , 2018, 225, 474-481.	2.0	28
487	Metacognitive beliefs as psychological predictors of social functioning: An investigation with young people at risk of psychosis. <i>Psychiatry Research</i> , 2018, 262, 520-526.	1.7	21
488	Delusion-like beliefs in anorexia nervosa: An interpretative phenomenological analysis. <i>Clinical Psychologist</i> , 2018, 22, 317-326.	0.5	6
489	A Population-Based Longitudinal Study of Symptoms and Signs Before the Onset of Psychosis. <i>American Journal of Psychiatry</i> , 2018, 175, 351-358.	4.0	11

#	ARTICLE	IF	CITATIONS
491	Impaired mismatch negativity to frequency deviants in individuals at ultra-high risk for psychosis, and preliminary evidence for further impairment with transition to psychosis. Schizophrenia Research, 2018, 191, 95-100.	1.1	31
492	Pre-onset risk characteristics for mania among young people at clinical high risk for psychosis. Schizophrenia Research, 2018, 192, 345-350.	1.1	5
493	Psychopathology and social functioning of 42 subjects from a Danish ultra high-risk cohort. Microbial Biotechnology, 2018, 12, 1181-1187.	0.9	7
494	Voxel-Based Morphometry Correlates of an Agitated-Aggressive Syndrome in the At-Risk Mental State for Psychosis and First Episode Psychosis. Scientific Reports, 2018, 8, 16516.	1.6	1
495	Developing a dynamic model of anomalous experiences and function in young people with or without psychosis: a cross-sectional and longitudinal study protocol. BMJ Open, 2018, 8, e022546.	0.8	6
496	Comparing Patient, Clinician, and Caregiver Perceptions of Care for Early Psychosis: A Free Listing Study. Narrative Inquiry in Bioethics, 2018, 8, 157-178.	0.0	7
497	Schizophrenia and Exercise. , 2018, , 65-82.		0
498	Cannabis use as a risk factor for psychotic-like experiences: A systematic review of non-clinical populations evaluated with the Community Assessment of Psychic Experiences. Microbial Biotechnology, 2018, 12, 1013-1023.	0.9	28
499	Dynamic prediction of transition to psychosis using joint modelling. Schizophrenia Research, 2018, 202, 333-340.	1.1	18
500	Evaluating verbal learning and memory in patients with an at-risk mental state or first episode psychosis using structural equation modelling. PLoS ONE, 2018, 13, e0196936.	1.1	3
501	The role of coping in the association between subclinical psychotic experiences and functioning: A within study replication in two independent adolescent samples. Schizophrenia Research, 2018, 201, 91-97.	1.1	11
502	At-risk studies and clinical antecedents of psychosis, bipolar disorder and depression: a scoping review in the context of clinical staging. Psychological Medicine, 2019, 49, 177-189.	2.7	55
503	Time for a Change. , 2019, , 34-66.		0
504	Transcriptional changes in the stress pathway are related to symptoms in schizophrenia and to mood in schizoaffective disorder. Schizophrenia Research, 2019, 213, 87-95.	1.1	10
505	Examining the structure of ideas of reference in clinical and community samples. Comprehensive Psychiatry, 2019, 93, 48-55.	1.5	10
506	Shame triggers paranoid symptoms in adolescents with elevated psychosis proneness. Psychosis, 2019, 11, 331-341.	0.4	0
507	Socio-demography and psychosis symptom severity among male schizophrenia " Diagnosed patients of MOH Mental Health Facilities, Kingdom of Saudi Arabia; a correlational study. Archives of Psychiatric Nursing, 2019, 33, 110-115.	0.7	2
508	Neurocognitive and neuroanatomical maturation in the clinical high-risk states for psychosis: A pattern recognition study. NeuroImage: Clinical, 2019, 21, 101624.	1.4	11

#	ARTICLE	IF	CITATIONS
509	Machine learning identifies unaffected first-degree relatives with functional network patterns and cognitive impairment similar to those of schizophrenia patients. <i>Human Brain Mapping</i> , 2019, 40, 3930-3939.	1.9	22
510	Short clinically-based prediction model to forecast transition to psychosis in individuals at clinical high risk state. <i>European Psychiatry</i> , 2019, 58, 72-79.	0.1	9
511	Frontal slow wave resting EEG power is higher in individuals at Ultra High Risk for psychosis than in healthy controls but is not associated with negative symptoms or functioning. <i>Schizophrenia Research</i> , 2019, 208, 293-299.	1.1	6
512	Applying economic models to estimate local economic benefits of improved coverage of early intervention for psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1424-1430.	0.9	5
513	Interventions for prodromal stage of psychosis. <i>The Cochrane Library</i> , 2019, 2019, .	1.5	43
514	Individualised prediction of psychosis in individuals meeting at-risk mental state (ARMS) criteria: protocol for a systematic review of clinical prediction models. <i>Diagnostic and Prognostic Research</i> , 2019, 3, 21.	0.8	5
515	Vulnerability to Psychosis, Ideas of Reference and Evaluation with an Implicit Test. <i>Journal of Clinical Medicine</i> , 2019, 8, 1956.	1.0	3
516	Federated multi-site longitudinal study of at-risk mental state for psychosis in Japan. <i>Schizophrenia Research</i> , 2019, 204, 343-352.	1.1	4
517	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019, 206, 67-74.	1.1	46
518	Clinical and functional long-term outcome of patients at clinical high risk (CHR) for psychosis without transition to psychosis: A systematic review. <i>Schizophrenia Research</i> , 2019, 210, 39-47.	1.1	67
519	Persistent negative symptoms in individuals at Ultra High Risk for psychosis. <i>Schizophrenia Research</i> , 2019, 206, 355-361.	1.1	39
520	Clinical Cases in Psychiatry: Integrating Translational Neuroscience Approaches. , 2019, , .		2
521	Association of Pre-onset Subthreshold Psychotic Symptoms With Longitudinal Outcomes During Treatment of a First Episode of Psychosis. <i>JAMA Psychiatry</i> , 2019, 76, 61.	6.0	33
522	Perceptual abnormalities in an ultra-high risk for psychosis population relationship to trauma and comorbid disorder. <i>Microbial Biotechnology</i> , 2019, 13, 231-240.	0.9	5
523	CBT in the prevention of psychosis and other severe mental disorders in patients with an at risk mental state: A review and proposed next steps. <i>Schizophrenia Research</i> , 2019, 203, 88-93.	1.1	31
524	Predictive capacity of prodromal symptoms in first-episode psychosis of recent onset. <i>Microbial Biotechnology</i> , 2019, 13, 414-424.	0.9	12
525	Surface morphology of the orbitofrontal cortex in individuals at risk of psychosis: a multicenter study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 397-406.	1.8	15
526	Relationship between metacognitive beliefs and psychosocial performance in at-risk states of psychosis and patients with first psychotic episodes. <i>Microbial Biotechnology</i> , 2019, 13, 604-612.	0.9	6

#	ARTICLE	IF	CITATIONS
527	Preventing discrimination based on psychiatric risk biomarkers. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 159-171.	1.1	10
528	Emotion regulation across the psychosis continuum. <i>Development and Psychopathology</i> , 2020, 32, 219-227.	1.4	31
529	Designing and Testing of a Health-Economic Markov Model for Prevention and Treatment of Early Psychosis. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2020, 20, 269-279.	0.7	11
530	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2020, 87, 243-252.	0.7	48
531	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , 2020, 226, 44-51.	1.1	27
532	Clinical subtypes that predict conversion to psychosis: A canonical correlation analysis study from the ShangHai At Risk for Psychosis program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 482-495.	1.3	21
533	Getting in Early: Early Intervention Services for Psychosis. , 2020, , 561-588.		0
534	The Prodrome of Psychotic Disorders. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2020, 29, 57-69.	1.0	9
535	Perceptual biases and metacognition and their association with anomalous self experiences in first episode psychosis. <i>Consciousness and Cognition</i> , 2020, 77, 102847.	0.8	14
536	Is there an association between cardiorespiratory fitness and stage of illness in psychotic disorders? A systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 190-205.	2.2	4
537	Migrant status and identification as ultra-high risk for psychosis and transitioning to a psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 52-59.	2.2	15
538	Psychosis Risk and Development: What Do We Know From Population-Based Studies?. <i>Biological Psychiatry</i> , 2020, 88, 315-325.	0.7	21
539	Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. <i>Schizophrenia Research</i> , 2020, 216, 255-261.	1.1	8
540	Predictive validity of conversion from the clinical high risk syndrome to frank psychosis. <i>Schizophrenia Research</i> , 2020, 216, 184-191.	1.1	22
541	Prevalence, dimensionality and clinical relevance of self-disturbances and psychotic-like experiences in Polish young adults: a latent class analysis approach.. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1809.	1.1	9
542	Cerebral glutamate and GABA levels in high-risk of psychosis states: A focused review and meta-analysis of 1H-MRS studies. <i>Schizophrenia Research</i> , 2020, 215, 38-48.	1.1	36
543	Distress related to psychotic symptoms in individuals at high risk of psychosis. <i>Schizophrenia Research</i> , 2020, 215, 66-73.	1.1	18
544	Comorbidity rates of depression and anxiety in first episode psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2020, 216, 322-329.	1.1	46

#	ARTICLE	IF	CITATIONS
545	Vulnerability to Psychosis: A Psychoanalytical Perspective. The Paradigmatic Example of 22q11.2 Microdeletion Syndrome. <i>Frontiers in Psychology</i> , 2020, 11, 1613.	1.1	0
546	Examining which factors influence age of onset in males and females with schizophrenia. <i>Schizophrenia Research</i> , 2020, 223, 265-270.	1.1	15
547	Antipsychotic natural products. <i>Annual Reports in Medicinal Chemistry</i> , 2020, 55, 481-515.	0.5	1
548	Does cortical brain morphology act as a mediator between childhood trauma and transition to psychosis in young individuals at ultra-high risk?. <i>Schizophrenia Research</i> , 2020, 224, 116-125.	1.1	9
549	Pre-pulse inhibition deficits in individuals at clinical high-risk for psychosis: A systematic review and meta-analysis. <i>Microbial Biotechnology</i> , 2021, 15, 794-806.	0.9	9
550	The potential impact of COVID-19 on psychosis: A rapid review of contemporary epidemic and pandemic research. <i>Schizophrenia Research</i> , 2020, 222, 79-87.	1.1	272
551	Psychotic symptoms in first-episode and drug naïve patients with major depressive disorder: Prevalence and related clinical factors. <i>Depression and Anxiety</i> , 2020, 37, 793-800.	2.0	24
552	Expanding the search for emerging mental ill health to safeguard student potential and vocational success in high school: A narrative review. <i>Microbial Biotechnology</i> , 2020, 14, 655-676.	0.9	12
553	Clinical risk factors for psychosis. , 2020, , 249-268.		2
554	Pre-onset sub-threshold psychotic symptoms and cortical organization in the first episode of psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 100, 109879.	2.5	4
555	Conversion to psychosis in adolescents and adults: similar proportions, different predictors. <i>Psychological Medicine</i> , 2021, 51, 2003-2011.	2.7	14
556	Models Predicting Psychosis in Patients With High Clinical Risk: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2020, 11, 223.	1.3	15
557	Prediction of clinical outcomes beyond psychosis in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021, 15, 642-651.	0.9	11
558	Familiarity for Serious Mental Illness in Help-Seeking Adolescents at Clinical High Risk of Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 552282.	1.3	9
559	Schizophrenia, Depressive Symptoms, and Antipsychotic Drug Treatment. <i>International Journal of Neuropsychopharmacology</i> , 2021, 24, 253-255.	1.0	4
560	Psychotic Disorders and Risk-States in Adolescence: Etiology, Developmental Considerations, and Treatment. , 2021, , .		0
561	The Relationship between PID-5 Personality Traits and Mental States. A Study on a Group of Young Adults at Risk of Psychotic Onset. <i>Medicina (Lithuania)</i> , 2021, 57, 33.	0.8	6
562	Reliability and validity of the Korean version of the comprehensive assessment of at-risk mental states. <i>Microbial Biotechnology</i> , 2021, 15, 1730-1737.	0.9	2

#	ARTICLE	IF	CITATIONS
563	Predictive validity of psychosis risk models when applied to adolescent psychiatric patients. <i>Psychological Medicine</i> , 2021, , 1-12.	2.7	4
564	Antipsychotics are related to psychometric conversion to psychosis in ultra-high-risk youth. <i>Microbial Biotechnology</i> , 2022, 16, 342-351.	0.9	6
565	Towards clinical application of prediction models for transition to psychosis: A systematic review and external validation study in the PRONIA sample. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 125, 478-492.	2.9	31
566	Shame and guilt in youth at ultra-high risk for psychosis. <i>Comprehensive Psychiatry</i> , 2021, 108, 152241.	1.5	5
567	Time-course of clinical symptoms in young people at ultra-high risk for transition to psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 600-608.	0.9	3
568	<i>Toxoplasma gondii</i> , Herpesviridae and long-term risk of transition to first-episode psychosis in an ultra high-risk sample. <i>Schizophrenia Research</i> , 2021, 233, 24-30.	1.1	1
569	Psychotic-like experiences (PLEs) and trauma in adolescents: the role of PLEs' persistence and distress in overall psychological burden. <i>Psychosis</i> , 2022, 14, 270-280.	0.4	2
570	Family environmental factors in at-risk mental states for psychosis. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 424-454.	1.4	2
571	Patients'™, carers'™ and clinicians'™ attitudes towards alternative terms to describe the at-risk for psychosis state. <i>Schizophrenia Research</i> , 2021, 237, 69-75.	1.1	1
572	The role of aberrant salience in the association between cannabis use frequency and psychotic experiences among racial and ethnic minoritized youth. <i>Schizophrenia Research</i> , 2021, 238, 36-43.	1.1	3
573	“Transition” to Schizophrenia or Fluctuations within the Same Disorder?. <i>Psychopathology</i> , 2021, 54, 253-261.	1.1	3
575	Assessment of Risk for Psychosis. , 2019, , 7-40.		3
576	Prediction and Early Detection of First-Episode Psychosis. , 2011, , 207-267.		3
578	Mapping the Onset of Psychosis: The Comprehensive Assessment of At-Risk Mental States. , 0, .		198
579	Is early intervention in the major psychiatric disorders justified? Yes. <i>BMJ: British Medical Journal</i> , 2008, 337, a695-a695.	2.4	31
580	Advances in clinical staging, early intervention, and the prevention of psychosis. <i>F1000Research</i> , 2019, 8, 2027.	0.8	14
581	CSF Metabolic and Proteomic Profiles in Patients Prodromal for Psychosis. <i>PLoS ONE</i> , 2007, 2, e756.	1.1	93
582	Multisensory integration underlying body-ownership experiences in schizophrenia and offspring of patients: a study using the rubber hand illusion paradigm. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 177-184.	1.4	19



#	ARTICLE	IF	CITATIONS
585	The Factors Affecting the Relationship between Remission Status and Employment in Chronic Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2019, 16, 860-867.	0.7	5
586	Treating early psychosis: who, what, and when?. <i>Dialogues in Clinical Neuroscience</i> , 2005, 7, 39-49.	1.8	12
587	Intervention in Individuals at Ultra-High Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1206-1212.	1.1	258
588	Prevalence of Attenuated Psychotic Symptoms and Their Relationship With DSM-IV Diagnoses in a General Psychiatric Outpatient Clinic. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 149-155.	1.1	27
589	A Supervised Exercise Intervention for Youth at Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e1167-e1173.	1.1	23
590	Complementary and Alternative Medicine (CAM). <i>Journal of Clinical Psychiatry</i> , 2009, 70, 4-6.	1.1	102
591	Impaired Social and Role Function in Ultra-High Risk for Psychosis and First-Episode Schizophrenia: Its Relations with Negative Symptoms. <i>Psychiatry Investigation</i> , 2017, 14, 186.	0.7	25
592	Impaired Social and Role Function in Ultra-High Risk for Psychosis and First-Episode Schizophrenia: Its Relations with Negative Symptoms. <i>Psychiatry Investigation</i> , 2017, 14, 539.	0.7	31
593	Premorbid Negative Symptoms in First-Episode Psychosis. <i>European Journal of Psychiatry</i> , 2007, 21, .	0.7	2
594	Performance of joint modelling of time-to-event data with time-dependent predictors: an assessment based on transition to psychosis data. <i>PeerJ</i> , 2016, 4, e2582.	0.9	25
595	An at-risk mental state service embedded within a UK Early Intervention team across two years of service delivery for service users 14 to 65 years: service audit. <i>Psychosis</i> , 2021, 13, 231-241.	0.4	0
596	Schizophrenies : actualités étiopathogéniques et cliniques. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2005, 189, 935-947.	0.0	0
598	Reconocimiento temprano del trastorno bipolar. <i>European Psychiatry (Ed Española)</i> , 2007, 14, 285-291.	0.0	0
600	Bases para un equipo de atención precoz a los pacientes con psicosis. <i>Revista De La Asociación Española De Neuropsiquiatría</i> , 2009, 29, .	0.1	2
602	Patient rights: Ethics and the clinical care of patients with schizophrenia. <i>Medical Psychiatry</i> , 2009, , 310-321.	0.2	0
603	Prediction of Psychosis Through the Prodromal Syndrome. , 2010, , 251-266.		0
604	The Impact of Early Intervention in Schizophrenia. , 2010, , 299-316.		2
605	Neurocognitive Indicators of Clinical High-Risk States for Psychosis: A Critical Review of the Evidence. , 2012, , 47-61.		2

#	ARTICLE	IF	CITATIONS
606	Staging in Neuropsychiatry: A Heuristic Model for Understanding, Prevention and Treatment. , 2012, , 19-30.		0
607	Validity Study of Korean Version Schizotypal Personality Questionnaire-Brief(SPQ-B). The Korean Journal of Clinical Psychology, 2010, 29, 491-504.	0.3	3
610	A treatment approach to the patient with first-episode schizophrenia. , 2012, , 237-251.		0
611	A treatment approach to the patient with first-episode schizophrenia. , 2012, , 237-251.		0
613	Neurocognitive Indicators of Clinical High-Risk States for Psychosis: A Critical Review of the Evidence. , 2013, , 51-65.		0
614	Staging in Neuropsychiatry: A Heuristic Model for Understanding, Prevention and Treatment. , 2013, , 19-30.		0
615	PRODROMALNA FAZA U RAZVOJU ÅIZOFRENE PSIHOZE SA RANIM POÅEETKOM - PRIKAZ BOLESNIKA. Acta Medica Medianae, 2013, , 19-24.	0.0	0
617	I disturbi nucleari del sÅ“ e gli stati mentali a rischio: uno sguardo fenomenologico al paradigma della ricerca Ultra-High Risk. Rivista Sperimentale Di Freniatria, 2013, , 97-129.	0.1	2
619	Cognitive Enhancement in the Early Phases of Psychosis. , 2019, , 259-276.		0
620	Psychotische StÅ“rungen. , 2019, , 715-736.		0
622	Attenuated Psychosis Syndromes Among Australian Youth and Young Adults: Early Identification and Intervention. , 2019, , 67-84.		0
623	Factors associated with episode of prodrome among junior high school students in Bali: Results from a population based study. EnfermerÅa ClÅnica, 2020, 30, 37-41.	0.1	1
624	Alterations in facial expressions of emotion: Determining the promise of ultrathin slicing approaches and comparing human and automated coding methods in psychosis risk.. Emotion, 2022, 22, 714-724.	1.5	15
625	Cardiovascular Manifestations in Schizophrenia. , 2020, , 1-19.		0
626	Cardiovascular Manifestations in Schizophrenia. , 2020, , 335-353.		0
629	To cure sometimes, to relieve often, to comfort always. Shanghai Archives of Psychiatry, 2012, 24, 350-1.	0.7	0
630	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. BMJ Open, 2018, 8, e019059.	0.8	6
631	Transitioning to bipolar disorder: A systematic review of prospective high-risk studies. Current Opinion in Psychiatry, 2022, 35, 10-21.	3.1	5

#	ARTICLE	IF	CITATIONS
632	Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. <i>Schizophrenia Research</i> , 2021, 238, 188-198.	1.1	5
633	Chapitre 6. État mental à risque et symptômes de base: des notions prospectives. , 2015, , 87-108.		0
634	Chapitre 10. Les stratégies thérapeutiques dans la psychose débilitante: principes et traitements médicamenteux. , 2015, , 155-170.		0
635	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	2
636	Comportements prédictifs d'un risque de transition psychotique. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2022, 206, 310-310.	0.0	0
637	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018, 8, e019059.	0.8	16
638	Negative Symptom Domains in Children and Adolescents at Ultra-High Risk for Psychosis: Association With Real-Life Functioning. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	4
639	A review of economic evaluations of health care for people at risk of psychosis and for first-episode psychosis. <i>BMC Psychiatry</i> , 2022, 22, 126.	1.1	6
640	Depression prediction based on BiAttention-GRU. <i>Journal of Ambient Intelligence and Humanized Computing</i> , 2022, 13, 5269-5277.	3.3	6
641	Reinventing schizophrenia – Embracing complexity and complication. <i>Schizophrenia Research</i> , 2022, 242, 7-11.	1.1	3
642	Family history of psychosis in youth at clinical high risk: A replication study. <i>Psychiatry Research</i> , 2022, 311, 114480.	1.7	3
643	Benefits of Social Contact in Individuals With Psychotic Symptoms: Do Closeness of the Contact and Empathic Skills Make the Difference?. <i>Frontiers in Psychology</i> , 2021, 12, 769091.	1.1	4
646	Treatment Targets in the Pre-psychotic Phase. , 0, , 75-91.		0
648	Early Signs of Schizophrenia and Autonomic Nervous System Dysregulation: A Literature Review.. , 2019, 16, 86-97.		1
649	Pineal morphology of the clinical high-risk state for psychosis and different psychotic disorders. <i>Schizophrenia Research</i> , 2022, 244, 1-7.	1.1	1
651	Updated perspectives on the clinical significance of negative symptoms in patients with schizophrenia. <i>Expert Review of Neurotherapeutics</i> , 2022, 22, 541-555.	1.4	15
652	Neural Correlates of Facial Emotion Recognition in Non-help-seeking University Students With Ultra-High Risk for Psychosis. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	0
653	Clinical and Functional Differences Between Mexican Youth at Clinical High Risk for Psychosis and With Familial High Risk. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	0

#	ARTICLE	IF	CITATIONS
654	The full spectrum of clinical stages of psychosis among mentally ill prisoners in New South Wales (NSW), Australia. <i>Psychiatry, Psychology and Law</i> , 0, , 1-18.	0.9	0
655	Mediating role for metacognitive processes in the relationship between schizotypy and anxiety and depression symptoms. <i>Cognitive Neuropsychiatry</i> , 2022, 27, 393-410.	0.7	2
656	Case report: From anxiety disorders to psychosis, a continuum in transitional age youth?. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	0
657	Premorbid adjustment associates with cognitive and functional deficits in individuals at ultra-high risk of psychosis. , 2022, 8, .		2
658	Hallucinations in the Child and Adolescent "Ultra-High Risk" population: A Systematic Review. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	6
659	At-risk mental states and personality traits: A cluster analysis approach on a group of help-seeking young adults. <i>Microbial Biotechnology</i> , 2023, 17, 1070-1078.	0.9	2
660	Prevalence and risk factors of psychotic symptoms in middle-aged patients with first-episode drug-naïve major depressive disorder: A large-scale cross-sectional study. <i>Journal of Affective Disorders</i> , 2023, 325, 102-109.	2.0	1
661	Personality traits and transition to psychosis one year after the first assessment. <i>Frontiers in Psychology</i> , 0, 14, .	1.1	2
662	Obsessive-compulsive symptoms in first episode psychosis and risk states: Systematic review with meta-analysis. <i>Schizophrenia Research</i> , 2023, 255, 41-51.	1.1	0
663	Comments on: Psychosis in Parkinson's disease in a Southeast Asian cohort: prevalence and clinical correlates. <i>Singapore Medical Journal</i> , 2023, 64, 348.	0.3	0