

Identification of separable cognitive factors in schizoph

Schizophrenia Research

72, 29-39

DOI: [10.1016/j.schres.2004.09.007](https://doi.org/10.1016/j.schres.2004.09.007)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | NIMH-MATRICES survey on assessment of neurocognition in schizophrenia. Schizophrenia Research, 2004, 72, 11-19. | 1.1 | 106 |
| 2 | The MATRICS initiative: developing a consensus cognitive battery for clinical trials. Schizophrenia Research, 2004, 72, 1-3. | 1.1 | 242 |
| 3 | Stimulating development of new drugs to improve cognition in schizophrenia. Current Psychosis & Therapeutics Reports, 2005, 3, 68-73. | 0.1 | 1 |
| 4 | Factors Mediating Cognitive Deficits and Psychopathology Among Siblings of Individuals With Schizophrenia. Schizophrenia Bulletin, 2005, 32, 525-537. | 2.3 | 90 |
| 5 | Editorial--Modeling Negative Symptoms: What's Missing?. Schizophrenia Bulletin, 2005, 32, 403-404. | 2.3 | 4 |
| 6 | Distinguishing Separable Domains of Cognition in Human and Animal Studies: What Separations Are Optimal for Targeting Interventions? A Summary of Recommendations From Breakout Group 2 at the Measurement and Treatment Research to Improve Cognition in Schizophrenia New Approaches Conference. Schizophrenia Bulletin, 2005, 31, 870-874. | 2.3 | 50 |
| 7 | Predicting Drug Efficacy for Cognitive Deficits in Schizophrenia. Schizophrenia Bulletin, 2005, 31, 830-853. | 2.3 | 105 |
| 9 | Synthesizing Schizophrenia: A Bottom-Up, Symptomatic Approach. Schizophrenia Bulletin, 2005, 31, 854-864. | 2.3 | 40 |
| 11 | Social Cognition in Schizophrenia: Recommendations from the Measurement and Treatment Research to Improve Cognition in Schizophrenia New Approaches Conference. Schizophrenia Bulletin, 2005, 31, 882-887. | 2.3 | 377 |
| 12 | A pilot study of social cognition and interaction training (SCIT) for schizophrenia. Schizophrenia Research, 2005, 80, 357-359. | 1.1 | 145 |
| 13 | Cognition in Schizophrenia: Impairments, Determinants, and Functional Importance. Psychiatric Clinics of North America, 2005, 28, 613-633. | 0.7 | 207 |
| 14 | The Primacy of Cognition in Schizophrenia.. American Psychologist, 2005, 60, 229-242. | 3.8 | 295 |
| 15 | Pharmacological Approaches to the Management of Cognitive Dysfunction in Schizophrenia. Drugs, 2006, 66, 1465-1473. | 4.9 | 27 |
| 16 | Neuropsychological Performance in First-Episode Adolescents with Schizophrenia: A Comparison with First-Episode Adults and Adolescent Control Subjects. Biological Psychiatry, 2006, 60, 463-471. | 0.7 | 95 |
| 17 | Increased medial temporal lobe activation during the passive viewing of emotional and neutral facial expressions in schizophrenia. Schizophrenia Research, 2006, 82, 153-162. | 1.1 | 244 |
| 18 | The detection of neurocognitive decline in schizophrenia using the Mindstreams Computerized Cognitive Test Battery. Schizophrenia Research, 2006, 82, 39-49. | 1.1 | 34 |
| 19 | Neurocognitive performance and functional disability in the psychosis prodrome. Schizophrenia Research, 2006, 84, 100-111. | 1.1 | 232 |
| 20 | A comparison of cognitive structure in schizophrenia patients and healthy controls using confirmatory factor analysis. Schizophrenia Research, 2006, 85, 20-29. | 1.1 | 96 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 21 | Associating functional recovery with neurocognitive profiles identified using partially ordered classification models. <i>Schizophrenia Research</i> , 2006, 85, 40-48. | 1.1 | 18 |
| 22 | Associations between olfactory identification and verbal memory in patients with schizophrenia, first-degree relatives, and non-psychiatric controls. <i>Schizophrenia Research</i> , 2006, 86, 154-166. | 1.1 | 32 |
| 23 | Effects of phencyclidine on spatial learning and memory: Nitric oxide-dependent mechanisms. <i>Behavioural Brain Research</i> , 2006, 171, 147-153. | 1.2 | 44 |
| 24 | Phencyclidine affects memory in a nitric oxide-dependent manner: Working and reference memory. <i>Behavioural Brain Research</i> , 2006, 174, 49-55. | 1.2 | 48 |
| 25 | Neurobiology of Schizophrenia. <i>Neuron</i> , 2006, 52, 139-153. | 3.8 | 617 |
| 27 | Neuropsychological performance at the age of 13 years and adult schizophreniform disorder. <i>British Journal of Psychiatry</i> , 2006, 189, 463-464. | 1.7 | 71 |
| 28 | Impaired control of visual attention in schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2006, 115, 266-275. | 2.0 | 80 |
| 29 | Translating basic attentional paradigms to schizophrenia research: Reconsidering the nature of the deficits. <i>Development and Psychopathology</i> , 2006, 18, 831-51. | 1.4 | 27 |
| 30 | Neuropsychological and sensory gating deficits related to remote alcohol abuse history in schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2006, 12, 34-44. | 1.2 | 26 |
| 31 | Procedural Memory Predicts Social Skills in Persons With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 625-627. | 0.5 | 8 |
| 32 | Subtyping schizophrenia: implications for genetic research. <i>Molecular Psychiatry</i> , 2006, 11, 815-836. | 4.1 | 222 |
| 33 | The neurocognitive effects of aripiprazole: an open-label comparison with olanzapine. <i>Psychopharmacology</i> , 2006, 187, 312-320. | 1.5 | 117 |
| 34 | The family of sensorimotor gating disorders: Comorbidities or diagnostic overlaps?. <i>Neurotoxicity Research</i> , 2006, 10, 211-220. | 1.3 | 144 |
| 35 | Sensorimotor and cognitive slowing in schizophrenia as measured by the Symbol Digit Substitution Test. <i>Journal of Psychiatric Research</i> , 2006, 40, 200-206. | 1.5 | 45 |
| 36 | Distinguishing Neurocognitive Functions in Schizophrenia Using Partially Ordered Classification Models. <i>Schizophrenia Bulletin</i> , 2006, 32, 679-691. | 2.3 | 32 |
| 37 | The Consortium on the Genetics of Schizophrenia: Neurocognitive Endophenotypes. <i>Schizophrenia Bulletin</i> , 2006, 33, 49-68. | 2.3 | 332 |
| 38 | Human Cognition Assessment in Drug Research. <i>Current Pharmaceutical Design</i> , 2006, 12, 2525-2539. | 0.9 | 21 |
| 39 | Social Cognition Deficit in Schizophrenia: Accounting for Pragmatic Deficits in Communication Abilities?. <i>Current Psychiatry Reviews</i> , 2006, 2, 309-315. | 0.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 40 | Baseline Neurocognitive Deficits in the CATIE Schizophrenia Trial. <i>Neuropsychopharmacology</i> , 2006, 31, 2033-2046. | 2.8 | 408 |
| 41 | Integrated Psychological Therapy (IPT) for Schizophrenia: Is It Effective?. <i>Schizophrenia Bulletin</i> , 2006, 32, S81-S93. | 2.3 | 212 |
| 42 | Clinicians' Concepts of the Cognitive Deficits of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 33, 648-651. | 2.3 | 11 |
| 43 | Recent Advances in the Development of Novel Pharmacological Agents for the Treatment of Cognitive Impairments in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 33, 1120-1130. | 2.3 | 168 |
| 44 | A Meta-Analysis of Cognitive Remediation in Schizophrenia. <i>American Journal of Psychiatry</i> , 2007, 164, 1791-1802. | 4.0 | 1,017 |
| 45 | Acute Effects of the Ampakine Farampator on Memory and Information Processing in Healthy Elderly Volunteers. <i>Neuropsychopharmacology</i> , 2007, 32, 1272-1283. | 2.8 | 98 |
| 46 | Psychomotor Slowing in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 33, 1038-1053. | 2.3 | 204 |
| 47 | Measurement Issues in the Use of Cognitive Neuroscience Tasks in Drug Development for Impaired Cognition in Schizophrenia: A Report of the Second Consensus Building Conference of the CNTRICS Initiative. <i>Schizophrenia Bulletin</i> , 2007, 34, 613-618. | 2.3 | 45 |
| 48 | Less Unique Variance Than Meets the Eye: Overlap Among Traditional Neuropsychological Dimensions in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 34, 423-434. | 2.3 | 41 |
| 49 | New Paradigms for Treatment Development. <i>Schizophrenia Bulletin</i> , 2007, 33, 1093-1099. | 2.3 | 18 |
| 50 | Toward an Integrative Perspective on Hippocampal Function: From the Rapid Encoding of Experience to Adaptive Behavior. <i>Reviews in the Neurosciences</i> , 2007, 18, 253-81. | 1.4 | 125 |
| 51 | A Sensitizing Regimen of Amphetamine Impairs Visual Attention in the 5-Choice Serial Reaction Time Test: Reversal by a D1 Receptor Agonist Injected into the Medial Prefrontal Cortex. <i>Neuropsychopharmacology</i> , 2007, 32, 1122-1132. | 2.8 | 69 |
| 52 | Nicotinic Receptors and the Treatment of Attentional and Cognitive Deficits in Neuropsychiatric Disorders: Focus on the $\alpha 7$ Nicotinic Acetylcholine Receptor as a Promising Drug Target for Schizophrenia. <i>Central Nervous System Agents in Medicinal Chemistry</i> , 2007, 7, 269-288. | 0.5 | 9 |
| 53 | Effects of Olanzapine, Quetiapine, and Risperidone on Neurocognitive Function in Early Psychosis: A Randomized, Double-Blind 52-Week Comparison. <i>American Journal of Psychiatry</i> , 2007, 164, 1061-1071. | 4.0 | 234 |
| 54 | Sudden Glory Revisited: Cognitive Contents of Hypomania. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 278-288. | 4.0 | 19 |
| 55 | Social Cognition and Neurocognition: Effects of Risperidone, Olanzapine, and Haloperidol. <i>American Journal of Psychiatry</i> , 2007, 164, 1585-1592. | 4.0 | 111 |
| 56 | Molecular Targets for Treating Cognitive Dysfunction in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 33, 1100-1119. | 2.3 | 205 |
| 57 | North American Prodrome Longitudinal Study: A Collaborative Multisite Approach to Prodromal Schizophrenia Research. <i>Schizophrenia Bulletin</i> , 2007, 33, 665-672. | 2.3 | 258 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 58 | How Should DSM-V Criteria for Schizophrenia Include Cognitive Impairment?. Schizophrenia Bulletin, 2007, 33, 912-920. | 2.3 | 332 |
| 59 | The NIMH MATRICS Initiative: Development of a Consensus Cognitive Battery. Progress in Neurotherapeutics and Neuropsychopharmacology, 2007, 2, 173-186. | 0.0 | 3 |
| 60 | How Neurocognition and Social Cognition Influence Functional Change During Community-Based Psychosocial Rehabilitation for Individuals with Schizophrenia. Schizophrenia Bulletin, 2007, 33, 1247-1256. | 2.3 | 155 |
| 61 | Toward a Model of Memory Enhancement in Schizophrenia: Glucose Administration and Hippocampal Function. Schizophrenia Bulletin, 2007, 34, 93-108. | 2.3 | 23 |
| 62 | Cognitive heterogeneity in schizophrenia. Current Opinion in Psychiatry, 2007, 20, 268-272. | 3.1 | 144 |
| 63 | Criterion B (social dysfunction) in persons with schizophrenia: the puzzle. Current Opinion in Psychiatry, 2007, 20, 582-587. | 3.1 | 14 |
| 64 | Psychomotor and Memory Effects of Haloperidol, Olanzapine, and Paroxetine in Healthy Subjects After Short-Term Administration. Journal of Clinical Psychopharmacology, 2007, 27, 15-21. | 0.7 | 34 |
| 66 | Schizotypal disorder and schizophrenia: A profile analysis of neuropsychological functioning in Japanese patients. Journal of the International Neuropsychological Society, 2007, 13, 672-82. | 1.2 | 22 |
| 67 | Visual-spatial learning and memory in schizotypal personality disorder: Continued evidence for the importance of working memory in the schizophrenia spectrum. Archives of Clinical Neuropsychology, 2007, 22, 109-116. | 0.3 | 26 |
| 68 | Validation of the French version of the BACS (the brief assessment of cognition in schizophrenia) among 50 French schizophrenic patients. European Psychiatry, 2007, 22, 365-370. | 0.1 | 31 |
| 70 | Overview of Animal Models of Schizophrenia. Current Protocols in Neuroscience, 2007, 39, Unit 9.24. | 2.6 | 25 |
| 71 | Stimulating the Development of Drug Treatments to Improve Cognition in Schizophrenia. Annual Review of Clinical Psychology, 2007, 3, 159-180. | 6.3 | 75 |
| 72 | The Course of Neurocognition and Social Functioning in Individuals at Ultra High Risk for Psychosis. Schizophrenia Bulletin, 2007, 33, 772-781. | 2.3 | 139 |
| 73 | Cognitive Functioning in the Schizophrenia Prodrome. Schizophrenia Bulletin, 2007, 33, 761-771. | 2.3 | 202 |
| 74 | The Palau Early Psychosis Study: Neurocognitive functioning in high-risk adolescents. Schizophrenia Research, 2007, 89, 299-307. | 1.1 | 42 |
| 75 | A meta-analysis of cognitive change with haloperidol in clinical trials of atypical antipsychotics: Dose effects and comparison to practice effects. Schizophrenia Research, 2007, 89, 211-224. | 1.1 | 125 |
| 76 | Structural analysis of the basal ganglia in schizophrenia. Schizophrenia Research, 2007, 89, 59-71. | 1.1 | 124 |
| 77 | Parietal lobe volume deficits in schizophrenia spectrum disorders. Schizophrenia Research, 2007, 89, 35-48. | 1.1 | 89 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 78 | Social cognition in schizophrenia: Relationships with neurocognition and negative symptoms. <i>Schizophrenia Research</i> , 2007, 90, 316-324. | 1.1 | 338 |
| 79 | Factor analysis of neurocognitive tests in a large sample of schizophrenic probands, their siblings, and healthy controls. <i>Schizophrenia Research</i> , 2007, 94, 231-239. | 1.1 | 46 |
| 80 | Iowa Gambling Task in schizophrenia: A review and new data in patients with schizophrenia and co-occurring cannabis use disorders. <i>Schizophrenia Research</i> , 2007, 92, 74-84. | 1.1 | 166 |
| 81 | Factor analytic support for social cognition as a separable cognitive domain in schizophrenia. <i>Schizophrenia Research</i> , 2007, 93, 325-333. | 1.1 | 94 |
| 82 | Functional disintegration in paranoid schizophrenia using resting-state fMRI. <i>Schizophrenia Research</i> , 2007, 97, 194-205. | 1.1 | 384 |
| 83 | Social cognitive impairments in first episode psychosis. <i>Schizophrenia Research</i> , 2007, 95, 124-133. | 1.1 | 111 |
| 84 | NCAM1 and Neurocognition in Schizophrenia. <i>Biological Psychiatry</i> , 2007, 61, 902-910. | 0.7 | 80 |
| 85 | Adjudicating neurocognitive endophenotypes for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 242-249. | 1.1 | 93 |
| 86 | Improvement of cognitive functions in chronic schizophrenic patients by recombinant human erythropoietin. <i>Molecular Psychiatry</i> , 2007, 12, 206-220. | 4.1 | 241 |
| 87 | Minocycline, a second-generation tetracycline, as a neuroprotective agent in an animal model of schizophrenia. <i>Brain Research</i> , 2007, 1154, 154-162. | 1.1 | 68 |
| 88 | Cognitive dimensions in first-episode schizophrenia spectrum disorders. <i>Journal of Psychiatric Research</i> , 2007, 41, 968-977. | 1.5 | 77 |
| 89 | Cognitive Deficits in Schizophrenia: Focus on Neuronal Nicotinic Acetylcholine Receptors and Smoking. <i>Cellular and Molecular Neurobiology</i> , 2007, 27, 609-639. | 1.7 | 60 |
| 90 | Developing translational animal models for symptoms of schizophrenia or bipolar mania. <i>Neurotoxicity Research</i> , 2008, 14, 71-78. | 1.3 | 81 |
| 91 | Better pharmacotherapy for schizophrenia: What does the future hold?. <i>Current Psychiatry Reports</i> , 2008, 10, 352-358. | 2.1 | 25 |
| 92 | Executive function and genetic predisposition to schizophrenia—the Maudsley family study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 285-293. | 1.1 | 45 |
| 93 | Neurocognitive endophenotypes for bipolar disorder. <i>Bipolar Disorders</i> , 2008, 10, 387-399. | 1.1 | 67 |
| 94 | Neuropsychological impairment in deficit vs. non-deficit schizophrenia. <i>Journal of Psychiatric Research</i> , 2008, 42, 930-937. | 1.5 | 33 |
| 95 | Emerging Opportunities for Antipsychotic Drug Discovery in the Postgenomic Era. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 1077-1107. | 2.9 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 96 | Voxel-based morphometry in schizophrenia: implications for neurodevelopmental connectivity models, cognition and affect. <i>Expert Review of Neurotherapeutics</i> , 2008, 8, 1049-1065. | 1.4 | 61 |
| 97 | Contradictory cognitive capacities among substance-abusing patients with schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2008, 100, 242-251. | 1.1 | 128 |
| 98 | A potential novel paradigm for testing digit-color synesthetic-like experiences in schizophrenia. <i>Schizophrenia Research</i> , 2008, 98, 329-330. | 1.1 | 3 |
| 99 | How to find the way out from four rooms? The learning of "œchaining" associations may shed light on the neuropsychology of the deficit syndrome of schizophrenia. <i>Schizophrenia Research</i> , 2008, 99, 200-207. | 1.1 | 34 |
| 100 | Clinical global impression of cognition in schizophrenia (CGI-CogS): Reliability and validity of a co-primary measure of cognition. <i>Schizophrenia Research</i> , 2008, 106, 59-69. | 1.1 | 75 |
| 101 | Spanish version of the Screen for Cognitive Impairment in Psychiatry (SCIP-S): Psychometric properties of a brief scale for cognitive evaluation in schizophrenia. <i>Schizophrenia Research</i> , 2008, 99, 139-148. | 1.1 | 78 |
| 102 | Are schizophrenia and schizoaffective disorder neuropsychologically distinguishable?. <i>Schizophrenia Research</i> , 2008, 99, 149-154. | 1.1 | 39 |
| 103 | General and social cognition in first episode schizophrenia: Identification of separable factors and prediction of functional outcome using the IntegNeuro test battery. <i>Schizophrenia Research</i> , 2008, 99, 182-191. | 1.1 | 92 |
| 104 | A polymorphism of the metabotropic glutamate receptor mGluR7 (GRM7) gene is associated with schizophrenia. <i>Schizophrenia Research</i> , 2008, 101, 9-16. | 1.1 | 59 |
| 105 | Comparative psychometric properties of the BACS and RBANS in patients with schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2008, 105, 86-94. | 1.1 | 9 |
| 106 | Temperament and character as schizophrenia-related endophenotypes in non-psychotic siblings. <i>Schizophrenia Research</i> , 2008, 104, 198-205. | 1.1 | 113 |
| 107 | Frontal release signs among patients with schizophrenia, their first-degree biological relatives, and non-psychiatric controls. <i>Schizophrenia Research</i> , 2008, 106, 275-280. | 1.1 | 6 |
| 108 | Predicting Schizophrenia Patients'™ Real-World Behavior with Specific Neuropsychological and Functional Capacity Measures. <i>Biological Psychiatry</i> , 2008, 63, 505-511. | 0.7 | 511 |
| 109 | Identifying Cognitive Mechanisms Targeted for Treatment Development in Schizophrenia: An Overview of the First Meeting of the Cognitive Neuroscience Treatment Research to Improve Cognition in Schizophrenia Initiative. <i>Biological Psychiatry</i> , 2008, 64, 4-10. | 0.7 | 172 |
| 110 | Visual Perception and Its Impairment in Schizophrenia. <i>Biological Psychiatry</i> , 2008, 64, 40-47. | 0.7 | 378 |
| 111 | General and Specific Cognitive Deficits in Schizophrenia: Goliath Defeats David?. <i>Biological Psychiatry</i> , 2008, 64, 823-827. | 0.7 | 232 |
| 112 | Cognitive enhancing drugs for schizophrenia. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2008, 5, 145-150. | 0.5 | 1 |
| 113 | Development and Pilot Testing of a Novel Compensatory Cognitive Training Intervention for People with Psychosis. <i>American Journal of Psychiatric Rehabilitation</i> , 2008, 11, 144-163. | 0.7 | 74 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 114 | Serotonin depletion in the dorsal and ventral hippocampus: Effects on locomotor hyperactivity, prepulse inhibition and learning and memory. <i>Neuropharmacology</i> , 2008, 55, 1048-1055. | 2.0 | 54 |
| 115 | Phenotypic characterization of cognition and social behavior in mice with heterozygous versus homozygous deletion of catechol-O-methyltransferase. <i>Neuroscience</i> , 2008, 155, 1021-1029. | 1.1 | 88 |
| 116 | Predictors of medication competence in schizophrenia patients. <i>Psychiatry Research</i> , 2008, 157, 47-52. | 1.7 | 40 |
| 117 | Analysis of cognitive performance in schizophrenia patients and healthy individuals with unsupervised clustering models. <i>Psychiatry Research</i> , 2008, 159, 167-179. | 1.7 | 34 |
| 118 | Posttraumatic stress disorder, cognitive function and quality of life in patients with schizophrenia. <i>Psychiatry Research</i> , 2008, 159, 140-146. | 1.7 | 49 |
| 119 | Bleuler revisited: Psychomotor slowing in schizophrenia as part of a catatonic symptom cluster. <i>Psychiatry Research</i> , 2008, 161, 121-125. | 1.7 | 17 |
| 120 | Developing New Drugs for Schizophrenia: From Animals to the Clinic. , 2008, , 199-261. | | 18 |
| 122 | A preliminary investigation into the effects of antipsychotics on sub-chronic phencyclidine-induced deficits in attentional set-shifting in female rats. <i>Behavioural Brain Research</i> , 2008, 189, 152-158. | 1.2 | 86 |
| 123 | The effects of atypical and conventional antipsychotics on reduced processing speed and psychomotor slowing in schizophrenia: A cross-sectional exploratory study. <i>Clinical Therapeutics</i> , 2008, 30, 684-692. | 1.1 | 22 |
| 124 | Cognitive and psychomotor effects of risperidone in schizophrenia and schizoaffective disorder. <i>Clinical Therapeutics</i> , 2008, 30, 1565-1589. | 1.1 | 62 |
| 125 | Social cognition as a mediator of cognition and outcome among deaf and hearing people with schizophrenia. <i>Schizophrenia Research</i> , 2008, 105, 125-137. | 1.1 | 28 |
| 126 | Cognitive insight and verbal memory in first episode of psychosis. <i>European Psychiatry</i> , 2008, 23, 368-374. | 0.1 | 69 |
| 127 | Classifying Antipsychotic Agents. <i>CNS Drugs</i> , 2008, 22, 1047-1059. | 2.7 | 15 |
| 128 | Social Cognition Training for Individuals with Schizophrenia: Emerging Evidence. <i>American Journal of Psychiatric Rehabilitation</i> , 2008, 11, 205-252. | 0.7 | 95 |
| 129 | Social Cognition in Schizophrenia: An NIMH Workshop on Definitions, Assessment, and Research Opportunities. <i>Schizophrenia Bulletin</i> , 2008, 34, 1211-1220. | 2.3 | 818 |
| 130 | Seeing is remembering: Do deficits in closure affect visual memory recognition in schizophrenia?. <i>Cognitive Neuropsychiatry</i> , 2008, 13, 385-405. | 0.7 | 6 |
| 131 | The MATRICS Consensus Cognitive Battery, Part 1: Test Selection, Reliability, and Validity. <i>American Journal of Psychiatry</i> , 2008, 165, 203-213. | 4.0 | 1,863 |
| 133 | Galantamine for the Treatment of Cognitive Impairments in People With Schizophrenia. <i>American Journal of Psychiatry</i> , 2008, 165, 82-89. | 4.0 | 161 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 134 | The MATRICS Consensus Cognitive Battery, Part 2: Co-Norming and Standardization. American Journal of Psychiatry, 2008, 165, 214-220. | 4.0 | 593 |
| 135 | Should cognitive impairment be included in the diagnostic criteria for schizophrenia?. World Psychiatry, 2008, 7, 22-28. | 4.8 | 132 |
| 136 | Efficiency of the CATIE and BACS neuropsychological batteries in assessing cognitive effects of antipsychotic treatments in schizophrenia. Journal of the International Neuropsychological Society, 2008, 14, 209-21. | 1.2 | 41 |
| 137 | Individual placement and support for individuals with recent-onset schizophrenia: Integrating supported education and supported employment.. Psychiatric Rehabilitation Journal, 2008, 31, 340-349. | 0.8 | 188 |
| 138 | Neurocognition as a Treatment Target in Schizophrenia. Focus (American Psychiatric Publishing), 2008, 6, 180-183. | 0.4 | 2 |
| 139 | Cognitive, clinical, and functional characteristics of verbally superior schizophrenia patients.. Neuropsychology, 2008, 22, 321-328. | 1.0 | 34 |
| 140 | Cognitive markers of short-term clinical outcome in first-episode psychosis. British Journal of Psychiatry, 2008, 193, 297-304. | 1.7 | 44 |
| 141 | Muscarinic Agonists for the Treatment of Cognition in Schizophrenia. CNS Spectrums, 2008, 13, 985-996. | 0.7 | 47 |
| 142 | Zebrafish: An in vivo model for the study of neurological diseases. Neuropsychiatric Disease and Treatment, 2008, 4, 567. | 1.0 | 159 |
| 143 | CogniÃ§Ã£o social na esquizofrenia: um enfoque em habilidades teoria da mente. Revista De Psiquiatria Do Rio Grande Do Sul, 2009, 31, . | 0.3 | 0 |
| 144 | Cognitive Deficits in Schizophrenia. , 2009, , 1101-1109. | | 1 |
| 145 | Premorbid cognitive deficits in young relatives of schizophrenia patients. Frontiers in Human Neuroscience, 2009, 3, 62. | 1.0 | 63 |
| 146 | Neurocognition in first-episode schizophrenia: A meta-analytic review.. Neuropsychology, 2009, 23, 315-336. | 1.0 | 960 |
| 147 | Impaired conscious and preserved unconscious inhibitory processing in recent onset schizophrenia. Psychological Medicine, 2009, 39, 907-916. | 2.7 | 52 |
| 148 | Dissociation of long-term verbal memory and fronto-executive impairment in first-episode psychosis. Psychological Medicine, 2009, 39, 1799-1808. | 2.7 | 31 |
| 149 | Disruption of Mesolimbic Regulation of Prefrontal Cholinergic Transmission in an Animal Model of Schizophrenia and Normalization by Chronic Clozapine Treatment. Neuropsychopharmacology, 2009, 34, 2710-2720. | 2.8 | 18 |
| 150 | Classification of schizophrenia. Part 2: the nonsense of mental health illness. British Journal of Nursing, 2009, 18, 1228-1232. | 0.3 | 1 |
| 151 | Systemic Hypotheses for Generalized Cognitive Deficits in Schizophrenia: A New Take on An Old Problem. Schizophrenia Bulletin, 2009, 35, 403-414. | 2.3 | 121 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 152 | Executive Functions and the Obsessive-Compulsive Disorder: On the Importance of Subclinical Symptoms and Other Concomitant Factors. Archives of Clinical Neuropsychology, 2009, 24, 585-598. | 0.3 | 47 |
| 153 | Role of processing speed and premorbid IQ on visual recognition in patients with schizophrenia. Journal of Clinical and Experimental Neuropsychology, 2009, 31, 302-311. | 0.8 | 10 |
| 154 | Cognitive profiles of healthy siblings of schizophrenia patients: Application of the cognitive domains of the MATRICS consensus battery. World Journal of Biological Psychiatry, 2009, 10, 452-460. | 1.3 | 15 |
| 155 | Using the MATRICS to guide development of a preclinical cognitive test battery for research in schizophrenia. , 2009, 122, 150-202. | | 285 |
| 156 | Association between cerebral metabolic and structural abnormalities and cognitive performance in schizophrenia. Psychiatry Research - Neuroimaging, 2009, 173, 88-93. | 0.9 | 27 |
| 157 | Aripiprazole ameliorates phencyclidine-induced impairment of recognition memory through dopamine D1 and serotonin 5-HT1A receptors. Psychopharmacology, 2009, 202, 315-328. | 1.5 | 127 |
| 158 | Recent advances in treating cognitive impairment in schizophrenia. Psychopharmacology, 2009, 202, 259-273. | 1.5 | 40 |
| 159 | Relationships among neurocognition, symptoms and functioning in patients with schizophrenia: a path-analytic approach for associations at baseline and following 24 weeks of antipsychotic drug therapy. BMC Psychiatry, 2009, 9, 44. | 1.1 | 57 |
| 160 | Suicidality Connected with Mentalizing Anomalies in Schizophrenia. Annals of the New York Academy of Sciences, 2009, 1167, 207-211. | 1.8 | 12 |
| 162 | Modeling cognitive endophenotypes of schizophrenia in mice. Trends in Neurosciences, 2009, 32, 347-358. | 4.2 | 133 |
| 163 | Absence of established sex differences in patients with schizophrenia on a two-dimensional object array task. Psychiatry Research, 2009, 166, 158-165. | 1.7 | 9 |
| 164 | The orphan GPCR, GPR88, modulates function of the striatal dopamine system: A possible therapeutic target for psychiatric disorders?. Molecular and Cellular Neurosciences, 2009, 42, 438-447. | 1.0 | 79 |
| 165 | Schizophrenia and epilepsy: Is there a shared susceptibility?. Neuroscience Research, 2009, 63, 227-235. | 1.0 | 121 |
| 166 | Bridging the gap between schizophrenia and psychotic mood disorders: Relating neurocognitive deficits to psychopathology. Schizophrenia Research, 2009, 107, 69-75. | 1.1 | 56 |
| 167 | Psychomotor planning is deficient in recent-onset schizophrenia. Schizophrenia Research, 2009, 107, 294-302. | 1.1 | 35 |
| 168 | Commentary on O'Halloran et al. Schizophrenia Research, 2009, 107, 327-329. | 1.1 | 2 |
| 169 | Psychopathology and cognition in divergent functional outcomes in schizophrenia. Schizophrenia Research, 2009, 109, 46-51. | 1.1 | 19 |
| 170 | Symptoms as mediators of the relationship between neurocognition and functional outcome in schizophrenia: A meta-analysis. Schizophrenia Research, 2009, 113, 189-199. | 1.1 | 462 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 171 | Lurasidone: a new drug in development for schizophrenia. <i>Expert Opinion on Investigational Drugs</i> , 2009, 18, 1715-1726. | 1.9 | 115 |
| 172 | Explicit identification and implicit recognition of facial emotions: II. Core domains and relationships with general cognition. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2009, 31, 278-291. | 0.8 | 98 |
| 173 | Are psychotic psychopathology and neurocognition orthogonal? A systematic review of their associations.. <i>Psychological Bulletin</i> , 2009, 135, 157-171. | 5.5 | 241 |
| 174 | Removing Obstacles in Neuroscience Drug Discovery: The Future Path for Animal Models. <i>Neuropsychopharmacology</i> , 2009, 34, 74-89. | 2.8 | 301 |
| 175 | CNTRICS Final Task Selection: Control of Attention. <i>Schizophrenia Bulletin</i> , 2009, 35, 182-196. | 2.3 | 84 |
| 176 | Disturbances in the spontaneous attribution of social meaning in schizophrenia. <i>Psychological Medicine</i> , 2009, 39, 635-643. | 2.7 | 50 |
| 177 | The predictive value of measures of social cognition for community functioning in schizophrenia: Implications for neuropsychological assessment. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 239-247. | 1.2 | 78 |
| 178 | Neuroimaging Studies of Substance Abuse in Schizophrenia. <i>Current Psychiatry Reviews</i> , 2009, 5, 250-260. | 0.9 | 3 |
| 179 | Treating the Cognitive Deficits of Schizophrenia with Alpha4Beta2 Neuronal Nicotinic Receptor Agonists. <i>Current Pharmaceutical Design</i> , 2010, 16, 309-322. | 0.9 | 51 |
| 180 | Metabotropic Glutamate Receptors as Therapeutic Targets for Cognitive Disorders. <i>Current Topics in Medicinal Chemistry</i> , 2010, 10, 187-206. | 1.0 | 37 |
| 182 | Are working memory deficits in bipolar disorder markers for psychosis?. <i>Neuropsychology</i> , 2010, 24, 244-254. | 1.0 | 29 |
| 183 | No association between prepulse inhibition of the startle reflex and neuropsychological deficit in chronic schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 609-615. | 1.8 | 9 |
| 184 | Deficient maturation of aspects of attention and executive functions in early onset schizophrenia. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 773-786. | 2.8 | 25 |
| 185 | Promise and Pitfalls of Animal Models of Schizophrenia. <i>Current Psychiatry Reports</i> , 2010, 12, 327-334. | 2.1 | 26 |
| 186 | Evidence of association of KIBRA genotype with episodic memory in families of psychotic patients and controls. <i>Journal of Psychiatric Research</i> , 2010, 44, 795-798. | 1.5 | 31 |
| 187 | Grammatical processing in schizophrenia: Evidence from morphology. <i>Neuropsychologia</i> , 2010, 48, 262-269. | 0.7 | 20 |
| 188 | Metabotropic glutamate receptor 7: At the interface of cognition and emotion. <i>European Journal of Pharmacology</i> , 2010, 639, 123-131. | 1.7 | 75 |
| 189 | Aripiprazole in schizophrenia and schizoaffective disorder: A review. <i>Clinical Therapeutics</i> , 2010, 32, S3-S20. | 1.1 | 86 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 190 | Neurocognitive markers of psychosis in bipolar disorder: A meta-analytic study. <i>Journal of Affective Disorders</i> , 2010, 127, 1-9. | 2.0 | 125 |
| 191 | The impact of a genome-wide supported psychosis variant in the <i>ZNF804A</i> gene on memory function in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1459-1464. | 1.1 | 57 |
| 192 | Stochastic dynamics of stimulus encoding in schizophrenia: Theory, testing, and application. <i>Journal of Mathematical Psychology</i> , 2010, 54, 90-108. | 1.0 | 18 |
| 193 | Assessing cognitive function in clinical trials of schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2010, 34, 1161-1177. | 2.9 | 152 |
| 194 | Research Review: attention bias modification (ABM): a novel treatment for anxiety disorders. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010, 51, 859-870. | 3.1 | 459 |
| 195 | The antecedents of non-affective psychosis in a birth-cohort, with a focus on measures related to cognitive ability, attentional dysfunction and speech problems. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 273-279. | 2.2 | 26 |
| 196 | Is there an association between neurocognitive performance and medication adherence in first episode psychosis?. <i>Microbial Biotechnology</i> , 2010, 4, 189-195. | 0.9 | 21 |
| 197 | The International Society for Bipolar Disorders' Battery for Assessment of Neurocognition (ISBD-BANC). <i>Bipolar Disorders</i> , 2010, 12, 351-363. | 1.1 | 218 |
| 198 | Neurocognition. , 0, , 97-119. | | 2 |
| 199 | Exploration of a genomic expression and pathway analysis approach to neurocognitive performance: preliminary findings. <i>Neurobehavioral HIV Medicine</i> , 2010, , 23. | 2.0 | 0 |
| 200 | Factor Structure of the Neurocognitive Tests: An Application of the Confirmative Factor Analysis in Stabilized Schizophrenia Patients. <i>Journal of Korean Medical Science</i> , 2010, 25, 276. | 1.1 | 11 |
| 201 | Neurobiology and etiology of primary schizophrenia: current status. , 2010, , 3-15. | | 3 |
| 202 | Anticipating DSM-V: Opportunities and Challenges for Cognition and Psychosis. <i>Schizophrenia Bulletin</i> , 2010, 36, 43-47. | 2.3 | 38 |
| 203 | Factor Structures of the Neurocognitive Assessments and Familial Analysis in First-Episode Schizophrenia Patients, Their Relatives and Controls. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 109-119. | 1.3 | 21 |
| 204 | Investigating cognitive deficits and symptomatology across pre-morbid adjustment patterns in first-episode psychosis. <i>Psychological Medicine</i> , 2010, 40, 749-759. | 2.7 | 26 |
| 205 | The dopamine D3 receptor antagonist, S33138, counters cognitive impairment in a range of rodent and primate procedures. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 1035-1051. | 1.0 | 70 |
| 206 | Sustained Attention and Planning Deficits but Intact Attentional Set-Shifting in Neuroleptic-Naïve First-Episode Schizophrenia Patients. <i>Neuropsychobiology</i> , 2010, 61, 79-86. | 0.9 | 31 |
| 207 | Cognitive Performance and Functional Competence as Predictors of Community Independence in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2010, 36, 381-387. | 2.3 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 208 | New Opportunities in the Treatment of Cognitive Impairments Associated With Schizophrenia. <i>Current Directions in Psychological Science</i> , 2010, 19, 264-269. | 2.8 | 7 |
| 209 | Use of the Repeatable Battery for the Assessment of Neuropsychological Status (RBANS) to Investigate Group and Gender Differences in Schizophrenia and Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 220-229. | 1.3 | 63 |
| 210 | Neurocognitive function in schizophrenia with comorbid posttraumatic stress disorder. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010, 32, 737-751. | 0.8 | 21 |
| 211 | Cognitive function, social functioning and quality of life in first-episode psychosis: A 1-year longitudinal study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010, 14, 33-40. | 1.2 | 15 |
| 212 | Neuropsychology of the Prodrome to Psychosis in the NAPLS Consortium Relationship to Family History and Conversion to Psychosis. <i>Archives of General Psychiatry</i> , 2010, 67, 578. | 13.8 | 390 |
| 213 | Declarative and nondeclarative memory in schizophrenia: What is impaired? What is spared?. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010, 32, 1017-1027. | 0.8 | 22 |
| 214 | Programas de Rehabilitaci3n Psicosocial en la Atenci3n Comunitaria a las Personas con Psicosis. <i>Clinica Y Salud</i> , 2010, 21, 319-332. | 0.3 | 6 |
| 215 | Pharmacological Interventions. <i>Key Issues in Mental Health</i> , 2010, , 145-157. | 0.6 | 1 |
| 216 | Evaluating the Impact of Behavioral Healthcare Informatics. <i>Computers in Health Care</i> , 2010, , 181-193. | 0.2 | 0 |
| 217 | Models of Neurodevelopmental Abnormalities in Schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2010, 4, 435-481. | 0.8 | 60 |
| 218 | Combined Treatment Approaches: Overview and Empirical Results. <i>Key Issues in Mental Health</i> , 2010, , 85-103. | 0.6 | 2 |
| 219 | Integrated Psychological Therapy and Integrated Neurocognitive Therapy. <i>Key Issues in Mental Health</i> , 2010, , 118-144. | 0.6 | 20 |
| 220 | Static and Dynamic Cognitive Deficits in Childhood Preceding Adult Schizophrenia: A 30-Year Study. <i>American Journal of Psychiatry</i> , 2010, 167, 160-169. | 4.0 | 483 |
| 221 | Toward a Model of Cognitive Insight in First-Episode Psychosis: Verbal Memory and Hippocampal Structure. <i>Schizophrenia Bulletin</i> , 2010, 36, 1040-1049. | 2.3 | 65 |
| 222 | Definition and Measurement of Neurocognition and Social Cognition. <i>Key Issues in Mental Health</i> , 2010, , 1-22. | 0.6 | 8 |
| 223 | Cognitive Improvement by Activation of α7 Nicotinic Acetylcholine Receptors: From Animal Models to Human Pathophysiology. <i>Current Pharmaceutical Design</i> , 2010, 16, 323-343. | 0.9 | 182 |
| 224 | Translating Experimental Neuroscience into Treatment of Eating Disorders: Two Examples. <i>Current Topics in Behavioral Neurosciences</i> , 2010, 6, 253-268. | 0.8 | 2 |
| 225 | Early signs, diagnosis and therapeutics of the prodromal phase of schizophrenia and related psychotic disorders. <i>Expert Review of Neurotherapeutics</i> , 2010, 10, 1347-1359. | 1.4 | 152 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 226 | Disruption of Performance in the Five-Choice Serial Reaction Time Task Induced By Administration of N-Methyl-D-Aspartate Receptor Antagonists: Relevance to Cognitive Dysfunction in Schizophrenia. <i>Biological Psychiatry</i> , 2010, 68, 5-16. | 0.7 | 113 |
| 229 | Neurocognitive diagnosis and cut-off scores of the Screen for Cognitive Impairment in Psychiatry (SCIP-S). <i>Schizophrenia Research</i> , 2010, 116, 243-251. | 1.1 | 55 |
| 230 | Executive function in schizophrenia: Influence of substance use disorder history. <i>Schizophrenia Research</i> , 2010, 118, 34-40. | 1.1 | 19 |
| 231 | Emotional experience predicts social adjustment independent of neurocognition and social cognition in schizophrenia. <i>Schizophrenia Research</i> , 2010, 122, 156-163. | 1.1 | 36 |
| 232 | Switching schizophrenia patients from typical neuroleptics to aripiprazole: Effects on working memory dependent functional activation. <i>Schizophrenia Research</i> , 2010, 118, 189-200. | 1.1 | 51 |
| 233 | Short term neurocognitive effects of treatment with ziprasidone and olanzapine in recent onset schizophrenia. <i>Schizophrenia Research</i> , 2010, 120, 191-198. | 1.1 | 20 |
| 234 | An investigation of 3 neurocognitive subtypes in schizophrenia. <i>Schizophrenia Research</i> , 2010, 121, 32-38. | 1.1 | 24 |
| 235 | The Cognitive Assessment Interview (CAI): Development and validation of an empirically derived, brief interview-based measure of cognition. <i>Schizophrenia Research</i> , 2010, 121, 24-31. | 1.1 | 76 |
| 236 | Language, motor and speed of processing deficits in adolescents with subclinical psychotic symptoms. <i>Schizophrenia Research</i> , 2010, 123, 71-76. | 1.1 | 77 |
| 237 | Disorganization and reality distortion in schizophrenia: A meta-analysis of the relationship between positive symptoms and neurocognitive deficits. <i>Schizophrenia Research</i> , 2010, 121, 1-14. | 1.1 | 143 |
| 238 | Neuropsychological profiles in individuals at clinical high risk for psychosis: Relationship to psychosis and intelligence. <i>Schizophrenia Research</i> , 2010, 123, 188-198. | 1.1 | 107 |
| 239 | Attention Deficits and Response to Drug Therapy in Patients With Treatment-Resistant Schizophrenia: Results Through Confirmatory Factorial Analysis. <i>Revista De Psiquiatria Y Salud Mental (English)</i> Tj ETQq1 1 0.784314 rgBT /@verlock | 1.1 | 14 |
| 240 | Cognitive Complaints in Schizophrenia: Relationship With Insight and Other Cognitive Measures. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2010, 3, 55-60. | 0.2 | 6 |
| 241 | Cortical Kynurenine Pathway Metabolism: A Novel Target for Cognitive Enhancement in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2010, 36, 211-218. | 2.3 | 165 |
| 242 | Reduced prefrontal activation during Tower of London in first-episode schizophrenia: A multi-channel near-infrared spectroscopy study. <i>Neuroscience Letters</i> , 2010, 478, 136-140. | 1.0 | 31 |
| 243 | Advancing a functional genomics for schizophrenia: Psychopathological and cognitive phenotypes in mutants with gene disruption. <i>Brain Research Bulletin</i> , 2010, 83, 162-176. | 1.4 | 31 |
| 244 | Effects on cognitive functioning after olanzapineâ€“ziprasidone crossover in recent-onset schizophrenia. <i>European Neuropsychopharmacology</i> , 2010, 20, 907-912. | 0.3 | 9 |
| 245 | The Hippocampal Formation in Schizophrenia. <i>American Journal of Psychiatry</i> , 2010, 167, 1178-1193. | 4.0 | 507 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 246 | Neuropsychology of Treatment-Resistant Schizophrenia. <i>Advances in Biological Psychiatry</i> , 2010, , 33-51. | 0.2 | 3 |
| 247 | Animal Models of Schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2010, 4, 391-433. | 0.8 | 75 |
| 248 | Behavioral Neurobiology of Schizophrenia and Its Treatment. <i>Current Topics in Behavioral Neurosciences</i> , 2010, , . | 0.8 | 8 |
| 249 | A Meta-Analysis of Neuropsychological Functioning in Patients with Early Onset Schizophrenia and Pediatric Bipolar Disorder. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2011, 40, 266-280. | 2.2 | 65 |
| 250 | Reducing Prefrontal Gamma-Aminobutyric Acid Activity Induces Cognitive, Behavioral, and Dopaminergic Abnormalities That Resemble Schizophrenia. <i>Biological Psychiatry</i> , 2011, 69, 432-441. | 0.7 | 147 |
| 251 | A Randomized Clinical Trial of MK-0777 for the Treatment of Cognitive Impairments in People with Schizophrenia. <i>Biological Psychiatry</i> , 2011, 69, 442-449. | 0.7 | 155 |
| 252 | Schizophrenia: Treatment Targets Beyond Monoamine Systems. <i>Annual Review of Pharmacology and Toxicology</i> , 2011, 51, 189-209. | 4.2 | 56 |
| 253 | Cognitive and symptomatic predictors of functional disability in schizophrenia. <i>Schizophrenia Research</i> , 2011, 126, 257-264. | 1.1 | 162 |
| 254 | Duration of untreated psychosis is associated with orbitalâ€“frontal grey matter volume reductions in first episode psychosis. <i>Schizophrenia Research</i> , 2011, 125, 13-20. | 1.1 | 84 |
| 255 | PAOPA, a potent analogue of Pro-Leu-glycinamide and allosteric modulator of the dopamine D2 receptor, prevents NMDA receptor antagonist (MK-801)-induced deficits in social interaction in the rat: Implications for the treatment of negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2011, 125, 88-92. | 1.1 | 29 |
| 256 | Cognition at illness onset as a predictor of later functional outcome in early psychosis: Systematic review and methodological critique. <i>Schizophrenia Research</i> , 2011, 125, 221-235. | 1.1 | 159 |
| 257 | The MCCB impairment profile for schizophrenia outpatients: Results from the MATRICS psychometric and standardization study. <i>Schizophrenia Research</i> , 2011, 126, 124-131. | 1.1 | 204 |
| 258 | Alcohol use disorders contribute to hippocampal and subcortical shape differences in schizophrenia. <i>Schizophrenia Research</i> , 2011, 131, 174-183. | 1.1 | 28 |
| 259 | Medial prefrontal cortical synapsin II knock-down induces behavioral abnormalities in the rat: Examining synapsin II in the pathophysiology of schizophrenia. <i>Schizophrenia Research</i> , 2011, 130, 250-259. | 1.1 | 24 |
| 260 | Effectiveness of different modalities of cognitive remediation on symptomatological, neuropsychological, and functional outcome domains in schizophrenia: A prospective study in a real-world setting. <i>Schizophrenia Research</i> , 2011, 133, 223-231. | 1.1 | 57 |
| 261 | Reliability of the Chinese VALPAR Pro3000 Modular Assessment System for Assessing Persons with Mental Illness. <i>Hong Kong Journal of Occupational Therapy</i> , 2011, 21, 50-55. | 0.2 | 1 |
| 263 | The role of NR4A transcription factors in memory formation. <i>Brain Research Bulletin</i> , 2011, 85, 21-29. | 1.4 | 111 |
| 264 | Antipsychotic drugs reverse MK-801-induced cognitive and social interaction deficits in zebrafish (<i>Danio rerio</i>). <i>Behavioural Brain Research</i> , 2011, 224, 135-139. | 1.2 | 81 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 265 | Semantic fluency and executive functions as candidate endophenotypes for the early diagnosis of schizophrenia in Han Chinese. <i>Neuroscience Letters</i> , 2011, 502, 173-177. | 1.0 | 29 |
| 266 | Declarative memory deficits and schizophrenia: Problems and prospects. <i>Neurobiology of Learning and Memory</i> , 2011, 96, 544-552. | 1.0 | 41 |
| 267 | Contribution of specific cognitive dysfunction to people with schizotypal personality. <i>Psychiatry Research</i> , 2011, 186, 71-75. | 1.7 | 14 |
| 269 | Spanish Validation Of the Brief Assessment in Cognition in Schizophrenia (Bacs) in Patients With Schizophrenia and Healthy Controls. <i>European Psychiatry</i> , 2011, 26, 69-73. | 0.1 | 62 |
| 270 | Psychopathologic, neuropsychological and functional outcome measures during cognitive rehabilitation in schizophrenia: A prospective controlled study in a real-world setting. <i>European Psychiatry</i> , 2011, 26, 276-283. | 0.1 | 24 |
| 271 | Cognition dopamine and bioactive lipids in schizophrenia. <i>Frontiers in Bioscience - Scholar</i> , 2011, S3, 298-330. | 0.8 | 46 |
| 272 | Phencyclidine disturbs relational memory in the transitive inference task. <i>Behavioural Pharmacology</i> , 2011, 22, 262-265. | 0.8 | 3 |
| 273 | Experimental Pain Hypersensitivity in Schizophrenic Patients. <i>Clinical Journal of Pain</i> , 2011, 27, 790-795. | 0.8 | 27 |
| 275 | Processing Speed and Working Memory Span: Their Differential Role in Superficial and Deep Memory Processes in Schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2011, 17, 485-493. | 1.2 | 12 |
| 277 | Crystallized verbal skills in schizophrenia: Relationship to neurocognition, symptoms, and functional status.. <i>Neuropsychology</i> , 2011, 25, 784-791. | 1.0 | 9 |
| 279 | Animal Model for Schizophrenia That Reflects Gene-Environment Interactions. <i>Biological and Pharmaceutical Bulletin</i> , 2011, 34, 1364-1368. | 0.6 | 32 |
| 280 | Domains of cognitive impairment in bipolar disorder: commentary on "The International Society for Bipolar Disorders-Battery for Assessment of Neurocognition (ISBD-BANC)". <i>Bipolar Disorders</i> , 2011, 13, 217-218. | 1.1 | 3 |
| 281 | Animal models of schizophrenia. <i>British Journal of Pharmacology</i> , 2011, 164, 1162-1194. | 2.7 | 613 |
| 282 | Meta-analytic review of neurocognition in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 165-174. | 2.2 | 134 |
| 283 | Delayed procedural learning in $\alpha 7$ -nicotinic acetylcholine receptor knockout mice. <i>Genes, Brain and Behavior</i> , 2011, 10, 720-733. | 1.1 | 81 |
| 284 | The MATRICS Consensus Cognitive Battery in Patients with Bipolar I Disorder. <i>Neuropsychopharmacology</i> , 2011, 36, 1587-1592. | 2.8 | 163 |
| 285 | Thalamic morphology in schizophrenia and schizoaffective disorder. <i>Journal of Psychiatric Research</i> , 2011, 45, 378-385. | 1.5 | 46 |
| 286 | Putative cognitive enhancers in preclinical models related to schizophrenia: The search for an elusive target. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 99, 164-189. | 1.3 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 287 | Translating cognition from animals to humans. <i>Biochemical Pharmacology</i> , 2011, 81, 1356-1366. | 2.0 | 123 |
| 288 | The mGluR2/3 agonist LY379268 reverses post-weaning social isolation-induced recognition memory deficits in the rat. <i>Psychopharmacology</i> , 2011, 214, 269-283. | 1.5 | 74 |
| 289 | Recent developments in neuropsychological endophenotypes for schizophrenia: Development of the MATRICS battery, liability syndromes and the near future. <i>Science Bulletin</i> , 2011, 56, 3385-3393. | 1.7 | 1 |
| 290 | Pain insensitivity in schizophrenia. <i>Douleur Et Analgesie</i> , 2011, 24, 152-159. | 0.2 | 0 |
| 291 | The relationship between neurocognition and social cognition with functional outcomes in schizophrenia: A meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 573-588. | 2.9 | 1,489 |
| 292 | Visual Context Processing Deficits in Schizophrenia: Effects of Deafness and Disorganization. <i>Schizophrenia Bulletin</i> , 2011, 37, 716-726. | 2.3 | 39 |
| 294 | Insight in Psychosis: Relationship With Neurocognition, Social Cognition and Clinical Symptoms Depends on Phase of Illness. <i>Schizophrenia Bulletin</i> , 2011, 37, 29-37. | 2.3 | 86 |
| 295 | Effectiveness of Integrated Psychological Therapy (IPT) for Schizophrenia Patients: A Research Update. <i>Schizophrenia Bulletin</i> , 2011, 37, S71-S79. | 2.3 | 154 |
| 296 | What Is It like to Be a Person with Schizophrenia in the Social World? A First-Person Perspective Study on Schizophrenic Dissociality – Part 1: State of the Art. <i>Psychopathology</i> , 2011, 44, 172-182. | 1.1 | 41 |
| 297 | The emerging biology of delusions. <i>Psychological Medicine</i> , 2011, 41, 7-13. | 2.7 | 21 |
| 298 | Neurocognitive prediction of illness knowledge after psychoeducation in schizophrenia: results from the Munich COGPIP study. <i>Psychological Medicine</i> , 2011, 41, 533-544. | 2.7 | 22 |
| 299 | Social Cognition as a Mediator Variable Between Neurocognition and Functional Outcome in Schizophrenia: Empirical Review and New Results by Structural Equation Modeling. <i>Schizophrenia Bulletin</i> , 2011, 37, S41-S54. | 2.3 | 404 |
| 300 | Neurocognitive Predictors of Work Outcome in Recent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2011, 37, S33-S40. | 2.3 | 256 |
| 301 | Efficacy and specificity of computer-assisted cognitive remediation in schizophrenia: a meta-analytical study. <i>Psychological Medicine</i> , 2011, 41, 163-173. | 2.7 | 198 |
| 302 | Cognitive Factor Structure and Invariance in People With Schizophrenia, Their Unaffected Siblings, and Controls. <i>Schizophrenia Bulletin</i> , 2011, 37, 1157-1167. | 2.3 | 72 |
| 303 | Bifactor and item response theory analyses of interviewer report scales of cognitive impairment in schizophrenia.. <i>Psychological Assessment</i> , 2011, 23, 245-261. | 1.2 | 45 |
| 304 | Comparative effects of different test day challenges on performance in the 5-choice serial reaction time task.. <i>Behavioral Neuroscience</i> , 2011, 125, 764-774. | 0.6 | 46 |
| 305 | A Brief Cognitive Assessment Tool for Schizophrenia: Construction of a Tool for Clinicians. <i>Schizophrenia Bulletin</i> , 2011, 37, 538-545. | 2.3 | 77 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 306 | Cognitive Functioning in Schizophrenia and Co-occurring Substance Use Disorder: Where Do We Go From Here?. <i>Journal of Dual Diagnosis</i> , 2012, 8, 48-49. | 0.7 | 5 |
| 307 | Are Cardiovascular Risk Factors Associated with Verbal Learning and Memory Impairment in Patients with Schizophrenia? A Cross-Sectional Study. <i>Cardiovascular Psychiatry and Neurology</i> , 2012, 2012, 1-8. | 0.8 | 11 |
| 308 | Reading Times and Adaptive Styles among Patients Diagnosed with Psychosis as Assessed by the Serial Color-Word Test. <i>Perceptual and Motor Skills</i> , 2012, 114, 3-15. | 0.6 | 0 |
| 309 | Cardiac Responses during Picture Viewing in Young Male Patients with Schizophrenia. <i>Cardiovascular Psychiatry and Neurology</i> , 2012, 2012, 1-11. | 0.8 | 3 |
| 310 | Comparing Retrospective Reports to Real-Time/Real-Place Mobile Assessments in Individuals With Schizophrenia and a Nonclinical Comparison Group. <i>Schizophrenia Bulletin</i> , 2012, 38, 396-404. | 2.3 | 87 |
| 311 | Cognitive Functioning in Prodromal Psychosis. <i>Archives of General Psychiatry</i> , 2012, 69, 562-71. | 13.8 | 567 |
| 312 | Emotion Effects on Attention, Amygdala Activation, and Functional Connectivity in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 967-980. | 2.3 | 91 |
| 313 | Clinical, Functional, and Intertask Correlations of Measures Developed by the Cognitive Neuroscience Test Reliability and Clinical Applications for Schizophrenia Consortium. <i>Schizophrenia Bulletin</i> , 2012, 38, 144-152. | 2.3 | 83 |
| 314 | The puzzle of schizophrenia: Tracking the core role of cognitive deficits. <i>Development and Psychopathology</i> , 2012, 24, 529-536. | 1.4 | 35 |
| 315 | Paradoxical Cognitive Capacities in Dual Diagnosis Schizophrenia: The Quest for Explanatory Factors. <i>Journal of Dual Diagnosis</i> , 2012, 8, 35-47. | 0.7 | 22 |
| 316 | Cognitive Deficits in Schizophrenia and Alcoholism: A Review of the Evidence and Findings on the Effects of Treatment on Cognitive Functioning in Patients With Dual Diagnoses. <i>Journal of Dual Diagnosis</i> , 2012, 8, 205-217. | 0.7 | 5 |
| 317 | The causal relationships between neurocognition, social cognition and functional outcome over time in schizophrenia: a latent difference score approach. <i>Psychological Medicine</i> , 2012, 42, 2287-2299. | 2.7 | 109 |
| 319 | Treating Impaired Cognition in Schizophrenia. <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 1587-1594. | 0.9 | 38 |
| 320 | Neurocognition and Cognitive Biases in Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 724-727. | 0.5 | 12 |
| 323 | Executive functioning during full and partial remission (positive and negative symptomatic remission) of schizophrenia. <i>Schizophrenia Research</i> , 2012, 142, 122-128. | 1.1 | 21 |
| 324 | Dedifferentiation and substitute strategy: Deconstructing the processing-speed impairment in schizophrenia. <i>Schizophrenia Research</i> , 2012, 142, 129-136. | 1.1 | 23 |
| 325 | Clinical correlates associated with cognitive dysfunction in people with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 491-498. | 1.0 | 20 |
| 326 | Homocysteine and cognition in first-episode psychosis patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 557-564. | 1.8 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 327 | A validation of cognitive biomarkers for the early identification of cognitive enhancing agents in schizotypy: A three-center double-blind placebo-controlled study. <i>European Neuropsychopharmacology</i> , 2012, 22, 469-481. | 0.3 | 40 |
| 328 | The effects of guided discontinuation of antipsychotics on neurocognition in first onset psychosis. <i>European Psychiatry</i> , 2012, 27, 275-280. | 0.1 | 41 |
| 329 | Stigma as a predictor of insight in schizophrenia. <i>Psychiatry Research</i> , 2012, 198, 187-193. | 1.7 | 26 |
| 330 | Theory of mind and context processing in schizophrenia: The role of cognitive flexibility. <i>Psychiatry Research</i> , 2012, 200, 184-192. | 1.7 | 58 |
| 331 | Schizotypal traits and neurocognitive functioning among nonclinical young adults. <i>Psychiatry Research</i> , 2012, 200, 635-640. | 1.7 | 14 |
| 332 | Cognitive and social cognitive predictors of change in objective versus subjective quality-of-life in rehabilitation for schizophrenia. <i>Psychiatry Research</i> , 2012, 200, 102-107. | 1.7 | 20 |
| 333 | Relationships Between Behavioral Syndromes and Cognitive Domains in Alzheimer Disease: The Impact of Mood and Psychosis. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 994-1000. | 0.6 | 49 |
| 334 | Targeting cognitive deficits in schizophrenia: a review of the development of a new class of medicines from the perspective of community mental health researchers. <i>Expert Opinion on Investigational Drugs</i> , 2012, 21, 7-14. | 1.9 | 5 |
| 336 | Using Contemporary Technologies in the Assessment and Treatment of Serious Mental Illness. <i>American Journal of Psychiatric Rehabilitation</i> , 2012, 15, 357-376. | 0.7 | 38 |
| 337 | Schizophrenia and tobacco smoking comorbidity: nAChR agonists in the treatment of schizophrenia-associated cognitive deficits. <i>Neuropharmacology</i> , 2012, 62, 1564-1573. | 2.0 | 111 |
| 338 | NMDA receptors, cognition and schizophrenia – Testing the validity of the NMDA receptor hypofunction hypothesis. <i>Neuropharmacology</i> , 2012, 62, 1401-1412. | 2.0 | 165 |
| 339 | Rats tested after a washout period from sub-chronic PCP administration exhibited impaired performance in the 5-Choice Continuous Performance Test (5C-CPT) when the attentional load was increased. <i>Neuropharmacology</i> , 2012, 62, 1432-1441. | 2.0 | 59 |
| 340 | Social Cognition in Schizophrenia, Part 1: Performance Across Phase of Illness. <i>Schizophrenia Bulletin</i> , 2012, 38, 854-864. | 2.3 | 354 |
| 341 | Deficits in emotional learning and memory in an animal model of schizophrenia. <i>Behavioural Brain Research</i> , 2012, 233, 35-44. | 1.2 | 34 |
| 342 | Association of genetic variations in <i>DTNBP1</i> with cognitive function in schizophrenia patients and healthy subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 841-849. | 1.1 | 14 |
| 343 | Behavioral Animal Models to Assess Pro-cognitive Treatments for Schizophrenia. <i>Handbook of Experimental Pharmacology</i> , 2012, , 39-79. | 0.9 | 24 |
| 344 | Severe Cross-Modal Object Recognition Deficits in Rats Treated Sub-Chronically with NMDA Receptor Antagonists are Reversed by Systemic Nicotine: Implications for Abnormal Multisensory Integration in Schizophrenia. <i>Neuropsychopharmacology</i> , 2012, 37, 2322-2331. | 2.8 | 38 |
| 345 | CHAPTER 4. Glutamatergic Approaches for the Treatment of Schizophrenia. <i>RSC Drug Discovery Series</i> , 2012, , 56-98. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 346 | Magnitude of Impact of Executive Functioning and IQ on Episodic Memory in Schizophrenia. <i>Biological Psychiatry</i> , 2012, 71, 545-551. | 0.7 | 23 |
| 347 | Impaired Visual Cortical Plasticity in Schizophrenia. <i>Biological Psychiatry</i> , 2012, 71, 512-520. | 0.7 | 118 |
| 348 | The MATRICS Consensus Cognitive Battery (MCCB): Co-norming and standardization in Spain. <i>Schizophrenia Research</i> , 2012, 134, 279-284. | 1.1 | 62 |
| 349 | Hierarchical structure of the cognitive processes in schizophrenia: the fundamental role of processing speed. <i>Schizophrenia Research</i> , 2012, 135, 72-78. | 1.1 | 72 |
| 350 | Self-reported empathy deficits are uniquely associated with poor functioning in schizophrenia. <i>Schizophrenia Research</i> , 2012, 137, 196-202. | 1.1 | 76 |
| 351 | Muscarinic M1 receptor sequence: Preliminary studies on its effects on cognition and expression. <i>Schizophrenia Research</i> , 2012, 138, 94-98. | 1.1 | 20 |
| 352 | Hippocampal novelty activations in schizophrenia: Disease and medication effects. <i>Schizophrenia Research</i> , 2012, 138, 157-163. | 1.1 | 27 |
| 353 | Longitudinal progression of frontal and temporal lobe changes in schizophrenia. <i>Schizophrenia Research</i> , 2012, 139, 1-6. | 1.1 | 75 |
| 354 | Cholinergic pathways and cognition in patients with schizophrenia: A pilot study. <i>Schizophrenia Research</i> , 2012, 139, 46-52. | 1.1 | 8 |
| 355 | Metabotropic Glutamate Receptors for New Treatments in Schizophrenia. <i>Handbook of Experimental Pharmacology</i> , 2012, , 297-365. | 0.9 | 33 |
| 356 | Cognitive Impairment in Schizophrenia. <i>Handbook of Experimental Pharmacology</i> , 2012, , 11-37. | 0.9 | 335 |
| 357 | The Role of Dopamine D3 Receptors in Antipsychotic Activity and Cognitive Functions. <i>Handbook of Experimental Pharmacology</i> , 2012, , 167-210. | 0.9 | 90 |
| 358 | L'Évaluation des fonctions neurocognitives dans la schizophrénie: de l'examen complémentaire à la fonction thérapeutique. <i>Journal De Thérapie Comportementale Et Cognitive</i> , 2012, 22, 117-124. | 0.2 | 0 |
| 359 | De l'importance du bilan neuropsychologique avant la TCC pour les patients souffrant de schizophrénie. <i>Journal De Thérapie Comportementale Et Cognitive</i> , 2012, 22, 111-116. | 0.2 | 0 |
| 360 | A human computer interface driven rehabilitation system for upper limb motion recovery. , 2012, , . | | 0 |
| 361 | Schizotypy and genetic loading for schizophrenia impact upon neuropsychological status in bipolar II and unipolar major depressive disorders. <i>Journal of Affective Disorders</i> , 2012, 142, 225-232. | 2.0 | 23 |
| 362 | The feasibility and validity of ambulatory self-report of psychotic symptoms using a smartphone software application. <i>BMC Psychiatry</i> , 2012, 12, 172. | 1.1 | 161 |
| 363 | Neurofeedback for the treatment of schizophrenia: Case study. , 2012, , . | | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 364 | Attentional Processing in C57BL/6J Mice Exposed to Developmental Vitamin D Deficiency. PLoS ONE, 2012, 7, e35896. | 1.1 | 31 |
| 365 | Cognitive Remediation in Schizophrenia. Clinical Psychopharmacology and Neuroscience, 2012, 10, 125-135. | 0.9 | 39 |
| 366 | Psychomotor Performance Relevant to Driving Ability in Patients with Schizophrenia Treated with Haloperidol and Aripiprazole. Korean Journal of Schizophrenia Research, 2012, 15, 99. | 0.3 | 0 |
| 367 | Acute elevations of brain kynurenic acid impair cognitive flexibility: normalization by the alpha7 positive modulator galantamine. Psychopharmacology, 2012, 220, 627-637. | 1.5 | 127 |
| 368 | Muscarinic and Nicotinic Acetylcholine Receptor Agonists and Allosteric Modulators for the Treatment of Schizophrenia. Neuropsychopharmacology, 2012, 37, 16-42. | 2.8 | 177 |
| 369 | Genetic Risk and Outcome of Psychosis (GROUP), a multi site longitudinal cohort study focused on gene-environment interaction: objectives, sample characteristics, recruitment and assessment methods. International Journal of Methods in Psychiatric Research, 2012, 21, 205-221. | 1.1 | 224 |
| 370 | Cognitive Deficits in Schizophrenia. Current Translational Geriatrics and Experimental Gerontology Reports, 2012, 1, 45-52. | 0.7 | 5 |
| 371 | A novel glycine transporter-1 (GlyT1) inhibitor, ASP2535 (4-[3-isopropyl-5-(6-phenyl-3-pyridyl)-4H-1,2,4-triazol-4-yl]-2,1,3-benzoxadiazole), improves cognition in animal models of cognitive impairment in schizophrenia and Alzheimer's disease. European Journal of Pharmacology, 2012, 685, 59-69. | 1.7 | 57 |
| 372 | Transcranial magnetic stimulation on the modulation of gamma oscillations in schizophrenia. Annals of the New York Academy of Sciences, 2012, 1265, 25-35. | 1.8 | 41 |
| 373 | Do the same factors predict outcome in schizophrenia and non-schizophrenia syndromes after first-episode psychosis? A two-year follow-up study. Journal of Psychiatric Research, 2012, 46, 774-781. | 1.5 | 25 |
| 374 | Applications of positron emission tomography in animal models of neurological and neuropsychiatric disorders. Neuroscience and Biobehavioral Reviews, 2012, 36, 1188-1216. | 2.9 | 56 |
| 375 | Cariprazine, a dopamine D3-receptor-preferring partial agonist, blocks phencyclidine-induced impairments of working memory, attention set-shifting, and recognition memory in the mouse. Psychopharmacology, 2013, 226, 91-100. | 1.5 | 76 |
| 376 | Functional dysconnectivity in schizophrenia and its relationship to neural synchrony. Expert Review of Neurotherapeutics, 2013, 13, 755-765. | 1.4 | 18 |
| 377 | Specific vs general cognitive remediation for executive functioning in schizophrenia: A multicenter randomized trial. Schizophrenia Research, 2013, 147, 68-74. | 1.1 | 72 |
| 378 | Predictors of performance improvements within a cognitive remediation program for schizophrenia. Psychiatry Research, 2013, 209, 375-380. | 1.7 | 18 |
| 379 | Neurocognition in clinical high risk young adults who did or did not convert to a first schizophrenic psychosis: A meta-analysis. Schizophrenia Research, 2013, 149, 48-55. | 1.1 | 97 |
| 380 | Integrated Psychological Therapy: Effectiveness in Schizophrenia Inpatient Settings Related to Patients' Age. American Journal of Geriatric Psychiatry, 2013, 21, 231-241. | 0.6 | 27 |
| 381 | The interaction of affective with psychotic processes: A test of the effects of worrying on working memory, jumping to conclusions, and anomalies of experience in patients with persecutory delusions. Journal of Psychiatric Research, 2013, 47, 1837-1842. | 1.5 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 382 | Towards improved animal models for evaluating social cognition and its disruption in schizophrenia: The CNTRICS initiative. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2166-2180. | 2.9 | 104 |
| 383 | The <i>KCNH2</i> gene is associated with neurocognition and the risk of schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 114-120. | 1.3 | 36 |
| 384 | WAIS-IV Profile of Cognition in Schizophrenia. <i>Assessment</i> , 2013, 20, 462-473. | 1.9 | 32 |
| 385 | At Risk for Schizophrenic or Affective Psychoses? A Meta-Analysis of DSM/ICD Diagnostic Outcomes in Individuals at High Clinical Risk. <i>Schizophrenia Bulletin</i> , 2013, 39, 923-932. | 2.3 | 165 |
| 386 | Dopamine D3 receptor antagonism still a therapeutic option for the treatment of schizophrenia. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2013, 386, 155-166. | 1.4 | 76 |
| 387 | Neurocognition and symptoms identify links between facial recognition and emotion processing in schizophrenia: Meta-analytic findings. <i>Schizophrenia Research</i> , 2013, 151, 78-84. | 1.1 | 89 |
| 388 | Localized infusions of the partial alpha 7 nicotinic receptor agonist SSR180711 evoke rapid and transient increases in prefrontal glutamate release. <i>Neuroscience</i> , 2013, 255, 55-67. | 1.1 | 20 |
| 389 | Correlations between executive function, decision-making and impulsivity are disrupted in schizophrenia versus controls. <i>Psychiatry Research</i> , 2013, 205, 168-171. | 1.7 | 8 |
| 390 | The influence of impaired processing speed on cognition in first-episode antipsychotic-naïve schizophrenic patients. <i>European Psychiatry</i> , 2013, 28, 332-339. | 0.1 | 38 |
| 391 | The association of cardiac vagal control and executive functioning – Findings from the MIDUS study. <i>Journal of Psychiatric Research</i> , 2013, 47, 628-635. | 1.5 | 62 |
| 392 | Reduction of cortical GABAergic inhibition correlates with working memory impairment in recent onset schizophrenia. <i>Schizophrenia Research</i> , 2013, 146, 238-243. | 1.1 | 25 |
| 393 | Interview-based assessment of cognition in schizophrenia: Applicability of the Schizophrenia Cognition Rating Scale (SCoRS) in different phases of illness and settings of care. <i>Schizophrenia Research</i> , 2013, 146, 217-223. | 1.1 | 14 |
| 394 | Polymorphisms in schizophrenia candidate gene UFD1L may contribute to cognitive deficits. <i>Psychiatry Research</i> , 2013, 209, 110-113. | 1.7 | 5 |
| 395 | Effects of lurasidone on executive function in common marmosets. <i>Behavioural Brain Research</i> , 2013, 246, 125-131. | 1.2 | 21 |
| 396 | Impairments in set-shifting but not reversal learning in the neonatal ventral hippocampal lesion model of schizophrenia: Further evidence for medial prefrontal deficits. <i>Behavioural Brain Research</i> , 2013, 256, 405-413. | 1.2 | 21 |
| 397 | Randomized crossover study of the histamine H3 inverse agonist MK-0249 for the treatment of cognitive impairment in patients with schizophrenia. <i>Schizophrenia Research</i> , 2013, 146, 224-230. | 1.1 | 43 |
| 398 | End-of-Life (Care) Perspectives and Expectations of Patients With Schizophrenia. <i>Archives of Psychiatric Nursing</i> , 2013, 27, 246-252. | 0.7 | 20 |
| 399 | Impairment in verbal memory observed in first episode psychosis patients with persistent negative symptoms. <i>Schizophrenia Research</i> , 2013, 147, 223-229. | 1.1 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 400 | Self-efficacy and functional status in schizophrenia: Relationship to insight, cognition and negative symptoms. <i>Schizophrenia Research</i> , 2013, 145, 69-74. | 1.1 | 40 |
| 401 | Change in neuropsychological functioning over one year in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2013, 146, 87-94. | 1.1 | 37 |
| 402 | Reduced white matter integrity and cognitive deficit in never-medicated chronic schizophrenia: A diffusion tensor study using TBSS. <i>Behavioural Brain Research</i> , 2013, 252, 157-163. | 1.2 | 88 |
| 403 | Increased distractor vulnerability but preserved vigilance in patients with schizophrenia: Evidence from a translational Sustained Attention Task. <i>Schizophrenia Research</i> , 2013, 144, 136-141. | 1.1 | 47 |
| 404 | Generalization of cognitive training in an Australian sample of schizophrenia patients. <i>Comprehensive Psychiatry</i> , 2013, 54, 865-872. | 1.5 | 3 |
| 405 | Cognitive reserve as a predictor of two year neuropsychological performance in early onset first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 125-131. | 1.1 | 61 |
| 406 | Persistence, diagnostic specificity and genetic liability for context-processing deficits in schizophrenia. <i>Schizophrenia Research</i> , 2013, 147, 75-80. | 1.1 | 18 |
| 407 | Muscarinic M1 receptor agonists: can they improve cognitive performance?. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 717-720. | 1.0 | 10 |
| 408 | Neuronal injury, but not microglia activation, is associated with ketamine-induced experimental schizophrenic model in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 107-116. | 2.5 | 45 |
| 409 | Confirmatory factor analysis reveals a latent cognitive structure common to bipolar disorder, schizophrenia, and normal controls. <i>Bipolar Disorders</i> , 2013, 15, 422-433. | 1.1 | 39 |
| 410 | Leveraging the cortical cholinergic system to enhance attention. <i>Neuropharmacology</i> , 2013, 64, 294-304. | 2.0 | 57 |
| 411 | Egis-11150: A candidate antipsychotic compound with procognitive efficacy in rodents. <i>Neuropharmacology</i> , 2013, 64, 254-263. | 2.0 | 17 |
| 412 | Does practice make perfect? Results from a Chinese feasibility study of cognitive remediation in schizophrenia. <i>Neuropsychological Rehabilitation</i> , 2013, 23, 580-596. | 1.0 | 6 |
| 413 | Cognitive remediation as a treatment for major depression: A rationale, review of evidence and recommendations for future research. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 1165-1175. | 1.3 | 74 |
| 414 | A Quantitative System Pharmacology Computer Model for Cognitive Deficits in Schizophrenia. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2013, 2, 1-8. | 1.3 | 20 |
| 415 | Adjunctive pharmacotherapy for cognitive deficits in schizophrenia: meta-analytical investigation of efficacy. <i>British Journal of Psychiatry</i> , 2013, 203, 172-178. | 1.7 | 79 |
| 416 | Defective Processing Speed and Nonclinical Psychotic Experiences in Children: Longitudinal Analyses in a Large Birth Cohort. <i>American Journal of Psychiatry</i> , 2013, 170, 550-557. | 4.0 | 43 |
| 417 | A Randomized Exploratory Trial of an Alpha-7 Nicotinic Receptor Agonist (TC-5619) for Cognitive Enhancement in Schizophrenia. <i>Neuropsychopharmacology</i> , 2013, 38, 968-975. | 2.8 | 170 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 418 | Brief Assessment of Cognition in Schizophrenia: Normative Data in an English-Speaking Ethnic Chinese Sample. <i>Archives of Clinical Neuropsychology</i> , 2013, 28, 845-858. | 0.3 | 14 |
| 419 | Clinical Trials of Potential Cognitive-Enhancing Drugs in Schizophrenia: What Have We Learned So Far?. <i>Schizophrenia Bulletin</i> , 2013, 39, 417-435. | 2.3 | 117 |
| 420 | Symptom Domains and Neurocognitive Functioning Can Help Differentiate Social Cognitive Processes in Schizophrenia: A Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2013, 39, 102-111. | 2.3 | 187 |
| 421 | Factor Structure of Social Cognition in Schizophrenia: Is Empathy Preserved?. <i>Schizophrenia Research and Treatment</i> , 2013, 2013, 1-13. | 0.7 | 28 |
| 422 | Cognitive Remediation in Schizophrenia: Current Status and Future Perspectives. <i>Schizophrenia Research and Treatment</i> , 2013, 2013, 1-12. | 0.7 | 82 |
| 423 | The Neural Correlates of Mental Rotation Abilities in Cannabis-Abusing Patients with Schizophrenia: An fMRI Study. <i>Schizophrenia Research and Treatment</i> , 2013, 2013, 1-10. | 0.7 | 11 |
| 424 | A comparison of cognitive functioning in acute schizophrenia and depression. <i>Acta Neuropsychiatrica</i> , 2013, 25, 334-341. | 1.0 | 7 |
| 425 | Differences in onset of disease and severity of psychopathology between toxoplasmosis-related and toxoplasmosis-unrelated schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 227-238. | 2.2 | 58 |
| 426 | Profile of cognitive deficits and associations with depressive symptoms and intelligence in chronic early-onset schizophrenia patients. <i>Scandinavian Journal of Psychology</i> , 2013, 54, 363-370. | 0.8 | 4 |
| 427 | Dichotic listening, executive functions and grey matter cortical volume in patients with schizophrenia and healthy controls. <i>Scandinavian Journal of Psychology</i> , 2013, 54, 443-450. | 0.8 | 7 |
| 428 | Factor Structure of Neurocognition and Functional Capacity in Schizophrenia: A Multidimensional Examination of Temporal Stability. <i>Journal of the International Neuropsychological Society</i> , 2013, 19, 656-663. | 1.2 | 25 |
| 429 | Differentiation between deviant trajectory planning, action planning, and reduced psychomotor speed in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 284-303. | 0.7 | 3 |
| 430 | Estudos traducionais de neuropsiquiatria e esquizofrenia: modelos animais genéticos e de neurodesenvolvimento. <i>Revista De Psiquiatria Clinica</i> , 2013, 40, 41-50. | 0.6 | 5 |
| 431 | Cognition as a central illness feature in schizophrenia. , 0, , 1-23. | | 4 |
| 432 | Assessment of cognition in schizophrenia treatment studies. , 0, , 231-246. | | 0 |
| 433 | Fragmented Perception: Slower Space-Based but Faster Object-Based Attention in Recent-Onset Psychosis with and without Schizophrenia. <i>PLoS ONE</i> , 2013, 8, e59983. | 1.1 | 2 |
| 434 | Pharmacological Interventions for the MATRICS Cognitive Domains in Schizophrenia: What's the Evidence?. <i>Frontiers in Psychiatry</i> , 2013, 4, 157. | 1.3 | 35 |
| 435 | Simulating real world functioning in schizophrenia using a naturalistic city environment and single-trial, goal-directed navigation. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 180. | 1.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 436 | Attention and multisensory integration of emotions in schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 674. | 1.0 | 17 |
| 437 | Northwestern University Schizophrenia Data and Software Tool (NUSDAST). <i>Frontiers in Neuroinformatics</i> , 2013, 7, 25. | 1.3 | 40 |
| 438 | Participants With Schizophrenia Retain the Information Necessary for Informed Consent During Clinical Trials. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 622-627. | 1.1 | 8 |
| 439 | The multi-faceted, "global" cognitive impairment profile in schizophrenia. , 2013, , 24-49. | | 1 |
| 440 | Computerized cognitive training in schizophrenia: current knowledge and future directions. , 0, , 284-315. | | 2 |
| 441 | Correlation of Lifetime Symptom Dimensions with Cognitive Function and Other Clinical Characteristics in Schizophrenia Patients. <i>Korean Journal of Schizophrenia Research</i> , 2014, 17, 72. | 0.3 | 0 |
| 442 | A Critical Review of Pro-Cognitive Drug Targets in Psychosis: Convergence on Myelination and Inflammation. <i>Frontiers in Psychiatry</i> , 2014, 5, 11. | 1.3 | 35 |
| 443 | An investigation of reasoning by analogy in schizophrenia and autism spectrum disorder. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 517. | 1.0 | 16 |
| 444 | Neurocognition, social cognition and functional outcome in schizophrenia. <i>European Journal of Psychiatry</i> , 2014, 28, 201-211. | 0.7 | 10 |
| 445 | Positive and negative subclinical symptoms and MCCB performance in non-psychiatric controls. <i>Schizophrenia Research: Cognition</i> , 2014, 1, 175-179. | 0.7 | 9 |
| 446 | Targeting Kynurenine Aminotransferase II in Psychiatric Diseases: Promising Effects of an Orally Active Enzyme Inhibitor. <i>Schizophrenia Bulletin</i> , 2014, 40, S152-S158. | 2.3 | 63 |
| 447 | Developing a Cognitive Training Strategy for First-Episode Schizophrenia: Integrating Bottom-Up and Top-Down Approaches. <i>American Journal of Psychiatric Rehabilitation</i> , 2014, 17, 225-253. | 0.7 | 46 |
| 448 | Changes in aspects of cognitive functioning in young patients with schizophrenia during group psychodynamic psychotherapy: A preliminary study. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 333-340. | 0.7 | 5 |
| 449 | Association between schizophrenia symptoms and neurocognition on mobility in older adults with schizophrenia. <i>Aging and Mental Health</i> , 2014, 18, 1006-1012. | 1.5 | 12 |
| 450 | Cognitive subtypes in non-affected siblings of schizophrenia patients: characteristics and profile congruency with affected family members. <i>Psychological Medicine</i> , 2014, 44, 395-405. | 2.7 | 16 |
| 451 | Refining the latent structure of neuropsychological performance in schizophrenia. <i>Psychological Medicine</i> , 2014, 44, 3557-3570. | 2.7 | 16 |
| 452 | Working Memory Training in Schizophrenia and Healthy Populations. <i>Behavioral Sciences (Basel)</i> , 2014, 3, 27. | 1.0 | 27 |
| 453 | Cognitive Mapping Deficits in Schizophrenia: A Critical Overview. <i>Indian Journal of Psychological Medicine</i> , 2014, 36, 9-26. | 0.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 454 | Psychosocial support and cognitive deficits in adults with schizophrenia. <i>International Journal of Social Psychiatry</i> , 2014, 60, 417-425. | 1.6 | 4 |
| 455 | Motivational Salience Signal in the Basal Forebrain Is Coupled with Faster and More Precise Decision Speed. <i>PLoS Biology</i> , 2014, 12, e1001811. | 2.6 | 38 |
| 456 | The Cannabis Pathway to Non-Affective Psychosis may Reflect Less Neurobiological Vulnerability. <i>Frontiers in Psychiatry</i> , 2014, 5, 159. | 1.3 | 30 |
| 457 | Brief report: The impact of alcohol and cannabis misuse on cognition among individuals with schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2014, 1, 160-163. | 0.7 | 2 |
| 458 | Comparison of self-report and performance-based measures of everyday functioning in individuals with schizophrenia: implications for measure selection. <i>Cognitive Neuropsychiatry</i> , 2014, 19, 485-494. | 0.7 | 15 |
| 459 | Modulation of auditory deviance detection by acute nicotine is baseline and deviant dependent in healthy nonsmokers: a mismatch negativity study. <i>Human Psychopharmacology</i> , 2014, 29, 446-458. | 0.7 | 26 |
| 460 | Re-evaluating the PCP challenge as a pre-clinical model of impaired cognitive flexibility in schizophrenia. <i>European Neuropsychopharmacology</i> , 2014, 24, 1836-1849. | 0.3 | 24 |
| 461 | Aerobic fitness and body mass index in individuals with schizophrenia: Implications for neurocognition and daily functioning. <i>Psychiatry Research</i> , 2014, 220, 784-791. | 1.7 | 80 |
| 462 | Insight change in psychosis: relationship with neurocognition, social cognition, clinical symptoms and phase of illness. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 126-133. | 2.2 | 23 |
| 463 | Validation of the Persian version of the Brief Assessment of Cognition in Schizophrenia in patients with schizophrenia and healthy controls. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 160-166. | 1.0 | 17 |
| 464 | Enhanced Neurocognitive Functioning and Positive Temperament in Twins Discordant for Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2014, 171, 1191-1198. | 4.0 | 29 |
| 465 | The MATRICS Consensus Cognitive Battery: What We Know 6 Years Later. <i>American Journal of Psychiatry</i> , 2014, 171, 1151-1154. | 4.0 | 41 |
| 466 | Performance on the Wechsler Adult Intelligence Scale-III in Japanese patients with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 534-541. | 1.0 | 38 |
| 467 | Abnormalities of mental rotation of hands associated with speed of information processing and executive function in chronic schizophrenic patients. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 410-417. | 1.0 | 8 |
| 468 | Use of translational pharmacodynamic biomarkers in early-phase clinical studies for schizophrenia. <i>Biomarkers in Medicine</i> , 2014, 8, 29-49. | 0.6 | 13 |
| 469 | Associations of Schizophrenia Symptoms and Neurocognition With Physical Activity in Older Adults With Schizophrenia. <i>Biological Research for Nursing</i> , 2014, 16, 23-30. | 1.0 | 39 |
| 470 | Executive functioning and psychopathological profile in relatives of individuals with deficit vs. non-deficit schizophrenia: a pilot study. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 85-97. | 1.8 | 10 |
| 471 | Thinking and acting beyond the positive: the role of the cognitive and negative symptoms in schizophrenia. <i>CNS Spectrums</i> , 2014, 19, 35-53. | 0.7 | 132 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 472 | Protocol to evaluate the impact of yoga supplementation on cognitive function in schizophrenia: a randomised controlled trial. <i>Acta Neuropsychiatrica</i> , 2014, 26, 280-290. | 1.0 | 14 |
| 473 | Understanding jumping to conclusions in patients with persecutory delusions: working memory and intolerance of uncertainty. <i>Psychological Medicine</i> , 2014, 44, 3017-3024. | 2.7 | 54 |
| 474 | Cognitive remediation in schizophrenia: background, techniques, evidence of efficacy and perspectives. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 21-25. | 1.8 | 18 |
| 475 | Preclinical pharmacology of amphetamine: Implications for the treatment of neuropsychiatric disorders. , 2014, 143, 253-264. | | 28 |
| 476 | Resting-State fMRI Connectivity Impairment in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2014, 40, 100-110. | 2.3 | 125 |
| 477 | Psychopharmacological Treatment of Neurocognitive Deficits in People with Schizophrenia: A Review of Old and New Targets. <i>CNS Drugs</i> , 2014, 28, 301-318. | 2.7 | 16 |
| 478 | Acute effects of mecamylamine and varenicline on cognitive performance in non-smokers with and without schizophrenia. <i>Psychopharmacology</i> , 2014, 231, 765-775. | 1.5 | 23 |
| 479 | Cluster analysis of cognitive deficits may mark heterogeneity in schizophrenia in terms of outcome and response to treatment. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 333-343. | 1.8 | 50 |
| 480 | Isolation rearing effects on probabilistic learning and cognitive flexibility in rats. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2014, 14, 388-406. | 1.0 | 66 |
| 481 | 12-month longitudinal cognitive functioning in patients recently diagnosed with bipolar disorder. <i>Bipolar Disorders</i> , 2014, 16, 159-171. | 1.1 | 49 |
| 482 | The Relationship of Attitudinal Beliefs to Negative Symptoms, Neurocognition, and Daily Functioning in Recent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 1308-1318. | 2.3 | 60 |
| 483 | The nicotinic receptor as a target for cognitive enhancement in schizophrenia: Barking up the wrong tree?. <i>Psychopharmacology</i> , 2014, 231, 543-550. | 1.5 | 20 |
| 484 | Cannabis-Related Working Memory Deficits and Associated Subcortical Morphological Differences in Healthy Individuals and Schizophrenia Subjects. <i>Schizophrenia Bulletin</i> , 2014, 40, 287-299. | 2.3 | 63 |
| 485 | Cognitive effects of methylphenidate in healthy volunteers: a review of single dose studies. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 961-977. | 1.0 | 119 |
| 486 | Neurophysiological correlates of metabolic syndrome and cognitive impairment in schizophrenia: A structural equation modeling approach. <i>Psychoneuroendocrinology</i> , 2014, 50, 95-105. | 1.3 | 22 |
| 487 | Neurocognition in schizophrenia: From prodrome to multi-episode illness. <i>Psychiatry Research</i> , 2014, 220, 129-134. | 1.7 | 56 |
| 488 | Neurocognitive Pattern Analysis Reveals Classificatory Hierarchy of Attention Deficits in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 878-885. | 2.3 | 16 |
| 489 | Antipsychotic Drug-Like Effects of the Selective M4 Muscarinic Acetylcholine Receptor Positive Allosteric Modulator VU0152100. <i>Neuropsychopharmacology</i> , 2014, 39, 1578-1593. | 2.8 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 490 | Developing Visually Based, Low-Literacy Health Education Tools for African Americans with Psychotic Disorders and Their Families. <i>Community Mental Health Journal</i> , 2014, 50, 629-636. | 1.1 | 10 |
| 491 | Tetrahydronaphthyridine and Dihydronaphthyridinone Ethers As Positive Allosteric Modulators of the Metabotropic Glutamate Receptor 5 (mGlu ₅). <i>Journal of Medicinal Chemistry</i> , 2014, 57, 5620-5637. | 2.9 | 13 |
| 492 | Poster #S133 ASSOCIATION OF A RISK ALLELE OF ANK3 WITH COGNITIVE PERFORMANCE AND CORTICAL THICKNESS IN PATIENTS WITH FIRST-EPISODE PSYCHOSIS. <i>Schizophrenia Research</i> , 2014, 153, S136-S137. | 1.1 | 0 |
| 493 | TCF4 gene polymorphism and cognitive performance in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2014, 152, 124-129. | 1.1 | 30 |
| 494 | Cognitive task performance and symptoms contribute to personality abnormalities in first hospitalized schizophrenia. <i>Journal of Psychiatric Research</i> , 2014, 55, 68-76. | 1.5 | 15 |
| 495 | Changes in memory performance over a 12-month period in relation to achieving symptomatic remission after a first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 153, 103-108. | 1.1 | 15 |
| 496 | Progress toward advanced understanding of metabotropic glutamate receptors: structure, signaling and therapeutic indications. <i>Cellular Signalling</i> , 2014, 26, 2284-2297. | 1.7 | 40 |
| 497 | The effects of acute and repeated administration of ketamine on attentional performance in the five-choice serial reaction time task in rats. <i>European Neuropsychopharmacology</i> , 2014, 24, 1381-1393. | 0.3 | 32 |
| 498 | No sex differences in neuropsychological performance in first episode psychosis patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 48, 149-154. | 2.5 | 47 |
| 499 | The procognitive effects of 5-HT ₆ receptor ligands in animal models of schizophrenia. <i>Reviews in the Neurosciences</i> , 2014, 25, 367-82. | 1.4 | 29 |
| 500 | A five-year follow-up study of neurocognitive functioning in bipolar disorder. <i>Bipolar Disorders</i> , 2014, 16, 722-731. | 1.1 | 76 |
| 501 | Association between serum levels of glial cell-line derived neurotrophic factor and attention deficits in schizophrenia. <i>Neuroscience Letters</i> , 2014, 575, 37-41. | 1.0 | 27 |
| 502 | Predictors of cognition in first episode psychosis. <i>Schizophrenia Research</i> , 2014, 152, 164-169. | 1.1 | 14 |
| 503 | La conscience des déficits neurocognitifs dans la schizophrénie: une méta-analyse. <i>Sante Mentale Au Quebec</i> , 0, 39, 183-200. | 0.1 | 15 |
| 504 | Neurocognition: Clinical and Functional Outcomes in Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 5-12. | 0.9 | 199 |
| 505 | Latent structure of cognition in schizophrenia: a confirmatory factor analysis of the MATRICS Consensus Cognitive Battery (MCCB). <i>Psychological Medicine</i> , 2015, 45, 2657-2666. | 2.7 | 37 |
| 506 | Patterns of Emotion Attribution are Affected in Patients with Schizophrenia. <i>Spanish Journal of Psychology</i> , 2015, 18, E59. | 1.1 | 5 |
| 507 | Prefrontal and Hippocampal Brain Volume Deficits: Role of Low Physical Activity on Brain Plasticity in First-Episode Schizophrenia Patients. <i>Journal of the International Neuropsychological Society</i> , 2015, 21, 868-879. | 1.2 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 508 | Cognitive deficits characterization using the CogState Research Battery in first-episode psychosis patients. <i>Schizophrenia Research: Cognition</i> , 2015, 2, 140-145. | 0.7 | 18 |
| 509 | Addressing Cognitive Challenges in Schizophrenia: A Public Health Perspective. <i>Journal of Psychosocial Rehabilitation and Mental Health</i> , 2015, 2, 103-105. | 0.4 | 0 |
| 510 | Neurocognitive predictors of performance-based functional capacity in bipolar disorder. <i>Journal of Neuropsychology</i> , 2015, 9, 159-171. | 0.6 | 17 |
| 511 | MK-801-induced deficits in social recognition in rats. <i>Behavioural Pharmacology</i> , 2015, 26, 748-765. | 0.8 | 35 |
| 512 | Effects of genetic variations in NRG1 on cognitive domains in patients with schizophrenia and healthy individuals. <i>Psychiatric Genetics</i> , 2015, 25, 147-154. | 0.6 | 12 |
| 513 | Investigation of cognition in schizophrenia: psychometric properties of instruments for assessing working memory updating. <i>Jornal Brasileiro De Psiquiatria</i> , 2015, 64, 238-246. | 0.2 | 3 |
| 514 | Neuronal migration abnormalities and its possible implications for schizophrenia. <i>Frontiers in Neuroscience</i> , 2015, 9, 74. | 1.4 | 68 |
| 515 | Associations Between Components of Metabolic Syndrome and Cognition in Patients With Schizophrenia. <i>Journal of Psychiatric Practice</i> , 2015, 21, 190-197. | 0.3 | 29 |
| 516 | INT-Integrated Neurocognitive Therapy for Schizophrenia Patients. , 2015, , . | | 4 |
| 517 | Animal Paradigms to Assess Cognition with Translation to Humans. <i>Handbook of Experimental Pharmacology</i> , 2015, 228, 27-57. | 0.9 | 21 |
| 518 | Prefrontal Cortical GABA Modulation of Spatial Reference and Working Memory. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, . | 1.0 | 41 |
| 519 | Subjective perceptions of cognitive deficits and their influences on quality of life among patients with schizophrenia. <i>Quality of Life Research</i> , 2015, 24, 2753-2760. | 1.5 | 12 |
| 520 | The muscarinic system, cognition and schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 55, 393-402. | 2.9 | 81 |
| 521 | Attention/vigilance in schizophrenia: Performance results from a large multi-site study of the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2015, 163, 38-46. | 1.1 | 62 |
| 522 | Impaired Limbic Cortico-Striatal Structure and Sustained Visual Attention in a Rodent Model of Schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu010-pyu010. | 1.0 | 28 |
| 523 | Understanding Symbol Coding in Schizophrenia. <i>Biological Psychiatry</i> , 2015, 78, 744-746. | 0.7 | 5 |
| 525 | Cascading and combined effects of cognitive deficits and residual symptoms on functional outcome in schizophrenia – A path-analytical approach. <i>Psychiatry Research</i> , 2015, 229, 264-271. | 1.7 | 32 |
| 526 | Report on ISCTM Consensus Meeting on Clinical Assessment of Response to Treatment of Cognitive Impairment in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 42, sbv111. | 2.3 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 527 | Persistence of effectiveness of cognitive remediation interventions in schizophrenia: A 1-year follow-up study. <i>Schizophrenia Research</i> , 2015, 161, 403-406. | 1.1 | 21 |
| 528 | F-18 fluorodeoxyglucose positron emission tomography study of impaired emotion processing in first episode schizophrenia. <i>Schizophrenia Research</i> , 2015, 162, 103-107. | 1.1 | 10 |
| 529 | S-SCAM, A Rare Copy Number Variation Gene, Induces Schizophrenia-Related Endophenotypes in Transgenic Mouse Model. <i>Journal of Neuroscience</i> , 2015, 35, 1892-1904. | 1.7 | 19 |
| 530 | Brain Rhythms Connect Impaired Inhibition to Altered Cognition in Schizophrenia. <i>Biological Psychiatry</i> , 2015, 77, 1020-1030. | 0.7 | 74 |
| 531 | Factor structure and heritability of endophenotypes in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS-1). <i>Schizophrenia Research</i> , 2015, 163, 73-79. | 1.1 | 52 |
| 532 | A Randomized, Placebo-Controlled, Active-Reference, Double-Blind, Flexible-Dose Study of the Efficacy of Vortioxetine on Cognitive Function in Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2015, 40, 2025-2037. | 2.8 | 258 |
| 533 | Alterations in spatial memory and anxiety in the MAM E17 rat model of hippocampal pathology in schizophrenia. <i>Psychopharmacology</i> , 2015, 232, 4099-4112. | 1.5 | 22 |
| 534 | Meta-analysis of Cognitive Impairment in First-Episode Bipolar Disorder: Comparison With First-Episode Schizophrenia and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2015, 41, 1095-1104. | 2.3 | 250 |
| 535 | Verbal working memory in schizophrenia from the Consortium on the Genetics of Schizophrenia (COGS) Study: The moderating role of smoking status and antipsychotic medications. <i>Schizophrenia Research</i> , 2015, 163, 24-31. | 1.1 | 26 |
| 536 | Neuroanatomical Mechanism on the Effect of Distraction in Working Memory Maintenance in Patients With Schizophrenia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015, 27, e1-e9. | 0.9 | 22 |
| 537 | Observable Social Cognition "A Rating Scale: an interview-based assessment for schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2015, 20, 198-221. | 0.7 | 40 |
| 538 | Working memory training triggers delayed chromatin remodeling in the mouse corticostriatothalamic circuit. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 60, 93-103. | 2.5 | 7 |
| 539 | Theory of mind in the early course of schizophrenia: stability, symptom and neurocognitive correlates, and relationship with functioning. <i>Psychological Medicine</i> , 2015, 45, 2031-2043. | 2.7 | 65 |
| 540 | Prefrontal Cortical Gamma-Aminobutyric Acid Transmission and Cognitive Function: Drawing Links to Schizophrenia from Preclinical Research. <i>Biological Psychiatry</i> , 2015, 77, 929-939. | 0.7 | 56 |
| 541 | Recovery and reliable change rates for patients scoring severe on depression, anxiety or impaired functioning in a psychological therapies service: IAPT. <i>Mental Health Review Journal</i> , 2015, 20, 28-35. | 0.3 | 27 |
| 542 | The Puzzle of Processing Speed, Memory, and Executive Function Impairments in Schizophrenia: Fitting the Pieces Together. <i>Biological Psychiatry</i> , 2015, 78, 786-793. | 0.7 | 63 |
| 543 | The effect of combined treatment with risperidone and antidepressants on the MK-801-induced deficits in the social interaction test in rats. <i>Pharmacological Reports</i> , 2015, 67, 1183-1187. | 1.5 | 17 |
| 544 | The Experience of Cognitive Impairment in People with Psychosis. <i>Clinical Psychology and Psychotherapy</i> , 2015, 22, 193-207. | 1.4 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 545 | Preserved Learning during the Symbol-ÅDigit Substitution Test in Patients with Schizophrenia, Age-Matched Controls, and Elderly. <i>Frontiers in Psychiatry</i> , 2014, 5, 189. | 1.3 | 18 |
| 546 | Auditory Cortical Plasticity Drives Training-Induced Cognitive Changes in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 42, sbv087. | 2.3 | 58 |
| 547 | The subchronic phencyclidine rat model: relevance for the assessment of novel therapeutics for cognitive impairment associated with schizophrenia. <i>Psychopharmacology</i> , 2015, 232, 4059-4083. | 1.5 | 36 |
| 548 | The impact of motivation on cognitive performance in an animal model of the negative and cognitive symptoms of schizophrenia.. <i>Behavioral Neuroscience</i> , 2015, 129, 292-299. | 0.6 | 19 |
| 549 | Association of metabolic syndrome with sensory gating deficits in patients with chronic schizophrenia. <i>Psychoneuroendocrinology</i> , 2015, 57, 125-133. | 1.3 | 6 |
| 550 | Modeling the Neuroanatomical and Neurocognitive Mechanisms of Cognitive Insight in Non-clinical Subjects. <i>Cognitive Therapy and Research</i> , 2015, 39, 415-423. | 1.2 | 8 |
| 551 | One-Year Randomized Controlled Trial and Follow-Up of Integrated Neurocognitive Therapy for Schizophrenia Outpatients. <i>Schizophrenia Bulletin</i> , 2015, 41, 604-616. | 2.3 | 81 |
| 552 | Methods for Delivering and Evaluating the Efficacy of Cognitive Enhancement. <i>Handbook of Experimental Pharmacology</i> , 2015, 228, 5-25. | 0.9 | 3 |
| 553 | Facial affect processing deficits in schizophrenia: A meta-analysis of antipsychotic treatment effects. <i>Journal of Psychopharmacology</i> , 2015, 29, 224-229. | 2.0 | 24 |
| 554 | The Impact of Aerobic Exercise on Brain-Derived Neurotrophic Factor and Neurocognition in Individuals With Schizophrenia: A Single-Blind, Randomized Clinical Trial. <i>Schizophrenia Bulletin</i> , 2015, 41, 859-868. | 2.3 | 164 |
| 555 | Role for the M ₁ Muscarinic Acetylcholine Receptor in Top-Down Cognitive Processing Using a Touchscreen Visual Discrimination Task in Mice. <i>ACS Chemical Neuroscience</i> , 2015, 6, 1683-1695. | 1.7 | 48 |
| 556 | Effects of D- and L-govadine on the disruption of touchscreen object-location paired associates learning in rats by acute MK-801 treatment. <i>Psychopharmacology</i> , 2015, 232, 4371-4382. | 1.5 | 18 |
| 557 | Converging models of schizophrenia – Network alterations of prefrontal cortex underlying cognitive impairments. <i>Progress in Neurobiology</i> , 2015, 134, 178-201. | 2.8 | 71 |
| 558 | Intermethod reliability and factors affecting recall with the Temple University Community Participation measure. <i>Journal of Mental Health</i> , 2015, 24, 189-195. | 1.0 | 21 |
| 559 | Relationship of Cognition to Clinical Response in First-Episode Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2015, 41, 1237-1247. | 2.3 | 45 |
| 560 | The MCCB impairment profile in a Spanish sample of patients with schizophrenia: Effects of diagnosis, age, and gender on cognitive functioning. <i>Schizophrenia Research</i> , 2015, 169, 116-120. | 1.1 | 16 |
| 561 | Cognitive structure from childhood to adulthood in kindreds densely affected by schizophrenia and bipolar disorder. <i>Psychiatry Research</i> , 2015, 229, 101-108. | 1.7 | 1 |
| 562 | Brain structure and function correlates of cognitive subtypes in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 74-83. | 0.9 | 64 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 563 | Are negative symptoms really related to cognition in schizophrenia?. <i>Psychiatry Research</i> , 2015, 230, 377-382. | 1.7 | 19 |
| 564 | Examination of the validity of the Brief Neurocognitive Assessment (BNA) for schizophrenia. <i>Schizophrenia Research</i> , 2015, 166, 304-309. | 1.1 | 26 |
| 565 | Randomized controlled trial of computer-based treatment of social cognition in schizophrenia: the TRuSST trial protocol. <i>BMC Psychiatry</i> , 2015, 15, 142. | 1.1 | 26 |
| 566 | Neurocognitive similarities between severe chronic schizophrenia and behavioural variant frontotemporal dementia. <i>Psychiatry Research</i> , 2015, 225, 658-666. | 1.7 | 12 |
| 567 | ±4 ² nicotinic receptor stimulation of the GABAergic system within the orbitofrontal cortex ameliorates the severe crossmodal object recognition impairment in ketamine-treated rats: Implications for cognitive dysfunction in schizophrenia. <i>Neuropharmacology</i> , 2015, 90, 42-52. | 2.0 | 20 |
| 568 | 10 year course of IQ in first-episode psychosis: Relationship between duration of psychosis and long-term intellectual trajectories. <i>Psychiatry Research</i> , 2015, 225, 515-521. | 1.7 | 19 |
| 569 | Oxytocin and social cognition in affective and psychotic disorders. <i>European Neuropsychopharmacology</i> , 2015, 25, 265-282. | 0.3 | 34 |
| 570 | Antipsychotic-induced parkinsonism is associated with working memory deficits in schizophrenia-spectrum disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 147-154. | 1.8 | 12 |
| 571 | The course of neuropsychological impairment and brain structure abnormalities in psychotic disorders. <i>Neuroscience Research</i> , 2016, 102, 39-46. | 1.0 | 20 |
| 572 | Astrocytes as Pharmacological Targets in the Treatment of Schizophrenia. <i>Handbook of Behavioral Neuroscience</i> , 2016, 23, 423-443. | 0.7 | 17 |
| 573 | Glutamate Pharmacological Models Relevant to Schizophrenia and Psychosis. <i>Handbook of Behavioral Neuroscience</i> , 2016, , 139-174. | 0.7 | 3 |
| 574 | Faux Pas Test in schizophrenic patients. <i>Jornal Brasileiro De Psiquiatria</i> , 2016, 65, 17-21. | 0.2 | 9 |
| 575 | Oligodendrocyte and Interneuron Density in Hippocampal Subfields in Schizophrenia and Association of Oligodendrocyte Number with Cognitive Deficits. <i>Frontiers in Cellular Neuroscience</i> , 2016, 10, 78. | 1.8 | 37 |
| 576 | Evidence for Trait Related Theory of Mind Impairment in First Episode Psychosis Patients and Its Relationship with Processing Speed: A 3 Year Follow-up Study. <i>Frontiers in Psychology</i> , 2016, 7, 592. | 1.1 | 21 |
| 578 | Revisiting the validity of measures of social cognitive bias in schizophrenia: Additional results from the Social Cognition Psychometric Evaluation (SCOPE) study. <i>British Journal of Clinical Psychology</i> , 2016, 55, 441-454. | 1.7 | 39 |
| 579 | Cognitive functioning and employment among people with schizophrenia in vocational rehabilitation. <i>Work</i> , 2016, 54, 735-744. | 0.6 | 11 |
| 580 | The prevalence of visual hallucinations in non-affective psychosis, and the role of perception and attention. <i>Psychological Medicine</i> , 2016, 46, 1735-1747. | 2.7 | 16 |
| 581 | Event-related potentials demonstrate deficits in acoustic segmentation in schizophrenia. <i>Schizophrenia Research</i> , 2016, 173, 109-115. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 582 | Spectral EEG abnormalities during vibrotactile encoding and quantitative working memory processing in schizophrenia. <i>NeuroImage: Clinical</i> , 2016, 11, 578-587. | 1.4 | 8 |
| 583 | Meta-analysis of Theory of Mind (ToM) impairment in bipolar disorder. <i>Psychological Medicine</i> , 2016, 46, 253-264. | 2.7 | 164 |
| 584 | Social cognition in schizophrenia in comparison to bipolar disorder: A meta-analysis. <i>Schizophrenia Research</i> , 2016, 175, 72-78. | 1.1 | 124 |
| 585 | Executive dysfunction and cognitive subgroups in a large sample of euthymic patients with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016, 26, 1338-1347. | 0.3 | 91 |
| 586 | Relationship Between Objectively Measured Sedentary Behavior and Cognitive Performance in Patients With Schizophrenia Vs Controls. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw126. | 2.3 | 30 |
| 587 | The effects of cigarette smoking behavior and psychosis history on general and social cognition in bipolar disorder. <i>Bipolar Disorders</i> , 2016, 18, 528-538. | 1.1 | 8 |
| 588 | Theory of Mind as a mediator variable between neurocognition and functioning in young individuals in treatment with secondary services for non-psychotic disorders. <i>Psychiatry Research</i> , 2016, 246, 415-420. | 1.7 | 6 |
| 589 | Molecular signatures associated with cognitive deficits in schizophrenia: a study of biopsied olfactory neural epithelium. <i>Translational Psychiatry</i> , 2016, 6, e915-e915. | 2.4 | 30 |
| 590 | Repetitive Noninvasive Brain Stimulation to Modulate Cognitive Functions in Schizophrenia: A Systematic Review of Primary and Secondary Outcomes. <i>Schizophrenia Bulletin</i> , 2016, 42, S95-S109. | 2.3 | 49 |
| 591 | The relationship between change in cognition and change in functional ability in schizophrenia during cognitive and psychosocial rehabilitation. <i>Psychiatry Research</i> , 2016, 244, 145-150. | 1.7 | 26 |
| 592 | Psychoeducational and Cognitive Behavioral Treatment Programs: Implementation and Evaluation From 1995 to 2015 in Kraepelin's Former Hospital. <i>Schizophrenia Bulletin</i> , 2016, 42, S81-S89. | 2.3 | 7 |
| 593 | White matter correlates of episodic memory encoding and retrieval in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2016, 254, 188-198. | 0.9 | 11 |
| 594 | Working memory genetics in schizophrenia and related disorders: An RDoC perspective. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 121-131. | 1.1 | 36 |
| 595 | Aerobic Exercise Improves Cognitive Functioning in People With Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw115. | 2.3 | 270 |
| 596 | Validation of the cognitively normal range and below normal range subtypes in chronically hospitalized patients with schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2016, 5, 28-34. | 0.7 | 4 |
| 597 | Cognition and psychopathology in first-episode psychosis: are they related to inflammation?. <i>Psychological Medicine</i> , 2016, 46, 2133-2144. | 2.7 | 36 |
| 598 | The effect of an acute bout of exercise on executive function among individuals with schizophrenia. <i>Psychiatry Research</i> , 2016, 246, 637-643. | 1.7 | 8 |
| 599 | Deficits in social cognition in first episode psychosis: A review of the literature. <i>Clinical Psychology Review</i> , 2016, 50, 108-137. | 6.0 | 119 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 600 | Increased plasma asymmetric dimethylarginine is associated with cognitive deficits in patients with schizophrenia. <i>Psychiatry Research</i> , 2016, 246, 480-484. | 1.7 | 12 |
| 601 | Mentalizing in schizophrenia: A multivariate functional MRI study. <i>Neuropsychologia</i> , 2016, 93, 158-166. | 0.7 | 16 |
| 603 | Neurocognitive findings in bipolar disorder: an update. , 0, , 169-190. | | 0 |
| 605 | Sensory Gating Deficits in First-Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 877-884. | 0.5 | 22 |
| 606 | Social cognition in schizophrenia: Factor structure of emotion processing and theory of mind. <i>Psychiatry Research</i> , 2016, 242, 150-156. | 1.7 | 41 |
| 607 | Association between actigraphy-derived physical activity and cognitive performance in patients with schizophrenia. <i>Psychological Medicine</i> , 2016, 46, 2375-2384. | 2.7 | 25 |
| 608 | Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part II: Cognition, neuroimaging and genetics. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 406-428. | 1.3 | 30 |
| 609 | Cognitive impairment and cortisol levels in first-episode schizophrenia patients. <i>Stress</i> , 2016, 19, 383-389. | 0.8 | 24 |
| 610 | A systematic review comparing sex differences in cognitive function in schizophrenia and in rodent models for schizophrenia, implications for improved therapeutic strategies. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 68, 979-1000. | 2.9 | 59 |
| 611 | Abnormalities of cingulate cortex in antipsychotic-naïve chronic schizophrenia. <i>Brain Research</i> , 2016, 1638, 105-113. | 1.1 | 4 |
| 612 | Efficacy and feasibility of the Integrated Psychological Therapy for outpatients with schizophrenia in Greece: Final results of a RCT. <i>Psychiatry Research</i> , 2016, 242, 137-143. | 1.7 | 18 |
| 613 | LASSBio-579, a prototype antipsychotic drug, and clozapine are effective in novel object recognition task, a recognition memory model. <i>Behavioural Pharmacology</i> , 2016, 27, 339-349. | 0.8 | 7 |
| 614 | Cognitive Impairment in Schizophrenia: Interplay of BDNF and Childhood Trauma? A Review of Literature. <i>Psychiatric Quarterly</i> , 2016, 87, 559-569. | 1.1 | 11 |
| 615 | Evidence of Common Genetic Overlap Between Schizophrenia and Cognition. <i>Schizophrenia Bulletin</i> , 2016, 42, 832-842. | 2.3 | 102 |
| 616 | The Phosphodiesterase 10A Selective Inhibitor TAK-063 Improves Cognitive Functions Associated with Schizophrenia in Rodent Models. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 356, 587-595. | 1.3 | 41 |
| 617 | Unitary construct of generalized cognitive ability underlying BACS performance across psychotic disorders and in their first-degree relatives. <i>Schizophrenia Research</i> , 2016, 170, 156-161. | 1.1 | 32 |
| 618 | Cognitive Assessment Interview (CAI): Validity as a co-primary measure of cognition across phases of schizophrenia. <i>Schizophrenia Research</i> , 2016, 172, 137-142. | 1.1 | 12 |
| 619 | Healthy adolescent performance on the MATRICS Consensus Cognitive Battery (MCCB): Developmental data from two samples of volunteers. <i>Schizophrenia Research</i> , 2016, 172, 106-113. | 1.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 620 | Comparison of phencyclidine-induced spatial learning and memory deficits and reversal by sertindole and risperidone between Lister Hooded and Wistar rats. <i>Behavioural Brain Research</i> , 2016, 305, 140-147. | 1.2 | 9 |
| 621 | Social cognition in schizophrenia: factor structure, clinical and functional correlates. <i>Journal of Mental Health</i> , 2016, 25, 330-337. | 1.0 | 60 |
| 622 | Studies on the Effects Prenatal Immune Activation on Postnatal Behavior: Models of Developmental Origins of Schizophrenia. <i>Neuromethods</i> , 2016, , 263-278. | 0.2 | 0 |
| 623 | State-dependent alterations in sleep/wake architecture elicited by the M4 PAM VU0467154 – Relation to antipsychotic-like drug effects. <i>Neuropharmacology</i> , 2016, 102, 244-253. | 2.0 | 23 |
| 624 | Electrophysiological Correlates of Aberrant Motivated Attention and Salience Processing in Unaffected Relatives of Schizophrenia Patients. <i>Clinical EEG and Neuroscience</i> , 2016, 47, 11-23. | 0.9 | 10 |
| 625 | Cognitive Effects of High-Frequency rTMS in Schizophrenia Patients With Predominant Negative Symptoms: Results From a Multicenter Randomized Sham-Controlled Trial. <i>Schizophrenia Bulletin</i> , 2016, 42, 608-618. | 2.3 | 71 |
| 626 | Comprehensive treatments for social cognitive deficits in schizophrenia: A critical review and effect-size analysis of controlled studies. <i>Clinical Psychology Review</i> , 2016, 43, 80-89. | 6.0 | 144 |
| 627 | Re-conceptualizing ASD Within a Dimensional Framework: Positive, Negative, and Cognitive Feature Clusters. <i>Journal of Autism and Developmental Disorders</i> , 2016, 46, 342-351. | 1.7 | 25 |
| 628 | Northwestern University schizophrenia data sharing for SchizConnect: A longitudinal dataset for large-scale integration. <i>NeuroImage</i> , 2016, 124, 1196-1201. | 2.1 | 26 |
| 629 | The effect of combined treatment with escitalopram and risperidone on the MK-801-induced changes in the object recognition test in mice. <i>Pharmacological Reports</i> , 2016, 68, 116-120. | 1.5 | 14 |
| 630 | Emotion and Theory of Mind in Schizophrenia – Investigating the Role of the Cerebellum. <i>Cerebellum</i> , 2016, 15, 357-368. | 1.4 | 81 |
| 631 | Phase 2 Trial of an Alpha-7 Nicotinic Receptor Agonist (TC-5619) in Negative and Cognitive Symptoms of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016, 42, 335-343. | 2.3 | 78 |
| 632 | Psychosocial functioning in first-episode psychosis and associations with neurocognition, social cognition, psychotic and affective symptoms. <i>Microbial Biotechnology</i> , 2017, 11, 23-36. | 0.9 | 46 |
| 634 | Evidence that communication impairment in schizophrenia is associated with generalized poor task performance. <i>Psychiatry Research</i> , 2017, 249, 172-179. | 1.7 | 13 |
| 635 | Validation of the tablet-administered Brief Assessment of Cognition (BAC App). <i>Schizophrenia Research</i> , 2017, 181, 100-106. | 1.1 | 62 |
| 636 | Prediction of functional outcome in young patients with a recent-onset psychiatric disorder: Beyond the traditional diagnostic classification system. <i>Schizophrenia Research</i> , 2017, 185, 114-121. | 1.1 | 9 |
| 637 | From neurological soft signs to functional outcome in young individuals in treatment with secondary services for non-psychotic disorders: a path analysis. <i>Psychological Medicine</i> , 2017, 47, 1192-1203. | 2.7 | 5 |
| 638 | Cognitive Impairment in Euthymic Pediatric Bipolar Disorder: A Systematic Review and Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 286-296. | 0.3 | 70 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 639 | The relationship of cognitive improvement after cognitive remediation with social functioning in patients with schizophrenia and severe cognitive deficits. <i>Schizophrenia Research</i> , 2017, 185, 154-160. | 1.1 | 15 |
| 640 | Reality monitoring impairment in schizophrenia reflects specific prefrontal cortex dysfunction. <i>NeuroImage: Clinical</i> , 2017, 14, 260-268. | 1.4 | 31 |
| 641 | Validation of the Persian version of the Schizophrenia Cognition Rating Scale (SCoRS) in patients with schizophrenia. <i>Asian Journal of Psychiatry</i> , 2017, 27, 12-15. | 0.9 | 8 |
| 642 | Does Integrated Neurocognitive Therapy (INT) reduce severe negative symptoms in schizophrenia outpatients?. <i>Schizophrenia Research</i> , 2017, 188, 92-97. | 1.1 | 19 |
| 643 | Classics in Chemical Neuroscience: Haloperidol. <i>ACS Chemical Neuroscience</i> , 2017, 8, 444-453. | 1.7 | 48 |
| 644 | The influence of the glutamatergic system on cognition in schizophrenia: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 77, 369-387. | 2.9 | 40 |
| 645 | The effect of active video games on cognitive functioning in clinical and non-clinical populations: A meta-analysis of randomized controlled trials. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 78, 34-43. | 2.9 | 273 |
| 646 | Further evidence of alerted default network connectivity and association with theory of mind ability in schizophrenia. <i>Schizophrenia Research</i> , 2017, 184, 52-58. | 1.1 | 26 |
| 647 | Associations between daily living skills, cognition, and real-world functioning across stages of schizophrenia; a study with the Schizophrenia Cognition Rating Scale Japanese version. <i>Schizophrenia Research: Cognition</i> , 2017, 7, 13-18. | 0.7 | 24 |
| 648 | Stereotype Knowledge and Endorsement in Schizophrenia. <i>Psychopathology</i> , 2017, 50, 342-346. | 1.1 | 9 |
| 649 | Gender differences measured by the MATRICS consensus cognitive battery in chronic schizophrenia patients. <i>Scientific Reports</i> , 2017, 7, 11821. | 1.6 | 47 |
| 650 | Translating advances in the molecular basis of schizophrenia into novel cognitive treatment strategies. <i>British Journal of Pharmacology</i> , 2017, 174, 3173-3190. | 2.7 | 17 |
| 651 | The effect of the muscarinic M 1 receptor antagonist biperiden on cognition in medication free subjects with psychosis. <i>European Neuropsychopharmacology</i> , 2017, 27, 854-864. | 0.3 | 15 |
| 652 | Regulation of sustained attention, false alarm responding and implementation of conditional rules by prefrontal GABAA transmission: comparison with NMDA transmission. <i>Psychopharmacology</i> , 2017, 234, 2777-2792. | 1.5 | 14 |
| 653 | A one-week 5-choice serial reaction time task to measure impulsivity and attention in adult and adolescent mice. <i>Scientific Reports</i> , 2017, 7, 42519. | 1.6 | 39 |
| 654 | Sustaining attention to simple visual tasks: a central deficit in schizophrenia? A systematic review. <i>Annals of the New York Academy of Sciences</i> , 2017, 1408, 32-45. | 1.8 | 21 |
| 655 | A Polygenic Risk Score of glutamatergic SNPs associated with schizophrenia predicts attentional behavior and related brain activity in healthy humans. <i>European Neuropsychopharmacology</i> , 2017, 27, 928-939. | 0.3 | 17 |
| 656 | Sustained attention ability in schizophrenia: Investigation of conflict monitoring mechanisms. <i>Clinical Neurophysiology</i> , 2017, 128, 1599-1607. | 0.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 657 | Smoking status and its relationship to demographic and clinical characteristics in first episode psychosis. <i>Journal of Psychiatric Research</i> , 2017, 85, 83-90. | 1.5 | 19 |
| 658 | Cognitive impairments in patients with first episode psychosis: The relationship between neurophysiological and neuropsychological assessments. <i>Journal of Clinical Neuroscience</i> , 2017, 36, 80-87. | 0.8 | 17 |
| 659 | The course of cognitive functioning after first-episode of psychosis: A six month follow-up study. <i>Schizophrenia Research</i> , 2017, 182, 31-41. | 1.1 | 4 |
| 660 | Understanding Social Situations (USS): A proof-of-concept social cognitive intervention targeting theory of mind and attributional bias in individuals with psychosis. <i>Psychiatric Rehabilitation Journal</i> , 2017, 40, 12-20. | 0.8 | 16 |
| 661 | Implications for the thalamic reticular nucleus in impaired attention and sleep in schizophrenia. <i>Schizophrenia Research</i> , 2017, 180, 44-47. | 1.1 | 31 |
| 662 | Dopamine D 1 signaling involvement in the effects of the phosphodiesterase 10A inhibitor, PDM-042 on cognitive function and extrapyramidal side effect in rats. <i>Behavioural Brain Research</i> , 2017, 317, 204-209. | 1.2 | 5 |
| 663 | Recent Advances in Psychological Assessment and Test Construction. , 2017, , 3-25. | | 2 |
| 664 | Advances in Theoretical, Developmental, and Cross-Cultural Perspectives of Psychopathology. , 2017, , 293-342. | | 3 |
| 665 | Acute Kynurenine Challenge Disrupts Sleep Wake Architecture and Impairs Contextual Memory in Adult Rats. <i>Sleep</i> , 2017, 40, . | 0.6 | 27 |
| 666 | Vom kognitiven Training zur Kognitiven Remediationstherapie: Nutzen und Grenzen. <i>Verhaltenstherapie</i> , 2017, 27, 170-179. | 0.3 | 6 |
| 667 | Exercise Induced Neuroplasticity to Enhance Therapeutic Outcomes of Cognitive Remediation in Schizophrenia: Analyzing the Role of Brain derived Neurotrophic Factor. <i>CNS and Neurological Disorders - Drug Targets</i> , 2017, 16, 638-651. | 0.8 | 24 |
| 668 | The Importance of Metamemory Functioning to the Pathogenesis of Psychosis. <i>Frontiers in Psychology</i> , 2017, 8, 304. | 1.1 | 20 |
| 669 | Parameter-Based Evaluation of Attentional Impairments in Schizophrenia and Their Modulation by Prefrontal Transcranial Direct Current Stimulation. <i>Frontiers in Psychiatry</i> , 2017, 8, 259. | 1.3 | 9 |
| 670 | Catechol-O-methyltransferase (COMT) polymorphisms modulate working memory in individuals with schizophrenia and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 302-308. | 0.9 | 26 |
| 671 | Antioxidant Treatment with N-acetyl Cysteine Prevents the Development of Cognitive and Social Behavioral Deficits that Result from Perinatal Ketamine Treatment. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 106. | 1.0 | 37 |
| 672 | Modified Mediterranean Diet for Enrichment of Short Chain Fatty Acids: Potential Adjunctive Therapeutic to Target Immune and Metabolic Dysfunction in Schizophrenia?. <i>Frontiers in Neuroscience</i> , 2017, 11, 155. | 1.4 | 63 |
| 673 | Cognitive Deficits in Schizophrenia. , 2017, , . | | 2 |
| 674 | Use of the MATRICS consensus cognitive battery (MCCB) to evaluate cognitive deficits in bipolar disorder: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0176212. | 1.1 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 675 | Dose reduction of risperidone and olanzapine can improve cognitive function and negative symptoms in stable schizophrenic patients: A single-blinded, 52-week, randomized controlled study. <i>Journal of Psychopharmacology</i> , 2018, 32, 524-532. | 2.0 | 31 |
| 676 | Combined treatment with aripiprazole and antidepressants reversed some MK-801-induced schizophrenia-like symptoms in mice. <i>Pharmacological Reports</i> , 2018, 70, 623-630. | 1.5 | 9 |
| 677 | Cognitive impairments and low BDNF serum levels in first-episode drug-naive patients with schizophrenia. <i>Psychiatry Research</i> , 2018, 263, 1-6. | 1.7 | 55 |
| 678 | Selective noradrenaline reuptake inhibitors for schizophrenia. <i>The Cochrane Library</i> , 2018, 2018, CD010219. | 1.5 | 8 |
| 679 | Group Activities to Promote Early Rehabilitation in an Acute Psychiatric Ward: A Relationship-Based Approach Focusing on Movies. <i>International Journal of Group Psychotherapy</i> , 2018, 68, 147-162. | 0.4 | 2 |
| 680 | Overview and systematic review of studies of microbiome in schizophrenia and bipolar disorder. <i>Journal of Psychiatric Research</i> , 2018, 99, 50-61. | 1.5 | 151 |
| 681 | Premorbid IQ subgroups in first episode non affective psychosis patients: Long-term sex differences in function and neurocognition. <i>Schizophrenia Research</i> , 2018, 197, 370-377. | 1.1 | 26 |
| 682 | Effects of 12-month, double-blind N-acetyl cysteine on symptoms, cognition and brain morphology in early phase schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2018, 199, 395-402. | 1.1 | 74 |
| 683 | Test-Retest Reliability and Minimal Detectable Change of the D2 Test of Attention in Patients with Schizophrenia. <i>Archives of Clinical Neuropsychology</i> , 2018, 33, 1060-1068. | 0.3 | 16 |
| 684 | Early cognitive basic symptoms are accompanied by neurocognitive impairment in patients with an at-risk mental state for psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 586-595. | 0.9 | 11 |
| 685 | Impaired verbal learning in forensic inpatients with Schizophrenia Spectrum Disorder. <i>Applied Neuropsychology Adult</i> , 2018, 25, 189-196. | 0.7 | 3 |
| 686 | Occupational engagement and cognitive functioning among persons with schizophrenia: an explorative study. <i>Scandinavian Journal of Occupational Therapy</i> , 2018, 25, 172-179. | 1.1 | 12 |
| 687 | Psychosis and dementia: risk factor, prodrome, or cause?. <i>International Psychogeriatrics</i> , 2018, 30, 209-219. | 0.6 | 49 |
| 688 | Psychometrics of social cognitive measures for psychosis treatment research. <i>Schizophrenia Research</i> , 2018, 193, 51-57. | 1.1 | 26 |
| 689 | Cognitive enhancement and antipsychotic-like activity following repeated dosing with the selective M4 PAM VU0467154. <i>Neuropharmacology</i> , 2018, 128, 492-502. | 2.0 | 35 |
| 690 | The association between cardio-respiratory fitness and cognition in schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 418-422. | 1.1 | 11 |
| 691 | Cognitive deficit in patients with paranoid schizophrenia: Its clinical and laboratory correlates. <i>Psychiatry Research</i> , 2018, 262, 542-548. | 1.7 | 29 |
| 692 | Motor abnormalities and cognitive impairment in first-episode psychosis patients, their unaffected siblings and healthy controls. <i>Schizophrenia Research</i> , 2018, 200, 50-55. | 1.1 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 693 | Joint analysis of cognitive and circadian variation in Schizophrenia and Bipolar I Disorder. <i>Asian Journal of Psychiatry</i> , 2018, 38, 96-101. | 0.9 | 7 |
| 694 | NMDA receptor antagonist rodent models for cognition in schizophrenia and identification of novel drug treatments, an update. <i>Neuropharmacology</i> , 2018, 142, 41-62. | 2.0 | 117 |
| 695 | A Study on the Theory of Mind Deficits and Delusions in Schizophrenic Patients. <i>Issues in Mental Health Nursing</i> , 2018, 39, 269-274. | 0.6 | 7 |
| 696 | Dimensional assessment of schizotypal, psychotic, and other psychiatric traits in children and their parents: development and validation of the Childhood Oxfordâ€Liverpool Inventory of Feelings and Experiences on a representative US sample. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018, 59, 574-585. | 3.1 | 4 |
| 697 | Examining speed of processing of facial emotion recognition in individuals at ultra-high risk for psychosis: Associations with symptoms and cognition. <i>Schizophrenia Research</i> , 2018, 195, 562-563. | 1.1 | 5 |
| 698 | From the psychosis prodrome to the first-episode of psychosis: No evidence of a cognitive decline. <i>Journal of Psychiatric Research</i> , 2018, 96, 231-238. | 1.5 | 68 |
| 699 | Prenatal kynurenine treatment in rats causes schizophrenia-like broad monitoring deficits in adulthood. <i>Psychopharmacology</i> , 2018, 235, 651-661. | 1.5 | 19 |
| 700 | Spatial learning and flexibility in 129S2/SvHsd and C57BL/6J mouse strains using different variants of the Barnes maze. <i>Behavioural Pharmacology</i> , 2018, 29, 688-700. | 0.8 | 8 |
| 701 | Sleeping beauty syndrome presenting with insomnia. <i>BMJ Case Reports</i> , 2018, 2018, bcr-2018-225873. | 0.2 | 1 |
| 702 | Cognitive Impairment in Schizophrenia: Description and Cognitive Familiar Endophenotypes. A Review of the Literature. , 0, , . | | 3 |
| 703 | Effectiveness of Integrated Neurocognitive Therapy on Cognitive Impairment and Functional Outcome for Schizophrenia Outpatients. <i>Schizophrenia Research and Treatment</i> , 2018, 2018, 1-9. | 0.7 | 5 |
| 704 | Assessment of the Association Between Cigarette Smoking and Cognitive Performance in Patients With Schizophrenia-Spectrum Disorders: A Case-Control Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 642. | 1.3 | 12 |
| 705 | Antipsychotics, Metabolic Adverse Effects, and Cognitive Function in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018, 9, 622. | 1.3 | 115 |
| 706 | Longâ€term cognitive trajectories and heterogeneity in patients with schizophrenia and their unaffected siblings. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 591-604. | 2.2 | 30 |
| 707 | Associations Among Suicidal Ideation, White Matter Integrity and Cognitive Deficit in First-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018, 9, 391. | 1.3 | 43 |
| 708 | Comparing cognitive clusters across first- and multiple-episode of psychosis. <i>Psychiatry Research</i> , 2018, 269, 707-718. | 1.7 | 19 |
| 709 | Cognitive improvement in first-episode schizophrenia and healthy controls: A 6-year multi-assessment follow-up study. <i>Psychiatry Research</i> , 2018, 267, 319-326. | 1.7 | 9 |
| 710 | Single transcranial direct current stimulation in schizophrenia: Randomized, cross-over study of neurocognition, social cognition, ERPs, and side effects. <i>PLoS ONE</i> , 2018, 13, e0197023. | 1.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 711 | Neurocognitive Impairments Are More Severe in the Binge-Eating/Purging Anorexia Nervosa Subtype Than in the Restricting Subtype. <i>Frontiers in Psychiatry</i> , 2018, 9, 138. | 1.3 | 18 |
| 712 | The Importance of Social Cognition in Improving Functional Outcomes in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018, 9, 157. | 1.3 | 103 |
| 713 | Longitudinal Cognitive Changes in Young Individuals at Ultrahigh Risk for Psychosis. <i>JAMA Psychiatry</i> , 2018, 75, 929. | 6.0 | 54 |
| 714 | Neurocognitive dysfunction in subjects at clinical high risk for psychosis: A meta-analysis. <i>Journal of Psychiatric Research</i> , 2018, 103, 38-45. | 1.5 | 42 |
| 715 | Cognitive Phenotypes for Biomarker Identification in Mental Illness: Forward and Reverse Translation. <i>Current Topics in Behavioral Neurosciences</i> , 2018, 40, 111-166. | 0.8 | 7 |
| 716 | Neurosteroid pregnenolone sulfate, alone, and as augmentation of lurasidone or tandospirone, rescues phencyclidine-induced deficits in cognitive function and social interaction. <i>Behavioural Brain Research</i> , 2018, 350, 31-43. | 1.2 | 20 |
| 717 | Assessment of Neurocognitive Functions in 7-Year-Old Children at Familial High Risk for Schizophrenia or Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 844. | 6.0 | 60 |
| 718 | Cognitive functioning following discontinuation of antipsychotic medication. A naturalistic sub-group analysis from the OPUS II trial. <i>Psychological Medicine</i> , 2019, 49, 1138-1147. | 2.7 | 20 |
| 719 | Impact of number of episodes on neurocognitive trajectory in bipolar disorder patients: a 5-year follow-up study. <i>Psychological Medicine</i> , 2019, 49, 1299-1307. | 2.7 | 52 |
| 720 | Impacts de la combinaison de programmes de soutien à l'emploi et de remédiation cognitive sur le maintien en emploi de personnes souffrant de schizophrénie: une méta-analyse. <i>Annales Medico-Psychologiques</i> , 2019, 177, 534-543. | 0.2 | 6 |
| 721 | The efficacy of computerized cognitive drill and practice training for patients with a schizophrenia-spectrum disorder: A meta-analysis. <i>Schizophrenia Research</i> , 2019, 204, 368-374. | 1.1 | 52 |
| 722 | Maternal immune activation in mid-late gestation alters amphetamine sensitivity and object recognition, but not other schizophrenia-related behaviours in adult rats. <i>Behavioural Brain Research</i> , 2019, 356, 358-364. | 1.2 | 18 |
| 723 | Gene expression changes related to immune processes associate with cognitive endophenotypes of schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 88, 159-167. | 2.5 | 8 |
| 724 | Cognitive remediation in large systems of psychiatric care. <i>CNS Spectrums</i> , 2019, 24, 163-173. | 0.7 | 13 |
| 725 | Pathways to functional outcomes in schizophrenia spectrum disorders: Meta-analysis of social cognitive and neurocognitive predictors. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 105, 212-219. | 2.9 | 145 |
| 726 | Meta-analysis of cognitive function in Chinese first-episode schizophrenia: MATRICS Consensus Cognitive Battery (MCCB) profile of impairment. <i>Annals of General Psychiatry</i> , 2019, 32, e100043. | 1.1 | 52 |
| 727 | Severity in sustained attention impairment and clozapine-resistant schizophrenia: a retrospective study. <i>BMC Psychiatry</i> , 2019, 19, 220. | 1.1 | 8 |
| 728 | Physical performance is more strongly associated with cognition in schizophrenia than psychiatric symptoms. <i>European Psychiatry</i> , 2019, 61, 72-78. | 0.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 729 | MCCB cognitive profile in Spanish first episode schizophrenia patients. <i>Schizophrenia Research</i> , 2019, 211, 88-92. | 1.1 | 14 |
| 730 | Acute and Transient Psychotic Disorders: Newer Understanding. <i>Current Psychiatry Reports</i> , 2019, 21, 113. | 2.1 | 17 |
| 731 | Circadian Clocks in the Regulation of Neurotransmitter Systems. <i>Pharmacopsychiatry</i> , 2019, 46, . | 1.7 | 7 |
| 732 | Predicting real-world functioning in outpatients with schizophrenia: Role of inflammation and psychopathology. <i>Psychiatry Research</i> , 2019, 280, 112509. | 1.7 | 19 |
| 733 | Hippocampal Volume, Cognitive Functions, Depression, Anxiety, and Quality of Life in Patients With Cushing Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4563-4577. | 1.8 | 28 |
| 734 | Multi-outcome meta-analysis (MOMA) of cognitive remediation in schizophrenia: Revisiting the relevance of human coaching and elucidating interplay between multiple outcomes. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 107, 828-845. | 2.9 | 62 |
| 735 | Theory of mind in schizophrenia and bipolar disorder: psychometric properties of the Norwegian version of the Hinting Task. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 454-469. | 0.7 | 9 |
| 736 | Factors Associated With Response and Resistance to Cognitive Remediation in Schizophrenia: A Critical Review. <i>Frontiers in Pharmacology</i> , 2018, 9, 1542. | 1.6 | 19 |
| 737 | High-frequency repetitive transcranial magnetic stimulation (rTMS) improves neurocognitive function in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 246, 851-856. | 2.0 | 35 |
| 738 | Influence of muscarinic M1 receptor antagonism on brain choline levels and functional connectivity in medication-free subjects with psychosis: A placebo controlled, cross-over study. <i>Psychiatry Research - Neuroimaging</i> , 2019, 290, 5-13. | 0.9 | 7 |
| 739 | Zebrafish as an Emerging Model for Bioassay-Guided Natural Product Drug Discovery for Neurological Disorders. <i>Medicines (Basel, Switzerland)</i> , 2019, 6, 61. | 0.7 | 28 |
| 740 | Structural Covariance Reveals Alterations in Control and Salience Network Integrity in Chronic Schizophrenia. <i>Cerebral Cortex</i> , 2019, 29, 5269-5284. | 1.6 | 29 |
| 741 | Associations of schizophrenia risk genes ZNF804A and CACNA1C with schizotypy and modulation of attention in healthy subjects. <i>Schizophrenia Research</i> , 2019, 208, 67-75. | 1.1 | 20 |
| 742 | Nonsocial and social cognition in schizophrenia: current evidence and future directions. <i>World Psychiatry</i> , 2019, 18, 146-161. | 4.8 | 348 |
| 743 | Cognitive Profiles and Functional Connectivity in First-Episode Schizophrenia Spectrum Disorders – Linking Behavioral and Neuronal Data. <i>Frontiers in Psychology</i> , 2019, 10, 689. | 1.1 | 29 |
| 744 | Co-treatment with antidepressants and aripiprazole reversed the MK-801-induced some negative symptoms of schizophrenia in rats. <i>Pharmacological Reports</i> , 2019, 71, 768-773. | 1.5 | 10 |
| 745 | A Machine Learning Approach for the Automatic Classification of Schizophrenic Discourse. <i>IEEE Access</i> , 2019, 7, 45544-45553. | 2.6 | 7 |
| 746 | Sixth Kraepelin Symposium – Understanding and Treating Cognitive Impairment and Depression in Schizophrenia and Affective Disorders. <i>Schizophrenia Bulletin</i> , 2019, 45, 509-511. | 2.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 747 | An integrated neurocognitive and social-cognitive treatment for youth at clinical high risk for psychosis: Cognition for Learning and for Understanding Everyday Social Situations (CLUES). <i>Schizophrenia Research</i> , 2019, 208, 55-59. | 1.1 | 11 |
| 748 | The validation of a new online cognitive assessment tool: The MyCognition Quotient. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1775. | 1.1 | 24 |
| 749 | Neurophysiological Features of Perception of Roman and Arabic Numerals in Paranoid Schizophrenia Patients. <i>Human Physiology</i> , 2019, 45, 493-499. | 0.1 | 1 |
| 751 | Cognition and Related Neural Findings on Methamphetamine Use Disorder: Insights and Treatment Implications From Schizophrenia Research. <i>Frontiers in Psychiatry</i> , 2019, 10, 880. | 1.3 | 28 |
| 752 | Chronic nicotine administration restores brain region specific upregulation of oxytocin receptor binding levels in a G72 mouse model of schizophrenia. <i>European Journal of Neuroscience</i> , 2019, 50, 2255-2263. | 1.2 | 6 |
| 753 | Cognitive training improves the disturbed behavioral architecture of schizophrenia-like rats, <i>Physiology and Behavior</i> , 2019, 201, 70-82. | 1.0 | 8 |
| 754 | Neural correlates of cognitive deficits across developmental phases of schizophrenia. <i>Neurobiology of Disease</i> , 2019, 131, 104353. | 2.1 | 35 |
| 755 | Patterns of Nonsocial and Social Cognitive Functioning in Adults With Autism Spectrum Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 135. | 6.0 | 133 |
| 756 | Discoidin domain receptor 1 gene variants are associated with decreased white matter fractional anisotropy and decreased processing speed in schizophrenia. <i>Journal of Psychiatric Research</i> , 2019, 110, 74-82. | 1.5 | 18 |
| 757 | Improvement in verbal learning over the first year of antipsychotic treatment is associated with serum HDL levels in a cohort of first episode psychosis patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 49-58. | 1.8 | 8 |
| 758 | Virtual reality assessment of functional capacity in the early course of schizophrenia: Associations with cognitive performance and daily functioning. <i>Microbial Biotechnology</i> , 2020, 14, 106-114. | 0.9 | 17 |
| 759 | Lower [18F]fallypride binding to dopamine D2/3 receptors in frontal brain areas in adults with 22q11.2 deletion syndrome: a positron emission tomography study. <i>Psychological Medicine</i> , 2020, 50, 799-807. | 2.7 | 2 |
| 760 | Synaptic biomarker reduction and impaired cognition in the sub-chronic PCP mouse model for schizophrenia. <i>Journal of Psychopharmacology</i> , 2020, 34, 115-124. | 2.0 | 14 |
| 761 | Neurocognition functioning as a prerequisite to intact social cognition in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2020, 25, 14-27. | 0.7 | 6 |
| 762 | Characterizing functional regional homogeneity (ReHo) as a B-SNIP psychosis biomarker using traditional and machine learning approaches. <i>Schizophrenia Research</i> , 2020, 215, 430-438. | 1.1 | 30 |
| 763 | Obesity in Chinese patients with chronic schizophrenia: Prevalence, clinical correlates and relationship with cognitive deficits. <i>Schizophrenia Research</i> , 2020, 215, 270-276. | 1.1 | 23 |
| 764 | Progression of the functional deficit in a group of patients with bipolar disorder: a cluster analysis based on longitudinal data. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 947-957. | 1.8 | 16 |
| 765 | Antipsychotics: Mechanisms underlying clinical response and side-effects and novel treatment approaches based on pathophysiology. <i>Neuropharmacology</i> , 2020, 172, 107704. | 2.0 | 180 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 766 | Assessing Youth with Psychotic Experiences: A Phenomenological Approach. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2020, 29, 1-13. | 1.0 | 5 |
| 767 | Effectiveness of integrated psychological therapy on cognitive function among Lebanese patients with schizophrenia: a pilot study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 43-52. | 1.2 | 3 |
| 768 | The synergetic effect of childhood trauma and recent stressful events in psychosis: associated neurocognitive dysfunction. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 43-51. | 2.2 | 13 |
| 769 | Screening for cognitive impairment in non-affective psychoses: A comparison between the SCIP and the MoCA. <i>Schizophrenia Research</i> , 2020, 218, 188-194. | 1.1 | 11 |
| 770 | Effect of music listening on P300 event-related potential in patients with schizophrenia: A pilot study. <i>Schizophrenia Research</i> , 2020, 216, 85-96. | 1.1 | 7 |
| 771 | Humor perception in schizophrenia appears to be related to disorganization syndrome. <i>Comprehensive Psychiatry</i> , 2020, 96, 152149. | 1.5 | 5 |
| 772 | Evaluation of social cognitive measures in an Asian schizophrenia sample. <i>Schizophrenia Research: Cognition</i> , 2020, 20, 100169. | 0.7 | 12 |
| 773 | The association between serum insulin-like growth factor 1 and cognitive impairments in patients with schizophrenia. <i>Psychiatry Research</i> , 2020, 285, 112731. | 1.7 | 13 |
| 774 | The clozapine to norclozapine ratio: a narrative review of the clinical utility to minimize metabolic risk and enhance clozapine efficacy. <i>Expert Opinion on Drug Safety</i> , 2020, 19, 43-57. | 1.0 | 33 |
| 775 | Autistic symptoms predict social cognitive performance in patients with schizophrenia.. <i>Schizophrenia Research</i> , 2020, 215, 113-119. | 1.1 | 22 |
| 776 | Investigating Cognitive and Clinical Predictors of Real-Life Functioning, Functional Capacity, and Quality of Life in Individuals at Ultra-High Risk for Psychosis. <i>Schizophrenia Bulletin Open</i> , 2020, 1, . | 0.9 | 5 |
| 777 | Semantic Search in Psychosis: Modeling Local Exploitation and Global Exploration. <i>Schizophrenia Bulletin Open</i> , 2020, 1, sgaa011. | 0.9 | 14 |
| 778 | Cognitive Rehabilitation and Neuroimaging. , 2020, , . | | 2 |
| 779 | Factor structure of cognitive performance and functional capacity in schizophrenia: Evidence for differences across functional capacity measures. <i>Schizophrenia Research</i> , 2020, 223, 297-304. | 1.1 | 9 |
| 780 | Emotion Recognition, Emotion Awareness, Metacognition, and Social Functioning in Persons with Schizophrenia. <i>Indian Journal of Psychological Medicine</i> , 2020, 42, 147-154. | 0.6 | 7 |
| 781 | Association of schizophrenia polygenic risk score with data-driven cognitive subtypes: A six-year longitudinal study in patients, siblings and controls. <i>Schizophrenia Research</i> , 2020, 223, 135-147. | 1.1 | 14 |
| 782 | Association of white matter microstructure and extracellular free-water with cognitive performance in the early course of schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2020, 305, 111159. | 0.9 | 12 |
| 783 | Cognitive reserve in patients with first-episode psychosis as outcome predictor at 5-year follow-up. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1959-1967. | 2.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 784 | Translation-Focused Approaches to GPCR Drug Discovery for Cognitive Impairments Associated with Schizophrenia. <i>ACS Pharmacology and Translational Science</i> , 2020, 3, 1042-1062. | 2.5 | 6 |
| 785 | Both unmedicated and medicated individuals with schizophrenia show impairments across a wide array of cognitive and reinforcement learning tasks. <i>Psychological Medicine</i> , 2022, 52, 1115-1125. | 2.7 | 8 |
| 786 | Toxoplasma gondii Effects on the Relationship of Kynurenine Pathway Metabolites to Acoustic Startle Latency in Schizophrenia vs. Control Subjects. <i>Frontiers in Psychiatry</i> , 2020, 11, 552743. | 1.3 | 4 |
| 787 | Modeling Social Sensory Processing During Social Computerized Cognitive Training for Psychosis Spectrum: The Resting-State Approach. <i>Frontiers in Psychiatry</i> , 2020, 11, 554475. | 1.3 | 3 |
| 788 | Are CB2 Receptors a New Target for Schizophrenia Treatment?. <i>Frontiers in Psychiatry</i> , 2020, 11, 587154. | 1.3 | 17 |
| 789 | Can Cognitive Remediation in Groups Prevent Relapses?. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 362-370. | 0.5 | 4 |
| 790 | Evidence-Based Integrated Intervention in Patients with Schizophrenia: A Pilot Study of Feasibility and Effectiveness in a Real-World Rehabilitation Setting. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3352. | 1.2 | 19 |
| 791 | Differences in theory of mind between early and chronic stages in schizophrenia. <i>Journal of Psychiatric Research</i> , 2020, 127, 35-41. | 1.5 | 10 |
| 792 | Emerging 5-HT receptor antagonists for the treatment of Schizophrenia. <i>Expert Opinion on Emerging Drugs</i> , 2020, 25, 189-200. | 1.0 | 15 |
| 793 | Computer-based Cognitive Remediation Therapy plus standard care versus standard care for people with schizophrenia or related disorders. <i>The Cochrane Library</i> , 2020, , . | 1.5 | 0 |
| 794 | Effect of combined treatment with aripiprazole and antidepressants on the MK-801-induced deficits in recognition memory in novel recognition test and on the release of monoamines in the rat frontal cortex. <i>Behavioural Brain Research</i> , 2020, 393, 112769. | 1.2 | 15 |
| 795 | A meta-analysis comparing cognitive function across the mood/psychosis diagnostic spectrum. <i>Psychological Medicine</i> , 2022, 52, 323-331. | 2.7 | 3 |
| 796 | Montreal Cognitive Assessment for evaluating the cognitive impairment in patients with schizophrenia: A systematic review. <i>General Hospital Psychiatry</i> , 2020, 65, 64-73. | 1.2 | 22 |
| 797 | Relationships between abnormal neural activities and cognitive impairments in patients with drug-naive first-episode schizophrenia. <i>BMC Psychiatry</i> , 2020, 20, 283. | 1.1 | 21 |
| 799 | Deletion of the Mitochondrial Matrix Protein CyclophilinD Prevents Parvalbumin Interneuron Dysfunction and Cognitive Deficits in a Mouse Model of NMDA Hypofunction. <i>Journal of Neuroscience</i> , 2020, 40, 6121-6132. | 1.7 | 7 |
| 800 | Autistic Symptoms and Social Cognition Predict Real-World Outcomes in Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020, 11, 524. | 1.3 | 23 |
| 801 | Amphetamine-induced striatal dopamine release in schizotypal personality disorder. <i>Psychopharmacology</i> , 2020, 237, 2649-2659. | 1.5 | 4 |
| 802 | Predictive factors of functional outcome in patients with bipolar I disorder: a five-year follow-up. <i>Journal of Affective Disorders</i> , 2020, 272, 249-258. | 2.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 803 | Profile of cognitive deficits in schizophrenia and factor structure of the Czech MATRICS Consensus Cognitive Battery. <i>Schizophrenia Research</i> , 2020, 218, 85-92. | 1.1 | 13 |
| 804 | Practice Effects and Test-Retest Reliability of the Continuous Performance Test, Identical Pairs Version in Patients with Schizophrenia over Four Serial Assessments. <i>Archives of Clinical Neuropsychology</i> , 2020, 35, 545-552. | 0.3 | 6 |
| 805 | Cognitive risk factors for psychosis. , 2020, , 269-287. | | 3 |
| 806 | Individual Alpha Peak Frequency Moderates Transfer of Learning in Cognitive Remediation of Schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2020, 26, 19-30. | 1.2 | 4 |
| 807 | Relationship of poor insight to neurocognition, social cognition, and psychiatric symptoms in schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2020, 220, 164-171. | 1.1 | 21 |
| 808 | Efficacy of psychological interventions targeting cognitive biases in schizophrenia: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2020, 78, 101854. | 6.0 | 38 |
| 809 | Advancing study of cognitive impairments for antipsychotic-naïve psychosis comparing high-income versus low- and middle-income countries with a focus on urban China: Systematic review of cognition and study methodology. <i>Schizophrenia Research</i> , 2020, 220, 1-15. | 1.1 | 6 |
| 810 | Inflammatory markers are associated with psychomotor slowing in patients with schizophrenia compared to healthy controls. <i>NPJ Schizophrenia</i> , 2020, 6, 8. | 2.0 | 20 |
| 811 | Associations between facial affect recognition and neurocognition in subjects at ultra-high risk for psychosis: A case-control study. <i>Psychiatry Research</i> , 2020, 290, 112969. | 1.7 | 6 |
| 812 | Is that schizophrenia or frontotemporal dementia? Supporting clinicians in making the right diagnosis. <i>Acta Neurologica Belgica</i> , 2020, 120, 799-804. | 0.5 | 8 |
| 813 | Association between cognitive phenotype in unaffected siblings and prospective 3- and 6-year clinical outcome in their proband affected by psychosis. <i>Psychological Medicine</i> , 2021, 51, 1916-1926. | 2.7 | 2 |
| 814 | High-intensity interval training and active video gaming improve neurocognition in schizophrenia: a randomized controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 339-353. | 1.8 | 16 |
| 815 | Phencyclidine-induced cognitive impairments in repeated touchscreen visual reversal learning tests in rats. <i>Behavioural Brain Research</i> , 2021, 404, 113057. | 1.2 | 4 |
| 816 | Diabetes mellitus, cognitive deficits and serum BDNF levels in chronic patients with schizophrenia: A case-control study. <i>Journal of Psychiatric Research</i> , 2021, 134, 39-47. | 1.5 | 13 |
| 817 | Cognitive Subtyping in Schizophrenia: A Latent Profile Analysis. <i>Schizophrenia Bulletin</i> , 2021, 47, 712-721. | 2.3 | 17 |
| 818 | Predictors of remission from the ultra-high risk state for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 104-112. | 0.9 | 8 |
| 819 | Generalized neurocognitive impairment in individuals at ultra-high risk for psychosis: The possible key role of slowed processing speed. <i>Brain and Behavior</i> , 2021, 11, e01962. | 1.0 | 10 |
| 821 | Altered effective connectivity within an oculomotor control network in individuals with schizophrenia. <i>NeuroImage: Clinical</i> , 2021, 31, 102764. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 822 | Psychosocial rehabilitation interventions in the treatment of schizophrenia and bipolar disorder. <i>Noropsikiyatri Arsivi</i> , 2021, 58, S77-S82. | 0.2 | 7 |
| 823 | Structural and Functional Connectivity Changes Following Cognitive Remediation: A Systematic Review. , 2021, , 371-394. | | 0 |
| 824 | Dissociating the effects of distraction and proactive interference on object memory through tests of novelty preference. <i>Brain and Neuroscience Advances</i> , 2021, 5, 239821282110031. | 1.8 | 0 |
| 825 | Video games for people with schizophrenia. <i>The Cochrane Library</i> , 2021, 2021, CD012844. | 1.5 | 5 |
| 826 | A Network of Psychopathological, Cognitive, and Motor Symptoms in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 915-926. | 2.3 | 16 |
| 827 | Education Mediates Racial Disparities in Cognitive Impairment Among Older Adults With Schizophrenia. <i>Clinical Gerontologist</i> , 2021, , 1-14. | 1.2 | 3 |
| 828 | Dysbindin-1 regulates mitochondrial fission and gamma oscillations. <i>Molecular Psychiatry</i> , 2021, 26, 4633-4651. | 4.1 | 7 |
| 829 | Functional connectivity abnormalities of the long-axis hippocampal subregions in schizophrenia during episodic memory. <i>NPJ Schizophrenia</i> , 2021, 7, 19. | 2.0 | 11 |
| 830 | Cognitive Predictors of Social and Occupational Functioning in Early Psychosis: A Systematic Review and Meta-analysis of Cross-Sectional and Longitudinal Data. <i>Schizophrenia Bulletin</i> , 2021, 47, 1243-1253. | 2.3 | 59 |
| 832 | Bifactor model of cognition in schizophrenia: Evidence for general and specific abilities. <i>Journal of Psychiatric Research</i> , 2021, 136, 132-139. | 1.5 | 2 |
| 833 | Improving cognition in severe mental illness by combining cognitive remediation and transcranial direct current stimulation: study protocol for a pragmatic randomized controlled pilot trial (HEADDSET). <i>Trials</i> , 2021, 22, 275. | 0.7 | 1 |
| 834 | Functional Connectivity During Visuospatial Processing in Schizophrenia: A Classification Study Using Lasso Regression. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 1077-1087. | 1.0 | 5 |
| 836 | Cannabidiol and Amisulpride Improve Cognition in Acute Schizophrenia in an Explorative, Double-Blind, Active-Controlled, Randomized Clinical Trial. <i>Frontiers in Pharmacology</i> , 2021, 12, 614811. | 1.6 | 24 |
| 837 | Cortical morphometric correlational networks associated with cognitive deficits in first episode schizophrenia. <i>Schizophrenia Research</i> , 2021, 231, 179-188. | 1.1 | 6 |
| 838 | Cognitive performance and lifetime cannabis use in patients with first-episode schizophrenia spectrum disorder. <i>Cognitive Neuropsychiatry</i> , 2021, 26, 257-272. | 0.7 | 6 |
| 839 | Myospryn deficiency leads to impaired cardiac structure and function and schizophrenia-associated symptoms. <i>Cell and Tissue Research</i> , 2021, 385, 675-696. | 1.5 | 3 |
| 840 | Education and long-term outcomes in first episode psychosis: 10-year follow-up study of the PAFIP cohort. <i>Psychological Medicine</i> , 2023, 53, 66-77. | 2.7 | 8 |
| 841 | Cross-cultural adaptation and validation of the Arabic version of the BACS scale (the brief) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2021, 21, 223. | 1.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 842 | Schizophrenia-Like Behavioral Impairments in Mice with Suppressed Expression of Piccolo in the Medial Prefrontal Cortex. <i>Journal of Personalized Medicine</i> , 2021, 11, 607. | 1.1 | 8 |
| 843 | Cannabinoid receptor gene polymorphisms and cognitive performance in patients with schizophrenia and controls. <i>Revista Brasileira De Psiquiatria</i> , 2021, , . | 0.9 | 6 |
| 844 | Lumateperone tosylate, A Selective and Concurrent Modulator of Serotonin, Dopamine, and Glutamate, in the Treatment of Schizophrenia. <i>Health Psychology Research</i> , 2021, 9, 24932. | 0.6 | 5 |
| 845 | Assessing cognition in people with severe mental disorders in low- and middle-income countries: a systematic review of assessment measures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 435-460. | 1.6 | 5 |
| 847 | Caffeine – treat or trigger? Disparate behavioral and long-term dopaminergic changes in control and schizophrenia-like Wistar rats. <i>Physiology and Behavior</i> , 2021, 236, 113410. | 1.0 | 5 |
| 848 | Social cognition in multiple sclerosis and its subtypes: A meta-analysis. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 52, 102973. | 0.9 | 25 |
| 849 | Altered functional connectivity of the dentate nuclei in patients with schizophrenia. <i>Schizophrenia Research</i> , 2021, 233, 16-23. | 1.1 | 6 |
| 850 | Rare Copy Number Variants Are Associated With Poorer Cognition in Schizophrenia. <i>Biological Psychiatry</i> , 2021, 90, 28-34. | 0.7 | 20 |
| 851 | Prevalence of antipsychotic-induced extrapyramidal symptoms and their association with neurocognition and social cognition in outpatients with schizophrenia in the –real-life–. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 109, 110250. | 2.5 | 18 |
| 852 | Effectiveness, Core Elements, and Moderators of Response of Cognitive Remediation for Schizophrenia. <i>JAMA Psychiatry</i> , 2021, 78, 848. | 6.0 | 208 |
| 853 | A Kiosk Station for the Assessment of Multiple Cognitive Domains and Cognitive Enrichment of Monkeys. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 721069. | 1.0 | 13 |
| 854 | Impact of repeated co-treatment with escitalopram and aripiprazole on the schizophrenia-like behaviors and BDNF mRNA expression in the adult Sprague–Dawley rats exposed to glutathione deficit during early postnatal development of the brain. <i>Pharmacological Reports</i> , 2021, 73, 1712-1723. | 1.5 | 3 |
| 855 | –Unhlyen– z–ry– u psychotick–ch onemocn–n–: p™ehledov–; studie. <i>Psychologie Pro Praxi</i> , 2021, 55, 55-71. | | |
| 856 | Cognitive reserve as a moderator of outcomes in five clusters of first episode psychosis patients: a 10-year follow-up study of the PAFIP cohort. <i>Psychological Medicine</i> , 2023, 53, 1891-1905. | 2.7 | 3 |
| 857 | Practice Effects, Test–Retest Reliability, and Minimal Detectable Change of the Ruff 2 and 7 Selective Attention Test in Patients with Schizophrenia. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9440. | 1.2 | 1 |
| 858 | Altered Effective Connectivity within an Oculomotor Control Network in Unaffected Relatives of Individuals with Schizophrenia. <i>Brain Sciences</i> , 2021, 11, 1228. | 1.1 | 1 |
| 859 | Let–s lower the floor: clinical utility of the D-KEFS TMT with a forensic psychiatric inpatient population. <i>Applied Neuropsychology Adult</i> , 2021, , 1-9. | 0.7 | 0 |
| 860 | Effects of IPS plus cognitive remediation in early psychosis: 18-month functioning outcomes of a randomized controlled trial. <i>Schizophrenia Research</i> , 2021, 236, 115-122. | 1.1 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 861 | Early and middle latency auditory event-related potentials do not explain differences in neuropsychological performance between schizophrenia spectrum patients and matched healthy controls. <i>Psychiatry Research</i> , 2021, 304, 114162. | 1.7 | 2 |
| 862 | Deficits in generalized cognitive ability, visual sensorimotor function, and inhibitory control represent discrete domains of neurobehavioral deficit in psychotic disorders. <i>Schizophrenia Research</i> , 2021, 236, 54-60. | 1.1 | 2 |
| 863 | Basal ganglia shape features differentiate schizoaffective disorder from schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2021, 317, 111352. | 0.9 | 5 |
| 864 | Network analysis of cognitive deficit in patients with schizophrenia spectrum disorders. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100213. | 0.7 | 10 |
| 865 | The association between smoking behaviour, social cognition and social functioning in patients with a non-affective psychotic disorder: A prospective follow-up study. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100206. | 0.7 | 2 |
| 866 | The relationship between cognition and functioning in schizophrenia: A semi-systematic review. <i>Schizophrenia Research: Cognition</i> , 2022, 27, 100217. | 0.7 | 32 |
| 867 | The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33. | 4.8 | 153 |
| 868 | Selective noradrenaline reuptake inhibitors for schizophrenia. <i>The Cochrane Library</i> , 0, , . | 1.5 | 1 |
| 870 | How Behavioral Healthcare Informatics Systems Interface with Medical Informatics Systems: A Work in Progress. <i>Computers in Health Care</i> , 2010, , 195-204. | 0.2 | 2 |
| 871 | Preclinical Aspects of Nicotinic Acetylcholine Receptor Imaging. , 2014, , 465-512. | | 4 |
| 872 | Neurological and Neuropsychological Endophenotypes in Schizophrenia Spectrum Disorders. , 2011, , 325-349. | | 2 |
| 873 | Neurocognitive Deficits, Negative Symptoms, and Insight in Schizophrenia. , 2011, , 33-74. | | 1 |
| 874 | Developmental Consequences of Prenatal Exposure to Maternal Immune Activation. , 2011, , 263-285. | | 1 |
| 875 | Genetic Rat Models for Schizophrenia. <i>Handbook of Behavioral Neuroscience</i> , 2016, 23, 303-324. | 0.7 | 4 |
| 876 | Sexual Dimorphisms in Psychosis Risk: A Neurodevelopmental Perspective. , 2016, , 107-127. | | 3 |
| 877 | Modelo predictivo de la funcionalidad en la esquizofrenia: una aproximación desde el modelado de ecuaciones estructurales. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 232-241. | 1.0 | 8 |
| 878 | Default mode functional connectivity is associated with social functioning in schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 392-405. | 2.0 | 45 |
| 879 | Effects of the CACNA1C risk allele on neurocognition in patients with schizophrenia and healthy individuals. <i>Scientific Reports</i> , 2012, 2, 634. | 1.6 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 880 | Cognitive impairment in schizophrenia and depression: A comparison of stability and course. <i>Applied Neuropsychology Adult</i> , 2019, 26, 215-228. | 0.7 | 17 |
| 882 | Disintegration of social cognitive processes in schizophrenia. <i>Psychiatria Polska</i> , 2013, 47, 1023-1039. | 0.2 | 3 |
| 883 | Effects of the Selective 5-HT7 Receptor Antagonist SB-269970 and Amisulpride on Ketamine-Induced Schizophrenia-like Deficits in Rats. <i>PLoS ONE</i> , 2013, 8, e66695. | 1.1 | 89 |
| 884 | Inflexible Minds: Impaired Attention Switching in Recent-Onset Schizophrenia. <i>PLoS ONE</i> , 2013, 8, e78062. | 1.1 | 10 |
| 885 | The Course of Neurocognitive Changes in Acute Psychosis: Relation to Symptomatic Improvement. <i>PLoS ONE</i> , 2016, 11, e0167390. | 1.1 | 18 |
| 886 | Association of a risk allele of ANK3 with cognitive performance and cortical thickness in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 31-39. | 1.4 | 32 |
| 887 | Confiabilidade dos Índices Fatoriais da Wais-III Adaptada para a População Brasileira. <i>Psicologia - Teoria e Prática</i> , 2015, 17, 123-139. | 0.0 | 6 |
| 888 | Alterações cognitivas na esquizofrenia: atualização. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2010, 32, 57-63. | 0.3 | 7 |
| 889 | Improving Cognition via Exercise (ICE): Study Protocol for a Multi-Site, Parallel-Group, Single-Blind, Randomized Clinical Trial Examining the Efficacy of Aerobic Exercise to Improve Neurocognition, Daily Functioning, and Biomarkers of Cognitive Change in Individuals with Schizophrenia. <i>Journal of Psychiatry and Brain Science</i> , 2019, 4, . | 0.3 | 9 |
| 890 | Social Cognition, Negative Symptoms and Psychosocial Functioning in Schizophrenia. <i>International Journal of Clinical Neurosciences and Mental Health</i> , 2016, , 1. | 0.7 | 10 |
| 891 | Going up in Smoke? A Review of nAChRs-based Treatment Strategies for Improving Cognition in Schizophrenia. <i>Current Pharmaceutical Design</i> , 2014, 20, 5077-5092. | 0.9 | 25 |
| 892 | Methylphenidate on Cognitive Improvement in Patients with Traumatic Brain Injury: A Meta-Analysis. <i>Current Neuropharmacology</i> , 2016, 14, 272-281. | 1.4 | 36 |
| 893 | Cognitive training in virtual reality vs. cogpack in patients with schizophrenia: study proposal. <i>Minerva Psichiatrica: A Journal on Psychiatry, Psychology and Psychopharmacology</i> , 2020, 61, . | 0.6 | 1 |
| 894 | Evaluating the feasibility of the Italian version of the computerized interactive remediation of cognition training for schizophrenia (CIRCuiTS). <i>Minerva Psichiatrica: A Journal on Psychiatry, Psychology and Psychopharmacology</i> , 2020, 61, . | 0.6 | 1 |
| 895 | Life Course Challenges Faced by Siblings of Individuals with Schizophrenia May Increase Risk for Depressive Symptoms. <i>Mental Health in Family Medicine</i> , 2016, 12, 147-151. | 0.2 | 10 |
| 897 | Neurocognitive Findings in Bipolar Disorder. <i>Medical Psychiatry</i> , 2007, , 251-274. | 0.2 | 1 |
| 898 | Are cross-species measures of sensorimotor gating useful for the discovery of procognitive cotreatments for schizophrenia?. <i>Dialogues in Clinical Neuroscience</i> , 2006, 8, 9-16. | 1.8 | 62 |
| 899 | The NIMH-MATRICES project for developing cognition-enhancing agents for schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2006, 8, 109-113. | 1.8 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 900 | Executive control: balancing stability and flexibility via the duality of evolutionary neuroanatomical trends. <i>Dialogues in Clinical Neuroscience</i> , 2012, 14, 39-47. | 1.8 | 15 |
| 901 | Cognitive impairment in psychotic illness: prevalence, profile of impairment, developmental course, and treatment considerations. <i>Dialogues in Clinical Neuroscience</i> , 2019, 21, 239-248. | 1.8 | 117 |
| 903 | Poor Premorbid Adjustment and Dysfunctional Executive Abilities Predict Theory of Mind Deficits in Stabilized Schizophrenic Outpatients. <i>Clinical Schizophrenia and Related Psychoses</i> , 2008, 2, 205-216. | 1.4 | 4 |
| 904 | Social Cognitive Markers of Short-Term Clinical Outcome in First-Episode Psychosis. <i>Clinical Schizophrenia and Related Psychoses</i> , 2010, 4, 105-114. | 1.4 | 17 |
| 905 | Cognitive effects of atypical antipsychotic drugs in first-episode drug-naïve schizophrenic patients. <i>Neural Regeneration Research</i> , 2013, 8, 277-86. | 1.6 | 20 |
| 906 | Cognitive Impairment and Functional Outcome in Schizophrenia and Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, e12. | 1.1 | 461 |
| 907 | The early longitudinal course of cognitive deficits in schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2014, 75 Suppl 2, 25-9. | 1.1 | 37 |
| 908 | Cognitive Functioning and Acute Sedative Effects of Risperidone and Quetiapine in Patients With Stable Bipolar I Disorder. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1186-1194. | 1.1 | 42 |
| 909 | Executive function in patients with schizophrenia based on socio-occupational impairment: A cross-sectional study. <i>Industrial Psychiatry</i> , 2018, 27, 181. | 0.3 | 5 |
| 910 | The social neuroscience of psychosis: From neurobiology to neurotherapeutics. <i>Indian Journal of Psychiatry</i> , 2020, 62, 470. | 0.4 | 1 |
| 911 | Subjective cognitive complaints and its relation to objective cognitive performance, clinical profile, clinical insight, and social functioning in patients of schizophrenia: A cross-sectional study. <i>Indian Journal of Psychiatry</i> , 2020, 62, 178. | 0.4 | 10 |
| 912 | Antipsychotic effects on cognition in schizophrenia: A meta-analysis of randomised controlled trials. <i>European Journal of Psychiatry</i> , 2009, 23, . | 0.7 | 15 |
| 913 | Cognitive Profile Difference Between Allen Cognitive Levels 4 and 5 in Schizophrenia. <i>American Journal of Occupational Therapy</i> , 2011, 65, 453-461. | 0.1 | 12 |
| 914 | How Reversible is Social Dysfunction in Autistic Spectrum Disorders?. <i>North American Journal of Medicine & Science</i> , 2012, 5, 172. | 3.8 | 1 |
| 915 | Brain Activation Patterns Associated with the Effects of Fearful Distractors during Working Memory Maintenance in Patients with Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 54-63. | 0.9 | 1 |
| 916 | Effects of Amisulpride Adjunctive Therapy on Working Memory and Brain Metabolism in the Frontal Cortex of Patients with Schizophrenia: A Preliminary Positron Emission Tomography/Computerized Tomography Investigation. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 250-260. | 0.9 | 16 |
| 917 | Intermittent theta burst stimulation of cerebellar vermis enhances fronto-cerebellar resting state functional connectivity in schizophrenia with predominant negative symptoms: A randomized controlled trial. <i>Schizophrenia Research</i> , 2021, 238, 108-120. | 1.1 | 27 |
| 918 | Neurocognitive Findings in Bipolar Disorder. , 2007, , 265-288. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 919 | AvaliaÃ§Ã£o neuropsicolÃ³gica na esquizofrenia: revisÃ£o sistemÃ¡tica. Revista De Psiquiatria Do Rio Grande Do Sul, 2008, 30, . | 0.3 | 0 |
| 920 | Computer-based Cognitive and Socio-emotional Training in Psychopathology. , 0, , . | | 0 |
| 921 | Attention and Working Memory: Animal Models for Cognitive Symptoms of Schizophrenia â€“ Studies on D2-Like Receptor Knockout Mice. , 2009, , 501-512. | | 0 |
| 922 | The Use of Neurocognitive Endophenotypes in Large-Scale Family Genetic Studies of Schizophrenia. , 2009, , 177-193. | | 0 |
| 923 | Schizophrenia as a Cognitive Disorder: Recent Approaches to Identifying its Core Cognitive Components to Aid Treatment Development. , 2010, , 267-282. | | 0 |
| 924 | Diagnosis of Complex Diseases. , 2010, , 347-382. | | 0 |
| 927 | Cognitive Impairments in Schizophrenia and Psychotic Bipolar Disorder and Their Relation to Psychotic Symptoms. The Korean Journal of Clinical Psychology, 2010, 29, 471-489. | 0.3 | 1 |
| 928 | 8. RECOsÃ: un programme adaptÃ© au profil cognitif des patients schizophrÃ©nes. , 2011, , 225-247. | | 0 |
| 929 | Contexte. , 2012, , 12-90. | | 0 |
| 930 | Mentalizing Skills Deficits in Schizophrenia as a Clue for Drug Choice: Clozapine Versus Other Antipsychotics on Keeping Outpatients Stable. , 0, , . | | 0 |
| 931 | I disturbi cognitivi nella schizofrenia. , 2013, , 3-12. | | 0 |
| 933 | CogpackÃ©: prove di efficacia. , 2013, , 161-167. | | 0 |
| 935 | Therapie Voraussetzungen, EinsatzmÃ¶glichkeiten und Indikation. , 2013, , 125-130. | | 0 |
| 936 | Douleur et schizophrÃ©nie : quand lâ€™esprit ignore les appels grandissants de la moelle. , 2013, , 111-128. | | 1 |
| 937 | Praktische DurchfÃ¼hrung der INT. , 2013, , 13-123. | | 0 |
| 938 | Tecniche di rimedio cognitivo nella schizofrenia: ambiti di intervento ed evidenze di efficacia. , 2013, , 125-147. | | 0 |
| 939 | Could Schizophrenia Be a Refractory Condition to Central Pain Sensitization?. , 2014, , 157-171. | | 0 |
| 940 | K-WAIS-Ã© Profile in Schizophrenia. The Korean Journal of Clinical Psychology, 2014, 33, 719-734. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 942 | Fondamenti teorici. , 2015, , 1-18. | | 0 |
| 943 | Therapy Requirements, Possible Applications, and Indication. , 2015, , 115-120. | | 0 |
| 945 | Practical Implementation of INT. , 2015, , 13-114. | | 0 |
| 946 | INT: applicazione pratica. , 2015, , 19-216. | | 0 |
| 948 | Is There More to Insight Into Illness in Schizophrenia Than Cognition? A Study Applying the Dynamic Wisconsin Card Sorting Test. Journal of Cognitive Education and Psychology, 2017, 16, 94-106. | 0.2 | 0 |
| 949 | Alteraciones neurocognitivas en la esquizofrenia. Análisis factorial. Medicina UPB, 2017, 36, 123-132. | 0.1 | 2 |
| 950 | Dynamic Assessment of a Schizophrenic Foreign Language Learner. Iranian Rehabilitation Journal, 2017, 15, 341-350. | 0.1 | 0 |
| 951 | COGNITIVE DETERMINANTS OF REAL WORLD SOCIAL FUNCTIONING IN FIRST EPISODE SCHIZOPHRENIA. Journal of Evidence Based Medicine and Healthcare, 2018, 5, 2752-2759. | 0.0 | 0 |
| 952 | Randomized Controlled Trials and the Efficacy of Psychotropic Medications. , 2020, , 1-56. | | 0 |
| 955 | Cognición social en pacientes con un primer episodio psicótico. Revista De Psiquiatría Y Salud Mental, 2020, , . | 1.0 | 0 |
| 958 | The Role of Dynorphin and the Kappa Opioid Receptor in Schizophrenia and Major Depressive Disorder: A Translational Approach. Handbook of Experimental Pharmacology, 2020, 271, 525-546. | 0.9 | 3 |
| 960 | Relating diffusion-weighted magnetic resonance imaging of brain white matter to cognitive processing-speed deficits in schizophrenia. Biomedical Physics and Engineering Express, 2020, 6, 055007. | 0.6 | 1 |
| 963 | Cognitive dysfunctions in schizophrenia: potential benefits of cholinesterase inhibitor adjunctive therapy. Journal of Psychiatry and Neuroscience, 2006, 31, 369-76. | 1.4 | 35 |
| 966 | Emerging approaches for treatment of schizophrenia: modulation of glutamatergic signaling. Discovery Medicine, 2012, 14, 335-43. | 0.5 | 31 |
| 968 | Symptom severity is more closely associated with social functioning status in inpatients with schizophrenia than cognitive deficits. Shanghai Archives of Psychiatry, 2012, 24, 83-90. | 0.7 | 0 |
| 969 | Cognitive functions in methamphetamine induced psychosis compared to schizophrenia and normal subjects. Iranian Journal of Psychiatry, 2014, 9, 152-7. | 0.4 | 11 |
| 971 | Exploring the associations of herpes simplex virus infection and cognitive dysfunction in schizophrenia: Studies in India. Indian Journal of Psychiatry, 2018, 60, 393-397. | 0.4 | 0 |
| 972 | People with schizophrenia do not show the normal benefits of social versus nonsocial attentional cues. Neuropsychology, 2020, 34, 620-628. | 1.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 973 | Structural brain correlates of cognitive function in schizophrenia: A meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 132, 37-49. | 2.9 | 33 |
| 974 | Validity of remote administration of the MATRICS Consensus Cognitive Battery for individuals with severe mental illness. <i>Schizophrenia Research: Cognition</i> , 2021, 27, 100226. | 0.7 | 2 |
| 975 | A review of risky decision-making in psychosis-spectrum disorders. <i>Clinical Psychology Review</i> , 2022, 91, 102112. | 6.0 | 12 |
| 976 | Neurocognition, functional outcome, and quality of life in remitted and non-remitted schizophrenia: A comparison with euthymic bipolar I disorder and a control group.. <i>Schizophrenia Research</i> , 2022, 240, 81-91. | 1.1 | 2 |
| 977 | Prevalence, profile and associations of cognitive impairment in Ugandan first-episode psychosis patients. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100234. | 0.7 | 2 |
| 978 | Chapitre 1. SchizophrÃ©nie(s): cliniques. , 2015, , 5-18. | | 0 |
| 979 | People with schizophrenia do not show the normal benefits of social versus nonsocial attentional cues.. <i>Neuropsychology</i> , 2020, 34, 620-628. | 1.0 | 3 |
| 980 | Sheltered employment in schizophrenia is related to disorganization symptoms, processing speed and metaphor comprehension. <i>Psychiatria Polska</i> , 2020, 54, 935-950. | 0.2 | 1 |
| 981 | Lifespan evolution of neurocognitive impairment in schizophrenia - A narrative review. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100237. | 0.7 | 13 |
| 982 | A family study on first episode of psychosis patients: Exploring neuropsychological performance as an endophenotype. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 384-396. | 2.2 | 6 |
| 983 | Multimodal meta-analysis of structural gray matter, neurocognitive and social cognitive fMRI findings in schizophrenia patients. <i>Psychological Medicine</i> , 2022, 52, 614-624. | 2.7 | 22 |
| 984 | Predictors of 4-week antidepressant outcome in patients with first-episode major depressive disorder: An ROC curve analysis. <i>Journal of Affective Disorders</i> , 2022, 304, 59-65. | 2.0 | 5 |
| 985 | Web-Based Cognitive Testing in Psychiatric Research: Validation and Usability Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e28233. | 2.1 | 7 |
| 986 | Aberrant cortical surface and cognition function in drug-naive first-episode schizophrenia. <i>Annals of General Psychiatry</i> , 2022, 21, 4. | 1.2 | 3 |
| 987 | Evidence of validity and reliability of the Spanish version of the “Observable Social Cognition: A Rating Scale” (OSCARs) in patients with schizophrenia. <i>Actas Espanolas De Psiquiatria</i> , 2021, 49, 253-268. | 0.1 | 0 |
| 988 | Occupational Therapy in Severe Mental Disorder—A Self-Controlled Quasi-Experimental Study. <i>Healthcare (Switzerland)</i> , 2022, 10, 493. | 1.0 | 1 |
| 989 | Neuropathways of theory of mind in schizophrenia: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 137, 104625. | 2.9 | 12 |
| 990 | The relationships between cognitive reserve, cognitive functioning and quality of life in first-episode schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2022, 310, 114479. | 1.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 991 | Detection of Schizophrenia Cases From Healthy Controls With Combination of Neurocognitive and Electrophysiological Features. <i>Frontiers in Psychiatry</i> , 2022, 13, 810362. | 1.3 | 3 |
| 992 | Emotional Processing Profile in Patients with First Episode Schizophrenia: The Influence of Neurocognition. <i>Journal of Clinical Medicine</i> , 2022, 11, 2044. | 1.0 | 1 |
| 993 | The Effect of Glutathione Deficit During Early Postnatal Brain Development on the Prepulse Inhibition and Monoamine Levels in Brain Structures of Adult Spragueâ€Dawley Rats. <i>Neurotoxicity Research</i> , 2022, , 1. | 1.3 | 0 |
| 994 | Relationship between neurocognition and theory of mind as a function of symptomatic profile in schizophrenia: results from the national FACE-SZ cohort. <i>Cognitive Neuropsychiatry</i> , 2022, 27, 49-68. | 0.7 | 2 |
| 995 | We Should Improve Personalization of Management in Patients with a Diagnosis of Schizophrenia. <i>Journal of Clinical Medicine</i> , 2022, 11, 184. | 1.0 | 6 |
| 996 | Impact of Psychosocial Occupational Therapy Combined with Anodal Transcranial Direct Current Stimulation to the Left Dorsolateral Prefrontal Cortex on the Cognitive Performance of Patients with Schizophrenia: A Randomized Controlled Trial. <i>Hong Kong Journal of Occupational Therapy</i> , 2021, 34, 121-131. | 0.2 | 3 |
| 997 | Thalamic Shape Abnormalities Differentially Relate to Cognitive Performance in Early-Onset and Adult-Onset Schizophrenia. <i>Frontiers in Psychiatry</i> , 2022, 13, 803234. | 1.3 | 1 |
| 1007 | Experimental Research. , 0, , 449-489. | | 0 |
| 1009 | Exploring the associations of herpes simplex virus infection and cognitive dysfunction in schizophrenia: Studies in India. <i>Indian Journal of Psychiatry</i> , 2018, 60, 393. | 0.4 | 3 |
| 1010 | Reduced temporal activation during a verbal fluency test in clinical high risk of psychosis: a functional near-infrared spectroscopy-based study. <i>Annals of General Psychiatry</i> , 2022, 35, e100702. | 1.1 | 3 |
| 1011 | The Relationship Between the Recognition of Basic Emotions and Negative Symptoms in Individuals With Schizophrenia Spectrum Disorders â€“ An Exploratory Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 865226. | 1.3 | 3 |
| 1012 | Global functioning, cognitive function, psychopathological symptoms in untreated patients with first-episode schizophrenia: A cross-sectional study. <i>Psychiatry Research</i> , 2022, 313, 114616. | 1.7 | 3 |
| 1013 | The effect of serum lipids and short-chain fatty acids on cognitive functioning in drug-naïve, first episode schizophrenia patients. <i>Psychiatry Research</i> , 2022, 313, 114582. | 1.7 | 12 |
| 1014 | Examining the association of life course neurocognitive ability with real-world functioning in schizophrenia-spectrum disorders. <i>Schizophrenia Research: Cognition</i> , 2022, 29, 100254. | 0.7 | 3 |
| 1016 | Cognitive impairment in people with schizophrenia: an umbrella review. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1139-1155. | 1.8 | 47 |
| 1017 | The Potential Paradoxical Neurocognitive Effects of Cannabis Use in Patients with Psychotic Disorders: A Critical Meta-Review of Meta-Analytical Evidence. <i>Cannabis and Cannabinoid Research</i> , 0, , . | 1.5 | 0 |
| 1018 | Neurocognitive Changes in Sickle Cell Disease: A Comprehensive Review. <i>Annals of Neurosciences</i> , 0, , 097275312211088. | 0.9 | 3 |
| 1019 | Effects of transcranial direct current stimulation on brain changes and relation to cognition in patients with schizophrenia: a fMRI study. <i>Brain Imaging and Behavior</i> , 0, , . | 1.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1020 | Brain Stimulation and Group Therapy to Improve Gesture and Social Skills in Schizophrenia—The Study Protocol of a Randomized, Sham-Controlled, Three-Arm, Double-Blind Trial. <i>Frontiers in Psychiatry</i> , 0, 13, . | 1.3 | 1 |
| 1021 | The Chinese Brief Cognitive Test: Normative Data Stratified by Gender, Age and Education. <i>Frontiers in Psychiatry</i> , 0, 13, . | 1.3 | 5 |
| 1022 | New drug targets in psychiatry: Neurobiological considerations in the genomics era. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 139, 104763. | 2.9 | 1 |
| 1023 | Dimensionality analysis of the German version of the Screen for Cognitive Impairment in Psychiatry (SCIP-G). <i>Schizophrenia Research: Cognition</i> , 2022, 29, 100259. | 0.7 | 2 |
| 1025 | Associations of cognitive impairment in patients with schizophrenia with genetic features and with schizophrenia-related structural and functional brain changes. <i>Frontiers in Genetics</i> , 0, 13, . | 1.1 | 1 |
| 1026 | Clustering of cognitive phenotypes identifies susceptible and resilient offspring in a rat model of maternal immune activation and early-life stress. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 25, 100514. | 1.3 | 4 |
| 1027 | Molecular Findings Guiding the Modulation of the Endocannabinoid System as a Potential Target to Treat Schizophrenia. <i>Advances in Experimental Medicine and Biology</i> , 2022, , 89-103. | 0.8 | 3 |
| 1028 | European Psychiatric Association guidance on treatment of cognitive impairment in schizophrenia. <i>European Psychiatry</i> , 2022, 65, . | 0.1 | 37 |
| 1029 | European Psychiatric Association guidance on assessment of cognitive impairment in schizophrenia. <i>European Psychiatry</i> , 2022, 65, . | 0.1 | 19 |
| 1030 | Cognitive trajectories following onset of psychosis: a meta-analysis. <i>British Journal of Psychiatry</i> , 2022, 221, 714-721. | 1.7 | 12 |
| 1031 | Building a neurocognitive profile of suicidal risk in severe mental disorders. <i>BMC Psychiatry</i> , 2022, 22, . | 1.1 | 4 |
| 1032 | Premorbid adjustment associates with cognitive and functional deficits in individuals at ultra-high risk of psychosis. , 2022, 8, . | | 2 |
| 1033 | Identifying and revealing different brain neural activities of cognitive subtypes in early course schizophrenia. <i>Frontiers in Molecular Neuroscience</i> , 0, 15, . | 1.4 | 3 |
| 1034 | Long-acting Injectable Antipsychotics during the COVID-19 pandemic in schizophrenia: An observational study in a real-world clinical setting. <i>Psychiatry Research</i> , 2022, 317, 114878. | 1.7 | 3 |
| 1035 | The MATRICS Consensus Cognitive Battery: An Update. <i>Current Topics in Behavioral Neurosciences</i> , 2022, , 1-18. | 0.8 | 2 |
| 1036 | Lessons Learned From Parsing Genetic Risk for Schizophrenia Into Biological Pathways. <i>Biological Psychiatry</i> , 2023, 94, 121-130. | 0.7 | 8 |
| 1037 | Cognitive impairments in schizophrenia and their impact on oxidative stress. <i>V M Bekhterev Review of Psychiatry and Medical Psychology</i> , 2022, 56, 66-79. | 0.1 | 0 |
| 1038 | A narrative review of treatment interventions to improve cognitive performance in schizophrenia, with an emphasis on at-risk and early course stages. <i>Psychiatry Research</i> , 2022, 317, 114926. | 1.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1039 | The relationship between inflammatory biomarkers and cognitive dysfunction in patients with schizophrenia: A systematic review and meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2023, 121, 110668. | 2.5 | 30 |
| 1040 | Randomized Controlled Trials and the Efficacy of Psychotropic Medications. , 2022, , 305-359. | | 0 |
| 1041 | Smoking Addiction in Patients with Schizophrenia Spectrum Disorders and Its Perception and Intervention in Healthcare Personnel Assigned to Psycho-Rehabilitation Programs: A Qualitative Research. <i>Healthcare (Switzerland)</i> , 2022, 10, 2275. | 1.0 | 1 |
| 1043 | Association between motivation and engagement with changes in cognition and symptoms after digital cognitive training in schizophrenia. <i>Schizophrenia Research</i> , 2023, 251, 1-9. | 1.1 | 1 |
| 1044 | Cross-sectional and longitudinal assessment of the association between DDR1 variants and processing speed in patients with early psychosis and healthy controls. <i>Journal of Psychiatric Research</i> , 2023, 158, 49-55. | 1.5 | 2 |
| 1045 | Relapse, cognitive reserve, and their relationship with cognition in first episode schizophrenia: a 3-year follow-up study. <i>European Neuropsychopharmacology</i> , 2023, 67, 53-65. | 0.3 | 0 |
| 1046 | Evaluating construct and criterion validity of NeuroScreen in assessing neurocognition among hospitalized Ugandan first-episode psychosis patients. <i>Schizophrenia Research: Cognition</i> , 2023, 32, 100276. | 0.7 | 0 |
| 1047 | Factors Impacting Access and Engagement of Cognitive Remediation Therapy for People with Schizophrenia: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2023, 68, 139-151. | 0.9 | 7 |
| 1048 | Histone Deacetylase Inhibitors As Cognitive Enhancers And Modifiers Of Mood And Behavior. <i>Current Drug Targets</i> , 2022, 24, . | 1.0 | 4 |
| 1049 | Does social cognition change? Evidence after 4Âyears from the Italian Network for Research on Psychoses. <i>European Psychiatry</i> , 2023, 66, . | 0.1 | 2 |
| 1050 | P50 sensory gating, cognitive deficits and depressive symptoms in first-episode antipsychotics-naïve schizophrenia. <i>Journal of Affective Disorders</i> , 2023, 324, 153-161. | 2.0 | 1 |
| 1051 | Effects of antipsychotic and anticholinergic medications on cognition in chronic patients with schizophrenia. <i>BMC Psychiatry</i> , 2023, 23, . | 1.1 | 8 |
| 1052 | Impact of Cognitive Impairments on Health-Related Quality of Life in Schizophrenia. <i>Brain Sciences</i> , 2023, 13, 215. | 1.1 | 3 |
| 1053 | Changes in neurofilament light chain protein (NEFL) in children and adolescents with Schizophrenia and Bipolar Disorder: Early period neurodegeneration. <i>Journal of Psychiatric Research</i> , 2023, 161, 342-347. | 1.5 | 5 |
| 1054 | Toward a New, Improved Paradigm for Experimental Psychopathology Research â€ Or What We Would Talk About with Scott Over Coffee in a Dinkytown Cafe. , 2022, , 175-196. | | 0 |
| 1055 | Cognitive impairment in schizophrenia: aetiology, pathophysiology, and treatment. <i>Molecular Psychiatry</i> , 2023, 28, 1902-1918. | 4.1 | 63 |
| 1056 | Association of serum homocysteine levels with intestinal flora and cognitive function in schizophrenia. <i>Journal of Psychiatric Research</i> , 2023, 159, 258-265. | 1.5 | 2 |
| 1057 | Visual processing deficits in patients with schizophrenia spectrum and bipolar disorders and associations with psychotic symptoms, and intellectual abilities. <i>Heliyon</i> , 2023, 9, e13354. | 1.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1058 | Cognitive functioning in early-onset psychosis. , 2023, , 127-152. | | 0 |
| 1059 | Antipsychotic drugs and their effects on cognitive function: protocol for a systematic review, pairwise, and network meta-analysis. Systematic Reviews, 2023, 12, . | 2.5 | 2 |
| 1061 | Place de la remédiation cognitive dans le dispositif de soins. , 2023, , 15-36. | | 0 |
| 1063 | Neuropsychological and Functional Assessment of Cognitive Impairments in Schizophrenia. Methods in Molecular Biology, 2023, , 127-139. | 0.4 | 0 |
| 1068 | Schizophrenia in the genetic era: a review from development history, clinical features and genomic research approaches to insights of susceptibility genes. Metabolic Brain Disease, 0, , . | 1.4 | 0 |
| 1077 | Psychosis superspectrum I: Nosology, etiology, and lifespan development. Molecular Psychiatry, 0, , . | 4.1 | 1 |