

# CITATION REPORT

List of articles citing

## Control of the size of the human muscle mass

DOI: 10.1146/annurev.physiol.66.052102.134444  
Annual Review of Physiology, 2004, 66, 799-828.

**Source:** <https://exaly.com/paper-pdf/37417187/citation-report.pdf>

**Version:** 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF | Citations |
|-----|--|----|-----------|
| 343 | Resistance-training-induced adaptations in skeletal muscle protein turnover in the fed state. <b>2002</b> , 80, 1045-53  |    | 119       |
| 342 | Emerging drugs for sarcopenia: age-related muscle wasting. <b>2004</b> , 9, 345-61   |    | 28        |
| 341 | The effects of heavy resistance training and detraining on satellite cells in human skeletal muscles. <b>2004</b> , 558, 1005-12   |    | 232       |
| 340 | The role of dietary protein intake and resistance training on Myosin heavy chain expression. <b>2004</b> , 1, 27-34  |    | 12        |
| 339 | Current World Literature. <b>2005</b> , 8, 95-112  |    |           |
| 338 | Skeletal muscle cytokines: regulation by pathogen-associated molecules and catabolic hormones. <b>2005</b> , 8, 255-63   |    | 69        |
| 337 | Optimizing functional exercise capacity in the elderly surgical population. <b>2005</b> , 8, 23-32   |    | 233       |
| 336 | Body maintenance and repair: how food and exercise keep the musculoskeletal system in good shape. <b>2005</b> , 90, 427-36   |    | 16        |
| 335 | Imaging transcription in vivo: distinct regulatory effects of fast and slow activity patterns on promoter elements from vertebrate troponin I isoform genes. <b>2005</b> , 562, 815-28                     |    | 14        |
| 334 | Protein synthesis rates in human muscles: neither anatomical location nor fibre-type composition are major determinants. <b>2005</b> , 563, 203-11   |    | 88        |
| 333 | Dystrophin glycoprotein complex dysfunction: a regulatory link between muscular dystrophy and cancer cachexia. <b>2005</b> , 8, 421-32   |    | 229       |
| 332 | The behaviour of satellite cells in response to exercise: what have we learned from human studies?. <b>2005</b> , 451, 319-27  |    | 117       |
| 331 | . <b>2005</b> ,  |    | 23        |
| 330 | Exercise and health: can biotechnology confer similar benefits?. <b>2005</b> , 2, e68  |    | 6         |
| 329 | Collagen synthesis in human musculoskeletal tissues and skin. <b>2005</b> , 289, E864-9  |    | 103       |
| 328 | Selective activation of AMPK-PGC-1alpha or PKB-TSC2-mTOR signaling can explain specific adaptive responses to endurance or resistance training-like electrical muscle stimulation. <b>2005</b> , 19, 786-8 |    | 340       |
| 327 | Functional adaptation: the key to plasticity of cardiovascular "stem" cells?. <b>2005</b> , 14, 111-21   |    | 15        |

|     |  |     |
|-----|--|-----|
| 326 | The response of intracellular signaling and muscle-protein metabolism to nutrition and exercise. <b>2005</b> , 5, 107-121  | 9   |
| 325 | Dietary protein to support anabolism with resistance exercise in young men. <b>2005</b> , 24, 134S-139S  | 116 |
| 324 | Molecular determinants of skeletal muscle mass: getting the "AKT" together. <b>2005</b> , 37, 1985-96  | 116 |
| 323 | Anabolic signaling deficits underlie amino acid resistance of wasting, aging muscle. <b>2005</b> , 19, 422-4   | 816 |
| 322 | Early signaling responses to divergent exercise stimuli in skeletal muscle from well-trained humans. <b>2006</b> , 20, 190-2   | 249 |
| 321 | Signaling pathways in skeletal muscle remodeling. <b>2006</b> , 75, 19-37  | 580 |
| 320 | Muscle protein metabolism during hemodialysis. <b>2006</b> , 16, 3-16  | 20  |
| 319 | Waste management - cytokines, growth factors and cachexia. <b>2006</b> , 17, 475-86  | 132 |
| 318 | Adaptation to resistance training. <b>2006</b> , 197-225   |     |
| 317 | Gene deletional strategies reveal novel physiological roles for myoglobin in striated muscle. <b>2006</b> , 151, 151-8   | 11  |
| 316 | Effects of age and resistance exercise on skeletal muscle interstitial prostaglandin F(2alpha). <b>2006</b> , 74, 175-81   | 10  |
| 315 | Exercise Physiology. <b>2006</b> ,   |     |
| 314 | Cell Fusion in Development and Disease. <b>2006</b> , 219-244  | 2   |
| 313 | mTOR signaling and the molecular adaptation to resistance exercise. <b>2006</b> , 38, 1950-7   | 113 |
| 312 | Atrophy and hypertrophy of skeletal muscles: structural and functional aspects. <b>2006</b> , 188, 77-89   | 87  |
| 311 | The possible role of myostatin in skeletal muscle atrophy and cachexia. <b>2006</b> , 16, 74-82  | 46  |
| 310 | Work-induced changes in skeletal muscle IGF-1 and myostatin gene expression in uremia. <b>2006</b> , 70, 453-9   | 54  |
| 309 | Creatine supplementation augments the increase in satellite cell and myonuclei number in human skeletal muscle induced by strength training. <b>2006</b> , 573, 525-34 | 200 |

|     |  |     |
|-----|--|-----|
| 308 | New fundamental resistance exercise determinants of molecular and cellular muscle adaptations. <b>2006</b> , 97, 643-63  | 242 |
| 307 | Hypertrophy with unilateral resistance exercise occurs without increases in endogenous anabolic hormone concentration. <b>2006</b> , 98, 546-55  | 85  |
| 306 | Testosterone prohormone supplements. <b>2006</b> , 38, 1451-61   | 34  |
| 305 | Efficacy of myonuclear addition may explain differential myofiber growth among resistance-trained young and older men and women. <b>2006</b> , 291, E937-46  | 257 |
| 304 | Skeletal Muscle Plasticity in Health and Disease. <i>Advances in Muscle Research</i> , <b>2006</b> ,   | 2   |
| 303 | Paracrine release of insulin-like growth factor 1 from a bioengineered tissue stimulates skeletal muscle growth in vitro. <i>Tissue Engineering</i> , <b>2006</b> , 12, 1833-41                                | 31  |
| 302 | Protein kinase B/Akt: a nexus of growth factor and cytokine signaling in determining muscle mass. <b>2007</b> , 103, 378-87  | 136 |
| 301 | Rapamycin inhibits the growth and muscle-sparing effects of clenbuterol. <b>2007</b> , 102, 740-7  | 131 |
| 300 | Influence of concentric and eccentric resistance training on architectural adaptation in human quadriceps muscles. <b>2007</b> , 103, 1565-75  | 321 |
| 299 | Measurement of human mixed muscle protein fractional synthesis rate depends on the choice of amino acid tracer. <b>2007</b> , 293, E666-71   | 25  |
| 298 | Smoking impairs muscle protein synthesis and increases the expression of myostatin and MAFbx in muscle. <b>2007</b> , 293, E843-8  | 110 |
| 297 | Minimal whey protein with carbohydrate stimulates muscle protein synthesis following resistance exercise in trained young men. <b>2007</b> , 32, 1132-8  | 83  |
| 296 | Cancer cachexia signaling pathways continue to emerge yet much still points to the proteasome. <b>2007</b> , 13, 1356-61   | 94  |
| 295 | A critical examination of dietary protein requirements, benefits, and excesses in athletes. <b>2007</b> , 17 Suppl, S58-76   | 59  |
| 294 | Role of protein and hydrolysates before exercise. <b>2007</b> , 17 Suppl, S77-86   | 9   |
| 293 | Consumption of fluid skim milk promotes greater muscle protein accretion after resistance exercise than does consumption of an isonitrogenous and isoenergetic soy-protein beverage. <b>2007</b> , 85, 1031-40 | 366 |
| 292 | Resistance training reduces fasted- and fed-state leucine turnover and increases dietary nitrogen retention in previously untrained young men. <b>2007</b> , 137, 985-91                                       | 45  |
| 291 | Consumption of fat-free fluid milk after resistance exercise promotes greater lean mass accretion than does consumption of soy or carbohydrate in young, novice, male weightlifters. <b>2007</b> , 86, 373-81  | 336 |

|     |   |                 |
|-----|---|-----------------|
| 290 | Experimental animal models of muscle wasting in intensive care unit patients. <b>2007</b> , 35, S484-7  | 43              |
| 289 | A neurotoxinological approach to the treatment of obstructive sleep apnoea. <b>2007</b> , 11, 361-75  | 4               |
| 288 | Protein requirements and recommendations for athletes: relevance of ivory tower arguments for practical recommendations. <b>2007</b> , 26, 17-36                              | 69              |
| 287 | Nutrition for the sprinter. <i>Journal of Sports Sciences</i> , <b>2007</b> , 25 Suppl 1, S5-15   | 3.6 27          |
| 286 | The influence of frequency, intensity, volume and mode of strength training on whole muscle cross-sectional area in humans. <b>2007</b> , 37, 225-64                          | 33 <sup>1</sup> |
| 285 | The molecular bases of training adaptation. <b>2007</b> , 37, 737-63  | 4 <sup>10</sup> |
| 284 | Optimizing Wellness in Chronic Obstructive Pulmonary Disease. <b>2007</b> , 14, 5A-22A  |                 |
| 283 | Single muscle fiber function with concurrent exercise or nutrition countermeasures during 60 days of bed rest in women. <b>2007</b> , 103, 1242-50                            | 7 <sup>0</sup>  |
| 282 | Effect of protein source and resistance training on body composition and sex hormones. <b>2007</b> , 4, 4   | 26              |
| 281 | Plasticity of human skeletal muscle: gene expression to in vivo function. <b>2007</b> , 92, 783-97  | 118             |
| 280 | Suppression of testosterone does not blunt mRNA expression of myoD, myogenin, IGF, myostatin or androgen receptor post strength training in humans. <b>2007</b> , 578, 579-93 | 5 <sup>0</sup>  |
| 279 | Influence of concurrent exercise or nutrition countermeasures on thigh and calf muscle size and function during 60 days of bed rest in women. <b>2007</b> , 191, 147-59       | 136             |
| 278 | Therapeutic approaches for muscle wasting disorders. <b>2007</b> , 113, 461-87  | 117             |
| 277 | Lengthening contractions differentially affect p70s6k phosphorylation compared to isometric contractions in rat skeletal muscle. <b>2007</b> , 100, 409-15                    | 19              |
| 276 | Interpretation of plasma amino acids in the follow-up of patients: the impact of compartmentation. <b>2008</b> , 31, 7-20   | 12              |
| 275 | Hypertrophy of mature <i>Xenopus</i> muscle fibres in culture induced by synergy of albumin and insulin. <b>2008</b> , 457, 161-70  | 10              |
| 274 | Myofibrillar proteolysis in response to voluntary or electrically stimulated muscle contractions in humans. <b>2009</b> , 19, 75-82   | 14              |
| 273 | Ischemic strength training: a low-load alternative to heavy resistance exercise?. <b>2008</b> , 18, 401-16  | 94              |

|     |   |     |     |
|-----|---|-----|-----|
| 272 | Regulation of muscle mass by growth hormone and IGF-I. <b>2008</b> , 154, 557-68  |     | 277 |
| 271 | A functional insulin-like growth factor receptor is not necessary for load-induced skeletal muscle hypertrophy. <b>2008</b> , 586, 283-91   |     | 184 |
| 270 | Immobilization induces anabolic resistance in human myofibrillar protein synthesis with low and high dose amino acid infusion. <b>2008</b> , 586, 6049-61                                   |     | 282 |
| 269 | The role of exercise in amyotrophic lateral sclerosis. <b>2008</b> , 19, 545-57, ix-x   |     | 24  |
| 268 | The effect of mutations in the insulin-like growth factor-II and ryanodine receptor-1 genes on biochemical and histochemical muscle fibre characteristics in pigs. <b>2008</b> , 79, 757-66 |     | 15  |
| 267 | Potent myofiber hypertrophy during resistance training in humans is associated with satellite cell-mediated myonuclear addition: a cluster analysis. <b>2008</b> , 104, 1736-42             |     | 296 |
| 266 | Protein for adaptations to exercise training. <b>2008</b> , 8, 107-118  |     | 20  |
| 265 | Resistance training alters the response of fed state mixed muscle protein synthesis in young men. <b>2008</b> , 294, R172-8   |     | 117 |
| 264 | The biological mechanisms of cancer-related skeletal muscle wasting: the role of progressive resistance exercise. <i>Biological Research for Nursing</i> , <b>2008</b> , 10, 7-20           | 2.6 | 69  |
| 263 | Skeletal muscle proteolysis in response to short-term unloading in humans. <b>2008</b> , 105, 902-6   |     | 94  |
| 262 | Resistance exercise decreases eIF2Bepsilon phosphorylation and potentiates the feeding-induced stimulation of p70S6K1 and rpS6 in young men. <b>2008</b> , 295, R604-10                     |     | 65  |
| 261 | Caloric restriction optimizes the proteasome pathway with aging in rat plantaris muscle: implications for sarcopenia. <b>2008</b> , 295, R1231-7  |     | 61  |
| 260 | Effective Nutritional Supplement Combinations. <b>2008</b> , 259-319  |     | 1   |
| 259 | Profiling of mRNA expression in quadriceps of patients with COPD and muscle wasting. <b>2008</b> , 5, 75-84   |     | 36  |
| 258 | Current and Emerging Role of Whey Protein on Muscle Accretion. 345-367  |     |     |
| 257 | Conjugated linoleic acid suppresses myogenic gene expression in a model of human muscle cell inflammation. <b>2008</b> , 138, 12-6  |     | 7   |
| 256 | . <b>2008</b> ,   |     | 25  |
| 255 | Efeitos da estimulaç o el trica neuromuscular no m sculo s leo de ratos: an lise morfol gica e metab lica. <b>2008</b> , 16, 238-241  |     | 1   |

|     |  |     |
|-----|--|-----|
| 254 | Baseball's Great Hitting Barrage of the 1990s (and Beyond) Reexamined. <b>2008</b> , 17, 70-96   | 3   |
| 253 | Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. <b>2009</b> , 107, 987-92   | 571 |
| 252 | The role of milk- and soy-based protein in support of muscle protein synthesis and muscle protein accretion in young and elderly persons. <b>2009</b> , 28, 343-54   | 170 |
| 251 | Alterations of protein turnover underlying disuse atrophy in human skeletal muscle. <b>2009</b> , 107, 645-54  | 204 |
| 250 | Translational signaling responses preceding resistance training-mediated myofiber hypertrophy in young and old humans. <b>2009</b> , 107, 1655-62  | 160 |
| 249 | Regulation of skeletal muscle physiology and metabolism by peroxisome proliferator-activated receptor delta. <b>2009</b> , 61, 373-93  | 169 |
| 248 | A comparison of 2H <sub>2</sub> O and phenylalanine flooding dose to investigate muscle protein synthesis with acute exercise in rats. <b>2009</b> , 297, E252-9   | 36  |
| 247 | Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. <b>2009</b> , 89, 161-8   | 628 |
| 246 | Molecular events and signalling pathways involved in skeletal muscle disuse-induced atrophy and the impact of countermeasures. <b>2009</b> , 13, 3032-50   | 61  |
| 245 | Muscle proteins during 60-day bedrest in women: impact of exercise or nutrition. <b>2009</b> , 39, 463-71  | 28  |
| 244 | Effect of strength training session on plasma amino acid concentration following oral ingestion of leucine, BCAAs or glutamine in men. <b>2009</b> , 105, 215-23   | 13  |
| 243 | Energy metabolism in human calf muscle performing isometric plantar flexion superimposed by 20-Hz vibration. <b>2009</b> , 105, 265-70   | 18  |
| 242 | 20-Hz whole body vibration training fails to counteract the decrease in leg muscle volume caused by 14 days of 6 degrees head down tilt bed rest. <b>2009</b> , 105, 271-7   | 34  |
| 241 | [Exercise and cellular adaptation of muscle]. <b>2009</b> , 112, 365-72  | 6   |
| 240 | Effects of 28 days of resistance exercise and consuming a commercially available pre-workout supplement, NO-Shotgun(R), on body composition, muscle strength and mass, markers of satellite cell activation, and clinical safety markers in males. <b>2009</b> , 6, 16 | 48  |
| 239 | Resistance exercise-induced increases in putative anabolic hormones do not enhance muscle protein synthesis or intracellular signalling in young men. <b>2009</b> , 587, 5239-47   | 191 |
| 238 | Chronic high fat feeding attenuates load-induced hypertrophy in mice. <b>2009</b> , 587, 5753-65   | 78  |
| 237 | Morphological and biochemical alterations of skeletal muscles from the genetically obese (ob/ob) mouse. <b>2009</b> , 33, 831-41   | 44  |

|     |   |     |     |
|-----|---|-----|-----|
| 236 | Greater growth hormone and insulin response in women than in men during repeated bouts of sprint exercise. <b>2009</b> , 197, 107-15  |     | 21  |
| 235 | Posture analysis on young women before and after 60 days of -6 degrees head down bed rest (Wise 2005). <b>2009</b> , 29, 188-93   |     | 17  |
| 234 | Role of IGF-I in skeletal muscle mass maintenance. <b>2009</b> , 20, 349-56   |     | 137 |
| 233 | Changes in muscle mass with mechanical load: possible cellular mechanisms. <b>2009</b> , 34, 328-35   |     | 45  |
| 232 | Genes, athlete status and training -- An overview. <b>2009</b> , 54, 43-71  |     | 33  |
| 231 | The effects of eccentric versus concentric resistance training on muscle strength and mass in healthy adults: a systematic review with meta-analysis. <b>2009</b> , 43, 556-68              |     | 316 |
| 230 | Resistance exercise and nutrition to counteract muscle wasting. <b>2009</b> , 34, 817-28  |     | 58  |
| 229 | Exercise training and protein metabolism: influences of contraction, protein intake, and sex-based differences. <b>2009</b> , 106, 1692-701   |     | 229 |
| 228 | Maximizing muscle protein anabolism: the role of protein quality. <b>2009</b> , 12, 66-71   |     | 111 |
| 227 | Vibration as an exercise modality: how it may work, and what its potential might be. <b>2010</b> , 108, 877-904   |     | 508 |
| 226 | REBUTTAL FROM FLUECK AND GOLDSPINK. <b>2010</b> , 108, 1824-1824  |     |     |
| 225 | Digital holographic microscopy real-time monitoring of cytoarchitectural alterations during simulated microgravity. <b>2010</b> , 15, 026021  |     | 24  |
| 224 | Short-term resistance training with blood flow restriction enhances microvascular filtration capacity of human calf muscles. <i>Journal of Sports Sciences</i> , <b>2010</b> , 28, 999-1007 | 3.6 | 50  |
| 223 | Sarcopenia: characteristics, mechanisms and functional significance. <b>2010</b> , 95, 139-59   |     | 436 |
| 222 | Ectopic expression of eIF2Bepsilon in rat skeletal muscle rescues the sepsis-induced reduction in guanine nucleotide exchange activity and protein synthesis. <b>2010</b> , 299, E241-8     |     | 12  |
| 221 | Effect of a cyclooxygenase-2 inhibitor on postexercise muscle protein synthesis in humans. <b>2010</b> , 298, E354-61   |     | 39  |
| 220 | New horizons for the methodology and physiology of training periodization. <b>2010</b> , 40, 189-206  |     | 269 |
| 219 | Preventing sarcopaenia in older people. <b>2010</b> , 66, 383-8   |     | 71  |



|     |   |     |     |
|-----|---|-----|-----|
| 218 | Aestivation. <i>Progress in Molecular and Subcellular Biology</i> , <b>2010</b> ,   | 3   | 14  |
| 217 | Little change in markers of protein breakdown and oxidative stress in humans in immobilization-induced skeletal muscle atrophy. <b>2010</b> , 35, 125-33  |     | 57  |
| 216 | Muscle damage and muscle remodeling: no pain, no gain?. <b>2011</b> , 214, 674-9  |     | 86  |
| 215 | Efficacy and consequences of very-high-protein diets for athletes and exercisers. <b>2011</b> , 70, 205-14  |     | 38  |
| 214 | The science of muscle hypertrophy: making dietary protein count. <b>2011</b> , 70, 100-3  |     | 48  |
| 213 | Aging impairs contraction-induced human skeletal muscle mTORC1 signaling and protein synthesis. <b>2011</b> , 1, 11   |     | 233 |
| 212 | Mechanobiology in Skeletal Muscle: Conversion of Mechanical Information into Molecular Signal. <b>2011</b> , 51-62  |     | 1   |
| 211 | Blood flow restriction: the metabolite/volume threshold theory. <b>2011</b> , 77, 748-52  |     | 91  |
| 210 | Dietary protein for athletes: from requirements to optimum adaptation. <i>Journal of Sports Sciences</i> , <b>2011</b> , 29 Suppl 1, S29-38   | 3.6 | 225 |
| 209 | Omega-3 polyunsaturated fatty acids augment the muscle protein anabolic response to hyperinsulinaemia-hyperaminoacidaemia in healthy young and middle-aged men and women. <b>2011</b> , 121, 267-78   |     | 222 |
| 208 | Stimulation of muscle protein synthesis by whey and caseinate ingestion after resistance exercise in elderly individuals. <b>2011</b> , 21, e372-83   |     | 57  |
| 207 | Recent progress toward understanding the molecular mechanisms that regulate skeletal muscle mass. <b>2011</b> , 23, 1896-906  |     | 124 |
| 206 | Physiological elevation of endogenous hormones results in superior strength training adaptation. <b>2011</b> , 111, 2249-59   |     | 80  |
| 205 | An overview of the therapeutic effects of leucine supplementation on skeletal muscle under atrophic conditions. <b>2011</b> , 40, 287-300   |     | 54  |
| 204 | Sarcopenia: current theories and the potential beneficial effect of creatine application strategies. <b>2011</b> , 12, 273-81   |     | 38  |
| 203 | Skeletal muscle protein metabolism in the elderly: Interventions to counteract the 'anabolic resistance' of ageing. <b>2011</b> , 8, 68   |     | 284 |
| 202 | Effects of 28 days of resistance exercise while consuming commercially available pre- and post-workout supplements, NO-Shotgun <sup>®</sup> and NO-Synthesize <sup>®</sup> on body composition, muscle strength and mass, markers of protein synthesis, and clinical safety markers in males. <b>2011</b> , 8, 78 |     | 24  |
| 201 | Enhanced amino acid sensitivity of myofibrillar protein synthesis persists for up to 24 h after resistance exercise in young men. <b>2011</b> , 141, 568-73   |     | 199 |

|     |  |     |
|-----|--|-----|
| 200 | Dietary omega-3 fatty acid supplementation increases the rate of muscle protein synthesis in older adults: a randomized controlled trial. <b>2011</b> , 93, 402-12                     | 414 |
| 199 | LIF is a contraction-induced myokine stimulating human myocyte proliferation. <b>2011</b> , 111, 251-9   | 93  |
| 198 | Bolus arginine supplementation affects neither muscle blood flow nor muscle protein synthesis in young men at rest or after resistance exercise. <b>2011</b> , 141, 195-200            | 55  |
| 197 | Influence of acetaminophen and ibuprofen on skeletal muscle adaptations to resistance exercise in older adults. <b>2011</b> , 300, R655-62   | 120 |
| 196 | Leptin treatment reduces body fat but does not affect lean body mass or the myostatin-follistatin-activin axis in lean hypoleptinemic women. <b>2011</b> , 301, E99-E104               | 19  |
| 195 | Migration- and exercise-induced changes to flight muscle size in migratory birds and association with IGF1 and myostatin mRNA expression. <b>2011</b> , 214, 2823-31                   | 41  |
| 194 | Adrenoceptor signaling-induced muscle hypertrophy from blood flow restriction: is there evidence?. <b>2012</b> , 44, 489-93  | 6   |
| 193 | Muscle protein synthesis response to exercise training in obese, older men and women. <b>2012</b> , 44, 1259-66  | 38  |
| 192 | Electrical stimulation influences satellite cell proliferation and apoptosis in unloading-induced muscle atrophy in mice. <b>2012</b> , 7, e30348                                      | 69  |
| 191 | Protein turnover, amino acid requirements and recommendations for athletes and active populations. <b>2012</b> , 45, 875-90  | 34  |
| 190 | Insulinotropic and muscle protein synthetic effects of branched-chain amino acids: potential therapy for type 2 diabetes and sarcopenia. <b>2012</b> , 4, 1664-78                      | 49  |
| 189 | Protein Effects on Rehabilitation and the Sarcopenia of Aging. <b>2012</b> , 153-176   |     |
| 188 | Time under tension decreased with blood flow-restricted exercise. <b>2012</b> , 32, 268-73   | 20  |
| 187 | Blood flow restriction: rationale for improving bone. <b>2012</b> , 78, 523-7  | 26  |
| 186 | Effects of 2 weeks lower limb immobilization and two separate rehabilitation regimens on gastrocnemius muscle protein turnover signaling and normalization genes. <b>2012</b> , 5, 166 | 7   |
| 185 | Effect of nutritional interventions and resistance exercise on aging muscle mass and strength. <b>2012</b> , 13, 345-58  | 60  |
| 184 | Modeling Growth in Biological Materials. <b>2012</b> , 54, 52-118  | 84  |
| 183 | Dietary protein requirements and adaptive advantages in athletes. <b>2012</b> , 108 Suppl 2, S158-67   | 102 |

|     |   |      |
|-----|---|------|
| 182 | Nutrient-rich meat proteins in offsetting age-related muscle loss. <b>2012</b> , 92, 174-8  | 76   |
| 181 | Blood flow restriction: an evidence based progressive model (Review). <b>2012</b> , 99, 235-50  | 58   |
| 180 | Sexually dimorphic effect of aging on skeletal muscle protein synthesis. <b>2012</b> , 3, 11  | 57   |
| 179 | Signaling Pathways that Mediate Skeletal Muscle Hypertrophy: Effects of Exercise Training. <b>2012</b> ,  | 8    |
| 178 | Exercise and nutritional interventions for improving aging muscle health. <b>2012</b> , 42, 29-38   | 88   |
| 177 | Defining Optimum Protein Intakes for Athletes. <b>2013</b> , 136-146  |      |
| 176 | Nutrition in Combat Sports. <b>2013</b> , 115-127   | 1    |
| 175 | Exercise metabolism and the molecular regulation of skeletal muscle adaptation. <b>2013</b> , 17, 162-84  | 1073 |
| 174 | Interactions between exercise and nutrition to prevent muscle waste during ageing. <b>2013</b> , 75, 708-15   | 54   |
| 173 | Abnormal protein turnover and anabolic resistance to exercise in sarcopenic obesity. <b>2013</b> , 27, 3905-16  | 62   |
| 172 | Considerations for protein supplementation in warfighters. <b>2013</b> , 143, 1838S-1842S   | 5    |
| 171 | Skeletal muscle molecular responses to resistance training and dietary supplementation in COPD. <b>2013</b> , 68, 625-33  | 45   |
| 170 | Practical blood flow restriction training increases acute determinants of hypertrophy without increasing indices of muscle damage. <b>2013</b> , 27, 3068-75  | 77   |
| 169 | Rebuttal from Scott K. Powers, Ashley J. Smuder, David Fuller and Sanford Levine. <b>2013</b> , 591, 5263   | 1    |
| 168 | Nutritional strategies to counteract muscle atrophy caused by disuse and to improve recovery. <b>2013</b> , 26, 149-65  | 49   |
| 167 | Effects of training volume on strength and hypertrophy in young men. <b>2013</b> , 27, 8-13   | 29   |
| 166 | Early activation of rat skeletal muscle IL-6/STAT1/STAT3 dependent gene expression in resistance exercise linked to hypertrophy. <b>2013</b> , 8, e57141  | 75   |
| 165 | Unilateral hindlimb casting induced a delayed generalized muscle atrophy during rehabilitation that is prevented by a whey or a high protein diet but not a free leucine-enriched diet. <b>2013</b> , 8, e70130 | 8    |

|     |  |     |
|-----|--|-----|
| 164 | Nutritional influences on age-related skeletal muscle loss. <b>2014</b> , 73, 16-33  | 78  |
| 163 | Birth weight and growth from infancy to late adolescence in relation to fat and lean mass in early old age: findings from the MRC National Survey of Health and Development. <b>2014</b> , 38, 69-75 | 36  |
| 162 | Rapid in vitro metabolism of the flame retardant triphenyl phosphate and effects on cytotoxicity and mRNA expression in chicken embryonic hepatocytes. <b>2014</b> , 48, 13511-9                     | 138 |
| 161 | Effects of soluble milk protein or casein supplementation on muscle fatigue following resistance training program: a randomized, double-blind, and placebo-controlled study. <b>2014</b> , 11, 36    | 18  |
| 160 | Assessing the regulation of skeletal muscle plasticity in response to protein ingestion and resistance exercise: recent developments. <b>2014</b> , 17, 412-7  | 11  |
| 159 | Adaptive responses of TRPC1 and TRPC3 during skeletal muscle atrophy and regrowth. <b>2014</b> , 49, 691-9   | 22  |
| 158 | Blood flow restriction pressure recommendations: the hormesis hypothesis. <b>2014</b> , 82, 623-6  | 54  |
| 157 | Influence of divergent exercise contraction mode and whey protein supplementation on atrogen-1, MuRF1, and FOXO1/3A in human skeletal muscle. <b>2014</b> , 116, 1491-502                            | 25  |
| 156 | Influence of aerobic exercise intensity on myofibrillar and mitochondrial protein synthesis in young men during early and late postexercise recovery. <b>2014</b> , 306, E1025-32                    | 79  |
| 155 | Beyond muscle hypertrophy: why dietary protein is important for endurance athletes. <b>2014</b> , 39, 987-97   | 71  |
| 154 | Imaging Mechanical MuscleBone Relationships: How to See the Invisible. <b>2014</b> , 12, 66-76   | 2   |
| 153 | Leucine supplementation of a low-protein mixed macronutrient beverage enhances myofibrillar protein synthesis in young men: a double-blind, randomized trial. <b>2014</b> , 99, 276-86               | 197 |
| 152 | Citrulline does not enhance blood flow, microvascular circulation, or myofibrillar protein synthesis in elderly men at rest or following exercise. <b>2014</b> , 307, E71-83                         | 46  |
| 151 | Impact of range of motion during ecologically valid resistance training protocols on muscle size, subcutaneous fat, and strength. <b>2014</b> , 28, 245-55   | 46  |
| 150 | The Paternal Provisioning Hypothesis: effects of workload and testosterone production on men's musculature. <b>2015</b> , 158, 19-35   | 21  |
| 149 | Nutritional interventions to augment resistance training-induced skeletal muscle hypertrophy. <b>2015</b> , 6, 245   | 135 |
| 148 | Diabetes, Nutrition, and Exercise. <b>2015</b> , 31, 439-51  | 19  |
| 147 | Glycogen availability and skeletal muscle adaptations with endurance and resistance exercise. <b>2015</b> , 12, 59   | 40  |

|     |   |     |
|-----|---|-----|
| 146 | Lysosomal two-pore channel subtype 2 (TPC2) regulates skeletal muscle autophagic signaling. <b>2015</b> , 290, 3377-89  | 55  |
| 145 | Feeding critically ill patients the right 'whey': thinking outside of the box. A personal view. <b>2015</b> , 5, 51   | 39  |
| 144 | The Sick and the Weak: Neuropathies/Myopathies in the Critically Ill. <b>2015</b> , 95, 1025-109  | 166 |
| 143 | Differential control of muscle mass in type 1 and type 2 diabetes mellitus. <b>2015</b> , 72, 3803-17   | 24  |
| 142 | Nutritional supplements in support of resistance exercise to counter age-related sarcopenia. <b>2015</b> , 6, 452-60  | 94  |
| 141 | Pea proteins oral supplementation promotes muscle thickness gains during resistance training: a double-blind, randomized, Placebo-controlled clinical trial vs. Whey protein. <b>2015</b> , 12, 3 | 57  |
| 140 | Hypoenergetic diet-induced reductions in myofibrillar protein synthesis are restored with resistance training and balanced daily protein ingestion in older men. <b>2015</b> , 308, E734-43       | 77  |
| 139 | Effective Nutritional Supplement Combinations. <b>2015</b> , 187-222  |     |
| 138 | Nutritional Supplements in Sports and Exercise. <b>2015</b> ,   | 0   |
| 137 | Nutritional Supplements for Strength and Power Athletes. <b>2015</b> , 223-252  |     |
| 136 | Anabolic responses to acute and chronic resistance exercise are enhanced when combined with aquatic treadmill exercise. <b>2015</b> , 308, E192-200   | 18  |
| 135 | The molecular basis for load-induced skeletal muscle hypertrophy. <b>2015</b> , 96, 196-210   | 63  |
| 134 | Protein ingestion to stimulate myofibrillar protein synthesis requires greater relative protein intakes in healthy older versus younger men. <b>2015</b> , 70, 57-62                              | 433 |
| 133 | Considerations for protein intake in managing weight loss in athletes. <b>2015</b> , 15, 21-8   | 26  |
| 132 | The Effect of a Comprehensive Intervention Program on the Functional Status and Bone Density of the Socially-Vulnerable and Frail Elderly. <b>2016</b> , 27, 51                                   | 1   |
| 131 | Clinical Screening Tools for Sarcopenia and Its Management. <b>2016</b> , 2016, 5978523   | 40  |
| 130 | . <b>2016</b> , 41,   | 2   |
| 129 | Muscle fiber type diversification during exercise and regeneration. <b>2016</b> , 98, 56-67   | 73  |

|     |   |     |     |
|-----|---|-----|-----|
| 128 | Sexual dimorphism in skeletal muscle protein turnover. <b>2016</b> , 120, 674-82  |     | 26  |
| 127 | A reduced activity model: a relevant tool for the study of ageing muscle. <b>2016</b> , 17, 435-47  |     | 7   |
| 126 | Sarcomeric lesions and remodeling proximal to intercalated disks in overload-induced cardiac hypertrophy. <b>2016</b> , 348, 95-105   |     | 6   |
| 125 | Protein intake for athletes and active adults: Current concepts and controversies. <b>2016</b> , 41, 202-213  |     | 10  |
| 124 | Dietary protein intake is associated with better physical function and muscle strength among elderly women. <b>2016</b> , 115, 1281-91  |     | 110 |
| 123 | Breaking sarcomeres by in vitro exercise. <i>Scientific Reports</i> , <b>2016</b> , 6, 19614  | 4.9 | 22  |
| 122 | The acute and chronic effects of "NO LOAD" resistance training. <b>2016</b> , 164, 345-52   |     | 47  |
| 121 | The involvement of transient receptor potential canonical type 1 in skeletal muscle regrowth after unloading-induced atrophy. <b>2016</b> , 594, 3111-26                        |     | 22  |
| 120 | The metabolic and temporal basis of muscle hypertrophy in response to resistance exercise. <b>2016</b> , 16, 633-44   |     | 18  |
| 119 | The Plasticity of Skeletal Muscle. <b>2017</b> ,  |     |     |
| 118 | Preserving Healthy Muscle during Weight Loss. <b>2017</b> , 8, 511-519  |     | 84  |
| 117 | Kompendium der Sportmedizin. <b>2017</b> ,  |     | 8   |
| 116 | Muscle activation during resistance training with no external load - effects of training status, movement velocity, dominance, and visual feedback. <b>2017</b> , 179, 148-152  |     | 12  |
| 115 | Effects of protein-carbohydrate supplementation on immunity and resistance training outcomes: a double-blind, randomized, controlled clinical trial. <b>2017</b> , 117, 267-277 |     | 16  |
| 114 | Within-day protein distribution does not influence body composition responses during weight loss in resistance-training adults who are overweight. <b>2017</b> , 106, 1190-1196 |     | 12  |
| 113 | Satellite cell activation and mTOR signaling pathway response to resistance and combined exercise in elite weight lifters. <b>2017</b> , 117, 2355-2363                         |     | 5   |
| 112 | Improvement of obesity-linked skeletal muscle insulin resistance by strength and endurance training. <b>2017</b> , 234, R159-R181   |     | 42  |
| 111 | Dietary protein supplementation in the elderly for limiting muscle mass loss. <b>2017</b> , 49, 33-47   |     | 33  |

|     |   |      |     |
|-----|---|------|-----|
| 110 | Current Concepts and Unresolved Questions in Dietary Protein Requirements and Supplements in Adults. <b>2017</b> , 4, 13  |      | 62  |
| 109 | Determinants of muscle preservation in individuals with cerebral palsy across the lifespan: a narrative review of the literature. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2018</b> , 9, 453-464            | 10,3 | 46  |
| 108 | ABC of multifaceted dystrophin glycoprotein complex (DGC). <b>2018</b> , 233, 5142-5159   |      | 12  |
| 107 | Adding Soy Protein to Milk Enhances the Effect of Resistance Training on Muscle Strength in Postmenopausal Women. <b>2018</b> , 15, 140-152   |      | 16  |
| 106 | The effects of high intensity interval training on muscle size and quality in overweight and obese adults. <b>2018</b> , 21, 207-212  |      | 30  |
| 105 | A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. <b>2018</b> , 52, 376-384             |      | 424 |
| 104 | Can muscle protein metabolism be specifically targeted by exercise training in COPD?. <b>2018</b> , 10, S1367-S1376   |      | 9   |
| 103 | Nutrient-rich, high-quality, protein-containing dairy foods in combination with exercise in aging persons to mitigate sarcopenia. <b>2019</b> , 77, 216-229   |      | 24  |
| 102 | Nutrition and physical activity countermeasures for sarcopenia: Time to get personal?. <b>2018</b> , 43, 374-387  |      | 7   |
| 101 | Low-load resistance exercise during inactivity is associated with greater fibre area and satellite cell expression in older skeletal muscle. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2018</b> , 9, 747-754 | 10,3 | 26  |
| 100 | Muscle Atrophy Induced by Mechanical Unloading: Mechanisms and Potential Countermeasures. <b>2018</b> , 9, 235  |      | 107 |
| 99  | The muscle anabolic effect of protein ingestion during a hyperinsulinaemic euglycaemic clamp in middle-aged women is not caused by leucine alone. <b>2018</b> , 596, 4681-4692  |      | 8   |
| 98  | Paralytic and nonparalytic muscle adaptations to exercise training versus high-protein diet in individuals with long-standing spinal cord injury. <b>2018</b> , 125, 64-72  |      | 9   |
| 97  | Autophagy, Exercise, and Lifestyle Modification. <b>2018</b> , 305-314  |      |     |
| 96  | The impact of exercise and nutrition on the regulation of skeletal muscle mass. <b>2019</b> , 597, 1251-1258  |      | 34  |
| 95  | Dietary protein and exercise for preservation of lean mass and perspectives on type 2 diabetes prevention. <b>2019</b> , 244, 992-1004  |      | 1   |
| 94  | Effect of exercise therapy on physical performance and functional balance in patients on maintenance renal hemodialysis: randomized controlled study. <b>2019</b> , 15, 472-480   |      | 4   |
| 93  | Regulation of adductor muscle growth by the IGF-1/AKT pathway in the triploid Pacific oyster, <i>Crassostrea gigas</i> . <b>2019</b> , 22,  |      | 5   |

|    |  |    |
|----|--|----|
| 92 | Maximizing Post-exercise Anabolism: The Case for Relative Protein Intakes. <b>2019</b> , 6, 147  | 38 |
| 91 | Towards comprehensive annotation of <i>Drosophila melanogaster</i> enzymes in FlyBase. <b>2019</b> , 2019,   | 4  |
| 90 | Anorexia of Aging - An Updated Short Review. <b>2019</b> , 23, 306-309   | 9  |
| 89 | Myofibrillar and Mitochondrial Protein Synthesis Rates Do Not Differ in Young Men Following the Ingestion of Carbohydrate with Whey, Soy, or Leucine-Enriched Soy Protein after Concurrent Resistance- and Endurance-Type Exercise. <b>2019</b> , 149, 210-220 | 16 |
| 88 | Whey Protein Hydrolysate Increases Amino Acid Uptake, mTORC1 Signaling, and Protein Synthesis in Skeletal Muscle of Healthy Young Men in a Randomized Crossover Trial. <b>2019</b> , 149, 1149-1158  | 16 |
| 87 | Moderate-intensity aerobic exercise improves skeletal muscle quality in older adults. <b>2019</b> , 2, 109-119   | 8  |
| 86 | Adiponectin-Consideration for its Role in Skeletal Muscle Health. <b>2019</b> , 20,  | 35 |
| 85 | Seasonal muscle ultrastructure plasticity and resistance of muscle structural changes during temperature increases in resident black-capped chickadees and rock pigeons. <b>2019</b> , 222,  | 5  |
| 84 | Increased protein intake affects pro-opiomelanocortin (POMC) processing, immune function and IGF signaling in peripheral blood mononuclear cells of home-dwelling old subjects using a genome-wide gene expression approach. <b>2019</b> , 14, 32              | 1  |
| 83 | Physiological and Molecular Adaptations to Strength Training. <b>2019</b> , 51-73  | 6  |
| 82 | The relationships and interactions between age, exercise and physiological function. <b>2019</b> , 597, 1299-1309  | 24 |
| 81 | Polyunsaturated Omega-3 Fatty Acids and Skeletal Muscle. <b>2019</b> , 379-392   | 0  |
| 80 | Nutrition in Combat Sports. <b>2019</b> , 109-122  | 3  |
| 79 | Exercise and the control of muscle mass in human. <b>2019</b> , 471, 397-411   | 18 |
| 78 | A word of caution against excessive protein intake. <b>2020</b> , 16, 59-66  | 24 |
| 77 | Consequences of being phenotypically mismatched with the environment: rapid muscle ultrastructural changes in cold-shocked black-capped chickadees (). <b>2020</b> , 318, R274-R283  | 9  |
| 76 | Exercise as an anti-inflammatory therapy for cancer cachexia: a focus on interleukin-6 regulation. <b>2020</b> , 318, R296-R310  | 22 |
| 75 | Efficacy of L-Leucine Supplementation Coupled with a Calorie-Restricted Diet to Promote Weight Loss in Mid-Life Women. <b>2021</b> , 40, 699-707   | 3  |



|    |   |     |    |
|----|---|-----|----|
| 74 | "NO LOAD" Resistance Training Promotes High Levels of Knee Extensor Muscles Activation-A Pilot Study. <b>2020</b> , 10,   |     | 3  |
| 73 | Acute effects of lactic acid-fermented and enzyme-digested soybean on protein synthesis via mTOR signaling in the skeletal muscle. <b>2020</b> , 84, 2360-2366  |     |    |
| 72 | Insulin-like growth factor-1 status is associated with insulin resistance in young patients with spinal muscular atrophy. <b>2020</b> , 30, 888-896   |     | 5  |
| 71 | Effect of Silymarin Supplementation on Physical Performance, Muscle and Myocardium Histological Changes, Bodyweight, and Food Consumption in Rats Subjected to Regular Exercise Training. <b>2020</b> , 21, |     | 2  |
| 70 | Muscle function impairment in cancer patients in pre-cachexia stage. <i>European Journal of Translational Myology</i> , <b>2020</b> , 30, 258-267   | 2.1 | 5  |
| 69 | Multi- and Single-Joint Resistance Exercises Promote Similar Plantar Flexor Activation in Resistance Trained Men. <b>2020</b> , 17,   |     | 1  |
| 68 | Changes in markers of body composition of professional male soccer players during pre-season. <b>2020</b> , 2, 166-171  |     | 3  |
| 67 | Structural plasticity of the avian pectoralis: a case for geometry and the forgotten organelle. <b>2020</b> , 223,  |     | 6  |
| 66 | Protein Distribution and Muscle-Related Outcomes: Does the Evidence Support the Concept?. <b>2020</b> , 12,   |     | 17 |
| 65 | The Role of Nutri(epi)genomics in Achieving the Body's Full Potential in Physical Activity. <b>2020</b> , 9,  |     | 5  |
| 64 | Edward F. Adolph Distinguished Lecture. Skeletal muscle atrophy: Multiple pathways leading to a common outcome. <b>2020</b> , 129, 272-282  |     | 15 |
| 63 | Habitual protein intake, protein distribution patterns and dietary sources in Irish adults with stratification by sex and age. <b>2020</b> , 33, 465-476  |     | 13 |
| 62 | Nutrient-dense protein as a primary dietary strategy in healthy ageing: please sir, may we have more?. <b>2021</b> , 80, 264-277  |     | 3  |
| 61 | The Effects of Very Low Energy Diets and Low Energy Diets with Exercise Training on Skeletal Muscle Mass: A Narrative Review. <b>2021</b> , 38, 149-163   |     | 2  |
| 60 | Isoleucine increases muscle mass through promoting myogenesis and intramyocellular fat deposition. <b>2021</b> , 12, 144-153  |     | 5  |
| 59 | Recent advances and future avenues in understanding the role of adipose tissue cross talk in mediating skeletal muscle mass and function with ageing. <b>2021</b> , 43, 85-110                              |     | 5  |
| 58 | Practical applications of whey protein in supporting skeletal muscle maintenance, recovery, and reconditioning. <b>2021</b> , 99,   |     | 0  |
| 57 | Sarcopenia in Inflammatory Bowel Disease: A Narrative Overview. <b>2021</b> , 13,   |     | 5  |

|    |  |      |    |
|----|--|------|----|
| 56 | Glycine and N-acetylcysteine (GlyNAC) supplementation in older adults improves glutathione deficiency, oxidative stress, mitochondrial dysfunction, inflammation, insulin resistance, endothelial dysfunction, genotoxicity, muscle strength, and cognition: Results of a pilot clinical trial. <b>2021</b> , 11, e372 |      | 8  |
| 55 | Effects of a Long Chain n-3 Polyunsaturated Fatty Acid-rich Multi-ingredient Nutrition Supplement on Body Composition and Physical Function in Older Adults with Low Skeletal Muscle Mass. <b>2021</b> , 1-16  |      | 2  |
| 54 | Nutritional Influences on Skeletal Muscle and Muscular Disease. <b>2021</b> , 37, 139-175  |      | 1  |
| 53 | Comparison of Arterial-Venous Balance and Tracer Incorporation Methods for Measuring Muscle Fractional Synthesis and Fractional Breakdown Rates. <b>2021</b> ,   |      | 0  |
| 52 | Basal protein synthesis rates differ between vastus lateralis and rectus abdominis muscle. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2021</b> , 12, 769-778   | 10.3 | 1  |
| 51 | Consumption of High-Leucine-Containing Protein Bar Following Breakfast Impacts Aminoacidemia and Subjective Appetite in Older Persons. <b>2021</b> , 5, nzab080  |      | 0  |
| 50 | Targeting the Gut Microbiota to Improve Dietary Protein Efficacy to Mitigate Sarcopenia. <b>2021</b> , 8, 656730   |      | 4  |
| 49 | Evaluating the Leucine Trigger Hypothesis to Explain the Post-prandial Regulation of Muscle Protein Synthesis in Young and Older Adults: A Systematic Review. <b>2021</b> , 8, 685165  |      | 3  |
| 48 | Recent advances in measuring and understanding the regulation of exercise-mediated protein degradation in skeletal muscle. <b>2021</b> , 321, C276-C287  |      | 2  |
| 47 | Genetic Determinants of the Effects of Training on Muscle and Adipose Tissue Homeostasis in Obesity Associated with Lymphedema. <b>2021</b> , 19, 322-333  |      |    |
| 46 | Fish Oil for Healthy Aging: Potential Application to Master Athletes. <b>2021</b> , 51, 31-41  |      | 0  |
| 45 | Muscles proteome analysis; irisin administration mimics some molecular effects of exercise in quadriceps muscle. <b>2021</b> , 189, 144-157  |      | 3  |
| 44 | Skeletal muscle. <b>2022</b> , 213-225   |      |    |
| 43 | Dietary protein for athletes: From requirements to optimum adaptation. <i>Journal of Sports Sciences</i> , <b>2011</b> , 29, S29-S38   | 3.6  | 64 |
| 42 | Nutrition for Weight and Resistance Training. 120-133  |      | 1  |
| 41 | Skeletal muscle plasticity [history, facts and concepts]. <b>2006</b> , 1-27   |      | 6  |
| 40 | Effects of aestivation on skeletal muscle performance. <i>Progress in Molecular and Subcellular Biology</i> , <b>2010</b> , 49, 171-81   | 3    | 6  |
| 39 | Signal transduction pathways that regulate muscle growth. <i>Essays in Biochemistry</i> , <b>2008</b> , 44, 99-108   | 7.6  | 20 |

|    |   |     |    |
|----|---|-----|----|
| 38 | The Dietary Inclusion of Chickpea Seeds ( <i>Cicer Arietinum</i> L.) Influences the Thermal Properties of Muscle Proteins, But Not the Texture of Drumstick Muscle in Broiler Chickens. <i>Brazilian Journal of Poultry Science</i> , <b>2019</b> , 21, | 1.3 | 3  |
| 37 | Effect of Protein Supplementation on Exercise-Induced Muscle Damage. <i>Korean Journal of Sport Science</i> , <b>2010</b> , 21, 1298-1314   | 0.1 | 4  |
| 36 | Mechanotransduction in skeletal muscle. <i>Frontiers in Bioscience - Landmark</i> , <b>2007</b> , 12, 174-91  | 2.8 | 72 |
| 35 | Isolated branched-chain amino acid intake and muscle protein synthesis in humans: a biochemical review. <i>Einstein (Sao Paulo, Brazil)</i> , <b>2019</b> , 17, eRB4898   | 1.2 | 11 |
| 34 | Muscle function impairment in cancer patients in pre-cachexia stage. <i>European Journal of Translational Myology</i> , <b>2020</b> , 30, 8931  | 2.1 | 5  |
| 33 | Low-Load Bench Press Training to Fatigue Results in Muscle Hypertrophy Similar to High-Load Bench Press Training. <i>International Journal of Clinical Medicine</i> , <b>2013</b> , 04, 114-121   | 0.3 | 74 |
| 32 | Sense of effort and M1 activity with special reference to resistance exercise with vascular occlusion. <i>The Journal of Physical Fitness and Sports Medicine</i> , <b>2016</b> , 5, 123-130  | 0.5 | 3  |
| 31 | Comparison of myonuclear domain in phylogenetically paired tropical and temperate bird species. <i>Journal of Avian Biology</i> , <b>2021</b> , 52,   | 1.9 | 1  |
| 30 | Responses and Adaptations of skeletal muscle to hormones and drugs. <i>Advances in Muscle Research</i> , <b>2006</b> , 289-314  |     | 1  |
| 29 | Introduction to molecular exercise physiology. <b>2006</b> , 121-163  |     |    |
| 28 | Paracrine Release of Insulin-Like Growth Factor 1 from a Bioengineered Tissue Stimulates Skeletal Muscle Growth in Vitro. <i>Tissue Engineering</i> , <b>2006</b> , 060802052515062   |     |    |
| 27 | Whey, Casein, and Soy Proteins. <b>2007</b> ,   |     |    |
| 26 | Nutritional Supplements for Strength Power Athletes. <b>2008</b> , 321-368  |     |    |
| 25 | Nutrition for Power and Sprint Training. 134-145  |     |    |
| 24 | Insulinotropic and Muscle Protein Synthetic Effects of Branched-Chain Amino Acids: Potential Therapy for Type Diabetes and Sarcopenia. <b>2016</b> , 87-104   |     |    |
| 23 | Training der Hauptkomponenten der Leistungsfähigkeit □ Trainingsmethoden und Trainingsberatung. <b>2017</b> , 271-311   |     |    |
| 22 | Biological Role of TRPC1 in Myogenesis, Regeneration, and Disease. <b>2017</b> , 211-230  |     |    |
| 21 | Review on Exercise Training and Protein Intake in Skeletal Muscle Protein Metabolism. <b>2017</b> , 26, 103-114   |     |    |

|    |  |      |    |
|----|--|------|----|
| 20 | Muscular morphological adaptations of two whole-body high intensity interval training configurations. <i>Journal of Sports Medicine and Physical Fitness</i> , <b>2020</b> , 60, 985-991   | 1.4  | 2  |
| 19 | Pharmacological Treatment of Sarcopenia. <i>Revista Brasileira De Ortopedia</i> , <b>2021</b> , 56, 425-431  | 0.5  | 0  |
| 18 | KLASİK HİPERTROFİYE KAN AKIŞINIRLANDIRILARAK YAPILAN ANTRENMANLARIN KAS KUVVETİ VE KALINLIK AŞINDAN KARILAŞTIRILMASI. <i>Spor Bilimleri Dergisi Hacettepe Üniversitesi</i> , 158-167   | 0    | 0  |
| 17 | Pathophysiology of exercise-induced muscle damage and its structural, functional, metabolic, and clinical consequences. <i>Physiological Research</i> , <b>2020</b> , 69, 565-598  | 2.1  | 1  |
| 16 | Force-velocity, impulse-momentum relationships: implications for efficacy of purposefully slow resistance training. <i>Journal of Sports Science and Medicine</i> , <b>2008</b> , 7, 299-304   | 2.7  | 14 |
| 15 | Cardiovascular and Muscular Response to NO LOAD Exercise with Blood Flow Restriction. <i>International Journal of Exercise Science</i> , <b>2020</b> , 13, 1807-1818   | 1.3  |    |
| 14 | The Role of Dietary Essential Amino Acids in Muscle and Health. 2,   |      |    |
| 13 | Muscle protein synthesis and muscle/metabolic responses to resistance exercise training in South Asian and White European men.. <i>Scientific Reports</i> , <b>2022</b> , 12, 2469   | 4.9  |    |
| 12 | Effects of Soy Milk in Conjunction With Resistance Training on Physical Performance and Skeletal Muscle Regulatory Markers in Older Men.. <i>Biological Research for Nursing</i> , <b>2022</b> , 10998004211073123                       | 2.6  | 0  |
| 11 | Searching for the link between inflammaging and sarcopenia.. <i>Ageing Research Reviews</i> , <b>2022</b> , 77, 1016112  |      | 2  |
| 10 | Relationship of smoking with COVID-19 and its adverse effects. <b>2021</b> , 7,  |      |    |
| 9  | Systemic ablation of vitamin D receptor leads to skeletal muscle glycogen storage disorder in mice. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2021</b> ,  | 10.3 | 3  |
| 8  | Ambulante Gewichtsreduktion durch Mahlzeiten-Ersatz-Therapie in der fztlichen Praxis: 2-Jahres-Ergebnisse einer nicht kontrollierten Beobachtungsstudie. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , <b>2022</b> , 47, 122-134 | 0.3  |    |
| 7  | Putative mechanobiological impact of surface texture on cell activity around soft-tissue implants undergoing micromotion.. <i>Biomechanics and Modeling in Mechanobiology</i> , <b>2022</b> , 1  | 3.8  | 0  |
| 6  | Elucidating the underlying mechanism of amino acids to regulate muscle protein synthesis: impact on human health. <i>Nutrition</i> , <b>2022</b> , 111797  | 4.8  |    |
| 5  | Increased protein intake derived from leucine-enriched protein enhances the integrated myofibrillar protein synthetic response to short-term resistance training in untrained men and women: a 4-day randomized controlled trial.        |      | 0  |
| 4  | Glucose supplementation improves intestinal amino acid transport and muscle amino acid pool in pigs during chronic cold exposure. <b>2022</b> ,  |      | 0  |
| 3  | No impact of combining multi-ingredient supplementation with exercise on body composition and physical performance, in healthy middle-aged and older adults: A systematic review and meta-analysis. <b>2023</b> , 172, 112079            |      | 0  |

2 Regulation of Muscle Proteostasis via Extramuscular Signals. **2011**, 77-104 ○

1 The protective effect of IL-12/23 neutralizing antibody in sarcopenia associated with dextran sulfate sodium-induced experimental colitis. **2023**, 14, 1096-1106 ○