

CITATION REPORT

List of articles citing

Responsiveness of the disability of the arm, shoulder, and hand (DASH) and patient-rated wrist/hand evaluation (PRWHE) in evaluating change after hand therapy

DOI: 10.1197/j.jht.2003.10.003

Journal of Hand Therapy, 2004, 17, 18-23.

Source: <https://exaly.com/paper-pdf/37417945/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
237	An introduction to evidence-based practice for hand therapists. <i>Journal of Hand Therapy</i> , 2004 , 17, 105-116	1.6	87
236	Applying evidence on outcome measures to hand therapy practice. <i>Journal of Hand Therapy</i> , 2004 , 17, 165-73	1.6	38
235	Preliminary evaluation of the generalized work distress scale in patients with work-related upper extremity disorders. 2005 , 15, 3-16		3
234	Valoraci3n de resultados en Ciru3a Ortop3dica y Traumatolog3a. 2005 , 49, 119-142		5
233	Recent progress in flexor tendon healing. The modulation of tendon healing with rehabilitation variables. <i>Journal of Hand Therapy</i> , 2005 , 18, 80-5; quiz 86	1.6	103
232	Update: The Patient-rated Forearm Evaluation Questionnaire is now the Patient-rated Tennis Elbow Evaluation. <i>Journal of Hand Therapy</i> , 2005 , 18, 407-10	1.6	79
231	A meta-analysis of outcomes of external fixation versus plate osteosynthesis for unstable distal radius fractures. <i>Journal of Hand Surgery</i> , 2005 , 30, 1185-99	2.6	157
230	The International Classification of Functioning as an explanatory model of health after distal radius fracture: a cohort study. 2005 , 3, 73		45
229	Examination of the elbow: linking diagnosis, prognosis, and outcomes as a framework for maximizing therapy interventions. <i>Journal of Hand Therapy</i> , 2006 , 19, 82-97	1.6	26
228	[Spanish version of the DASH questionnaire. Cross-cultural adaptation, reliability, validity and responsiveness]. 2006 , 127, 441-7		80
227	Responsiveness of self-report scales in patients recovering from rotator cuff surgery. 2006 , 15, 407-14		69
226	Cross-sectional and longitudinal construct validity of two rotator cuff disease-specific outcome measures. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 26	2.8	89
225	Pain, functional disability, and psychologic status in tennis elbow. 2007 , 23, 482-9		70
224	Management of postburn contractures of the upper extremity. 2007 , 28, 212-9		38
223	Assessment of thumb metacarpophalangeal joint arthrodesis using a single longitudinal K-wire. <i>Journal of Hand Surgery</i> , 2007 , 32, 677-84	2.6	23
222	The use of Disabilities of the Arm, Shoulder, and Hand Questionnaire in rehabilitation after acute traumatic hand injuries. <i>Journal of Hand Therapy</i> , 2007 , 20, 49-55; quiz 56	1.6	56
221	Effects of splinting on wrist contracture after stroke: a randomized controlled trial. 2007 , 38, 111-6		96

220	Assessment of Functional Outcomes. 2007 , 98-113		2
219	Validity of self-report measures of pain and disability for persons who have undergone arthroplasty for osteoarthritis of the carpometacarpal joint of the hand. 2007 , 15, 524-30		56
218	Outcome tools used for ambulatory children with cerebral palsy: responsiveness and minimum clinically important differences. 2008 , 50, 918-25		180
217	Combat casualty hand burns: evaluating impairment and disability during recovery. <i>Journal of Hand Therapy</i> , 2008 , 21, 150-8; quiz 159	1.6	23
216	Changes in impairment and function after static progressive splinting for stiffness after distal radius fracture. <i>Journal of Hand Therapy</i> , 2008 , 21, 319-25	1.6	17
215	Reliability and validity of the German version of "the Patient-rated Wrist Evaluation (PRWE)" as an outcome measure of wrist pain and disability in patients with acute distal radius fractures. <i>Journal of Hand Therapy</i> , 2008 , 21, 366-76	1.6	40
214	Functional outcomes after arthroplasty of the distal radioulnar joint and hand therapy: a case series. <i>Journal of Hand Therapy</i> , 2008 , 21, 398-409	1.6	15
213	Patient rated wrist examination. 2008 , 54, 221		6
212	Validation of a modern activity hand survey with respect to reliability, construct and criterion validity. <i>Journal of Hand Surgery: European Volume</i> , 2008 , 33, 653-60	1.4	14
211	Outcome Measurement after Osteosynthesis of the Distal Radius. 2008 , 156-161		
210	What counts: outcome assessment after distal radius fractures in aged patients. 2008 , 22, S126-30		44
209	9.4 Wrist/hand(V). 2009 ,		
208	Psychometric properties of the Patient Rated Wrist/Hand Evaluation - Dutch Language Version (PRWH/E-DLV). <i>Journal of Hand Surgery: European Volume</i> , 2009 , 34, 556-7	1.4	34
207	Do people with acquired brain impairment benefit from additional therapy specifically directed at the hand? A randomized controlled trial. 2009 , 23, 492-503		15
206	Intra-articular fractures of the distal end of the radius in young adults: reexamined as evidence-based and outcomes medicine. 2009 , 91, 2984-91		48
205	Evaluation of activity limitation and digital extension in Dupuytren's contracture three months after fasciectomy and hand therapy interventions. <i>Journal of Hand Therapy</i> , 2009 , 22, 21-6; quiz 27	1.6	62
204	Clinical Commentary in Response To: Exercise and Hand Osteoarthritis Symptomatology: A Controlled Crossover Trial. <i>Journal of Hand Therapy</i> , 2009 , 22, 19-20	1.6	
203	Development and validation of the hand assessment tool. <i>Journal of Hand Therapy</i> , 2009 , 22, 250-6; quiz 257	1.6	15

202	Clinimetric evaluation of measurement tools used in hand therapy to assess activity and participation. <i>Journal of Hand Therapy</i> , 2009 , 22, 221-35; quiz 236	1.6	112
201	A retrospective pilot study comparing the number of therapy visits required to regain functional wrist and forearm range of motion following volar plating of a distal radius fracture. <i>Journal of Hand Therapy</i> , 2009 , 22, 312-8; quiz 319	1.6	28
200	A modified QuickDASH-9 provides a valid outcome instrument for upper limb function. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 161	2.8	65
199	Fractures of the distal radius treated with cross-pin fixation and a nonbridging external fixator, the CPX system: a preliminary report. <i>Journal of Hand Surgery</i> , 2009 , 34, 603-16	2.6	17
198	Combination of manipulation, exercise, and physical therapy for the treatment of a 57-year-old woman with lateral epicondylitis. 2009 , 32, 166-72		12
197	Combined multimodal therapies for chronic tennis elbow: pilot study to test protocols for a randomized clinical trial. 2009 , 32, 571-85		11
196	Clinimetric properties of instruments to assess activities in patients with hand injury: a systematic review of the literature. 2009 , 90, 151-69		89
195	Using an evidence-based approach to measure outcomes in clinical practice. 2009 , 25, 97-111, vii		21
194	Prosthetic Outcome Measures for Use With Upper Limb Amputees: A Systematic Review of the Peer-Reviewed Literature, 1970 to 2009. 2009 , 21, 3-63		55
193	[Outcome assessment in geriatric trauma]. 2010 , 113, 462-8		4
192	Comparative outcome of distal radial fractures treated by percutaneous k-wire fixation and internal fixation. 2010 , 20, 131-135		1
191	Ability to detect change in patient function: responsiveness designs and methods of calculation. <i>Journal of Hand Therapy</i> , 2010 , 23, 361-70; quiz 371	1.6	30
190	Computer-assisted versus non-computer-assisted preoperative planning of corrective osteotomy for extra-articular distal radius malunions: a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 282	2.8	45
189	Prevalence of hand symptoms, impairments and activity limitations in rheumatoid arthritis in relation to disease duration. 2010 , 42, 916-21		58
188	Implant d'interposition en pyrocarbone Pi2 versus trapèzectomie-ligamentoplastie-suspension dans le traitement des arthroses trapèzomécarpiennes. Étude préliminaire comparative de deux séries sur un an. 2010 , 96, S66-S71		0
187	Psychometric characteristics of Duruoz Hand Index in patients with traumatic hand flexor tendon injuries. 2011 , 33, 1521-7		18
186	Provocative wrist tests and MRI are of limited diagnostic value for suspected wrist ligament injuries: a cross-sectional study. 2011 , 57, 247-53		28
185	Systematic Review of Interventions to Improve or Augment Handwriting Ability in Adult Clients. 2011 , 31, 55-63		6

184	The QuickDASH score: a patient-reported outcome measure for Dupuytren's surgery. <i>Journal of Hand Therapy</i> , 2011 , 24, 15-20; quiz 21	1.6	37
183	Clinical commentary in response to: Severity of contracture and self-reported disability in patients with Dupuytren's contracture referred for surgery. <i>Journal of Hand Therapy</i> , 2011 , 24, 12-4	1.6	2
182	Muscle activation during hand dexterity tasks in women with hand osteoarthritis and control subjects. <i>Journal of Hand Therapy</i> , 2011 , 24, 207-14; quiz 215	1.6	12
181	Measuring wrist and hand function: common scales and checklists. 2011 , 42, 253-8		96
180	Measuring outcome after wrist injury: translation and validation of the Swedish version of the patient-rated wrist evaluation (PRWE-Swe). <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 171	2.8	47
179	Relationship between distal radius fracture malunion and arm-related disability: a prospective population-based cohort study with 1-year follow-up. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 9	2.8	48
178	Open reduction and internal fixation versus casting for highly comminuted and intra-articular fractures of the distal radius (ORCHID): protocol for a randomized clinical multi-center trial. 2011 , 12, 84		25
177	Measures of adult shoulder function: Disabilities of the Arm, Shoulder, and Hand Questionnaire (DASH) and its short version (QuickDASH), Shoulder Pain and Disability Index (SPADI), American Shoulder and Elbow Surgeons (ASES) Society standardized shoulder assessment form, Constant (Morley) Score (CS), Simple Shoulder Test (SST), Oxford Shoulder Score (OSS), Shoulder Disability		301
176	Ten years follow-up of health and disability in people with acute traumatic hand injury: pain and cold sensitivity are long-standing problems. <i>Journal of Hand Surgery: European Volume</i> , 2011 , 36, 590-8	1.4	19
175	Assessing results after distal radius fracture treatment: a comparison of objective and subjective tools. 2011 , 2, 155-60		23
174	Changes in the health status and functional outcomes in acute traumatic hand injury patients, during physical therapy treatment. 2011 , 44, 362-7		4
173	Stability of handwriting performance following injury-induced hand-dominance transfer in adults: a pilot study. 2011 , 48, 59-68		21
172	Measurement properties of the MachAND performance assessment: a pilot study. 2012 , 79, 303-8		1
171	Cross-cultural adaptation and validation of the Italian version of the patient-rated wrist/hand evaluation questionnaire. <i>Journal of Hand Surgery: European Volume</i> , 2012 , 37, 863-70	1.4	21
170	Long-term outcomes of proximal row carpectomy: a systematic review of the literature. 2012 , 1, 141-8		40
169	Upper extremity-specific measures of disability and outcomes in orthopaedic surgery. 2012 , 94, 277-85		176
168	Responsiveness of the Japanese version of the patient-rated wrist evaluation (PRWE-J) and physical impairment measurements in evaluating recovery after treatment of ulnocarpal abutment syndrome. 2012 , 17, 551-5		6
167	[Cost effectiveness of a free forearm flap in reconstruction of the oral cavity and pharynx--the donor site complications]. 2012 , 66, 353-8		2

166	Local injection of autologous platelet rich plasma and corticosteroid in treatment of lateral epicondylitis and plantar fasciitis: Randomized clinical trial. 2012 , 34, 43-49		72
165	Clinical commentary in response to: "Rehabilitation protocol after suspension arthroplasty of thumb carpometacarpal joint osteoarthritis". <i>Journal of Hand Therapy</i> , 2012 , 25, 384-6	1.6	
164	Dynamic splints do not reduce contracture following distal radial fracture: a randomised controlled trial. 2012 , 58, 173-80		16
163	Cross-cultural adaptation and psychometric testing of the Hindi version of the patient-rated wrist evaluation. <i>Journal of Hand Therapy</i> , 2012 , 25, 65-77; quiz 78	1.6	27
162	Prognosis and prognostic factors for patients with persistent wrist pain who proceed to wrist arthroscopy. <i>Journal of Hand Therapy</i> , 2012 , 25, 264-9; quiz 270	1.6	4
161	Long-term outcomes of proximal row carpectomy: a minimum of 15-year follow-up. <i>Hand</i> , 2012 , 7, 72-8	1.4	47
160	Measurement scales in clinical research of the upper extremity, part 2: outcome measures in studies of the hand/wrist and shoulder/elbow. <i>Journal of Hand Surgery</i> , 2013 , 38, 407-12	2.6	28
159	Multilingual cross-cultural adaptation of the patient-rated wrist evaluation (PRWE) into Czech, French, Hungarian, Italian, Portuguese (Brazil), Russian and Ukrainian. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013 , 133, 589-93	3.6	11
158	Outcomes of hand fracture treatments. 2013 , 29, 621-30		8
157	Effects of a dynamic stability approach in conservative intervention of the carpometacarpal joint of the thumb: a retrospective study. <i>Journal of Hand Therapy</i> , 2013 , 26, 44-51; quiz 52	1.6	49
156	Evaluation of the Korean version of the patient-rated wrist evaluation. <i>Journal of Hand Therapy</i> , 2013 , 26, 238-43; quiz 244	1.6	21
155	Measurement properties of the Patient-Rated Wrist and Hand Evaluation: Rasch analysis of responses from a traumatic hand injury population. <i>Journal of Hand Therapy</i> , 2013 , 26, 216-23; quiz 224	1.6	39
154	Do patient-reported outcome measures capture functioning aspects and environmental factors important to individuals with injuries or disorders of the hand?. <i>Journal of Hand Therapy</i> , 2013 , 26, 332-42; quiz 342	1.6	37
153	The benefits of early active motion on thumb range of motion following extensor pollicis longus tendon repair in zones TIIIIV: A prospective comparison pilot study. 2013 , 18, 109-117		2
152	Outcome measures and their measurement properties for trapeziometacarpal osteoarthritis: a systematic literature review. <i>Journal of Hand Surgery: European Volume</i> , 2013 , 38, 822-38	1.4	36
151	Comparing responsiveness of the quick disabilities of the arm, shoulder, and hand and the upper limb functional index. 2013 , 46, 243-50		9
150	Comparison of generic patient-reported outcome measures used with upper extremity musculoskeletal disorders: linking process using the International Classification of Functioning, Disability, and Health (ICF). 2014 , 46, 327-34		28
149	Self-reported Wrist and Hand Pain and Disability in Breast Cancer Survivors Taking Aromatase Inhibitors. 2014 , 32, 14-20		

148	Commentary on Asshein and Finsen. The DASH and the QuickDASH instruments. Normative values in the general population in Norway: and Iwatsuki et al. Comparative responsiveness of the Hand 20 and the DASH-JSSH to clinical changes after carpal tunnel release. <i>Journal of Hand Surgery: European Volume</i> , 2014 , 39, 152-4	1.4	0
147	The DASH and the QuickDASH instruments. Normative values in the general population in Norway. <i>Journal of Hand Surgery: European Volume</i> , 2014 , 39, 140-4	1.4	123
146	Recommendation for measuring clinical outcome in distal radius fractures: a core set of domains for standardized reporting in clinical practice and research. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2014 , 134, 197-205	3.6	65
145	Assessment of Functional Outcomes. 2014 , 115-127		2
144	Tendon Transfers. 2014 , 438-456		
143	Rigid versus semi-rigid orthotic use following TMC arthroplasty: a randomized controlled trial. <i>Journal of Hand Therapy</i> , 2014 , 27, 265-70; quiz 271	1.6	7
142	Hand therapist use of patient report outcome (PRO) in practice: a survey study. <i>Journal of Hand Therapy</i> , 2014 , 27, 299-307; quiz 308	1.6	25
141	The effects of ulnar styloid fractures on patients sustaining distal radius fractures. <i>Journal of Hand Surgery</i> , 2014 , 39, 1915-20	2.6	19
140	Patient-reported outcomes: state-of-the-art hand surgery and future applications. 2014 , 30, 293-304, v		12
139	Trapeziometacarpal arthrodesis or trapeziectomy with ligament reconstruction in primary trapeziometacarpal osteoarthritis: a randomized controlled trial. 2014 , 96, 726-33		63
138	A cross-cultural adaptation of the Upper Limb Functional Index in French Canadian. <i>Journal of Hand Therapy</i> , 2014 , 27, 247-52; quiz 253	1.6	12
137	Current uses of botulinum toxin A as an adjunct to hand therapy interventions of hand conditions. <i>Journal of Hand Therapy</i> , 2014 , 27, 85-94; quiz 95	1.6	7
136	Comparison of arthroplasties with or without bone tunnel creation for thumb basal joint arthritis: a randomized controlled trial. <i>Journal of Hand Surgery</i> , 2014 , 39, 1692-8	2.6	19
135	The Thermal Sensitivity Test in Evaluating Outcome after Peripheral Nerve Injury. 2015 , 2015, 528356		1
134	Evidence-based review of Colles Fracture. 2015 , 17, 191-200		2
133	Pharmacologic modulation of hand pain in osteoarthritis: a double-blind placebo-controlled functional magnetic resonance imaging study using naproxen. 2015 , 67, 741-51		22
132	The Korean version of the Carpal Tunnel Questionnaire. Cross cultural adaptation, reliability, validity and responsiveness. <i>Journal of Hand Surgery: European Volume</i> , 2015 , 40, 200-5	1.4	9
131	WARRIOR-trial - is routine radiography following the 2-week initial follow-up in trauma patients with wrist and ankle fractures necessary: study protocol for a randomized controlled trial. 2015 , 16, 66		17

130	Baseline pain intensity is a predictor of chronic pain in individuals with distal radius fracture. 2015 , 45, 119-27		43
129	A systematic review of the measurement properties of the patient-rated wrist evaluation. 2015 , 45, 289-98		52
128	The Effect of a Bone Tunnel During Ligament Reconstruction for Trapeziometacarpal Osteoarthritis: A 5-Year Follow-up. <i>Journal of Hand Surgery</i> , 2015 , 40, 2214-22	2.6	14
127	Cross-cultural adaptation and psychometric testing of the Arabic version of the Patient-Rated Wrist Hand Evaluation (PRWHE-A) in Saudi Arabia. <i>Journal of Hand Therapy</i> , 2015 , 28, 412-9; quiz 420	1.6	12
126	Responsiveness of three Patient Report Outcome (PRO) measures in patients with hand fractures: A preliminary cohort study. <i>Journal of Hand Therapy</i> , 2015 , 28, 403-10; quiz 411	1.6	8
125	Brazilian version of the Patient Rated Wrist Evaluation (PRWE-BR): Cross-cultural adaptation, internal consistency, test-retest reliability and construct validity. <i>Journal of Hand Therapy</i> , 2015 , 28, 69-75; quiz 76	1.6	19
124	Structural Validity of the Dutch Version of the Patient-Rated Wrist Evaluation (PRWE-NL) in Patients With Hand and Wrist Injuries. 2016 , 96, 908-16		21
123	Trapeziometacarpal Arthrodesis or Trapeziectomy with Ligament Reconstruction in Primary Trapeziometacarpal Osteoarthritis: A 5-Year Follow-Up. <i>Journal of Hand Surgery</i> , 2016 , 41, 910-6	2.6	28
122	Clinical and radiologic factors affecting functional outcomes after volar locking plate fixation of dorsal angulated distal radius fractures. 2016 , 21, 619-24		9
121	Four-corner fusion of the wrist: clinical and radiographic outcome of 31 patients. 2016 , 26, 859-866		9
120	Clinical and Radiographic Results of Reconstruction with Fibular Autograft for Distal Radius Giant Cell Tumor. 2016 , 8, 196-204		13
119	Development and validation of a novel questionnaire for self-determination of the range of motion of wrist and elbow. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 312	2.8	2
118	Orthotic intervention incorporating the dart-thrower's motion as part of conservative management guidelines for treatment of scapholunate injury. <i>Journal of Hand Therapy</i> , 2016 , 29, 199-204	1.6	13
117	Patient-Reported Outcome Measures for Hand and Wrist Trauma: Is There Sufficient Evidence of Reliability, Validity, and Responsiveness?. <i>Hand</i> , 2016 , 11, 11-21	1.4	51
116	A structured literature synthesis of wrist outcome measures: An evidence-based approach to determine use among common wrist diagnoses. <i>Journal of Hand Therapy</i> , 2016 , 29, 98-110	1.6	6
115	Assessment Following Distal Radius Fractures: A Comparison of 4 Scoring Systems, Visual Numerical Scales, and Objective Measurements. <i>Journal of Hand Surgery</i> , 2016 , 41, 219-224.e1	2.6	4
114	No difference between two types of exercise after proximal phalangeal fracture fixation: a randomised trial. 2016 , 62, 12-9		10
113	Reliability, validity and responsiveness of the Arabic version of the Disability of Arm, Shoulder and Hand (DASH-Arabic). 2016 , 38, 2469-78		21

112	Volar locking plate fixation for distal radius fractures: Does age affect outcome?. 2016 , 13, 76-80		5
111	Self-Report Measures of Hand Pain Intensity: Current Evidence and Recommendations. 2016 , 32, 11-9		7
110	Intracarpal shortening osteotomy for Kienb�k's disease: A retrospective study of 28 cases. 2017 , 103, 191-198		7
109	Effectiveness of a fine motor skills rehabilitation program on upper limb disability, manual dexterity, pinch strength, range of fingers motion, performance in activities of daily living, functional independency, and general self-efficacy in hand osteoarthritis: A randomized clinical trial. <i>Journal of Hand Therapy</i> , 2017 , 30, 262-273	1.6	9
108	CORR Insights: What Demographic and Clinical Characteristics Correlate With Expectations With Trapeziometacarpal Arthritis?. 2017 , 475, 2712-2715		
107	Supervised physical therapy vs home exercise program for patients with distal radius fracture: A single-blind randomized clinical study. <i>Journal of Hand Therapy</i> , 2017 , 30, 242-252	1.6	25
106	Validation of the QuickDASH and DASH in Patients With Distal Radius Fractures Through Agreement Analysis. 2017 , 98, 1217-1222.e1		32
105	Ost�tomie raccourcissante intracarpienne dans la maladie de Kienb�k : propos d'une s�rie r�trospective monocentrique de 28 cas. 2017 , 103, 130-138		
104	Validity and responsiveness of the Simple Test for Evaluating Hand Function. 2017 , 22, 133-140		3
103	Validity, reliability and ease of use of the disabilities of arm, shoulder and hand questionnaire in adults following stroke. 2017 , 39, 2504-2511		16
102	Pattern of recovery after open reduction and internal fixation of proximal phalangeal fractures in the finger: a prospective longitudinal study. <i>Journal of Hand Surgery: European Volume</i> , 2017 , 42, 137-143	1.4	8
101	The Spanish version of the Patient-Rated Wrist Evaluation outcome measure: cross-cultural adaptation process, reliability, measurement error and construct validity. 2017 , 15, 169		8
100	A Systematic Review of Outcome Measures Assessing Disability Following Upper Extremity Trauma. 2017 , 1, e021		10
99	Functional range of motion in the metacarpophalangeal joints of the hand measured by single axis electric goniometers. 2018 , 23, 504-510		8
98	Dorsal Wrist Plication for Midcarpal Instability. <i>Journal of Hand Surgery</i> , 2018 , 43, 354-359	2.6	9
97	Are the patient-rated wrist evaluation (PRWE) and the disabilities of the arm, shoulder and hand (DASH) questionnaire used in distal radial fractures truly valid and reliable?. 2018 , 7, 36-45		27
96	Rasch analysis of the patient-rated wrist evaluation questionnaire. 2018 , 8, 5		8
95	Psychometric properties of the goniometric assessment of the Dart Thrower's Motion. 2018 , 23, 110-116		1

94	Delineation between different components of chronic pain using dimension reduction - an ASL fMRI study in hand osteoarthritis. 2018 , 22, 1245-1254		11
93	Cross cultural adaptation and refinement of an English version of a Dutch patient-reported questionnaire for hand sensitivity: The Radboud Evaluation of Sensitivity. <i>Journal of Hand Therapy</i> , 2018 , 31, 371-380	1.6	2
92	The AUSCAN and PRWHE Demonstrate Comparable Internal Consistency and Validity in Patients With Early Thumb Carpometacarpal Osteoarthritis. <i>Hand</i> , 2018 , 13, 652-658	1.4	7
91	Recovery patterns over 4 years after distal radius fracture: Descriptive changes in fracture-specific pain/disability, fall risk factors, bone mineral density, and general health status. <i>Journal of Hand Therapy</i> , 2018 , 31, 451-464	1.6	10
90	Cumulative incidence of carpal instability 12-24 months after fall onto outstretched hand. <i>Journal of Hand Therapy</i> , 2018 , 31, 282-286	1.6	3
89	The reliability of remembered pre-operative patient-rated wrist and hand evaluation (PRWHE) scores. 2018 , 10, 7682		2
88	TFCC Lesions in Children and Adolescents: Open Treatment. 2018 , 23, 506-514		2
87	Prevalence of posttraumatic arthritis following distal radius fractures in non-osteoporotic patients and the association with radiological measurements, clinician and patient-reported outcomes. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018 , 138, 1699-1712	3.6	15
86	Graded motor imagery for women at risk for developing type I CRPS following closed treatment of distal radius fractures: a randomized comparative effectiveness trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 202	2.8	5
85	Three-Dimensional Compared with Two-Dimensional Preoperative Planning of Corrective Osteotomy for Extra-Articular Distal Radial Malunion: A Multicenter Randomized Controlled Trial. 2018 , 100, 1191-1202		22
84	Hand Function. 2019 ,		1
83	Clinical Assessments of Hand Function in First Carpometacarpal Osteoarthritis Do Not Appear to Correlate with Radiographic Findings. 2019 , 15, 269-275		3
82	Construct validity of the Patient-Rated Wrist and Hand Evaluation questionnaire (PRWHE) for nerve repair in the hand. 2019 , 40, 40-44		4
81	Cross-cultural adaptation and psychometric properties of the Dutch version of the Hand Function Sort in patients with complaints of hand and/or wrist. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 279	2.8	2
80	A Primer on Outcome Measures for Surgical Interventions. 2019 , 61-70		
79	Reliability, validity, and cross-cultural adaptation study of the Turkish version of the Patient-Rated Wrist/Hand Evaluation questionnaire. 2019 , 49, 574-582		6
78	The PRWE/PRWHE update. <i>Journal of Hand Therapy</i> , 2019 , 32, 292-294	1.6	8
77	Danish version of the Patient-Rated Wrist/Hand Evaluation questionnaire: Translation, cross-cultural adaptation, test-retest reliability and construct validity. 2019 , 24, 22-30		5

76	Pain in the Post-Operative Week Predicts Pain and Hand Use Twelve Weeks after Proximal Phalangeal Fracture Fixation. 2019 , 24, 462-468		1
75	The Role of the Peripheral Nerve Surgeon in the Treatment of Pain. 2019 , 16, 9-25		15
74	Association of Modifiable Risk Factors with Bone Mineral Density among People with Distal Radius Fracture: A Cross-Sectional Study. 2019 , 71, 58-68		
73	Outcomes of surgically treated distal radial fractures with associated triangular fibrocartilage complex injury. <i>Journal of Hand Therapy</i> , 2019 , 32, 57-63	1.6	4
72	Development of the modified simple test for evaluating hand function (modified STEF): Construct, reliability, validity, and responsiveness. <i>Journal of Hand Therapy</i> , 2019 , 32, 388-394	1.6	2
71	Linking commonly used hand therapy outcome measures to individual areas of the International Classification of Functioning: A systematic review. <i>Journal of Hand Therapy</i> , 2019 , 32, 243-261	1.6	4
70	Pain, impaired functioning, poor satisfaction and diminished health status eight years following perilunate (fracture) dislocations. 2020 , 42, 849-856		1
69	Pisiform excision is an effective and safe treatment for ulnar-sided wrist pain related to the pisotriquetral joint. 2020 , 43, 175-180		2
68	The Association of AUSCAN and PRWHE Patient-reported Outcome Measures With Radiographic Progression of Early Thumb Carpometacarpal Arthritis at 36-Month Follow-up Is Limited to Subtle Changes in the Pain Subscale. <i>Hand</i> , 2020 , 1558944720928489	1.4	0
67	Validation of Persian Version of Patient-Rated Wrist and Hand Evaluation: Confirmatory Factor Analysis and Rasch Analysis. 2020 , 2, 100076		2
66	Trapeziometacarpal prosthesis: an updated systematic review. 2020 , 39, 492-501		3
65	Assessment of responsiveness of four hand-related scales in stroke patients. 2021 , 121, 1633-1639		1
64	Mid-term outcome of volar plate fixation for scaphoid nonunion. 2020 , 102-B, 1697-1702		1
63	Pyrocardan® implant arthroplasty for trapeziometacarpal osteoarthritis with a minimum follow-up of 5 years. 2020 , 39, 528-538		5
62	Capturing the costs of acute hand and wrist injuries: Lessons learnt from a prospective longitudinal burden of injury study. 2020 , 25, 119-129		0
61	Pyrocardan Trapeziometacarpal Joint Arthroplasty-Medium-Term Outcomes. 2020 , 9, 509-517		3
60	Evaluation of the content validity index of the Australian/Canadian osteoarthritis hand index, the patient-rated wrist/hand evaluation and the thumb disability exam in people with hand arthritis. 2020 , 18, 302		5
59	Patient-reported outcome measures for patients with hand-specific impairments-A scoping review. <i>Journal of Hand Therapy</i> , 2021 , 34, 594-603	1.6	1

58	Measures of Hand Function. 2020 , 72 Suppl 10, 321-341		2
57	The evolution of radiological measurements and the association with clinician and patient reported outcome following distal radius fractures in non-osteoporotic patients: what is clinically relevant?. 2020 , 1-12		2
56	Outcomes of surgically treated distal radius fractures associated with triangular fibrocartilage complex injury. <i>Journal of Hand Therapy</i> , 2020 , 33, 339-345	1.6	2
55	The association between smartphone addiction and thumb/wrist pain: A cross-sectional study. 2020 , 99, e19124		9
54	Driving performance following a wrist fracture: A pilot study using a driving simulator. 2020 , 25, 26-36		0
53	Assessment of Functional Outcomes. 2020 , 66-77		
52	Medium to Long-Term Follow-Up After Pyrocarbon Disc Interposition Arthroplasty for Treatment of CMC Thumb Joint Arthritis. <i>Journal of Hand Surgery</i> , 2021 , 46, 150.e1-150.e14	2.6	3
51	Hand Atrophy. 2021 , 9, e20.00022		
50	Cross-cultural adaptation, construct validity, reliability, and responsiveness of the Thai version of the Patient-Rated Wrist/Hand Evaluation (Thai PRWHE). 2021 , 30, 1793-1802		1
49	Serious game versus standard care for rehabilitation after distal radius fractures: a protocol for a multicentre randomised controlled trial. 2021 , 11, e042629		1
48	Efficacy of wrist robot-aided orthopedic rehabilitation: a randomized controlled trial. 2021 , 18, 130		1
47	Concurrent validity and precision of the thumb disability examination (TDX) in first carpometacarpal osteoarthritis. <i>Journal of Hand Therapy</i> , 2021 ,	1.6	0
46	A systematic review and meta-analysis of Patient-Rated Wrist (and Hand) Evaluation (PRWE/PRWHE) measurement properties, translation, and/ or cross-cultural adaptation. 2021 , 1-15		1
45	The Upper Extremities. 2021 ,		
44	Klinische Erfassung. 2009 , 7-81		1
43	Outcome Measurement in Upper Extremity Practice. 2011 , 194-205.e4		3
42	Intra-articular Hand Fractures and Joint Injuries. 2011 , 417-435.e1		4
41	Therapist's Management of Distal Radius Fractures. 2011 , 949-962.e2		2

40	Conservative Management of Arthritis. 2006 , 649-658		4
39	Gamification in rehabilitation of metacarpal fracture using cost-effective end-user device: A randomized controlled trial. <i>Journal of Hand Therapy</i> , 2020 , 33, 235-242	1.6	2
38	Test-retest reliability and convergent validity of a computer based hand function test protocol in people with arthritis. 2015 , 9, 57-67		4
37	The PRWHE form in Norwegian--assessment of hand and wrist afflictions. <i>Tidsskrift for Den Norske Laegeforening</i> , 2013 , 133, 2125-6	3.5	16
36	Examination of the factor structure of the Disabilities of the Arm, Shoulder, and Hand questionnaire. <i>American Journal of Occupational Therapy</i> , 2011 , 65, 169-78	0.4	37
35	Responsiveness of the Manual Ability Measure-36 (MAM-36): changes in hand function using self-reported and clinician-rated assessments. <i>American Journal of Occupational Therapy</i> , 2014 , 68, 187-934	0.4	5
34	Comparison between patient-reported and physician-estimated pain and disability in hand and wrist disorders. <i>Musculoskeletal Care</i> , 2021 ,	1.6	0
33	Health-related physical fitness in patients with complaints of hand, wrist, forearm and elbow: an exploratory study. <i>BMJ Open Sport and Exercise Medicine</i> , 2021 , 7, e001148	3.4	2
32	Distal Radius Fractures: Evolution in the Treatment Standard of Care 2009. 2009 , 125-136		
31	Conservative Management of Arthritis. 2016 , 481-490		
30	Upper Extremity Outcome Measures. 2016 , 1-32		
29	Nonoperative Options for the Management of Carpal Tunnel Syndrome. 2017 , 109-124		
28	Hand Function in Rheumatoid Arthritis. 2019 , 73-82		1
27	The Upper Extremities. 2022 ,		
26	Complex lesion of the third metacarpophalangeal joint: complete tear of the radial collateral and deep transverse metacarpal ligament. <i>Acta Biomedica</i> , 2017 , 88, 125-131	3.2	
25	[Retrograde muscle release method in treatment of mild to moderate ischemic muscle contracture of forearm]. <i>Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi = Zhongguo Xiufu Chongjian Waike Zazhi = Chinese Journal of Reparative and Reconstructive Surgery</i> , 2021 , 35, 483-487	0.2	
24	Changes in the Functional Range of Motion of the Thumb Metacarpophalangeal Joint After Trapeziometacarpal Arthrodesis for Patients With Advanced Trapeziometacarpal Osteoarthritis. <i>Journal of Hand Surgery</i> , 2021 ,	2.6	
23	Reported Outcomes and Outcome Measures in Proximal Interphalangeal Joint Arthroplasty: A Systematic Review. <i>Plastic Surgery</i> , 229255032110428	0.8	

22	Effect of Tendon Strip (FCR vs APL) on Outcome of CMC Thumb Joint Arthroplasty With Pyrocarbon Disk Interposition.. <i>Hand</i> , 2022 , 15589447211040879	1.4	
21	A modified-delphi study establishing consensus in the therapeutic management of posttraumatic elbow stiffness.. <i>Journal of Hand Therapy</i> , 2022 ,	1.6	
20	Three-dimensional statistical shape modelling for corrective osteotomy in bilateral malunited forearm fracture.. <i>Journal of Hand Surgery: European Volume</i> , 2022 , 17531934221074896	1.4	
19	Reconstruction of Digital Defects with the Free Proximal Ulnar Artery Perforator Flap.. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2022 , 10, e4054	1.2	0
18	Responsiveness of different pain measures and recall periods in people undergoing surgery after a period of splinting for basal thumb joint osteoarthritis.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 37	4.7	
17	Trapeziectomy and Alternative Suspension Technique in Thumb Carpometacarpal Arthritis: Patient-Reported Outcome Measures. <i>Journal of Hand Surgery Global Online</i> , 2022 ,	0.6	
16	Arthroscopic Foveal Repair of the Triangular Fibrocartilage Complex Improved the Clinical Outcomes in Patients With Persistent Symptomatic Distal Radio-Ulnar Joint Instability After Plate Fixation of Distal Radius Fractures: Minimum Two-Year Follow-Up.. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021	5.4	0
15	Minimal important difference and patient acceptable symptom state for the Numerical Rating Scale (NRS) for pain and the Patient-Rated Wrist/Hand Evaluation (PRWHE) for patients with osteoarthritis at the base of thumb.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 127	4.7	0
14	Evaluation of the PROMIS Upper Extremity Against Validated Patient-Reported Outcomes in Patients with Early Carpometacarpal Osteoarthritis.. <i>Journal of Hand Surgery</i> , 2022 ,	2.6	1
13	Psychometric properties of patient-reported outcome measures (PROMs) in wrist osteoarthritis: test-retest reliability and construct validity. <i>BMC Musculoskeletal Disorders</i> , 2022 , 23,	2.8	0
12	Outcomes of distal ulna locking plate in management of unstable distal ulna fractures: a prospective case series. <i>Archives of Orthopaedic and Trauma Surgery</i> ,	3.6	
11	Validation of a graphic test to quantitatively assess the dominant hand dexterity. 2022 , 17, e0271889		
10	Beauty and Function: The Use of Trimmed Great Toe in Thumb and Finger Reconstruction. 2022 , 10, e4540		0
9	A randomized controlled trial comparing two modern total wrist arthroplasties. 2022 , 104-B, 1132-1141		1
8	Reduced pain and improved daily activities for individuals with hand osteoarthritis using a silicone wrist hand orthosis. 2022 ,		0
7	Psychometric qualities of the patient rated Wrist/Hand evaluation (PRWHE) in dutch primary care patients with wrist complaints. 2022 , 23,		0
6	The Upper Extremities. 2023 ,		0
5	Comparison of patient preferences and responsiveness among common patient-reported outcome measures for hand/wrist injuries or disorders. 2023 , 24,		0

- 4 A randomised clinical trial comparing outcomes of a single digit volar plate injury [Buddy loops versus dorsal thermoplastic orthosis in a neutral position: study protocol. **2023**, 24, ○
- 3 Arthroscopic versus Open Distal Hemitrapeziectomy without Interposition: 2-Year Results of a Randomized Controlled Trial. **2023**, 151, 592-601 ○
- 2 Managing patient expectations about recovery after a distal radius fracture based on patient reported outcomes. **2023**, ○
- 1 Reporting of scar outcomes in the hand and wrist; a state-of-the-art literature review. **2023**, 24, ○