CITATION REPORT List of articles citing

High intensity aerobic interval exercise is superior to moderate intensity exercise for increasing aerobic capacity in patients with coronary artery disease

DOI: 10.1097/01.hjr.0000131677.96762.0c European Journal of Cardiovascular Prevention and Rehabilitation, 2004, 11, 216-22.

Source: https://exaly.com/paper-pdf/37427989/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
470	Effectiveness of high-intensity interval training for the rehabilitation of patients with coronary artery disease. 2005 , 95, 1080-4		198
469	Effective training for patients with intermittent claudication. 2005 , 39, 244-9		54
468	Rehabilitation in cardiac patients:what do we know about training modalities?. 2005 , 35, 1063-84		28
467	A single weekly bout of exercise may reduce cardiovascular mortality: how little pain for cardiac gain? 'The HUNT study, Norway'. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 798-804		96
466	Rehabilitation and Therapy Research Society Second Annual Conference The Challenges of Clinical Research: 25🛭 6 May 2006 at University College Dublin. 2006 , 11, 205-228		1
465	Short-term sprint interval versus traditional endurance training: similar initial adaptations in human skeletal muscle and exercise performance. 2006 , 575, 901-11		639
464	Running speed and maximal oxygen uptake in rats and mice: practical implications for exercise training. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 753-60		151
463	Aerobic high-intensity intervals improve VO2max more than moderate training. 2007, 39, 665-71		696
462	Superior cardiovascular effect of aerobic interval training versus moderate continuous training in heart failure patients: a randomized study. 2007 , 115, 3086-94		1331
461	Patients with coronary artery- or chronic obstructive pulmonary disease walk with mechanical inefficiency. 2007 , 41, 405-10		15
460	Genetic Vs. Acquired Fitness: Cardiomyocyte Adaptations. 2007, 61-81		
459	Cardiovascular responses during recreational 5-a-side indoor-soccer. 2007 , 10, 89-95		41
458	Aerobic fitness and field test performance in elite Spanish soccer referees of different ages. 2007 , 10, 382-9		39
457	N-terminal B-type natriuretic peptide concentrations are similarly increased by 30 minutes of moderate and brisk walking in patients with coronary artery disease. 2007 , 96, 218-26		19
456	Plantar flexion: an effective training for peripheral arterial disease. 2008, 104, 749-56		33
455	Reliability and validity of two frequently used self-administered physical activity questionnaires in adolescents. 2008 , 8, 47		122
454	Effects of group-based high-intensity aerobic interval training in patients with chronic heart failure. 2008 , 102, 1361-5		63

(2009-2008)

453	Aerobic interval training versus continuous moderate exercise as a treatment for the metabolic syndrome: a pilot study. 2008 , 118, 346-54	778
452	High-intensity aerobic exercise improves diastolic function in coronary artery disease. 2008 , 42, 110-7	53
451	Aerobic interval training improves VO2 peak in coronary artery disease patients; no additional effect from hyperoxia. 2008 , 42, 303-9	11
45 ⁰	Metabolic adaptations to short-term high-intensity interval training: a little pain for a lot of gain?. 2008 , 36, 58-63	366
449	Group-based aerobic interval training in patients with chronic heart failure: Norwegian Ullevaal Model. 2008 , 88, 523-35	27
448	8 Effect of intensity of aerobic training on VO2max. 2008 , 40, 1336-43	164
447	Both aerobic endurance and strength training programmes improve cardiovascular health in obese adults. 2008 , 115, 283-93	191
440	A MATHEMATICAL MODEL FOR TRAINING IMPULSE AND LACTATE INFLUX AND OUTFLUX DURING EXERCISE. 2009 , 20, 147-177	4
445	Similar expression of oxidative genes after interval and continuous exercise. 2009 , 41, 2136-44	35
444	Physical activity and mortality in men and women with diagnosed cardiovascular disease. <i>European</i> Journal of Cardiovascular Prevention and Rehabilitation, 2009 , 16, 156-60	31
443	Plantar flexion training primes peripheral arterial disease patients for improvements in cardiac function. 2009 , 106, 207-15	14
442	Aerobic high intensity one and two legs interval cycling in chronic obstructive pulmonary disease: the sum of the parts is greater than the whole. 2009 , 106, 501-7	39
44	The role of exercise interval training in treating cardiovascular disease risk factors. 2009 , 3, 296-301	8
440	Continuous low- to moderate-intensity exercise training is as effective as moderate- to high-intensity exercise training at lowering blood HbA(1c) in obese type 2 diabetes patients. 2009 , 52, 1789-97	125
439	Effects of beta-alanine supplementation and high-intensity interval training on endurance performance and body composition in men; a double-blind trial. 2009 , 6, 5	78
438	Acute effects of continuous and interval aerobic exercise on 24-h ambulatory blood pressure in long-term treated hypertensive patients. 2009 , 133, 381-7	77
437	High-intensity interval training may reduce in-stent restenosis following percutaneous coronary intervention with stent implantation A randomized controlled trial evaluating the relationship to endothelial function and inflammation. 2009 , 158, 734-41	109
436	Aerobic interval training versus continuous moderate exercise after coronary artery bypass surgery: a randomized study of cardiovascular effects and quality of life. 2009 , 158, 1031-7	190

435	Endothelial dysfunction induced by post-prandial lipemia: complete protection afforded by high-intensity aerobic interval exercise. 2009 , 53, 200-6	124
434	Standards for the use of cardiopulmonary exercise testing for the functional evaluation of cardiac patients: a report from the Exercise Physiology Section of the European Association for Cardiovascular Prevention and Rehabilitation. European Journal of Cardiovascular Prevention and	240
433	The 200-m fast-walk test compared with the 6-min walk test and the maximal cardiopulmonary test: a pilot study. 2009 , 88, 571-8	20
432	Aerobic interval training reduces cardiovascular risk factors more than a multitreatment approach in overweight adolescents. 2009 , 116, 317-26	209
431	High-intensity aerobic interval training in a patient with stable angina pectoris. 2010 , 89, 83-6	14
430	High-intensity aerobic exercise training improves the heart in health and disease. 2010 , 30, 2-11	96
429	Recent advances in cardiac rehabilitation. 2010 , 25, 589-96	10
428	The effect of sodium bicarbonate ingestion on high-intensity intermittent running and subsequent performance. 2010 , 24, 1834-42	29
427	Optimization of high intensity interval exercise in coronary heart disease. 2010 , 108, 733-40	77
426	10 or 30-s sprint interval training bouts enhance both aerobic and anaerobic performance. 2010 , 110, 153-60	153
425	[High intensity training (HIT) for the improvement of endurance capacity of recreationally active people and in prevention & rehabilitation]. 2010 , 160, 627-36	24
424	Rationale and design of the Exercise Intensity Trial (EXCITE): A randomized trial comparing the effects of moderate versus moderate to high-intensity aerobic training in women with operable breast cancer. 2010 , 10, 531	29
423	Mechanisms of exercise-induced improvements in the contractile apparatus of the mammalian myocardium. 2010 , 199, 425-39	52
422	Hyperoxic interval training in chronic obstructive pulmonary disease patients with oxygen desaturation at peak exercise. 2010 , 20, e170-6	18
421	Psychometric properties of the Norwegian MacNew Heart Disease health-related quality of life inventory. 2010 , 9, 146-52	12
420	Physical activity behavior of people with multiple sclerosis: understanding how they can become more physically active. 2010 , 90, 1001-13	73
419	Onset of exercise training 14 days after uncomplicated myocardial infarction: a randomized controlled trial. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 387-92	16
418	Effects of high-intensity aerobic interval training vs. moderate exercise on hemodynamic, metabolic and neuro-humoral abnormalities of young normotensive women at high familial risk for hypertension. 2010 , 33, 836-43	144

(2011-2010)

417	Effects of continuous vs. interval exercise training on blood pressure and arterial stiffness in treated hypertension. 2010 , 33, 627-32	160
416	High-intensity interval exercise training improves heart rate variability in patients following percutaneous coronary intervention for angina pectoris. 2010 , 145, 312-314	45
415	The impact of training modalities on the clinical benefits of exercise intervention in patients with cardiovascular disease risk or type 2 diabetes mellitus. 2010 , 40, 921-40	77
414	The relationship between oxygen uptake reserve and heart rate reserve is affected by intensity and duration during aerobic exercise at constant work rate. 2011 , 36, 839-47	14
413	Exercise training in heart failure: from theory to practice. A consensus document of the Heart Failure Association and the European Association for Cardiovascular Prevention and Rehabilitation. 2011 , 13, 347-57	430
412	Evidence-based risk assessment and recommendations for physical activity clearance: established cardiovascular disease. 2011 , 36 Suppl 1, S190-213	25
411	Exercise guidelines in pregnancy: new perspectives. 2011 , 41, 345-60	74
410	Effects of high aerobic intensity training in patients with schizophrenia: a controlled trial. 2011 , 65, 269-75	82
409	Usefulness of the 6-minute walk test and the 200-metre fast walk test to individualize high intensity interval and continuous exercise training in coronary artery disease patients after acute coronary syndrome: a pilot controlled clinical study. 2011 , 25, 844-55	18
408	Determining the minimal clinically important difference for the six-minute walk test and the 200-meter fast-walk test during cardiac rehabilitation program in coronary artery disease patients after acute coronary syndrome. 2011 , 92, 611-9	125
407	Long-term follow-up after cardiac rehabilitation: a randomized study of usual care exercise training versus aerobic interval training after myocardial infarction. 2011 , 152, 388-90	46
406	Entrenamiento intervlico en pacientes con cardiopat\(\extrm{i} isqu\) isqu\(\extrm{i} ica: metodolog\(\extrm{i} y \) anlisis de resultados ergoespirom\(\extrm{tricos}. \) 2011, 45, 327-334	3
405	Effect of aerobic high-intensity hybrid training on stroke volume and peak oxygen consumption in men with spinal cord injury. 2011 , 90, 407-14	44
404	Acute Responses to High-Intensity Intermittent Exercise in CHD Patients. 2011 , 43, 211-7	59
403	Cardiac rehabilitation: a contemporary review. 2011 , 90, 599-611	22
402	Time course of endothelial adaptation after acute and chronic exercise in patients with metabolic syndrome. 2011 , 25, 2552-8	37
401	Methodological and practical application issues in exercise prescription using the heart rate reserve and oxygen uptake reserve methods. 2011 , 14, 46-57	50
400	Interval training for patients with coronary artery disease: a systematic review. 2011 , 111, 579-89	75

399	Effect of aerobic interval training on exercise capacity and metabolic risk factors in people with cardiometabolic disorders: a meta-analysis. 2011 , 31, 378-85	69
398	American College of Sports Medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise. 2011 , 43, 1334-59	4992
397	High-intensity intermittent exercise and fat loss. 2011 , 2011, 868305	310
396	High-intensity interval training for health and fitness: can less be more?. 2011 , 111, 1540-1	39
395	Effects of long-term exercise training on cardiac baroreflex sensitivity in patients with coronary artery disease: a randomized controlled trial. 2011 , 25, 217-27	17
394	Peak oxygen uptake and cardiovascular risk factors in 4631 healthy women and men. 2011 , 43, 1465-73	175
393	Physical activity as a long-term predictor of peak oxygen uptake: the HUNT Study. 2011 , 43, 1675-9	26
392	Special needs to prescribe exercise intensity for scientific studies. 2010 , 2011, 209302	61
391	Heart rate response to exercise and cardiorespiratory fitness of young women at high familial risk for hypertension: effects of interval vs continuous training. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011 , 18, 824-30	34
390	A review of the potential for cardiometabolic dysfunction in youth with spina bifida and the role for physical activity and structured exercise. 2012 , 2012, 541363	12
389	Reproducibility, validity and responsiveness of the 200-metre fast walk test in patients undergoing cardiac rehabilitation. 2012 , 26, 733-40	6
388	Insufficient control of exercise intensity by heart rate monitoring in cardiac patients. 2012 , 19, 436-43	4
387	Exercise Programming for Cardiovascular Disease. 2012 , 34, 60-64	2
386	Aerobic exercise intensity assessment and prescription in cardiac rehabilitation: a joint position statement of the European Association for Cardiovascular Prevention and Rehabilitation, the American Association of Cardiovascular and Pulmonary Rehabilitation, and the Canadian	107
385	Improved VO2max and time trial performance with more high aerobic intensity interval training and reduced training volume: a case study on an elite national cyclist. 2012 , 26, 2705-11	31
384	Telomere length and long-term endurance exercise: does exercise training affect biological age? A pilot study. 2012 , 7, e52769	74
383	Exercise patterns and peak oxygen uptake in a healthy population: the HUNT study. 2012, 44, 1881-9	31
382	Effect of continuous and interval exercise training on the PETCO2 response during a graded exercise test in patients with coronary artery disease. 2012 , 67, 623-8	21

381 Interval training for patients with coronary artery disease: a systematic review. **2012**, 2012, 264-265

380	High-intensity interval training improves peak oxygen uptake and muscular exercise capacity in heart transplant recipients. 2012 , 12, 3134-42	62
379	Aortic reservoir function, estimated myocardial demand and coronary perfusion pressure following steady-state and interval exercise. 2012 , 32, 353-60	6
378	Aerobic interval training increases peak oxygen uptake more than usual care exercise training in myocardial infarction patients: a randomized controlled study. 2012 , 26, 33-44	120
377	Effect of exercise training on vascular endothelial function in patients with stable coronary artery disease: a randomized controlled trial. 2012 , 19, 830-9	70
376	Cardiac rehabilitation in chronic heart failure: effect of an 8-week, high-intensity interval training versus continuous training. 2012 , 93, 1359-64	102
375	High-intensity interval exercise in chronic heart failure: protocol optimization. 2012, 18, 126-33	53
374	Central hemodynamic responses during acute high-intensity interval exercise and moderate continuous exercise in patients with heart failure. 2012 , 37, 1171-8	24
373	Physiological adaptations to low-volume, high-intensity interval training in health and disease. 2012 , 590, 1077-84	863
372	Exercise-based cardiac rehabilitation in patients with coronary heart disease: meta-analysis outcomes revisited. 2012 , 8, 729-51	97
371	High-intensity interval training in cardiac rehabilitation. 2012 , 42, 587-605	173
370	The potential for high-intensity interval training to reduce cardiometabolic disease risk. 2012 , 42, 489-509	255
369	Endurance exercise intensity determination in the rehabilitation of coronary artery disease patients: a critical re-appraisal of current evidence. 2012 , 42, 11-30	47
368	Effect of high aerobic intensity interval treadmill walking in people with chronic stroke: a pilot study with one year follow-up. 2012 , 19, 353-60	45
367	Walk or run? Is high-intensity exercise more effective than moderate-intensity exercise at reducing cardiovascular risk?. 2012 , 57, 99-102	32
366	Non-pharmacological strategies in cardiovascular prevention: 2011 highlights. <i>Annals of Physical and Rehabilitation Medicine</i> , 2012 , 55, 342-74	7
365	Aerobic interval training reduces blood pressure and improves myocardial function in hypertensive patients. 2012 , 19, 151-60	208
364	Serum levels of choline-containing compounds are associated with aerobic fitness level: the HUNT-study. 2012 , 7, e42330	19

363	A prospective population study of resting heart rate and peak oxygen uptake (the HUNT Study, Norway). 2012 , 7, e45021		24
362	Home-based aerobic interval training improves peak oxygen uptake equal to residential cardiac rehabilitation: a randomized, controlled trial. 2012 , 7, e41199		52
361	Cardiovascular risk of high- versus moderate-intensity aerobic exercise in coronary heart disease patients. 2012 , 126, 1436-40		293
360	Do the speeds defined by the American College of Sports Medicine metabolic equation for running produce target energy expenditures during isocaloric exercise bouts?. 2012 , 112, 3019-26		8
359	Autonomic recovery following sprint interval exercise. 2012 , 22, 756-63		36
358	High-intensity interval training in stroke rehabilitation. 2013 , 20, 317-30		40
357	A single bout of high-intensity interval exercise does not increase endothelial or platelet microparticles in stable, physically fit men with coronary heart disease. 2013 , 29, 1285-91		28
356	Cardiac rehabilitation: how much pain for the optimal gain?. 2013 , 21, 135-7		3
355	Walking tests during the exercise training: specific use for the cardiac rehabilitation. <i>Annals of Physical and Rehabilitation Medicine</i> , 2013 , 56, 561-75	3.8	35
354	Aerobic interval training improves oxygen uptake efficiency by enhancing cerebral and muscular hemodynamics in patients with heart failure. 2013 , 167, 41-50		137
353	Exercise-based cardiac rehabilitation in patients with coronary heart disease: a practice guideline. 2013 , 21, 429-38		58
352	Colorado stride (COSTRIDE): testing genetic and physiological moderators of response to an intervention to increase physical activity. 2013 , 10, 139		16
351	Copenhagen study of overweight patients with coronary artery disease undergoing low energy diet or interval training: the randomized CUT-IT trial protocol. 2013 , 13, 106		13
350	Study protocol: Rehabilitation including Social and Physical activity and Education in Children and Teenagers with Cancer (RESPECT). 2013 , 13, 544		17
349	Appetite, energy intake, and PYY3-36 responses to energy-matched continuous exercise and submaximal high-intensity exercise. 2013 , 38, 947-52		56
348	Exercise training programs in Dutch cardiac rehabilitation centres. 2013 , 21, 138-43		26
347	Rationale and design of a randomized trial on the effectiveness of aerobic interval training in patients with coronary artery disease: the SAINTEX-CAD study. 2013 , 168, 3532-6		14
346	Effect of exercise in heart transplant recipients. 2013 , 13, 527		8

345	Acute responses to intermittent and continuous exercise in heart failure patients. 2013, 29, 466-71	26
344	Heart rate recovery and heart rate variability are unchanged in patients with coronary artery disease following 12 weeks of high-intensity interval and moderate-intensity endurance exercise training. 2013 , 38, 644-50	33
343	The relationship between cardiac autonomic function and maximal oxygen uptake response to high-intensity intermittent-exercise training. 2013 , 31, 1024-9	25
342	Low- and high-volume of intensive endurance training significantly improves maximal oxygen uptake after 10-weeks of training in healthy men. 2013 , 8, e65382	84
341	Aerobic exercise intensity assessment and prescription in cardiac rehabilitation: a joint position statement of the European Association for Cardiovascular Prevention and Rehabilitation, the American Association of Cardiovascular and Pulmonary Rehabilitation and the Canadian Association	251
340	of Cardiac Rehabilitation. 2013 , 20, 442-67 Individualised aerobic and resistance exercise training improves cardiorespiratory fitness and reduces cardiovascular risk in patients with rheumatoid arthritis. 2013 , 72, 1819-25	155
339	Exercise standards for testing and training: a scientific statement from the American Heart Association. 2013 , 128, 873-934	1060
338	Interval and continuous exercise training produce similar increases in skeletal muscle and left ventricle microvascular density in rats. 2013 , 2013, 752817	11
337	Peak oxygen uptake and physical activity in 13- to 18-year-olds: the Young-HUNT study. 2013 , 45, 304-13	19
336	Aerobic exercise training improves right- and left ventricular systolic function in patients with COPD. 2013 , 10, 300-6	22
335	Low-volume, high-intensity interval training in patients with CAD. 2013 , 45, 1436-42	105
334	Exercise after heart transplantation: An overview. 2013 , 3, 78-90	49
333	Increasing physical activity of high intensity to reduce the prevalence of chronic diseases and improve public health. 2013 , 7, 1-8	21
332	Circulating microRNAs and aerobic fitnessthe HUNT-Study. 2013 , 8, e57496	113
331	Aerobic capacity reference data in 3816 healthy men and women 20-90 years. 2013, 8, e64319	104
330	Application of the speed-duration relationship to normalize the intensity of high-intensity interval training. 2013 , 8, e76420	8
329	The Physiologic Effects of an Acute Bout of Supramaximal High-Intensity Interval Training Compared with a Continuous Exercise Bout in Patients with COPD. 2013 , 2013, 1-6	1
328	Exercise training prior to myocardial infarction attenuates cardiac deterioration and cardiomyocyte dysfunction in rats. 2013 , 68, 549-56	19

327	Peak oxygen uptake after cardiac rehabilitation: a randomized controlled trial of a 12-month maintenance program versus usual care. 2014 , 9, e107924	25
326	Continuous exercise but not high intensity interval training improves fat distribution in overweight adults. 2014 , 2014, 834865	79
325	Rating of perceived exertion as a tool for prescribing and self regulating interval training: a pilot study. <i>Biology of Sport</i> , 2015 , 32, 103-8	32
324	Type 2 Diabetes: Endothelial dysfunction and Exercise. 2014 , 18, 239-47	33
323	Differential cardiac effects of aerobic interval training versus moderate continuous training in a patient with schizophrenia: a case report. 2014 , 5, 119	8
322	High aerobic intensity training and psychological States in patients with depression or schizophrenia. 2014 , 5, 148	27
321	Provocative issues in heart disease prevention. 2014 , 30, S401-9	20
320	The effect of increased physical activity on pulmonary diffusing capacity in unfit women. 2014 , 99, 562-70	7
319	Greater improvement in cardiorespiratory fitness using higher-intensity interval training in the standard cardiac rehabilitation setting. 2014 , 34, 98-105	72
318	The talk test: a useful tool for prescribing and monitoring exercise intensity. 2014 , 29, 475-80	49
317	Effect of High-Intensity interval training versus moderate continuous training on 24-h blood pressure profile and insulin resistance in patients with chronic heart failure. 2014 , 9, 547-52	36
316	The higher the better? Interval training intensity in coronary heart disease. 2014 , 17, 506-10	46
315	Programming exercise intensity in patients on beta-blocker treatment: the importance of choosing an appropriate method. 2014 , 21, 1474-80	26
314	Aerobic interval training vs. moderate continuous training in coronary artery disease patients: a systematic review and meta-analysis. 2014 , 44, 687-700	84
313	One year of high-intensity interval training improves exercise capacity, but not left ventricular function in stable heart transplant recipients: a randomised controlled trial. 2014 , 21, 181-91	35
312	High- and moderate-intensity aerobic exercise and excess post-exercise oxygen consumption in men with metabolic syndrome. 2014 , 24, e174-9	25
311	Childhood Obesity: Solutions to a Growing Problem. 2014 , 123-141	
310	Effects of exercise training on systo-diastolic ventricular dysfunction in patients with hypertension: an echocardiographic study with tissue velocity and strain imaging evaluation. 2014 , 37, 649-54	21

309	Coronary atheroma regression and plaque characteristics assessed by grayscale and radiofrequency intravascular ultrasound after aerobic exercise. 2014 , 114, 1504-11	42
308	Exercise-induced hypoalgesia - interval versus continuous mode. 2014 , 39, 829-34	23
307	Continuous vs interval training on glycemic control and macro- and microvascular reactivity in type 2 diabetic patients. 2014 , 24, e69-76	168
306	[Muscle retraining or aerobic endurance training? What will improve the aerobic capacity of patients with coronary disease in the only 4 weeks?]. 2014 , 63, 445-50	O
305	High-intensity interval training in patients with lifestyle-induced cardiometabolic disease: a systematic review and meta-analysis. 2014 , 48, 1227-34	667
304	Home-based versus hospital-based high-intensity interval training in cardiac rehabilitation: a randomized study. 2014 , 21, 1070-8	45
303	Supervised exercise for acute coronary patients in primary care: a randomized clinical trial. 2014 , 31, 20-9	7
302	Effects of 12-week high-intensity interval training on plasma visfatin concentration and insulin resistance in overweight men. 2014 , 12, 20-25	6
301	Effects of 16-week high-intensity interval training using upper and lower body ergometers on aerobic fitness and morphological changes in healthy men: a preliminary study. 2014 , 5, 257-65	31
300	CrossTalk proposal: High intensity interval training does have a role in risk reduction or treatment of disease. 2015 , 593, 5215-7	16
299	The effects of high-intensity interval training on glucose regulation and insulin resistance: a meta-analysis. 2015 , 16, 942-61	289
298	CrossTalk opposing view: High intensity interval training does not have a role in risk reduction or treatment of disease. 2015 , 593, 5219-21	13
297	What Doesn't Kill You Makes You Fitter: A Systematic Review of High-Intensity Interval Exercise for Patients with Cardiovascular and Metabolic Diseases. 2015 , 9, 53-63	35
296	Postexercise Hypotension After Continuous, Aerobic Interval, and Sprint Interval Exercise. 2015 , 29, 2888-93	30
295	Fast food increases postprandial cardiac workload in type 2 diabetes independent of pre-exercise: A pilot study. 2015 , 14, 79	2
294	Effect of High Interval Training in Acute Myocardial Infarction Patients with Drug-Eluting Stent. 2015 , 94, 879-86	30
293	Determinants of Physical Activity Guideline Attainment in Australian Cardiac Patients: A 12-Month Study. 2015 , 35, 399-408	1
292	Physiological Responses to High-Intensity Interval Exercise Differing in Interval Duration. 2015 , 29, 3326-35	39

291	The application of walking training in the rehabilitation of patients after coronary artery bypass grafting. 2015 , 12, 275-87	3
290	A randomised controlled study of the long-term effects of exercise training on mortality in elderly people: study protocol for the Generation 100 study. 2015 , 5, e007519	38
289	Effects of high-intensity aerobic exercise on psychotic symptoms and neurocognition in outpatients with schizophrenia: study protocol for a randomized controlled trial. 2015 , 16, 557	15
288	Age related vascular endothelial function following lifelong sedentariness: positive impact of cardiovascular conditioning without further improvement following low frequency high intensity interval training. 2015 , 3, e12234	19
287	A randomised trial comparing weight loss with aerobic exercise in overweight individuals with coronary artery disease: The CUT-IT trial. 2015 , 22, 1009-17	30
286	Acute effects of interval versus continuous endurance training on pulse wave reflection in healthy young men. <i>Atherosclerosis</i> , 2015 , 238, 399-406	37
285	Acceptance and commitment therapy improves exercise tolerance in sedentary women. 2015 , 47, 1251-8	28
284	Low Fitness in Midlife: A Novel Therapeutic Target for Heart Failure with Preserved Ejection Fraction Prevention. <i>Progress in Cardiovascular Diseases</i> , 2015 , 58, 87-93	2 0
283	Ràdaptation cardiaque april un infarctus du myocarde : tude comparative entre le rèntratiement continu classique et linterval training. 2015 , 15, 30-37	
282	Intensive lifestyle intervention including high-intensity interval training program improves insulin resistance and fasting plasma glucose in obese patients. 2015 , 2, 314-8	9
281	Physical activity in the management of patients with coronary artery disease: a review. 2015 , 23, 18-25	12
280	The feasibility and effectiveness of high-intensity boxing training versus moderate-intensity brisk walking in adults with abdominal obesity: a pilot study. 2015 , 7, 3	31
279	Physical activity prescription for improving health in patients with cardiometabolic risk: using empirical evidence to provide clear public health messages. <i>Annals of Physical and Rehabilitation Medicine</i> , 2015 , 58, 305-7	
278	Does aerobic exercise and the FITT principle fit into stroke recovery?. 2015 , 15, 519	53
277	Much potential but many unanswered questions for high-intensity intermittent exercise training for patients with heart failure. 2015 , 11, 133-48	6
276	Past, present, and future rehabilitation practice patterns for patients with heart failure: the European perspective. 2015 , 11, 105-15	4
275	Aerobic interval training in patients with heart failure and an implantable cardioverter defibrillator: a controlled study evaluating feasibility and effect. 2015 , 22, 296-303	26
274	Amlioration de la sant'cardiovasculaire par l\(\textit{E}\)xercice physique chez les individus atteints de schizophr\(\textit{hie}\): un guide de pratique. 2015 , 10, 4-20	2

(2017-2015)

273	high-intensity interval exercise on cardiovascular risk factors in patients with coronary artery disease. 2015 , 18, 637-42	43
272	High-intensity interval training is not superior to other forms of endurance training during cardiac rehabilitation. 2016 , 23, 14-20	39
271	Oxygen uptake, respiratory exchange ratio, or total distance: a comparison of methods to equalize exercise volume in Wistar rats. 2016 , 49,	4
270	Comparing some anthropometric characteristics of the women according to various factors. 2016 , 31, 01005	
269	Effects of continuous vs interval exercise training on oxygen uptake efficiency slope in patients with coronary artery disease. 2016 , 49, e4890	18
268	Influence of Aerobic Training and Combinations of Interventions on Cognition and Neuroplasticity after Stroke. 2016 , 8, 164	20
267	Comparison of Three Popular Exercise Modalities on VD2max in Overweight and Obese. 2016 , 48, 491-8	53
266	Effect of High-Intensity Interval Versus Continuous Exercise Training on Functional Capacity and Quality of Life in Patients With Coronary Artery Disease: A RANDOMIZED CLINICAL TRIAL. 2016 , 36, 96-105	47
265	Criterion validity and reliability of a smartphone delivered sub-maximal fitness test for people with type 2 diabetes. 2016 , 8, 31	13
264	Review of High-intensity Interval Training in Cardiac Rehabilitation. 2016 , 55, 2329-36	18
263	Effects of exercise intensity and nutrition advice on myocardial function in obese children and adolescents: a multicentre randomised controlled trial study protocol. 2016 , 6, e010929	16
262	High-Intensity Interval Training Versus Moderate-Intensity Continuous Training in the Prevention/Management of Cardiovascular Disease. 2016 , 24, 273-281	43
261	The effects of worksite exercises on physical capabilities of workers in an industry of a developing country: A randomized controlled study. 2016 , 24, 247-255	8
260	12 min/week of high-intensity interval training reduces aortic reservoir pressure in individuals with metabolic syndrome: a randomized trial. 2016 , 34, 1977-87	15
259	Acute effects of different types of aerobic exercise on endothelial function and arterial stiffness. 2016 , 23, 1565-72	40
258	High-intensity interval training (HIIT) for patients with chronic diseases. 2016 , 5, 139-144	49
257	Are aerobic interval training and continuous training isocaloric in coronary artery disease patients?. 2016 , 23, 1486-95	4
256	Evaluation of a Laughter-based Exercise Program on Health and Self-efficacy for Exercise. 2017 , 57, 1051-106	513

255	Importance of Assessing Cardiorespiratory Fitness in Clinical Practice: A Case for Fitness as a Clinical Vital Sign: A Scientific Statement From the American Heart Association. 2016 , 134, e653-e699		825
254	Novel all-extremity high-intensity interval training improves aerobic fitness, cardiac function and insulin resistance in healthy older adults. 2016 , 82, 112-9		77
253	Long-term Exercise Adherence After High-intensity Interval Training in Cardiac Rehabilitation: A Randomized Study. 2016 , 21, 54-64		40
252	Exercise Training Normalizes Timing of Left Ventricular Untwist Rate, but Not Peak Untwist Rate, in Individuals with Type 2 Diabetes and Diastolic Dysfunction: A Pilot Study. 2016 , 29, 421-430.e2		6
251	Aerobic Interval Training Reduces the Burden of Atrial Fibrillation in the Short Term: A Randomized Trial. 2016 , 133, 466-73		120
250	Design and rationale of the HITTS randomized controlled trial: Effect of High-intensity Interval Training in de novo Heart Transplant Recipients in Scandinavia. 2016 , 172, 96-105		10
249	High Intensity Interval versus Moderate Intensity Continuous Training in Patients with Coronary Artery Disease: A Meta-analysis of Physiological and Clinical Parameters. 2016 , 25, 166-74		89
248	Low volume-high intensity interval exercise elicits antioxidant and anti-inflammatory effects in humans. 2016 , 34, 1-9		79
247	Interval versus continuous aerobic exercise training in breast cancer survivorsa pilot RCT. 2016 , 24, 119-127		39
246	High-intensity interval training in patients with coronary heart disease: Prescription models and perspectives. <i>Annals of Physical and Rehabilitation Medicine</i> , 2017 , 60, 50-57	3.8	64
245	Physiological correlates to spontaneous physical activity variability in obese patients with already treated sleep apnea syndrome. 2017 , 21, 61-68		6
244	High-intensity aerobic interval training improves aerobic fitness and HbA1c among persons diagnosed with type 2 diabetes. 2017 , 117, 455-467		48
243	High-Intensity Interval Training in Patients With Heart Failure With Reduced Ejection Fraction. 2017 , 135, 839-849		205
242	High-intensity interval training, but not continuous training, reverses right ventricular hypertrophy and dysfunction in a rat model of pulmonary hypertension. 2017 , 312, R197-R210		40
241	High-intensity interval training improves obstructive sleep apnoea. 2016 , 2,		10
240	All-Extremity Exercise Training Improves Arterial Stiffness in Older Adults. 2017 , 49, 1404-1411		32
239	The Effect of Age on the VD2max Response to High-Intensity Interval Training. 2017 , 49, 78-85		46
238	An evaluation of low volume high-intensity intermittent training (HIIT) for health risk reduction in overweight and obese men. 2017 , 4, 17		8

237	Effectiveness of a 16-Week High-Intensity Cardioresistance Training Program in Adults. 2017, 31, 2528-254	11 14
236	Effects of exercise intensity on VO2max in studies comparing two or more exercise intensities: a meta-analysis. 2017 , 13, 239-252	O
235	Effects of high-intensity interval versus continuous exercise training on post-exercise heart rate recovery in coronary heart-disease patients. 2017 , 244, 17-23	22
234	High Intensity Interval Training for Maximizing Health Outcomes. <i>Progress in Cardiovascular Diseases</i> , 2017 , 60, 67-77	5 111
233	Blood flow regulation and oxygen uptake during high-intensity forearm exercise. 2017 , 122, 907-917	17
232	Effects of type of exercise along with caloric restriction on plasma apelin 36 and HOMA-IR in overweight men. 2017 , 32, e137-e145	9
231	Effects of high-intensity interval training on cardiometabolic health: a systematic review and meta-analysis of intervention studies. 2017 , 51, 494-503	309
230	Study protocol for the FITR Heart Study: Feasibility, safety, adherence, and efficacy of high intensity interval training in a hospital-initiated rehabilitation program for coronary heart disease. 2017 , 8, 181-191	9
229	Participant acceptability of exercise in kidney disease (PACE-KD): a feasibility study protocol in renal transplant recipients. 2017 , 7, e017494	1
228	High intensity interval training in coronary artery disease patients, is it worth the effort?. 2017 , 24, 1692-10	5 95 3
227	High-intensity interval training versus moderate-intensity continuous training on exercise capacity and quality of life in patients with coronary artery disease: A systematic review and meta-analysis. 2017 , 24, 1696-1707	61
226	Fit for surgery? Perspectives on preoperative exercise testing and training. 2017, 119, i34-i43	47
225	Impact of cardiac rehabilitation and exercise training programs in coronary heart disease. <i>Progress in Cardiovascular Diseases</i> , 2017 , 60, 103-114	5 81
224	Metabolic risk management, physical exercise and lifestyle counselling in low-active adults: controlled randomized trial (BELLUGAT). 2017 , 17, 257	6
223	Individualized vs. group exercise in improving quality of life and physical activity in patients with cardiac disease and low exercise capacity: results from the DOPPELHERZ trial. 2017 , 39, 2566-2571	10
222	Exercise intensity and hypertension: what's new?. 2017 , 31, 157-164	43
221	Preliminary safety analysis of high-intensity interval training (HIIT) in persons with chronic stroke. 2017 , 42, 311-318	13

219	High-intensity training enhances executive function in children in a randomized, placebo-controlled trial. 2017 , 6,	37
218	Effects of High-Intensity Interval Training on Aerobic Capacity in Cardiac Patients: A Systematic Review with Meta-Analysis. 2017 , 2017, 5420840	36
217	Exercise in the Treatment of Multiple Sclerosis. 2017 , 179-187	
216	Superior Effects of High-Intensity Interval Training vs. Moderate Continuous Training on Arterial Stiffness in Episodic Migraine: A Randomized Controlled Trial. 2017 , 8, 1086	12
215	High intensity training in obesity: a Meta-analysis. 2017 , 3, 258-271	57
214	Caracterizaß da variabilidade da frequñcia cardãca em indiv@uos com sñdrome metablica. 2017 , 23, 208-212	5
213	Effects of Continuous and Accumulated Exercise on Endothelial Function in Rat Aorta. <i>Arquivos Brasileiros De Cardiologia</i> , 2017 , 108, 315-322	2
212	Aerobic Interval vs. Continuous Training in Patients with Coronary Artery Disease or Heart Failure: An Updated Systematic Review and Meta-Analysis with a Focus on Secondary Outcomes. 2018 , 48, 1189-1205	25
211	Acute high-intensity interval exercise induces comparable levels of circulating cell-free DNA and Interleukin-6 in obese and normal-weight individuals. 2018 , 202, 161-166	18
210	Acute exercise is not cardioprotective and may induce apoptotic signalling in heart surgery: a randomized controlled trial. 2018 , 27, 95-101	3
209	The Effectiveness of Progressive Aerobic Interval Training in Cardiac Rehabilitation. 2018 , 50, 881-888	5
208	Effects of combined high-intensity aerobic interval training program and Mediterranean diet recommendations after myocardial infarction (INTERFARCT Project): study protocol for a randomized controlled trial. 2018 , 19, 156	7
207	EX-MET study: exercise in prevention on of metabolic syndrome - a randomized multicenter trial: rational and design. 2018 , 18, 437	19
206	Exercise Professionals with Advanced Clinical Training Should be Afforded Greater Responsibility in Pre-Participation Exercise Screening: A New Collaborative Model between Exercise Professionals and Physicians. 2018 , 48, 1293-1302	10
205	Effectiveness of Oncologist-Referred Exercise and Healthy Eating Programming as a Part of Supportive Adjuvant Care for Early Breast Cancer. 2018 , 23, 105-115	31
204	Long-Term Results of High-Intensity Exercise-Based Cardiac Rehabilitation in Revascularized Patients for Symptomatic Coronary Artery Disease. 2018 , 121, 21-26	10
203	Exercise Prescription and Adherence for Breast Cancer: One Size Does Not FITT All. 2018 , 50, 177-186	33
202	Exercise training in patients with pulmonary and systemic hypertension: A unique therapy for two different diseases. 2018 , 47, 17-24	13

(2018-2018)

201	High-intensity interval training lowers blood pressure and improves apelin and NOx plasma levels in older treated hypertensive individuals. 2018 , 74, 47-55		33	
200	Effects of different endurance exercise modalities on migraine days and cerebrovascular health in episodic migraineurs: A randomized controlled trial. 2018 , 28, 1103-1112		28	
199	Influence of Aerobic Training on The Mechanics of Ventricular Contraction After Acute Myocardial Infarction: A Pilot Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2018 , 110, 383-387	1.2	3	
198	Effect of high-intensity interval training on cardiovascular disease risk factors and body composition in psoriatic arthritis: a randomised controlled trial. 2018 , 4, e000729		8	
197	Acute high-intensity interval exercise induces greater levels of serum brain-derived neurotrophic factor in obese individuals. 2018 , 243, 1153-1160		13	
196	High-Intensity Interval Training for Patients With Cardiovascular Disease-Is It Safe? A Systematic Review. 2018 , 7, e009305		67	
195	Personal Activity Intelligence and Mortality in Patients with Cardiovascular Disease: The HUNT Study. 2018 , 93, 1191-1201		12	
194	Associations of leisure-time physical activity with cardiovascular mortality: A systematic review and meta-analysis of 44 prospective cohort studies. 2018 , 25, 1864-1872		78	
193	Association of Midlife Cardiorespiratory Fitness With Incident Depression and Cardiovascular Death After Depression in Later Life. 2018 , 75, 911-917		28	
192	Effects of different endurance exercise modalities on retinal vessel diameters in unipolar depression. 2018 , 120, 111-116		10	
191	Effects of Endurance Exercise Modalities on Arterial Stiffness in Patients Suffering from Unipolar Depression: A Randomized Controlled Trial. 2017 , 8, 311		12	
190	Superior Effects of High-Intensity Interval Training Compared to Conventional Therapy on Cardiovascular and Psychological Aspects in Myocardial Infarction. 2018 , 42, 145-153		17	
189	High-intensity interval training versus moderate-intensity continuous training within cardiac rehabilitation: a systematic review and meta-analysis. 2018 , 9, 1-17		109	
188	Does the acute hemodynamic response to a maximum running exercise depend on the aerobic training status of the subjects?. 2018 , 23, 28		2	
187	Effects of high-intensity interval training on fatigue and quality of life in testicular cancer survivors. 2018 , 118, 1313-1321		27	
186	Exercise Training for Patients With Hypertrophic Cardiomyopathy: JACC Review Topic of the Week. 2018 , 72, 1157-1165		24	
185	Australian cardiac rehabilitation exercise parameter characteristics and perceptions of high-intensity interval training: a cross-sectional survey. 2018 , 9, 79-89		5	
184	Cardiometabolic Risk Reduction Through Recreational Group Sport Interventions in Adults: A Systematic Review and Meta-analysis. 2018 , 93, 1375-1396		10	

183	Effects of High-Intensity Interval Training Versus Moderate-Intensity Continuous Training On Blood Pressure in Adults with Pre- to Established Hypertension: A Systematic Review and Meta-Analysis of Randomized Trials. 2018 , 48, 2127-2142		98	
182	Impact of High-Intensity Interval Training on Disease Activity and Disease in Patients With Psoriatic Arthritis: A Randomized Controlled Trial. 2019 , 71, 530-537		16	
181	Impact of exercise training on cardiovascular disease and risk. 2019, 1865, 728-734		22	
180	Effects of Different Exercise Training Programs on Cardiorespiratory Fitness in Overweight/Obese Adults With Hypertension: A Pilot Study. 2019 , 20, 390-400		6	
179	High-intensity interval training can modulate the systemic inflammation and HSP70 in the breast cancer: a randomized control trial. 2019 , 145, 2583-2593		12	
178	Exercise training and cardiac rehabilitation in cardiovascular disease. 2019 , 17, 585-596		9	
177	Effect of a high-intensity interval training on serum microRNA levels in women with breast cancer undergoing hormone therapy. A single-blind randomized trial. <i>Annals of Physical and Rehabilitation Medicine</i> , 2019 , 62, 329-335	3.8	4	
176	Aerobic interval training in standard treatment of out-patients with schizophrenia: a randomized controlled trial. 2019 , 140, 498-507		9	
175	The impact of high-intensity interval training on ventricular remodeling in patients with a recent acute myocardial infarction-A randomized training intervention pilot study. 2019 , 42, 1222-1231		13	
174	Practice Variations in Exercise Training Programs in Dutch Cardiac Rehabilitation Centers: Prospective, Observational Study. 2019 , 99, 266-275		5	
173	Effects of HIIT and MICT on cardiovascular risk factors in adults with overweight and/or obesity: A meta-analysis. 2019 , 14, e0210644		50	
172	Benefits and Risks of High-Intensity Interval Training in Patients With Coronary Artery Disease. 2019 , 123, 1370-1377		33	
171	Guidelines for the delivery and monitoring of high intensity interval training in clinical populations. <i>Progress in Cardiovascular Diseases</i> , 2019 , 62, 140-146	8.5	55	
170	Effects of different protocols of high intensity interval training for VOmax improvements in adults: A meta-analysis of randomised controlled trials. 2019 , 22, 941-947		63	
169	Dosis de ejercicio intervlico de alta intensidad en la rehabilitacifi cardiaca de la insuficiencia cardiaca y la enfermedad arterial coronaria: revisifi sistemlica y metanlisis. 2019 , 72, 233-243		14	
168	Improving Exercise Capacity in Recent Heart Transplant Recipients. 2019 , 139, 2212-2214		O	
167	The effects of High- versus Moderate-Intensity Exercise on Fatigue in Sarcoidosis. 2019, 8,		6	
166	Effects of interval training on risk markers for arrhythmic death: a randomized controlled trial. 2019 , 33, 1320-1330		7	

(2020-2019)

165	Effects of high intensity speed-based treadmill training on ambulatory function in people with chronic stroke: A preliminary study with long-term follow-up. 2019 , 9, 1985	15
164	Paradise Lost? New National Heart Foundation of Australia Guidelines on Heart Failure Fail to Recognise the Intensity of Exercise Evidence. 2019 , 28, 827-828	1
163	Current Concepts in Healthy Aging and Physical Activity: A Viewpoint. 2019 , 27, 755-761	О
162	High-intensity interval training in haemodialysis patients: a pilot randomised controlled trial. 2019 , 5, e000617	8
161	Letter by Haegele et al Regarding Article, "Effect of High-Intensity Interval Training in De Novo Heart Transplant Recipients in Scandinavia". 2019 , 140, e733-e734	
160	High-Intensity Interval Training Is Feasible in Women at High Risk for Breast Cancer. 2019 , 51, 2193-2200	4
159	Randomised controlled trial in women with coronary artery disease investigating the effects of aerobic interval training versus moderate intensity continuous exercise in cardiac rehabilitation: CAT versus MICE study. 2019 , 5, e000589	7
158	Making Patients Fit for Surgery: Introducing a Four Pillar Multimodal Prehabilitation Program in Colorectal Cancer. 2019 , 98, 888-896	36
157	Feasibility of Two High-Intensity Interval Training Protocols in Cancer Survivors. 2019 , 51, 2443-2450	5
156	High-Intensity Interval Training Improves Left Ventricular Contractile Function. 2019 , 51, 1420-1428	11
155	Effects of a Sprint Interval and Resistance Concurrent Exercise Training Program on Aerobic Capacity of Inactive Adult Women. 2019 , 33, 1640-1647	1
154	High-intensity Interval Training Dosage for Heart Failure and Coronary Artery Disease Cardiac Rehabilitation. A Systematic Review and Meta-analysis. 2019 , 72, 233-243	10
153	Effects of an Upper-Body Training Program Involving Resistance Exercise and High-Intensity Arm Cranking on Peak Handcycling Performance and Wheelchair Propulsion Efficiency in Able-Bodied Men. 2020 , 34, 2267-2275	2
152	The effects of aerobic exercise intensity on memory in older adults. 2020 , 45, 591-600	33
151	(adrenergic interaction and cardiac autonomic function: effects of aerobic training in overweight/obese individuals. 2020 , 120, 613-624	4
150	A Qualitative Analysis of an Aerobic Interval Training Programme for Obese Outpatients Carried Out in a Hospital Context. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 4.6 17,	O
149	Comparison of Treadmill and Cycle Ergometer Exercise During Cardiac Rehabilitation: A Meta-analysis. 2020 , 101, 690-699	4
148	Low-Frequency HIIT Improves Body Composition and Aerobic Capacity in Overweight Men. 2020 , 52, 56-66	13

147	The Effect and Safety of Aerobic Interval Training According to Exercise Intensity in Acute Coronary Syndrome. 2020 , 40, 178-182		4
146	Effect of exercise training for five years on all cause mortality in older adults-the Generation 100 study: randomised controlled trial. 2020 , 371, m3485		33
145	Effect of two different pre-operative exercise training regimens before colorectal surgery on functional capacity: A randomised controlled trial. 2020 , 37, 969-978		14
144	Characterizing the Heart Rate Response to the 4 A Interval Exercise Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	6	
143	Effects of Cardiovascular Interval Training in Healthy Elderly Subjects: A Systematic Review. 2020 , 11, 739		2
142	Acute and chronic effects of high-intensity interval and moderate-intensity continuous exercise on heart rate and its variability after recent myocardial infarction: A randomized controlled trial. Annals of Physical and Rehabilitation Medicine, 2020, 101444	8	1
141	One-year aerobic interval training in outpatients with schizophrenia: A randomized controlled trial. 2020 , 30, 2420-2436		1
140	Short-term and Long-term Feasibility, Safety, and Efficacy of High-Intensity Interval Training in Cardiac Rehabilitation: The FITR Heart Study Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2020 , 5, 1382-138	89	18
139	Effectiveness of High-Intensity Interval Training vs Moderate-Intensity Continuous Training in Patients With Fibromyalgia: A Pilot Randomized Controlled Trial. 2020 , 101, 1865-1876		4
138	Expiratory Flow Limitation at Different Exercise Intensities in Coronary Artery Disease. 2020 , 2020, 46295	48	
137	Feasibility and safety of high-intensity interval training for the rehabilitation of geriatric inpatients (HIITERGY) a pilot randomized study. 2020 , 20, 197		5
136	Effects of high-intensity interval training in a three-week cardiovascular rehabilitation: a randomized controlled trial. 2020 , 34, 646-655		2
135	High intensity interval training for heart failure with preserved ejection fraction: High hopes for intense exercise. 2020 , 27, 1730-1732		2
134	Effects of High-Intensity Interval Training After Stroke (the HIIT-Stroke Study): A Multicenter Randomized Controlled Trial. 2020 , 101, 939-947		7
133	Recommendations for exercise in adolescents and adults with congenital heart disease. <i>Progress in Cardiovascular Diseases</i> , 2020 , 63, 350-366	5	20
132	Acute effects of high-intensity interval training and moderate-intensity continuous training on arterial stiffness in young obese women. 2021 , 28, e7-e10		5
131	Acute High-Intensity Interval Exercise Improves Inhibitory Control Among Young Adult Males With Obesity. <i>Frontiers in Psychology</i> , 2020 , 11, 1291	4	4
130	The feasibility of implementing high-intensity interval training in cardiac rehabilitation settings: a retrospective analysis. 2020 , 12, 38		11

(2021-2020)

129	Identification of novel genetic variants associated with cardiorespiratory fitness. <i>Progress in Cardiovascular Diseases</i> , 2020 , 63, 341-349	8.5	10
128	Effect of High Intensity Interval Training Compared to Continuous Training on Cognitive Performance in Young Healthy Adults: A Pilot Study. 2020 , 10,		13
127	Effects of interval training versus continuous training on coronary artery disease: an updated meta-analysis of randomized controlled trials. 2021 , 37, 1273-1282		2
126	Effectiveness of High-Intensity Interval Training Versus Moderate-Intensity Continuous Training in Hypertensive Patients: a Systematic Review and Meta-Analysis. 2020 , 22, 26		24
125	High-intensity interval training is effective and superior to moderate continuous training in patients with heart failure with preserved ejection fraction: A randomized clinical trial. 2020 , 27, 1733-1	743	16
124	Two protocols of aerobic exercise modulate the counter-regulatory axis of the renin-angiotensin system. 2020 , 6, e03208		24
123	Capturing the perspectives of women with coronary artery disease regarding interval training or continuous exercise in cardiac rehabilitation. 2020 , 1-11		О
122	Stent edge vascular response and in-stent geometry after aerobic exercise. 2021 , 36, 111-120		О
121	Viability of high intensity interval training in persons with spinal cord injury-a perspective review. 2021 , 59, 3-8		4
120	Study on the time-effectiveness of exercise preconditioning on heart protection in exhausted rats. 2021 , 64, 97-105		О
119	Effect of Aerobic Exercise Intensity on Energy Expenditure and Weight Loss in Severe Obesity-A Randomized Controlled Trial. 2021 , 29, 359-369		5
118	Can High-Intensity Interval Training Promote Skeletal Muscle Anabolism?. 2021 , 51, 405-421		13
117	Impact of acute high-intensity interval exercise on plasma pentraxin 3 and endothelial function in obese individuals-a pilot study. 2021 , 121, 1567-1577		2
116	Effects of high-intensity interval training in patients with coronary artery disease after percutaneous coronary intervention: A systematic review and meta-analysis. 2021 , 8, 1424-1435		1
115	Brief Vigorous Stair Climbing Effectively Improves Cardiorespiratory Fitness in Patients With Coronary Artery Disease: A Randomized Trial. <i>Frontiers in Sports and Active Living</i> , 2021 , 3, 630912	2.3	6
114	Exercise Intensity in Patients with Cardiovascular Diseases: Systematic Review with Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
113	Adherence to High-Intensity Interval Training in Cardiac Rehabilitation: A REVIEW AND RECOMMENDATIONS. 2021 , 41, 61-77		8
112	Continuous Aerobic Training and High Intensity Interval Training Increase Exercise Tolerance in Heart Failure Patients: A Retrospective Study. 2021 ,		1

111	Individual cardiovascular responsiveness to work-matched exercise within the moderate- and severe-intensity domains. 2021 , 121, 2039-2059		6
110	High versus Low-Moderate Intensity Exercise Training Program as an Adjunct to Antihypertensive Medication: A Pilot Clinical Study. 2021 , 11,		O
109	Evaluating the Accuracy of Using Fixed Ranges of METs to Categorize Exertional Intensity in a Heterogeneous Group of Healthy Individuals: Implications for Cardiorespiratory Fitness and Health Outcomes. 2021 , 51, 2411-2421		5
108	Blood Volume, Hemoglobin Mass, and Peak Oxygen Uptake in Older Adults: The Generation 100 Study. <i>Frontiers in Sports and Active Living</i> , 2021 , 3, 638139	2.3	O
107	Are the Current Cardiac Rehabilitation Programs Optimized to Improve Cardiorespiratory Fitness in Patients? A Meta-Analysis. 2020 , 29, 327-342		O
106	Four Weeks of Detraining Induced by COVID-19 Reverse Cardiac Improvements from Eight Weeks of Fitness-Dance Training in Older Adults with Mild Cognitive Impairment. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
105	The sub-acute effects of high-intensity interval training in healthy young adults: respiratory parameters, aerobic capacity and perceived stress. <i>Journal of Sports Medicine and Physical Fitness</i> , 2021 , 61, 617-624	1.4	
104	Rationale and optimising of outcomes in high-intensity interval training for health and disease. 2021 , 10, 151-164		3
103	The effect of 8 weeks moderate-intensity continuous training on central hemodynamics and VO2max in non-athlete male. 2021 , 25, 172-177		3
102	A randomized controlled trial of enhancing hypoxia-mediated right cardiac mechanics and reducing afterload after high intensity interval training in sedentary men. 2021 , 11, 12564		2
101	Exercise intensity assessment and prescription in cardiovascular rehabilitation and beyond: why and how: a position statement from the Secondary Prevention and Rehabilitation Section of the European Association of Preventive Cardiology. 2021 ,		12
100	Covid-19 and Social Distancing of the Elderly: The Importance of Physical Exercise. 88-108		О
99	Few Structural Brain Changes Associated With Moderate-Intensity Interval Training and Low-Intensity Continuous Training in a Randomized Trial of Fitness and Older Adults. 2020 , 29, 505-515		1
98	Underutilization of Cardiac Rehabilitation in Women: BARRIERS AND SOLUTIONS. 2021 , 41, 207-213		2
97	Effects of Exercise Structure and Modality on Physiological and Perceptual Responses to Exercise. 2021 , 35, 2427-2432		
96	Machine Learning Approach for Fatigue Estimation in Sit-to-Stand Exercise. 2021 , 21,		2
95	Moderate-Intensity Exercise Versus High-Intensity Interval Training to Recover Walking Post-Stroke: Protocol for a Randomized Controlled Trial.		
94	Moderate-intensity exercise versus high-intensity interval training to recover walking post-stroke: protocol for a randomized controlled trial. 2021 , 22, 457		3

(2020-2021)

93	Evidence-Based Effects of High-Intensity Interval Training on Exercise Capacity and Health: A Review with Historical Perspective. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	5
92	The effect of high-intensity interval training on exercise capacity in post-myocardial infarction patients: a systematic review and meta-analysis. 2021 ,		0
91	Changes in adiposity, physical activity, cardiometabolic risk factors, diet, physical capacity and well-being in inactive women and men aged 57-74 years with obesity and cardiovascular risk - A 6-month complex lifestyle intervention with 6-month follow-up. 2021 , 16, e0256631		2
90	Responders and non-responders to aerobic exercise training: beyond the evaluation of. 2021 , 9, e14951		2
89	Efficacy and Safety of Different Aerobic Exercise Intensities in Patients With Heart Failure With Reduced Ejection Fraction: Design of a Multicenter Randomized Controlled Trial (HF-EI Trial). <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 705972	5.4	
88	Sex-Specific Impacts of Exercise on Cardiovascular Remodeling. 2021 , 10,		1
87	Optimizing Outcomes in Cardiac Rehabilitation: The Importance of Exercise Intensity. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 734278	5.4	2
86	Improvements in exercise tolerance with an exercise intensity above the anaerobic threshold in patients with acute myocardial infarction. 2021 , 36, 766-774		1
85	Sex Differences in Cardiometabolic Health Indicators after HIIT in Patients with Coronary Artery Disease. 2021 , 53, 1345-1355		5
84	High-intensity interval training or continuous training, combined or not with fasting, in obese or overweight women with cardiometabolic risk factors: study protocol for a randomised clinical trial. 2018 , 8, e019304		3
83	Affect Recognition using Psychophysiological Correlates in High Intensity VR Exergaming. 2020,		3
82	Effectiveness of HIIE versus MICT in Improving Cardiometabolic Risk Factors in Health and Disease: A Meta-analysis. 2021 , 53, 559-573		20
81	Effects of 12-week resistance exercise and interval training on the skeletal muscle area, physical fitness, and mental health in old women. 2019 , 15, 839-847		17
80	Effect of 24 sessions of high-intensity aerobic interval training carried out at either high or moderate frequency, a randomized trial. 2014 , 9, e88375		22
79	Comparison of Periodization Models of Concurrent Training in Recreationally Active Postmenopausal Women. 2020 ,		1
78	Concentric and Eccentric Pedaling-Type Interval Exercise on a Soft Robot for Stable Coronary Artery Disease Patients: Toward a Personalized Protocol. 2019 , 8, e10970		3
77	Platelet indices and function response to two types of high intensity interval exercise and comparison with moderate intensity continuous exercise among men after coronary artery bypass graft: A randomized trial. 2018 , 14, 188-195		1
76	Group-based cardiac rehabilitation interventions. A challenge for physical and rehabilitation medicine physicians: a randomized controlled trial. 2020 , 56, 479-488		6

75	High Intensity Interval Training in Patients With Cardiovascular Disease: A Brief Review of Physiologic Adaptations and Suggestions for Future Research. 2013 , 2, 13-19		7
74	Exercise Prescription Techniques in Cardiac Rehabilitation Centers in Midwest States. 2018 , 7, 8-14		7
73	Cardiac rehabilitation past, present and future: an overview. 2012 , 2, 38-49		121
72	High-intensity interval training for health benefits and care of cardiac diseases - The key to an efficient exercise protocol. 2019 , 11, 171-188		35
71	The effects of baseline heart rate recovery normality and exercise training protocol on heart rate recovery in patients with heart failure. 2015 , 15, 727-34		10
70	Does low volume high-intensity interval training elicit superior benefits to continuous low to moderate-intensity training in cancer survivors?. <i>World Journal of Clinical Oncology</i> , 2018 , 9, 1-12	2.5	8
69	Sprint interval training (SIT) is an effective method to maintain cardiorespiratory fitness (CRF) and glucose homeostasis in Scottish adolescents. <i>Biology of Sport</i> , 2015 , 32, 307-13	4.3	11
68	Antioxidant Effect of High Intensity Interval Training on Cadmium-Induced Cardiotoxicity in Rats. <i>Gene, Cell and Tissue</i> , 2019 , 6,	0.6	2
67	Aerobic interval exercise training induces greater reduction in cardiac workload in the recovery period in rats. <i>Arquivos Brasileiros De Cardiologia</i> , 2014 , 102, 47-53	1.2	3
66	A pilot study examining the effects of low-volume high-intensity interval training and continuous low to moderate intensity training on quality of life, functional capacity and cardiovascular risk factors in cancer survivors. <i>PeerJ</i> , 2016 , 4, e2613	3.1	25
65	Smartphone-Assisted High-Intensity Interval Training in Inflammatory Rheumatic Disease Patients: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e28124	5.5	1
64	Literatur. 2009 , 385-395		
63	12 Revalidatie in de tweede lijn na een acuut myocardinfarct: welke trainingsmodaliteiten zijn effectief?. 2011 , 181-192		
62	Performance assessment in elite football players: field level test versus spiroergometry. <i>Journal of Human Sport and Exercise</i> , 2012 , 7, 287-295	1.5	O
61	[Exercise after heart transplantation-old principles needs reevaluation]. <i>Tidsskrift for Den Norske Laegeforening</i> , 2013 , 133, 2030-1	3.5	
60	Exercise Intensity Self-Regulation for Interval Exercise. 2015 , 131-145		
59	Trainingssteuerung. 2016 , 125-140		
58	The Effects of Circuit Training and Circuit Training with Whole Body Vibration on Pulmonary Function in Adolescent. <i>Journal of International Academy of Physical Therapy Research</i> , 2015 , 6, 902-90	7 0.8	

(2016-2015)

57	High Intensity Interval Training Vs Moderate Intensity Continuous Training in the Management of Metabolic Type Disease. <i>MOJ Anatomy & Physiology</i> , 2015 , 1,	2.3	О	
56	Rehabilitation Therapy in Patients with Heart Failure. 2016 , 603-626			
55	Effects of 6 Weeks of High Intensity Intermittent Training on Body Composition, Aerobic Capacity, and Blood Variables in Overweight Males. <i>Korean Journal of Sport Science</i> , 2016 , 27, 37-52	0.1		
54	Training der Hauptkomponenten der Leistungsfläigkeit 🏻 Trainingsmethoden und Trainingsberatung. 2017 , 271-311			
53	Effects of Using Convergence Interval Taekwondo on Cortisol, Free Fatty Acids and Muscle Damage in Obese Middle-aged Women. <i>Journal of the Korea Convergence Society</i> , 2016 , 7, 307-315			
52	Krperliches Training in Prüention und Therapie Gestaltung und Effekte. 2017 , 17-60		1	
51	Exercise Training in Cardiac Rehabilitation. 2017 , 91-136			
50	Different mr-proANP-release in High Volume High Intensity Interval Exercise and Continuous Exercise Regimens with Matched Mean Intensity: A Cross-over Design Study. <i>Exercise Medicine</i> , 4, 5			
49	Complex lifestyle intervention among inactive older adults with elevated cardiovascular disease risk and obesity: a mixed-method, single-arm feasibility study for RESTART-a randomized controlled trial. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 190	1.9		
48	Impact of Exercise on Cardiovascular Risk Factors: Obesity. 2020 , 793-822			
47	Affective responses to different prescriptions of high-intensity interval exercise in hypertensive patients. <i>Journal of Sports Medicine and Physical Fitness</i> , 2020 , 60, 308-313	1.4	2	
46	Semisupervised Physical Exercise and Lifestyle Counseling in Cardiometabolic Risk Management in Sedentary Adults: Controlled Randomized Trial (BELLUGAT). <i>Journal of Physical Activity and Health</i> , 2020 , 17, 744-755	2.5	1	
45	Trainingsempfehlungen im Gesundheitssport und Klassifikation der Sportarten. 2007, 67-94			
44	High-intensity interval training and hypertension: maximizing the benefits of exercise?. <i>American Journal of Cardiovascular Disease</i> , 2012 , 2, 102-10	0.9	47	
43	How to regulate the acute physiological response to "aerobic" high-intensity interval exercise. <i>Journal of Sports Science and Medicine</i> , 2015 , 14, 29-36	2.7	31	
42	The Effects of High Intensity Interval Training vs Steady State Training on Aerobic and Anaerobic Capacity. <i>Journal of Sports Science and Medicine</i> , 2015 , 14, 747-55	2.7	78	
41	Acute Physiological Responses to Short- and Long-Stage High-Intensity Interval Exercise in Cardiac Rehabilitation: A Pilot Study. <i>Journal of Sports Science and Medicine</i> , 2016 , 15, 80-91	2.7	11	
40	The Effect of CardioWaves Interval Training on Resting Blood Pressure, Resting Heart Rate, and Mind-Body Wellness. <i>International Journal of Exercise Science</i> , 2016 , 9, 89-100	1.3	2	

39	Cardiac Rehabilitation in Patients with Heart Failure. Acta Cardiologica Sinica, 2014, 30, 353-9	1.1	2
38	Can Time Efficient Exercise Improve Cardiometabolic Risk Factors in Type 2 Diabetes? A Pilot Study. Journal of Sports Science and Medicine, 2016 , 15, 308-13	2.7	16
37	The Effect of High Intensity Interval Run Training on Cross-sectional Area of the Vastus Lateralis in Untrained College Students. <i>International Journal of Exercise Science</i> , 2017 , 10, 137-145	1.3	5
36	Physical activity in older people with cardiac co-morbidities. <i>Journal of Geriatric Cardiology</i> , 2018 , 15, 557-558	1.7	2
35	The Impact of Different Levels of Physical Activity on Health among Middle-Aged and Elderly Chinese Adults. <i>Iranian Journal of Public Health</i> , 2019 , 48, 1971-1978	0.7	
34	Effects of aerobic and strength training on aerobic capacity, muscle strength, and gene expression of lymphomonocytes in patients with stable CAD. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 4582-4593	3	1
33	Effect of self-tailored high-intensity interval training versus moderate-intensity continuous exercise on cardiorespiratory fitness after myocardial infarction: A randomised controlled trial. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021 , 65, 101490	3.8	0
32	Metabolic Changes After a 24-Week Soccer-Based Adaptation of the Diabetes Prevention Program in Hispanic Males: A One-Arm Pilot Clinical Trial. <i>Frontiers in Sports and Active Living</i> , 2021 , 3, 757815	2.3	
31	Optimizing Training Response for Women in Cardiac Rehabilitation: A Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 ,	16.2	0
30	Effect of High-Intensity Interval Training on Physical Health in Coronary Artery Disease Patients: A Meta-Analysis of Randomized Controlled Trials. <i>Journal of Cardiovascular Development and Disease</i> , 2021 , 8,	4.2	1
29	Effect of home-based high-intensity interval training versus moderate-intensity continuous training in patients with myocardial infarction: a randomized controlled trial <i>Irish Journal of Medical Science</i> , 2022 , 1	1.9	
28	Effects of Acute Moderate- and High-Intensity Aerobic Exercise on Oxygenation in Prefrontal Cortex of Male Methamphetamine-Dependent Patients <i>Frontiers in Psychology</i> , 2022 , 13, 801531	3.4	0
27	Evaluating Real-World Ambulation and Activity in Prosthetic Users with Wearable Sensors. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2022 , 10, 8	0.7	
26	Atherogenic lipidomics profile in healthy individuals with low cardiorespiratory fitness: The HUNT3 fitness study <i>Atherosclerosis</i> , 2022 , 343, 51-57	3.1	1
25	High level physical activity in cardiac rehabilitation: Implications for exercise training and leisure-time pursuits <i>Progress in Cardiovascular Diseases</i> , 2021 ,	8.5	1
24	Effects of High-Intensity Interval vs. Moderate-Intensity Continuous Training on Cardiac Rehabilitation in Patients With Cardiovascular Disease: A Systematic Review and Meta-Analysis Frontiers in Cardiovascular Medicine, 2022 , 9, 845225	5.4	O
23	Reducing fatigue following acquired brain injury: A feasibility study of high intensity interval training for young adults <i>Developmental Neurorehabilitation</i> , 2022 , 1-12	1.8	
22	Associations between circulating microRNAs and coronary plaque characteristics: potential impact from physical exercise <i>Physiological Genomics</i> , 2022 ,	3.6	O

21	Feasibility and acceptability of high-intensity interval training and moderate-intensity continuous training in kidney transplant recipients: the PACE-KD study. <i>Pilot and Feasibility Studies</i> , 2022 , 8,	1.9	
20	The Effect of Chronic Exercise on Energy and Fatigue States: A Systematic Review and Meta-Analysis of Randomized Trials. <i>Frontiers in Psychology</i> , 2022 , 13,	3.4	
19	The role of resistance exercise training for improving cardiorespiratory fitness in healthy older adults: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2022 , 51,	3	1
18	The Effects of High-Intensity Interval Training on Exercise Capacity and Prognosis in Heart Failure and Coronary Artery Disease: A Systematic Review and Meta-Analysis. <i>Cardiovascular Therapeutics</i> , 2022 , 2022, 1-16	3.3	
17	High-Intensity Interval Training Improves Cardiac Function by miR-206 Dependent HSP60 Induction in Diabetic Rats. <i>Frontiers in Cardiovascular Medicine</i> , 9,	5.4	O
16	An Intelligent Cardiopulmonary Training System and Adherence to Training Intensity: A Feasibility Study. International Journal of Environmental Research and Public Health, 2022, 19, 8335	4.6	
15	Femoral neck stress fracture and medial tibial stress syndrome following high intensity interval training: A case report and review of literature. <i>World Journal of Clinical Cases</i> , 2022 , 10, 8323-8329	1.6	
14	Cardiopulmonary and metabolic markers following a 6-week high-intensity interval training and moderate-intensity continuous training intervention in moderately trained individuals. 2022 , 181,		
13	Evaluation of a Hybrid Cardiovascular Rehabilitation Program in Acute Coronary Syndrome Low-Risk Patients Organised in Both Cardiac Rehabilitation and Sport Centres: A Model Feasibility Study. 2022 , 19, 9455		
12	Exercise and obstructive sleep apnoea: a 24-week follow-up study. 2022 , 8, e001366		1
11	Physical Health Impairment and Exercise as Medicine in Severe Mental Disorders: A Narrative Review. 2022 , 8,		1
10	Effects of high-intensity and moderate-intensity exercise training on cardiopulmonary function in patients with coronary artery disease: A meta-analysis. 9,		O
9	Cardiopulmonary and muscular effects of different doses of high-intensity physical training in substance use disorder patients: study protocol for a block allocated controlled endurance and strength training trial in an inpatient setting. 2022 , 12, e061014		О
8	A Systematic Review and Meta-Analysis of the Effectiveness of High-Intensity Interval Training in People with Cardiovascular Disease at Improving Depression and Anxiety. 2022 , 2022, 1-13		O
7	High-intensity interval training ameliorates endothelial dysfunction through adropin, nitric oxide, MR-proADM, and copeptin changes in overweight subjects.		О
6	Effect of Exercise on Carotid Artery IntimaMedia Thickness in Adults: A Systematic Review and Meta-Analysis. 2022 , 1-13		O
5	The Impact of Obesity on C1q/TNF-Related Protein-9 Expression and Endothelial Function following Acute High-Intensity Interval Exercise vs. Continuous Moderate-Intensity Exercise. 2022 , 11, 1667		O
4	Acute physiological responses to high-intensity interval exercise in patients with coronary artery disease.		O

The Utility of High Intensity Interval Training to Improve Cognitive Aging in Heart Disease Patients.

2022, 19, 16926

Effects of high-intensity interval training versus moderate-intensity continuous training on blood pressure in patients with hypertension: A meta-analysis. 2022, 101, e32246

The Effect of High-Intensity Interval Training on Exercise Capacity in Patients with Coronary Artery Disease: A Systematic Review and Meta-Analysis. 2023, 2023, 1-11