# CITATION REPORT List of articles citing

Definition of metabolic syndrome: Report of the National Heart, Lung, and Blood Institute/American Heart Association conference on scientific issues related to definition

DOI: 10.1161/01.cir.0000111245.75752.c6 Circulation, 2004, 109, 433-8.

Source: https://exaly.com/paper-pdf/37429840/citation-report.pdf

Version: 2024-04-18

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #    | Paper   | IF   | Citations |
|------|---|------|-----------|
| 2252 | Characterization of blood pressure and morphological traits in cardiovascular-related organs in 13 different inbred mouse strains. <b>2004</b> , 97, 369-76   |      | 61        |
| 2251 | Diveloppement d'un cadre de travail pour comprendre et tudier la fragilit. 2004, 27 / n° 109, 15  |      | 57        |
| 2250 | Plasma von Willebrand factor and the development of the metabolic syndrome in patients with hypertension. <b>2004</b> , 89, 5377-81   |      | 27        |
| 2249 | Targeting metabolic syndrome. <b>2004</b> , 13, 1203-6  |      | 3         |
| 2248 | Immunosuppression and metabolic syndrome in renal transplant recipients. <b>2004</b> , 2, 263-73  |      | 7         |
| 2247 | The metabolic syndrome: what to treat, how to treat, what are the goals?. <b>2004</b> , 2, 191-7  |      | 2         |
| 2246 | Subclinical hypothyroidism is associated with insulin resistance in rheumatoid arthritis. <b>2004</b> , 14, 443-6   |      | 65        |
| 2245 | Clinical management of metabolic syndrome: report of the American Heart Association/National Heart, Lung, and Blood Institute/American Diabetes Association conference on scientific issues related to management. <b>2004</b> , 24, e19-24 |      | 118       |
| 2244 | Renin-angiotensin system and angiotensin receptor blockers in the metabolic syndrome. <i>Circulation</i> , <b>2004</b> , 110, 1507-12   | 16.7 | 149       |
| 2243 | Etiology of the Metabolic Syndromeâ <b>R</b> eply. <b>2004</b> , 291, 1443  |      |           |
| 2242 | Multiple abnormalities in glucose and energy metabolism and coordinated changes in levels of adiponectin, cytokines, and adhesion molecules in subjects with metabolic syndrome. <i>Circulation</i> , <b>2004</b> , 110, 3842-8             | 16.7 | 207       |
| 2241 | Insulin resistance and cardiovascular disease: the role of PPARgamma activators beyond their anti-diabetic action. <b>2004</b> , 1, 76-81   |      | 16        |
| 2240 | Metabolic syndrome: a definition in progress. <i>Circulation</i> , <b>2004</b> , 110, e35; author reply e35   | 16.7 | 7         |
| 2239 | Insulin-like growth factor-1 as a vascular protective factor. <i>Circulation</i> , <b>2004</b> , 110, 2260-5  | 16.7 | 203       |
| 2238 | Screening of newborns for metabolic disorders with mass spectrometry. <b>2004</b> , 291, 1444; author reply 1444-5  |      |           |
| 2237 | Nonpeptide corticotropin-releasing hormone receptor type 1 antagonists and their applications in psychosomatic disorders. <b>2004</b> , 80, 111-23  |      | 15        |
| 2236 | Management of type 2 diabetes mellitus: is it time for a paradigm shift?. <b>2004</b> , 2, 251-62   |      | 2         |

| 2235 | Low-grade inflammation and microalbuminuria in hypertension. <b>2004</b> , 24, 2414-9   | 74   |
|------|---|------|
| 2234 | Avandamet: combined metformin-rosiglitazone treatment for insulin resistance in type 2 diabetes. <b>2004</b> , 58, 867-76   | 37   |
| 2233 | Metabolic effects associated with atypical antipsychotic medications. <b>2004</b> , 40, 70-2  | 16   |
| 2232 | Overweight, obesity and cancer: epidemiological evidence and proposed mechanisms. <b>2004</b> , 4, 579-91   | 2607 |
| 2231 | The metabolic syndrome: diagnosis and treatment. <b>2004</b> , 6 Suppl 3, S5-13   | 12   |
| 2230 | Metabolic syndrome and other factors associated with increased risk of diabetes. <b>2004</b> , 6 Suppl 3, S14-29  | 6    |
| 2229 | Diabetes as a risk factor for death following endometrial cancer. <b>2004</b> , 94, 740-5   | 66   |
| 2228 | Association between the A-2518G polymorphism in the monocyte chemoattractant protein-1 gene and insulin resistance and Type 2 diabetes mellitus. <b>2004</b> , 47, 1574-80  | 94   |
| 2227 | Inflammation, insulin resistance, and obesity. <b>2004</b> , 6, 424-31  | 116  |
| 2226 | Diabetes in African Americans: unique pathophysiologic features. <b>2004</b> , 4, 219-23  | 28   |
| 2225 | Five polymorphisms in gene candidates for cardiovascular disease in Afro-Brazilian individuals. <b>2004</b> , 18, 309-16  | 27   |
| 2224 | Session Summary. <b>2004</b> , 30, 851-853  |      |
| 2223 | Effects of ezetimibe added to on-going statin therapy on the lipid profile of hypercholesterolemic  | 76   |
|      | patients with diabetes mellitus or metabolic syndrome. <b>2004</b> , 20, 1437-45  | 70   |
| 2222 | Relationship between antihypertensive drugs and metabolic syndrome. <b>2004</b> , 20, 1437-45   | 2    |
|      |   | •    |
| 2222 | Relationship between antihypertensive drugs and metabolic syndrome. <b>2004</b> , 2, 308-14  Clinical management of metabolic syndrome: report of the American Heart Association/National Heart, Lung, and Blood Institute/American Diabetes Association conference on scientific issues  16.7  | 2    |
| 2222 | Relationship between antihypertensive drugs and metabolic syndrome. <b>2004</b> , 2, 308-14  Clinical management of metabolic syndrome: report of the American Heart Association/National Heart, Lung, and Blood Institute/American Diabetes Association conference on scientific issues related to management. <i>Circulation</i> , <b>2004</b> , 109, 551-6  Secondary prevention strategies in ischemic stroke: identification and optimal management of | 639  |

| The association between cardiorespiratory metabolic syndrome. <b>2004</b> , 44, 2003-7          | fitness and C-reactive protein in subjects with the                  | 64   |
|---|--|------|
| What is the relationship between exercise syndrome. <b>2004</b> , 34, 371-418                   | and metabolic abnormalities? A review of the metabolic               | 201  |
| 2215 Increasing prevalence of the metabolic syn   | drome among u.s. Adults. <b>2004</b> , 27, 2444-9                    | 1106 |
| AMPK inhibits fatty acid-induced increases umbilical vein endothelial cells. <b>2004</b> , 324, | in NF-kappaB transactivation in cultured human<br>1204-9             | 206  |
| Le syndrome mtabolique : comparaison des <b>2004</b> , 19, 188-194                              | s paramEres biologiques dans difffentes dfinitions.                  | 1    |
| 2212 The metabolic syndrome: antecedent of ad   | lult cardiovascular disease in pediatrics. <b>2004</b> , 145, 427-30 | 25   |
| 2211 The triglyceride-high-density lipoprotein a  | xis: an important target of therapy?. <b>2004</b> , 148, 211-21      | 71   |
| 2210 Increased oxidative stress in obesity and its  | s impact on metabolic syndrome. <b>2004</b> , 114, 1752-61           | 3467 |
| 2209 The metabolic syndrome and inflammation  | a: association or causation?. <b>2004</b> , 14, 228-32               | 145  |
| 2208 Can we identify metabolically healthy but o  | obese individuals (MHO)?. <b>2004</b> , 30, 569-72                   | 191  |
| 2207 Endocrinopathic laminitis in the horse. <b>200</b>   | <b>4</b> , 3, 45-56  | 35   |
| 2206 Sindrome metablico. <b>2004</b> , 9, 1131-1139   |  |      |
| Varfi de 49 a <del>ô</del> s remitido para estudio de hi <sub>l</sub><br>, 9, 1163-1165         | perlipidemia mixta y elevaciß de transaminasas. <b>2004</b>          |      |
| 2204 L-arginine and hypertension. <b>2004</b> , 134, 28   | 07S-2811S; discussion 2818S-2819S                                    | 87   |
| 2203 Whole grains and coronary heart disease: t   | he whole kernel of truth. <b>2004</b> , 80, 1459-60                  | 56   |
| 2202 Mirtazapine-Associated Rapid Weight Gain   | and Decreased Physical Activity. <b>2004</b> , 34, 308-309           | 1    |
| 2201 Importance and management of dyslipiden  | nia in the metabolic syndrome. <b>2005</b> , 330, 295-302            | 24   |
| 2200 Metabolic syndrome: historical perspective   | es. <b>2005</b> , 330, 264-8   | 13   |

# (2005-2005)

| 2199 | The cardiometabolic syndrome as a cardiovascular risk factor. <b>2005</b> , 330, 311-8   | 61 |
|------|--|----|
| 2198 | Management of the metabolic syndrome. <b>2005</b> , 330, 343-51  | 14 |
| 2197 | Introduction to the metabolic syndrome. <b>2005</b> , 7, D3-D5   | 41 |
| 2196 | The use of very-low-calorie diets (VLCDs) and meal replacements for weight control. <b>2005</b> , 379-411  |    |
| 2195 | Reduced glycemic index and glycemic load diets do not increase the effects of energy restriction on weight loss and insulin sensitivity in obese men and women. <b>2005</b> , 135, 2387-91   | 73 |
| 2194 | Clustering of haemostatic variables and the effect of high cashew and walnut diets on these variables in metabolic syndrome patients. <b>2005</b> , 16, 429-37   | 16 |
| 2193 | Kidney disease and the metabolic syndrome. <b>2005</b> , 330, 319-25   | 22 |
| 2192 | CB1 Cannabinoid Receptor Antagonists. <b>2005</b> , 103-118  | 13 |
| 2191 | Oral glucose tolerance test or metabolic syndrome criteria to predict risk in patients with coronary heart disease?: reply. <b>2005</b> , 26, 623-624  | 1  |
| 2190 | Atherosclerotic cardiovascular disease risk in the HAART-treated HIV-1 population. <b>2005</b> , 6, 5-24   | 23 |
| 2189 | Risk factor clusters for metabolic syndrome in coronary heart disease: state of the science. <b>2005</b> , 24, 64-9  | 4  |
| 2188 | Metabolic syndrome is associated with extension of coronary artery disease in patients with non-ST segment elevation acute coronary syndromes. <b>2005</b> , 16, 287-92  | 18 |
| 2187 | The metabolic syndrome in women: a growing problem for cardiac risk. <b>2005</b> , 20, 427-32  | 7  |
| 2186 | Choosing our battles in the overweight/obesity crisis: targeting those who have the most to gain by losing. <b>2005</b> , 20, 294-5  |    |
| 2185 | C-reactive protein concentration is more strongly related to metabolic syndrome in women than in men: the Minoh Study. <b>2005</b> , 69, 386-91  | 57 |
| 2184 | Add-on and withdrawal effect of pravastatin on proteinuria in hypertensive patients treated with AT receptor blockers. <b>2005</b> , 68, 779-87  | 26 |
| 2183 | Comparison of rosuvastatin with atorvastatin, simvastatin and pravastatin in achieving cholesterol goals and improving plasma lipids in hypercholesterolaemic patients with or without the metabolic syndrome in the MERCURY I trial. <b>2005</b> , 7, 430-8 | 60 |
| 2182 | Treating insulin resistance in type 2 diabetes with metformin and thiazolidinediones. <b>2005</b> , 7, 675-91  | 92 |

| 2181 | Prevalence of the metabolic syndrome in the island of Gran Canaria: comparison of three major diagnostic proposals. <b>2005</b> , 22, 1751-6                                   | 21  |
|------|--|-----|
| 2180 | Type 2 diabetes mellitus: a cardiovascular perspective. <b>2005</b> , 59, 798-816  | 38  |
| 2179 | Insulin resistance in children and adolescents with type 1 diabetes mellitus: relation to obesity. <b>2005</b> , 6, 3-4  | 3   |
| 2178 | Diagnosis and management of the metabolic syndrome in obesity. <b>2005</b> , 6, 283-96   | 98  |
| 2177 | Insulin resistance: more important to identify than quantify. <b>2005</b> , 10, 597-8  | 1   |
| 2176 | Triglycerides + high-density-lipoprotein-cholesterol dyslipidaemia, a coronary risk factor in elderly women: the CArdiovascular STudy in the ELderly. <b>2005</b> , 35, 604-10 | 39  |
| 2175 | Influence of metabolic syndrome on hypertension-related target organ damage. 2005, 257, 503-13   | 99  |
| 2174 | Regional differences of insulin action in adipose tissue: insights from in vivo and in vitro studies. <b>2005</b> , 183, 13-30   | 168 |
| 2173 | Relationship between diabetes mellitus and adenocarcinoma of the oesophagus and gastric cardia. <b>2005</b> , 22, 267-71   | 28  |
| 2172 | Factors predicting the development of metabolic syndrome and type II diabetes against a background of hypertension. <b>2005</b> , 35, 324-9                                    | 15  |
| 2171 | Liver alanine aminotransferase, insulin resistance and endothelial dysfunction in normotriglyceridaemic subjects with type 2 diabetes mellitus. <b>2005</b> , 35, 369-74       | 86  |
| 2170 | High-density lipoprotein apolipoprotein A-I kinetics in obesity. <b>2005</b> , 13, 1008-16   | 36  |
| 2169 | Integrated transcriptional profiling and linkage analysis for identification of genes underlying disease. <b>2005</b> , 37, 243-53   | 432 |
| 2168 | Diagnosis of impaired glucose tolerance in hypertensive patients in daily clinical practice. <b>2005</b> , 59, 632-8   | 10  |
| 2167 | Cigarette smoking, body mass index, and stressful life events as risk factors for psoriasis: results from an Italian case-control study. <b>2005</b> , 125, 61-7               | 412 |
| 2166 | Association of metabolic syndrome with exercise capacity and heart rate recovery in patients with coronary heart disease in the heart and soul study. <b>2005</b> , 95, 1175-9 | 39  |
| 2165 | Approach to treatment of the patient with metabolic syndrome: lifestyle therapy. 2005, 96, 15E-21E   | 52  |
| 2164 | Functional capacity and cardiovascular assessment: submaximal exercise testing and hidden candidates for pharmacologic stress. <b>2005</b> , 96, 11J-19J                       | 7   |

#### (2005-2005)

| 2163 | Assessment of patients at intermediate cardiac risk. <b>2005</b> , 96, 2J-10J   | 17  |
|------|---|-----|
| 2162 | Implications from the Air Force/Texas Coronary Atherosclerosis Prevention Study for the Adult Treatment Panel III guidelines. <b>2005</b> , 96, 1674-80   | 24  |
| 2161 | The metabolic basis of atherogenic dyslipidemia. <b>2005</b> , 7, 27-35   | 35  |
| 2160 | A constellation of complications: the metabolic syndrome. <b>2005</b> , 7, 36-45  | 48  |
| 2159 | Managing cardiovascular risk inpatients with metabolic syndrome. <b>2005</b> , 7, 46-51   | 4   |
| 2158 | Temas de actualidad en cardiolog[a preventiva: el s[hdrome metablico. <b>2005</b> , 5, 13A-23A  |     |
| 2157 | Prevencifi y tratamiento del s[hdrome metablico. <b>2005</b> , 5, 46D-52D   |     |
| 2156 | Editorial: should we evaluate insulin sensitivity in rheumatoid arthritis?. <b>2005</b> , 35, 5-7   | 9   |
| 2155 | Adipokines in NASH: postprandial lipid metabolism as a link between adiponectin and liver disease. <b>2005</b> , 42, 1175-83  | 217 |
| 2154 | [Metabolic syndrome: diagnosis and dietary intervention]. <b>2005</b> , 46, 57-67; quiz 68  | 6   |
| 2153 | Neuroadrenergic and reflex abnormalities in patients with metabolic syndrome. <b>2005</b> , 48, 1359-65   | 234 |
| 2152 | The metabolic syndrome: time for a critical appraisal. Joint statement from the American Diabetes Association and the European Association for the Study of Diabetes. <b>2005</b> , 48, 1684-99 | 307 |
| 2151 | Current Treatment Options for the Metabolic Syndrome. <b>2005</b> , 7, 61-74  | 31  |
| 2150 | Treatment of the metabolic syndrome: the impact of lifestyle modification. <b>2005</b> , 7, 95-102  | 36  |
| 2149 | Metabolic syndrome: demographic features, etiology, and clinical management. 2005, 7, 381-8   | 3   |
| 2148 | Lipid therapy for cardiovascular disease with insulin resistance, diabetes, or the metabolic syndrome. <b>2005</b> , 7, 457-64  | 5   |
| 2147 | Hypertrophy in the female heart. <b>2005</b> , 7, 173-7   | 1   |
| 2146 | Erectile dysfunction: interrelationship with the metabolic syndrome. <b>2005</b> , 5, 64-9  | 32  |

| 2145 | Dietary fats and membrane function: implications for metabolism and disease. <b>2005</b> , 80, 155-69  |      | 259 |
|------|--|------|-----|
| 2144 | Regulation of body mass and management of childhood overweight. <b>2005</b> , 44, 589-94   |      | 13  |
| 2143 | Postprandial response to a physiologic caloric load in HIV-positive patients receiving protease inhibitor-based or nonnucleoside reverse transcriptase inhibitor-based antiretroviral therapy. <b>2005</b> , 82, 146-54  |      | 2   |
| 2142 | Postprandial response to a physiologic caloric load in HIV-positive patients receiving protease inhibitorâBased or nonnucleoside reverse transcriptase inhibitorâBased antiretroviral therapy. <b>2005</b> , 82, 146-154 |      | 4   |
| 2141 | INFLUENCE OF MENOPAUSE ON BLOOD PRESSURE DIPPING IN WOMEN WITH METABOLIC SYNDROME: A CASE-CONTROL STUDY. <b>2005</b> , 1, 9-13   |      |     |
| 2140 | Dynamic genetic architecture of metabolic syndrome attributes in the rat. <b>2005</b> , 21, 243-52   |      | 32  |
| 2139 | Prevention of Metabolic Syndrome. <b>2005</b> , 48, 1188   |      | 1   |
| 2138 | Measures of oxidized low-density lipoprotein and oxidative stress are not related and not elevated in otherwise healthy men with the metabolic syndrome. <b>2005</b> , 25, 2580-6  |      | 80  |
| 2137 | Exacerbation of heart failure in adiponectin-deficient mice due to impaired regulation of AMPK and glucose metabolism. <b>2005</b> , 67, 705-13  |      | 174 |
| 2136 | Belgian consensus on metabolic problems associated with atypical antipsychotics. <b>2005</b> , 9, 130-7  |      | 54  |
| 2135 | Metabolic syndrome and risk of restenosis in patients undergoing percutaneous coronary intervention. <b>2005</b> , 28, 873-7   |      | 40  |
| 2134 | Point: the metabolic syndrome still lives. <b>2005</b> , 51, 1352-4  |      | 51  |
| 2133 | Metabolic syndrome among HIV-infected patients: prevalence, characteristics, and related factors. <b>2005</b> , 28, 132-7  |      | 188 |
| 2132 | Metabolic syndrome and echocardiographic left ventricular mass in blacks: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , <b>2005</b> , 112, 819-27   | 16.7 | 81  |
| 2131 | What a cardiologist needs to know about patients with human immunodeficiency virus infection. <i>Circulation</i> , <b>2005</b> , 112, 3947-57  | 16.7 | 38  |
| 2130 | Revised Adult Treatment Panel III guidelines and cardiovascular disease mortality in men attending a preventive medical clinic. <i>Circulation</i> , <b>2005</b> , 112, 1478-85  | 16.7 | 19  |
| 2129 | Diagnostic definitions âlmetabolic syndrome. <b>2005</b> , 5, 115-118  |      | 5   |
| 2128 | Metabolic syndrome and cardiovascular disease. <b>2005</b> , 19, 84-93   |      | 70  |

#### (2005-2005)

| 2127 | Our passive lifestyle, our toxic diet, and the atherogenic/diabetogenic metabolic syndrome: can we afford to be sedentary and unfit?. <i>Circulation</i> , <b>2005</b> , 112, 453-5                     | 101  |
|------|---|------|
| 2126 | The metabolic syndrome: requiescat in pace. <b>2005</b> , 51, 931-8   | 278  |
| 2125 | The prevalence of the metabolic syndrome did not increase in Mexico City between 1990-1992 and 1997-1999 despite more central obesity. <b>2005</b> , 28, 2480-5   | 33   |
| 2124 | Autocrine action of adiponectin on human fat cells prevents the release of insulin resistance-inducing factors. <b>2005</b> , 54, 2003-11   | 117  |
| 2123 | Elevated interleukin-18 levels are associated with the metabolic syndrome independent of obesity and insulin resistance. <b>2005</b> , 25, 1268-73  | 176  |
| 2122 | Quantitative genetic analysis of the metabolic syndrome in Hispanic children. <b>2005</b> , 58, 1243-8  | 54   |
| 2121 | Soy protein influences insulin sensitivity and cardiovascular risk in male lean SHHF rats. <b>2005</b> , 37, 309-15   | 19   |
| 2120 | Relation between the metabolic syndrome and ischemic stroke or transient ischemic attack: a prospective cohort study in patients with atherosclerotic cardiovascular disease. <b>2005</b> , 36, 1366-71 | 135  |
| 2119 | Effects of rimonabant on metabolic risk factors in overweight patients with dyslipidemia. <b>2005</b> , 353, 2121-34  | 1172 |
| 2118 | Exercise, insulin resistance, and hypertension: a complex relationship. <b>2005</b> , 3, 60-5   | 16   |
| 2117 | Beyond statin therapy: why we need new thinking. <b>2005</b> , 21 Suppl 6, S3-8   | 6    |
| 2116 | Global risk stratification to improve cardiovascular prevention: integration of traditional risk factors, emerging risk factors, and new, noninvasive cardiovascular imaging. <b>2005</b> , 3, 265-8    |      |
| 2115 | Metabolic syndrome: therapeutic considerations. <b>2005</b> , 107-33  | 22   |
| 2114 | Epicardial adipose tissue: anatomic, biomolecular and clinical relationships with the heart. <b>2005</b> , 2, 536-43  | 638  |
| 2113 | Elevated C-reactive protein augments increased arterial stiffness in subjects with the metabolic syndrome. <b>2005</b> , 45, 997-1003   | 75   |
| 2112 | Assessing the predictive accuracy of QUICKI as a surrogate index for insulin sensitivity using a calibration model. <b>2005</b> , 54, 1914-25   | 181  |
| 2111 | Rosiglitazone protects against ischemia/reperfusion-induced leukocyte adhesion in the zucker diabetic fatty rat. <b>2005</b> , 315, 1020-7  | 19   |
| 2110 | Metabolic syndrome, subclinical coronary atherosclerosis, and cardiovascular risk. <b>2005</b> , 3, 105-10  | 9    |

| 2109 | The metabolic syndrome and concentrations of C-reactive protein among U.S. youth. 2005, 28, 878-81  | 219  |
|------|---|------|
| 2108 | Metabolic syndrome accompanied by hypercholesterolemia is strongly associated with proinflammatory state and impairment of fibrinolysis in patients with type 2 diabetes: synergistic effects of plasminogen activator inhibitor-1 and thrombin-activatable fibrinolysis inhibitor. <b>2005</b> , | 54   |
| 2107 | Anti-atherogenic effect of insulin in vivo. <b>2005</b> , 42, 455-62  | 17   |
| 2106 | Clinical use and pathogenetic basis of laboratory tests for the evaluation of primary arterial hypertension. <b>2005</b> , 42, 393-452  | 4    |
| 2105 | Critical questions about the metabolic syndrome. <i>Circulation</i> , <b>2005</b> , 112, 3675-6   | 37   |
| 2104 | Risk factors for progression of brain atrophy in aging: six-year follow-up of normal subjects. <b>2005</b> , 64, 1704-11  | 315  |
| 2103 | Clinical research in primary stroke prevention: needs, opportunities, and challenges. <b>2005</b> , 25, 91-104  | 14   |
| 2102 | Metabolic syndrome: is there a pathophysiological common denominator?. <b>2005</b> , 94, 75-83  | 7    |
| 2101 | Ghrelin improves endothelial function in patients with metabolic syndrome. <i>Circulation</i> , <b>2005</b> , 112, 2986-927   | 158  |
| 2100 | Haemorheological variables as risk factors of ischaemic heart diseases. <b>2005</b> , 26, 624-5; author reply 625   |      |
| 2099 | Effect of bezafibrate on incidence of type 2 diabetes mellitus in obese patients. <b>2005</b> , 26, 2032-8  | 66   |
| 2098 | Renal manifestations of the metabolic syndrome. <b>2005</b> , 20, 861-4   | 19   |
| 2097 | A psychodynamic approach to screening for the metabolic syndrome. <b>2005</b> , 33, 671-82; discussion 683-7  |      |
| 2096 | Oral glucose tolerance and insulin sensitivity are unaffected by HIV infection or antiretroviral therapy in overweight women. <b>2005</b> , 39, 55-62   | 24   |
| 2095 | Aetiology and consequences of the metabolic syndrome. <b>2005</b> , 7, D10-D13  | 16   |
| 2094 | Definition of the metabolic syndrome: current proposals and controversies. <b>2005</b> , 330, 269-72  | 48   |
| 2093 | S[hdrome metablico en jilenes: DiagnEtico y tratamiento. <b>2005</b> , 58, 3-13   | 2    |
| 2092 | The metabolic syndrome. <b>2005</b> , 365, 1415-28  | 4380 |

| 2091 <b>l</b>     | Evaluaciñ del riesgo cardiovascular y nuevos factores de riesgo de aterosclerosis. <b>2005</b> , 22, 195-203  | 2    |
|-------------------|---|------|
|                   | Nonalcoholic fatty liver disease is associated with carotid atherosclerosis: a case-control study.<br><b>2005</b> , 25, 1045-50   | 285  |
|                   | Diagnosis and management of the metabolic syndrome: an American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement. <i>Circulation</i> , <b>2005</b> , 112, 2735-52   | 8005 |
| 2088              | Manejo integral del s[hdrome metablico. <b>2005</b> , 12, 293-302   |      |
| 2087 l            | DL cholesterol and global risk stratification in referred hypertensive patients. <b>2005</b> , 180, 137-43  | 12   |
|                   | Prevalence of insulin resistance and the metabolic syndrome with alternative definitions of mpaired fasting glucose. <b>2005</b> , 181, 143-8   | 35   |
|                   | Diagnosing metabolic syndrome in primary care,too: Basal glucemia and glycosylated haemoglobin may not be sufficient]. <b>2005</b> , 36, 53   |      |
| 2084 l            | Ultrasonography for the evaluation of visceral fat and the metabolic syndrome. <b>2005</b> , 54, 1230-5   | 31   |
| 2083 F            | Place des glitazones dans de futures recommandations cliniques. <b>2005</b> , 66, 59-70   | О    |
| 2082 F            | Polycystic ovary syndrome in adolescence. <b>2005</b> , 34, 677-705, x  | 83   |
| 2081 <b>i</b>     | Evaluacifi del riesgo cardiovascular y nuevos factores de riesgo de aterosclerosis. <b>2005</b> , 22, 195-203   |      |
| 2080 F            | Plasma triglyceride level is an independent predictor of altered left ventricular relaxation. <b>2005</b> , 18, 1285-91   | 34   |
| 2079 <b>l</b>     | Le syndrome mtabolique : quelle(s) dfinition(s) pour quel(s) objectif(s) ?. <b>2005</b> , 66, 32-44   | 4    |
| 2078              | Comparison of rilmenidine and lisinopril on ambulatory blood pressure and plasma lipid and glucose levels in hypertensive women with metabolic syndrome. <b>2005</b> , 21, 113-9  | 23   |
| <sup>2077</sup> I | Cardiac rehabilitation and secondary prevention of coronary heart disease: an American Heart Association scientific statement from the Council on Clinical Cardiology (Subcommittee on Exercise, Cardiac Rehabilitation, and Prevention) and the Council on Nutrition, Physical Activity, and | 706  |
|                   | Metabolism (Subcommittee on Physical Activity), in collaboration with the American association of Cardiovascular and Pulmonary Rehabilitation. <i>Circulation</i> , <b>2005</b> , 111, 369-76. Therapy insight: heart disease and the insulin-resistant patient. <b>2005</b> , 2, 252-60      | 9    |
|                   | Have we forgotten the pivotal role of high-density lipoprotein cholesterol in atherosclerosis prevention?. <b>2005</b> , 21, 299-306  | 18   |
| 2074 H            | How to Manage Metabolic Syndrome. <b>2005</b> , 12, 231-238   | 2    |

| 2073 | Retinoid x receptor heterodimers in the metabolic syndrome. <b>2005</b> , 353, 604-15   |      | 318  |
|------|---|------|------|
| 2072 | Risks for all-cause mortality, cardiovascular disease, and diabetes associated with the metabolic syndrome: a summary of the evidence. <b>2005</b> , 28, 1769-78  |      | 1287 |
| 2071 | A paracrine loop between adipocytes and macrophages aggravates inflammatory changes: role of free fatty acids and tumor necrosis factor alpha. <b>2005</b> , 25, 2062-8   |      | 821  |
| 2070 | Adipose tissue, inflammation, and cardiovascular disease. <b>2005</b> , 96, 939-49  |      | 1539 |
| 2069 | Metabolic syndrome scientific statement by the American Heart Association and the National Heart, Lung, and Blood Institute. <b>2005</b> , 25, 2243-4   |      | 177  |
| 2068 | Metabolic syndrome as a precursor of cardiovascular disease and type 2 diabetes mellitus. <i>Circulation</i> , <b>2005</b> , 112, 3066-72   | 16.7 | 1379 |
| 2067 | Cardiorespiratory fitness is inversely associated with the incidence of metabolic syndrome: a prospective study of men and women. <i>Circulation</i> , <b>2005</b> , 112, 505-12  | 16.7 | 361  |
| 2066 | Treating the metabolic syndrome: acetyl-CoA carboxylase inhibition. <b>2005</b> , 9, 267-81   |      | 95   |
| 2065 | Probing depth but not attachment level may be associated with the development of impaired glucose tolerance among (40- to 79-year-old) Hisayama residents. <b>2005</b> , 5, 231-3   |      |      |
| 2064 | Smoking and development of type 2 diabetes in patients with decreased functional capacity. <b>2005</b> , 104, 275-81  |      | 7    |
| 2063 | Diabetes mellitus and atrial fibrillation: perspectives on epidemiological and pathophysiological links. <b>2005</b> , 105, 319-21  |      | 54   |
| 2062 | Brief review and critical examination of the use of hs-CRP for cardiac risk assessment with the conclusion that it is premature to use this test. <b>2005</b> , 356, 1-8  |      | 14   |
| 2061 | Effects of switching from olanzapine to risperidone on the prevalence of the metabolic syndrome in overweight or obese patients with schizophrenia or schizoaffective disorder: analysis of a multicenter, rater-blinded, open-label study. <b>2005</b> , 27, 1930-41 |      | 41   |
| 2060 | Metabolic syndrome in relationship to type 2 diabetes and atherosclerosis. <b>2005</b> , 68 Suppl1, S2-9  |      | 33   |
| 2059 | The metabolic syndrome: a vascular perspective. <b>2005</b> , 16, 314-20  |      | 11   |
| 2058 | Lipoprotein-associated PAF-acetylhydrolase activity in subjects with the metabolic syndrome. <b>2005</b> , 72, 203-9  |      | 42   |
| 2057 | New therapeutic options for the metabolic syndrome: what's next?. <b>2005</b> , 16, 254-60  |      | 18   |
| 2056 | AMPK, the metabolic syndrome and cancer. <b>2005</b> , 26, 69-76  |      | 355  |

| 2055 Interleukin-15 in hypertension: further insights into inflammation and vascular disease. <b>2005</b> , 18, 1017-8  | 7    |
|---|------|
| 2054 Low HDL-C: a secondary target of dyslipidemia therapy. <b>2005</b> , 118, 1067-77  | 58   |
| 2053 [Metabolic syndrome: a modern variant of stress-related disease?]. <b>2005</b> , 58, 768-71  | 3    |
| [Prevalence of the metabolic syndrome (ATP-III criteria). Population-based study of rural and urban areas in the Spanish province of Segovia]. <b>2005</b> , 125, 481-6   | 56   |
| 2051 An evaluation of the metabolic syndrome in the HyperGEN study. <b>2005</b> , 2, 2  | 34   |
| 2050 The role of glucocorticoid action in the pathophysiology of the Metabolic Syndrome. <b>2005</b> , 2, 3   | 190  |
| Carbohydrate restriction improves the features of Metabolic Syndrome. Metabolic Syndrome may be defined by the response to carbohydrate restriction. <b>2005</b> , 2, 31  | 143  |
| 2048 Clinical utility of extended-release niacin: update and summary. <b>2005</b> , 1, 571-8  |      |
| The Metabolic Syndrome: a Modern Variant of Stressâ <b>R</b> elated Disease?. <b>2005</b> , 58, 768-771   | 2    |
| Prevalencia del s[hdrome metablico en una poblacifi de pacientes con sobrepeso y obesidad. <b>204</b> 6 <b>2005</b> , 52, 391-398   | O    |
| 2045 Transgenic animal models for the study of adipose tissue biology. <b>2005</b> , 19, 605-23   | 31   |
| Prevalence of the metabolic syndrome in patients with schizophrenia: baseline results from the 2044 Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) schizophrenia trial and comparison with national estimates from NHANES III. <b>2005</b> , 80, 19-32 | 885  |
| The Clinical Antipsychotic Trials Of Intervention Effectiveness (CATIE) Schizophrenia Trial: clinical comparison of subgroups with and without the metabolic syndrome. <b>2005</b> , 80, 9-18   | 157  |
| Prevalence of the metabolic syndrome defined by the International Diabetes Federation among adults in the U.S. <b>2005</b> , 28, 2745-9   | 805  |
| The metabolic syndrome: time for a critical appraisal: joint statement from the American Diabetes Association and the European Association for the Study of Diabetes. <b>2005</b> , 28, 2289-304  | 1574 |
| 2040 Oxidative stress in insulin-resistant conditions: cardiovascular implications. <b>2005</b> , 4, 343-51   | 26   |
| 2039 Drug Treatment in the Metabolic Syndrome. <b>2005</b> , 431-461  | 1    |
| The use of a Cissus quadrangularis formulation in the management of weight loss and metabolic syndrome. <b>2006</b> , 5, 24   | 52   |

| 2037 | Dual Peroxisome Proliferator-Activated Receptor-alpha/gamma Agonists: In the Treatment of Type 2 Diabetes Mellitus and the Metabolic Syndrome. <b>2006</b> , 5, 89-99                      | 15   |
|------|--|------|
| 2036 | Physical activity and the metabolic syndrome in Canada. <b>2006</b> , 31, 40-7   | 54   |
| 2035 | The Role of Cardiac Rehabilitation in the Treatment and Secondary Prevention of Cardiovascular Disease. <b>2006</b> , 13, 21-27  | 1    |
| 2034 | Metabolic Syndrome. <b>2006</b> , 13, 185-198  | 15   |
| 2033 | Definition of the Metabolic Syndrome: What's New and What Predicts Risk?. <b>2006</b> , 4, 237-51  | 18   |
| 2032 | [4G/5G polymorphisms of PAI-1 in the metabolic syndrome]. <b>2006</b> , 126, 234   |      |
| 2031 | The metabolic syndrome: A high-risk state for cancer?. <b>2006</b> , 169, 1505-22  | 326  |
| 2030 | Metabolic syndrome and morphofunctional characteristics of the left ventricle in clinically hypertensive nondiabetic subjects. <b>2006</b> , 19, 199-205                                   | 38   |
| 2029 | Prevalence of metabolic abnormalities in the Tunisian adults: a population based study. <b>2006</b> , 32, 215-21   | 37   |
| 2028 | Metabolic syndrome: a marker of patients at high cardiovascular risk. <b>2006</b> , 22 Suppl B, 85B-90B  | 35   |
| 2027 | lidice tobillo-brazo y riesgo cardiovascular estimado mediante la funcili SCORE en sujetos no diablicos en prevencili primaria. <b>2006</b> , 18, 45-50                                    | 2    |
| 2026 | Diagnistico de sindrome metablico. Adecuacifi de los criterios diagnisticos en nuestro medio. <b>2006</b> , 18, 244-260  | O    |
| 2025 | Physical activity and clustered cardiovascular risk in children: a cross-sectional study (The European Youth Heart Study). <b>2006</b> , 368, 299-304                                      | 1024 |
| 2024 | Preventing cardiovascular disease and diabetes: a call to action from the American Diabetes Association and the American Heart Association. <i>Circulation</i> , <b>2006</b> , 113, 2943-6 | 194  |
| 2023 | Is visceral obesity the cause of the metabolic syndrome?. <b>2006</b> , 38, 52-63  | 443  |
| 2022 | Tu-W16:8 A structural model for apolipoprotein A-I Milano (A-IM) in its heterodimeric form with apolipoprotein A-II (A-II). <b>2006</b> , 7, 154   |      |
| 2021 | Tu-W17:1 Metabolic syndrome in non-diabetic Europeans: Relation to cardiovascular mortality. <b>2006</b> , 7, 154  | 1    |
| 2020 | Is hyperuricemia another facet of the metabolic syndrome?. <b>2006</b> , 69, 104-9   | 21   |

| 2019 | population-based sample. <b>2006</b> , 186, 345-53   | 76  |
|------|--|-----|
| 2018 | Components of the metabolic syndrome and incidence of diabetes in elderly Italians: the Italian Longitudinal Study on Aging. <b>2006</b> , 187, 385-92   | 25  |
| 2017 | Elevated serum levels of alanine aminotransferase and gamma glutamyltransferase are markers of inflammation and oxidative stress independent of the metabolic syndrome. <b>2006</b> , 189, 198-205 | 172 |
| 2016 | Optimal care of cardiovascular disease and type 2 diabetes patients: shared responsibilities between the cardiologist and diabetologist. <b>2006</b> , 7, 37-42                                    | 9   |
| 2015 | Diabetes: assessing the pipeline. <b>2006</b> , 7, 43-9  | 11  |
| 2014 | Case and care complexity in the medically ill. <b>2006</b> , 90, 679-92  | 59  |
| 2013 | Hyperlipidemic mice present enhanced catabolism and higher mitochondrial ATP-sensitive K+channel activity. <b>2006</b> , 131, 1228-34  | 34  |
| 2012 | El eslabfi perdido del s[hdrome metabfico: hiperlipemia posprandial y estrŝ oxidativo. <b>2006</b> , 53, 345-352   | 7   |
| 2011 | [Prevalence and general features of the metabolic syndrome in the Spanish hypertensive population]. <b>2006</b> , 126, 406-9   | 21  |
| 2010 | [Geographical differences in metabolic syndrome prevalence. The case of Canary Islands (Spain)]. <b>2006</b> , 127, 357  |     |
| 2009 | [Classification criteria and clinical significance of the metabolic syndrome]. <b>2006</b> , 206, 447-50   | 1   |
| 2008 | [Clustering of cardiovascular risk factors and prevalence of metabolic syndrome in subjects with resistant hypertension]. <b>2006</b> , 127, 241-5   | 7   |
| 2007 | Concurrent presence of metabolic syndrome in obstructive sleep apnea syndrome exacerbates the cardiovascular risk: a sleep clinic cohort study. <b>2006</b> , 29, 433-41                           | 45  |
| 2006 | The effects of changes in the metabolic syndrome detection status on arterial stiffening: a prospective study. <b>2006</b> , 29, 673-8   | 45  |
| 2005 | Metabolic syndrome negatively influences disease progression and prognosis in aortic stenosis. <b>2006</b> , 47, 2229-36   | 127 |
| 2004 | The effects of diet on inflammation: emphasis on the metabolic syndrome. <b>2006</b> , 48, 677-85  | 495 |
| 2003 | Distribution and metabolic syndrome correlates of plasma C-reactive protein in biracial (black-white) younger adults: the Bogalusa Heart Study. <b>2006</b> , 55, 699-705                          | 49  |
| 2002 | Lipodystrophy and metabolic syndrome in HIV-infected patients treated with antiretroviral therapy. <b>2006</b> , 55, 940-5   | 62  |

| 2001                                 | High serum high-sensitivity C-reactive protein concentrations are associated with relative cardiac sympathetic overactivity during the early morning period in type 2 diabetic patients with metabolic syndrome. <b>2006</b> , 55, 1014-21  | 30                         |
|--------------------------------------|---|----------------------------|
| 2000                                 | Hypothalamic-pituitary-adrenal activity in type 2 diabetes mellitus: role of autonomic imbalance. <b>2006</b> , 55, 1135-40   | 36                         |
| 1999                                 | Leptin and adiponectin levels in middle-aged postmenopausal women: associations with lifestyle habits, hormones, and inflammatory markersa cross-sectional study. <b>2006</b> , 55, 1630-6  | 28                         |
| 1998                                 | A critical reflection on the definition of metabolic syndrome. <b>2006</b> , 53, 449-56   | 16                         |
| 1997                                 | The metabolic syndrome. Beyond the insulin resistance syndrome. <b>2006</b> , 53, 457-68  | 11                         |
| 1996                                 |   | 53                         |
| 1995                                 | Obesity and cardiovascular disease: pathophysiology, evaluation, and effect of weight loss: an update of the 1997 American Heart Association Scientific Statement on Obesity and Heart Disease from the Obesity Committee of the Council on Nutrition, Physical Activity, and Metabolism.  Circulation, 2006, 113, 898-918  | 1889                       |
| 1994                                 | Diabetes and arterial stiffening. <b>2007</b> , 44, 245-251   | 19                         |
| 1993                                 | Calcium in Human Health. <b>2006</b> ,  | 31                         |
|                                      |   |                            |
| 1992                                 | Diet and inflammation: a link to metabolic and cardiovascular diseases. <b>2006</b> , 27, 15-20   | 152                        |
| 1992<br>1991                         | Diet and inflammation: a link to metabolic and cardiovascular diseases. <b>2006</b> , 27, 15-20  Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: executive summary. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). <b>2007</b> , 28, 88-136  | 152<br>889                 |
| 1991                                 | Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: executive summary. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of   |                            |
| 1991                                 | Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: executive summary. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). 2007, 28, 88-136  Oxidative stress in the metabolic syndrome. 2006, 29, 791-5  A clinically practicable diagnostic score for metabolic syndrome improves its predictivity of   | 889                        |
| 1991<br>1990                         | Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: executive summary. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). 2007, 28, 88-136  Oxidative stress in the metabolic syndrome. 2006, 29, 791-5  A clinically practicable diagnostic score for metabolic syndrome improves its predictivity of diabetes mellitus: the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto miocardico  | 889<br>61                  |
| 1991<br>1990<br>1989                 | Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: executive summary. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). 2007, 28, 88-136  Oxidative stress in the metabolic syndrome. 2006, 29, 791-5  A clinically practicable diagnostic score for metabolic syndrome improves its predictivity of diabetes mellitus: the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto miocardico (GISSI)-Prevenzione scoring. 2006, 151, 754.e7-754.e17  Metabolic syndrome in patients with acute myocardial infarction is associated with increased   | 889<br>61<br>21            |
| 1991<br>1990<br>1989<br>1988         | Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: executive summary. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). 2007, 28, 88-136  Oxidative stress in the metabolic syndrome. 2006, 29, 791-5  A clinically practicable diagnostic score for metabolic syndrome improves its predictivity of diabetes mellitus: the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto miocardico (GISSI)-Prevenzione scoring. 2006, 151, 754.e7-754.e17  Metabolic syndrome in patients with acute myocardial infarction is associated with increased infarct size and in-hospital complications. 2006, 7, 7-11   | 889<br>61<br>21<br>51      |
| 1991<br>1990<br>1989<br>1988<br>1987 | Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: executive summary. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). 2007, 28, 88-136  Oxidative stress in the metabolic syndrome. 2006, 29, 791-5  A clinically practicable diagnostic score for metabolic syndrome improves its predictivity of diabetes mellitus: the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto miocardico (GISSI)-Prevenzione scoring. 2006, 151, 754.e7-754.e17  Metabolic syndrome in patients with acute myocardial infarction is associated with increased infarct size and in-hospital complications. 2006, 7, 7-11  The metabolic syndrome in Spanish migrants to Brazil: unexpected results. 2006, 72, 75-80  Coexistence of insulin resistance and inflammation effectively predicts cardiac disease but not | 889<br>61<br>21<br>51<br>7 |

| 1983 | Drug-induced metabolic syndrome. <b>2006</b> , 8, 114-9   | 24  |
|------|---|-----|
| 1982 | Hypertensiona treatable component of the cardiometabolic syndrome: challenges for the primary care physician. <b>2006</b> , 8, 12-20  | 7   |
| 1981 | Prevalence of the metabolic syndrome in the United States National Health and Nutrition Examination Survey 1999-2002 according to different defining criteria. <b>2006</b> , 8, 562-70    | 49  |
| 1980 | Insulin resistance, diabetes, hypertension, and renin-angiotensin system inhibition: reducing risk for cardiovascular disease. <b>2006</b> , 8, 713-20; quiz 721-2                        | 22  |
| 1979 | Managing multiple cardiovascular risk factors: state of the science. <b>2006</b> , 8, 12-22   | 13  |
| 1978 | Gallbladder disease is associated with insulin resistance in a high risk Hispanic population. <b>2006</b> , 45, 299-305   | 98  |
| 1977 | Dairy products and the risk to develop type 2 diabetes or cardiovascular disease. <b>2006</b> , 16, 1001-1004   | 18  |
| 1976 | Elevated circulating levels of markers of oxidative-nitrative stress and inflammation in a genetic rat model of metabolic syndrome. <b>2006</b> , 15, 380-6                               | 51  |
| 1975 | Influence of the metabolic syndrome on aortic stiffness in never treated hypertensive patients. <b>2006</b> , 16, 54-9  | 44  |
| 1974 | Normal weight obese (NWO) women: an evaluation of a candidate new syndrome. <b>2006</b> , 16, 513-23  | 138 |
| 1973 | Retinal vascular manifestations of metabolic disorders. <b>2006</b> , 17, 262-8   | 130 |
| 1972 | The impact of nonalcoholic fatty liver disease and the metabolic syndrome on progression of fibrosis in patients with recurrent HCV after liver transplantation. <b>2006</b> , 38, 1440-4 | 8   |
| 1971 | The significance of carotid artery atheromas on panoramic radiographs in the diagnosis of occult metabolic syndrome. <b>2006</b> , 101, 95-101  | 17  |
| 1970 | [Nationwide multicenter study on the prevalence of overweight and obesity in type 2 diabetes mellitus in the Brazilian population]. <b>2006</b> , 50, 136-44                              | 22  |
| 1969 | Severity of Coronary Atherosclerosis; Influence of Metabolic Syndrome Risk Factor Clustering and hs-CRP. <b>2006</b> , 36, 802  | 7   |
| 1968 | Fatores dietticos na prevento e tratamento de comorbidades associadas ^s[hdrome metablica. <b>2006</b> , 19, 389-401  | 10  |
| 1967 | Analysis of the factors contributing to serum retinol binding protein and transthyretin levels in Japanese adults. <b>2006</b> , 13, 209-15   | 34  |
| 1966 | Nutritional risk and the metabolic syndrome in women: opportunities for preventive intervention from the Framingham Nutrition Study. <b>2006</b> , 84, 434-441                            | 62  |

1965 Obesity: A complication or an opportunity?. **2006**, 17, 125-129

| 1964 Type 2 Diabetes. <b>2006</b> ,   |     |
|---|-----|
| 1963 Effects of etanercept in patients with the metabolic syndrome. <b>2006</b> , 166, 902-8  | 190 |
| Fibrinolysis and diabetic vascular disease: roles of plasminogen activator inhibitor-1 and thrombin-activatable fibrinolysis inhibitor. <b>2006</b> , 1, 429-440                                      | 5   |
| Burnout and risk of cardiovascular disease: evidence, possible causal paths, and promising research directions. <b>2006</b> , 132, 327-53   | 545 |
| Increased levels of tumour necrosis factor-alpha (TNF-alpha) in patients with Type II diabetes mellitus after myocardial infarction are related to endothelial dysfunction. <b>2006</b> , 110, 673-81 | 32  |
| Nutritional risk and the metabolic syndrome in women: opportunities for preventive intervention from the Framingham Nutrition Study. <b>2006</b> , 84, 434-41   | 59  |
| 1958 Metabolic findings from the CATIE trial and their relation to tolerability. <b>2006</b> , 11, 32-9   | 45  |
| 1957 Obesity, Metabolic Syndrome, and the Benefits of Citrus. <b>2006</b> , 211-218   |     |
| Incidence of metabolic syndrome in a cohort of HIV-infected adults and prevalence relative to the US population (National Health and Nutrition Examination Survey). <b>2006</b> , 43, 458-66          | 120 |
| 1955 Type 2 diabetes mellitus and its effect on vascular disease. <b>2006</b> , 21, 485-92  | 2   |
| 1954 Eating, vascular biology, and atherosclerosis: a lot to chew on. <b>2006</b> , 27, 13-4  | 11  |
| 1953 The metabolic syndrome: risk factors and management. <b>2006</b> , 21, 306-13  | 18  |
| 1952 Prevalence of the metabolic syndrome in veterans with schizophrenia. <b>2006</b> , 12, 5-10  | 35  |
| 1951 Metabolic syndrome negatively impacts early patency of saphenous vein grafts. <b>2006</b> , 17, 41-4   | 28  |
| Identification of the metabolic syndrome and imaging of subclinical coronary artery disease: early markers of cardiovascular risk. <b>2006</b> , 21, 291-7  | 5   |
| Metabolic syndrome increases the risk of significant coronary artery involvement in patients with peripheral artery disease. <b>2006</b> , 17, 529-32   | 10  |
| $_{1948}$ What is the metabolic syndrome? Prediabetes and cardiovascular risk. <b>2006</b> , 21, 285-90   | 7   |

| 1947 The metabolic syndrome: a glance at its history. <b>2006</b> , 24, 621-6   | 108    |
|---|--------|
| Medication-induced weight gain and dyslipidemia in patients with schizophrenia. <b>2006</b> , 163, 1697-704; quiz 1858-9  | 29     |
| Subclinical inflammation and prothrombotic state in heart transplant recipients: impact of cyclosporin microemulsion vs. tacrolimus. <b>2006</b> , 82, 763-70       | 19     |
| Is reduced baroreflex gain a component of the metabolic syndrome? Insights from the LINOSA study. <b>2006</b> , 24, 361-70  | 29     |
| Fibric acid derivatives in cardiovascular disease prevention: results from the large clinical trials. <b>2006</b> , 17, 431-9                                       | 12     |
| 1942 The obesity epidemic and its cardiovascular consequences. <b>2006</b> , 21, 353-60   | 72     |
| Hypertension prevalence, awareness, control and association with metabolic abnormalities in the San Marino population: the SMOOTH study. <b>2006</b> , 24, 837-43   | 64     |
| 1940 Nutrition and metabolism: race, sex and the metabolic syndrome. <b>2006</b> , 17, 82-4   | 2      |
| 1939 Definitions and mechanisms of the metabolic syndrome. <b>2006</b> , 5, 252-259   |        |
| 1938 Fenofibrate: a novel formulation (Triglide) in the treatment of lipid disorders: a review. <b>2006</b> , 1, 129-4  | 42     |
| 1937 Metabolic Syndrome. <b>2006</b> ,  |        |
| 1936 [Diagnosis of metabolic syndrome]. <b>2006</b> , 95, 1731-6  |        |
| Diabetes, gender, and left ventricular structure in African-Americans: the atherosclerosis risk in communities study. <b>2006</b> , 4, 43                           | 10     |
| Degradation in insulin sensitivity with increasing severity of the metabolic syndrome in obese postmenopausal women. <b>2006</b> , 8, 336-41                        | 15     |
| The metabolic syndrome: evolving evidence that thiazolidinediones provide rational therapy. <b>2006</b> , 8, 365-80   | 5      |
| 1932 Role of leptin in the cardiovascular and endocrine complications of metabolic syndrome. <b>2006</b> , 8, 603   | -10 91 |
| Prevalence of silent myocardial ischaemia in new-onset middle-aged Type 2 diabetic patients without other cardiovascular risk factors. <b>2006</b> , 23, 775-9      | 21     |
| Abnormal glucose metabolism and features of the metabolic syndrome are common in patients presenting for elective cardiac catheterization. <b>2006</b> , 36, 759-64 | 7      |

| 1929 | Vitamin D status and the metabolic syndrome. <b>2006</b> , 64, 479-86   | 132  |
|------|---|------|
| 1928 | Association between hormones and metabolic syndrome in older Italian men. <b>2006</b> , 54, 1832-8  | 72   |
| 1927 | The metabolic syndrome in China. <b>2006</b> , 62, 260-3  | 8    |
| 1926 | Drug therapy of the metabolic syndrome: minimizing the emerging crisis in polypharmacy. <b>2006</b> , 5, 295-309  | 195  |
| 1925 | Influence of metabolic syndrome on biomarkers of oxidative stress and inflammation in obese adults. <b>2006</b> , 14, 2127-31   | 162  |
| 1924 | The effect of moderate alcohol consumption on fat distribution and adipocytokines. <b>2006</b> , 14, 60-6   | 72   |
| 1923 | Cholesteryl ester transfer protein in metabolic syndrome. <b>2006</b> , 14, 812-8   | 36   |
| 1922 | Abdominal obesity and metabolic syndrome. <b>2006</b> , 444, 881-7  | 2900 |
| 1921 | Epidemiological evidence for the non-random clustering of the components of the metabolic syndrome: multicentre study of the Mediterranean Group for the Study of Diabetes. <b>2006</b> , 60, 1376-83 | 22   |
| 1920 | Reactive oxygen species production by circulating monocytes: insights from pathophysiology to clinical hypertension. <b>2006</b> , 20, 307-9  | 6    |
| 1919 | Association of hypertension with single nucleotide polymorphisms in the quantitative trait locus for abdominal obesity-metabolic syndrome on chromosome 17. <b>2006</b> , 20, 419-25                  | 7    |
| 1918 | Prevalence and correlates of metabolic syndrome (MS) in older adults. <b>2006</b> , 42, 35-45   | 28   |
| 1917 | Metabolic syndrome: screening, diagnosis, and management. <b>2006</b> , 51, 141-51  | 6    |
| 1916 | Do risk factors influence the diagnostic accuracy of noninvasive coronary angiography with multislice computed tomography?. <b>2006</b> , 13, 635-41  | 16   |
| 1915 | Women's health and the metabolic syndrome. <b>2006</b> , 1092, 33-48  | 8    |
| 1914 | Gender differences in the metabolic syndrome and their role for cardiovascular disease. <b>2006</b> , 95, 136-47  | 306  |
| 1913 | Gender differences in the metabolic syndrome and their role for cardiovascular disease. <b>2006</b> , 95, 147-147   | 12   |
| 1912 | Increased prevalence of the metabolic syndrome in patients with moderate to severe psoriasis. <b>2006</b> , 298, 321-8  | 458  |

|                      | diagnosed type 2 diabetes. <b>2006</b> , 49, 49-55   | 72                  |
|----------------------|--|---------------------|
| 1910                 | Genotype of galectin 2 (LGALS2) is associated with insulin-glucose profile in the British Women's Heart and Health Study. <b>2006</b> , 49, 673-7  | 12                  |
| 1909                 | Enhanced soluble CD40L in patients with the metabolic syndrome: Relationship with in vivo thrombin generation. <b>2006</b> , 49, 1169-74   | 37                  |
| 1908                 | Impact of parental smoking on diabetes, hypertension and the metabolic syndrome in adult men and women in the San Antonio Heart Study. <b>2006</b> , 49, 2291-8  | 16                  |
| 1907                 | 3,4,5-Trisubstituted isoxazoles as novel PPARdelta agonists: Part 1. <b>2006</b> , 16, 4376-80   | 26                  |
| 1906                 | Surgical risk in patients with metabolic syndrome: focus on lipids and hypertension. <b>2006</b> , 8, 433-8  | 5                   |
| 1905                 | Metabolic syndrome in the elderly. <b>2006</b> , 6, 64-71  | 36                  |
| 1904                 | Microalbuminuria and proximal tubule remodeling in the cardiometabolic syndrome. 2006, 1, 107-14   | 6                   |
| 1903                 | Myocardial myocyte remodeling and fibrosis in the cardiometabolic syndrome. <b>2006</b> , 1, 326-33  | 24                  |
| 1902                 | Atherogenic dyslipidemia in the cardiometabolic syndrome. <b>2006</b> , 1, 153-5   | 2                   |
| 1901                 | Metabolic syndrome and coronary heart disease equivalent conditions in predicting cardiovascular events in young to middle-aged adults. <b>2006</b> , 1, 173-7   | 3                   |
|                      | events in young to initiate-aged adults. 2006, 1, 175-7  | J                   |
| 1900                 | Application of recent definitions of the metabolic syndrome to survey data from the National Cholesterol Education Program Evaluation Project Utilizing Novel E-Technology (NEPTUNE II). 2006, 1, 295-300  | 2                   |
| 1900<br>1899         | Application of recent definitions of the metabolic syndrome to survey data from the National Cholesterol Education Program Evaluation Project Utilizing Novel E-Technology (NEPTUNE II). <b>2006</b>   | 2 58                |
|                      | Application of recent definitions of the metabolic syndrome to survey data from the National Cholesterol Education Program Evaluation Project Utilizing Novel E-Technology (NEPTUNE II). 2006, 1, 295-300  Cardiorespiratory fitness, macronutrient intake, and the metabolic syndrome: the Aerobics Center  | 2                   |
| 1899                 | Application of recent definitions of the metabolic syndrome to survey data from the National Cholesterol Education Program Evaluation Project Utilizing Novel E-Technology (NEPTUNE II). 2006, 1, 295-300  Cardiorespiratory fitness, macronutrient intake, and the metabolic syndrome: the Aerobics Center Longitudinal Study. 2006, 106, 673-9  Position of the American Dietetic Association: the roles of registered dietitians and dietetic   | 2<br>58             |
| 1899<br>1898         | Application of recent definitions of the metabolic syndrome to survey data from the National Cholesterol Education Program Evaluation Project Utilizing Novel E-Technology (NEPTUNE II). 2006, 1, 295-300  Cardiorespiratory fitness, macronutrient intake, and the metabolic syndrome: the Aerobics Center Longitudinal Study. 2006, 106, 673-9  Position of the American Dietetic Association: the roles of registered dietitians and dietetic technicians, registered in health promotion and disease prevention. 2006, 106, 1875-84  The metabolic syndrome and erectile dysfunction: multiple vascular risk factors and hypogonadism. 2006, 50, 426-7 | 2<br>58<br>23       |
| 1899<br>1898<br>1897 | Application of recent definitions of the metabolic syndrome to survey data from the National Cholesterol Education Program Evaluation Project Utilizing Novel E-Technology (NEPTUNE II). 2006, 1, 295-300  Cardiorespiratory fitness, macronutrient intake, and the metabolic syndrome: the Aerobics Center Longitudinal Study. 2006, 106, 673-9  Position of the American Dietetic Association: the roles of registered dietitians and dietetic technicians, registered in health promotion and disease prevention. 2006, 106, 1875-84  The metabolic syndrome and erectile dysfunction: multiple vascular risk factors and hypogonadism. 2006, 50, 426-7 | 2<br>58<br>23<br>27 |

| Lowered criterion for normal fast tolerance and metabolic syndrom             | ing plasma glucose: impact on the detection of impaired glucose ee. <b>2006</b> , 37, 140-4     | 5   |
|---|---|-----|
| Association of increased cardiores syndrome components in asympton            | spiratory fitness with low risk for clustering of metabolic omatic men. <b>2006</b> , 37, 522-8 | 19  |
| Effects of milk enriched with ome syndrome. <b>2006</b> , 25, 581-7           | ega-3 fatty acid, oleic acid and folic acid in patients with metabolic                          | 42  |
| 1890 Managing cardiovascular risk in pa                                       | atients with metabolic syndrome. <b>2006</b> , 8 Suppl 1, S7-14                                 | 6   |
| Diabetes mellitus and the risk of u<br>48, 897-904                            | urinary tract stones: a population-based case-control study. <b>2006</b> ,                      | 101 |
| The role of renin-angiotensin syst<br>the cardiometabolic syndrome. <b>20</b> | em blockade in the management of hypertension associated with <b>006</b> , 1, 29-35             | 38  |
| 1887 The cardiometabolic syndrome ar  | nd cardiovascular disease. <b>2006</b> , 1, 25-8  | 9   |
| Anthropometric features and card mellitus. <b>2006</b> , 20, 69-74            | diovascular risk in young Latin Americans with type 2 diabetes                                  | 3   |
| The role of lipoprotein-associated <b>2006</b> , 20, 343-8                    | d phospholipase A(2) in the metabolic syndrome and diabetes.                                    | 28  |
| 1884 Evaluating and treating cardiome   | tabolic risk factors: a case discussion. <b>2006</b> , 26, 32S-41S                              |     |
| The metabolic syndrome and card care. <b>2006</b> , 26, 3S-12S                | diometabolic risk: scope of the problem and current standard of                                 | 13  |
| 1882 A central role of eNOS in the prot                                       | ective effect of wine against metabolic syndrome. <b>2006</b> , 24, 291-8                       | 32  |
| 1881 Insulin resistance and impaired be                                       | eta cell function in rheumatoid arthritis. <b>2006</b> , 54, 2765-75                            | 155 |
| Tissue-specific glucocorticoid exc<br><b>2006</b> , 67, 567-569               | ess in the metabolic syndrome: 11EHSD1 as a therapeutic target.                                 | 7   |
| New generation angiotensin II type proliferator-activated receptor-02         | pe 1 receptor antagonists that selectively modulate peroxisome <b>2006</b> , 67, 687-697        | 4   |
| 1878 Insulin resistance in diabetic neph                                      | 2005 22 401-10  | 25  |
|   | 11 opachycause of consequence:. <b>2000</b> , 22, 40 1-10                                       |     |
| 1877 The great metabolic syndrome de  |   |     |

| 1875 | 2006, 43, 1169-70   | 9  |
|------|---|----|
| 1874 | Nasobiliary drainage for cholestatic pruritus. <b>2006</b> , 43, 1170-1   | 16 |
| 1873 | High-sensitivity C-reactive protein, adiposity, and blood pressure in the Yakut of Siberia. <b>2006</b> , 18, 766-75  | 15 |
| 1872 | How effective is rimonabant at promoting and maintaining weight loss in patients with obesity?. <b>2006</b> , 2, 428-429  |    |
| 1871 | Endothelial nitric oxide synthase as a mediator of the positive health effects of Mediterranean diets and wine against metabolic syndrome. <b>2007</b> , 97, 33-51                              | 4  |
| 1870 | The role of lifestyle modification in dysmetabolic syndrome management. <b>2006</b> , 11, 197-206   | 11 |
| 1869 | Treatment of obesity: a challenging task. <b>2006</b> , 151, 212-220  | 3  |
| 1868 | Association between the metabolic syndrome and parental history of premature cardiovascular disease. <b>2006</b> , 27, 722-8  | 23 |
| 1867 | New approaches to atherosclerotic cardiovascular disease. the potentialities of torcetrapib. <b>2006</b> , 1, 109-14  | 2  |
| 1866 | Polycystic ovarian morphology in normal women does not predict the development of polycystic ovary syndrome. <b>2006</b> , 91, 3878-84  | 61 |
| 1865 | Metabolic syndrome and prediabetes identify overlapping but not identical populations. 2006, 114, 377-83  | 14 |
| 1864 | Lipoproteine und Zielwerte bei Diabetes mellitus. <b>2006</b> , 1, 181-186  |    |
| 1863 | Incremental prescription and drug costs during the years preceding diabetes diagnosis in primary care practices in Germany. <b>2006</b> , 114, 348-55   | 11 |
| 1862 | Metabolic risk factors, drugs, and obesity. <b>2006</b> , 354, 974-5; author reply  | 2  |
| 1861 | Comparison of metabolic syndrome prevalence using six different definitions in overweight pre-pubertal children enrolled in a weight management study. <b>2006</b> , 30, 853-60                 | 80 |
| 1860 | Preventive Cardiology. 2006,  |    |
| 1859 | Contribution of CB1 blockade to the management of high-risk abdominal obesity. <b>2006</b> , 30 Suppl 1, S44-52   | 33 |
| 1858 | The role of hyperglycaemia and the hypercoagulable state in the pathogenesis of cardiovascular events in diabetes mellitus: implications for hypertension management. <b>2006</b> , 12, 1567-79 | 10 |

| 1857 | The Metabolic Syndrome (Emperor) Wears No Clothes. <b>2006</b> , 29, 1693-1696   |      | 71  |
|------|--|------|-----|
| 1856 | The evaluation of the role of beta-hydroxy fatty acids on chronic inflammation and insulin resistance. <b>2006</b> , 2006, 64980   |      | 6   |
| 1855 | The etiology of hypertension in the metabolic syndrome part one: an introduction to the history, the concept and the models. <b>2006</b> , 4, 293-304  |      | 4   |
| 1854 | Relationship between inflammation, insulin resistance and type 2 diabetes: 'cause or effect'?. <b>2006</b> , 2, 195-211  |      | 92  |
| 1853 | Progression of coronary and mesenteric vascular dysfunction in Zucker obese and Zucker diabetic fatty rats. <b>2006</b> , 291, H1780-7   |      | 105 |
| 1852 | Statins for diabetic cardiovascular complications. <b>2006</b> , 4, 245-51   |      | 28  |
| 1851 | Characteristics and prevalence of the metabolic syndrome among three ethnic groups in Canada. <b>2006</b> , 30, 669-76   |      | 52  |
| 1850 | Renal manifestations in the metabolic syndrome. <b>2006</b> , 17, S81-5  |      | 106 |
| 1849 | Mutations in the hereditary hemochromatosis gene are not associated with the increased body iron stores observed in overweight and obese women with polycystic ovary syndrome. <b>2006</b> , 29, 2556                                |      | 12  |
| 1848 | Metabolic Syndrome and Asymptomatic Peripheral Artery Disease in Subjects Over 60 Years of Age. <b>2006</b> , 29, 148-150  |      | 32  |
| 1847 | Aortic stiffness, living donors, and renal transplantation. <b>2006</b> , 47, 216-21   |      | 48  |
| 1846 | Increased small low-density lipoprotein particle number: a prominent feature of the metabolic syndrome in the Framingham Heart Study. <i>Circulation</i> , <b>2006</b> , 113, 20-9   | 16.7 | 239 |
| 1845 | Insulin signalling in human adipose tissue. <b>2006</b> , 112, 82-8  |      | 28  |
| 1844 | Synergistic acceleration of arterial stiffening in the presence of raised blood pressure and raised plasma glucose. <b>2006</b> , 47, 180-8  |      | 76  |
| 1843 | Micronized fenofibrate: a useful choice for the correction of dyslipidemia in metabolic syndrome and Type 2 diabetes. <b>2006</b> , 2, 635-46  |      |     |
| 1842 | Peroxisome proliferator-activated receptor-gamma activation with pioglitazone improves endothelium-dependent dilation in nondiabetic patients with major cardiovascular risk factors. <i>Circulation</i> , <b>2006</b> , 113, 867-75 | 16.7 | 100 |
| 1841 | Polycystic ovary syndrome and the postmenopausal woman. <b>2006</b> , 12, 143-8  |      | 5   |
| 1840 | Metabolic abnormalities and risk for colorectal cancer in the physicians' health study. <b>2006</b> , 15, 2391-7   |      | 102 |

| 1839 | Effect of Rosiglitazone on Endothelial Function and Inflammatory Markers in Patients With the Metabolic Syndrome. <b>2006</b> , 29, 1071-1076   | 103 |
|------|---|-----|
| 1838 | A UK audit of screening for the metabolic side effects of antipsychotics in community patients. <b>2007</b> , 33, 1397-403  | 103 |
| 1837 | Preventing cardiovascular disease and diabetes: a call to action from the American Diabetes Association and the American Heart Association. <b>2006</b> , 29, 1697-9  | 71  |
| 1836 | Trend in the prevalence of the metabolic syndrome and its impact on cardiovascular disease incidence: the San Antonio Heart Study. <b>2006</b> , 29, 625-30   | 96  |
| 1835 | Diabetes, the metabolic syndrome, and angiographic progression of coronary arterial disease in postmenopausal women. <b>2006</b> , 26, 189-93   | 34  |
| 1834 | Dyslipidaemia, hypercoagulability and the metabolic syndrome. <b>2006</b> , 4, 175-83   | 37  |
| 1833 | Role of atherosclerosis assessment and other novel markers in the metabolic syndrome. <b>2006</b> , 4, 261-9  |     |
| 1832 | New concepts in dyslipidemia in the metabolic syndrome and diabetes. <b>2006</b> , 4, 299-314   | 2   |
| 1831 | Hyperlipidemia guideline adherence and association with patient gender. <b>2006</b> , 15, 1009-13   | 4   |
| 1830 | A high-throughput microfluidic assay for SH2 domain-containing inositol 5-phosphatase 2. <b>2006</b> , 4, 175-83  | 11  |
| 1829 | Cardiovascular risk and the metabolic syndrome. <b>2006</b> , 4, 252-60   | 13  |
| 1828 | Hemostatic markers of endothelial dysfunction and risk of incident type 2 diabetes: the Framingham Offspring Study. <b>2006</b> , 55, 530-7   | 138 |
| 1827 | The metabolic syndrome: recognition and management. <b>2006</b> , 9, 16-33  | 13  |
| 1826 | Up-regulation of PTEN (phosphatase and tensin homolog deleted on chromosome ten) mediates p38 MAPK stress signal-induced inhibition of insulin signaling. A cross-talk between stress signaling and insulin signaling in resistin-treated human endothelial cells. <b>2006</b> , 281, 7727-36 | 120 |
| 1825 | A Proposal for the Cutoff Point of Waist Circumference for the Diagnosis of Metabolic Syndrome in the Japanese Population. <b>2006</b> , 29, 1123-1124  | 146 |
| 1824 | The Metabolic Syndrome (Emperor) Wears No Clothes: Response to Oda. <b>2006</b> , 29, 2566-2567   | 3   |
| 1823 | Low ankle-brachial pressure index predicts increased risk of cardiovascular disease independent of the metabolic syndrome and conventional cardiovascular risk factors in the Edinburgh Artery Study. <b>2006</b> , 29, 637-42  | 84  |
| 1822 | Geographic variations of the International Diabetes Federation and the National Cholesterol Education Program-Adult Treatment Panel III definitions of the metabolic syndrome in nondiabetic subjects. <b>2006</b> , 29, 685-91   | 75  |

 $_{1821}$  The Metabolic Syndrome: How to Approach Differing Definitions. **2006**, 2, 58-62

| 1820 | The Epidemiology of Alimentary Diseases. <b>2006</b> ,  |     |
|------|---|-----|
| 1819 | Associations of chronic kidney disease with the metabolic syndrome in non-diabetic elderly. <b>2006</b> , 21, 3608-9  | 10  |
| 1818 | Background and treatment of metabolic syndrome: a therapeutic challenge. <b>2006</b> , 10, 206-14   | 4   |
| 1817 | The Metabolic Syndrome: Some Second Thoughts?. <b>2006</b> , 24, 38-39  | 1   |
| 1816 | Intractable early childhood obesity as the initial sign of insulin resistant hyperinsulinism and precursor of polycystic ovary syndrome. <b>2007</b> , 20, 41-51  | 34  |
| 1815 | Prognostic impact of metabolic syndrome by different definitions in a population with high prevalence of obesity and diabetes: the Strong Heart Study. <b>2007</b> , 30, 1851-6   | 107 |
| 1814 | Insulin resistance: link to the components of the metabolic syndrome and biomarkers of endothelial dysfunction in youth. <b>2007</b> , 30, 2091-7   | 83  |
| 1813 | Interleukin-18, the metabolic syndrome, and subclinical atherosclerosis: results from the Dallas Heart Study. <b>2007</b> , 27, 2043-9  | 83  |
| 1812 | Metabolic syndrome, or What you will: definitions and epidemiology. <b>2007</b> , 4, 32-8   | 194 |
| 1811 | Costs of the metabolic syndrome in elderly individuals: findings from the Cardiovascular Health Study. <b>2007</b> , 30, 2553-8   | 30  |
| 1810 | Prevalence of metabolic syndrome in HIV-infected patients receiving highly active antiretroviral therapy using International Diabetes Foundation and Adult Treatment Panel III criteria: associations with insulin resistance, disturbed body fat compartmentalization, elevated C-reactive protein, and  | 228 |
| 1809 | Metabolic syndrome: is it a syndrome? Does it matter?. <i>Circulation</i> , <b>2007</b> , 115, 1806-10; discussion 1811 16.7  | 126 |
| 1808 | Clusters of metabolic risk factors predict cardiovascular events in hypertension with target-organ damage: the LIFE study. <b>2007</b> , 21, 625-32   | 43  |
| 1807 | Pulse hypertension: a new component of the metabolic syndrome in elderly women?. 2007, 21, 934-41   | 5   |
| 1806 | Antiplatelet properties of escitalopram in patients with the metabolic syndrome: a dose-ranging in vitro study. <b>2007</b> , 32, 2369-74   | 17  |
| 1805 | Association of metabolic syndrome and insulin resistance with congestive heart failure: findings from the Third National Health and Nutrition Examination Survey. <b>2007</b> , 61, 67-73   | 39  |
| 1804 | The prediction of major outcomes of type 1 diabetes: a 12-year prospective evaluation of three separate definitions of the metabolic syndrome and their components and estimated glucose disposal rate: the Pittsburgh Epidemiology of Diabetes Complications Study experience. <b>2007</b> , 30, 1248-54 | 116 |

#### (2007-2007)

| 1803 | Prospective Study I. <b>2007</b> , 28, 1149-54  | 30  |
|------|---|-----|
| 1802 | Management of cardiovascular risk in the peri-menopausal woman: a consensus statement of European cardiologists and gynaecologists. <b>2007</b> , 28, 2028-40   | 107 |
| 1801 | Medical costs of obese Japanese: a 10-year follow-up study of National Health Insurance in Shiga, Japan. <b>2007</b> , 17, 424-9  | 22  |
| 1800 | The metabolic syndrome and the carotid artery structure in noninstitutionalized elderly subjects: the three-city study. <b>2007</b> , 38, 893-9   | 52  |
| 1799 | Impact of metabolic syndrome on the development of cardiovascular disease in a general Japanese population: the Hisayama study. <b>2007</b> , 38, 2063-9  | 150 |
| 1798 | Relationship between arterial stiffness and the risk of coronary artery disease in subjects with and without metabolic syndrome. <b>2007</b> , 30, 243-7  | 26  |
| 1797 | The prevalence of metabolic syndrome in various populations. <b>2007</b> , 333, 362-71  | 153 |
| 1796 | HIV and metabolic syndrome: a comparison with the general population. <b>2007</b> , 45, 426-31  | 79  |
| 1795 | Association of upper trunk and visceral adipose tissue volume with insulin resistance in control and HIV-infected subjects in the FRAM study. <b>2007</b> , 46, 283-90  | 95  |
| 1794 | Waist-to-hip ratio is associated with pulmonary gas exchange in the morbidly obese. <b>2007</b> , 131, 362-7  | 49  |
| 1793 | Body composition, metabolic syndrome and testosterone in ageing men. <b>2007</b> , 19, 448-57   | 52  |
| 1792 | Adiponectin and hypertension: a putative link between adipocyte function and atherosclerotic risk?. <b>2007</b> , 21, 1-4   | 19  |
| 1791 | The future of metabolic syndrome and cardiovascular disease prevention: polyhype or polyhope? Tales from the polyera. <b>2007</b> , 39, 627-31  | 2   |
| 1790 | Ceramide and adenosine 5'-monophosphate-activated protein kinase are two novel regulators of 11beta-hydroxysteroid dehydrogenase type 1 expression and activity in cultured preadipocytes. <b>2007</b> , 148, 5268-77       | 24  |
| 1789 | Consistently stable or decreased body mass index in young adulthood and longitudinal changes in metabolic syndrome components: the Coronary Artery Risk Development in Young Adults Study.  Circulation, 2007, 115, 1004-11 | 130 |
| 1788 | Chapter 1: Introduction. <b>2007</b> , 14, S2-S113  |     |
| 1787 | Poor specificity of fasting plasma glucose cut-off values in ruling out glucose intolerance: the complementary usefulness of OGTT. <b>2007</b> , 115, 112-7   | 7   |
| 1786 | High capacity homogeneous non-radioactive cortisol detection assays for human<br>11beta-hydroxysteroid dehydrogenase type 1. <b>2007</b> , 5, 105-15  | 1   |

| 1785 | Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: full text: The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). <b>2007</b> , 9, C3-C74 |      | 25  |
|------|--|------|-----|
| 1784 | Fueling the Heart: Multiple Roles for Cardiac Metabolism. 2007, 1157-1175  |      | 3   |
| 1783 | Associations between body mass index, cardiorespiratory fitness, metabolic syndrome, and impaired fasting glucose in young, urban native american women. <b>2007</b> , 5, 45-54  |      | 10  |
| 1782 | The evolving definitions and increasing prevalence of the metabolic syndrome. <b>2007</b> , 32, 23-32  |      | 87  |
| 1781 | The metabolic syndrome as an endocrine disease: is there an effective pharmacotherapeutic strategy optimally targeting the pathogenesis?. <b>2007</b> , 1, 7-26  |      | 17  |
| 1780 | Metabolic syndrome. <i>Circulation</i> , <b>2007</b> , 115, e32-5  | 16.7 | 51  |
| 1779 | Impact of metabolic syndrome definitions on prevalence estimates: a study in a Portuguese community. <b>2007</b> , 4, 320-7  |      | 31  |
| 1778 | Nonfatal acute myocardial infarction in Costa Rica: modifiable risk factors, population-attributable risks, and adherence to dietary guidelines. <i>Circulation</i> , <b>2007</b> , 115, 1075-81   | 16.7 | 36  |
| 1777 | Metabolic consequences and therapeutic options in highly active antiretroviral therapy in human immunodeficiency virus-1 infection. <b>2008</b> , 61, 238-45   |      | 43  |
| 1776 | Insulin resistance, metabolic syndrome, and subclinical atherosclerosis: the Multi-Ethnic Study of Atherosclerosis (MESA). <b>2007</b> , 30, 2951-6  |      | 78  |
| 1775 | Impact of the metabolic syndrome on macrovascular and microvascular outcomes in type 2 diabetes mellitus: United Kingdom Prospective Diabetes Study 78. <i>Circulation</i> , <b>2007</b> , 116, 2119-26  | 16.7 | 73  |
| 1774 | Increases in adiponectin predict improved liver, but not peripheral, insulin sensitivity in severely obese women during weight loss. <b>2007</b> , 56, 735-42  |      | 57  |
| 1773 | Local adipose tissue depots as cardiovascular risk factors. <b>2007</b> , 75, 690-701  |      | 113 |
| 1772 | Metabolic syndrome in HIV-infected patients from an urban, midwestern US outpatient population. <b>2007</b> , 44, 726-34   |      | 158 |
| 1771 | Social gradient in the metabolic syndrome not explained by psychosocial and behavioural factors: evidence from the Copenhagen City Heart Study. <b>2007</b> , 14, 405-12   |      | 35  |
| 1770 | A case series: evaluation of the metabolic safety of aripiprazole. <b>2007</b> , 33, 823-30  |      | 52  |
| 1769 | Management of cardiovascular risk in the perimenopausal women: a consensus statement of European cardiologists and gynecologists. <b>2007</b> , 10, 508-26   |      | 47  |
| 1768 | Ultrasonographic measurement of intra-abdominal fat thickness in HIV-infected patients treated or not with antiretroviral drugs and its correlation to lipid and glycemic profiles. <b>2007</b> , 51, 35-41  |      | 14  |

| 1767 | The metabolic syndrome and cerebrovascular disease: suspicion and evidence. <b>2007</b> , 24 Suppl 1, 64-75  | 9   |
|------|--|-----|
| 1766 | The role of skeletal muscle insulin resistance in the pathogenesis of the metabolic syndrome. <b>2007</b> , 104, 12587-94  | 490 |
| 1765 | Does diagnosis of the metabolic syndrome detect further men at high risk of cardiovascular death beyond those identified by a conventional cardiovascular risk score? The DECODE Study. <b>2007</b> , 14, 192-9                                    | 23  |
| 1764 | Apolipoprotein A-V gene polymorphisms in subjects with metabolic syndrome. <b>2007</b> , 45, 1133-9  | 22  |
| 1763 | Metabolic syndrome in the Pressioni Arteriose Monitorate E Loro Associazioni (PAMELA) study: daily life blood pressure, cardiac damage, and prognosis. <b>2007</b> , 49, 40-7  | 194 |
| 1762 | Reduction in estimated risk for coronary artery disease after use of ezetimibe with a statin. <b>2007</b> , 41, 1345-51  | 8   |
| 1761 | Development of diabetes in Chinese with the metabolic syndrome: a 6-year prospective study. <b>2007</b> , 30, 1430-6   | 83  |
| 1760 | Television viewing is associated with prevalence of metabolic syndrome in Hispanic elders. <b>2007</b> , 30, 694-700   | 61  |
| 1759 | Depressive symptoms and stressful life events predict metabolic syndrome among middle-aged women: a comparison of World Health Organization, Adult Treatment Panel III, and International Diabetes Foundation definitions. <b>2007</b> , 30, 872-7 | 212 |
| 1758 | Effective cut-off values of waist circumference to detect the clustering of cardiovascular risk factors of metabolic syndrome in Japanese men and women. <b>2007</b> , 4, 340-5  | 28  |
| 1757 | TRB2, a mouse Tribbles ortholog, suppresses adipocyte differentiation by inhibiting AKT and C/EBPbeta. <b>2007</b> , 282, 24075-82   | 70  |
| 1756 | Apple Polyphenol Improves Lipid Metabolism and Insulin Independence in Obese Rats. <b>2007</b> , 54, 287-294   | 6   |
| 1755 | Plasma cytokines, metabolic syndrome, and atherosclerosis in humans. <b>2007</b> , 55, 26-35   | 32  |
| 1754 | Microvascular dysfunction in obesity: a potential mechanism in the pathogenesis of obesity-associated insulin resistance and hypertension. <b>2007</b> , 22, 252-60  | 171 |
| 1753 | Metabolic syndrome in adolescents with spinal cord dysfunction. <b>2007</b> , 30 Suppl 1, S127-39  | 76  |
| 1752 | Metabolic syndrome and cardiovascular risk in HIV-infected patients with lipodystrophy. <b>2007</b> , 20, 519-27   | 30  |
| 1751 | PPAR⊞its role in the human metabolic syndrome. <b>2007</b> , 2, 31-53  | 10  |
| 1750 | High prevalence of paroxysmal atrial fibrillation and/or atrial flutter in metabolic syndrome. <b>2007</b> , 71, 252-5   | 53  |

| 1749                                 | Metabolic syndrome increases the risk of ischemic stroke in women. <b>2007</b> , 46, 643-8  | 31                        |
|--------------------------------------|---|---------------------------|
| 1748                                 | Hyperlipidemia in chronic kidney disease. <b>2007</b> , 30, 987-92  | 37                        |
| 1747                                 | Normal-weight obese syndrome: early inflammation?. <b>2007</b> , 85, 40-5   | 168                       |
| 1746                                 | Reduced levels of N-terminal-proatrial natriuretic peptide in hypertensive patients with metabolic syndrome and their relationship with left ventricular mass. <b>2007</b> , 25, 833-9  | 34                        |
| 1745                                 | Metabolic syndrome: treatment of hypertensive patients. <b>2007</b> , 14, 386-402   | 37                        |
| 1744                                 | Discrepancy between improvement of insulin sensitivity and that of arterial endothelial function in patients receiving antihypertensive medication. <b>2007</b> , 25, 883-9   | 10                        |
| 1743                                 | The metabolic syndrome, the Guy syndrome and the hypofit syndrome. 2007, 8, 397-8   | 1                         |
| 1742                                 | Apolipoprotein B, apolipoprotein A-I, insulin resistance and the metabolic syndrome. <b>2007</b> , 18, 633-7  | 51                        |
| 1741                                 | A 74-year-old woman with diabetes. <b>2007</b> , 297, 196-204   | 12                        |
|                                      |   |                           |
| 1740                                 | Etiology of the Metabolic Syndrome. <b>2007</b> , 3, 232-239  | 6                         |
| 1740<br>1739                         | Etiology of the Metabolic Syndrome. <b>2007</b> , 3, 232-239  Blood pressure control in Italy: results of recent surveys on hypertension. <b>2007</b> , 25, 1491-8  | 103                       |
| 1739                                 |   |                           |
| 1739                                 | Blood pressure control in Italy: results of recent surveys on hypertension. <b>2007</b> , 25, 1491-8  | 103                       |
| 1739<br>1738                         | Blood pressure control in Italy: results of recent surveys on hypertension. <b>2007</b> , 25, 1491-8  Managing cardiometabolic risk: an evolving approach to patient care. <b>2007</b> , 6, 5-14  Does the prevalence of the metabolic syndrome improve by applying the International Diabetes  | 103                       |
| 1739<br>1738<br>1737                 | Blood pressure control in Italy: results of recent surveys on hypertension. 2007, 25, 1491-8  Managing cardiometabolic risk: an evolving approach to patient care. 2007, 6, 5-14  Does the prevalence of the metabolic syndrome improve by applying the International Diabetes Federation criteria?. 2007, 10, 1173-80  | 103<br>6<br>5             |
| 1739<br>1738<br>1737<br>1736         | Blood pressure control in Italy: results of recent surveys on hypertension. 2007, 25, 1491-8  Managing cardiometabolic risk: an evolving approach to patient care. 2007, 6, 5-14  Does the prevalence of the metabolic syndrome improve by applying the International Diabetes Federation criteria?. 2007, 10, 1173-80  La psoriasis, ¿una enfermedad sistimica?. 2007, 98, 396-402  GIP receptor mRNA expression in different fat tissue depots in postmenopausal non-diabetic   | 103<br>6<br>5<br>24       |
| 1739<br>1738<br>1737<br>1736<br>1735 | Blood pressure control in Italy: results of recent surveys on hypertension. 2007, 25, 1491-8  Managing cardiometabolic risk: an evolving approach to patient care. 2007, 6, 5-14  Does the prevalence of the metabolic syndrome improve by applying the International Diabetes Federation criteria?. 2007, 10, 1173-80  La psoriasis, ¿una enfermedad sisthica?. 2007, 98, 396-402  GIP receptor mRNA expression in different fat tissue depots in postmenopausal non-diabetic women. 2007, 142, 138-45  Atherothrombosis at a distance: contributing role of existing large-burden vascular disease, | 103<br>6<br>5<br>24<br>31 |

#### (2007-2007)

| 1731 | <b>2007</b> , 17, 442-7   | 19  |
|------|---|-----|
| 1730 | Metabolic syndrome is associated with coronary artery calcium in asymptomatic white Brazilian men considered low-risk by Framingham risk score. <b>2007</b> , 10, 141-6 | 11  |
| 1729 | Pioglitazone decreases ambulatory blood pressure in type 2 diabetics with difficult-to-control hypertension. <b>2007</b> , 9, 530-7                                     | 13  |
| 1728 | 2-(S)-phenethylaminothiazolones as potent, orally efficacious inhibitors of 11beta-hydroxysteriod dehydrogenase type 1. <b>2007</b> , 50, 429-32                        | 50  |
| 1727 | Asymmetric dimethylarginine, cortisol/cortisone ratio, and C-peptide: markers for diabetes and cardiovascular risk?. <b>2007</b> , 153, 67-73                           | 32  |
| 1726 | Markers of inflammation and fibrosis are related to cardiovascular damage in hypertensive patients with metabolic syndrome. <b>2007</b> , 20, 784-91                    | 78  |
| 1725 | Prevalence of the metabolic syndrome in individuals with hyperuricemia. <b>2007</b> , 120, 442-7  | 418 |
| 1724 | Body weight changes with beta-blocker use: results from GEMINI. <b>2007</b> , 120, 610-5  | 70  |
| 1723 | Multiple risk factors for cardiovascular disease and diabetes mellitus. <b>2007</b> , 120, S3-S11   | 171 |
| 1722 | Effect of insulin resistance, dyslipidemia, and intra-abdominal adiposity on the development of cardiovascular disease and diabetes mellitus. <b>2007</b> , 120, S12-8  | 209 |
| 1721 | Introduction. <b>2007</b> , 120, S1-S2  |     |
| 1720 | Cardiovascular and metabolic risk factors: how can we improve outcomes in the high-risk patient?. <b>2007</b> , 120, S3-8; discussion S9                                | 30  |
| 1719 | The metabolic syndrome and the impact of diabetes on coronary heart disease mortality in women and men: the San Antonio Heart Study. <b>2007</b> , 17, 870-7            | 28  |
| 1718 | A guideline-driven assessment of need for cardiovascular disease risk intervention in persons with chronic paraplegia. <b>2007</b> , 88, 751-7                          | 68  |
| 1717 | PPARalpha in atherosclerosis and inflammation. <b>2007</b> , 1771, 972-82   | 148 |
| 1716 | A research and discussion note: The macrostructure of consensus statements. <b>2007</b> , 26, 79-89   | 18  |
| 1715 | Molecular mechanisms of insulin resistance and associated diseases. <b>2007</b> , 375, 20-35  | 202 |
| 1714 | The S447X variant of lipoprotein lipase gene is associated with metabolic syndrome and lipid levels among Turks. <b>2007</b> , 383, 110-5                               | 24  |

| 1713 | Role of metformin in the initiation of pharmacotherapy for type 2 diabetes: an Asian-Pacific perspective. <b>2007</b> , 75, 255-66   | 21  |
|------|--|-----|
| 1712 | In addition to obesity and insulin resistance, microalbuminuria and diminished insulin secretion are linked with the metabolic syndrome in community-dwelling nondiabetic Taiwanese subjects. <b>2007</b> , 76, 102-10       | 1   |
| 1711 | FABP2 Ala54Thr polymorphism and diabetes in Chilean elders. <b>2007</b> , 77, 245-50   | 21  |
| 1710 | Inhibition of human and rat 11beta-hydroxysteroid dehydrogenase type 1 by 18beta-glycyrrhetinic acid derivatives. <b>2007</b> , 104, 312-20  | 21  |
| 1709 | Angiotensin II, corticosteroids, type II diabetes and the metabolic syndrome. 2007, 68, 1200-7   | 13  |
| 1708 | Metabolic syndrome, abdominal obesity, and cardiovascular risk in elderly women. <b>2007</b> , 114, 224-9  | 39  |
| 1707 | Nutritional status, socio-economic status, heart rate, and blood pressure in African school children and adolescents. <b>2007</b> , 121, 171-7   | 26  |
| 1706 | The metabolic syndrome in relation to complement component 3 and postprandial lipemia in patients from an outpatient lipid clinic and healthy volunteers. <b>2007</b> , 190, 167-73  | 84  |
| 1705 | Determinants and definition of abdominal obesity as related to risk of diabetes, metabolic syndrome and coronary disease in Turkish men: a prospective cohort study. <b>2007</b> , 191, 182-90                               | 114 |
| 1704 | A low level of C-reactive protein in Japanese adults and its association with cardiovascular risk factors: the Japan NCVC-Collaborative Inflammation Cohort (JNIC) study. <b>2007</b> , 194, 238-44                          | 45  |
| 1703 | European guidelines on cardiovascular disease prevention in clinical practice: executive summary. <b>2007</b> , 194, 1-45  | 190 |
| 1702 | Understanding essential hypertension from the perspective of the cardiometabolic syndrome. <b>2007</b> , 1, 120-34   | 7   |
| 1701 | Gullas de prlitica clínica sobre diabetes, prediabetes y enfermedades cardiovasculares: versilla resumida. <b>2007</b> , 60, 525.e1-525.e64  | 7   |
| 1700 | Parfhetros antropomtricos asociados al riesgo cardiovascular en Espa <del>â</del> . Estudio DORICA. <b>2007</b> , 19, 61-69  | 1   |
| 1699 | [Treatment of type 2 diabetes: revision of current therapeutical options and priorities]. 2007, 129, 746-57  |     |
| 1698 | Discovery of acetyl-coenzyme A carboxylase 2 inhibitors: comparison of a fluorescence intensity-based phosphate assay and a fluorescence polarization-based ADP Assay for high-throughput screening. <b>2007</b> , 5, 225-35 | 17  |
| 1697 | Obstructive Sleep Apnea: Pathophysiology, Comorbidities and Consequences. 2007,  | 4   |
| 1696 | Prevalence and independent predictors of insulin resistance in children from Crete, Greece: the Children Study. <b>2008</b> , 25, 65-72  | 25  |

| 1695 | Diagnostic performance of amyloid A protein quantification in fat tissue of patients with clinical AA amyloidosis. <b>2007</b> , 14, 133-40   | 26   |
|------|---|------|
| 1694 | Analyzing the frequency and significance of the metabolic syndrome in patients with systemic lupus erythematosus. <b>2007</b> , 3, 121-4  |      |
| 1693 | Cardiovascular morbidity and mortality of the metabolic syndrome. <b>2007</b> , 91, 1169-84, x  | 62   |
| 1692 | Gene expression profile in obesity and type 2 diabetes mellitus. <b>2007</b> , 6, 35  | 37   |
| 1691 | The effects of ProAlgaZyme novel algae infusion on metabolic syndrome and markers of cardiovascular health. <b>2007</b> , 6, 20   | 12   |
| 1690 | The effect of Cissus quadrangularis (CQR-300) and a Cissus formulation (CORE) on obesity and obesity-induced oxidative stress. <b>2007</b> , 6, 4   | 43   |
| 1689 | Gender differences in dementia risk factors. <b>2007</b> , 4, 120-9   | 120  |
| 1688 | Medical Treatment of Stable Angina. <b>2007</b> , 911-936   |      |
| 1687 | Cortisol secretion in patients with type 2 diabetes: relationship with chronic complications. <b>2007</b> , 30, 83-8  | 146  |
| 1686 | European guidelines on cardiovascular disease prevention in clinical practice: executive summary.  Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine  | 309  |
| 1685 | The metabolic syndromeâdoes it exist?. <b>2007</b> , 12, 52-54  |      |
| 1684 | Metabolic syndrome and its association with morbidity and mortality. <b>2007</b> , 32, 33-45  | 26   |
| 1683 | The metabolic syndrome using the National Cholesterol Education Program and International Diabetes Federation definitions among urbanised black South Africans with established coronary artery disease. <b>2007</b> , 12, 6-12   | 4    |
| 1682 | Short-term effects of a non-dieting lifestyle intervention program on weight management, fitness, metabolic risk, and psychological well-being in obese premenopausal females with the metabolic syndrome. <b>2007</b> , 32, 125-42   | 46   |
| 1681 | European guidelines on cardiovascular disease prevention in clinical practice: executive summary: Fourth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (Constituted by representatives of nine societies and by invited experts). 2007, 28, 2375-414 | 1029 |
| 1680 | Microvascular dysfunction: a potential pathophysiological role in the metabolic syndrome. <b>2007</b> , 50, 204-11  | 183  |
| 1679 | National Cholesterol Educational Program and International Diabetes Federation diagnostic criteria for metabolic syndrome in an Italian cohort: results from the FIBAR Study. <b>2007</b> , 30, 925-30  | 8    |
| 1678 | Role of the Toll-like receptor 4/NF-kappaB pathway in saturated fatty acid-induced inflammatory changes in the interaction between adipocytes and macrophages. <b>2007</b> , 27, 84-91  | 619  |

| 1677 | Serum concentrations of uric acid and the metabolic syndrome among US children and adolescents. <i>Circulation</i> , <b>2007</b> , 115, 2526-32   | 16.7 | 343 |
|------|---|------|-----|
| 1676 | Visceral fat adipokine secretion is associated with systemic inflammation in obese humans. <b>2007</b> , 56, 1010-3   |      | 912 |
| 1675 | Gender aspects of the role of the metabolic syndrome as a risk factor for cardiovascular disease. <b>2007</b> , 4 Suppl B, S162-77  |      | 138 |
| 1674 | Roles of lipid mediators in kidney injury. <b>2007</b> , 27, 338-51   |      | 29  |
| 1673 | [Blood screening of glucose and lipid disorders as coronary atherosclerosis risks factors in French adolescents 16 to 19-20 years old]. <b>2007</b> , 68, 372-83  |      | 1   |
| 1672 | Controversy in diagnosis and management of the metabolic syndrome. <b>2007</b> , 91, 1041-61, vii-viii  |      | 14  |
| 1671 | The metabolic syndrome: how to approach differing definitions. 2007, 91, 1025-40, vii   |      | 29  |
| 1670 | Management of mental illness in patients with diabetes. <b>2007</b> , 34, 713-30, v   |      | 3   |
| 1669 | Chemerin is a novel adipokine associated with obesity and metabolic syndrome. <b>2007</b> , 148, 4687-94  |      | 600 |
| 1668 | Geographic and Demographic Variation in the Prevalence of the Metabolic Syndrome in Canada. <b>2007</b> , 31, 34-46   |      | 6   |
| 1667 | Predictors of abdominal obesity and high susceptibility of cardiometabolic risk to its increments among Turkish women: a prospective population-based study. <b>2007</b> , 56, 348-56                                 |      | 40  |
| 1666 | Prevalence and cardiovascular disease risk of the metabolic syndrome using National Cholesterol Education Program and International Diabetes Federation definitions in the Korean population. <b>2007</b> , 56, 552-8 |      | 62  |
| 1665 | Cardiovascular risk factor levels and their relationships with overweight and fat distribution in children: the Fleurbaix Laventie Ville Sant'il study. <b>2007</b> , 56, 614-22                                      |      | 84  |
| 1664 | Nuclear magnetic resonance-determined lipoprotein abnormalities in nonhuman primates with the metabolic syndrome and type 2 diabetes mellitus. <b>2007</b> , 56, 838-46   |      | 26  |
| 1663 | Elevated plasminogen activator inhibitor 1 in sleep apnea and its relation to the metabolic syndrome: an investigation in 2 different study samples. <b>2007</b> , 56, 969-76   |      | 27  |
| 1662 | Serum sex hormone-binding globulin, a determinant of cardiometabolic disorders independent of abdominal obesity and insulin resistance in elderly men and women. <b>2007</b> , 56, 1356-62                            |      | 35  |
| 1661 | Maternal smoking-A contributor to the obesity epidemic?. <b>2007</b> , 1, I-II  |      | 17  |
| 1660 | Interleukin-1 (IL-1) receptor antagonist gene polymorphism in normal weight obese syndrome: relationship to body composition and IL-1 alpha and beta plasma levels. <b>2007</b> , 55, 131-8                           |      | 52  |

# (2007-2007)

| 1659 | population]. <b>2007</b> , 128, 168-71   | 4   |
|------|--|-----|
| 1658 | Prevalencia del s[hdrome metablico en la provincia de Albacete. <b>2007</b> , 207, 64-68   | 23  |
| 1657 | [Effect of a global intervention in the integral control of multiple risk factors in patients at high or very high cardiovascular risk. CIFARC 2 project]. <b>2007</b> , 207, 112-20 | 7   |
| 1656 | [Identification, diagnosis and control of patients with abdominal obesity and cardiovascular and metabolic risk factors]. <b>2007</b> , 128, 429-37                                  | 6   |
| 1655 | Fenofibrate: a review of its use in primary dyslipidaemia, the metabolic syndrome and type 2 diabetes mellitus. <b>2007</b> , 67, 121-53   | 110 |
| 1654 | The ESHRE/ASRM consensus on polycystic ovary syndrome (PCOS)an extended critical analysis. <b>2007</b> , 14, 522-35  | 34  |
| 1653 | Psoriasis, a Systemic Disease?. <b>2007</b> , 98, 396-402  | 3   |
| 1652 | Mechanisms by which diabetes increases cardiovascular disease. <b>2007</b> , 4, 131-140  | 60  |
| 1651 | Glucocorticoid antagonists and 11EHSD1 inhibitors. <b>2007</b> , 4, 117-122  | 2   |
| 1650 | High frequency of diabetes in early post-partum assessment of women with gestational diabetes mellitus. <b>2007</b> , 1, 159-165   | 5   |
| 1649 | Metabolic syndrome in rural Bangladesh: Comparison of newly proposed IDF, modified ATP III and WHO criteria and their agreements. <b>2007</b> , 1, 251-257                           | 12  |
| 1648 | CXCL16 is a marker of inflammation, atherosclerosis, and acute coronary syndromes in humans. <b>2007</b> , 49, 442-9   | 121 |
| 1647 | High dietary glycemic load and glycemic index increase risk of cardiovascular disease among middle-aged women: a population-based follow-up study. <b>2007</b> , 50, 14-21           | 125 |
| 1646 | Severe acquired (secondary) high-density lipoprotein deficiency. <b>2007</b> , 1, 41-56  | 20  |
| 1645 | Prognostic relevance of metabolic syndrome in hypertensive patients at low-to-medium risk. <b>2007</b> , 20, 1291-6  | 27  |
| 1644 | Inflammation and schizophrenia. <b>2007</b> , 7, 789-96  | 88  |
| 1643 | The epidemiology of the metabolic syndrome. <b>2007</b> , 2, 132-138   |     |
| 1642 | Prevalence of Metabolic Syndrome in Rural Populace: A Study of Its Association With Adipocytokines. <b>2007</b> , 55, 449-458  | 1   |

| 1641 | The prevalence of metabolic syndrome among psychiatric inpatients in Brazil. 2007, 29, 330-6   | 72  |
|------|--|-----|
| 1640 | [Insulin resistance and secretion assessment across a range of glucose tolerance from normal individuals through diabetes]. <b>2007</b> , 51, 1498-505   | 4   |
| 1639 | GUIDELINES ON DIABETES, PRE-DIABETES, AND CARDIOVASCULAR DISEASES. <b>2007</b> , 3, 71-99  | 1   |
| 1638 | Association of hormonal dysregulation with metabolic syndrome in older women: data from the InCHIANTI study. <b>2007</b> , 292, E353-8   | 52  |
| 1637 | Association between proinsulin, insulin, proinsulin/insulin ratio, and insulin resistance status with the metabolic syndrome. <b>2007</b> , 51, 1128-33  | 9   |
| 1636 | Prevalence of metabolic syndrome in a rural area of Brazil. <b>2007</b> , 125, 155-62  | 29  |
| 1635 | [Prevalence and characteristics associated with metabolic syndrome in Japanese-Brazilians with and without periodontal disease]. <b>2007</b> , 23, 657-68  | 26  |
| 1634 | [Corporal fat distribution and lipidic and glicemic profiles of HIV-infected patients]. 2007, 51, 42-51  | 17  |
| 1633 | The Anti-Obesity Effect of the Palatinose-Based Formula Inslow is Likely due to an Increase in the Hepatic PPAR-alpha and Adipocyte PPAR-gamma Gene Expressions. <b>2007</b> , 40, 234-41        | 25  |
| 1632 | Type 2 diabetes and cardiovascular disease: reducing the risk. <b>2007</b> , 13, S2-15; quiz S16-7   | 10  |
| 1631 | Hypertension and Diabetes Mellitus. 2007, 406-417  | 2   |
| 1630 | Prevalence of the metabolic syndrome in patients with gout: the Third National Health and Nutrition Examination Survey. <b>2007</b> , 57, 109-15   | 316 |
| 1629 | Metabolic syndrome and mitochondrial function: molecular replacement and antioxidant supplements to prevent membrane peroxidation and restore mitochondrial function. <b>2007</b> , 100, 1352-69 | 85  |
| 1628 | Small, dense low-density-lipoproteins and the metabolic syndrome. <b>2007</b> , 23, 14-20  | 48  |
| 1627 | Polymorphism in microsomal triglyceride transfer protein: a link between liver disease and atherogenic postprandial lipid profile in NASH?. <b>2007</b> , 45, 1097-107                           | 95  |
| 1626 | The neck-liver axis. Madelung disease as further evidence for an impact of body fat distribution on hepatic histology. <b>2008</b> , 47, 361-2   | 5   |
| 1625 | Mediterranean diet and the metabolic syndrome. <b>2007</b> , 51, 1268-74   | 52  |
| 1624 | Metabolic syndrome in liver transplant recipients: prevalence and association with major vascular events. <b>2007</b> , 13, 1109-14  | 237 |

| 1623 | Discovery of adamantane ethers as inhibitors of 11beta-HSD-1: Synthesis and biological evaluation. <b>2007</b> , 17, 750-5  | 41  |
|------|---|-----|
| 1622 | Calpain-5 gene variants are associated with diastolic blood pressure and cholesterol levels. <b>2007</b> , 8, 1   | 26  |
| 1621 | Impact of 4 different definitions used for the assessment of the prevalence of the Metabolic Syndrome in primary healthcare: The German Metabolic and Cardiovascular Risk Project (GEMCAS). <b>2007</b> , 6, 22 | 55  |
| 1620 | Effect on hematologic risk factors for coronary heart disease of a cholesterol reducing diet. <b>2007</b> , 61, 483-92  | 18  |
| 1619 | Common familial influences on clustering of metabolic syndrome traits with central obesity and insulin resistance: the Kiel obesity prevention study. <b>2007</b> , 31, 784-90                                  | 50  |
| 1618 | Serum apolipoprotein B predicts dyslipidemia, metabolic syndrome and, in women, hypertension and diabetes, independent of markers of central obesity and inflammation. <b>2007</b> , 31, 1119-25                | 75  |
| 1617 | Does using ethnic specific criteria improve the usefulness of the term metabolic syndrome? Controversies and suggestions. <b>2007</b> , 31, 1340-9  | 16  |
| 1616 | Trans fat diet induces abdominal obesity and changes in insulin sensitivity in monkeys. <b>2007</b> , 15, 1675-84   | 154 |
| 1615 | Deep subcutaneous adipose tissue: a distinct abdominal adipose depot. <b>2007</b> , 15, 1933-43   | 84  |
| 1614 | Integrin expression and H2O2 production in circulating and splenic leukocytes of obese rats. <b>2007</b> , 15, 2209-16  | 11  |
| 1613 | Effects of aerobic exercise on metabolic syndrome improvement in response to weight reduction. <b>2007</b> , 15, 2478-84  | 51  |
| 1612 | Volumetric assessment of epicardial adipose tissue with cardiovascular magnetic resonance imaging. <b>2007</b> , 15, 870-8  | 129 |
| 1611 | Minimal versus umbilical waist circumference measures as indicators of cardiovascular disease risk. <b>2007</b> , 15, 753-9   | 49  |
| 1610 | Intake of dietary magnesium and the prevalence of the metabolic syndrome among U.S. adults. <b>2007</b> , 15, 1139-46   | 65  |
| 1609 | MICRONUTRIENTS, INFLAMMATION AND CONGESTIVE HEART FAILURE AMONG THE ELDERLY: NUTRITIONAL PERSPECTIVES ON PRIMARY PREVENTION AND CLINICAL TREATMENT. <b>2007</b> , 34, S14-S16                                   | 5   |
| 1608 | Prevalence of metabolic markers of insulin resistance in offspring of gestational diabetes pregnancies. <b>2008</b> , 9, 53-9   | 23  |
| 1607 | The prevalence of metabolic syndrome in Japanese renal transplant recipients. <b>2007</b> , 12, 413-7   | 13  |
| 1606 | Application of classification tree and logistic regression for the management and health intervention plans in a community-based study. <b>2007</b> , 13, 741-8   | 13  |

| 1605 | Effect of weight loss induced by gastric bypass on proinflammatory interleukin-18, soluble tumour necrosis factor-alpha receptors, C-reactive protein and adiponectin in morbidly obese patients. <b>2007</b> , 67, 679-86                          | 63  |
|------|---|-----|
| 1604 | Specialist health visitor-led weight management intervention in primary care: exploratory evaluation. <b>2007</b> , 58, 23-34   | 11  |
| 1603 | Predicting the Prevalence of Cardiometabolic Risk Factors When Clinical Data Are Limited. <b>2007</b> , 10, S4-S11  | 5   |
| 1602 | Metabolic Syndrome and Employer Sponsored Medical Benefits: An Actuarial Analysis. 2007, 10, S21-S28  | 14  |
| 1601 | Features of metabolic syndrome in non-diabetic Italians and Brazilians: a discriminant analysis. <b>2007</b> , 61, 32-8   | 12  |
| 1600 | Secondary prevention of cardiovascular disease in type 2 diabetes and prediabetes: a cardiologist's perspective. <b>2008</b> , 62, 287-99   | 14  |
| 1599 | The evolving pattern of symptomatic coronary artery disease in the United States and Canada: baseline characteristics of the Clinical Outcomes Utilizing Revascularization and Aggressive DruG Evaluation (COURAGE) trial. <b>2007</b> , 99, 208-12 | 52  |
| 1598 | Impact of the metabolic syndrome on the clinical outcomes of non-clinically diagnosed diabetic patients with acute coronary syndrome. <b>2007</b> , 99, 667-72  | 29  |
| 1597 | Inflammation in diabetes mellitus: role of peroxisome proliferator-activated receptor-alpha and peroxisome proliferator-activated receptor-gamma agonists. <b>2007</b> , 99, 27B-40B  | 109 |
| 1596 | Combined effect of high low-density lipoprotein cholesterol and metabolic syndrome on subclinical coronary atherosclerosis in white men without clinical evidence of myocardial ischemia. <b>2007</b> , 100, 840-3                                  | 13  |
| 1595 | Metabolic syndrome: an evolving threat in the genesis of coronary artery disease. <b>2007</b> , 2, 190-7  | 4   |
| 1594 | Endocannabinoid antagonism: blocking the excess in the treatment of high-risk abdominal obesity. <b>2007</b> , 17, 35-43  | 18  |
| 1593 | Racial and Ethnic Differences in the Presentation of Metabolic Syndrome. <b>2007</b> , 3, 229-239   | 5   |
| 1592 | GFR, body mass index, and low high-density lipoprotein concentration in adults with and without CKD. <b>2007</b> , 50, 552-8  | 25  |
| 1591 | High-density lipoprotein cholesterol and residual cardiometabolic risk in metabolic syndrome. <b>2007</b> , 8 Suppl 6, S14-23   | 17  |
| 1590 | Early identification and treatment of insulin resistance: impact on subsequent prediabetes and type 2 diabetes. <b>2007</b> , 8 Suppl 7, S7-18  | 32  |
| 1589 | Metabolic consequences of hyperglycemia and insulin resistance. <b>2007</b> , 8 Suppl 7, S30-42   | 64  |
| 1588 | Frequency of Pro12Ala-polymorphism of the gene PPARI in the Ukrainian population and its possible relation to the development of the metabolic syndrome. <b>2007</b> , 41, 298-302  | 4   |

| 1587 | Calcifications in the abdominal aorta predict fractures in men: MINOS study. 2008, 23, 95-102  | 79  |
|------|--|-----|
| 1586 | Metabolic syndrome and cardiovascular disease: challenges and opportunities. <b>2007</b> , 30, 593-7   | 25  |
| 1585 | Prepregnancy body mass index, hypertensive disorders of pregnancy, and long-term maternal mortality. <b>2007</b> , 197, 490.e1-6   | 43  |
| 1584 | Vinegar-processed ginseng radix improves metabolic syndrome induced by a high fat diet in ICR mice. <b>2007</b> , 30, 587-95   | 27  |
| 1583 | [Assessment of the natural history of coronary artery calcification and identification of its determinants. Rationale of the 2nd part of the Heinz Nixdorf Recall Study]. <b>2007</b> , 32, 108-20 | 11  |
| 1582 | Gender and genetic differences in bladder smooth muscle PPAR mRNA in a porcine model of the metabolic syndrome. <b>2007</b> , 302, 43-9  | 14  |
| 1581 | Obstructive sleep apnea syndrome is associated with metabolic syndrome rather than insulin resistance. <b>2007</b> , 11, 23-30   | 33  |
| 1580 | Assessing obesity and other related health problems of mentally ill Hispanic patients in an urban outpatient setting. <b>2007</b> , 78, 171-81   | 19  |
| 1579 | Insulin resistance in children and adolescents. <b>2006</b> , 7, 141-7   | 39  |
| 1578 | Un Corazīfi Saludable: factors influencing outcomes of an exercise program designed to impact cardiac and metabolic risks among urban Latinas. <b>2007</b> , 32, 401-12                            | 27  |
| 1577 | Clinical usefulness of quantitative evaluation of visceral fat by ultrasonography. 2007, 34, 151-7   | 3   |
| 1576 | Favorable effects of non-instrumental resistance training on fat distribution and metabolic profiles in healthy elderly people. <b>2007</b> , 99, 549-55   | 35  |
| 1575 | Impact of TNF inhibition on insulin resistance and lipids levels in patients with rheumatoid arthritis. <b>2007</b> , 26, 1495-8   | 169 |
| 1574 | Deutsche Leitlinie zur Rehabilitation von Patienten mit Herz-Kreislauferkrankungen (DLL-KardReha). <b>2007</b> , 2, 1-54   | 24  |
| 1573 | The role of protease inhibitors in the pathogenesis of HIV-associated insulin resistance: cellular mechanisms and clinical implications. <b>2007</b> , 4, 126-34                                   | 16  |
| 1572 | The metabolic syndrome in hypertension: diagnostic and therapeutic implications. <b>2007</b> , 9, 305-13   | 6   |
| 1571 | Multiple chronic conditions: prevalence, health consequences, and implications for quality, care management, and costs. <b>2007</b> , 22 Suppl 3, 391-5  | 735 |
| 1570 | Resolution of diabetes mellitus and metabolic syndrome following Roux-en-Y gastric bypass and a variant of biliopancreatic diversion in patients with morbid obesity. <b>2007</b> , 17, 176-84     | 70  |

| 1569 | Effects of dietary fibers on disturbances clustered in the metabolic syndrome. 2008, 19, 71-84   | 324 |
|------|--|-----|
| 1568 | Relation of morning serum cortisol to prothrombotic activity in women with stable coronary artery disease. <b>2008</b> , 25, 165-72  | 24  |
| 1567 | Patients with metabolic syndrome exhibit higher platelet activity than those with conventional risk factors for vascular disease. <b>2008</b> , 25, 207-13                                 | 21  |
| 1566 | Metabolic syndrome in sub-Saharan Africa: "smaller twin" of a region's prostatic diseases?. <b>2008</b> , 40, 909-20   | 12  |
| 1565 | Do statins reduce events in patients with metabolic syndrome?. <b>2008</b> , 10, 39-44   | 7   |
| 1564 | HIV therapy, metabolic syndrome, and cardiovascular risk. <b>2008</b> , 10, 61-70  | 52  |
| 1563 | Leptin: linking obesity, the metabolic syndrome, and cardiovascular disease. 2008, 10, 131-7   | 121 |
| 1562 | Remission of metabolic syndrome: a study of 140 patients six months after Roux-en-Y gastric bypass. <b>2008</b> , 18, 601-6  | 16  |
| 1561 | Preoperative gender differences in pulmonary gas exchange in morbidly obese subjects. <b>2008</b> , 18, 1587-98  | 18  |
| 1560 | Management of the metabolic syndrome in cardiovascular disease. <b>2008</b> , 10, 27-38  | 1   |
| 1559 | Assessment of minerals in obesity-related diseases in the Chandigarh (India) population. <b>2008</b> , 121, 106-23   | 5   |
| 1558 | Relation between central adiposity and cognitive function in the Maine-Syracuse Study: attenuation by physical activity. <b>2008</b> , 35, 341-50  | 63  |
| 1557 | The cardiometabolic syndrome and chronic kidney disease. <b>2008</b> , 2, 95-100   |     |
| 1556 | Laparoscopic treatment of metabolic syndrome in patients with type 2 diabetes mellitus. <b>2008</b> , 22, 2670-8   | 60  |
| 1555 | Investigating the association between K198N coding polymorphism in EDN1 and hypertension, lipoprotein levels, the metabolic syndrome and cardiovascular disease. <b>2008</b> , 123, 307-13 | 15  |
| 1554 | Metabolic syndrome and risk of incident diabetes: findings from the European Prospective Investigation into Cancer and Nutrition-Potsdam Study. <b>2008</b> , 7, 35                        | 62  |
| 1553 | Dietary procyanidins lower triglyceride levels signaling through the nuclear receptor small heterodimer partner. <b>2008</b> , 52, 1172-81   | 61  |
| 1552 | Levels of adiponectin, C-reactive protein and interleukin-1 receptor antagonist are associated with insulin sensitivity: a population-based study. <b>2008</b> , 24, 378-83                | 28  |

### (2008-2008)

| 1551 | Steatohepatitis: Risk factors and impact on disease severity in human immunodeficiency virus/hepatitis C virus coinfection. <b>2008</b> , 47, 1118-27                                  | 46  |
|------|--|-----|
| 1550 | Health-related fitness and physical activity in patients with nonalcoholic fatty liver disease. <b>2008</b> , 47, 1158-66  | 105 |
| 1549 | Peroxisome proliferator-activated receptor-delta induces insulin-induced gene-1 and suppresses hepatic lipogenesis in obese diabetic mice. <b>2008</b> , 48, 2085; author reply 2085-6 | 3   |
| 1548 | Discovery of novel inhibitors of 11beta-hydroxysteroid dehydrogenase type 1 by docking and pharmacophore modeling. <b>2008</b> , 18, 1340-5  | 44  |
| 1547 | Importancia del runoff distal en la revascularizacifi endoluminal de la arteria femoral superficial en claudicantes. <b>2008</b> , 22, 862-871   |     |
| 1546 | Implicaciones funcionales de la lesifi parenquimatosa tras angioplastia de la arteria renal. <b>2008</b> , 22, 854-861   |     |
| 1545 | Resultados del tratamiento endoluminal para la enfermedad ostial de las ramas principales del cayado afitico. <b>2008</b> , 22, 423-430  |     |
| 1544 | Discussion: âllactation and midlife metabolic syndromeâlby Ram et al. <b>2008</b> , 198, e1-e6   | 1   |
| 1543 | Screening for the metabolic syndrome in community psychiatric patients prescribed antipsychotics: a quality improvement programme. <b>2008</b> , 118, 26-33                            | 54  |
| 1542 | An ABC of apolipoprotein C-III: a clinically useful new cardiovascular risk factor?. <b>2008</b> , 62, 799-809   | 53  |
| 1541 | Self-reported prevalence and awareness of metabolic syndrome: findings from SHIELD. <b>2008</b> , 62, 1168-76  | 37  |
| 1540 | Reversal of visceral adiposity in candy-diet fed female Wistar rats by the CB1 receptor antagonist rimonabant. <b>2008</b> , 32, 1363-72   | 23  |
| 1539 | Longitudinal preventive-screening cutoffs for metabolic syndrome in adolescents. 2008, 32, 1506-12   | 15  |
| 1538 | The metabolic syndrome and cardiovascular risk in the British Regional Heart Study. <b>2008</b> , 32 Suppl 2, S25-9  | 22  |
| 1537 | Relationship between sleep duration and the metabolic syndrome: Korean National Health and Nutrition Survey 2001. <b>2008</b> , 32, 1091-7   | 127 |
| 1536 | Threshold values of high-risk echocardiographic epicardial fat thickness. <b>2008</b> , 16, 887-92   | 178 |
| 1535 | SLC2A9 is a newly identified urate transporter influencing serum urate concentration, urate excretion and gout. <b>2008</b> , 40, 437-42   | 563 |
| 1534 | Metabolic syndrome. <b>2008</b> , 21, 362-75   | 5   |

| 1533 | Thiazolidinediones and the preservation of beta-cell function, cellular proliferation and apoptosis. <b>2008</b> , 10, 617-25   | 14  |
|------|---|-----|
| 1532 | Metabolic effects of an AT1-receptor blockade combined with HCTZ in cardiac risk patients: a non interventional study in primary care. <b>2008</b> , 8, 30                          | 7   |
| 1531 | Protective effects of a compound herbal extract (Tong Xin Luo) on free fatty acid induced endothelial injury: implications of antioxidant system. <b>2008</b> , 8, 39               | 15  |
| 1530 | Prevalence and risk factor correlates of elevated C-reactive protein in an adult Australian population. <b>2008</b> , 101, 193-8  | 34  |
| 1529 | Usefulness of baseline lipids and C-reactive protein in women receiving menopausal hormone therapy as predictors of treatment-related coronary events. <b>2008</b> , 101, 1599-1605 | 49  |
| 1528 | Relation of epicardial and pericoronary fat to coronary atherosclerosis and coronary artery calcium in patients undergoing coronary angiography. <b>2008</b> , 102, 380-5           | 206 |
| 1527 | Daily treatment with sildenafil reverses endothelial dysfunction and oxidative stress in an animal model of insulin resistance. <b>2008</b> , 53, 1272-80                           | 32  |
| 1526 | Editorial comment on: daily treatment with sildenafil reverses endothelial dysfunction and oxidative stress in an animal model of insulin resistance. <b>2008</b> , 53, 1280-1      |     |
| 1525 | The evidence for dietary prevention and treatment of cardiovascular disease. 2008, 108, 287-331   | 230 |
| 1524 | Complementary and alternative medicine and the management of the metabolic syndrome. <b>2008</b> , 108, 495-509   | 34  |
| 1523 | Serum folate is associated with coronary heart disease independently of homocysteine in Turkish men. <b>2008</b> , 27, 732-9  | 7   |
| 1522 | Association of metabolic syndrome with cognitive function: the role of sex and age. <b>2008</b> , 27, 747-54  | 46  |
| 1521 | Impact of obesity on the pathogenesis and prognosis of coronary heart disease. 2008, 3, 162-7   | 36  |
| 1520 | The metabolic syndrome adds incremental value to the Framingham risk score in identifying asymptomatic individuals with higher degrees of inflammation. <b>2008</b> , 3, 7-11       | 3   |
| 1519 | Postpartum adiponectin concentration, insulin resistance and metabolic abnormalities among women with pregnancy-induced disturbances. <b>2008</b> , 11, 106-15                      | 10  |
| 1518 | Metabolic syndrome rates in United States adolescents, from the National Health and Nutrition Examination Survey, 1999-2002. <b>2008</b> , 152, 165-70                              | 244 |
| 1517 | Risk factors associated with different stages of atherosclerosis in Colombian patients with rheumatoid arthritis. <b>2008</b> , 38, 71-82   | 36  |
| 1516 | Exercise for preventing childhood obesity. <b>2008</b> , 19, 205-16, vii  | 25  |

1515 Dietary Interventions. 2008, 39-71

| 1514 | Intra-abdominal fat and metabolic syndrome are associated with larger infrarenal aortic diameters in patients with clinically evident arterial disease. <b>2008</b> , 48, 114-20 | 13  |
|------|--|-----|
| 1513 | The long-term outcomes of percutaneous therapy for renal artery fibromuscular dysplasia. <b>2008</b> , 48, 865-71  | 73  |
| 1512 | Serum C-reactive protein is an independent risk factor predicting cardiometabolic risk. <b>2008</b> , 57, 207-14   | 52  |
| 1511 | Endothelial dysfunction and serum fatty acid composition in patients with type 2 diabetes mellitus. <b>2008</b> , 57, 1167-72  | 17  |
| 1510 | Uric acid and the development of metabolic syndrome in women and men. <b>2008</b> , 57, 845-52   | 223 |
| 1509 | Effects of losartan on serum total and high-molecular weight adiponectin concentrations in hypertensive patients with metabolic syndrome. <b>2008</b> , 57, 1278-85              | 19  |
| 1508 | Insulin resistance, serum adiponectin, and proinflammatory markers in young subjects with the metabolic syndrome. <b>2008</b> , 57, 1539-44                                      | 52  |
| 1507 | Change in metabolic syndrome parameters with antipsychotic treatment in the CATIE Schizophrenia Trial: prospective data from phase 1. <b>2008</b> , 101, 273-86                  | 222 |
| 1506 | Gulas de pratica clínica sobre prevencia de la enfermedad cardiovascular: versia resumida. <b>2008</b> ,<br>61, 82.e1-82.e49   | 14  |
| 1505 | [Definition and current situation of cardiometabolic risk]. <b>2008</b> , 208, 63-5  | 3   |
| 1504 | [Comparison of the definitions of the metabolic syndrome according to ATP III and IDF]. <b>2008</b> , 208, 333-8   | 4   |
| 1503 | Prevalencia de obesidad, diabetes, hipertensifi, hipercolesterolemia y s[hdrome metablico en adultos mayores de 50 aês de Sanlĉar de Barrameda. <b>2008</b> , 61, 1150-1158      | 25  |
| 1502 | The underlying mechanisms for development of hypertension in the metabolic syndrome. <b>2008</b> , 7, 10   | 93  |
| 1501 | Aerobic interval training versus continuous moderate exercise as a treatment for the metabolic syndrome: a pilot study. <i>Circulation</i> , <b>2008</b> , 118, 346-54           | 778 |
| 1500 | Blockade of glucocorticoid excess at the tissue level: inhibitors of 11beta-hydroxysteroid dehydrogenase type 1 as a therapy for type 2 diabetes. <b>2008</b> , 51, 4851-7       | 47  |
| 1499 | Prevalence of Obesity, Diabetes, Hypertension, Hypercholesterolemia, and Metabolic Syndrome in Over 50-Year-Olds in Sanlčar de Barrameda, Spain. <b>2008</b> , 61, 1150-1158     | 1   |
| 1498 | Novel metabolic risk factors for incident heart failure and their relationship with obesity: the MESA (Multi-Ethnic Study of Atherosclerosis) study. <b>2008</b> , 51, 1775-83   | 263 |

| 1497 | Metabolic syndrome and dyslipidemia in youth. <b>2008</b> , 2, 147-55  | 5   |
|------|--|-----|
| 1496 | The rat as a model for cardiovascular disease. <b>2008</b> , 5, 173-178  | 5   |
| 1495 | The comparison of the metabolic syndrome between Chinese vegetarians and omnivores. <b>2008</b> , 2, 99-104  | 3   |
| 1494 | Wild-Type Food in Health Promotion and Disease Prevention. 2008,   | 5   |
| 1493 | Cigarette smoking associates with body weight and muscle mass of patients with rheumatoid arthritis: a cross-sectional, observational study. <b>2008</b> , 10, R59 | 28  |
| 1492 | Metabolic syndrome in permanent night workers. <b>2008</b> , 25, 443-54  | 139 |
| 1491 | Rŝultats du traitement endovasculaire des lŝions ostiales des troncs supra-aortiques. <b>2008</b> , 22, 419-426  |     |
| 1490 | Implications of acute functional injury following percutaneous renal artery intervention. 2008, 22, 783-9  | 19  |
| 1489 | Percutaneous superficial femoral artery interventions for claudicationdoes runoff matter?. <b>2008</b> , 22, 790-8   | 36  |
| 1488 | Antipsychotic Medicationâlhduced Weight Gain and Risk for Diabetes and Cardiovascular Disease. <b>2007</b> , 223-245   | 1   |
| 1487 | Hyperlipidemia Management for Primary Care. 2008,  | 3   |
| 1486 | Physical Activity: Physical Activity and the Metabolic Syndrome: A Review of the Evidence. <b>2008</b> , 2, 118-125  | 26  |
| 1485 | HIV and the menopause. <b>2008</b> , 14, 163-8   | 19  |
| 1484 | [Abdominal obesity: a health threat]. 2008, 37, 1407-14  | 5   |
| 1483 | Huang-Lian-Jie-Du-Tang inhibits myocardial remodeling in a rat model of metabolic syndrome. <b>2008</b> , 119, 259-65  | 11  |
| 1482 | The relative value of metabolic syndrome and cardiovascular risk score estimates in premature acute coronary syndromes. <b>2008</b> , 155, 534-40                  | 11  |
| 1481 | Meta-analysis: metformin treatment in persons at risk for diabetes mellitus. 2008, 121, 149-157.e2   | 175 |
| 1480 | A prospective study of determinants of the metabolic syndrome in adults. <b>2008</b> , 18, 567-73  | 44  |

| 1479 | The role of urotensin II in the metabolic syndrome. <b>2008</b> , 29, 859-67   | 45  |
|------|--|-----|
| 1478 | The role of adipose tissue dysfunction in the pathogenesis of obesity-related insulin resistance. <b>2008</b> , 94, 206-18   | 370 |
| 1477 | Metabolic syndrome and cancer risk. <b>2008</b> , 44, 293-7  | 155 |
| 1476 | Diabetes exacerbates angiographic coronary lesion progression in subjects with metabolic syndrome independent of CRP levels. <b>2008</b> , 388, 41-5   | 20  |
| 1475 | Visceral fat thickness in overweight men correlates with alterations in serum fatty acid composition. <b>2008</b> , 398, 57-62   | 20  |
| 1474 | Hepatic insulin resistance is sufficient to produce dyslipidemia and susceptibility to atherosclerosis. <b>2008</b> , 7, 125-34  | 337 |
| 1473 | Clinical significance of the metabolic syndrome in the absence of established hypertension and diabetes: A community-based study. <b>2008</b> , 79, 461-7  | 24  |
| 1472 | Impaired early insulin secretion in Japanese type 2 diabetes with metabolic syndrome. 2008, 79, 482-9  | 14  |
| 1471 | Prevalence of type 2 diabetes among women with a previous history of gestational diabetes mellitus. <b>2008</b> , 81, 124-9  | 45  |
| 1470 | Fatty liver and chronic inflammation in Chinese adults. <b>2008</b> , 81, 202-8  | 12  |
| 1469 | No correlation and low agreement of imaging and inflammatory atherosclerosis' markers in familial hypercholesterolemia. <b>2008</b> , 200, 83-8  | 34  |
| 1468 | High-sensitivity C-reactive protein levels in HIV-infected patients treated or not with antiretroviral drugs and their correlation with factors related to cardiovascular risk and HIV infection. <b>2008</b> , 201, 434-9 | 32  |
| 1467 | Impaired coronary flow reserve in patients with metabolic syndrome. 2008, 201, 112-6   | 42  |
| 1466 | Metabolic syndrome, haemostasis and thrombosis. <b>2008</b> , 99, 995-1000   | 134 |
| 1465 | [Association of age, inflammatory markers and subclinical atherosclerosis in subjects free from cardiovascular disease]. <b>2008</b> , 131, 361-6  | 1   |
| 1464 | Consquences des lsions fonctionnelles aigua apra revascularisation rhale percutane. <b>2008</b> , 22, 853-860  |     |
| 1463 | Outcomes of endoluminal therapy for ostial disease of the major branches of the aortic arch. <b>2008</b> , 22, 388-94  | 13  |
| 1462 | Serum urate, metabolic syndrome, and cardiovascular risk factors. A population-based study. <b>2008</b> , 27, 620-3  | 27  |
|      |  |     |

| 1461 | The metabolic syndromefrom insulin resistance to obesity and diabetes. 2008, 37, 559-79, vii  | 59  |
|------|---|-----|
| 1460 | Traitement endovasculaire pour claudication intermittente des l'artie finorale superficielle: le lit d'aval joue-t-il un rie?. <b>2008</b> , 22, 861-870  |     |
| 1459 | Relationship between the metabolic syndrome and physical activity energy expenditure: a MONET study. <b>2008</b> , 33, 309-14   | 13  |
| 1458 | Cardiovascular Risk Management in Clinical Practice. <b>2008</b> , 15, 9-16   | 3   |
| 1457 | 2008 white paper for implementing strategies and interventions for cardiovascular prevention in Italy. <b>2008</b> , 15, 63-73  | 3   |
| 1456 | Metabolic syndrome in patients with systemic lupus erythematosus from Southern Spain. <b>2008</b> , 17, 849-59  | 62  |
| 1455 | Metabolic syndrome in older HIV-infected patients: data from the CORE50 cohort. <b>2008</b> , 22, 941-5   | 30  |
| 1454 | Psoriasis comorbidities. 2008, 19, 5-21   | 183 |
| 1453 | Asymptomatic hyperuricemia: impact of ultrasonography. <b>2008</b> , 27, 592-5  | 104 |
| 1452 | Gender-modulated impact of apolipoprotein A5 gene (APOA5) -1131T>C and c.56C>G polymorphisms on lipids, dyslipidemia and metabolic syndrome in Turkish adults. <b>2008</b> , 46, 778-84                     | 31  |
| 1451 | Obesity: effects on cardiovascular disease and its diagnosis. <b>2008</b> , 21, 562-8   | 56  |
| 1450 | Clinical outcomes by race in hypertensive patients with and without the metabolic syndrome: Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT). <b>2008</b> , 168, 207-17 | 80  |
| 1449 | Relationship between brachial artery flow-mediated dilatation, hyperemic shear stress, and the metabolic syndrome. <b>2008</b> , 13, 263-70   | 31  |
| 1448 | Is schizophrenia a syndrome of accelerated aging?. <b>2008</b> , 34, 1024-32  | 195 |
| 1447 | The Metabolic Syndrome in Clinical Practice. 2008,  | 17  |
| 1446 | Fibroblast cholesterol efflux to plasma from metabolic syndrome subjects is not defective despite low high-density lipoprotein cholesterol. <b>2008</b> , 158, 53-60  | 31  |
| 1445 | Mas deficiency in FVB/N mice produces marked changes in lipid and glycemic metabolism. <b>2008</b> , 57, 340-7  | 198 |
| 1444 | Metabolic syndrome and incident diabetes: current state of the evidence. <b>2008</b> , 31, 1898-904   | 385 |

| 1443 | Themed Review: Lifestyle Treatment of the Metabolic Syndrome. <b>2008</b> , 2, 99-108  | 7   |
|------|--|-----|
| 1442 | Gender differences in cardiovascular disease prevention. <b>2008</b> , 14, 13-7  | 7   |
| 1441 | Trends in metabolic syndrome and gene networks in human and rodent models. 2008, 8, 198-207  | 14  |
| 1440 | The metabolic syndrome is associated with circulating adipokines in older adults across a wide range of adiposity. <b>2008</b> , 63, 414-9   | 78  |
| 1439 | Cardiovascular disease risk profiles in women with histories of gestational diabetes but without current diabetes. <b>2008</b> , 112, 875-83   | 37  |
| 1438 | Lipoprotein-associated phospholipase A2 activity, ferritin levels, metabolic syndrome, and 10-year cardiovascular and non-cardiovascular mortality: results from the Bruneck study. <b>2009</b> , 30, 107-15 | 81  |
| 1437 | From individual risk factors and the metabolic syndrome to global cardiometabolic risk. <b>2008</b> , 10, B24-B33  | 27  |
| 1436 | Mediterranean food and diets, global resource for the control of metabolic syndrome and chronic diseases. <b>2008</b> , 98, 150-73   | 10  |
| 1435 | Pulse wave velocity is associated with metabolic syndrome components in CAPD patients. <b>2008</b> , 28, 641-6   | 23  |
| 1434 | Indicators for metabolic disturbances in anovulatory women with polycystic ovary syndrome diagnosed according to the Rotterdam consensus criteria. <b>2009</b> , 24, 710-7                                   | 91  |
| 1433 | Helicobacter pylori infection is significantly associated with metabolic syndrome in the Japanese population. <b>2008</b> , 103, 3005-10   | 100 |
| 1432 | Nodular glomerulosclerosis in a patient with metabolic syndrome without diabetes. <b>2008</b> , 4, 639-42  | 13  |
| 1431 | The metabolic syndrome: definitions, prevalence and management. 2008, 1, 100-8   | 38  |
| 1430 | Metabolic syndrome in the Philippine general population: prevalence and risk for atherosclerotic cardiovascular disease and diabetes mellitus. <b>2008</b> , 5, 36-43  | 35  |
| 1429 | Optimal cutoff point of waist circumference and use of home blood pressure as a definition of metabolic syndrome: the Ohasama study. <b>2008</b> , 21, 514-20  | 21  |
| 1428 | Dairy product consumption and the metabolic syndrome. <b>2008</b> , 21, 148-57   | 89  |
| 1427 | Platelet counts and platelet activation markers in obese subjects. 2008, 2008, 834153  | 57  |
| 1426 | Gout and the risk of type 2 diabetes among men with a high cardiovascular risk profile. <b>2008</b> , 47, 1567-70  | 140 |

| 1425                 | Cardiotrophin-1 is expressed in adipose tissue and upregulated in the metabolic syndrome. <b>2008</b> , 294, E52-60   | 60             |
|----------------------|---|----------------|
| 1424                 | Biological specificity of visceral adipose tissue and therapeutic intervention. <b>2008</b> , 114, 277-86   | 38             |
| 1423                 | Inhibition of CCR2 ameliorates insulin resistance and hepatic steatosis in db/db mice. 2008, 28, 2195-201   | 112            |
| 1422                 | Adaptations to climate in candidate genes for common metabolic disorders. 2008, 4, e32  | 204            |
| 1421                 | Comparison of two point-of-care lipid analyzers for use in global cardiovascular risk assessments. <b>2008</b> , 42, 633-9  | 59             |
| 1420                 | Does diagnosis of metabolic syndrome predict the likelihood of peripheral arterial disease as defined by a low ankle-brachial index?. <b>2008</b> , 15, 693-7   | 5              |
| 1419                 | Lower extremity vein graft failure: a translational approach. 2008, 13, 63-74   | 50             |
| 1418                 | Obesity and the lung: 5. Obesity and COPD. <b>2008</b> , 63, 1110-7   | 196            |
| 1417                 | Short-term high fat-feeding results in morphological and metabolic adaptations in the skeletal muscle of C57BL/6J mice. <b>2008</b> , 32, 360-9   | 102            |
| 1416                 | Cardiovascular risk factors and the metabolic syndrome in pediatric nonalcoholic fatty liver disease. <i>Circulation</i> , <b>2008</b> , 118, 277-83  | 282            |
| 1415                 | Nutrition Review: Diet and Metabolic Syndrome. 2008, 2, 113-117   | 5              |
|                      |   |                |
| 1414                 | Abdominal obesity and the metabolic syndrome: contribution to global cardiometabolic risk. <b>2008</b> , 28, 1039-49  | 1009           |
| 1414                 |   | 1009           |
|                      | 28, 1039-49   |                |
| 1413                 | 28, 1039-49  Oxidized LDL and the metabolic syndrome. 2008, 3, 637-649  Metabolic and clinical outcomes in nondiabetic individuals with the metabolic syndrome assigned to chlorthalidone, amlodipine, or lisinopril as initial treatment for hypertension: a report from the   | 83             |
| 1413                 | Oxidized LDL and the metabolic syndrome. 2008, 3, 637-649  Metabolic and clinical outcomes in nondiabetic individuals with the metabolic syndrome assigned to chlorthalidone, amlodipine, or lisinopril as initial treatment for hypertension: a report from the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT). 2008, 31, 353-60  Obesity and non-insulin-dependent diabetes mellitus in Swiss-Webster mice associated with  | 83             |
| 1413<br>1412<br>1411 | Oxidized LDL and the metabolic syndrome. 2008, 3, 637-649  Metabolic and clinical outcomes in nondiabetic individuals with the metabolic syndrome assigned to chlorthalidone, amlodipine, or lisinopril as initial treatment for hypertension: a report from the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT). 2008, 31, 353-60  Obesity and non-insulin-dependent diabetes mellitus in Swiss-Webster mice associated with late-onset hepatocellular carcinoma. 2008, 199, 21-32  Treatment with insulin secretagogues and cancer-related mortality in type 2 diabetic patients a | 83<br>87<br>15 |

# (2008-2008)

| 1407 | Menopause and the metabolic syndrome: the Study of Women's Health Across the Nation. <b>2008</b> , 168, 1568-75  | 306 |
|------|--|-----|
| 1406 | Relationship between metabolic syndrome and its components with coronary heart disease in Iranian men and women. <b>2008</b> , 116, 525-31   | 10  |
| 1405 | Association of liver disease with postprandial large intestinal triglyceride-rich lipoprotein accumulation and pro/antioxidant imbalance in normolipidemic non-alcoholic steatohepatitis. <b>2008</b> , 40, 383-94 | 14  |
| 1404 | Prioritization of candidate disease genes for metabolic syndrome by computational analysis of its defining phenotypes. <b>2008</b> , 35, 55-64   | 21  |
| 1403 | Gene expression profiling of skeletal muscle in exercise-trained and sedentary rats with inborn high and low VO2max. <b>2008</b> , 35, 213-21  | 24  |
| 1402 | Hyperglycemia management in the hospital: about glucose targets and process improvements. <b>2008</b> , 120, 38-50   | 9   |
| 1401 | Nonalcoholic fatty liver disease: from clinical recognition to treatment. <b>2008</b> , 2, 59-79   | 10  |
| 1400 | Predictive value of prehypertension for metabolic syndrome, diabetes, and coronary heart disease among Turks. <b>2008</b> , 21, 890-5  | 35  |
| 1399 | Metabolic syndrome status changes with fitness level change: a retrospective analysis. 2008, 6, 8-14   | 9   |
| 1398 | Does prevalence of the metabolic syndrome in women with coronary artery disease differ by the ATP III and IDF criteria?. <b>2008</b> , 17, 841-7   | 17  |
| 1397 | Metabolic syndrome: prevalence among American Indian and Alaska native people living in the southwestern United States and in Alaska. <b>2008</b> , 6, 267-73  | 32  |
| 1396 | Comparison of body fat estimation using waist:height ratio using different 'waist' measurements in Australian adults. <b>2008</b> , 100, 1135-41   | 31  |
| 1395 | Prevalence and predictors of metabolic syndrome among HIV-infected and HIV-uninfected women in the Women's Interagency HIV Study. <b>2008</b> , 48, 272-80   | 63  |
| 1394 | Apolipoprotein C-III: understanding an emerging cardiovascular risk factor. <b>2008</b> , 114, 611-24  | 194 |
| 1393 | Is liver fat detrimental to vessels?: intersections in the pathogenesis of NAFLD and atherosclerosis. <b>2008</b> , 115, 1-12  | 57  |
| 1392 | Environmental and genetic modifiers of the progression to fibrosis and cirrhosis in hemochromatosis. <b>2008</b> , 111, 4456-62  | 73  |
| 1391 | Association between socioeconomic status and metabolic syndrome in women: testing the reserve capacity model. <b>2008</b> , 27, 576-83   | 91  |
| 1390 | Polychlorinated biphenyl-77 induces adipocyte differentiation and proinflammatory adipokines and promotes obesity and atherosclerosis. <b>2008</b> , 116, 761-8  | 222 |
|      |  |     |

| 1389 | Non-high-density lipoprotein cholesterol in patients with metabolic syndrome. <b>2008</b> , 56, 931-6   | 12  |
|------|---|-----|
| 1388 | The Roles of Abnormal Renal Sodium Handling in Hypertension Associated with Metabolic Syndrome. <b>2008</b> , 4, 197-202  | 1   |
| 1387 | The metabolic syndrome in hypertension: European society of hypertension position statement. <b>2008</b> , 26, 1891-900   | 92  |
| 1386 | Effect of exercise training intensity on abdominal visceral fat and body composition. <b>2008</b> , 40, 1863-72   | 216 |
| 1385 | The role of increased gastrointestinal alcohol production in patients with the metabolic syndrome: Implications for the pathogenesis of non-alcoholic fatty liver disease. <b>2008</b> , 13, 48-56      | 1   |
| 1384 | Is Metabolic Syndrome X a Disorder of the Brain?. <b>2008</b> , 4, 73-108   | 9   |
| 1383 | Impact of metabolic syndrome in patients with acute coronary syndrome. 2008, 45, 114-126  | 8   |
| 1382 | Is the metabolic syndrome a disease of the foregut? Yes, excessive foregut. <b>2008</b> , 247, 1074-5   | 9   |
| 1381 | Evidence for no global effect of metabolic syndrome per se on early hypertensive sequelae. <b>2008</b> , 26, 773-9  | 12  |
| 1380 | Impact of metabolic syndrome on the outcome of patients with stable coronary artery disease: 2-year follow-up of the MASS II study. <b>2008</b> , 19, 383-8   | 8   |
| 1379 | Management of metabolic syndrome in young population. 2008, 15, 356-61  | 7   |
| 1378 | Aerobic exercise and postprandial lipemia in men with the metabolic syndrome. 2008, 40, 2105-11   | 29  |
| 1377 | Insulin resistance predicts endothelial dysfunction and cardiovascular risk in HIV-infected persons on long-term highly active antiretroviral therapy. <b>2008</b> , 22, 849-56                         | 24  |
| 1376 | Giving dietary advice. <b>2008</b> , 19, 602-606  |     |
| 1375 | Lipodystrophic syndrome in children and adolescents infected with the human immunodeficiency virus. <b>2008</b> , 12, 342-8   | 19  |
| 1374 | Abdominal obesity and hyperglycemia mask the effect of a common APOC3 haplotype on the risk of myocardial infarction. <b>2008</b> , 87, 1932-8  | 15  |
| 1373 | Blood pressure normalization by fixed perindopril/indapamide combination in hypertensive patients with or without associate metabolic syndrome: results of the OPTIMAX 2 study. <b>2008</b> , 4, 443-51 | 5   |
| 1372 | Metabolic Regulation of Nuclear Receptors. <b>2008</b> , 23, 155  |     |

| 1371 | White coat hypertension in definition of metabolic syndrome. <b>2008</b> , 49, 449-57   | 9  |
|------|---|----|
| 1370 | . 2008,   | 7  |
| 1369 | Effects of chromosome 17 on features of the metabolic syndrome in the Lyon hypertensive rat. <b>2008</b> , 33, 212-7  | 14 |
| 1368 | Detection of metabolic syndrome features among childhood cancer survivors: a target to prevent disease. <b>2008</b> , 4, 825-36   | 42 |
| 1367 | Omega-3 polyunsaturated fatty acids: a necessity for a comprehensive secondary prevention strategy. <b>2009</b> , 5, 801-10   | 11 |
| 1366 | Marcadores de aterosclerosis temprana y s[hdrome metablico en ni <del>ô</del> s. <b>2009</b> , 137,   | 6  |
| 1365 | [Sodium intake and metabolic syndrome: a systematic review]. 2009, 53, 608-16   | 6  |
| 1364 | Empirical evidence for "syndrome Z": a hierarchical 5-factor model of the metabolic syndrome incorporating sleep disturbance measures. <b>2009</b> , 32, 615-22   | 56 |
| 1363 | [A multidimensional exploration of metabolic syndrome components]. 2009, 25, 1073-82  | 2  |
| 1362 | Association of Diabetes Mellitus and Metabolic Syndrome with Idiopathic Pulmonary Fibrosis. <b>2009</b> , 67, 113   | 5  |
| 1361 | Metabolic syndrome and cardiovascular disease in South Asians. <b>2009</b> , 5, 731-43  | 78 |
| 1360 | Vibration disrupts vascular function in a model of metabolic syndrome. <b>2009</b> , 47, 533-42   | 25 |
| 1359 | Hepatitis C virus-infected patients are 'spared' from the metabolic syndrome but not from insulin resistance. A comparative study of nonalcoholic fatty liver disease and hepatitis C virus-related steatosis. <b>2009</b> , 23, 273-8  | 24 |
| 1358 | A reappraisal of diagnosing GH deficiency in adults: role of gender, age, waist circumference, and body mass index. <b>2009</b> , 94, 4414-22   | 55 |
| 1357 | Artificial selection for whole animal low intrinsic aerobic capacity co-segregates with hypoxia-induced cardiac pump failure. <b>2009</b> , 4, e6117  | 11 |
| 1356 | Metabolic syndrome and polycystic ovary syndrome and vice versa. <b>2009</b> , 53, 227-37   | 40 |
| 1355 | Short-term treatment with metformin improves the cardiovascular risk profile in first-degree relatives of subjects with type 2 diabetes mellitus who have a metabolic syndrome and normal glucose tolerance without changes in C-reactive protein or fibrinogen. <b>2009</b> , 64, 415-20 | 10 |
| 1354 | Glycemic Index and Glycemic Load: Effects on Glucose, Insulin, and Lipid Regulation. <b>2009</b> , 49-64  |    |
|      |   |    |

| 1353 | Metabolic syndrome and non-alcoholic fatty liver disease. <b>2009</b> , 8, S18-S24  | 108 |
|------|---|-----|
| 1352 | Improved glycemic control and reduction of cardiometabolic risk factors in subjects with type 2 diabetes and metabolic syndrome treated with exenatide in a clinical practice setting. <b>2009</b> , 11, 353-9            | 23  |
| 1351 | Metabolic syndrome and elevated C-reactive protein in breast cancer survivors on adjuvant hormone therapy. <b>2009</b> , 18, 2041-7   | 44  |
| 1350 | Prevalence of the metabolic syndrome among obese adolescents enrolled in a multidisciplinary weight management program: clinical correlates and response to treatment. <b>2009</b> , 7, 179-86                            | 36  |
| 1349 | Relationship of postprandial nonesterified fatty acids, adipokines, and insulin across gender in human immunodeficiency virus-positive patients undergoing highly active antiretroviral therapy. <b>2009</b> , 7, 199-204 |     |
| 1348 | Dietary carotenoid intake is associated with lower prevalence of metabolic syndrome in middle-aged and elderly men. <b>2009</b> , 139, 987-92   | 87  |
| 1347 | Effect of rimonabant on the high-triglyceride/ low-HDL-cholesterol dyslipidemia, intraabdominal adiposity, and liver fat: the ADAGIO-Lipids trial. <b>2009</b> , 29, 416-23   | 162 |
| 1346 | Genetic variations in peroxisome proliferator-activated receptor gamma expression affect blood pressure. <b>2009</b> , 106, 19084-9   | 16  |
| 1345 | Fetuses of obese mothers develop insulin resistance in utero. <b>2009</b> , 32, 1076-80   | 481 |
| 1344 | Opposite effects of metabolic syndrome and calorie restriction on thrombotic disease: heads and tails of the same coinresveratrol's role. <b>2009</b> , 7, 397-400  | 4   |
| 1343 | Fasting blood glucose and the risk of stroke and myocardial infarction. <i>Circulation</i> , <b>2009</b> , 119, 812-9 16.7  | 60  |
| 1342 | Ability of lipid accumulation product to identify metabolic syndrome in healthy men from Buenos Aires. <b>2009</b> , 32, e85  | 26  |
| 1341 | Mechanisms of human insulin resistance and thiazolidinedione-mediated insulin sensitization. <b>2009</b> , 106, 18745-50  | 130 |
| 1340 | The association between masked hypertension and waist circumference as an obesity-related anthropometric index for metabolic syndrome: the Ohasama study. <b>2009</b> , 32, 438-43  | 31  |
| 1339 | TaqIB polymorphism in cholesterol ester transfer protein (CETP) gene predicts future cardiovascular death in patients experiencing an acute coronary syndrome. <b>2009</b> , 47, 1039-46                                  | 4   |
| 1338 | Fasting plasma glucose and serum lipids in patients with primary aldosteronism: a controlled cross-sectional study. <b>2009</b> , 53, 605-10  | 93  |
| 1337 | Impaired anti-inflammatory function of apolipoprotein A-II concentrations predicts metabolic syndrome and diabetes at 4 years follow-up in elderly Turks. <b>2009</b> , 47, 1389-94                                       | 16  |
| 1336 | ALLHAT findings revisited in the context of subsequent analyses, other trials, and meta-analyses. <b>2009</b> , 169, 832-42   | 81  |

| 1335 | Preheparin serum lipoprotein lipase mass interacts with gender, gene polymorphism and, positively, with smoking. <b>2009</b> , 47, 208-15   | 6   |
|------|---|-----|
| 1334 | Hyperuricemia and incident heart failure. <b>2009</b> , 2, 556-62   | 74  |
| 1333 | Treatment Considerations for Diabetes: A Pharmacistâl Guide to Improving Care in the Elderly. <b>2009</b> , 22, 575-587   | 1   |
| 1332 | Metabolic syndrome and serum fatty acid patterns in serum phospholipids in hypertriglyceridemic persons with human immunodeficiency virus. <b>2009</b> , 89, 1180-7   | 11  |
| 1331 | Gene-gene interaction between APOA5 and USF1: two candidate genes for the metabolic syndrome. <b>2009</b> , 2, 235-42   | 12  |
| 1330 | New insights into lipid metabolism in chronic kidney disease: what are the practical implications?. <b>2009</b> , 27, 86-91   | 7   |
| 1329 | Pleiotropic effects of rimonabant: clinical implications. <b>2009</b> , 15, 553-70  | 24  |
| 1328 | Mediterranean diets are associated with a lower incidence of metabolic syndrome one year following renal transplantation. <b>2009</b> , 76, 1199-206  | 23  |
| 1327 | Association of the metabolic syndrome with pulmonary venous hypertension. <b>2009</b> , 136, 31-36  | 137 |
| 1326 | Location of arterial stiffening differs in those with impaired fasting glucose versus diabetes: implications for left ventricular hypertrophy from the Multi-Ethnic Study of Atherosclerosis. <b>2009</b> , 58, 946-53    | 32  |
| 1325 | Inter-regional comparisons of the prevalence of cardiometabolic risk factors in patients with hypertension in Europe: the GOOD survey. <b>2009</b> , 23, 316-24   | 16  |
| 1324 | Metabolic syndrome and obstructive sleep apnoea: two circumferences in the same individual. <b>2009</b> , 23, 836   |     |
| 1323 | Early insulin treatment to prevent cardiovascular disease in prediabetes and overt diabetes. <b>2009</b> , 41, 116-22   | 15  |
| 1322 | Psoriasis and atherothrombotic diseases: disease-specific and non-disease-specific risk factors. <b>2009</b> , 35, 313-24   | 74  |
| 1321 | Aldosterone inhibits insulin-induced glucose uptake by degradation of insulin receptor substrate (IRS) 1 and IRS2 via a reactive oxygen species-mediated pathway in 3T3-L1 adipocytes. <b>2009</b> , 150, 1662-9          | 91  |
| 1320 | Diazepane-acetamide derivatives as selective 11beta-hydroxysteroid dehydrogenase type 1 inhibitors. <b>2009</b> , 19, 1477-83   | 1   |
| 1319 | Mineralocorticoid receptor activation in obesity hypertension. <b>2009</b> , 32, 649-57   | 37  |
| 1318 | Insulin-like growth factor-binding protein-1: serum levels, promoter polymorphism, and associations with components of the metabolic syndrome in short subjects born small for gestational age. <b>2009</b> , 94, 1386-92 | 17  |

1317 Mediterranean diets: are they practical in the Western world?. 2009, 76, 1127-9

| 1316 | Circulating transforming growth factor-beta1 levels and the risk for kidney disease in African Americans. <b>2009</b> , 76, 72-80   | 40  |
|------|---|-----|
| 1315 | Genome-wide association study for empirically derived metabolic phenotypes in the Framingham Heart Study offspring cohort. <b>2009</b> , 3 Suppl 7, S53   | 9   |
| 1314 | Conventional cardiovascular risk factors and metabolic syndrome in predicting carotid intima-media thickness progression in young adults: the cardiovascular risk in young Finns study. <i>Circulation</i> , 16.7 <b>2009</b> , 120, 229-36 | 126 |
| 1313 | How to save a life during a clinic visit for erectile dysfunction by modifying cardiovascular risk factors. <b>2009</b> , 21, 327-35  | 16  |
| 1312 | Stroke Prevention. <b>2009</b> , 581-604  |     |
| 1311 | Effects of exercise training intensity on nocturnal growth hormone secretion in obese adults with the metabolic syndrome. <b>2009</b> , 94, 1979-86   | 28  |
| 1310 | Insulin increases reendothelialization and inhibits cell migration and neointimal growth after arterial injury. <b>2009</b> , 29, 1060-6  | 41  |
| 1309 | Lifestyle and metabolic determinants of incident hypertension, with special reference to cigarette smoking: a longitudinal population-based study. <b>2009</b> , 22, 156-62   | 26  |
| 1308 | Association among serum perfluoroalkyl chemicals, glucose homeostasis, and metabolic syndrome in adolescents and adults. <b>2009</b> , 32, 702-7  | 172 |
| 1307 | Direct inhibition of renin: a physiological approach to treat hypertension and cardiovascular disease. <b>2009</b> , 5, 453-65  | 3   |
| 1306 | Components of metabolic syndrome and metachronous colorectal neoplasia. <b>2009</b> , 18, 1134-43   | 24  |
| 1305 | The role of protease inhibitors in the pathogenesis of HIV-associated lipodystrophy: cellular mechanisms and clinical implications. <b>2009</b> , 37, 65-77   | 63  |
| 1304 | Effect of a dietary intervention and n-3 fatty acid supplementation on measures of serum lipid and insulin sensitivity in persons with HIV. <b>2009</b> , 90, 1566-78   | 22  |
| 1303 | Retinol-binding protein 4 and prediction of incident coronary events in healthy men and women. <b>2009</b> , 94, 255-60   | 51  |
| 1302 | Depressive symptoms and metabolic syndrome: selective association in older women. <b>2009</b> , 22, 215-22  | 28  |
| 1301 | Metabolic syndrome in Argentinean patients with systemic lupus erythematosus. <b>2009</b> , 18, 1019-25   | 50  |
| 1300 | Activating transcription factor 3 constitutes a negative feedback mechanism that attenuates saturated Fatty acid/toll-like receptor 4 signaling and macrophage activation in obese adipose tissue. <b>2009</b> , 105, 25-32                 | 81  |

| 1299 | Heart disease and stroke statistics2009 update: a report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. <i>Circulation</i> , <b>2009</b> , 119, e21-181  | 1705 |
|------|--|------|
| 1298 | Homeostasis model assessment of insulin resistance*body mass index interactions at ages 9 to 10 years predict metabolic syndrome risk factor aggregate score at ages 18 to 19 years: a 10-year prospective study of black and white girls. <b>2009</b> , 58, 290-5 | 13   |
| 1297 | Effect of grape seed extract on blood pressure in subjects with the metabolic syndrome. <b>2009</b> , 58, 1743-6   | 101  |
| 1296 | Clinical insights from the Treating to New Targets trial. <b>2009</b> , 51, 487-502  | 5    |
| 1295 | Stability of the factor structure of the metabolic syndrome across pubertal development: confirmatory factor analyses of three alternative models. <b>2009</b> , 155, S5.e1-8  | 20   |
| 1294 | The incidence of metabolic syndrome and its reversal in a cohort of schizophrenic patients followed for one year. <b>2009</b> , 43, 1106-11  | 38   |
| 1293 | Long-term benefits of insulin therapy and glycemic control in overweight and obese adults with type 2 diabetes. <b>2009</b> , 23, 143-52   | 6    |
| 1292 | 1H-magnetic resonance spectroscopy for quantifying myocardial lipid content in humans with the cardiometabolic syndrome. <b>2009</b> , 11, 528-32  | 6    |
| 1291 | Impaired cavernous reinnervation after penile nerve injury in rats with features of the metabolic syndrome. <b>2009</b> , 6, 3032-44   | 12   |
| 1290 | Neck circumference as a measure of central obesity: associations with metabolic syndrome and obstructive sleep apnea syndrome beyond waist circumference. <b>2009</b> , 28, 46-51  | 181  |
| 1289 | [Long term effect of autoadjusting positive airway pressure on C-reactive protein and interleukin-6 in men with obstructive sleep apnoea syndrome]. <b>2009</b> , 45, 577-84   | 11   |
| 1288 | Mitochondrial ATP-sensitive K(+) channels as redox signals to liver mitochondria in response to hypertriglyceridemia. <b>2009</b> , 47, 1432-9   | 29   |
| 1287 | Laparoscopic adjustable gastric banding for morbidly obese adolescents affects android fat loss, resolution of comorbidities, and improved metabolic status. <b>2009</b> , 209, 638-44   | 56   |
| 1286 | Ethnic differences in hepatic steatosis: an insulin resistance paradox?. <b>2009</b> , 49, 791-801   | 252  |
| 1285 | Fasting hyperinsulinemia associates with increased sub-clinical inflammation in first-degree relatives normal glucose tolerant women independently of the metabolic syndrome. <b>2009</b> , 25, 639-46   | 2    |
| 1284 | Diabetes self-care maintenance, comorbid conditions and perceived health. <b>2009</b> , 6, 65-68   | 2    |
| 1283 | Reproducibility of 3.0 Tesla magnetic resonance spectroscopy for measuring hepatic fat content. <b>2009</b> , 30, 444-8  | 59   |
| 1282 | Posttransplant metabolic syndrome: an epidemic waiting to happen. <b>2009</b> , 15, 1662-70  | 122  |

| 1281 | Long-term temporal trends in cardiovascular and metabolic risk factors. <b>2009</b> , 121, 623-30   | 8  |
|------|---|----|
| 1280 | The influence of dietary fibre source and gender on the postprandial glucose and lipid response in healthy subjects. <b>2009</b> , 48, 395-402  | 35 |
| 1279 | Metabolic syndrome increases the risk of stroke: a 5-year follow-up study in a Chinese population. <b>2009</b> , 256, 1493-9  | 24 |
| 1278 | Pathogenesis and pathophysiology of accelerated atherosclerosis in the diabetic heart. <b>2009</b> , 331, 89-116  | 42 |
| 1277 | Components of the metabolic syndrome and risk of prostate cancer: the HUNT 2 cohort, Norway. <b>2009</b> , 20, 1181-92  | 86 |
| 1276 | Metabolic syndrome: perception or reality?. <b>2009</b> , 11, 264-71  | 10 |
| 1275 | Effects of resistin on insulin signaling in endothelial cells. <b>2009</b> , 3, 136-140   |    |
| 1274 | The WOMEN study: what is the optimal method for ischemia evaluation in women? A multi-center, prospective, randomized study to establish the optimal method for detection of coronary artery disease (CAD) risk in women at an intermediate-high pretest likelihood of CAD: study design. 2009, | 9  |
| 1273 | Design, synthesis, and docking studies of novel telmisartanâglitazone hybrid analogs for the treatment of metabolic syndrome. <b>2009</b> , 18, 589-610   | 9  |
| 1272 | Design, synthesis, and docking studies of telmisartan analogs for the treatment of metabolic syndrome. <b>2009</b> , 18, 611-628  | 10 |
| 1271 | Predictors of metabolic monitoring among schizophrenia patients with a new episode of second-generation antipsychotic use in the Veterans Health Administration. <b>2009</b> , 9, 80  | 19 |
| 1270 | Association of the TLR4 Asp299Gly polymorphism with lung function in relation to body mass index. <b>2009</b> , 9, 46   | 6  |
| 1269 | Dyslipidemia treatment of patients with diabetes mellitus in a US managed care plan: a retrospective database analysis. <b>2009</b> , 8, 26   | 20 |
| 1268 | Glycemic load is associated with HDL cholesterol but not with the other components and prevalence of metabolic syndrome in the third National Health and Nutrition Examination Survey, 1988-1994. <b>2009</b> , 2, 3  | 25 |
| 1267 | Relationship of psoriasis severity to obesity using same-gender siblings as controls for obesity. <b>2009</b> , 34, 140-4   | 62 |
| 1266 | Androgenic alopecia and insulin resistance: are they really related?. <b>2009</b> , 34, 694-7   | 31 |
| 1265 | Severe psoriasis, morbid obesity and bariatric surgery. <b>2009</b> , 34, e421-2  | 22 |
| 1264 | Small, dense low-density lipoproteins (LDL) are predictors of cardio- and cerebro-vascular events in subjects with the metabolic syndrome. <b>2009</b> , 70, 870-5  | 78 |

| 1263 | Prognostic significance of FTO genotype in the development of obesity in Japanese: the J-SHIPP study. <b>2009</b> , 33, 1243-8  | 34  |
|------|---|-----|
| 1262 | High prevalence of metabolic syndrome after allogeneic hematopoietic cell transplantation. <b>2009</b> , 43, 49-54  | 105 |
| 1261 | Loss of total and visceral adipose tissue mass predicts decreases in oxidative stress after weight-loss surgery. <b>2009</b> , 17, 439-46   | 61  |
| 1260 | Serum adiponectin confers little protection against diabetes and hypertension in Turkish men. <b>2009</b> , 17, 564-70  | 13  |
| 1259 | Abdominal obesity, insulin resistance, and the metabolic syndrome: contribution of physical activity/exercise. <b>2009</b> , 17 Suppl 3, S1-2   | 25  |
| 1258 | The utility of physical activity in the management of global cardiometabolic risk. 2009, 17 Suppl 3, S3-S14   | 43  |
| 1257 | Characterization of obese phenotypes in a small nonhuman primate, the common marmoset (Callithrix jacchus). <b>2009</b> , 17, 1499-505  | 65  |
| 1256 | Metabolic syndrome: a picture of health?. <b>2009</b> , 21, 197-199   | 1   |
| 1255 | Waist circumference percentile thresholds for identifying adolescents with insulin resistance in clinical practice. <b>2009</b> , 10, 336-42  | 29  |
| 1254 | The International Society for Bipolar Disorders (ISBD) consensus guidelines for the safety monitoring of bipolar disorder treatments. <b>2009</b> , 11, 559-95  | 125 |
| 1253 | Serum apolipoprotein C-III in high-density lipoprotein: a key diabetogenic risk factor in Turks. <b>2009</b> , 26, 981-8  | 47  |
| 1252 | Mediterranean food pattern and the primary prevention of chronic disease: recent developments. <b>2009</b> , 67 Suppl 1, S111-6   | 127 |
| 1251 | Combined effects of HLA-Cw6 and cigarette smoking in psoriasis vulgaris: a hospital-based case-control study in China. <b>2009</b> , 23, 132-7  | 46  |
| 1250 | Optimization and validation of a SPE-HPLC-PDA-fluorescence method for the simultaneous determination of drugs used in combined cardiovascular therapy in human plasma. <b>2009</b> , 50, 630-9                                  | 29  |
| 1249 | Hepatic insulin resistance, metabolic syndrome and cardiovascular disease. <b>2009</b> , 42, 1331-46  | 291 |
| 1248 | Structure-based virtual screening for identification of novel 11beta-HSD1 inhibitors. 2009, 44, 1167-71   | 41  |
| 1247 | Thyrotropin levels and their relationship with cardiovascular risk factors in the island of Gran Canaria, Spain. Implications of lowering the upper reference limit of thyrotropin stimulating hormone. <b>2009</b> , 32, 102-6 | 3   |
| 1246 | Cardiorespiratory fitness and the metabolic syndrome in firefighters. <b>2009</b> , 59, 487-92  | 81  |

| 1245 | Chemerin is a novel adipocyte-derived factor inducing insulin resistance in primary human skeletal muscle cells. <b>2009</b> , 58, 2731-40   | 271 |
|------|--|-----|
| 1244 | Metabolic syndrome and periodontitis: is oxidative stress a common link?. <b>2009</b> , 88, 503-18   | 153 |
| 1243 | Relationship between uric acid and hepatic steatosis among Koreans. <b>2009</b> , 35, 447-51   | 27  |
| 1242 | Impaired left ventricular systolic and diastolic function in patients with metabolic syndrome as assessed by strain and strain rate imaging. <b>2009</b> , 83, 300-7               | 53  |
| 1241 | Metabolic syndrome and risk of cancer mortality in men. <b>2009</b> , 45, 1831-8   | 80  |
| 1240 | Metabolic syndrome and left ventricular hypertrophy in the prediction of cardiovascular events: the Strong Heart Study. <b>2009</b> , 19, 98-104                                   | 41  |
| 1239 | Triglyceride/HDL-cholesterol ratio is an independent predictor for coronary heart disease in a population of Iranian men. <b>2009</b> , 19, 401-8                                  | 110 |
| 1238 | Cardiometabolic comorbidities and the approach to patients with psoriasis. <b>2009</b> , 100 Suppl 2, 14-21  | 22  |
| 1237 | Impact of metabolic syndrome on left ventricular mass: is the same in all ethnic groups and in men and women?. <b>2009</b> , 131, 395-6; author reply 396-7                        | 1   |
| 1236 | Impact of metabolic syndrome on left ventricular mass: Is the same in all ethnic groups and in men and women? Reply. <b>2009</b> , 131, 396-397                                    |     |
| 1235 | Independent prediction of metabolic syndrome by plasma fibrinogen in men, and predictors of elevated levels. <b>2009</b> , 135, 211-7  | 17  |
| 1234 | The endocannabinoid system and cardiometabolic risk: effects of CB1 receptor blockade on lipid metabolism. <b>2009</b> , 131, 305-12   | 7   |
| 1233 | [Erectile dysfunction as a marker of silent cardiovascular disease in type-2 diabetic patients in Spain. The DIVA (Diabetes and VAscular disease) study]. <b>2009</b> , 132, 291-7 | 12  |
| 1232 | HIV infection and obesity: a review of the evidence. <b>2009</b> , 20, 260-74  | 32  |
| 1231 | Low- and high-density lipoprotein cholesterol goal attainment in dyslipidemic women: The Lipid Treatment Assessment Project (L-TAP) 2. <b>2009</b> , 158, 860-6                    | 34  |
| 1230 | Central corneal thickness and its associations with ocular and systemic factors: the Singapore Malay Eye Study. <b>2009</b> , 147, 709-716.e1                                      | 65  |
| 1229 | Long-term C-reactive protein variability and prediction of metabolic risk. 2009, 122, 53-61  | 19  |
| 1228 | Low-density lipoprotein cholesterol goal attainment in high-risk family medicine patients. <b>2009</b> , 3, 195-200  | 2   |

| 1227 | and the metabolic syndrome in men and women. <b>2009</b> , 3, 289-96   | 68  |
|------|--|-----|
| 1226 | Importance of metabolic syndrome for South Asians. <b>2009</b> , 2, 93-4   | 1   |
| 1225 | Early onset of proteinuria and focal segmental glomerulosclerosis in obese, hyperinsulinemic adolescents developing metabolic syndrome. <b>2009</b> , 3, 169-174   | 2   |
| 1224 | Metabolic syndrome: A review of emerging markers and management. <b>2009</b> , 3, 240-254  | 14  |
| 1223 | Modern cardiovascular risk management in clinical practice. <b>2009</b> , 26, 275-279  |     |
| 1222 | Resistin gene variations are associated with the metabolic syndrome in Japanese men. <b>2009</b> , 3, I-II   | 17  |
| 1221 | Outcomes of endoluminal reintervention for restenosis after percutaneous renal angioplasty and stenting. <b>2009</b> , 49, 946-52  | 16  |
| 1220 | Endovascular revascularization of renal artery stenosis in the solitary functioning kidney. <b>2009</b> , 49, 953-60   | 12  |
| 1219 | Metabolic syndrome: A predictor of adverse outcomes after carotid revascularization. <b>2009</b> , 49, 1172-80.e1; discussion 1180   | 34  |
| 1218 | The hypertriglyceridemic waist phenotype versus the National Cholesterol Education Program-Adult Treatment Panel III and International Diabetes Federation clinical criteria to identify high-risk men with an altered cardiometabolic risk profile. <b>2009</b> , 58, 1123-30 | 70  |
| 1217 | Point-of-care testing of cholesterol and triglycerides for epidemiologic studies: evaluation of the multicare-in system. <b>2009</b> , 153, 71-6   | 41  |
| 1216 | Influence of exercise intensity on abdominal fat and adiponectin in elderly adults. 2009, 7, 363-8   | 46  |
| 1215 | Long Term Effect of Autoadjusting Positive Airway Pressure on C-Reactive Protein and Interleukin-6 in Men With Obstructive Sleep Apnoea Syndrome. <b>2009</b> , 45, 577-584  | 3   |
| 1214 | Plasma carboxy-terminal provasopressin (copeptin): a novel marker of insulin resistance and metabolic syndrome. <b>2009</b> , 94, 2558-64  | 113 |
| 1213 | Synthesis and analysis of novel glycerolipids for the treatment of metabolic syndrome. <b>2009</b> , 52, 1172-9  | 8   |
| 1212 | Insulin Resistance. 2009,  |     |
| 1211 | Metabolic syndrome and cardiometabolic risk: an update. <b>2009</b> , 18, 7-16   | 11  |
| 1210 | Coronary arterial calcification in rheumatoid arthritis: comparison with the Multi-Ethnic Study of Atherosclerosis. <b>2009</b> , 11, R36  | 91  |

| 1209 | Heritabilities of the metabolic syndrome phenotypes and related factors in Korean twins. <b>2009</b> , 94, 4946-52   | 36  |
|------|--|-----|
| 1208 | Vascular biomarkers in the metabolic syndrome. <b>2009</b> , 9, 209-15   | 3   |
| 1207 | Impact of treating the metabolic syndrome on chronic kidney disease. <b>2009</b> , 5, 520-8  | 41  |
| 1206 | Metabolic syndrome and its associated risk factors in Brazilian postmenopausal women. <b>2009</b> , 12, 431-8  | 35  |
| 1205 | Circulating levels of adiponectin, leptin, and tumour necrosis factor alpha in hypertension. <b>2009</b> , 41, 291-300   | 18  |
| 1204 | The not-so-sweet side of fructose. <b>2009</b> , 20, 457-9   | 12  |
| 1203 | Successful Internet-Based Lifestyle Change Program on Body Weight and Markers of Metabolic Health. <b>2009</b> , 5, 167-173  | 3   |
| 1202 | Lifestyle modification decreases the mean platelet volume in prehypertensive patients. <b>2009</b> , 20, 58-63   | 49  |
| 1201 | Serum bilirubin is inversely associated with insulin resistance and metabolic syndrome among children and adolescents. <b>2009</b> , 203, 563-8  | 108 |
| 1200 | Elevated C-reactive protein levels and metabolic syndrome in the elderly: The role of central obesity data from the InChianti study. <b>2009</b> , 203, 626-32   | 42  |
| 1199 | Polycystic ovary syndrome is associated with severe platelet and endothelial dysfunction in both obese and lean subjects. <b>2009</b> , 204, 509-14  | 78  |
| 1198 | Association of C-reactive protein (CRP) gene allelic variants with serum CRP levels and hypertension in Turkish adults. <b>2009</b> , 206, 474-9   | 26  |
| 1197 | Diabetes Mellitus. 2009, 9-16  |     |
| 1196 | Prevalencia de factores de riesgo cardiovascular y de s[ndrome metablico en una cohorte de pacientes con infeccifi por el virus de la inmunodeficiencia humana del sur de Espa <del>â</del> . Estudio PREGO. <b>2009</b> , 21, 62-67 |     |
| 1195 | Metabolic consequences of hyperglycemia and insulin resistance. <b>2009</b> , 4, 2-14  | 7   |
| 1194 | Adipocyte fatty acid-binding protein as a determinant of insulin sensitivity in morbid-obese women. <b>2009</b> , 17, 1124-8   | 30  |
| 1193 | [Cardiovascular risk factors associated with antiretroviral therapy]. <b>2009</b> , 27 Suppl 1, 24-32  | 2   |
| 1192 | S[hdrome metablico, la obesidad y el sedentarismo. <b>2009</b> , 10, 2688-2696   |     |

| 1191 | Dietary carbohydrates and dental-systemic diseases. <b>2009</b> , 88, 490-502  | 84  |
|------|--|-----|
| 1190 | Efficacy and safety of ursodeoxycholic acid in primary, type IIa or IIb hypercholesterolemia: a multicenter, randomized, double-blind clinical trial. <b>2009</b> , 203, 479-82                                    | 6   |
| 1189 | Relationship between adiposity and cardiovascular risk factors in prevalent hemodialysis patients. <b>2009</b> , 19, 357-64  | 25  |
| 1188 | Percentage of excess BMI lost correlates better with improvement of metabolic syndrome after Roux-en-Y gastric bypass in morbidly obese subjects: anthropometric indexes and gastric bypass. <b>2009</b> , 5, 11-8 | 13  |
| 1187 | Obesity, metabolic syndrome, and the surgical patient. <b>2009</b> , 27, 705-19  | 5   |
| 1186 | Obesity, metabolic syndrome, and the surgical patient. <b>2009</b> , 93, 1049-63   | 17  |
| 1185 | 2007 ESH/ESC Guidelines for the management of hypertension, from theory to practice: global cardiovascular risk concept. <b>2009</b> , 27, S3-11   | 26  |
| 1184 | Prevalence of metabolic syndrome in patients with psychotic disorders in the Netherlands. <b>2009</b> , 29, 399-402  | 11  |
| 1183 | Prevalence and pathogenesis of diabetes mellitus in HIV-1 infection treated with combined antiretroviral therapy. <b>2009</b> , 50, 499-505  | 119 |
| 1182 | How sweet it is? Susceptibility to diabetes mellitus in HIV-1 treatment. <b>2009</b> , 3, 613-624  |     |
| 1181 | Cardiovascular manifestations of insulin resistance. <b>2009</b> , 16, e14-28  | 10  |
| 1180 | Multivariate therapeutic approach to binge-eating disorder: combined nutritional, psychological and pharmacological treatment. <b>2009</b> , 24, 312-7   | 21  |
| 1179 | Independent and combined influence of physical activity and perceived stress on the metabolic syndrome in male law enforcement officers. <b>2009</b> , 51, 46-53   | 35  |
| 1178 | Mechanisms of hypertension in the cardiometabolic syndrome. <b>2009</b> , 27, 441-51   | 55  |
| 1177 | Waist circumference and waist-to-height ratio as predictors of cardiovascular disease risk in Korean adults. <b>2009</b> , 73, 1643-50   | 120 |
| 1176 | [The metabolic syndrome and the risks of unfavourable outcome of pregnancy]. 2009, 150, 1361-5   | 8   |
| 1175 | Detectable HIV viral load is associated with metabolic syndrome. <b>2009</b> , 52, 459-64  | 24  |
| 1174 | Effects of insulin resistance on endothelial progenitor cells and vascular repair. <b>2009</b> , 117, 173-90   | 58  |

| 1173 | Pro12Ala polymorphism of the peroxisome proliferatoractivated receptor-gamma gene is associated with metabolic syndrome and surrogate measures of insulin resistance in healthy men: interaction with smoking status. <b>2009</b> , 73, 2118-24 | 27 |
|------|---|----|
| 1172 | Criteria of waist circumference according to computed tomography-measured visceral fat area and the clustering of cardiovascular risk factors. <b>2009</b> , 73, 1881-6   | 50 |
| 1171 | A proposal of combined evaluation of waist circumference and BMI for the diagnosis of metabolic syndrome. <b>2009</b> , 56, 1079-82   | 20 |
| 1170 | The metabolic syndrome and pulmonary vascular disease. <b>2009</b> , 136, 3-4   | 3  |
| 1169 | Components of the metabolic syndrome among a sample of overweight and obese Costa Rican schoolchildren. <b>2009</b> , 30, 161-70  | 17 |
| 1168 | Dietary phylloquinone intakes and metabolic syndrome in US young adults. <b>2009</b> , 28, 369-79   | 28 |
| 1167 | Role of Sympathetic Nerve Activity in Obesity, Hypertension and Metabolic Syndrome. <b>2010</b> , 6, 83-91  | 2  |
| 1166 | Demographic and clinical determinants of moderate to vigorous physical activity during home-based cardiac rehabilitation: the home-based determinants of exercise (HOME) study. <b>2010</b> , 30, 240-5   | 30 |
| 1165 | Metabolic syndrome, inflammation, and nonamnestic mild cognitive impairment in older persons: a population-based study. <b>2010</b> , 24, 11-8  | 65 |
| 1164 | Aesthetic cardiology: adipose-derived stem cells for myocardial repair. <b>2010</b> , 5, 145-52   | 18 |
| 1163 | Impact of Fenofibrate on Type 2 Diabetes Patients with Features of the Metabolic Syndrome: Subgroup Analysis From FIELD. <b>2010</b> , 6, 112-8   | 16 |
| 1162 | Pharmacological Treatments for Obesity-Related Hypertension. <b>2010</b> , 6, 92-99   |    |
| 1161 | Prevalence of Obesity, Hypertension, Diabetes, and Metabolic Syndrome and Its Cardiovascular Complications. <b>2010</b> , 6, 73-82  | 7  |
| 1160 | Effects of low-fat dairy consumption on markers of low-grade systemic inflammation and endothelial function in overweight and obese subjects: an intervention study. <b>2010</b> , 104, 1523-7  | 57 |
| 1159 | Insulin Resistance in the Metabolic Syndrome. 13-21   |    |
| 1158 | High-intensity aerobic exercise training improves the heart in health and disease. <b>2010</b> , 30, 2-11   | 96 |
| 1157 | Comparison of rival metabolic syndrome classifications against pathophysiological markers in renal transplant recipients. <b>2010</b> , 89, 347-52  | 13 |
| 1156 | Metabolic syndrome? A critical look from the viewpoints of causal diagrams and statistics. <b>2010</b> , 11, 772-9  | 5  |

| 1155 | insulin sensitivity. <b>2010</b> , 24, 1091-101  | 34  |
|------|--|-----|
| 1154 | Prevalence of the metabolic syndrome among overweight and obese college students in Korea. <b>2010</b> , 25, 61-8  | 7   |
| 1153 | C825T polymorphism of the GNB3 gene on valproate-related metabolic abnormalities in bipolar disorder patients. <b>2010</b> , 30, 512-7   | 21  |
| 1152 | Ambulatory blood pressure monitoring in type 2 diabetes and metabolic syndrome: a review. <b>2010</b> , 15, 1-7  | 28  |
| 1151 | The impact of vitamin D deficiency on diabetes and cardiovascular risk. <b>2010</b> , 17, 113-9  | 87  |
| 1150 | Rapidly worsening hypertriglyceridemia during treatment with risperidone. <b>2010</b> , 17, 216-8  | 5   |
| 1149 | Metabolic syndrome: anesthesia for morbid obesity. <b>2010</b> , 23, 375-83  | 31  |
| 1148 | Metabolic syndrome and bone metabolism: the Camargo Cohort study. <b>2010</b> , 17, 955-61   | 71  |
| 1147 | Body mass index can similarly predict the presence of multiple cardiovascular risk factors in middle-aged Japanese subjects as waist circumference. <b>2010</b> , 49, 977-82                                     | 30  |
| 1146 | Natriuretic peptides and cardiovascular damage in the metabolic syndrome: molecular mechanisms and clinical implications. <b>2009</b> , 118, 231-40  | 26  |
| 1145 | The relationship between serum uric acid level and metabolic syndrome: differences by sex and age in Taiwanese. <b>2010</b> , 20, 219-24   | 49  |
| 1144 | Impact of blood pressure and other components of the metabolic syndrome on the development of cardiovascular disease. <b>2010</b> , 74, 456-61   | 12  |
| 1143 | Metabolic syndrome and carotid artery parameter in Koreans aged 50 years and older. <b>2010</b> , 74, 560-6  | 10  |
| 1142 | The "Senobi" breathing exercise is recommended as first line treatment for obesity. <b>2010</b> , 31, 259-62   | 4   |
| 1141 | Differences in the body composition and biochemistry in women grouped as normal-weight, overweight and obese according to body mass index and their relation with cardiometabolic risk. <b>2010</b> , 5, 724-732 | 2   |
| 1140 | [Obesity: ectopic fat distribution and the heart]. <b>2010</b> , 35, 198-205   | 3   |
| 1139 | The metabolic syndrome: useful concept or clinical tool? Report of a WHO Expert Consultation. <b>2010</b> , 53, 600-5  | 312 |
| 1138 | LC-MS/MS method for the determination of several drugs used in combined cardiovascular therapy in human plasma. <b>2010</b> , 878, 2685-92   | 53  |

| 1137 | Lower BMI cutoff for assessing the prevalence of metabolic syndrome in Thai population. <b>2010</b> , 47 Suppl 1, 91-6  | 13  |
|------|---|-----|
| 1136 | Alanine-aminotransferase levels predict impaired glucose tolerance in a worksite population. <b>2010</b> , 47, 161-5  | 10  |
| 1135 | Prevalence of metabolic syndrome with International Diabetes Federation Criteria and ATP III Program in patients 65 years of age or older. <b>2010</b> , 14, 400-4                                      | 14  |
| 1134 | Personality and metabolic syndrome. <b>2010</b> , 32, 513-9   | 77  |
| 1133 | Clustering of leptin and physical activity with components of metabolic syndrome in Iranian population: an exploratory factor analysis. <b>2010</b> , 38, 206-13  | 12  |
| 1132 | Metabolic syndrome associated with schizophrenia and atypical antipsychotics. <b>2010</b> , 10, 209-16  | 84  |
| 1131 | Metabolic syndrome and insulin resistance in subjects with morbid obesity. <b>2010</b> , 20, 295-301  | 28  |
| 1130 | Prevalence of diabetes, metabolic syndrome, and cardiovascular risk factors in US Asian Indians: results from a national study. <b>2010</b> , 24, 145-53  | 105 |
| 1129 | Birth weight, family history of diabetes, and metabolic syndrome in children and adolescents. <b>2010</b> , 156, 719-23, 723.e1   | 54  |
| 1128 | Serum complement C3: a determinant of cardiometabolic risk, additive to the metabolic syndrome, in middle-aged population. <b>2010</b> , 59, 628-34   | 50  |
| 1127 | A functional nonsynonymous toll-like receptor 4 gene polymorphism is associated with metabolic syndrome, surrogates of insulin resistance, and syndromes of lipid accumulation. <b>2010</b> , 59, 711-7 | 25  |
| 1126 | Serum uric acid and metabolic syndrome in Taiwanese adults. <b>2010</b> , 59, 802-7   | 54  |
| 1125 | Visceral adipose tissue and body fat mass: predictive values for and role of gender in cardiometabolic risk among Turks. <b>2010</b> , 26, 382-9  | 27  |
| 1124 | Apolipoprotein A-I positively associated with diabetes in women independently of apolipoprotein E genotype and apolipoprotein B levels. <b>2010</b> , 26, 975-80  | 12  |
| 1123 | The characteristics of impaired fasting glucose associated with obesity and dyslipidaemia in a Chinese population. <b>2010</b> , 10, 139  | 22  |
| 1122 | Relation of B-type natriuretic peptide levels to body mass index after comprehensive lifestyle changes. <b>2010</b> , 105, 1570-6   | 33  |
| 1121 | Comparison of rates of progression of coronary atherosclerosis in patients with diabetes mellitus versus those with the metabolic syndrome. <b>2010</b> , 105, 1735-9                                   | 25  |
| 1120 | Effect of total knee arthroplasty on metabolic syndrome. <b>2010</b> , 25, 1110-4   | 5   |

| 1119                 | Metabolic syndrome and its components after liver transplantation: incidence, prevalence, risk factors, and implications. <b>2010</b> , 29, 175-9   | 22             |
|----------------------|---|----------------|
| 1118                 | Glycemic index, glycemic load, and prevalence of the metabolic syndrome in the cooper center longitudinal study. <b>2010</b> , 110, 1820-9  | 44             |
| 1117                 | Metabolic syndrome and solid-organ transplantation. <b>2010</b> , 10, 12-7  | 25             |
| 1116                 | Vasculogenic erectile dysfunction and metabolic syndrome. <b>2010</b> , 7, 3997-4002  | 16             |
| 1115                 | The vicious circle between oxidative stress and inflammation in atherosclerosis. 2010, 14, 70-8   | 168            |
| 1114                 | Effect of obesity on platelet reactivity and response to low-dose aspirin. <b>2010</b> , 13, 56-62  | 54             |
| 1113                 | Cardiometabolic syndrome and its association with education, smoking, diet, physical activity, and social support: findings from the Pennsylvania 2007 BRFSS Survey. <b>2010</b> , 12, 556-64   | 6              |
| 1112                 | US trends in glycemic control, treatment, and comorbidity burden in patients with diabetes. <b>2010</b> , 12, 826-32  | 20             |
| 1111                 | Overactive bladder: Is there a link to the metabolic syndrome in men?. <b>2010</b> , 29, 1360-4   | 48             |
| 1110                 | The Mediterranean Diets: Nutrition and Gastronomy. <b>2010</b> , 322-343  | 1              |
| 1109                 | Abdominal adiposity in rheumatoid arthritis: association with cardiometabolic risk factors and disease characteristics. <b>2010</b> , 62, 3173-82   | 114            |
| 1108                 |   |                |
| 1100                 | Amino acids stimulate Akt phosphorylation, and reduce IL-8 production and NF- <b>B</b> activity in HepG2 liver cells. <b>2010</b> , 54, 1568-73   | 25             |
| 1107                 |   | 25<br>15       |
|                      | Short-term weight loss in overweight/obese low-income women improves plasma zinc and metabolic syndrome risk factors. <b>2010</b> , 24, 271-6  Predictive value of serum apolipoprotein B/LDL-cholesterol ratio in cardiometabolic risk:  |                |
| 1107                 | liver cells. 2010, 54, 1568-73  Short-term weight loss in overweight/obese low-income women improves plasma zinc and metabolic syndrome risk factors. 2010, 24, 271-6  Predictive value of serum apolipoprotein B/LDL-cholesterol ratio in cardiometabolic risk:  | 15             |
| 1107                 | Short-term weight loss in overweight/obese low-income women improves plasma zinc and metabolic syndrome risk factors. 2010, 24, 271-6  Predictive value of serum apolipoprotein B/LDL-cholesterol ratio in cardiometabolic risk: population-based cohort study. 2010, 43, 1381-6  The severity of non-alcoholic fatty liver disease correlates with high sensitivity C-reactive protein value and is independently associated with increased cardiovascular risk in healthy population. 2010, 43, 1399-404  Total and high molecular weight adiponectin baye similar utility for the identification of insuling | 15<br>15       |
| 1107<br>1106<br>1105 | Short-term weight loss in overweight/obese low-income women improves plasma zinc and metabolic syndrome risk factors. 2010, 24, 271-6  Predictive value of serum apolipoprotein B/LDL-cholesterol ratio in cardiometabolic risk: population-based cohort study. 2010, 43, 1381-6  The severity of non-alcoholic fatty liver disease correlates with high sensitivity C-reactive protein value and is independently associated with increased cardiovascular risk in healthy population. 2010, 43, 1399-404  Total and high molecular weight adiponectin have similar utility for the identification of insulin  | 15<br>15<br>41 |

| 1101 | High-sensitivity C-reactive protein and gamma-glutamyl transferase levels are synergistically associated with metabolic syndrome in community-dwelling persons. <b>2010</b> , 9, 87  | 28  |
|------|--|-----|
| 1100 | Omega-3 polyunsaturated acids and cardiovascular disease: notable ethnic differences or unfulfilled promise?. <b>2010</b> , 8, 2095-104  | 20  |
| 1099 | Psoriasis and body mass index. <b>2010</b> , 23, 152-4   | 35  |
| 1098 | The difference of heart rate recovery between males with and without erectile dysfunction. <b>2010</b> , 15, 223-9   | 8   |
| 1097 | Metabolic syndrome, insulin resistance, and periodontitis: a cross-sectional study in a middle-aged French population. <b>2010</b> , 37, 601-8   | 80  |
| 1096 | Association of salivary lysozyme and C-reactive protein with metabolic syndrome. <b>2010</b> , 37, 805-11  | 15  |
| 1095 | What men should know about metabolic syndrome, adiposopathy and 'sick fat'. <b>2010</b> , 64, 1735-9   | 4   |
| 1094 | Effects of testosterone supplementation on markers of the metabolic syndrome and inflammation in hypogonadal men with the metabolic syndrome: the double-blinded placebo-controlled Moscow study. <b>2010</b> , 73, 602-12 | 254 |
| 1093 | Increased serum FGF21 levels in patients with nonalcoholic fatty liver disease. <b>2010</b> , 40, 887-92   | 129 |
| 1092 | Exploring the components of metabolic syndrome with respect to gender difference and its relationship to health-promoting lifestyle behaviour: a study in Taiwanese urban communities. <b>2010</b> , 19, 3031-41           | 23  |
| 1091 | The chronic effects of whey proteins on blood pressure, vascular function, and inflammatory markers in overweight individuals. <b>2010</b> , 18, 1354-9  | 144 |
| 1090 | Associations between gender, age and waist circumference. <b>2010</b> , 64, 6-15   | 163 |
| 1089 | A clinical trial assessing the safety and efficacy of taranabant, a CB1R inverse agonist, in obese and overweight patients: a high-dose study. <b>2010</b> , 34, 919-35  | 62  |
| 1088 | Metabolic or bariatric surgery? Long-term effects of malabsorptive vs restrictive bariatric techniques on body composition and cardiometabolic risk factors. <b>2010</b> , 34, 1404-14                                     | 30  |
| 1087 | Prevalence and correlates of metabolic syndrome based on a harmonious definition among adults in the US. <b>2010</b> , 2, 180-93   | 303 |
| 1086 | Insulin resistance in rheumatoid arthritis: the impact of the anti-TNF-alpha therapy. <b>2010</b> , 1193, 153-9  | 100 |
| 1085 | Decreased high-density lipoprotein cholesterol is associated with inflammation and insulin resistance in non-diabetic haemodialysis patients. <b>2010</b> , 15, 692-9  | 6   |
| 1084 | Prevalence of metabolic syndrome in bipolar patients initiating acute-phase treatment: a 6-month follow up. <b>2010</b> , 64, 625-33   | 20  |

| 1083 | The discrimination of dyslipidaemia using anthropometric measures in ethnically diverse populations of the Asia-Pacific Region: the Obesity in Asia Collaboration. <b>2010</b> , 11, 127-36 | 26  |
|------|---|-----|
| 1082 | High prevalence of the metabolic syndrome and associated left ventricular hypertrophy in pediatric renal transplant recipients. <b>2010</b> , 14, 52-60                                     | 65  |
| 1081 | Metabolic syndrome in pediatric renal transplant recipients: comparing early discontinuation of steroids vs. steroid group. <b>2010</b> , 14, 351-7   | 17  |
| 1080 | Digestive and metabolic physiology of obesity. 28-43  |     |
| 1079 | Day/Night rhythm of hemostatic factors in obstructive sleep apnea. <b>2010</b> , 33, 371-7  | 35  |
| 1078 | Association between elevated aminotransferase levels and the metabolic syndrome in Northern Turkey. <b>2010</b> , 9, 161-165  | 1   |
| 1077 | Metabolic side effects and risk of cardiovascular disease. 173-188  |     |
| 1076 | Critical appraisal of the safety and efficacy of insulin detemir in glycemic control and cardiovascular risk management in diabetics. <b>2010</b> , Volume 3, 197-213                       | 3   |
| 1075 | Impact of having one cardiovascular risk factor on other cardiovascular risk factor levels in adolescents. <b>2010</b> , 17, 1167-75  | 6   |
| 1074 | C-C chemokine receptor 2 inhibitor improves diet-induced development of insulin resistance and hepatic steatosis in mice. <b>2010</b> , 17, 219-28  | 71  |
| 1073 | Metformin Improves Insulin Signaling in Obese Rats via Reduced IKKbeta Action in a Fiber-Type Specific Manner. <b>2010</b> , 2010,  | 20  |
| 1072 | Effects of dietary fiber intake on inflammation in chronic diseases. <b>2010</b> , 8, 254-8   | 11  |
| 1071 | Effectiveness of hydrogen rich water on antioxidant status of subjects with potential metabolic syndrome-an open label pilot study. <b>2010</b> , 46, 140-9                                 | 193 |
| 1070 | Association of rs780094 in GCKR with metabolic traits and incident diabetes and cardiovascular disease: the ARIC Study. <b>2010</b> , 5, e11690   | 47  |
| 1069 | Glycaemic control, dyslipidaemia and metabolic syndrome among recently diagnosed diabetes mellitus patients in Tamale Teaching Hospital, Ghana. <b>2010</b> , 29, 8-11                      | 9   |
| 1068 | Prognostic role of metabolic syndrome in the elderly is not greater than the sum of its components. <b>2010</b> , 6, 217-228  | 3   |
| 1067 | [Prevalence of metabolic syndrome among Chilean adults]. 2010, 138, 707-14  | 9   |
| 1066 | Lifestyle modification in the management of the metabolic syndrome: achievements and challenges. <b>2010</b> , Volume 3, 373-385  | 38  |

| 1065 | Evaluation of Clustering Patterns using Singular Value Decomposition (SVD). <b>2010</b> , 1, 69-80  | 1   |
|------|---|-----|
| 1064 | Estimation of insulin resistance in non-diabetic normotensive Saudi adults by QUICKI, HOMA-IR and modified QUICKI: a comparative study. <b>2010</b> , 30, 257-64                              | 9   |
| 1063 | Cardiovascular physiology. 1-18   |     |
| 1062 | Acute coronary syndromes amongst type 2 diabetics with ischaemic electrocardiograms presenting to accident and emergency department of a Kenyan tertiary institution. <b>2009</b> , 86, 463-8 | 4   |
| 1061 | A study of standardized extracts of Picrorhiza kurroa Royle ex Benth in experimental nonalcoholic fatty liver disease. <b>2010</b> , 1, 203-10  | 34  |
| 1060 | Antipsychotics and metabolics in the post-CATIE era. <b>2010</b> , 4, 23-42   | 26  |
| 1059 | Improved lipid and glucose metabolism in transgenic rats with increased circulating angiotensin-(1-7). <b>2010</b> , 30, 953-61   | 130 |
| 1058 | Surrogate markers of insulin resistance: A review. <b>2010</b> , 1, 36-47   | 292 |
| 1057 | Associations of visceral and subcutaneous fat areas with the prevalence of metabolic risk factor clustering in 6,292 Japanese individuals: the Hitachi Health Study. <b>2010</b> , 33, 2117-9 | 60  |
| 1056 | Is the whole greater than the sum of its parts?. <b>2010</b> , 37, 1794-6   | О   |
| 1055 | Drinking caloric beverages increases the risk of adverse cardiometabolic outcomes in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. <b>2010</b> , 92, 954-9             | 132 |
| 1054 | The relationship between glucose tolerance and severity of coronary artery disease using the Gensini score. <b>2010</b> , 61, 751-5   | 24  |
| 1053 | FABP4 plasma levels are increased in familial combined hyperlipidemia. <b>2010</b> , 51, 1173-1178  | 10  |
| 1052 | Cardiovascular risk factors and morbidity in long-term survivors of testicular cancer: a 20-year follow-up study. <b>2010</b> , 28, 4649-57   | 276 |
| 1051 | Macronutrient Intakes and Waist Circumference. <b>2010</b> , 25, 9-19   |     |
| 1050 | Anaesthetic considerations with the metabolic syndrome. <b>2010</b> , 105 Suppl 1, i24-33   | 24  |
| 1049 | Interaction of HDL cholesterol concentrations on the relationship between physical function and inflammation in community-dwelling older persons. <b>2010</b> , 39, 74-80                     | 14  |
| 1048 | High-density lipoprotein particles and markers of inflammation and thrombotic activity in patients with untreated HIV infection. <b>2010</b> , 201, 285-92                                    | 75  |

| 1047 | Prevalence of metabolic syndrome in patients with intermittent claudication and its correlation with the segment of arterial obstruction. <b>2010</b> , 61, 784-8                                    | 11  |
|------|--|-----|
| 1046 | Insulin inhibits and oral sucrose increases neointimal growth after arterial injury in rats. <b>2010</b> , 47, 412-22  | 11  |
| 1045 | Exposure to a high-fat diet alters leptin sensitivity and elevates renal sympathetic nerve activity and arterial pressure in rabbits. <b>2010</b> , 55, 862-8  | 126 |
| 1044 | Metabolic syndrome: an occupational perspective. <b>2010</b> , 35, 122-4   | 7   |
| 1043 | TLR4 and Insulin Resistance. <b>2010</b> , 2010,   | 114 |
| 1042 | Serum fetuin A/2HS-glycoprotein levels in patients with non-alcoholic fatty liver disease: relation with liver fibrosis. <b>2010</b> , 47, 549-53  | 49  |
| 1041 | A methodological reappraisal of total and high molecular weight adiponectin determination in human peripheral circulation: comparison of four immunometric assays. <b>2010</b> , 48, 561-8           | 12  |
| 1040 | A 'complexity' of urate transporters. <b>2010</b> , 78, 446-52   | 87  |
| 1039 | Metabolic syndrome and angiographic coronary artery disease prevalence in association with the Framingham risk score. <b>2010</b> , 8, 201-8   | 9   |
| 1038 | Association between metabolic syndrome and liver histology among children with nonalcoholic Fatty liver disease. <b>2010</b> , 105, 2093-102   | 126 |
| 1037 | Recent advances in hydrogen research as a therapeutic medical gas. <b>2010</b> , 44, 971-82  | 220 |
| 1036 | Serum levels of osteoprotegerin in the spectrum of nonalcoholic fatty liver disease. <b>2010</b> , 70, 541-6   | 31  |
| 1035 | Peroxisome proliferator-activated receptors, metabolic syndrome and cardiovascular disease. <b>2010</b> , 6, 657-91  | 93  |
| 1034 | Independent metabolic syndrome variants predict new-onset coronary artery disease. <b>2010</b> , 33, 1376-8  | 7   |
| 1033 | Association of testosterone and sex hormone-binding globulin with metabolic syndrome and insulin resistance in men. <b>2010</b> , 33, 1618-24  | 141 |
| 1032 | Using glycosylated hemoglobin to define the metabolic syndrome in United States adults. <b>2010</b> , 33, 1856-8   | 28  |
| 1031 | Postprandial insulin and triglycerides after different breakfast meal challenges: use of finger stick capillary dried blood spots to study postprandial dysmetabolism. <b>2010</b> , 4, 236-43       | 7   |
| 1030 | Metabolic syndrome, independent of its components, is a risk factor for stroke and death but not for coronary heart disease among hypertensive patients in the ASCOT-BPLA. <b>2010</b> , 33, 1647-51 | 30  |

| 1029 | Nuclear receptors linking circadian rhythms and cardiometabolic control. <b>2010</b> , 30, 1529-34  | 60  |
|------|---|-----|
| 1028 | Metabolic syndrome characteristics in gout patients. <b>2010</b> , 29, 325-9  | 8   |
| 1027 | Uric acid metabolism in patients with primary gout and the metabolic syndrome. <b>2010</b> , 29, 330-4  | 18  |
| 1026 | Association of a cyclin-dependent kinase 5 regulatory subunit-associated protein 1-like 1 (CDKAL1) polymorphism with elevated hemoglobin Aâ[t] levels and the prevalence of metabolic syndrome in Japanese men: interaction with dietary energy intake. <b>2010</b> , 172, 985-91 | 16  |
| 1025 | Age and sex differences in the clustering of metabolic syndrome factors: association with mortality risk. <b>2010</b> , 33, 2457-61   | 113 |
| 1024 | Heart rate recovery after exercise is associated with renal function in patients with a homogenous chronic renal disease. <b>2010</b> , 25, 509-13  | 8   |
| 1023 | Generalized impairment of vasodilator reactivity during hyperinsulinemia in patients with obesity-related metabolic syndrome. <b>2010</b> , 299, E947-52  | 48  |
| 1022 | Centralized Pan-European survey on the under-treatment of hypercholesterolaemia (CEPHEUS): overall findings from eight countries. <b>2010</b> , 26, 445-54  | 57  |
| 1021 | Bayesian methods for instrumental variable analysis with genetic instruments ('Mendelian randomization'): example with urate transporter SLC2A9 as an instrumental variable for effect of urate levels on metabolic syndrome. <b>2010</b> , 39, 907-18                            | 37  |
| 1020 | Breaking patterns of environmentally influenced disease for health risk reduction: immune perspectives. <b>2010</b> , 118, 1091-9   | 72  |
| 1019 | Enhanced glycogen metabolism in adipose tissue decreases triglyceride mobilization. <b>2010</b> , 299, E117-25  | 9   |
| 1018 | Aging and HIV infection: a comparison between older HIV-infected persons and the general population. <b>2010</b> , 11, 100-9  | 128 |
| 1017 | Evaluation of left ventricular rotation in obese subjects by velocity vector imaging. <b>2010</b> , 11, 424-8   | 17  |
| 1016 | Procedure and outcomes of Roux-en-Y gastric bypass. <b>2010</b> , 19, 307-13  | 7   |
| 1015 | The metabolic syndrome following kidney transplantation. <b>2010</b> , S8-14  | 16  |
| 1014 | Endocrine and physiological changes in response to chronic corticosterone: a potential model of the metabolic syndrome in mouse. <b>2010</b> , 151, 2117-27   | 182 |
| 1013 | Metabolic syndrome in Cushing's syndrome. <b>2010</b> , 92 Suppl 1, 96-101  | 73  |
| 1012 | Metabolic syndrome is a low-grade systemic inflammatory condition. <b>2010</b> , 5, 577-592   | 17  |

1011 Essen zum Genusserlebnis machen. **2010**, 16, 249-255

| The metabolic syndrome, its component risk factors, and progression of coronary atherosclerosis.  74  74  75  75  76  76  77  77  77  78  78  78  78  79  79  79   |      |   |      |
|--|------|---|------|
| through enrollment in a behavioral weight loss program. 2010, 122, 206-12  1007 Herbals used for diabetes, obesity, and metabolic syndrome. 2010, 37, 237-54  1008 Symposia du 27e congr\(\tilde{\text{de}}\) de la SFE. 2010, 71, 326-337  1009 Metabolic profile and cardiovascular risk factors among Latin American HIV-infected patients receiving HAART. 2010, 14, 158-166  1004 Reply. 2010, 56, 743-744  1003 Implications de la thrombose in situ et de l\(\text{diabmobilisation distate durant les interventions}\) endoluminales sur l\(\text{districte fibrorale superficielle.}\) 2010, 24, 14-23  1002 Implications of in situ thrombosis and distat embolization during superficial femoral artery endoluminal intervention. 2010, 24, 14-22  1001 Association of hematological parameters and uric acid with clustered components of metabolic syndrome among Japanese male workers. 2010, 4, 165-167  1002 Effects of obesity and weight loss on the functional properties of early outgrowth endothelial progenitor cells. 2010, 55, 357-67  1009 Pulse pressure amplification as a predictor of cardiovascular risk. 2010, 56, 744; author reply 744-5  1009 The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  1009 Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  1009 "Atherogenic index of plasma" (log10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  1009 Higher white blood cell counts are associated with an increased risk for metabolic syndrome and cell counts are associated with an increased risk for metabolic syndrome and cell counts are associated with an increased risk for metabolic syndrome and cell counts are associated with an increased risk for metabolic syndrome and cell counts are associated with an increased risk for metabolic syndrome and cell counts are  | 1010 |   | 94   |
| through enrollment in a behavioral weight loss program. 2010, 122, 206-12  1007 Herbals used for diabetes, obesity, and metabolic syndrome. 2010, 37, 237-54  1006 Symposia du 27e congr® de la SFE. 2010, 71, 326-337  1005 Metabolic profile and cardiovascular risk factors among Latin American HIV-infected patients receiving HAART. 2010, 14, 158-166  1004 Reply. 2010, 56, 743-744  1003 Implications de la thrombose in situ et de läBimbolisation distale durant les interventions endoluminales sur läBirtfæ fmorale superficielle. 2010, 24, 14-23  1001 Implications of in situ thrombosis and distal embolization during superficial femoral artery endoluminal intervention. 2010, 24, 14-22  1001 Association of hematological parameters and uric acid with clustered components of metabolic syndrome among Japanese male workers. 2010, 4, 165-167  1000 Effects of obesity and weight loss on the functional properties of early outgrowth endothelial progenitor cells. 2010, 55, 357-67  1009 Pulse pressure amplification as a predictor of cardiovascular risk. 2010, 56, 744; author reply 744-5  1009 The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  1009 Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  1009 Higher white blood cell counts are associated with an increased risk for metabolic syndrome and  | 1009 | Adipokines and cardiometabolic profile in primary hyperaldosteronism. <b>2010</b> , 95, 2391-8                  | 74   |
| Metabolic profile and cardiovascular risk factors among Latin American HIV-infected patients receiving HAART. 2010, 14, 158-166  Metabolic profile and cardiovascular risk factors among Latin American HIV-infected patients receiving HAART. 2010, 14, 158-166  Metabolic profile and cardiovascular risk factors among Latin American HIV-infected patients  40  Metabolic profile and cardiovascular risk factors among Latin American HIV-infected patients  40  model minimal profile and cardiovascular risk factors among Latin American HIV-infected patients  40  model minimal profile and cardiovascular risk durant les interventions  model minimal profile and cardiovascular risk as ystematic review and meta-analysis. 2010, 24, 14-23  model minimal intervention. 2010, 24, 165-167  model metabolic syndrome among Japanese male workers. 2010, 4, 165-167  model metabolic syndrome and weight loss on the functional properties of early outgrowth endothelial progenitor cells. 2010, 55, 357-67  model metabolic syndrome and weight loss on the functional properties of early outgrowth endothelial progenitor cells. 2010, 55, 357-67  model metabolic syndrome and paper syndrome solution in the syndrome solution and metabolic syndrome and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  model minimal interventions. 2010, 4, 89-98  model minimal interventions | 1008 |   | 3    |
| Metabolic profile and cardiovascular risk factors among Latin American HIV-infected patients receiving HAART. 2010, 14, 158-166  1004 Reply. 2010, 56, 743-744  1003 Implications de la thrombose in situ et de läBmbolisation distale durant les interventions endoluminales sur läBirtfe fînorale superficielle. 2010, 24, 14-23  1002 Implications of in situ thrombosis and distal embolization during superficial femoral artery endoluminal intervention. 2010, 24, 14-22  1001 Association of hematological parameters and uric acid with clustered components of metabolic syndrome among Japanese male workers. 2010, 4, 165-167  1000 Effects of obesity and weight loss on the functional properties of early outgrowth endothelial progenitor cells. 2010, 55, 357-67  999 Pulse pressure amplification as a predictor of cardiovascular risk. 2010, 56, 744; author reply 744-5  997 The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  1634  996 Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  "Atherogenic index of plasma" (log 10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and   | 1007 | Herbals used for diabetes, obesity, and metabolic syndrome. <b>2010</b> , 37, 237-54                            | 32   |
| receiving HAART. 2010, 14, 158-166  Reply. 2010, 56, 743-744  Implications de la thrombose in situ et de läämbolisation distale durant les interventions endoluminales sur läärtfe fmorale superficielle. 2010, 24, 14-23  Implications of in situ thrombosis and distal embolization during superficial femoral artery endoluminal intervention. 2010, 24, 14-22  Association of hematological parameters and uric acid with clustered components of metabolic syndrome among Japanese male workers. 2010, 4, 165-167  Effects of obesity and weight loss on the functional properties of early outgrowth endothelial progenitor cells. 2010, 55, 357-67  999 Pulse pressure amplification as a predictor of cardiovascular risk. 2010, 56, 744; author reply 744-5  4098 Reply. 2010, 56, 744-745  The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  "Atherogenic index of plasma" (log10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and   | 1006 | Symposia du 27e congr¶ de la SFE. <b>2010</b> , 71, 326-337   |      |
| Implications de la thrombose in situ et de lâBmbolisation distale durant les interventions endoluminales sur lâBrtfe ffnorale superficielle. 2010, 24, 14-23  Implications of in situ thrombosis and distal embolization during superficial femoral artery endoluminal intervention. 2010, 24, 14-22  1001 Association of hematological parameters and uric acid with clustered components of metabolic syndrome among Japanese male workers. 2010, 4, 165-167  1000 Effects of obesity and weight loss on the functional properties of early outgrowth endothelial progenitor cells. 2010, 55, 357-67  999 Pulse pressure amplification as a predictor of cardiovascular risk. 2010, 56, 744; author reply 744-5  4098 Reply. 2010, 56, 744-745  The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  1634  Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  "Atherogenic index of plasma" (log10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and  | 1005 |   | 40   |
| endoluminales sur lällrtfle fiborale superficielle. 2010, 24, 14-23  Implications of in situ thrombosis and distal embolization during superficial femoral artery endoluminal intervention. 2010, 24, 14-22  Association of hematological parameters and uric acid with clustered components of metabolic syndrome among Japanese male workers. 2010, 4, 165-167  Effects of obesity and weight loss on the functional properties of early outgrowth endothelial progenitor cells. 2010, 55, 357-67  999 Pulse pressure amplification as a predictor of cardiovascular risk. 2010, 56, 744; author reply 744-5  998 Reply. 2010, 56, 744-745  997 The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  1634  996 Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  995 "Atherogenic index of plasma" (log 10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and   | 1004 | Reply. <b>2010</b> , 56, 743-744  |      |
| endoluminal intervention. 2010, 24, 14-22  Association of hematological parameters and uric acid with clustered components of metabolic syndrome among Japanese male workers. 2010, 4, 165-167  Effects of obesity and weight loss on the functional properties of early outgrowth endothelial progenitor cells. 2010, 55, 357-67  999 Pulse pressure amplification as a predictor of cardiovascular risk. 2010, 56, 744; author reply 744-5  998 Reply. 2010, 56, 744-745  997 The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  1634  996 Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  995 "Atherogenic index of plasma" (log10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and  | 1003 |   |      |
| syndrome among Japanese male workers. 2010, 4, 165-167  Effects of obesity and weight loss on the functional properties of early outgrowth endothelial progenitor cells. 2010, 55, 357-67  999 Pulse pressure amplification as a predictor of cardiovascular risk. 2010, 56, 744; author reply 744-5  998 Reply. 2010, 56, 744-745  997 The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  998 Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  998 "Atherogenic index of plasma" (log10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and  | 1002 |   | 22   |
| Progenitor cells. 2010, 55, 357-67  999 Pulse pressure amplification as a predictor of cardiovascular risk. 2010, 56, 744; author reply 744-5  998 Reply. 2010, 56, 744-745  997 The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  996 Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  995 "Atherogenic index of plasma" (log10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and   | 1001 |   | 1    |
| Reply. 2010, 56, 744-745  The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins.  2010, 4, 59-68  "Atherogenic index of plasma" (log10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and   | 1000 |   | 50   |
| The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. 2010, 56, 1113-32  Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins.  2010, 4, 59-68  "Atherogenic index of plasma" (log10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and   | 999  | Pulse pressure amplification as a predictor of cardiovascular risk. <b>2010</b> , 56, 744; author reply 744-5   | 4    |
| Subjects with elevated LDL cholesterol and metabolic syndrome benefit from supplementation with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  "Atherogenic index of plasma" (log10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and   | 998  | Reply. <b>2010</b> , 56, 744-745  |      |
| with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins. 2010, 4, 59-68  "Atherogenic index of plasma" (log10 triglyceride/high-density lipoprotein-cholesterol) predicts high blood pressure, diabetes, and vascular events. 2010, 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and  | 997  | The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. <b>2010</b> , 56, 1113-32 | 1634 |
| high blood pressure, diabetes, and vascular events. <b>2010</b> , 4, 89-98  Higher white blood cell counts are associated with an increased risk for metabolic syndrome and  | 996  | with soy protein, phytosterols, hops rho iso-alpha acids, and Acacia nilotica proanthocyanidins.                | 33   |
|  | 995  |   | 170  |
|  | 994  |   | 60   |

| 993 | Effects of olanzapine and risperidone on lipid metabolism in chronic schizophrenic patients with long-term antipsychotic treatment: a randomized five month study. <b>2010</b> , 120, 204-9 | 27  |
|-----|---|-----|
| 992 | Impact of metabolic syndrome on the outcomes of percutaneous renal angioplasty and stenting. <b>2010</b> , 51, 926-32   | 21  |
| 991 | Renal parenchymal preservation after percutaneous renal angioplasty and stenting. <b>2010</b> , 51, 1222-9; discussion 1229   | 10  |
| 990 | Outcomes of interventions for recurrent disease after endoluminal intervention for superficial femoral artery disease. <b>2010</b> , 52, 331-9.e1-2   | 11  |
| 989 | Design, synthesis, and docking studies of novel benzimidazoles for the treatment of metabolic syndrome. <b>2010</b> , 53, 1076-85   | 28  |
| 988 | Effects of whey protein isolate on body composition, lipids, insulin and glucose in overweight and obese individuals. <b>2010</b> , 104, 716-23   | 188 |
| 987 | Metabolic syndrome, brain magnetic resonance imaging, and cognition. <b>2010</b> , 33, 2489-95  | 59  |
| 986 | Implications of the Glycemic Index in Obesity. <b>2010</b> , 219-230  |     |
| 985 | Pharmacophore-based virtual screening: a review of recent applications. <b>2010</b> , 5, 205-22   | 58  |
| 984 | Metabolic syndrome and left ventricular dysfunction: new player of the game. <b>2010</b> , 138, 209-11  | 2   |
| 983 | The paradox of high apolipoprotein A-I levels independently predicting incident type-2 diabetes among Turks. <b>2010</b> , 142, 72-9  | 48  |
| 982 | Joint effect of self-reported sleep problems and three components of the metabolic syndrome on risk of coronary heart disease. <b>2010</b> , 68, 149-58                                     | 19  |
| 981 | Autonomic function and change in insulin for exercising postmenopausal women. <b>2010</b> , 65, 284-91  | 12  |
| 980 | The metabolic syndrome: prevalence, main characteristics and association with socio-economic status in adults living in Great Tunis. <b>2010</b> , 36, 204-8                                | 26  |
| 979 | Renin angiotensin system polymorphisms in patients with metabolic syndrome (MetS). <b>2010</b> , 21, 414-8  | 25  |
| 978 | Long-term consequences of hematopoietic stem cell transplantation: current state of the science. <b>2010</b> , 16, S90-6  | 25  |
| 977 | Factors affecting sexual function in premenopausal age women with type 2 diabetes: a comprehensive study. <b>2010</b> , 94, 1840-3  | 18  |
| 976 | Inverse relationship between fasting direct bilirubin and metabolic syndrome in Korean adults. <b>2010</b> , 411, 1496-501  | 50  |

# (2010-2010)

| 975 | Regulation of hepatic gene expression by saturated fatty acids. <b>2010</b> , 82, 211-8   | 55  |
|-----|---|-----|
| 974 | Eating ourselves to death (and despair): the contribution of adiposity and inflammation to depression. <b>2010</b> , 91, 275-99   | 175 |
| 973 | Association of coronary artery calcification with obstructive sleep apnea and obesity in middle-aged men. <b>2010</b> , 20, 575-82  | 28  |
| 972 | Carbohydrate restriction favorably alters lipoprotein metabolism in Emirati subjects classified with the metabolic syndrome. <b>2010</b> , 20, 720-6  | 12  |
| 971 | Neonatal and fetal exposure to trans-fatty acids retards early growth and adiposity while adversely affecting glucose in mice. <b>2010</b> , 30, 418-26   | 18  |
| 970 | [Comorbidities in psoriasis]. <b>2010</b> , 101 Suppl 1, 55-61  | 2   |
| 969 | Metabolic syndrome and risk of pulmonary involvement. <b>2010</b> , 104, 47-51  | 15  |
| 968 | Reduced vascular responsiveness to adiponectin in hyperlipidemic ratsmechanisms and significance. <b>2010</b> , 49, 508-15  | 27  |
| 967 | Prevalence of self-reported clinically diagnosed sleep apnea according to obesity status in men and women: National Health and Nutrition Examination Survey, 2005-2006. <b>2010</b> , 51, 18-23               | 86  |
| 966 | Antipsychotic medication, mortality and neurodegeneration: The need for more selective use and lower doses. <b>2010</b> , 2, 50-69  | 13  |
| 965 | Variations in prevalent cardiovascular disease and future risk by metabolic syndrome classification in the REasons for Geographic and Racial Differences in Stroke (REGARDS) study. <b>2010</b> , 159, 385-91 | 16  |
| 964 | Physician diagnosis of overweight status predicts attempted and successful weight loss in patients with cardiovascular disease and central obesity. <b>2010</b> , 160, 934-42                                 | 29  |
| 963 | Enfermedad del h[gado graso no alcoh[ico y riesgo cardiovascular. 2010, 22, 259-271   |     |
| 962 | Diabetes and 15-year cardiovascular mortality in a Chinese population: Differential impact of hypertension and metabolic syndrome. <b>2010</b> , 73, 234-40   | 5   |
| 961 | The association of uncarboxylated matrix Gla protein with mitral annular calcification differs by diabetes status: The Heart and Soul study. <b>2010</b> , 210, 320-5   | 21  |
| 960 | Metabolic syndrome is an independent predictor of cardiovascular events in high-risk patients with occlusive and aneurysmatic peripheral arterial disease. <b>2010</b> , 210, 596-601                         | 28  |
| 959 | Coronary flow reserve is impaired in patients with nonalcoholic fatty liver disease: association with liver fibrosis. <b>2010</b> , 211, 182-6  | 70  |
| 958 | Cardiovascular and metabolic characteristics of infertile Chinese women with PCOS diagnosed according to the Rotterdam consensus criteria. <b>2010</b> , 21, 572-80   | 30  |

| 957 | The role of muscle insulin resistance in the pathogenesis of atherogenic dyslipidemia and nonalcoholic fatty liver disease associated with the metabolic syndrome. <b>2010</b> , 30, 273-90                              | 83  |
|-----|--|-----|
| 956 | Serum osteocalcin is associated with measures of insulin resistance, adipokine levels, and the presence of metabolic syndrome. <b>2010</b> , 30, 1474-8  | 150 |
| 955 | Metabolic syndrome and physical fitness in a sample of Azorean adolescents. <b>2010</b> , 8, 443-9   | 15  |
| 954 | Anesthesia Student Survival Guide. <b>2010</b> ,   | 1   |
| 953 | Maximal exercise electrocardiographic responses and coronary heart disease mortality among men with metabolic syndrome. <b>2010</b> , 85, 239-46   | 8   |
| 952 | Predictive performances of lipid accumulation product vs. adiposity measures for cardiovascular diseases and all-cause mortality, 8.6-year follow-up: Tehran lipid and glucose study. <b>2010</b> , 9, 100               | 39  |
| 951 | Healthcare resource utilization, adherence and persistence with antipsychotic therapy among schizophrenia patients with vs. without pre-existing metabolic syndrome. <b>2010</b> , 26, 2499-506                          | 4   |
| 950 | The mononuclear phagocyte system and its cytokine inflammatory networks in schizophrenia and bipolar disorder. <b>2010</b> , 10, 59-76   | 210 |
| 949 | Epidemiology of gout. <b>2010</b> , 12, 223  | 238 |
| 948 | Development of a RP-HPLC method for the simultaneous analysis of diltiazem and statin: Application in pharmaceuticals and human serum. <b>2010</b> , 2, 1571   | 11  |
| 947 | Protective effect of Clerodendron glandulosum extract against experimentally induced metabolic syndrome in rats. <b>2010</b> , 48, 1312-9  | 13  |
| 946 | The National Niemann-Pick Type C1 Disease Database: correlation of lipid profiles, mutations, and biochemical phenotypes. <b>2010</b> , 51, 406-15   | 76  |
| 945 | Characterization of systemic metabolic phenotypes associated with subclinical atherosclerosis. <b>2011</b> , 7, 385-93   | 26  |
| 944 | Effects of vitamin D supplementation on 25-hydroxyvitamin D, high-density lipoprotein cholesterol, and other cardiovascular disease risk markers in subjects with elevated waist circumference. <b>2011</b> , 62, 318-27 | 39  |
| 943 | An analysis of the management of cardiovascular risk factors in routine clinical practice in Italy: an overview of the main findings of the EFFECTUS study. <b>2011</b> , 18, 19-30                                      | 7   |
| 942 | Lipid accumulation product: a powerful marker of metabolic syndrome in healthy population. <b>2011</b> , 164, 559-67   | 72  |
| 941 | Shift work and chronic disease: the epidemiological evidence. <b>2011</b> , 61, 78-89  | 382 |
| 940 | Predictors for metabolic syndrome in perimenopausal and postmenopausal Thai women. <b>2011</b> , 14, 58-65   | 27  |

# (2011-2011)

| 939                             | Thrombophilia mediates lowering cardiovascular risk factors in women with a history of preeclampsia. <b>2011</b> , 30, 421-32   | 2            |
|---------------------------------|---|--------------|
| 938                             | Hip circumference and incident metabolic risk factors in Chinese men and women: the People's Republic of China study. <b>2011</b> , 9, 55-62  | 18           |
| 937                             | Serum osteocalcin levels in patients with nonalcoholic fatty liver disease: association with ballooning degeneration. <b>2011</b> , 71, 631-6   | 29           |
| 936                             | Immune and neuroimmune alterations in mood disorders and schizophrenia. <b>2011</b> , 101, 169-201  | 53           |
| 935                             | Disease Prevention in Heart Failure. <b>2011</b> , 610-625  |              |
| 934                             | Associations between levels of serum perfluorinated chemicals and adiponectin in a young hypertension cohort in Taiwan. <b>2011</b> , 45, 10691-8   | 47           |
| 933                             | Adiposity and aerobic fitness are associated with metabolic disease risk in children. <b>2011</b> , 36, 72-9  | 19           |
| 932                             | Serum levels of omentin, chemerin and adipsin in patients with biopsy-proven nonalcoholic fatty liver disease. <b>2011</b> , 46, 91-7   | 89           |
| 931                             | The association of metabolic syndrome with adipose tissue hormones and insulin resistance in patients with COPD without co-morbidities. <b>2011</b> , 8, 414-20   | 34           |
|                                 |   |              |
| 930                             | Obesity in rheumatoid arthritis. <b>2011</b> , 50, 450-62   | 144          |
| 930<br>929                      | Obesity in rheumatoid arthritis. <b>2011</b> , 50, 450-62  BPCO, obesit^, sindrome metabolica e diabete. <b>2011</b> , 5, 75-80   | 144          |
|                                 |   | 144<br>5     |
| 929                             | BPCO, obesit <sup>^</sup> , sindrome metabolica e diabete. <b>2011</b> , 5, 75-80   |              |
| 929                             | BPCO, obesit^, sindrome metabolica e diabete. <b>2011</b> , 5, 75-80  Diets for successful aging. <b>2011</b> , 27, 577-89  | 5            |
| 929<br>928<br>927               | BPCO, obesit^, sindrome metabolica e diabete. 2011, 5, 75-80  Diets for successful aging. 2011, 27, 577-89  Update: metabolic and cardiovascular consequences of bariatric surgery. 2011, 40, 81-96, viii  Impact of metabolic syndrome and diabetes on prognosis and outcomes with early percutaneous coronary intervention in the COURAGE (Clinical Outcomes Utilizing Revascularization and  | 5            |
| 929<br>928<br>927<br>926        | BPCO, obesit^, sindrome metabolica e diabete. 2011, 5, 75-80  Diets for successful aging. 2011, 27, 577-89  Update: metabolic and cardiovascular consequences of bariatric surgery. 2011, 40, 81-96, viii  Impact of metabolic syndrome and diabetes on prognosis and outcomes with early percutaneous coronary intervention in the COURAGE (Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation) trial. 2011, 58, 131-7  A Mediterranean-style low-glycemic-load diet improves variables of metabolic syndrome in women, and addition of a phytochemical-rich medical food enhances benefits on lipoprotein metabolism.   | 5<br>6<br>38 |
| 929<br>928<br>927<br>926<br>925 | BPCO, obesit <sup>*</sup> , sindrome metabolica e diabete. <b>2011</b> , 5, 75-80  Diets for successful aging. <b>2011</b> , 27, 577-89  Update: metabolic and cardiovascular consequences of bariatric surgery. <b>2011</b> , 40, 81-96, viii  Impact of metabolic syndrome and diabetes on prognosis and outcomes with early percutaneous coronary intervention in the COURAGE (Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation) trial. <b>2011</b> , 58, 131-7  A Mediterranean-style low-glycemic-load diet improves variables of metabolic syndrome in women, and addition of a phytochemical-rich medical food enhances benefits on lipoprotein metabolism. <b>2011</b> , 5, 188-196 | 5<br>6<br>38 |

| 921 | The effect of a fibre supplement compared to a healthy diet on body composition, lipids, glucose, insulin and other metabolic syndrome risk factors in overweight and obese individuals. <b>2011</b> , 105, 90-100 | 78  |
|-----|--|-----|
| 920 | The prevalence of metabolic syndrome in Latin America: a systematic review. <b>2011</b> , 14, 1702-13  | 104 |
| 919 | Factors associated with prevalence, awareness, treatment and control of hypertension in urban adults from 33 communities in China: the CHPSNE Study. <b>2011</b> , 34, 1087-92                                     | 36  |
| 918 | Schizophrenia patients at higher risk of diabetes, hypertension and hyperlipidemia: a population-based study. <b>2011</b> , 126, 110-6   | 57  |
| 917 | Med25 is required for RNA polymerase II recruitment to specific promoters, thus regulating xenobiotic and lipid metabolism in human liver. <b>2011</b> , 31, 466-81  | 50  |
| 916 | Hot Topics in Infection and Immunity in Children VIII. 2011,   |     |
| 915 | Metabolic syndrome in the elderly living in marginal peri-urban communities in Quito, Ecuador. <b>2011</b> , 14, 758-67  | 28  |
| 914 | Physical activity, metabolic syndrome, and coronary risk: the EPIC-Norfolk prospective population study. <b>2011</b> , 18, 209-17  | 39  |
| 913 | The metabolic syndromefrom insulin resistance to obesity and diabetes. <b>2011</b> , 95, 855-73  | 78  |
| 912 | Insulin resistance and other metabolic risk factors in the pathogenesis of hepatocellular carcinoma. <b>2011</b> , 15, 281-96, vii-x   | 40  |
| 911 | ST-T Abnormalities on ECG in Relation to Cardiovascular Risk Factors. <b>2011</b> , 27, 202-207  | 2   |
| 910 | Estudio gentico de la implicacifi del gen USF1 en el desarrollo del s[hdrome metablico. <b>2011</b> , 23, 78-87  |     |
| 909 | Elevated oxidized low-density lipoprotein concentrations in postmenopausal women with the metabolic syndrome. <b>2011</b> , 412, 435-40  | 12  |
| 908 | Serum carcinoembryonic antigen is associated with metabolic syndrome in female Korean non-smokers. <b>2011</b> , 412, 527-30   | 25  |
| 907 | Complement C3 and cleavage products in cardiometabolic risk. <b>2011</b> , 412, 1171-9   | 86  |
| 906 | The role of oxidative stress in non-alcoholic steatohepatitis. <b>2011</b> , 412, 1297-305   | 233 |
| 905 | Persistent elevation of paraoxonase-1 specific enzyme activity after weight reduction in obese non-diabetic men with metabolic syndrome. <b>2011</b> , 412, 1835-41  | 18  |
| 904 | Serum pigment epithelium-derived factor levels are increased in patients with biopsy-proven nonalcoholic fatty liver disease and independently associated with liver steatosis. <b>2011</b> , 412, 2296-9          | 11  |

| 903 | Identification and management of cardiometabolic risk in Canada: a position paper by the cardiometabolic risk working group (executive summary). <b>2011</b> , 27, 124-31  | 41  |
|-----|--|-----|
| 902 | Excessive hepatic mitochondrial TCA cycle and gluconeogenesis in humans with nonalcoholic fatty liver disease. <b>2011</b> , 14, 804-10  | 396 |
| 901 | Diabetes and sleep: a complex cause-and-effect relationship. <b>2011</b> , 91, 129-37  | 111 |
| 900 | Elevated serum chemerin concentrations are associated with renal dysfunction in type 2 diabetic patients. <b>2011</b> , 91, 159-63   | 58  |
| 899 | The rs1801278 G>A polymorphism of IRS-1 is associated with metabolic syndrome in healthy nondiabetic men. Modulation by cigarette smoking status. <b>2011</b> , 93, e95-7  | 2   |
| 898 | Regulation of FXR transcriptional activity in health and disease: Emerging roles of FXR cofactors and post-translational modifications. <b>2011</b> , 1812, 842-50   | 67  |
| 897 | Obesity, metabolic dysregulation and oxidative stress in asthma. <b>2011</b> , 1810, 1120-6  | 39  |
| 896 | Association between adolescent emotional problems and metabolic syndrome: the modifying effect of C-reactive protein gene (CRP) polymorphisms. <b>2011</b> , 25, 750-8   | 22  |
| 895 | National Cancer Institute-National Heart, Lung and Blood Institute/pediatric Blood and Marrow Transplant Consortium First International Consensus Conference on late effects after pediatric hematopoietic cell transplantation: long-term organ damage and dysfunction. 2011, 17, 1573-84 | 63  |
| 894 | High fat diet induced downregulation of microRNA-467b increased lipoprotein lipase in hepatic steatosis. <b>2011</b> , 414, 664-9  | 57  |
| 893 | Inhibitors of 11Ehydroxysteroid dehydrogenase type 1 in antidiabetic therapy. <b>2011</b> , 127-46   | 17  |
| 892 | Hyperinsulinemia is a predictor of new cardiovascular events in Colombian patients with a first myocardial infarction. <b>2011</b> , 148, 85-90  | 21  |
| 891 | Determinants of insulin responsiveness in young women: Impact of polycystic ovarian syndrome, nitric oxide, and vitamin D. <b>2011</b> , 25, 326-30  | 50  |
| 890 | Effect of canrenone on left ventricular mechanics in patients with mild systolic heart failure and metabolic syndrome: the AREA-in-CHF study. <b>2011</b> , 21, 783-91   | 19  |
| 889 | Few favorable associations between fruit and vegetable intake and biomarkers for chronic disease risk in American adults. <b>2011</b> , 31, 616-24   | 8   |
| 888 | Prediction of long-term metabolic effects of olanzapine and risperidone treatment from baseline body mass index in schizophrenia and bipolar disorder. <b>2011</b> , 189, 200-7  | 14  |
| 887 | [Cardiovascular risk factors in Spain in the first decade of the 21st Century, a pooled analysis with individual data from 11 population-based studies: the DARIOS study]. <b>2011</b> , 64, 295-304   | 174 |
| 886 | Daô renal en pacientes con sindrome metablico que consultan en atencifi primaria. <b>2011</b> , 37, 119-124  |     |

| 885 | Neurological and endocrinological disorders: orphans in chronic obstructive pulmonary disease. <b>2011</b> , 105 Suppl 1, S12-9  | 14 |
|-----|--|----|
| 884 | Association of Lp-PLA(2) activity and LDL size with interleukin-6, an inflammatory cytokine and oxidized LDL, a marker of oxidative stress, in women with metabolic syndrome. <b>2011</b> , 218, 499-506                                     | 23 |
| 883 | Cardiovascular Risk Factors in Spain in the First Decade of the 21st Century, a Pooled Analysis With Individual Data From 11 Population-Based Studies: the DARIOS Study. <b>2011</b> , 64, 295-304   | 4  |
| 882 | Circulating vaspin levels and epicardial adipose tissue thickness are associated with impaired coronary flow reserve in patients with nonalcoholic fatty liver disease. <b>2011</b> , 217, 125-9   | 45 |
| 881 | Relation of cholesterol and lipoprotein parameters with carotid artery plaque characteristics: the Atherosclerosis Risk in Communities (ARIC) carotid MRI study. <b>2011</b> , 219, 596-602  | 30 |
| 880 | Revised waist circumference cut-off points for the criteria of abdominal obesity in the Spanish population: Multicenter nationwide Spanish population based study. <b>2011</b> , 27, 168-174   | 15 |
| 879 | A cross-sectional study of the association between heat shock protein 27 antibody titers, pro-oxidant-antioxidant balance and metabolic syndrome in patients with angiographically-defined coronary artery disease. <b>2011</b> , 44, 1390-5 | 18 |
| 878 | Associations of psychological distress with metabolic syndrome among Japanese urban residents. <b>2011</b> , 18, 396-402   | 25 |
| 877 | Gluco-lipidic indices in treated hypothyroidism associated with nonalcoholic fatty liver disease. <b>2011</b> , 48, 186-9  | 27 |
| 876 | [Metabolic syndrome in children and adolescents: doubts about terminology but not about cardiometabolic risks]. <b>2011</b> , 55, 576-82   | 16 |
| 875 | Evaluation of metabolic syndrome in patients with chronic low back pain: using the fourth Korea national health and nutrition examination survey data. <b>2011</b> , 47, 160-4   | 6  |
| 874 | Rising Gout, Life Threatening Public Enemy. <b>2011</b> , 18, 234  | 1  |
| 873 | Prevalence of metabolic syndrome and its association with educational inequalities among Brazilian adults: a population-based study. <b>2011</b> , 44, 713-9   | 23 |
| 872 | Perfil de riesgo cardiovascular en adultos jüenes asintomticos con grosor intima media carotideo elevado. <b>2011</b> , 139, 1322-1329   | 8  |
| 871 | HIV and HAART-Associated Dyslipidemia. <b>2011</b> , 5, 49-63  | 99 |
| 870 | Unit 2. Giving dietary advice. <b>2011</b> , 22, 1-4   |    |
| 869 | S[hdrome metablico y antipsiclicos de segunda generacili. <b>2011</b> , 31, 303-320  | 4  |
| 868 | Are all criteria of metabolic syndrome equally harmful?. <b>2011</b> , 66, 189-96  | 5  |

# (2011-2011)

| 867 | Is the metabolic syndrome caused by a high fructose, and relatively low fat, low cholesterol diet?. <b>2011</b> , 7, 8-20   | 34 |
|-----|---|----|
| 866 | Increase in metabolic syndrome-related hospitalizations in relation to environmental sources of persistent organic pollutants. <b>2011</b> , 8, 762-76  | 5  |
| 865 | Carotid intima media thickness and cardiometabolic risk associates in Turkish adults. <b>2011</b> , 66, 759-64  |    |
| 864 | Prevalence of metabolic syndrome and risks of abnormal serum alanine aminotransferase in Hispanics: a population-based study. <b>2011</b> , 6, e21515   | 35 |
| 863 | The relationship between psychosocial stress, age, BMI, CRP, lifestyle, and the metabolic syndrome in apparently healthy subjects. <b>2011</b> , 30, 15-22  | 30 |
| 862 | A health outcome assessment of the Cardio Metabolic Mission Health Program at Novartis. <b>2011</b> , 53, 647-52  | 5  |
| 861 | Switching from quetiapine to ziprasidone: a sixteen-week, open-label, multicenter study evaluating the effectiveness and safety of ziprasidone in outpatient subjects with schizophrenia or schizoaffective disorder. <b>2011</b> , 17, 100-9 | 14 |
| 860 | Prevalence, awareness, treatment, control, and risk factors associated with hypertension in urban adults from 33 communities of China: the CHPSNE study. <b>2011</b> , 29, 1303-10  | 69 |
| 859 | Time course of endothelial adaptation after acute and chronic exercise in patients with metabolic syndrome. <b>2011</b> , 25, 2552-8  | 37 |
| 858 | The metabolic fitness program: lifestyle modification for the metabolic syndrome using the resources of cardiac rehabilitation. <b>2011</b> , 31, 282-9   | 21 |
| 857 | Metabolic syndrome is associated with gastric dysplasia. <b>2011</b> , 23, 871-5  | 9  |
| 856 | Early possible risk factors for overt diabetes after gestational diabetes mellitus. <b>2011</b> , 118, 71-78  | 36 |
| 855 | Blood pressure control and cardiovascular risk profile in hypertensive patients from central and eastern European countries: results of the BP-CARE study. <b>2011</b> , 32, 218-25   | 60 |
| 854 | Obesity in China: what are the causes?. <b>2011</b> , 17, 1132-9  | 15 |
| 853 | Norlichexanthone isolated from fungus P16 promotes the secretion and expression of adiponectin in cultured ST-13 adipocytes. <b>2011</b> , 7, 250-6   | 10 |
| 852 | Effects of insulin on the vasculature. <b>2011</b> , 9, 321-32  | 24 |
| 851 | Inflammation predicts changes in high-density lipoprotein particles and apolipoprotein A1 following initiation of antiretroviral therapy. <b>2011</b> , 25, 2133-42   | 39 |
| 850 | Improving monitoring for metabolic syndrome using audit. <b>2011</b> , 28, i-iv   | 4  |
|     |   |    |

| 849 | Cardiorespiratory fitness, obesity, and functional limitation in older adults. <b>2011</b> , 19, 336-46  | 4  |
|-----|--|----|
| 848 | Telmisartan improves insulin resistance in patients with low cytokine levels. <b>2011</b> , 59, 602-5  | 2  |
| 847 | Mechanisms and Complications of Metabolic Syndrome. <b>2011</b> , 177-197  |    |
| 846 | Alanine aminotransferase is associated with metabolic syndrome independently of insulin resistance. <b>2011</b> , 75, 964-9  | 17 |
| 845 | 11EHydroxysteroid Dehydrogenase Type 1 as a Therapeutic Target for Type 2 Diabetes. <b>2011</b> , 423-458  |    |
| 844 | [Incidence of metabolic syndrome and associated lifestyle factors in a worksite male population]. <b>2011</b> , 53, 78-86  | 14 |
| 843 | Changes in lipid profiles after switching to a protease inhibitor-containing cARTunfavourable effect of fosamprenavir in obese patients. <b>2011</b> , 16, 85-92   | 3  |
| 842 | Dyslipidemia intervention in metabolic syndrome: emphasis on improving lipids and clinical event reduction. <b>2011</b> , 341, 388-93  | 22 |
| 841 | Lipid targets during statin treatment in dyslipidemic patients affected by nonalcoholic fatty liver disease. <b>2011</b> , 342, 383-7  | 15 |
| 840 | Metabolic syndrome, impaired fasting glucose and obesity, as predictors of incident diabetes in 14 120 hypertensive patients of ASCOT-BPLA: comparison of their relative predictability using a novel approach. <b>2011</b> , 28, 941-7            | 19 |
| 839 | Obesity, metabolic syndrome, adipocytes and vascular function: A holistic viewpoint. <b>2011</b> , 38, 1-10  | 73 |
| 838 | Androgenetic alopecia and insulin resistance: are they truly associated?. <b>2011</b> , 50, 417-22   | 30 |
| 837 | Metabolic syndrome and hepatic resection: improving outcome. <b>2011</b> , 13, 846-59  | 9  |
| 836 | Impact of physicians' age on the clinical management of global cardiovascular risk: analysis of the results of the Evaluation of Final Feasible Effect of Control Training and Ultra Sensitisation Educational Programme. <b>2011</b> , 65, 649-57 | O  |
| 835 | Mechanisms of cerebrovascular protection: oestrogen, inflammation and mitochondria. <b>2011</b> , 203, 149-54  | 30 |
| 834 | Obesity, blood vessels and metabolic syndrome. <b>2011</b> , 203, 279-86   | 60 |
| 833 | Association between the leptin gene 2548G/A polymorphism, the plasma leptin and the metabolic syndrome with psoriasis. <b>2011</b> , 20, 715-9   | 38 |
| 832 | Hypertriglyceridemic waist: an alternative to the metabolic syndrome? Results of the IMAP Study (multidisciplinary intervention in primary care). <b>2011</b> , 35, 292-9  | 60 |

| 831 | Obesity-related non-communicable diseases: South Asians vs White Caucasians. 2011, 35, 167-87  | 251 |
|-----|--|-----|
| 830 | Metabolic normality in overweight and obese subjects. Which parameters? Which risks?. <b>2011</b> , 35, 1208-15  | 32  |
| 829 | The relationship between periodontitis and metabolic syndrome among a Korean nationally representative sample of adults. <b>2011</b> , 38, 781-6   | 75  |
| 828 | Effect of hydroxypropyl methylcellulose on obesity and glucose metabolism in a diet-induced obesity mouse model. <b>2011</b> , 3, 158-67   | 17  |
| 827 | Hypertension, dyslipidemia, and insulin resistance in patients with diabetes mellitus or the cardiometabolic syndrome: benefits of vasodilating Eblockers. <b>2011</b> , 13, 52-9          | 47  |
| 826 | Autonomic nervous system dysfunction in obesity and Prader-Willi syndrome: current evidence and implications for future obesity therapies. <b>2011</b> , 1, 175-83                         | 11  |
| 825 | Metabolic syndrome in transplant patients: an academic or a health burden?. 2011, 43, 313-7  | 5   |
| 824 | Adiponectin is associated with abnormal lipid profile and coronary microvascular dysfunction in patients with dilated cardiomyopathy without overt heart failure. <b>2011</b> , 60, 227-33 | 20  |
| 823 | Serum levels of vaspin, obestatin, and apelin-36 in patients with nonalcoholic fatty liver disease. <b>2011</b> , 60, 544-9  | 53  |
| 822 | Intensive practical lifestyle intervention improves endothelial function in metabolic syndrome independent of weight loss: a randomized controlled trial. <b>2011</b> , 60, 1736-40        | 32  |
| 821 | Impact of thiazolidinedione safety warnings on medication use patterns and glycemic control among veterans with diabetes mellitus. <b>2011</b> , 25, 143-50                                | 16  |
| 820 | Non-high-density lipoprotein cholesterol concentration is associated with the metabolic syndrome among US youth aged 12-19 years. <b>2011</b> , 158, 201-7                                 | 36  |
| 819 | Paradoxically high adiponectin in obese 16-year-old girls protects against appearance of the metabolic syndrome and its components seven years later. <b>2011</b> , 158, 208-14.e1         | 16  |
| 818 | Racial/ethnic and sex differences in the ability of metabolic syndrome criteria to predict elevations in fasting insulin levels in adolescents. <b>2011</b> , 159, 975-81.e3               | 37  |
| 817 | [Prevalence of metabolic syndrome in patients with stable coronary disease: therapeutic objectives and utilization of cardiovascular drugs]. <b>2011</b> , 211, 1-8                        | 3   |
| 816 | Valor de la dislipemia en el conjunto de los factores de riesgo cardiovascular. <b>2011</b> , 11, 29-35  | 1   |
| 815 | The effect of family-based multidisciplinary cognitive behavioral treatment in children with obesity: study protocol for a randomized controlled trial. <b>2011</b> , 12, 110              | 16  |
| 814 | Predicting cardiovascular risk in young adulthood from the metabolic syndrome, its component risk factors, and a cluster score in childhood. <b>2011</b> , 6, e283-9                       | 71  |

| 813 | The association between physical activity, physical fitness and development of metabolic disorders. <b>2011</b> , 6 Suppl 1, 29-34   | 46  |
|-----|--|-----|
| 812 | Dietary fiber and nutrient density are inversely associated with the metabolic syndrome in US adolescents. <b>2011</b> , 111, 1688-95  | 67  |
| 811 | Metabolic syndrome in adolescents: issues and opportunities. <b>2011</b> , 111, 1674-9   | 8   |
| 810 | Soluble CD40 ligand, interleukin (IL)-6, and hemostatic parameters in metabolic syndrome patients with and without overt ischemic heart disease. <b>2011</b> , 63, 131-135   | 3   |
| 809 | Could maternal perinatal atypical antipsychotic treatments program later metabolic diseases in the offspring?. <b>2011</b> , 667, 13-6   | 3   |
| 808 | Triglyceride to HDL ratio is a reliable predictor of adverse outcomes in risk stratification for candidates undergoing abdominal aortic surgery. <b>2011</b> , 41, 249-55  | 2   |
| 807 | Macrovascular effects and safety issues of therapies for type 2 diabetes. <b>2011</b> , 108, 25B-32B   | 25  |
| 806 | Adiponectin and risk of coronary heart disease in apparently healthy men and women (from the EPIC-Norfolk Prospective Population Study). <b>2011</b> , 108, 367-73   | 32  |
| 805 | Effect of colesevelam hydrochloride on glycemia and insulin sensitivity in men with the metabolic syndrome. <b>2011</b> , 108, 1129-35   | 18  |
| 804 | Circulating levels of vascular endothelial growth factor A and its soluble receptor in patients with biopsy-proven nonalcoholic fatty liver disease. <b>2011</b> , 42, 38-43   | 12  |
| 803 | Contribution of serum leptin to metabolic syndrome in obese and nonobese subjects. <b>2011</b> , 42, 244-51  | 23  |
| 802 | Impact of diabetes mellitus on the clinical management of global cardiovascular risk: analysis of the results of the Evaluation of Final Feasible Effect of Control Training and Ultra Sensitization (EFFECTUS) educational program. <b>2011</b> , 34, 560-6 | 10  |
| 801 | Potential mechanisms by which polyphenol-rich grapes prevent obesity-mediated inflammation and metabolic diseases. <b>2011</b> , 31, 155-76  | 172 |
| 800 | GWAS of butyrylcholinesterase activity identifies four novel loci, independent effects within BCHE and secondary associations with metabolic risk factors. <b>2011</b> , 20, 4504-14   | 35  |
| 799 | Mitochondrial energy metabolism and redox responses to hypertriglyceridemia. 2011, 43, 19-23   | 27  |
| 798 | Cytokine production from peripheral blood mononuclear cells and polymorphonuclear leukocytes in patients studied for suspected obstructive sleep apnea. <b>2011</b> , 15, 3-11   | 22  |
| 797 | Preliminary data on the association between waist circumference and insulin resistance in children without a previous diagnosis. <b>2011</b> , 170, 35-43  | 22  |
| 796 | AKT1 polymorphisms are associated with risk for metabolic syndrome. <b>2011</b> , 129, 129-39  | 22  |

795 Monitoring der klistlichen Ernlärung bei kritisch kranken Patienten. **2011**, 48, 99-108

| 794              | The prevalence and clinical correlates of metabolic syndrome in patients with schizophrenia: findings from a cohort in Turkey. <b>2011</b> , 261, 69-78  | 28  |
|------------------|--|-----|
| 793              | Obesity and coronary risk in patients treated with second-generation antipsychotics. 2011, 261, 417-23   | 24  |
| 792              | Familial Mediterranean fever: an association with non-alcoholic fatty liver disease. <b>2011</b> , 30, 987-91  | 12  |
| 791              | Distinct hepatic lipid profile of hypertriglyceridemic mice determined by easy ambient sonic-spray ionization mass spectrometry. <b>2011</b> , 401, 1651-9   | 22  |
| 790              | Prolonged Sitting and the Risk of Cardiovascular Disease and Mortality. <b>2011</b> , 5, 350-357   | 9   |
| 7 <sup>8</sup> 9 | Prevalence of coronary artery calcium scores and silent myocardial ischaemia was similar in Indian Asians and European whites in a cross-sectional study of asymptomatic subjects from a U.K. population (LOLIPOP-IPC). <b>2011</b> , 18, 435-42               | 5   |
| 788              | Metabolic Syndrome and Breast Cancer Risk: Is There a Role for Metformin?. <b>2011</b> , 3, 142-150  | 9   |
| 787              | Prvalence du syndrome mtabolique chez des enfants obtes tunisiens to de 6 ^ 12 ans. <b>2011</b> , 6, 235-241   |     |
| 786              | NAFLD and insulin resistance do not increase the risk of postoperative complications among patients undergoing bariatric surgerya prospective analysis. <b>2011</b> , 21, 310-5  | 26  |
| 7 <sup>8</sup> 5 | Dietary monounsaturated fatty acids are protective against metabolic syndrome and cardiovascular disease risk factors. <b>2011</b> , 46, 209-28  | 329 |
| 7 <sup>8</sup> 4 | High doses of rosuvastatin are superior to low doses of rosuvastatin plus fenofibrate or n-3 fatty acids in mixed dyslipidemia. <b>2011</b> , 46, 521-8  | 20  |
| 783              | Should the metabolic syndrome patient with prediabetes be offered pharmacotherapy?. 2011, 11, 91-8   | 8   |
| 782              | Awareness, treatment and control of hypertension among the elderly living in their home in Tunisia. <b>2011</b> , 11, 65   | 26  |
| 781              | Can body mass index, waist circumference, waist-hip ratio and waist-height ratio predict the presence of multiple metabolic risk factors in Chinese subjects?. <b>2011</b> , 11, 35  | 97  |
| 780              | Associations of cardiovascular risk factors, carotid intima-media thickness and manifest atherosclerotic vascular disease with carpal tunnel syndrome. <b>2011</b> , 12, 80  | 30  |
| 779              | Association of inflammation and endothelial dysfunction with metabolic syndrome, prediabetes and diabetes in adults from Inner Mongolia, China. <b>2011</b> , 11, 16   | 18  |
| 778              | Serum non-high-density lipoprotein cholesterol concentration and risk of death from cardiovascular diseases among U.S. adults with diagnosed diabetes: the Third National Health and Nutrition Examination Survey linked mortality study. <b>2011</b> , 10, 46 | 24  |

| 777 | Association between metabolic abnormalities and HBV related hepatocelluar carcinoma in Chinese: a cross-sectional study. <b>2011</b> , 10, 49   | 29  |
|-----|---|-----|
| 776 | Drinking carrot juice increases total antioxidant status and decreases lipid peroxidation in adults. <b>2011</b> , 10, 96   | 42  |
| 775 | Plasma lipoprotein-associated phospholipase A2 in patients with metabolic syndrome and carotid atherosclerosis. <b>2011</b> , 10, 13  | 21  |
| 774 | Composition of fatty acids in plasma and erythrocytes and eicosanoids level in patients with metabolic syndrome. <b>2011</b> , 10, 82   | 40  |
| 773 | Predictive performance of the visceral adiposity index for a visceral adiposity-related risk: type 2 diabetes. <b>2011</b> , 10, 88   | 55  |
| 772 | Metabolic syndrome and dietary components are associated with coronary artery disease risk score in free-living adults: a cross-sectional study. <b>2011</b> , 3, 7   | 18  |
| 771 | Prevalence of metabolic syndrome in bus and truck drivers in Kashan, Iran. 2011, 3, 8   | 38  |
| 770 | Metabolic syndrome is associated with high grade Gleason score when prostate cancer is diagnosed on biopsy. <b>2011</b> , 71, 1492-8  | 51  |
| 769 | Diabetes mellitus and insulin resistance in patients with rheumatoid arthritis: risk reduction in a chronic inflammatory disease. <b>2011</b> , 63, 512-21  | 62  |
| 768 | Longitudinal predictors of progression of carotid atherosclerosis in rheumatoid arthritis. <b>2011</b> , 63, 3216-25  | 69  |
| 767 | Ischemia-modified albumin as an oxidative stress biomarker in obesity. <b>2011</b> , 44, 345-7  | 48  |
| 766 | Serum galectin-3 levels in patients with nonalcoholic fatty liver disease. <b>2011</b> , 44, 955-8  | 9   |
| 765 | Development of an LC-MS/MS method for the quantitation of 55 compounds prescribed in combined cardiovascular therapy. <b>2011</b> , 879, 243-52   | 47  |
| 764 | Attainment of optional low-density lipoprotein cholesterol goal of less than 70 mg/dl and impact on prognosis of very high risk stable coronary patients: a 3-year follow-up. <b>2011</b> , 12, 1481-9      | 11  |
| 763 | Dairy attentuates oxidative and inflammatory stress in metabolic syndrome. <b>2011</b> , 94, 422-30   | 142 |
| 762 | Dairy constituents and neurocognitive health in ageing. <b>2011</b> , 106, 159-74   | 90  |
| 761 | Chronic dietary n-3 PUFA intervention improves dyslipidaemia and subsequent cardiovascular complications in the JCR:LA- cp rat model of the metabolic syndrome. <b>2011</b> , 105, 1572-82                  | 46  |
| 760 | Reduction of monocyte chemoattractant protein 1 and macrophage migration inhibitory factor by a polyphenol-rich extract in subjects with clustered cardiometabolic risk factors. <b>2011</b> , 106, 1416-22 | 15  |

| 759 | Adolescent BMI and risk of diabetes versus coronary disease. 2011, 364, 2558-9; author reply 2559  | 1  |
|-----|--|----|
| 758 | Epicardial adipose tissue and metabolic syndrome in hypertensive patients with normal body weight and waist circumference. <b>2011</b> , 24, 1245-9  | 18 |
| 757 | Peripheral vascular disease and peripheral neuropathy in individuals with cardiometabolic clustering and obesity: National Health and Nutrition Examination Survey 2001-2004. <b>2011</b> , 34, 1642-7 | 59 |
| 756 | Obstructive sleep apnea and cardiovascular disease. <b>2011</b> , 19, 279-90   | 30 |
| 755 | Nonalcoholic fatty liver disease: a review of the spectrum of disease, diagnosis, and therapy. <b>2011</b> , 26, 565-76  | 78 |
| 754 | Ethnic disparities in metabolic syndrome in malaysia: an analysis by risk factors. <b>2011</b> , 9, 441-51   | 29 |
| 753 | Higher aldosterone and lower N-terminal proatrial natriuretic peptide as biomarkers of salt sensitivity in the community. <b>2011</b> , 18, 664-73   | 10 |
| 752 | Cardiovascular Risk Is Increased in Miner's Chronic Intermittent Hypobaric Hypoxia Exposure From 0 to 2,500 m?. <b>2021</b> , 12, 647976   | 1  |
| 751 | Non-alcoholic fatty liver disease in polycystic ovary syndrome women. <b>2021</b> , 11, 7085   | 6  |
| 750 | Role of dietary calcium and its possible mechanism against metabolic disorders: A concise review. <b>2021</b> , 45, e13697   | 2  |
| 749 | Hypothyroidism and its influence in the development of Metabolic Syndrome (MetS).  |    |
| 748 | Anthropometric cut-points for discriminating diabetes and the metabolic syndrome among Arabs and Asians: the Kuwait Diabetes Epidemiology Program. <b>2021</b> , 1-11                                  | 1  |
| 747 | Ambient air pollution and risk of respiratory infection among adults: evidence from the multiethnic study of atherosclerosis (MESA). <b>2021</b> , 8,  | 2  |
| 746 | Which diagnostic criteria of metabolic syndrome are predictors of cardiovascular diseases in elderly populations?. <b>2021</b> , 23, 100248  |    |
| 745 | Late adverse effects and quality of life in survivors of testicular germ cell tumour. <b>2021</b> , 18, 227-245  | 9  |
| 744 | Multi-Target Approaches in Metabolic Syndrome. <b>2020</b> , 11, 554961  | 11 |
| 743 | Association of metabolic syndrome with mobility in the older adults: a Korean nationwide representative cross-sectional study. <b>2021</b> , 11, 6605  | O  |
| 742 | The troubling liaison between cancer and metabolic syndrome in chronic inflammatory rheumatic diseases. <b>2021</b> , 23, 89   |    |

| 741 | Risk of Recurrent Coronary Events in Patients With Familial Hypercholesterolemia; A 10-Years Prospective Study. <b>2020</b> , 11, 560958  | 1  |
|-----|---|----|
| 740 | Raloxifene has favorable effects on the lipid profile in women explaining its beneficial effect on cardiovascular risk: A meta-analysis of randomized controlled trials. <b>2021</b> , 166, 105512                      | 12 |
| 739 | Differences in Several Factors in the Development of Erosive Esophagitis Among Patients at Various Stages of Metabolic Syndrome: A Cross-Sectional Study. <b>2021</b> , 14, 1589-1600                                   |    |
| 738 | Cardiac MRI for Patients with Increased Cardiometabolic Risk. <b>2021</b> , 3, e200575  |    |
| 737 | Mitochondria-DNA copy-number and incident venous thromboembolism among middle-aged women: a population-based cohort study. <b>2021</b> , 52, 148-157  | O  |
| 736 | Dietary isoflavones intake is inversely associated with non-alcoholic fatty liver disease, hyperlipidaemia and hypertension. <b>2021</b> , 1-11   | 3  |
| 735 | Role of exercise on visceral adiposity after spinal cord injury: a cardiometabolic risk factor. <b>2021</b> , 121, 2143-2163  | 2  |
| 734 | Validation of a continuous measure of cardiometabolic risk among adolescents. <b>2021</b> , 34, 763-770   |    |
| 733 | Dietary Strategies for Management of Metabolic Syndrome: Role of Gut Microbiota Metabolites. <b>2021</b> , 13,  | 14 |
| 732 | Very High Coronary Artery Calcium (âll000) and Association With Cardiovascular Disease Events, Non-Cardiovascular Disease Outcomes, and Mortality: Results From MESA. <i>Circulation</i> , <b>2021</b> , 143, 1571-1583 | 13 |
| 731 | Saroglitazar, a novel dual PPAR-西gonist, reverses high fat-low protein diet-induced metabolic and cognitive aberrations in C57BL/6J male mice. <b>2021</b> , 271, 119191  | 1  |
| 730 | Metabolic syndrome and lifestyle-associated factors in the ethnically diverse population of Khuzestan, Iran: a cross-sectional study. <b>2021</b> , 20, 747-756   | 2  |
| 729 | The Lancet women and cardiovascular disease Commission: reducing the global burden by 2030. <b>2021</b> , 397, 2385-2438  | 80 |
| 728 | Implications of ADAM17 activation for hyperglycaemia, obesity and type 2 diabetes. <b>2021</b> , 41,  | 2  |
| 727 | Role of Metabolic Syndrome in Prostate Cancer Development. <b>2021</b> , 7, 508-512   | О  |
| 726 | Coronary Collateral Flow Index Is Correlated With the Palmar Collateral Flow Index: Indicating Systemic Collateral Coherence in Individual Patients-Brief Report. <b>2021</b> , 41, 1830-1836                           | 1  |
| 725 | Divergent trajectories of cellular bioenergetics, intermediary metabolism and systemic redox status in survivors and non-survivors of critical illness. <b>2021</b> , 41, 101907  | 6  |
| 724 | Extent of heel ulceration influences the outcomes in patients with isolated infrapopliteal limb threatening critical ischemia. <b>2021</b> , 73, 1731-1740.e2   |    |

| 723 | Associations between urinary hydration markers and metabolic dysfunction: a cross-sectional analysis of NHANES data, 2008-2010. <b>2021</b> , 60, 4229-4241                                 | 1  |
|-----|---|----|
| 722 | The role of mitochondria in metabolic disease: a special emphasis on heart dysfunction. <b>2021</b> , 599, 3477-3493  | 4  |
| 721 | Association of Oxidative Balance Score with the Metabolic Syndrome in a Sample of Iranian Adults. <b>2021</b> , 2021, 5593919   | 3  |
| 720 | Machine and Deep Learning Applied to Predict Metabolic Syndrome without a Blood Screening. <b>2021</b> , 11, 4334   | O  |
| 719 | An Empirically Derived Definition of Metabolically Healthy Obesity Based on Risk of Cardiovascular and Total Mortality. <b>2021</b> , 4, e218505  | 15 |
| 718 | Mitochondrial genome copy number measured by DNA sequencing in human blood is strongly associated with metabolic traits via cell-type composition differences. <b>2021</b> , 15, 34         | 2  |
| 717 | Treatment optimization of maintenance immunosuppressive agents in pediatric renal transplant recipients. <b>2021</b> , 17, 747-765  | О  |
| 716 | Enhanced solubility and biopharmaceutical performance of atorvastatin and metformin via electrospun polyvinylpyrrolidone-hyaluronic acid composite nanoparticles. <b>2021</b> , 161, 105817 | O  |
| 715 | Mapping pleiotropic loci using a fast-sequential testing algorithm. <b>2021</b> , 29, 1762-1773   | 0  |
| 714 | Association between Visceral Adipose Tissue and Non-Alcoholic Steatohepatitis Histology in Patients with Known or Suspected Non-Alcoholic Fatty Liver Disease. <b>2021</b> , 10,            | O  |
| 713 | Integrated transcriptome and proteome analysis reveals potential mechanisms for differential abdominal fat deposition between divergently selected chicken lines. <b>2021</b> , 241, 104242 | 0  |
| 712 | Racial and Sex Differences between Urinary Phthalates and Metabolic Syndrome among U.S. Adults: NHANES 2005-2014. <b>2021</b> , 18,   | 3  |
| 711 | Insulin resistance, metabolic syndrome, and blood pressure progression among Blacks: the Jackson Heart Study. <b>2021</b> , 39, 2200-2209   | 0  |
| 710 | Metabolic syndrome and bladder cancer. <b>2021</b> , 128, 1-2   | 1  |
| 709 | The prevalence and correlates of pre-diabetes in middle- to older-aged Irish adults using three diagnostic methods. <b>2021</b> , 16, e0253537  | 1  |
| 708 | Childhood maltreatment predicts physical health in college students. <b>2021</b> , 1-10   |    |
| 707 | Towards Goals to Refine Prophylactic and Therapeutic Strategies Against COVID-19 Linked to Aging and Metabolic Syndrome. <b>2021</b> , 10,  | 2  |
| 706 | Circulating extracellular DNA is in association with continuous metabolic syndrome score in healthy adolescents. <b>2021</b> , 53, 309-318  | O  |

| 705 | Hepatectomy for Metabolic Associated Fatty Liver Disease (MAFLD) related HCC: Propensity case-matched analysis with viral- and alcohol-related HCC. <b>2021</b> ,  | 3 |
|-----|--|---|
| 704 | Metabolic syndrome and the risk of colorectal cancer: a systematic review and meta-analysis. <b>2021</b> , 36, 2215-2225   | 3 |
| 703 | Plasma Bile Acid Profile in Patients with and without Type 2 Diabetes. <b>2021</b> , 11,   | 3 |
| 702 | Psoriasis and Cardiometabolic Diseases: The Impact of Inflammation on Vascular Health. <b>2021</b> , 11, 99-108  | O |
| 701 | Expression of Jejunal Taste Receptors in Women with Morbid Obesity. 2021, 13,  | О |
| 700 | Dietary sugar intake and risk of Alzheimer's disease in older women. <b>2021</b> , 1-12  |   |
| 699 | Risk of Death in Colorectal Cancer Patients with Multi-morbidities of Metabolic Syndrome: A Retrospective Multicohort Analysis. <b>2021</b> , 53, 714-723  | 2 |
| 698 | A novel inflammatory signaling pathway in patients with slow coronary flow: NF- <b>B</b> /IL-1 <b>/</b> Initric oxide. <b>2021</b> , 143, 155511   | 3 |
| 697 | Temporal correlation of morphological and biochemical changes with the recruitment of different mechanisms of reactive oxygen species formation during human SW872 cell adipogenic differentiation. <b>2021</b> , 47, 837-851    | 1 |
| 696 | Adipose tissue biomarkers and type 2 diabetes incidence in normoglycemic participants in the MESArthritis Ancillary Study: A cohort study. <b>2021</b> , 18, e1003700  | 1 |
| 695 | Effects of probiotic supplementation on anthropometric and metabolic characteristics in adults with metabolic syndrome: A systematic review and meta-analysis of randomized clinical trials. <b>2021</b> , 40, 4662-4673         | 8 |
| 694 | Sudden Sensorineural Hearing Loss and Metabolic Syndrome: A Systematic Review and Meta-analysis. <b>2021</b> , 42, 1308-1313   | O |
| 693 | Adiposity and cancer: a Mendelian randomization analysis in the UK biobank. 2021, 45, 2657-2665  | 0 |
| 692 | Feasibility of Fibroscan in Assessment of Hepatic Steatosis and Fibrosis in Obese Patients: Report From a General Internal Medicine Clinic. <b>2021</b> , 32, 466-472  | O |
| 691 | CD47 and thrombospondin-1 regulation of mitochondria, metabolism, and diabetes. <b>2021</b> , 321, C201-C213   | 2 |
| 690 | Dietary Sugar Intake and Its Association with Obesity in Children and Adolescents. 2021, 8,  | 4 |
| 689 | Association of long-term exposure to ambient particulate pollution with stage 1 hypertension defined by the 2017 ACC/AHA Hypertension Guideline and cardiovascular disease: The CHCN-BTH cohort study. <b>2021</b> , 199, 111356 | 2 |
| 688 | Variable Changes of Circulating ANGPTL3 and ANGPTL4 in Different Obese Phenotypes: Relationship with Vasodilator Dysfunction. <b>2021</b> , 9,   | 2 |

| 687 | The Effect of Laparoscopic Sleeve Gastrectomy on Glycemic Control in Type 2 Diabetic Patients. <b>2021</b> , 13, e16986  |   |
|-----|--|---|
| 686 | Mechanistically acting anti-obesity compositions/formulations of natural origin: a patent review (2010-2021). <b>2021</b> , 1-18   | 1 |
| 685 | Association of the metabolic syndrome with mortality and major adverse cardiac events: A large chronic kidney disease cohort. <b>2021</b> , 290, 1219-1232   | 5 |
| 684 | Effects of Tai Chi on health outcomes among community-dwelling adults with or at risk of metabolic syndrome: A systematic review. <b>2021</b> , 44, 101445   | O |
| 683 | Metabolic Comorbidities in Vitiligo: A Brief Review and Report of New Data from a Single-Center Experience. <b>2021</b> , 22,  | 1 |
| 682 | Current and Emerging Biomarkers and Imaging Modalities for Nonalcoholic Fatty Liver Disease: Clinical and Research Applications. <b>2021</b> , 43, 1505-1522   | O |
| 681 | Physical inactivity and headache disorders: Cross-sectional analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <b>2021</b> , 41, 1467-1485  | 0 |
| 680 | The Relationship and Gender Disparity Between Thyroid Nodules and Metabolic Syndrome Components Based on a Recent Nationwide Cross-Sectional Study and Meta-Analysis. <b>2021</b> , 12, 736972   | 3 |
| 679 | ADA gene haplotype is associated with coronary-in-stent-restenosis. <b>2021</b> , 48, 6665-6671  |   |
| 678 | Obesity, metabolic syndrome, and inflammation: An update for anaesthetists caring for patients with obesity. <b>2021</b> , 40, 100947  | 2 |
| 677 | The role of body mass index or metabolic syndrome components causing depression in women: An observation from weight reduction clinical trial. <b>2021</b> , 46, 1757-1763   | 1 |
| 676 | Effects of different definitions of low muscle mass on its association with metabolic syndrome in older adults: A Korean nationwide study. <b>2021</b> , 21, 1003-1009   | 2 |
| 675 | Changes in Cardiometabolic Risk Among Older Adults with Obesity: An Ancillary Analysis of a Randomized Controlled Trial Investigating Exercise Plus Weight Maintenance and Exercise Plus Intentional Weight Loss by Caloric Restriction. <b>2021</b> , | 1 |
| 674 | Live Monitoring of Inflammation Reveals Tissue and Sex-specific Responses to Western Diet and Butyrate treatment.  |   |
| 673 | Inflammatory Biomarkers and Components of Metabolic Syndrome in Adolescents: a Systematic Review. <b>2021</b> , 1  | 3 |
| 672 | Microvessel Density: Integrating Sex-Based Differences and Elevated Cardiovascular Risks in Metabolic Syndrome. <b>2021</b> , 1-15   | 1 |
| 671 | Alternative Dietary Patterns for Americans: Low-Carbohydrate Diets. 2021, 13,  | 2 |
| 670 | Effects of Caffeinated and Decaffeinated Coffee Consumption on Metabolic Syndrome Parameters: A Systematic Review and Meta-Analysis of Data from Randomised Controlled Trials. <b>2021</b> , 57,   | 3 |

| 669 | Metabolomic architecture of obesity implicates metabolonic lactone sulfate in cardiometabolic disease. <b>2021</b> , 54, 101342  | 0  |
|-----|--|----|
| 668 | Cohort study evaluation of New Chinese Diabetes Risk Score: A new non-invasive indicator for predicting metabolic syndrome. <b>2021</b> , 15, 825-831  |    |
| 667 | Dietary fibers extracted from Saccharina japonica can improve metabolic syndrome and ameliorate gut microbiota dysbiosis induced by high fat diet. <b>2021</b> , 85, 104642  | 0  |
| 666 | Association between mesenteric panniculitis and non-neoplastic disorders. <b>2021</b> , 79, 219-224  | O  |
| 665 | Cladosporols A and B, two natural peroxisome proliferator-activated receptor gamma (PPAR) agonists, inhibit adipogenesis in 3T3-L1 preadipocytes and cause a conditioned-culture-medium-dependent arrest of HT-29 cell proliferation. <b>2021</b> , 1865, 129973 | 2  |
| 664 | Associations between metabolic syndrome and anthropogenic heat emissions in northeastern China. <b>2022</b> , 204, 111974  | 1  |
| 663 | Prevalence of different comorbidities in chronic obstructive pulmonary disease among Shahrekord PERSIAN cohort study in southwest Iran. <b>2021</b> , 11, 1548   | 5  |
| 662 | Anthropometric Prediction of Visceral Adiposity in Persons With Spinal Cord Injury. <b>2021</b> , 27, 23-35  | 3  |
| 661 | Metabolic Syndrome Fact Sheet 2021: Executive Report. <b>2021</b> , 1, 125   | 5  |
| 660 | Meeting the challenge of physical comorbidity and unhealthy lifestyles. 114-130  | 1  |
| 659 | Lipids, Atherogenic Dyslipidemia, and Therapy. 347-408   | 1  |
| 658 | Principles of Pharmacological Treatment in Schizophrenia. 515-524  | 1  |
| 657 | Correction of insulin resistance and the metabolic syndrome. <b>2005</b> , 591-617   | 2  |
| 656 | Laparoscopic Roux-en-Y Gastric Bypass: Outcomes. <b>2007</b> , 271-280   | 1  |
| 655 | Imprinted genes, postnatal adaptations and enduring effects on energy homeostasis. 2008, 626, 41-61  | 28 |
| 654 | Economic Burden of the Components of the Metabolic Syndrome. <b>2010</b> , 1135-1149   | 6  |
| 653 | The Metabolic Syndrome. <b>2011</b> , 1-26   | 2  |
| 652 | Triglyceride-Rich Lipoproteins. <b>2011</b> , 59-91  | 2  |

| 651                      | Mechanisms Linking Obesity to Cancer Risk. <b>2011</b> , 99-142   | 2                |
|--------------------------|---|------------------|
| 650                      | Obesity, Metabolic Syndrome and Type 2 Diabetes. <b>2014</b> , 499-507  | 1                |
| 649                      | Olive Oil as a Functional Food: Nutritional and Health Benefits. 2013, 677-714  | 12               |
| 648                      | Nutraceutical Approaches in the Management of Cardiovascular Dysfunctions Associated with Diabetes Mellitus. <b>2014</b> , 377-396  | 1                |
| 647                      | Management of Medication-Related Adverse Effects. <b>2014</b> , 225-262   | 1                |
| 646                      | Dietary Calcium and the Metabolic Syndrome. <b>2006</b> , 401-409   | 3                |
| 645                      | Diagnosing Obesity, Diabetes Mellitus, and Insulin Resistance Syndrome. <b>2006</b> , 129-153   | 1                |
| 644                      | Metabolic Syndrome. <b>2006</b> , 155-168   | 1                |
| 643                      | Fatty Acids in the Causation and Therapy of Metabolic Syndrome. 2008, 263-284   | 3                |
|                          |   |                  |
| 642                      | Systemic first-line phenotyping. <b>2009</b> , 530, 463-509   | 67               |
| 641                      | Systemic first-line phenotyping. <b>2009</b> , 530, 463-509  Chronomics of the Metabolic Syndrome. <b>2008</b> , 373-386  | 67<br>2          |
|                          |   |                  |
| 641                      | Chronomics of the Metabolic Syndrome. 2008, 373-386  Cardiovascular Risk Assessment and Summary of Guidelines for the Management of Hypertension.   | 2                |
| 641                      | Chronomics of the Metabolic Syndrome. <b>2008</b> , 373-386  Cardiovascular Risk Assessment and Summary of Guidelines for the Management of Hypertension. <b>2011</b> , 97-113  | 2                |
| 641<br>640<br>639        | Chronomics of the Metabolic Syndrome. 2008, 373-386  Cardiovascular Risk Assessment and Summary of Guidelines for the Management of Hypertension. 2011, 97-113  Adipocytes as Target Cells for Endocrine Disruption. 2012, 255-271  | 2<br>1<br>1      |
| 641<br>640<br>639        | Chronomics of the Metabolic Syndrome. 2008, 373-386  Cardiovascular Risk Assessment and Summary of Guidelines for the Management of Hypertension. 2011, 97-113  Adipocytes as Target Cells for Endocrine Disruption. 2012, 255-271  Nutritional Counseling for Overweight Patients and Patients with Metabolic Syndrome. 2007, 201-211  | 2<br>1<br>1      |
| 641<br>640<br>639<br>638 | Chronomics of the Metabolic Syndrome. 2008, 373-386  Cardiovascular Risk Assessment and Summary of Guidelines for the Management of Hypertension. 2011, 97-113  Adipocytes as Target Cells for Endocrine Disruption. 2012, 255-271  Nutritional Counseling for Overweight Patients and Patients with Metabolic Syndrome. 2007, 201-211  Role of Perfluoroalkyl Substances as EDCs in Metabolic Disorders. 2021, 301-322 | 2<br>1<br>1<br>1 |

| 633 | Differentiation Potential of Adult Human Mesenchymal Stem Cells. 2011, 61-77   | 3  |
|-----|--|----|
| 632 | Sphingolipids in obesity, type 2 diabetes, and metabolic disease. <b>2013</b> , 373-401  | 64 |
| 631 | Evolution of Metabolic Syndrome from Childhood. <b>2011</b> , 35-52  | 1  |
| 630 | Mechanosensitivity of Pancreatic Etells, Adipocytes, and Skeletal Muscle Cells: The Therapeutic Targets of Metabolic Syndrome. <b>2012</b> , 379-404             | 2  |
| 629 | Anesthesia for Bariatric Surgery. <b>2010</b> , 2089-2104  | 2  |
| 628 | The Metabolic Syndrome. <b>2010</b> , 822-839  | 2  |
| 627 | Primary and Secondary Hypertension. <b>2012</b> , 1670-1751  | 1  |
| 626 | Complications of Diabetes Mellitus. <b>2011</b> , 1462-1551  | 7  |
| 625 | Special Patient Populations: Diabetes and Metabolic Syndrome. <b>2009</b> , 443-462  | 1  |
| 624 | Pre-treatment allostatic load and metabolic dysregulation predict SSRI response in major depressive disorder: a preliminary report. <b>2020</b> , 1-9            | 2  |
| 623 | Threshold Values of High-risk Echocardiographic Epicardial Fat Thickness.  | 1  |
| 622 | Metabolic Syndrome in Healthy Obese, Overweight, and Normal Weight Individuals: The Atherosclerosis Risk in Communities Study.                                   | 3  |
| 621 | Metabolites in visceral fat: useful signals of metabolic syndrome?. <b>2018</b> , 475, 1789-1791   | 1  |
| 620 | Microvascular dysfunction: causative role in the association between hypertension, insulin resistance and the metabolic syndrome?. <b>2006</b> , 42, 163-76      | 21 |
| 619 | Associations of dietary vitamin B1, vitamin B2, niacin, vitamin B6, vitamin B12 and folate equivalent intakes with metabolic syndrome. <b>2020</b> , 71, 738-749 | 6  |
| 618 | Diabetes Mellitus and Metabolic Syndrome. <b>2009</b> , 465-496  | 4  |
| 617 | The prevalence of metabolic syndrome in Chinese postmenopausal women and the optimum body composition indices to predict it. <b>2010</b> , 17, 566-70            | 34 |
| 616 | Metabolic Syndrome, Disease Activity, and Adipokines in Patients With Newly Diagnosed Inflammatory Joint Diseases. <b>2021</b> , 27, e349-e356                   | 4  |

# (2011-2006)

| 615 | The Postprandial Phase as a Link Between Systemic Lipid Peroxidation and Liver Injury in NASH This article has been retracted. <b>2006</b> , 061113084836024-???                  | 2  |
|-----|---|----|
| 614 | Microbial Flavonoid Metabolism: A Cardiometabolic Disease Perspective. <b>2021</b> , 41, 433-454  | 1  |
| 613 | Usefulness of the epicardial fat tissue thickness as a diagnostic criterion for geriatric patients with metabolic syndrome. <b>2015</b> , 12, 373-7                               | 5  |
| 612 | FABP4 plasma levels are increased in familial combined hyperlipidemia. <b>2010</b> , 51, 1173-8   | 17 |
| 611 | Glycemic Index and Diabetes Mellitus. <b>2016</b> , 45-77   | 1  |
| 610 | Dyslipidemia and Atherosclerosis. <b>2014</b> , 137-159   | 1  |
| 609 | Toxicology. <b>2015</b> , 434-457   | 4  |
| 608 | Physical Activity Levels in a Community Lifestyle Intervention. <b>2016</b> , 1, 45-51  | 3  |
| 607 | Diversity of metabolic syndrome criteria in association with cardiovascular diseasesa family medicine-based investigation. <b>2013</b> , 19, 571-8                                | 9  |
| 606 | Anti-obesity effect of a hop-derived prenylflavonoid isoxanthohumol in a high-fat diet-induced obese mouse model. <b>2020</b> , 39, 175-182                                       | 3  |
| 605 | Physical activity disparities by socioeconomic status among metabolic syndrome patients: The Fifth Korea National Health and Nutrition Examination Survey. <b>2016</b> , 12, 10-4 | 8  |
| 604 | Metabolic biomarkers and long-term blood pressure variability in military young male adults. <b>2020</b> , 8, 2246-2254   | 1  |
| 603 | Predictors of subclinical atherosclerosis in women with spinal cord injury. <b>2014</b> , 20, 90-5  | 4  |
| 602 | Cardiometabolic changes and disparities among persons with spinal cord injury: a 17-year cohort study. <b>2014</b> , 20, 96-104   | 10 |
| 601 | Nutritional Health Considerations for Persons with Spinal Cord Injury. <b>2017</b> , 23, 188-206  | 19 |
| 600 | Identification and Management of Cardiometabolic Risk after Spinal Cord Injury: Clinical Practice Guideline for Health Care Providers. <b>2018</b> , 24, 379-423                  | 41 |
| 599 | The CAPN10 gene is associated with insulin resistance phenotypes in the Spanish population. <b>2008</b> , 3, e2953  | 33 |
| 598 | The metabolic syndrome: prevalence, associated factors, and impact on survival among older persons in rural Bangladesh. <b>2011</b> , 6, e20259                                   | 39 |

| 597 | Post-streptococcal antibodies are associated with metabolic syndrome in a population-based cohort. <b>2011</b> , 6, e25017  | 10 |
|-----|---|----|
| 596 | Maternal cigarette smoke exposure contributes to glucose intolerance and decreased brain insulin action in mice offspring independent of maternal diet. <b>2011</b> , 6, e27260   | 31 |
| 595 | Decreased circulating endothelial progenitor cell levels and function in patients with nonalcoholic fatty liver disease. <b>2012</b> , 7, e31799  | 33 |
| 594 | Common variants of the liver fatty acid binding protein gene influence the risk of type 2 diabetes and insulin resistance in Spanish population. <b>2012</b> , 7, e31853  | 32 |
| 593 | Gallstone disease is associated with more severe liver damage in patients with non-alcoholic fatty liver disease. <b>2012</b> , 7, e41183   | 38 |
| 592 | Characterisation of gut microbiota in Ossabaw and GEtingen minipigs as models of obesity and metabolic syndrome. <b>2013</b> , 8, e56612  | 86 |
| 591 | The normal limits, subclinical significance, related metabolic derangements and distinct biological effects of body site-specific adiposity in relatively healthy population. <b>2013</b> , 8, e61997                                   | 17 |
| 590 | Neighborhood disadvantage, neighborhood safety and cardiometabolic risk factors in African Americans: biosocial associations in the Jackson Heart study. <b>2013</b> , 8, e63254  | 53 |
| 589 | Pre-pubertal children born post-term have reduced insulin sensitivity and other markers of the metabolic syndrome. <b>2013</b> , 8, e67966  | 17 |
| 588 | HIV lipodystrophy in participants randomised to lopinavir/ritonavir (LPV/r) +2-3 nucleoside/nucleotide reverse transcriptase inhibitors (N(t)RTI) or LPV/r + raltegravir as second-line antiretroviral therapy. <b>2013</b> , 8, e77138 | 13 |
| 587 | Monocytes expand with immune dysregulation and is associated with insulin resistance in older individuals with chronic HIV. <b>2014</b> , 9, e90330   | 27 |
| 586 | Hypertriglyceridemia influences the degree of postprandial lipemic response in patients with metabolic syndrome and coronary artery disease: from the CORDIOPREV study. <b>2014</b> , 9, e96297   | 24 |
| 585 | Chronic glucocorticoid exposure-induced epididymal adiposity is associated with mitochondrial dysfunction in white adipose tissue of male C57BL/6J mice. <b>2014</b> , 9, e112628   | 15 |
| 584 | Optimal central obesity measurement site for assessing cardiometabolic and type 2 diabetes risk in middle-aged adults. <b>2015</b> , 10, e0129088   | 13 |
| 583 | Metabolic Syndrome Is Associated with Increased Oxo-Nitrative Stress and Asthma-Like Changes in Lungs. <b>2015</b> , 10, e0129850   | 45 |
| 582 | Neuronal and Endothelial Nitric Oxide Synthases in the Paraventricular Nucleus Modulate Sympathetic Overdrive in Insulin-Resistant Rats. <b>2015</b> , 10, e0140762   | 5  |
| 581 | Association of DNA Methylation at CPT1A Locus with Metabolic Syndrome in the Genetics of Lipid Lowering Drugs and Diet Network (GOLDN) Study. <b>2016</b> , 11, e0145789  | 40 |
| 580 | Workplace Health Promotion: Assessing the Cardiopulmonary Risks of the Construction Workforce in Hong Kong. <b>2016</b> , 11, e0146286  | 3  |

| 579             | Metabolic Syndrome Components Are Associated with Intervertebral Disc Degeneration: The Wakayama Spine Study. <b>2016</b> , 11, e0147565  | 25 |
|-----------------|---|----|
| 578             | Peritoneal Dialysate Glucose Load and Systemic Glucose Metabolism in Non-Diabetics: Results from the GLOBAL Fluid Cohort Study. <b>2016</b> , 11, e0155564  | 7  |
| 577             | Incremental Predictive Value of Serum AST-to-ALT Ratio for Incident Metabolic Syndrome: The ARIRANG Study. <b>2016</b> , 11, e0161304   | 16 |
| 576             | Dual Energy X-Ray Absorptiometry Compared with Anthropometry in Relation to Cardio-Metabolic Risk Factors in a Young Adult Population: Is the 'Gold Standard' Tarnished?. <b>2016</b> , 11, e0162164                | 5  |
| 575             | Cardiovascular Disease Risk Factors in Ghana during the Rural-to-Urban Transition: A Cross-Sectional Study. <b>2016</b> , 11, e0162753  | 30 |
| 574             | Clustering of four major lifestyle risk factors among Korean adults with metabolic syndrome. <b>2017</b> , 12, e0174567   | 27 |
| 573             | Parathyroid hormone and vitamin D are associated with the risk of metabolic obesity in a middle-aged and older Korean population with preserved renal function: A cross-sectional study. <b>2017</b> , 12, e0175132 | 8  |
| 57 <sup>2</sup> | Cardiometabolic risk factors and health behaviors in family caregivers. <b>2017</b> , 12, e0176408  | 5  |
| 571             | The dynamic behaviour of metabolic syndrome and its components in an eight-year population-based cohort from the Mediterranean. <b>2017</b> , 12, e0176665  | 10 |
| 570             | Subclinical thyroid dysfunction and risk of carotid atherosclerosis. <b>2017</b> , 12, e0182090   | 8  |
| 569             | Metabolically healthy obese individuals present similar chronic inflammation level but less insulin-resistance than obese individuals with metabolic syndrome. <b>2017</b> , 12, e0190528                           | 22 |
| 568             | The associations between plasma phytoestrogens concentration and metabolic syndrome risks in Chinese population. <b>2018</b> , 13, e0194639   | 3  |
| 567             | A STUDY OF NON ALCOHOLIC FATTY LIVER DISEASE IN PATIENTS WITH METABOLIC SYNDROME. <b>2013</b> , 2, 375-382  | 1  |
| 566             | Metabolic aspects of the relationship of asthma and obesity. <b>2018</b> , 15, 9-14   | 12 |
| 565             | Similarities and Distinctions in the Effects of Metformin and Carbon Monoxide in Immunometabolism. <b>2019</b> , 42, 292-300  | 8  |
| 564             | Prevalence of Metabolic Syndrome and Its Clinical and Angiographic Profile in Patients With Naive Acute Coronary Syndrome in North Indian Population. <b>2016</b> , 8, 667-73                                       | 7  |
| 563             | Low acylation stimulating protein levels are associated with cardiometabolic disorders-secondary to autoimmune activation?. <b>2017</b> , 17, 97-106  | O  |
| 562             | Dispersive Solid Phase Extraction Using Magnetic Nanoparticles Performed in a Narrow-Bored Tube for Extraction of Atorvastatin, Losartan, and Valsartan in Plasma. <b>2019</b> , 9, 138-146                         | 4  |

| 561 | Does long sleep duration increase risk of metabolic syndrome in Azar cohort study population?. <b>2018</b> , 8, 290-295                                  | 6   |
|-----|--|-----|
| 560 | Interaction between Shift Work and Established Coronary Risk Factors. <b>2019</b> , 10, 57-65  | 5   |
| 559 | Association between food insecurity and metabolic syndrome in North West of Iran: Azar Cohort study. <b>2019</b> , 11, 196-202                           | 6   |
| 558 | Review of Clinical Spectrum of Gastroesophageal Reflux Disease in a General Population; A Study from South-East Iran. <b>2016</b> , 8, 310-317           | 3   |
| 557 | Prevalence of Metabolic Syndrome and Associated Risk Factors among Men in a Rural Health Centre Area in Tamil Nadu. <b>2019</b> , 9, 44-51               | 6   |
| 556 | Sexual dimorphism in insulin resistance in a metabolic syndrome rat model. <b>2020</b> , 9, 890-902  | 4   |
| 555 | Obstructive Sleep Apnea Risk and Stroke among Blacks with Metabolic Syndrome: Results from Metabolic Syndrome Outcome (MetSO) Registry. <b>2020</b> , 5, | 3   |
| 554 | Abdominal Obesity and Cardiovascular Disease. 2015, 3,   | 2   |
| 553 | The Metabolic Syndrome in Children and Adolescents: Shifting the Focus to Cardiometabolic Risk Factor Clustering. <b>2017</b> , 140,                     | 151 |
| 552 | RISK OF TYPE 2 DIABETES AMONG US AND FOREIGN BORN NON-HISPANIC ASIANS: EVIDENCE FROM NHANES´. <b>2015</b> , 2, 1-4                                       | 2   |
| 551 | [Metabolic syndrome after pregnancy complicated with gestational diabetes: four-year follow-up]. <b>2008</b> , 149, 831-8                                | 5   |
| 550 | Fatores de risco para s[hdrome metablica em cadeirantes: jogadores de basquetebol e nb praticantes. <b>2008</b> , 14, 188-191                            | 2   |
| 549 | Plants with potential use on obesity and its complications. <b>2015</b> , 14, 809-31   | 42  |
| 548 | Role of Gender in the Prevalence of Metabolic Syndrome and Its Related Risk Factors in Shiraz Healthy Heart Center Population. <b>2015</b> , 9, 231-237  | 6   |
| 547 | Peroxisome ProliferatorâActivated Receptors and The Metabolic Syndrome. <b>2009</b> , 1, 4   | 1   |
| 546 | Metabolic syndrome: new aspects of old problem. <b>2007</b> , 13, 113-118  | 4   |
| 545 | Clinical implications of serum Mac-2-binding protein glycan isomer as a novel biomarker of advanced hepatic fibrosis in diabetes. <b>2020</b> , 8, 1583  | 2   |
| 544 | Prevalence and Trends of Metabolic Syndrome in Slovakia during the Period of 2003-2012. <b>2017</b> , 25, 313-320  | 14  |

# (2010-2010)

| 543 | Lifestyle modification in the management of the metabolic syndrome: achievements and challenges. <b>2010</b> , 3, 373-85  | 38 |
|-----|---|----|
| 542 | Critical appraisal of the safety and efficacy of insulin detemir in glycemic control and cardiovascular risk management in diabetics. <b>2010</b> , 3, 197-213  | 7  |
| 541 | Potential role of the endocannabinoid receptor antagonist rimonabant in the management of cardiometabolic risk: a narrative review of available data. <b>2007</b> , 3, 181-90   | 6  |
| 540 | Healthy Diet and Reduction of Chronic Disease Risks of Night Shift Workers. <b>2019</b> , 26, 3521-3541   | 3  |
| 539 | The Relevance of Single-nucleotide Polymorphism +62 G>A to the Expression of Resistin Gene Affecting Serum Resistin Levels in Metabolic Syndrome in the Egyptian Population. <b>2020</b> , 21, 626-634  | 2  |
| 538 | Role of CYP2E1 in Mitochondrial Dysfunction and Hepatic Injury by Alcohol and Non-Alcoholic Substances. <b>2017</b> , 10, 207-225   | 46 |
| 537 | AdipoRon: A Novel Insulin Sensitizer in Various Complications and the Underlying Mechanisms: A Review. <b>2020</b> , 13, 94-107   | 8  |
| 536 | Activity Tracker-Based Metrics as Digital Markers of Cardiometabolic Health in Working Adults: Cross-Sectional Study. <b>2020</b> , 8, e16409   | 6  |
| 535 | A Feasible and Efficacious Mobile-Phone Based Lifestyle Intervention for Filipino Americans with Type 2 Diabetes: Randomized Controlled Trial. <b>2017</b> , 2, e30   | 22 |
| 534 | Development of a Mobile Phone-Based Weight Loss Lifestyle Intervention for Filipino Americans with Type 2 Diabetes: Protocol and Early Results From the PilAm Go4Health Randomized Controlled Trial. <b>2016</b> , 5, e178  | 11 |
| 533 | Association of -c.894G>T transversion with susceptibility to metabolic syndrome in Azar-cohort population: A case-control study and analysis of the SNP molecular effects. <b>2021</b> , 24, 408-419  | 3  |
| 532 | Triglyceride to high-density lipoprotein cholesterol and low-density lipoprotein cholestrol to high-density lipoprotein cholesterol ratios are predictors of cardiovascular risk in Iranian adults: Evidence from a population-based cross-sectional study. <b>2020</b> , 11, 53-61 | 4  |
| 531 | Prevalence of metabolic syndrome in schizophrenia patients treated with antipsychotic medications. <b>2020</b> , 11, 310-314  | 1  |
| 530 | Does the low-density lipoprotein cholesterol play a key role in predicting metabolic syndrome in the Iranian adult population?. <b>2017</b> , 8, 289-295  | 4  |
| 529 | Myocardial hypertrophy in hypertensive patients with and without metabolic syndrome. 2008, 65, 830-4  | 2  |
| 528 | Challenges and future developments in liver transplantation. <b>2019</b> , 65, 136-152  | 5  |
| 527 | Working in Shifts and the Metabolic Syndrome: Epidemiological Evidence and Physiopathological Mechanisms. <b>2018</b> , 24, 144-151   | 1  |
| 526 | Waist circumference can predict the occurrence of multiple metabolic risk factors in middle-aged Japanese subjects. <b>2010</b> , 48, 447-51  | 2  |

| 525 | MELEN Study: Rationale, Methodology and Basic Results. <b>2011</b> , 8,  | 2  |
|-----|--|----|
| 524 | Free Fatty Acid Metabolism in Visceral Obesity. 2008, 83-88  | 2  |
| 523 | Regional differences in the prevalence of the metabolic syndrome in primary care practices in Germany. <b>2008</b> , 105, 207-13   | 25 |
| 522 | An inter-state comparison of cardiovascular risk factors in Germany: towards an explanation of high ischemic heart disease mortality in Saxony-Anhalt. <b>2014</b> , 111, 530-6    | 24 |
| 521 | Adipokine expression in brown and white adipocytes in response to hypoxia. <b>2012</b> , 35, 522-7   | 18 |
| 520 | Obesity and hepatocellular carcinoma in patients receiving entecavir for chronic hepatitis B. <b>2016</b> , 22, 339-349  | 13 |
| 519 | Insulin resistance and vitamin D deficiency in patients with chronic kidney disease stage 2-3. <b>2011</b> , 60, 149-55  | 16 |
| 518 | Serum nesfatin-1 levels in patients with different glucose tolerance levels. <b>2016</b> , 65, 979-985   | 23 |
| 517 | Correlation of uric acid levels and parameters of metabolic syndrome. 2017, 66, 481-487  | 27 |
| 516 | An Archival, Follow-Forward Exploration of the Metabolic Syndrome in Randomly Selected, Clozapine-Treated Patients. <b>2009</b> , 3, 87-96   | 5  |
| 515 | Perfil de indivíduos com excesso de peso metabolicamente saudüeis e metabolicamente no saudüeis. <b>2019</b> , 43, 317-323   | 1  |
| 514 | Increased serum soluble lectin-like oxidized low-density lipoprotein receptor-1 levels in patients with biopsy-proven nonalcoholic fatty liver disease. <b>2015</b> , 21, 8096-102 | 5  |
| 513 | Outcomes of a multidisciplinary approach to the management of the metabolic syndrome. <b>2008</b> , 141, 42-47   | 2  |
| 512 | Association between Myeloperoxidase Levels and Risk of Insulin Resistance in Egyptian Obese Women. <b>2018</b> , 6, 629-633  | 2  |
| 511 | Impact of the metabolic syndrome and its components on pulse wave velocity. <b>2006</b> , 21, 109-15   | 31 |
| 510 | Maximal pericoronary adipose tissue thickness is associated with hypertension in nonobese patients with acute or chronic illness. <b>2017</b> , 32, 668-674                        | 4  |
| 509 | Predictive costs in medical care for Koreans with metabolic syndrome from 2009 to 2013 based on the National Health Insurance claims dataset. <b>2020</b> , 35, 936-945            | 4  |
| 508 | The association between circulating inflammatory markers and metabolic syndrome in Korean rural adults. <b>2008</b> , 41, 413-8  | 13 |

| 507 | Association between C-Reactive Protein and Metabolic Syndrome in Korean Adults. 2019, 40, 116-123  | 15 |
|-----|--|----|
| 506 | Impact of Visceral Obesity on the Risk of Incident Metabolic Syndrome in Metabolically Healthy<br>Normal Weight and Overweight Groups: A Longitudinal Cohort Study in Korea. <b>2020</b> , 41, 229-236                     | 3  |
| 505 | Association between Self-Perceived Health Status and Health Related Behavior in Routine Health Examinees. <b>2010</b> , 31, 688  | 11 |
| 504 | The Prevalence of Obesity, Abdominal Obesity and Metabolic Syndrome among Elderly in General Population. <b>2011</b> , 32, 128   | 22 |
| 503 | Factors Associated with Serum Levels of Carcinoembryonic Antigen in Healthy Non-smokers. <b>2013</b> , 34, 413-9   | 12 |
| 502 | The Relationship between Metabolic Syndrome and Childhood Maternal Education Level, Job Status Findings from the Korean National Health and Nutrition Examination, 2007-2009. <b>2014</b> , 35, 207-15                     | 12 |
| 501 | Medication Use and Metabolic Syndrome Among Overweight/Obese Patients With and Without Binge-Eating Disorder in a Primary Care Sample. <b>2015</b> , 17,   | 4  |
| 500 | The Evaluation of the Impact of Age, Skin Tags, Metabolic Syndrome, Body Mass Index, and Smoking on Homocysteine, Endothelin-1, High-sensitive C-reactive Protein, and on the Heart. <b>2013</b> , 58, 326                 | 6  |
| 499 | Prevalence of metabolic syndrome among HIV-infected patients in Ghana: A cross-sectional study. <b>2016</b> , 57, 86-90  | 20 |
| 498 | Association of chronic periodontitis with metabolic syndrome: A cross-sectional study. <b>2016</b> , 20, 324-9   | 13 |
| 497 | Prevalence of metabolic syndrome in pre- and post-menopausal women: A prospective study from apex institute of North India. <b>2016</b> , 7, 169-174   | 16 |
| 496 | Metabolic syndrome and cardiovascular risk. <b>2010</b> , 17, 73-8   | 38 |
| 495 | The relationship between metabolic syndrome and chronic obstructive pulmonary disease. <b>2017</b> , 11, 11-15   | 6  |
| 494 | Transcription factor 7-like 2 polymorphism and context-specific risk of metabolic syndrome, type 2 diabetes, and dyslipidemia. <b>2017</b> , 22, 40  | 11 |
| 493 | Evaluation of N-terminal pro-B-type natriuretic peptide and high-sensitivity C-reactive protein relationship with features of metabolic syndrome in high-risk subgroups for cardiovascular disease. <b>2015</b> , 5, 190-4 | 3  |
| 492 | Testosterone and metabolic syndrome: The link. <b>2012</b> , 16 Suppl 1, S12-9   | 20 |
| 491 | Spleen size in patients with metabolic syndrome and its relation to metabolic and inflammatory parameters. <b>2018</b> , 30, 78-82   | 3  |
| 490 | Prevalence of Metabolic Syndrome in Psoriasis and Levels of Interleukin-6 and Tumor Necrosis Factor-In Psoriasis Patients with Metabolic Syndrome: Indian Tertiary Care Hospital Study. <b>2017</b> , 7, 169-175           | 8  |

| 489 | Metabolic Syndrome among Adults of Surendranagar District of Saurashtra, Gujarat: A Cross-Sectional Study. <b>2018</b> , 43, 24-28                                       | 5  |
|-----|--|----|
| 488 | Randomized Placebo Control Study of Metformin in Psoriasis Patients with Metabolic Syndrome (Systemic Treatment Cohort). <b>2017</b> , 21, 581-587                       | 11 |
| 487 | Association of Androgenetic Alopecia with Metabolic Syndrome: A Case-control Study on 100 Patients in a Tertiary Care Hospital in South India. <b>2018</b> , 22, 196-199 | 6  |
| 486 | Evaluation of obstructive sleep apnea in metabolic syndrome. <b>2019</b> , 8, 1580-1586  | 7  |
| 485 | Safety and efficacy of alirocumab: A meta analysis of 12 randomized controlled trials. <b>2019</b> , 8, 2249-2257  | 1  |
| 484 | Anxiety but not depression is associated with metabolic syndrome: The Isfahan Healthy Heart Program. <b>2017</b> , 22, 90  | 9  |
| 483 | The role of the herbal medicines, Rehmanniae radix, Citrus unshiu peel, and Poria cocos wolf, in high-fat diet-induced obesity. <b>2019</b> , 15, 363                    | 2  |
| 482 | Peyronie's Disease is common in poorly controlled diabetics but is not associated with the Metabolic Syndrome. <b>2019</b> , 11, 252-256                                 | 3  |
| 481 | Diabetes in the Elderly: Exercising Your Clinical Skills. <b>2010</b> , 25, 1-37   | 1  |
| 480 | Is there any role of glucose-6-phosphate dehydrogenase in obesity induced metabolic disorder. <b>2012</b> , 04, 1530-1536  | 1  |
| 479 | Effects of Statin Therapy on Endothelial Function in Asymptomatic Metabolic Syndrome. <b>2014</b> , 05, 149-156  | 1  |
| 478 | Patient Adherence to a Cardiovascular Rehabilitation Program: What Factors Are Involved?. <b>2015</b> , 06, 605-614  | 6  |
| 477 | Long Lasting Effects of Breastfeeding on Metabolism in Women with Prior Gestational Diabetes. <b>2014</b> , 04, 257-263  | 5  |
| 476 | Metabolic Syndrome: Consensus and Controversy: State of the Art. <b>2015</b> , 05, 124-130   | 2  |
| 475 | Metabolic Syndrome and Pregnancy, Its Prevalence, Obstetrical and Newborns Complications. <b>2015</b> , 05, 618-625  | 9  |
| 474 | Prevalence of Metabolic Syndrome in HIV-Infected Cameroonian Patients. <b>2014</b> , 04, 85-92   | 14 |
| 473 | Impaired fasting glucose: Pro-diabetic, "atheroprotective" and modified by metabolic syndrome. <b>2013</b> , 4, 210-8  | 11 |
| 472 | High adiponectin levels fail to protect against the risk of hypertension and, in women, against coronary disease: involvement in autoimmunity?. <b>2013</b> , 4, 219-25  | 9  |

| 471 | Pulmonary hypertension and metabolic syndrome: Possible connection, PPARland Caveolin-1. <b>2014</b> , 6, 692-705   | 10 |
|-----|---|----|
| 470 | Effects of Losartan vs. Enalapril on the Markers of Metabolic Syndrome. <b>2012</b> , 27, 27-30   | 6  |
| 469 | Rheumatoid factor mediates excess serum lipoprotein(a) for independent association with type 2 diabetes in men. <b>2015</b> , 15, 782-8   | 2  |
| 468 | Regulatory Peptide Nesfatin-1 and its Relationship with Metabolic Syndrome. <b>2019</b> , 51, 280-284   | 6  |
| 467 | Screening for hepatic fibrosis and steatosis in Turkish patients with type 2 diabetes mellitus: A transient elastography study. <b>2019</b> , 30, 266-270                         | 11 |
| 466 | Obesity as a risk factor for coronary events in Japanese patients with hypercholesterolemia on low-dose simvastatin therapy. <b>2010</b> , 17, 270-7                              | 7  |
| 465 | BMI specific waist circumference for detecting clusters of cardiovascular risk factors in a Japanese population. <b>2010</b> , 17, 468-75   | 5  |
| 464 | Potential protective effects of Nigella sativa and Allium sativum against fructose-induced metabolic syndrome in rats. <b>2014</b> , 63, 839-48                                   | 20 |
| 463 | Factor Analysis of Metabolic Syndrome Components in an Iranian Non-Diabetic Adult Population: A Population-Based Study from the North of Iran. <b>2018</b> , 16, e14159           | 3  |
| 462 | Evaluation oF Epicardial Fat and Carotid Intima-Media Thickness in Obese Children. <b>2016</b> , 26, e2968  | 9  |
| 461 | Association of Helicobacter pylori infection with the metabolic syndrome among HIV-infected black Africans receiving highly active antiretroviral therapy. <b>2015</b> , 26, 52-6 | 2  |
| 460 | The Influence of Metabolic Syndrome in Predicting Mortality Risk Among US Adults: Importance of Metabolic Syndrome Even in Adults With Normal Weight. <b>2020</b> , 17, E36       | 6  |
| 459 | Combined Influence of Obesity and Metabolic Syndrome on Ischemic Heart Disease in Korean middle aged and older adults. <b>2015</b> , 29, 540-550                                  | 4  |
| 458 | Serum adiponectin and cardiometabolic risk in patients with acute coronary syndromes. <b>2013</b> , 101, 399-409  | 6  |
| 457 | Variations in the Prevalence of Risk Factors for Coronary Artery Disease in Rio Grande do Sul-Brazil: A Comparative Analysis between 2002 and 2014. <b>2015</b> , 105, 573-9      | 10 |
| 456 | [Relationship between the criteria for metabolic syndrome and the evaluation of abdominal fat distribution measured by CT scan]. <b>2007</b> , 63, 276-84                         | 3  |
| 455 | Metabolic Syndrome in Children: Definition, Risk Factors, Prevention and Management-A Brief Overview. <b>2019</b> , 16,   | 1  |
| 454 | Development of the Automated Diagnosis CT Screening System for Visceral Obesity. 2008, 2, 31-38   | 5  |

| 453 | Fetal exposure to arsenic results in hyperglycemia, hypercholesterolemia, and nonalcoholic fatty liver disease in adult mice. <b>2014</b> , 1, 1   | 14 |
|-----|--|----|
| 452 | Association of polymorphisms in stress-related TNF and NPY genes with the metabolic syndrome in Han and Hui ethnic groups. <b>2014</b> , 15, 5895-900  | 2  |
| 451 | The Effects of a Combined Exercise Program on Obesity and Metabolic Syndrome Factors for Chronic Psychiatric Inpatients. <b>2014</b> , 16, 105-112   | 4  |
| 45° | Association between the HTR2C rs1414334 C/G gene polymorphism and the development of the metabolic syndrome in patients treated with atypical antipsychotics. <b>2016</b> , 4, e2163                   | 4  |
| 449 | Carbohydrate-restricted Diet and Exercise Increase Brain-derived Neurotrophic Factor and Cognitive Function: A Randomized Crossover Trial. <b>2019</b> , 11, e5604                                     | 17 |
| 448 | Prevalence of Metabolic Syndrome among Psychiatric Inpatients: A Hospital Based Study from Kashmir. <b>2017</b> , 11, VC05-VC08  | 10 |
| 447 | Does Melatonin and Melatonin Agonists Improve the Metabolic Side Effects of Atypical Antipsychotics?: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <b>2018</b> , 16, 235-245 | 14 |
| 446 | Metabolic Changes at the Menopausal Transition. <b>2021</b> , 191-204  |    |
| 445 | Machine Learning-Based Prediction for 4-Year Risk of Metabolic Syndrome in Adults: A Retrospective Cohort Study. <b>2021</b> , 14, 4361-4368   | O  |
| 444 | 1,25-dihydroxyvitamin D and cardiometabolic risk in healthy sedentary adults: The FIT-AGEING study. <b>2021</b> , 344, 192-198   |    |
| 443 | Melatonin and melatonin-agonists for metabolic syndrome components in patients treated with antipsychotics: A systematic review and meta-analysis. <b>2021</b> , e2821                                 | 1  |
| 442 | Risk Factors and Prevention, Including Hyperlipidemias. <b>2005</b> , 419-437  |    |
| 441 | Genomic of Skeletal Muscle and its Implications in the Metabolic Syndrome. 2005, 153-161   |    |
| 440 | Hoofdstuk 7 Afwijkingen van de koolhydraat- en vetstofwisseling. <b>2005</b> , 153-185   |    |
| 439 | Epidemiology of the Metabolic Syndrome. <b>2005</b> , 109-129  |    |
| 438 | [Relationship between C-reactive protein and features of the metabolic syndrome in military pilots in the Serbia and Montenegro]. <b>2005</b> , 62, 811-9  |    |
| 437 | Childhood Obesity. 2005,   |    |
| 436 | Novel fats for the future. <b>2006</b> , 508-524   |    |

Nutritional Strategies for Patients with Obesity and the Metabolic Syndrome. 2006, 55-80 435 The Metabolic Syndrome: Time for a Critical Appraisal. 2006, 12, 99-116 434 Angiotensin II antagonists, diabetes and metabolic syndrome. 2006, 99-109 433 Diabetes, Obesity, and Metabolic Syndrome. 2006, 1-30 432 Women and Coronary Heart Disease. 2006, 689-720 431 Chronic Kidney Disease. 2006, 463-500 430 Metabolic Syndrome and Type 2 Diabetes Mellitus. 2006, 41-78 429 Steps for the Medical Evaluation of the Obese Patient. 2006, 15-28 428 Insulin Resistance and Hypertension. 2007, 175-186 427 The Medical Management of Obesity. 2007, 7-15 426 Cardiovascular Complications of Obesity and the Metabolic Syndrome. 2007, 2693-2720 425 Management of Cholesterol Disorders. 2007, 2667-2691 424 Treatment of Cardiovascular Manifestations of HIV. 2007, 842-851 423 Evaluation for Insulin Resistance and Comorbidities Related to Insulin Resistance in Polycystic 422 Ovary Syndrome. 2007, 1-13 Pathophysiology of Obesity Comorbidity: The Effects of Chronically Increased Intraabdominal 421 Pressure. **2007**, 1-6 Obesity as an Occult Risk Factor for Drug and Chemical Toxicities. 2007, 165-173 420 Oxidative Stress Status in Humans with Metabolic Syndrome. 2007, 123-137 419 The Metabolic Syndrome and Type 2 Diabetes Mellitus. 2007, 418

| 417 | Insulin Resistance, Metabolic Syndrome, and Cardiovascular Disease. <b>2008</b> , 75-84  |
|-----|--|
| 416 | Pathogenesis of the Metabolic Syndrome. <b>2008</b> , 83-114   |
| 415 | Components of Metabolic Syndrome. <b>2008</b> , 21-82  |
| 414 | Clinical Diagnosis of the Metabolic Syndrome. <b>2008</b> , 115-130  |
| 413 | The Association Between Serum Eglutamyltransferase and the Metabolic Syndrome in Adolescence. <b>2008</b> , 12, 8-18   |
| 412 | The impact of the metabolic syndrome on cardiovascular risk and disease in rheumatoid arthritis. 2008, 3, 335-349  |
| 411 | Cardiometabolic Syndrome, Diabetes and Oxidative Stress. <b>2008</b> , 91-102  |
| 410 | Abdominal Obesity, Metabolic Syndrome and Risk of Cardiovascular Disease. 2008, 1-9  |
| 409 | Diet and Atherosclerosis. <b>2009</b> , 19, 307-319  |
| 408 | Metabolic Syndrome, Hyperglycemia, and Type 2 Diabetes. <b>2009</b> , 373-387  |
| 407 | Assessment of Nutritional Status. <b>2009</b> , 93-114   |
| 406 | Metabolic Syndrome (MetS) and Nonalcoholic Steatohepatitis (NASH): Study of biochemical markers Free Fatty Acid (FFA), Total Antioxidant Status (TAOS), Adiponectin, Transforming Growth Factor (TGF-beta1), in occurence of NASH. <b>2009</b> , 1, 40 |
| 405 | Effects of Gymball Exercise with Aerobic Exercise Training on Physical Fitness and Metabolic Syndrome Risk of Factors in Elderly Women with Educable Mental Patients. <b>2009</b> , 17, 183-199  |
| 404 | The effects of a new plant mixture on lipid levels in patients with metabolic syndrome. <b>2010</b> , 62, 403-405  |
| 403 | Evidence-Based Decisions in Human Immunodeficiency Virus Infection and Cardiac Disease. <b>2010</b> , 79-90  |
| 402 | Metabolic Syndrome. <b>2010</b> , 316-320  |
| 401 | Physiology and Anesthesia for General and Bariatric Surgery. <b>2010</b> , 325-340   |
| 400 | The electrical skin resistance test. <b>2010</b> , 175-192   |

| 399 | Metabolic Syndrome in Psoriasis. <b>2010</b> , 95-98   |   |
|-----|--|---|
| 398 | The Metabolic Syndrome, Obesity, and Insulin Resistance. <b>2010</b> , 705-721   |   |
| 397 | âAnchor-LineâlAbdominoplasty: A Comprehensive Approach to Abdominal Wall Reconstruction and Body Contouring. <b>2010</b> , 239-248 |   |
| 396 | Obesity and Therapeutic Approaches to Weight Loss. <b>2011</b> , 91-106  |   |
| 395 | Obesity and the Metabolic Syndrome. <b>2011</b> , 67-92  |   |
| 394 | Metabolic Syndrome and Inflammation. <b>2011</b> , 69-92   | 1 |
| 393 | Effects of Exercise Training Intensity on Abdominal Fat Losses in Obese Women <b>2010</b> , 19, 413-422                            |   |
| 392 | Correlation of Ferritin and Transferrin Serum with hsCRP and F2-Isoprostane in Metabolic Syndrome. <b>2010</b> , 2, 131            |   |
| 391 | Diabetes Mellitus. <b>2011</b> , 731-755   |   |
| 390 | Nutritional and Gastrointestinal Disease. <b>2011</b> , 463-475  |   |
| 389 | Metabolic Syndrome as a Disorder of the Brain with Its Origins in the Perinatal Period. 2011, 2597-2616                            |   |
| 388 | Insulin Resistance, Dyslipidemia, Type 2 Diabetes Mellitus and Metabolic Syndrome. <b>2011</b> , 277-332                           |   |
| 387 | Measures of Health Status, Functioning, and Use of Health Services. <b>2012</b> , 217-267  |   |
| 386 | The Epidemiology of the Metabolic Syndrome and its Association with Diabetes, Cardiovascular Disease and Other Conditions. 1-18    | 0 |
| 385 | Our time of pestilence: purchasing immunity and ignoring the misery of others. <b>2011</b> , 719, 1-9                              |   |
| 384 | Risk Markers for Atherothrombotic Disease. <b>2012</b> , 914-934   | 4 |
| 383 | Cardiovascular Disease. <b>2012</b> , 478-549  |   |
|     |  |   |

| 381 | Medical Problems after Liver Transplantation. 345-360   |
|-----|---|
| 380 | Obesity and Arthritis. <b>2012</b> , 355-380  |
| 379 | Obesity and the Metabolic Syndrome. <b>2012</b> , 311-342   |
| 378 | In?ammation. <b>2012</b> , 266-279  |
| 377 | Discovery of Novel 11EHSD1 Inhibitors by Pharmacophore-Based Virtual Screening. <b>2012</b> , 33, 2365-2368   |
| 376 | Insulin Resistance, Metabolic Syndrome, and Therapy. 468-490  |
| 375 | The Prevalence and Risk Factors for Gout. <b>2013</b> , 9-23  |
| 374 | Metabolic Syndrome as a Risk Factor for Depression. <b>2013</b> , 343-378   |
| 373 | Primary Hypothyroidism: Presence of Central Adiposity and Its Improvement on Attaining Euthyroid State with L-Thyroxine. <b>2013</b> , 03, 241-244  |
| 372 | Retrospective self-reported weight changes during childhood and adolescence are not good predictors of metabolic syndrome risk factors in Mexican young adults. <b>2013</b> , 03, 479-486 |
| 371 | Heartbreak Hotei: Spirituality and Metabolic Syndrome. <b>2013</b> , 183-198  |
| 370 | Diet and Exercise Are Potent Modulators of Cardiovascular Disease in Women. <b>2013</b> , 175-204   |
| 369 | Epidemiology of Cardiovascular Disease. <b>2013</b> , 3-18  |
| 368 | Body Weight, Diet, and Periodontitis. 1-9   |
| 367 | Impact of Diabetes Mellitus and the Metabolic Syndrome on the Female Heart. <b>2014</b> , 265-286   |
| 366 | Drugs in the Primary and Secondary Prevention of Coronary Artery Disease. <b>2014</b> , 1-32  |
| 365 | Metabolic syndrome, strain, and reduced myocardial function: multi-ethnic study of atherosclerosis. <b>2014</b> , 102, 327-35   |
| 364 | Comparison of Changes in Body Weight and Serum Lipid Profile after Roux-en-Y Gastric Bypass between Non-obese Patients and Obese Patients. <b>2014</b> , 23, 164                          |

| 363 | Immunotoxicity in Autism Spectrum Disorders. <b>2014</b> , 1567-1584   |   |
|-----|--|---|
| 362 | Gamma-glutamyl Transferase in Diabetic Individuals with the Metabolic Syndrome in Calabar, Nigeria. <b>2014</b> , 14, 60-67                      |   |
| 361 | Cut-Off Values of Anthropometric Indices for the Prediction of Hypertension in a Sample of Egyptian Adults. <b>2014</b> , 2, 89-94               | 1 |
| 360 | A Randomized Trial on the Effect of Razavi's Dietary Pattern on the Components of Metabolic Syndrome. <b>2014</b> , 16, e14601                   | 3 |
| 359 | Diabetes. <b>2014</b> , 101-132  | 1 |
| 358 | An Overview of Metabolic Medicine. <b>2014</b> , 3-22  |   |
| 357 | Metabolic Syndrome. <b>2014</b> , 69-114   |   |
| 356 | A Study on the Prevalence and Influencing Factors of Metabolic Syndrome among Police Officers. <b>2014</b> , 24, 566-577                         | 1 |
| 355 | Non-alcoholic Fatty Liver Disease. <b>2015</b> , 1-21  |   |
| 354 | Molecular Nutrition Study of Biomembrane Fatty Acid Regulation According to Nutritional Status. <b>2015</b> , 68, 265-269                        |   |
| 353 | Overview of Metabolic Syndrome. <b>2015</b> , 1-13   |   |
| 352 | Afwijkingen van de koolhydraaten vetstofwisseling. <b>2015</b> , 229-274   |   |
| 351 | The Serum Lipid Lowering Effect of Rugosa Rose Petal Extract Rich in Polyphenols in Adults with High Serum Triglyceride. <b>2015</b> , 12, 29-35 | 1 |
| 350 | Discovering Association between Metabolic Syndrome and its Related Chronic Diseases<br>Represented by ICD-10 Code. <b>2015</b> , 258-261         |   |
| 349 | The Role of Metabolic Syndrome in the Development and Progression of Chronic Renal Failure.  |   |
| 348 | Afwijkingen van de koolhydraaten vetstofwisseling. <b>2015</b> , 109-125   |   |
| 347 | Drugs in the Primary and Secondary Prevention of Coronary Artery Disease. 2015, 1665-1693  |   |
| 346 | Metabolic Syndrome in South Asians. <b>2015</b> , 1-14   |   |

| 345 | Afwijkingen van de koolhydraaten vetstofwisseling. <b>2015</b> , 161-196  |   |
|-----|---|---|
| 344 | 7. Metabolic syndrome in adolescents: role of cholesterol sources, eggs, and others. <b>2015</b> , 109-132  | 1 |
| 343 | Association of Human Adenovirus-36 With Dyslipidemia in Tehranian Children and Adolescent; TLGS. <b>2015</b> , 3,   |   |
| 342 | Nutrition Therapy for the Obese Critically Ill Patient. <b>2015</b> , 619-632   |   |
| 341 | Mediterranean Diet and Metabolic Syndrome. <b>2015</b> , 405-418  |   |
| 340 | Olive Oil in Metabolic Syndrome. <b>2015,</b> 230-251   |   |
| 339 | Adiposity and metabolic syndrome. <b>2015</b> , 190-204   |   |
| 338 | Occurrence of metabolic syndrome with relation to job profile among mine employees. <b>2016</b> , 3, 32   |   |
| 337 | Cardiometabolic Syndrome in SCI: The Role of Physical Deconditioning and Evidence-Based Countermeasures. <b>2016</b> , 199-215  |   |
| 336 | Hypolactasia is associated with insulin resistance in nonalcoholic steatohepatitis. <b>2016</b> , 8, 1019-27  | 1 |
| 335 | Is Metabolic Syndrome On the Radar? Improving Real-Time Detection of Metabolic Syndrome and Physician Response by Computerized Scan of the Electronic Medical Record. <b>2016</b> , 18, | 2 |
| 334 | [Influence of multimodal effect of cytoflavin in the acute brain stroke in patients with metabolic syndrome]. <b>2016</b> , 116, 44-47  | O |
| 333 | 7 Schizofreniespectrum- en andere psychotische stoornissen. <b>2016</b> , 195-233   |   |
| 332 | Anthropometrics and Body Composition. <b>2016</b> , 65-76   |   |
| 331 | Physical Activity, Stress, and Obesity. <b>2016</b> , 1-17  |   |
| 330 | Physiology and Anesthesia for General and Bariatric Surgery. <b>2016</b> , 357-373  |   |
| 329 | Study of factors influencing central corneal thickness among patients attending ophthalmology outpatient department at a tertiary care center in North Kerala. <b>2016</b> , 28, 193    | 0 |
| 328 | The association of hematological parameters and metabolic syndrome in an older population: A cross-sectional and longitudinal study. <b>2016</b> , 36, 180                              | O |

| 327 | âAnchor-LineâlAbdominoplasty in Post-Bariatric Abdominal Contouring. <b>2016</b> , 141-151   |   |
|-----|--|---|
| 326 | Relationship of Obstructive Sleep Apnoea and Metabolic Syndrome: A Study in a South Indian Population. <b>2016</b> , 11, 20-29   |   |
| 325 | Hyperuricemia and its Association with the Presence of Metabolic Syndrome among Indonesian Obese Adolescents. <b>2016</b> , 15, 238-243  |   |
| 324 | Antidiabetic, Antihypertensive and Statin Medication Use in Metabolic Syndrome. <b>2016</b> , 2, 006-011   |   |
| 323 | A Case Report on the Effect of Short-term Intensive Fat Treatment on an Obese Patient with Metabolic Syndrome. <b>2016</b> , 37, 1051-1058   | 1 |
| 322 | Obesity, Spermatogenesis, and Male Infertility. <b>2017</b> , 167-182  |   |
| 321 | The Effects of 12 Weeks Resistance Exercise Intensity on the Metabolic Syndrome Risk Factors in Middle-Aged Women with Metabolic Syndrome. <b>2017</b> , 56, 541-552                         | 1 |
| 320 | A Feasible and Efficacious Mobile-Phone Based Lifestyle Intervention for Filipino Americans with Type 2 Diabetes: Randomized Controlled Trial (Preprint).                                    |   |
| 319 | A New International Journal Targeting the Pathophysiology and Treatment of Obesity and Metabolic Syndrome. <b>2017</b> , 26, 81-83   | 1 |
| 318 | Development and Validation of Korean Inflammtory Index(K-DII) for Metabolic Disease Patients: by Using the Health Examinee Cohort (2012-2014). <b>2017</b> , 26, 369-381                     | 2 |
| 317 | ASSOCIATION OF SERUM URIC ACID LEVELS AND THE COMPONENTS OF METABOLIC SYNDROME-A COMPARATIVE STUDY. <b>2017</b> , 4, 4382-4386   |   |
| 316 | Physical Activity, Stress, and Obesity. <b>2018</b> , 311-323  |   |
| 315 | 3. Vitamin D and cardiovascular disease. <b>2017</b> , 49-75   |   |
| 314 | Modern aspects of the treatment and prevention of diabetes type 2 in patients with metabolic syndrome. <b>2017</b> , 98, 770-774   |   |
| 313 | The impact of metabolic syndrome on ventilatory pulmonary Functions. <b>2017</b> , 11, 293-300   |   |
| 312 | Increased trunk fat along with decreased peripheral fat as an important predictor of hypertriglyceridaemia & hypercholesterolaemia in Indians with HIV infection. <b>2018</b> , 148, 411-421 | 1 |
| 311 | Comparative analysis of different definitions of metabolic syndrome. <b>2018</b> , 15, 86-90   |   |
| 310 | Gender Differences in Metabolic Syndrome. <b>2018</b> , 15-33  |   |

| 309         | Obesities: Controversies in Diagnosis and Classification. <b>2018</b> , 173-192  |   |
|-------------|--|---|
| 308         | Emergence of Metabolic Syndrome Out of Menopausal Box!!!. <b>2018</b> , 6, 1-7   |   |
| 307         | Metabolic Status in Patients with Operable vs. Inoperable Left-to-Right Shunts. <b>2018</b> , 24, 2655-2660  |   |
| 306         | Adiponectin and tumor necrosis factor $\frac{1}{2}$ n psoriasis and their relation to the metabolic syndrome. <b>2018</b> , 15, 88-93  |   |
| 305         | Metabolic Syndrome in Rheumatoid Arthritis and Ankylosing Spondylitis.   |   |
| 304         | Health-Related Quality of Life in Tehran Lipid and Glucose Study. <b>2018</b> , 16, e84745   | 2 |
| 303         | Metabolic Syndrome: An Indicator of Complicated Gall Stone Disease?. <b>2018</b> , 10, e3659   | 1 |
| 302         | Customized BMI and waist circumference cut-off values are needed to identify metabolic syndrome among South Koreans according to their Sasang constitutional type. <b>2018</b> , 39, 51-61 |   |
| 301         | Depression, metabolisches Syndrom und kardiovaskulle Erkrankungen. <b>2019</b> , e.6-e.13  |   |
| <b>3</b> 00 | Changes in Metabolic Profile Over Time: Impact on the Risk of Diabetes. <b>2019</b> , 43, 407-409  |   |
| 299         | Mediating Effect of Stress on the Relationship between Illness Perception and Sleep in Patients at Risk of Metabolic Syndrome. <b>2019</b> , 31, 449                                       | O |
| 298         | Silent Gallbladder Stone Associated with Nonalcoholic Fatty Liver Disease in a Scenario of Insulin Resistance in Young Adults. <b>2019</b> , 23, 226-229                                   |   |
| 297         | Metabolic Syndrome and Social Deprivation. <b>2019</b> , 381-408   |   |
| 296         | METABOLIC SYNDROME AND THE PHENOMENON OF INSULIN RESISTANCE. GERIATRIC ASPECTS OF THE PROBLEM. <b>2019</b> , 2, 53   | 2 |
| 295         | Sedentary behavior, physical inactivity and body composition in relation to idiopathic infertility among men and women.  |   |
| 294         | 12-year follow-up study of the c-reactive protein in Iranian middle-aged women: Isfahan cohort study. <b>2019</b> , 9, 129   |   |
| 293         | Is normal body mass index a good indicator of metabolic health in Azar cohort population?. <b>2019</b> , 11, 53-60   | 1 |
| 292         | Avalia <b>ß</b> do efeito da quercetina em ratos Wistar com S[hdrome Metablica. <b>2019</b> , 44, 149-155  |   |

| 291         | The effect of metabolic risk factors on cancer mortality among blacks and whites 2019, 8, S389-S396  | O |
|-------------|--|---|
| <b>2</b> 90 | Genetic variants on chromosome 19 (rs439401 and rs4420638) are associated with obesity and high blood pressure in the Algerian population. <b>2019</b> , 23, 608-614   |   |
| 289         | Aort Kapak Kalsifikasyon Derecesi ile Epikardiyal YaDokusu Kalālfililisi.  |   |
| 288         | The association between coronary artery disease and nonalcoholic fatty liver disease and noninvasive imaging methods. <b>2019</b> , 16, em165  |   |
| 287         | Dietary Melatonin Protects Against Behavioural, Metabolic, Oxidative, and Organ Morphological Changes in Mice that are Fed High-Fat, High- Sugar Diet. <b>2020</b> , 20, 570-583   | 3 |
| 286         | Relation of Visceral Adipose Tissue to Coronary Artery Calcium in Thai Patients. <b>2020</b> , 103, 434-441  |   |
| 285         | Coexistence of fibromyalgia and metabolic syndrome in females: The effects on fatigue, clinical features, pain sensitivity, urinary cortisol and norepinephrine levels: A cross-sectional study. <b>2021</b> , 36, 26-37                             |   |
| 284         | Development and Validation of a Stability-indicating RP-HPLC Method for the Simultaneous Determination of Telmisartan and its Related Substances in Telmisartan Bulk Drug Substance. <b>2020</b> , 10, 577-589                                       | O |
| 283         | Efficacy and safety of endoscopic sleeve gastroplasty versus laparoscopic sleeve gastrectomy in obese subjects with Non-Alcoholic SteatoHepatitis (NASH): study protocol for a randomized controlled trial (TESLA-NASH study). <b>2021</b> , 22, 756 | 3 |
| 282         | Low molecular weight fucoidan fraction LF2 improves metabolic syndrome via up-regulating PI3K-AKT-mTOR axis and increasing the abundance of Akkermansia muciniphila in the gut microbiota. <b>2021</b> , 193, 789-798                                | 4 |
| 281         | Association between 25 Hydroxyvitamin D Concentrations and Lipid Profiles in Japanese with Type 2 Diabetes Mellitus. <b>2021</b> , 67, 266-272   |   |
| 280         | Recent Trends of Metabolic Syndrome and Its Components in Military Recruits from Saudi Arabia. <b>2021</b> , 8,  | O |
| 279         | Association between sarcopenic obesity with insulin resistance and metabolic syndrome. 2021,   | 1 |
| 278         | The challenges of metabolic disorders in Indonesia: focus on metabolic syndrome, prediabetes, and diabetes. <b>2021</b> , 29, 350-3  | 2 |
| 277         | Defective FXR-SHP Regulation in Obesity Aberrantly Increases Expression, Promoting Insulin Resistance and Fatty Liver. <b>2021</b> , 70, 733-744   | 5 |
| 276         | Phytochemicals from the Leaves of Cyclocarya paliurus and their 11EHSD1 Enzyme Inhibitory Effects. <b>2021</b> , 18, e2000772  | 3 |
| 275         | Metabolic syndrome and kidney disease. <b>2022</b> , 763-777   |   |
| 274         | Nutritional and metabolic management of obesity and the metabolic syndrome in patients with chronic kidney disease. <b>2022</b> , 779-792  |   |

| 273 | ADIPQ gene polymorphism rs266729 (-11377 C>G) and metabolic syndrome risk in a Mexican population of western Mexico. <b>2021</b> , 38, 67-72   | О  |
|-----|--|----|
| 272 | Obesity and schizophrenia: New drugs, new hopes. <b>2020</b> , 52, 113-130   |    |
| 271 | Systemic Inflammation in the Morbidly Obese Patient. <b>2020</b> , 125-132   |    |
| 270 | Different Faces of Obesity in Cardiovascular Diseases: Culprit or Protector. <b>2020</b> , 3-13  |    |
| 269 | Fetal-Neonatal Lifestyle Basis of the Adult Metabolic Syndrome Patients.   |    |
| 268 | Role of the Nox4/AMPK/mTOR signaling axe in adipose inflammation-induced kidney injury. <b>2020</b> , 134, 403-417   | О  |
| 267 | Tri-Ponderal Mass Index Reference Values for Screening Metabolic Syndrome in Children and Adolescents: Results From Two National-Representative Cross-Sectional Studies in China and America. <b>2021</b> , 12, 739277 | Ο  |
| 266 | Metabolic dysfunction-associated fatty liver disease and liver fibrosis: Prevalence and associated factors in the middle-aged and older US population. <b>2021</b> ,   | 1  |
| 265 | Inhibition of acid sphingomyelinase by imipramine abolishes the synergy between metabolic syndrome and periodontitis on alveolar bone loss. <b>2021</b> ,  | О  |
| 264 | Prevalence of metabolic syndrome with international diabetes federation criteria and ATP III program in patients 65 years of age or older.   |    |
| 263 | Non Alcoholic Steathohepatitis (NASH). <b>2006</b> , 195-198   |    |
| 262 | Innovative Models for the Delivery Preventive Cardiovascular Care. <b>2006</b> , 325-338   |    |
| 261 | The Metabolic Syndrome: Definitions, Controversies and Clinical Utility. <b>2008</b> , 3-24  |    |
| 260 | Epidemiology of the Metabolic Syndrome and Related Disorders in Children and Adolescents. <b>2008</b> , 25-43  |    |
| 259 | Isoflavones. <b>2020</b> , 199-244   |    |
| 258 | Metabolic syndrome and lifestyle factors among type 2 diabetes mellitus patients in Dessie<br>Referral Hospital, Amhara region, Ethiopia. <b>2020</b> , 15, e0241432   | 2  |
| 257 | Predictors and prognostic role of low myocardial mechano-energetic efficiency in chronic inflammatory arthritis. <b>2021</b> , 39, 53-61   | 1  |
| 256 | Cardiometabolic aspects of polycystic ovarian syndrome. <b>2007</b> , 3, 55-63   | 27 |

| 255 | Metabolic syndrome and sleep apnea. <b>2008</b> , 12, 81-6  | 8   |
|-----|---|-----|
| 254 | The metabolic syndrome - background and treatment. <b>2006</b> , 14, 301-308  | 2   |
| 253 | Identifying adolescent metabolic syndrome using body mass index and waist circumference. <b>2008</b> , 5, A115  | 18  |
| 252 | Relationship of C-reactive protein, metabolic syndrome and diabetes mellitus: potential role of statins. <b>2005</b> , 97, 1600-7   | 8   |
| 251 | Assessing the prevalence of the Metabolic Syndrome according to NCEP ATP III in Germany: feasibility and quality aspects of a two step approach in 1550 randomly selected primary health care practices. <b>2006</b> , 4, Doc07 | 20  |
| 250 | Effect of a multifaceted, church-based wellness program on metabolic syndrome in 41 overweight or obese congregants. <b>2010</b> , 7, A81   | 7   |
| 249 | Metabolic syndrome and coronary artery disease in Ossabaw compared with Yucatan swine. <b>2010</b> , 60, 300-15   | 105 |
| 248 | Cardiovascular risk factor variation within a Hispanic cohort: SWAN, the Study of Women's Health Across the Nation. <b>2010</b> , 20, 396-402   | 28  |
| 247 | Identification of modifiable chronic kidney disease risk factors by gender in an African-American metabolic syndrome cohort. <b>2010</b> , 37, 133-41, 148; quiz 142  | 7   |
| 246 | Identifying metabolic syndrome in African American children using fasting HOMA-IR in place of glucose. <b>2011</b> , 8, A64   | 19  |
| 245 | The pathophysiology of obesity and its clinical manifestations. <b>2007</b> , 3, 856-63   | 34  |
| 244 | Association between sleep duration and metabolic syndrome in a population-based study: Isfahan<br>Healthy Heart Program. <b>2011</b> , 16, 801-6  | 18  |
| 243 | Chronic diseases in captive geriatric female Chimpanzees (Pan troglodytes). <b>2012</b> , 62, 131-6   | 28  |
| 242 | K-111: the emerging evidence for its potential in the treatment of the metabolic syndrome. <b>2006</b> , 1, 169-80  |     |
| 241 | Heart rate recovery does not predict endothelial function in obese women. 2007, 3, 101-105  | 1   |
| 240 | Increased prevalence of subclinical atherosclerosis in rheumatoid arthritis patients of Indian descent. <b>2012</b> , 17, 20-5  | 9   |
| 239 | Evaluation of heart rate reserve and high-sensitivity C-reactive protein in individuals with and without metabolic syndrome in Isfahan, Iran. <b>2012</b> , 8, 70-5   | 2   |
| 238 | An exploratory analysis of dynamic change of metabolic syndrome in relation to the risk of developing cardiovascular disease in a chinese cohort. <b>2012</b> , 41, 26-34   | 2   |

| 237 | Prevalence of lipodystrophy and metabolic syndrome among HIV positive individuals on Highly Active Anti-Retroviral treatment in Jimma, South West Ethiopia. <b>2012</b> , 13, 43                            | 32 |
|-----|---|----|
| 236 | Metabolic syndrome & Framingham Risk Score: observations from a coronary angiographic study in Indian patients. <b>2013</b> , 137, 295-301  | 12 |
| 235 | High prevalence of subclinical thyroid dysfunction and the relationship between thyrotropin levels and cardiovascular risk factors in residents of the coastal area of China. <b>2013</b> , 18, e16-20      | 11 |
| 234 | The grapefruit: an old wine in a new glass? Metabolic and cardiovascular perspectives. <b>2010</b> , 21, 280-5  | 16 |
| 233 | Circuit resistance exercise improves glycemic control and adipokines in females with type 2 diabetes mellitus. <b>2009</b> , 8, 682-8   | 9  |
| 232 | The prevalence of metabolic syndrome according to the Iranian Committee of Obesity and ATP III criteria in Babol, North of Iran. <b>2012</b> , 3, 410-6   | 8  |
| 231 | Association between leptin gene G-2548A polymorphism with metabolic syndrome. <b>2013</b> , 18, 668-73  | 6  |
| 230 | Chemerin regulation and role in host defense. <b>2014</b> , 3, 1-19   | 54 |
| 229 | Valproic Acid as a potentiator of metabolic syndrome in institutionalized residents on concomitant antipsychotics: fat chance, or slim to none?. <b>2015</b> , 40, 126-32                                   | 10 |
| 228 | Predictive Power for Type 2 Diabetes Mellitus using Dynamic Change of Metabolic Syndrome, Dynamic Change of Fasting Plasma Glucose, Metabolic Syndrome and Fasting Plasma Glucose. <b>2014</b> , 43, 432-40 | 1  |
| 227 | Adiponectin: an adipokine with protective features against metabolic syndrome. 2015, 18, 430-42   | 52 |
| 226 | Metabolic syndrome and its associated risk factors in Iranian adults: A systematic review. <b>2015</b> , 6, 51-61   | 19 |
| 225 | Adherence and Attrition in a Web-Based Lifestyle Intervention for People with Metabolic Syndrome. <b>2014</b> , 43, 1248-58   | 15 |
| 224 | Applying the Framingham risk score for prediction of metabolic syndrome: The Kerman Coronary Artery Disease Risk Study, Iran. <b>2015</b> , 11, 179-85  | 17 |
| 223 | Investigation of relationship of visceral body fat and inflammatory markers with metabolic syndrome and its components among apparently healthy individuals. <b>2015</b> , 8, 13067-77                      | 7  |
| 222 | Lipid Variables Related to the Extent and Severity of Coronary Artery Disease in Non-Diabetic Turkish Cypriots. <b>2015</b> , 44, 1196-203  | 1  |
| 221 | Dietary Intake among American Indians with Metabolic Syndrome - Comparison to Dietary Recommendations: the Balance Study. <b>2013</b> , 4, 33-45  | 5  |
| 220 | Weaknesses in the reporting of cross-sectional studies according to the STROBE statement: the case of metabolic syndrome in adults from Peru. <b>2015</b> , 46, 168-175                                     | 2  |

| 219 | LDL Cholesterol Goal Attainment in Hypercholesterolemia: CEPHEUS Indonesian Survey. <b>2013</b> , 29, 71-81  | 5  |
|-----|--|----|
| 218 | Domain Analysis of Integrated Data to Reduce Cost Associated with Liver Disease. <b>2015</b> , 216, 414-8  |    |
| 217 | Effect of obesity on cardiovascular risk factors in urban population in South India. <b>2010</b> , 2, 145-9  | 10 |
| 216 | Physical Activity Levels in a Community Lifestyle Intervention: A Randomized Trial. <b>2016</b> , 1, 45-51   | 5  |
| 215 | Impact of Metabolic Syndrome on Ablation-Outcome in Patients with Atrial Fibrillation: A Systematic Review. <b>2013</b> , 5, 798   |    |
| 214 | Extra Atrial Disease in Patients with "Lone" Atrial Fibrillation. 2008, 1, 107   |    |
| 213 | Sex Differences in Antipsychotic Related Metabolic Functioning in Schizophrenia Spectrum Disorders. <b>2017</b> , 47, 8-21   | 11 |
| 212 | Linking Chronic Inflammation with Cardiovascular Disease: From Normal Aging to the Metabolic Syndrome. <b>2017</b> , 3,  | 51 |
| 211 | Sphingolipid regulators of cellular dysfunction in Type 2 diabetes mellitus: a systems overview. <b>2014</b> , 9, 553-569  | 5  |
| 210 | Prevalence of Metabolic Syndrome in Patients with Lichen Planus: A Cross-sectional Study from a Tertiary Care Center. <b>2018</b> , 9, 304-308                               | 4  |
| 209 | Association between sleep duration and electrocardiographic ischemic changes in middle-aged population: Isfahan Healthy Heart Program. <b>2018</b> , 14, 115-121             | 1  |
| 208 | Wild pistachio () oil improve metabolic syndrome features in rats with high fructose ingestion. <b>2018</b> , 21, 1255-1261  |    |
| 207 | Waist Circumference Cutoff Point Determination for Defining Metabolic Syndrome in Type 2 Diabetes Mellitus in Ethiopia. <b>2019</b> , 30, 48-58                              |    |
| 206 | Chemerin stimulates aortic smooth muscle cell proliferation and migration via activation of autophagy in VSMCs of metabolic hypertension rats. <b>2019</b> , 11, 1327-1342   | 9  |
| 205 | The Role of Insulin-Like Growth Factor-1 and Pregnancy-Associated Plasma Protein-A in Diagnosis of Acute Coronary Syndrome and Its Related Morbidities. <b>2020</b> , 4, e18 |    |
| 204 | Cardiovascular Disease Risk Assessment: Triglyceride/High-Density Lipoprotein versus Metabolic Syndrome Criteria. <b>2019</b> , 19, e00442                                   | 2  |
| 203 | Prevalence and Risk Factors of High Blood Pressure among Adults in Banyuwangi Coastal Communities, Indonesia. <b>2020</b> , 30, 941-950                                      | 1  |
| 202 | Is there an independent association between metabolic syndrome and smoking in Iranian adults? Results of a large multicenter national survey. <b>2021</b> , 12, 327-335      |    |

| 201 | Preventive Effect of Different Wild Pistachio Oils on Oxidative Stress Markers, Liver Enzymes, and Histopathological Findings in a Metabolic Syndrome Model. <b>2019</b> , 8, e1238  |   |
|-----|--|---|
| 200 | Diet and exercise in the management of PCOS: Starting from the basics. <b>2022</b> , 97-115  |   |
| 199 | Increased odds of having the metabolic syndrome with greater fat-free mass: counterintuitive results from the National Health and Nutrition Examination Survey database. <b>2021</b> ,   | 1 |
| 198 | Fundamentals of Membrane Lipid Replacement: A Natural Medicine Approach to Repairing Cellular Membranes and Reducing Fatigue, Pain, and Other Symptoms While Restoring Function in Chronic Illnesses and Aging <b>2021</b> , 11, | 2 |
| 197 | Effects of antioxidant diet on the RBC indices in fructose-induced obesity rat model. <b>2021</b> , 8, 21-28   |   |
| 196 | Automated Whole-Liver MRI Segmentation to Assess Steatosis and Iron Quantification in Chronic Liver Disease. <b>2021</b> , 211027  | 2 |
| 195 | The prognostic role of heart rate recovery after exercise and metabolic syndrome in IgA nephropathy. <b>2021</b> , 22, 390   |   |
| 194 | Enhanced prediction of renal function decline by replacing waist circumference with "A Body Shape Index (ABSI)" in diagnosing metabolic syndrome: a retrospective cohort study in Japan. <b>2021</b> ,                           | O |
| 193 | Cardiometabolic risk in childhood cancer survivors: a report from the Children's Oncology Group. <b>2021</b> ,   | O |
| 192 | Association between metabolic syndrome and incidence of ocular motor nerve palsy. <b>2021</b> , 11, 23033  | O |
| 191 | Ethnic disparity in metabolic syndrome and related obesity and health behavior: a community study in Taiwan. <b>2021</b> , 13, 134   | O |
| 190 | A new phenotypic classification system for dyslipidemias based on the standard lipid panel. <b>2021</b> , 20, 170  | 1 |
| 189 | The Double Burden of Malnutrition at the Individual Level Among Adults: A Nationwide Survey in the Philippines. <b>2021</b> , 8, 760437  | 1 |
| 188 | Assessment of Serum Spexin Levels In Obese Adolescents with Metabolic Syndrome Antecedents: Preliminary Results. <b>2021</b> ,   | O |
| 187 | Effect of voluntary exercise upon the metabolic syndrome and gut microbiome composition in mice. <b>2021</b> , 9, e15068   | 1 |
| 186 | Nonlinear Relationship Between AST-to-ALT Ratio and the Incidence of Type 2 Diabetes Mellitus: A Follow-Up Study. <b>2021</b> , 14, 8373-8382  | 1 |
| 185 | Glucose metabolic disorder in Klinefelter syndrome: a retrospective analysis in a single Chinese hospital and literature review. <b>2021</b> , 21, 239   | 2 |
| 184 | Food obesogens as emerging metabolic disruptors; a toxicological insight. <b>2021</b> , 217, 106042  | O |

166

Valor de la dislipemia en el conjunto de los factores de riesgo cardiovascular. 2011, 11, 29-35 183 Prevalence and Risk Factors of High Blood Pressure among Adults in Banyuwangi Coastal 182 Communities, Indonesia. 2020, 30, 941-950 Prevalencia de Acantosis Nigricans y factores asociados a Sindrome Metablico en Nobsa-Boyacii 181 2021, 8, 63-74 An algorithm for the management of non-alcoholic fatty liver disease in primary care. 2021, 12, 114-122 180 Fat metabolism is associated with telomere length in six population-based studies. 2021, 179 1 Association of Pericardial Fat with Cardiac Structure, Function and Mechanics: the Multi-Ethnic Study of Atherosclerosis.. 2022, Dietary approach to stop hypertension and obesity among Iranian adults: Yazd health study-TAMYZ 177 and Shahedieh cohort. 2022, ahead-of-print, Metabolic syndrome predicts new damage in systemic lupus erythematosus patients: Data from the 176 Almenara Lupus Cohort.. 2022, 9612033211061481 A Noninvasive Risk Stratification Tool Build Using an Artificial Intelligence Approach for Colorectal 1 175 Polyps Based on Annual Checkup Data.. 2022, 10, Association between Frequency of Toothbrushing and Metabolic Syndrome among Adolescents: A 174 5-Year Follow-Up Study.. **2022**, 19, Issue of Waist Circumference for the Diagnosis of Metabolic Syndrome Regarding Arterial Stiffness: Possible Utility of a Body Shape Index in Middle-Aged Nonobese Japanese Urban Residents 173 O Receiving Health Screening.. 2022, 1-10 Sphingolipid Profiling: A Promising Tool for Stratifying the Metabolic Syndrome-Associated Risk.. 172  $\circ$ **2021**, 8, 785124 Dabigatran in patients with atrial fibrillation after COVID-19 hospitalization: an update of the 171 O ANIBAL protocol.. 2022, 11, Metabolic syndrome components response to the conducted 16-week randomised-controlled 170 training trial on an elliptical trainer. 1-7 Correlates of cardiorespiratory fitness among overweight or obese individuals with type 2 169  $\circ$ diabetes.. 2022, 10, 168 Personality traits at age 16 and risk of metabolic syndrome at age 46.. 2022, 155, 110744 Left ventricular hypertrophy subtype and long-term mortality in those with subclinical 167 cardiovascular disease: The Multi-Ethnic Study of Atherosclerosis (MESA).

Mild to moderate overweight in dogs: is there an impact on routine hematological and biochemical

profiles, echocardiographic parameters and cardiac autonomic modulation?. 2022, 1

| 165 | Comparison of global definitions of metabolic syndrome in early pregnancy among the Rajarata Pregnancy Cohort participants in Sri Lanka <b>2022</b> , 12, 2009   | O |
|-----|--|---|
| 164 | Differential Glycemic Effects of Low- versus High-Glycemic Index Mediterranean-Style Eating Patterns in Adults at Risk for Type 2 Diabetes: The MEDGI-Carb Randomized Controlled Trial <b>2022</b> , 14,             | 2 |
| 163 | Visceral Adiposity, Inflammation, and Testosterone Predict Skeletal Muscle Mitochondrial Mass and Activity in Chronic Spinal Cord Injury <b>2022</b> , 13, 809845  |   |
| 162 | Obesity-Associated Neuropathy: Recent Preclinical Studies and Proposed Mechanisms 2022,  | O |
| 161 | Analysis of gingival crevicular fluid biomarkers in patients with metabolic syndrome 2022, 118, 104065   |   |
| 160 | Metabolic Syndrome, Obesity and Cancer Risk. <b>2022</b> , 95-119  |   |
| 159 | Frequency of Metabolic Syndrome in Type 2 Diabetes Mellitus in a Tertiary Care Hospital of Bangladesh.   |   |
| 158 | METABOLIC EFFECTS OF ANTIPSYCHOTIC TREATMENT IN SCHIZOPHRENIA. <b>2022</b> , 14-16   |   |
| 157 | Association between preventable risk factors and metabolic syndrome <b>2022</b> , 17, 341-352  | 0 |
| 156 | The Prevalence of Metabolic Syndrome, Scoring, and Comparison in People With and Without COPD: Evidence from Shahrekord PERSIAN Cohort Study <b>2022</b> ,   |   |
| 155 | Health Behavior Profiles Among Midlife Women: Identifying At-Risk Subgroups for Metabolic Syndrome Using Latent Class Analysis <b>2022</b> ,   |   |
| 154 | Lifestyle changes in patients with non-alcoholic fatty liver disease: A systematic review and meta-analysis <b>2022</b> , 17, e0263931   | 2 |
| 153 | The hypertriglyceridemic waist phenotype is associated with fatty liver and glycometabolic profiles in overweight and obese adults: a cross-sectional study <b>2022</b> , 12, 2410                                   | O |
| 152 | Associations Between 25-Hydroxyvitamin D, Kidney Function, and Insulin Resistance Among Adults in the United States of America <b>2021</b> , 8, 716878   | O |
| 151 | Potential of four definitions of metabolic syndrome to discriminate individuals with different 10-year cardiovascular disease risk scores: a cross-sectional analysis of an Iranian cohort <b>2022</b> , 12, e058333 | 0 |
| 150 | Gut microbiota from Mexican patients with metabolic syndrome and HIV infection: an inflammatory profile <b>2022</b> ,  | 2 |
| 149 | Lipid-Lowering Efficacy of the Capsaicin in Patients With Metabolic Syndrome: A Systematic Review and Meta-Analysis of Randomized Controlled Trials <b>2022</b> , 9, 812294  | 2 |
| 148 | Trends in the Prevalence of Obesity and Its Phenotypes Based on the Korea National Health and Nutrition Examination Survey from 2007 to 2017 in Korea <b>2022</b> ,  | 1 |

| 147 | Metabolic syndrome and its relationship with shift work in petrochemical workers 2022,  | 1 |
|-----|---|---|
| 146 | Association between metabolic syndrome and 13 types of cancer in Catalonia: A matched case-control study <b>2022</b> , 17, e0264634   | 2 |
| 145 | Intestinal Alkaline Phosphatase: A Review of This Enzyme Role in the Intestinal Barrier Function <b>2022</b> , 10,  | 3 |
| 144 | Using noninvasive anthropometric indices to develop and validate a predictive model for metabolic syndrome in Chinese adults: a nationwide study <b>2022</b> , 22, 53   | O |
| 143 | Feasibility of a Home-Based Exercise Program for Managing Posttransplant Metabolic Syndrome in Lung and Liver Transplant Recipients: Protocol for a Pilot Randomized Controlled Trial <b>2022</b> , 11, e35700    |   |
| 142 | The fundamentals of sex-based disparity in liver transplantation: Understanding can lead to change <b>2022</b> ,  | O |
| 141 | Food Insecurity and Cardiometabolic Markers: Results From the Study of Latino Youth 2022,   | O |
| 140 | Efficacy of cognitive-behavioural therapy for lifestyle modification in metabolic syndrome: a randomised controlled trial with a 18-months follow-up <b>2022</b> , 1-21   |   |
| 139 | Role of age, gender and ethnicity in the association between visceral adiposity index and non-alcoholic fatty liver disease among US adults (NHANES 2003-2018): cross-sectional study <b>2022</b> , 12, e058517   | O |
| 138 | Impact of Obesity on Postprandial Triglyceride Contribution to Glucose Homeostasis, assessed with a semi-mechanistic model <b>2022</b> ,  | Ο |
| 137 | The Effect of Eight Weeks of Combined Training (Endurance-Intermittent Resistance and Endurance-Continuous Resistance) on Coagulation, Fibrinolytic and Lipid Profiles of Overweight Women. <b>2021</b> , 28, 3-9 |   |
| 136 | Feasibility of a Home-Based Exercise Program for Managing Posttransplant Metabolic Syndrome in Lung and Liver Transplant Recipients: Protocol for a Pilot Randomized Controlled Trial (Preprint).                 |   |
| 135 | Physiological Changes and Pathological Pain Associated with Sedentary Lifestyle-Induced Body Systems Fat Accumulation and Their Modulation by Physical Exercise <b>2021</b> , 18,                                 | 1 |
| 134 | Population study of the gut microbiome: associations with diet, lifestyle, and cardiometabolic disease <b>2021</b> , 13, 188  | 1 |
| 133 | Epigenome-wide association study of serum urate reveals insights into urate co-regulation and the SLC2A9 locus. <b>2021</b> , 12, 7173  | 1 |
| 132 | Role of Biomarkers as Prognostic Factors in Acute Peripheral Facial Palsy <b>2021</b> , 23,   |   |
| 131 | Metabolic comorbidities of psoriasis (Review) <b>2022</b> , 23, 179   | O |
| 130 | High-fat diet-induced metabolic syndrome increases ligature-induced alveolar bone loss in mice <b>2021</b> ,  | O |

| 129 | Combatting Sedentary Behaviors by Delivering Remote Physical Exercise in Children and Adolescents with Obesity in the COVID-19 Era: A Narrative Review <b>2021</b> , 13,                                | 3 |
|-----|---|---|
| 128 | Abnormal glucose tolerance in women with prior gestational diabetes mellitus: a 4-year follow-up study <b>2022</b> , 1  | O |
| 127 | Table_1.docx. <b>2020</b> ,   |   |
| 126 | Data_Sheet_1.docx. <b>2018</b> ,  |   |
| 125 | Presentation_1.PDF. <b>2018</b> ,   |   |
| 124 | Nonalcoholic Fatty Liver Disease and Cardiovascular Disease: a Review of Shared Cardiometabolic Risk Factors <b>2022</b> , 101161HYPERTENSIONAHA12217982  | 7 |
| 123 | Monitoring of inflammation using novel biosensor mouse model reveals tissue- and sex-specific responses to western diet <b>2022</b> ,   |   |
| 122 | Prevalence of metabolic syndrome in patients with lichen planus: A cross-sectional study from a tertiary care center. <b>2018</b> , 9, 304  | 7 |
| 121 | Nonalcoholic Fatty Liver Disease in Children <b>2021</b> , 17, 579-587  |   |
| 120 | Dietary Acid Load but Not Mediterranean Diet Adherence Score Is Associated With Metabolic and Cardiovascular Health State: A Population Observational Study From Northern Italy <b>2022</b> , 9, 828587 | 3 |
| 119 | TLR4 mutation protects neurovascular function and cognitive decline in high-fat diet-fed mice <b>2022</b> , 19, 104   | О |
| 118 | Non-Invasive Tests of Liver Fibrosis Help in Predicting the Development of Hepatocellular Carcinoma among Patients with NAFLD <b>2022</b> , 11,   |   |
| 117 | Prevalence of overweight and obesity amongst patients with diabetes and their non-diabetic family members in Senwabarwana, Limpopo province, South Africa. <b>2022</b> , 64,                            |   |
| 116 | Relation of Left Ventricular Hypertrophy Subtype to Long-Term Mortality in Those With Subclinical Cardiovascular Disease (from the Multiethnic Study of Atherosclerosis [MESA]) <b>2022</b> ,           |   |
| 115 | STUDY OF ASSOCIATION OF INFLAMMATORY MARKERS WITH METABOLIC SYNDROME IN PREDIABETIC PATIENTS AT TERTIARY CARE CENTER OF RAJASTHAN, INDIA. 103-106   |   |
| 114 | Lipid-Lowering Efficacy of Kuding Tea in Patients With Metabolic Disorders: A Systematic Review and Meta-Analysis of Randomized Controlled Trials <b>2022</b> , 9, 802687                               | 1 |
| 113 | Metabolic syndrome, hyperglycemia, and type 2 diabetes. <b>2013</b> , 436-462   |   |
| 112 | Obesity and individual performance: the case of eSports <b>2022</b> ,   |   |

Cardiometabolic Syndrome and Effects of Yoga. **2022**, 167-195

| 110 | Inflammatory Diseases and Risk of Atherosclerotic Cardiovascular Disease: A New Focus on Prevention. <b>2022</b> , 247-270  | 1 |
|-----|---|---|
| 109 | Serum and glucocorticoid-regulated kinase 1: A potential target for anticancer therapy. <b>2022</b> , 223-238   |   |
| 108 | Eggs Improve Plasma Biomarkers in Patients with Metabolic Syndrome following a Plant-Based Dietâ'A Randomized Crossover Study. <b>2022</b> , 14, 2138   | 0 |
| 107 | Co-activating the AMPK signaling axis by low molecular weight fucoidan LF2 and fucoxanthin improves the HFD-induced metabolic syndrome in mice. <b>2022</b> , 94, 105119                          |   |
| 106 | Associations of Cannabis Use across Adolescence and Early Adulthood With Health and Psychosocial Adjustment in Early Adulthood and Midadulthood in Men. <b>2022</b> , 16, 117822182210961         |   |
| 105 | Metabolic syndrome among patients with type 2 diabetes in Jordan: A cross-sectional study (Preprint).   |   |
| 104 | Antioxidant and Anti-Inflammatory Effect of the Consumption of Powdered Concentrate of Sechium edule var. nigrum spinosum in Mexican Older Adults with Metabolic Syndrome. <b>2022</b> , 11, 1076 |   |
| 103 | Psychological factors in relation to the 10-year Incidence of Metabolic Syndrome: the ATTICA Epidemiological Study (2002-2012). <b>2022</b> ,   | 0 |
| 102 | Risk of liver fibrosis in patients with prediabetes and diabetes mellitus. <b>2022</b> , 17, e0269070   | O |
| 101 | The Relation Between Non-alcoholic Fatty Liver Disease and the Risk of Coronary Heart Disease. <b>2022</b> , 13,  |   |
| 100 | Metabolic syndrome among Nigerians with type 2 diabetes mellitus: A comparative study of the diagnostic criteria. <b>2021</b> , 1, 51   | O |
| 99  | Melatonin Suppresses NLRP3 Inflammasome Activation via TLR4/NF-B and P2X7R Signaling in High-Fat Diet-Induced Murine NASH Model. Volume 15, 3235-3258   | 2 |
| 98  | Normal fasting triglyceride levels and incident type 2 diabetes in the general population. <b>2022</b> , 21,  |   |
| 97  | The Effects of Eggs in a Plant-Based Diet on Oxidative Stress and Inflammation in Metabolic Syndrome. <b>2022</b> , 14, 2548  | О |
| 96  | Relationship between Health Behaviors and Metabolic Syndrome in Cancer Survivors in Korea: Korean National Health and Nutrition Examination Survey, 2013â2018. <b>2022</b> , 12, 144-150          |   |
| 95  | Dissecting the clinical relevance of polygenic risk score for obesityâl cross-sectional, longitudinal analysis.   | 1 |
| 94  | African genetic ancestry is associated with lower frequency of PNPLA3 G allele in non-alcoholic fatty liver in an admixed population. <b>2022</b> , 100728  | O |
|     |   |   |

| 93 | The Association between Early-life Famine Exposure and Adulthood Obesity on the Risk of Dyslipidemia. <b>2022</b> ,  |   |
|----|--|---|
| 92 | Huzurevinde Ya∃yan 65 Ya⊡e Zerindeki Bireylerde Obezitenin Bili⊠el Fonksiyonlar ile °li⊠is. 367-375  |   |
| 91 | Atherogenic Index of Plasma is an Independent Risk Factor for Contrast Induced Nephropathy in Patients With Non-ST Elevation Myocardial Infarction. 000331972211107  | О |
| 90 | The Diagnosis and Management of Cardiometabolic Risk and Cardiometabolic Syndrome after Spinal Cord Injury. <b>2022</b> , 12, 1088   | Ο |
| 89 | Association between sarcopenic obesity with insulin resistance and metabolic syndrome. 2022, 159, 1-5  |   |
| 88 | Activation of circulating monocytes by low-density lipoproteinâl risk factor for osteoarthritis?.  |   |
| 87 | The metabolic and molecular mechanisms of #mangostin in cardiometabolic disorders (Review). <b>2022</b> , 50,  | 1 |
| 86 | Grape-seed proanthocyanidin extract (GSPE) modulates diurnal oscillations of key hepatic metabolic genes and metabolites alleviating hepatic lipid deposition in cafeteria-fed obese rats in a time-of-day-dependent manner. | Ο |
| 85 | Analysis of energy intakes, physical activities and metabolic syndrome according to the income level in Korean elderly people: Korean National Health and Nutrition Examination Survey 2016-2018. <b>2022</b> , 26, 028-035  |   |
| 84 | Narrative on Hydrogen Therapy and its Clinical Applications: Safety and Efficacy. <b>2022</b> , 28,  | 2 |
| 83 | Early and Long-Term Effects of Abdominal Fat Reduction Using Ultrasound and Radiofrequency Treatments. <b>2022</b> , 14, 3498  |   |
| 82 | Risk assessment indicators and brachial-ankle pulse wave velocity to predict atherosclerotic cardiovascular disease. <b>2022</b> , 101, e29609   |   |
| 81 | Concordance between Different Criteria for Metabolic Syndrome in Peruvian Adults Undergoing Bariatric Surgery. <b>2022</b> , 11, 4692  |   |
| 80 | Anthropometric indices and cut-off points for screening of metabolic syndrome among South African taxi drivers. 9,   | Ο |
| 79 | Sex Differences in Dietary Patterns of Adults and Their Associations with the Double Burden of Malnutrition: A Population-Based National Survey in the Philippines. <b>2022</b> , 14, 3495                                   |   |
| 78 | Saturated fats network identified using Gaussian graphical models is associated with metabolic syndrome in a sample of Iranian adults. <b>2022</b> , 14,   |   |
| 77 | Effects of daily functional acorn cake consumption on insulin resistance in individuals with obesity or overweight and the metabolic syndrome: a placebo-controlled randomised clinical trial. 1-9                           |   |
| 76 | ASSOCIATION BETWEEN SERUM URIC ACID AND METABOLIC SYNDROME COMPONENTS AT TERTIARY CARE HOSPITAL, NORTH WEST RAJASTHAN. 175-178   |   |

| 75 | Reconsidering the role of glycemic control on cardiovascular disease risk in type 2 diabetes: A 21 st century assessment.  | 0 |
|----|--|---|
| 74 | Processed meat consumption and associated factors in Chile: A cross-sectional study nested in the MAUCO cohort. 10,  |   |
| 73 | Longitudinal Trends, Determinants, and Cardiometabolic Impact of Adherence to the Mediterranean Diet among Greek Adults. <b>2022</b> , 11, 2389  | 1 |
| 72 | Physical activity pattern and migraine according to aura symptoms in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) cohort: A cross-sectional study.   | O |
| 71 | Identification of genetic variants related to metabolic syndrome by next-generation sequencing. <b>2022</b> , 14,  | 0 |
| 70 | Disentangling Genetic Risks for Metabolic Syndrome.  |   |
| 69 | Down-regulating Interleukin-22/Interleukin-22 binding protein axis promotes inflammation and aggravates diet-induced metabolic disorders. <b>2022</b> , 557, 111776  | Ο |
| 68 | Nutritional Epigenetics and Fetal Metabolic Programming. <b>2023</b> , 611-623   | O |
| 67 | Helicobacter pylori and cardiovascular risk: Only a dead Helicobacter is a good Helicobacter?.   | Ο |
| 66 | Does metabolic syndrome increase the risk of fracture? A systematic review and meta-analysis. <b>2022</b> , 17,  | Ο |
| 65 | The mediating function of obesity on endocrine-disrupting chemicals and insulin resistance in children. <b>2022</b> , 35, 1169-1176  | Ο |
| 64 | Vitamin D status and prevalence of metabolic syndrome by race and Hispanic origin in US adults: findings from the 2007âØ014 NHANES.  | Ο |
| 63 | Depression and Sexual Stigma are Associated with Cardiometabolic Risk among Sexual and Gender Minorities Living with HIV in Nigeria. <b>2022</b> , Publish Ahead of Print,   | Ο |
| 62 | Metabolic syndrome, obesity and cancer risk. <b>2022</b> , 32, 594-597   | Ο |
| 61 | Synergism between the metabolic syndrome components and cancer incidence: results from a prospective nested caseafontrol study based on the China Health and Retirement Longitudinal Study (CHARLS). <b>2022</b> , 12, e061362 | 0 |
| 60 | Cross sectional descriptive study to study the prevalence of metabolic syndrome among patients with epilepsy on antiepileptic drugs in a tertiary care centre. <b>2022</b> , 8, 172-178  | Ο |
| 59 | Positive or U-Shaped Association of Elevated Hemoglobin Concentration Levels with Metabolic Syndrome and Metabolic Components: Findings from Taiwan Biobank and UK Biobank. <b>2022</b> , 14, 4007                             | O |
| 58 | Insulin, Glucose, and the Metabolic Syndrome in Cardiovascular Behavioral Medicine. <b>2022</b> , 809-831  | O |

| 57 | Physiology and Anesthesia for General and Bariatric Surgery. 2022, 455-474  | O |
|----|---|---|
| 56 | Overview of Neuroglia Activation, Chronic Neuroinflammation, Remodeling, and Impaired Cognition Due to Perivascular Adipose Tissue-Derived Extracellular Vesicle Exosomes in Obesity and Diabetes. <b>2022</b> , 3, 112-138                                   | 1 |
| 55 | Association of serum secreted protein acidic and rich in cysteine-like protein 1 with metabolic measures and dyslipidemia among Chinese adults. 13,   | O |
| 54 | Lifestage Sex-Specific Genetic Effects on Metabolic Disorders in an Adult Population in Korea: The Korean Genome and Epidemiology Study. <b>2022</b> , 23, 11889  | O |
| 53 | Low-Dose Dioxin Reduced Glucose Uptake in C2C12 Myocytes: The Role of Mitochondrial Oxidative Stress and Insulin-Dependent Calcium Mobilization. <b>2022</b> , 11, 2109   | О |
| 52 | Obesity and Metabolic Traits after High-Fat Diet in Iberian Pigs with Low Birth Weight of Placental<br>Origin. <b>2022</b> , 11, 1533   | O |
| 51 | Prognostic nutritional index as a risk factor for diabetic kidney disease and mortality in patients with type 2 diabetes mellitus.  | О |
| 50 | Effects of aromatase inhibitor therapy on visceral adipose tissue area and cardiometabolic health in postmenopausal women with early and locally advanced breast cancer.  | O |
| 49 | Prevalence of Metabolic Syndrome by the Adult Treatment Panel III, International Diabetes Federation, and World Health Organization Definitions and their Association with Coronary Heart Disease in an Elderly Iranian Population. <b>2009</b> , 38, 142-149 | 4 |
| 48 | Loss of GPR40 in LDL receptor-deficient mice exacerbates high-fat diet-induced hyperlipidemia and nonalcoholic steatohepatitis. <b>2022</b> , 17, e0277251  | O |
| 47 | Assessment of dietary quality in American adults and its association with sociodemographic and metabolic syndrome-related biomarkers: Comparison of two samples from Midlife in the United States (MIDUS) study (Preprint).                                   | O |
| 46 | Anxiety, Insomnia, and Memory Impairment in Metabolic Syndrome Rats Are Alleviated by the Novel Functional Ingredients from Anacardium occidentale. <b>2022</b> , 11, 2203  | O |
| 45 | Defining Preventive Cardiology: A Clinical Practice Statement from the American Society for Preventive Cardiology. <b>2022</b> , 100432   | 2 |
| 44 | Metabolic Syndrome and Cardiometabolic Risk Factors in the Mixed Hypercholesterolemic Populations with Respect to Gender, Age, and Obesity in Asir, Saudi Arabia. <b>2022</b> , 19, 14985   | 2 |
| 43 | The association between social jetlag and parameters of metabolic syndrome and type 2 diabetes: a systematic review and meta-analysis.  | 1 |
| 42 | Identification of Novel Metabolic Subtypes Using Multi-Trait Limited Mixed Regression in the Chinese Population. <b>2022</b> , 10, 3093   | O |
| 41 | Independent risk factors for an increased incidence of thromboembolism after lung transplantation.  | O |
| 40 | Association between metabolic syndrome components and cardiac autonomic modulation in southern Indian adults with pre-metabolic syndrome: hyperglycemia is the major contributing factor. <b>1993</b> , 27, 49-59   | O |

| 39 | Serum leptin and adiponectin in metabolic syndrome: A brief review. <b>2022</b> , 8, 95   | О |
|----|---|---|
| 38 | Risk Factors for Acute Coronary Syndrome in Indians: A Reappraisal. 263246362211495   | O |
| 37 | Effect of metabolic health and obesity on all-cause death and CVD incidence in Korean adults: a retrospective cohort study. <b>2023</b> , 13,   | О |
| 36 | Metabolic disturbances during treatment with second generation antipsychotics. 2022, 14,  | o |
| 35 | Why Non-HDL Cholesterol is Preferred over Apolipoprotein B-100 (Apo B).   | O |
| 34 | The Belgian Diabetes in Pregnancy Follow-Up Study (BEDIP-FUS): A Multi-Centric Prospective Cohort Study on the Long-Term Metabolic Risk across Different Degrees of Gestational Glucose Intolerance: Methodology and Design. <b>2023</b> , 12, 1025 | О |
| 33 | Female-biased association of NOS2-c.1823C>T (rs2297518) with co-susceptibility to metabolic syndrome and asthma.  | 1 |
| 32 | Association of Adiposity with Periodontitis and Metabolic Syndrome: From the Third National Health and Nutrition Examination Survey of United States. <b>2023</b> , 20, 2533  | O |
| 31 | Association of the Toll-like receptor 4 and NOX4 gene and protein levels in asthmatic patients with metabolic syndrome: A caseâllontrol study. <b>2023</b> , 28, 11   | О |
| 30 | A Systematic Review on the Potential of Aspirin to Reduce Cardiovascular Risk in Schizophrenia. <b>2023</b> , 13, 368   | O |
| 29 | Subtypes of type 2 diabetes and their association with outcomes in Korean adults - A cluster analysis of community-based prospective cohort. <b>2023</b> , 141, 155514  | 0 |
| 28 | The association between educational status and colorectal neoplasia: results from a screening cohort. <b>2023</b> , 38,   | O |
| 27 | Pre- and postnatal exposure to secondhand tobacco smoke and cardiometabolic risk at 12 years: Periods of susceptibility. <b>2023</b> , 224, 115572  | O |
| 26 | Individual and mixtures of polychlorinated biphenyls and organochlorine pesticides exposure in relation to metabolic syndrome among Chinese adults. <b>2023</b> , 877, 162935   | O |
| 25 | Associations of perchlorate, nitrate, and thiocyanate with metabolic syndrome and its components among US adults: A cross-sectional study from NHANES. <b>2023</b> , 879, 163083  | 0 |
| 24 | Associations of childhood adiposity with adult intimaâthedia thickness and inflammation: a 20-year longitudinal population-based cohort. <b>2023</b> , 41, 402-410  | 0 |
| 23 | Identifying High-Risk Patients With Nonalcoholic Fatty Liver Disease. Publish Ahead of Print,   | О |
| 22 | Association of obesity and cardiovascular disease and progress in pharmacotherapy: what is next for obesity?. <b>2023</b> , 46, 14-25   | o |

| 21 | Association between sleep duration and metabolic syndrome: linear and nonlinear Mendelian randomization analyses. <b>2023</b> , 21,   | О |
|----|---|---|
| 20 | The Framingham Study on Cardiovascular Disease Risk and Stress-Defenses: A Historical Review. <b>2023</b> , 2, 122-164  | Ο |
| 19 | Effects of helminths and anthelmintic treatment on cardiometabolic diseases and risk factors: A systematic review. <b>2023</b> , 17, e0011022   | O |
| 18 | Influence of enlarged waist circumference and hypertriglyceridemia in the severity of acute pancreatitis: A retrospective study. <b>2023</b> ,  | O |
| 17 | Cardiorespiratory Fitness and All-Cause Mortality in Women with Metabolic Syndrome.   | 0 |
| 16 | Metabolic syndrome âltardiac structure and functional analysis by echocardiography; a cross sectional comparative study. <b>2022</b> ,  | O |
| 15 | The Triglyceride/High-Density Lipoprotein Cholesterol (TG/HDL-C) Ratio as a Risk Marker for Metabolic Syndrome and Cardiovascular Disease. <b>2023</b> , 13, 929  | O |
| 14 | Physical activity levels and energy intake according to the presence of metabolic syndrome among single-household elderly in Korea: Korean National Health and Nutrition Examination Survey 2016â¤018. 11,        | O |
| 13 | Cell Adhesion Molecules in Schizophrenia Patients with Metabolic Syndrome. 2023, 13, 376  | O |
| 12 | Benefits of Whey Proteins on Type 2 Diabetes Mellitus Parameters and Prevention of Cardiovascular Diseases. <b>2023</b> , 15, 1294  | O |
| 11 | Overview and New Insights into the Metabolic Syndrome: Risk Factors and Emerging Variables in the Development of Type 2 Diabetes and Cerebrocardiovascular Disease. <b>2023</b> , 59, 561                         | 0 |
| 10 | Identification of new co-diagnostic genes for sepsis and metabolic syndrome using single-cell data analysis and machine learning algorithms. 14,  | O |
| 9  | Incident diabetes in course of antiretroviral therapy. Publish Ahead of Print,  | 0 |
| 8  | Efficacy of traditional Chinese exercises in improving anthropometric and biochemical indicators in overweight and obese subjects: A systematic review and meta-analysis. <b>2023</b> , 102, e33051               | O |
| 7  | Effect of propolis on mood, quality of life, and metabolic profiles in subjects with metabolic syndrome: a randomized clinical trial. <b>2023</b> , 13,   | 0 |
| 6  | Prevalence of combined metabolic health and weight status by various diagnosis criteria and association with cardiometabolic disease in Korean adults. <b>2023</b> ,  | O |
| 5  | Gut Bacterial Communities in HIV-Infected Individuals with Metabolic Syndrome: Effects of the Therapy with Integrase Strand Transfer Inhibitor-Based and Protease Inhibitor-Based Regimens. <b>2023</b> , 11, 951 | 0 |
| 4  | Variable dysregulation of circulating lipocalin-2 in different obese phenotypes: Association with vasodilator dysfunction. 1358863X2311616  | O |

## CITATION REPORT

Skeptical Look at the Clinical Implication of Metabolic Syndrome in Childhood Obesity. 2023, 10, 735

Application of Machine Learning Algorithms to Predict Uncontrolled Diabetes Using the All of Us
Research Program Data. 2023, 11, 1138

The Metabolic Switch of Physical Activity in Non-Obese Insulin Resistant Individuals. 2023, 24, 7816

О