

# CITATION REPORT

List of articles citing

Hypertension treatment and control in five European countries, Canada, and the United States

DOI: 10.1161/01.hyp.0000103630.72812.10  
Hypertension, 2004, 43, 10-7.

**Source:** <https://exaly.com/paper-pdf/37430334/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
886	An audit of hypertension management. <b>2004</b> , 15, 592-595		
885	[Epidemiological investigations of the chances of preventing, recognizing early and optimally treating chronic diseases in an elderly population (ESTHER study)]. <b>2004</b> , 129, 2643-7		101
884	The VALUE trial: a commentary. <b>2004</b> , 5, 99-101		5
883	Hypertensive therapy: Part I. <b>2004</b> , 109, 2953-8		22
882	Guidelines from the British Hypertension Society. <b>2004</b> , 328, 593-4		19
881	Determinants of control of high blood pressure. The Oslo Health Study 2000-2001. <b>2004</b> , 13, 343-9		12
880	Guidelines for management of hypertension: report of the fourth working party of the British Hypertension Society, 2004-BHS IV. <b>2004</b> , 18, 139-85		868
879	Prevalence of hypertension, its awareness and control in adult population in Japan. <b>2004</b> , 18, 911-2		22
878	Combination drug treatment of hypertension: have we come full circle?. <b>2004</b> , 6, 421-6		19
877	Combined antihypertensive and lipid-lowering treatment. <b>2004</b> , 6, 300-6		4
876	Nouvelles recommandations africaines : analyse critique. <b>2004</b> , 4, 7-11		1
875	Genetics of essential hypertension. <b>2004</b> , 13 Spec No 1, R169-75		63
874	Tratamiento farmacológico combinado en el manejo de la hipertensión arterial crónica esencial. <b>2004</b> , 21, 139-157		
873	Modificación del tratamiento en pacientes hipertensos mal controlados. <b>2004</b> , 21, 439-441		
872	Results of the Controlled ONset Verapamil INvestigation of Cardiovascular Endpoints (CONVINCE) trial by geographical region. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 1099-106	1.9	20
871	Prevalence and therapeutic control of hypertension in French Caribbean regions. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 1341-6	1.9	24
870	The future of health care in Africa. <b>2005</b> , 331, 496.2		

869 Editor's Choice. **2005**, 331, 496.3

868 Short Cuts. **2005**, 331, 496.1

867 The use of a telematic connection for the follow-up of hypertensive patients improves the cardiovascular prognosis. *Journal of Hypertension*, **2005**, 23, 1417-23 1.9 63

866 Prevalence, awareness, treatment and control of hypertension in Portugal: the PAP study. *Journal of Hypertension*, **2005**, 23, 1661-6 1.9 87

865 The measurement of blood pressure in developing countries. **2005**, 10, 11-2 5

864 Current and Future Novel Targets of Gene Therapy for Hypertension. **2005**, 213-246 1

863 Global differences in blood pressure control and clinical outcomes in the INternational VErapamil SR-Trandolapril Study (INVEST). **2005**, 28, 321-8 7

862 Nifedipine gastrointestinal therapeutic system--hypertension management to improve cardiovascular outcomes. **2005**, 59, 1112-9 4

861 Reaching recommended lipid and blood pressure targets with amlodipine/atorvastatin combination in patients with coronary heart disease. **2005**, 95, 249-53 12

860 [New guidelines for treatment of hypertension]. **2005**, 46, 538-47 3

859 Efficacy and safety of combination therapy using high- or low-dose hydrochlorothiazide with valsartan or other Angiotensin-receptor blockers. **2005**, 22, 263-77 7

858 Can we justify goal blood pressure of . **2005**, 7, 257-64 7

857 Antihypertensive drugs and incidence of type 2 diabetes: evidence and implications for clinical practice. **2005**, 7, 314-22 20

856 Hypertension control: results from the Diabetes Care Program of Nova Scotia registry and impact of changing clinical practice guidelines. **2005**, 4, 11 2

855 Self monitoring of high blood pressure. **2005**, 331, 466-7 2

854 Hypertension surveillance in Canada: minimum standards for assessing blood pressure in surveys. **2005**, 96, 217-20 21

853 Targets and self monitoring in hypertension: randomised controlled trial and cost effectiveness analysis. **2005**, 331, 493 94

852 Adherence to antihypertensive treatment: a critical factor for blood pressure control. *European Journal of Cardiovascular Prevention and Rehabilitation*, **2005**, 12, 243-249 26

851	Role of microalbuminuria in the assessment of cardiovascular risk in essential hypertension. <b>2005</b> , 16 Suppl 1, S39-41	17
850	[Results of the "Health Program Hypertension" of the German Health Insurance (DKV)]. <b>2005</b> , 130, 2628-30	1
849	Blood pressure control and risk of stroke: a population-based prospective cohort study. <b>2005</b> , 36, 725-30	119
848	The Canadian Hypertension Education Program (CHEP) recommendations: launching a new series. <b>2005</b> , 173, 508-9	9
847	Warum lassen sich Hausärzte so leicht der Vernachlässigung in der Patientenversorgung überführen? - Berechtigte Kritik oder Missverständnis des Faches. <b>2005</b> , 81, 397-404	0
846	How can we improve the effectiveness of treatment in elderly hypertensives?. <b>2005</b> , 2, 46-9	11
845	Epidemiology and prevention of arterial hypertension in Poland. <b>2005</b> , 2, 10-6	19
844	Epidemiology of uncontrolled hypertension in the United States. <b>2005</b> , 112, 1651-62	248
843	Importance of controlling blood pressure. <b>2005</b> , 8 Suppl 3, 13-8	3
842	Clinical use and pathogenetic basis of laboratory tests for the evaluation of primary arterial hypertension. <b>2005</b> , 42, 393-452	4
841	Novel approach to examining first cardiovascular events after hypertension onset. <i>Hypertension</i> , <b>2005</b> , 45, 39-45	8.5 43
840	Hypertension prevalence, awareness, treatment, and control in an adult type 1 diabetes population and a comparable general population. <b>2005</b> , 28, 301-6	108
839	Hypertension management: the primary care nursing role. <b>2005</b> , 10, 128-32	5
838	Hipertensión arterial refractaria verdadera. Estudio de prevalencia en una consulta hospitalaria. <b>2005</b> , 22, 189-194	2
837	Epidemiología de la hipertensión arterial en España. Situación actual y perspectivas. <b>2005</b> , 22, 353-362	46
836	Terapia combinada en el manejo de la hipertensión arterial esencial. <b>2005</b> , 22, 1-4	44
835	La hipertensión en atención primaria: ¿conocemos la magnitud del problema y actuamos en consecuencia?. <b>2005</b> , 58, 338-340	3
834	Cuff-less and noninvasive measurements of arterial blood pressure by pulse transit time. <b>2005</b> , 2005, 5877-80	168

833	Terapia combinada en el manejo de la hipertensi3n arterial esencial. <b>2005</b> , 22, 1-4	
832	Hipertensi3n arterial refractaria verdadera. Estudio de prevalencia en una consulta hospitalaria. <b>2005</b> , 22, 189-194	
831	Epidemiolog3a de la hipertensi3n arterial en Espa1a. Situaci3n actual y perspectivas. <b>2005</b> , 22, 353-362	
830	Hypertensive retinopathy revisited: some answers, more questions. <b>2005</b> , 89, 1646-54	74
829	Improving blood pressure control by tailored feedback to patients and clinicians. <b>2005</b> , 149, 795-803	31
828	Self-reported hypertension treatment beliefs and practices of primary care physicians in a managed care organization. <b>2005</b> , 18, 566-71	20
827	A home blood pressure monitoring study comparing the antihypertensive efficacy of two angiotensin II receptor antagonist fixed combinations. <b>2005</b> , 18, 1482-8	39
826	Self-monitoring of blood pressure in primary care: is it useful?. <b>2005</b> , 18, 1421	1
825	Control de la hipertensi3n arterial en la poblaci3n espa1ola 65 a1os asistida en atenci3n primaria. <b>2005</b> , 58, 359-366	28
824	Ramipril/felodipine extended-release fixed-dose combination: a review of its use in the management of essential hypertension. <b>2005</b> , 65, 1851-68	5
823	Hypertension in Primary Care. Are We Aware of the Magnitude of the Problem and Are We Managing It Properly?. <b>2005</b> , 58, 338-340	
822	Control of Hypertension in Elderly Patients Receiving Primary Care in Spain. <b>2005</b> , 58, 359-366	
821	Management of hypertension and hypercholesterolaemia in primary care in The Netherlands. <b>2005</b> , 21, 839-48	15
820	Use of nifedipine in the treatment of hypertension. <b>2005</b> , 3, 43-50	9
819	Papel de la enfermer3a en las recomendaciones higi3nico-diet3ticas de los pacientes. <b>2006</b> , 24, 62-65	
818	High blood pressure despite treatment: results from a cross-sectional primary healthcare-based study in southern Sweden. <b>2006</b> , 24, 224-30	22
817	The Canadian Hypertension Education Program--a unique Canadian initiative. <b>2006</b> , 22, 559-64	54
816	Controversies in hypertension. <b>2006</b> , 367, 168-76	118

815	Nitric oxide in hypertension. <b>2006</b> , 8, 17-29		193
814	Population-based assessment of subclinical coronary atherosclerosis using electron-beam computed tomography. <b>2006</b> , 185, 177-82		107
813	Efficacy and tolerability of the perindopril/indapamide combination therapy for hypertension: the PRIMUS study. <b>2006</b> , 22, 1849-58		3
812	Management of hypertension. <b>2006</b> , 34, 290-295		1
811	Valsartan/hydrochlorothiazide: a review of its use in the management of hypertension. <b>2006</b> , 66, 1881-901		28
810	Control of high blood pressure in primary health care. <b>2006</b> , 19, 146		5
809	Efficacy and safety of coadministered amlodipine and atorvastatin in patients with hypertension and dyslipidemia: results of the AVALON trial. <b>2006</b> , 8, 571-81; quiz 582-3		41
808	Can combining different risk interventions into a single formulation contribute to improved cardiovascular disease risk reduction? Rationale and design for an international, open-label program to assess the effectiveness of a single pill (amlodipine/atorvastatin) to attain recommended target levels for blood pressure and lipids (The JEWELL Program). <b>2006</b> , 110, 242-50		23
807	Rural and urban differences in blood pressure and hypertension in Ghana, West Africa. <b>2006</b> , 120, 525-33		151
806	Effects of Aging and Hypertension on the Microcirculation. <i>Hypertension</i> , <b>2006</b> , 47, 968-974	8.5	13
805	Managing hypertension in high-risk patients: lessons and promises from the STRATHE and ADVANCE trials. <i>Journal of Hypertension</i> , <b>2006</b> , 24, S19-27	1.9	10
804	Success in control of hypertension in a low-resource setting: the Cuban experience. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 845-9	1.9	35
803	Cardiovascular disease and associated risk factors in Cuba: prospects for prevention and control. <b>2006</b> , 96, 94-101		32
802	Estimated risk of a first stroke and conditioning factors in Spanish hypertensive women. The RIMH study. <b>2006</b> , 15, 237-44		7
801	Discontinuation of antihypertensive drugs among newly diagnosed hypertensive patients in UK general practice. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 1193-200	1.9	117
800	Effects of aging and hypertension on the microcirculation. <i>Hypertension</i> , <b>2006</b> , 47, 968-74	8.5	49
799	Regional disparities of hypertension prevalence and management within Germany. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 293-9	1.9	104
798	Differential persistence with initial antihypertensive therapies: a clue for understanding the needs of hypertensive patients. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 1021-2	1.9	2

797	Characteristics of resistant hypertension determined by self-measured blood pressure at home and office blood pressure measurements: the J-HOME study. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 1737-43	1.9	61
796	Home is where the heart (and prevention of heart disease) is. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 2345-6	1.9	1
795	Factors associated with hypertension awareness, treatment, and control in Ghana, West Africa. <b>2006</b> , 20, 67-71		104
794	Adherence to antihypertensive medication and association with patient and practice factors. <b>2006</b> , 20, 295-7		51
793	Treatment and control of hypertension in Turkish population: a survey on high blood pressure in primary care (the TURKSAHA study). <b>2006</b> , 20, 355-61		11
792	Influence of antihypertensive therapy and blood pressure control on left ventricular geometry and function in subjects with type II diabetes: The Augsburg Diabetes Family Study. <b>2006</b> , 20, 757-64		4
791	Meeting report on the Bellagio Conference 'prevention of vascular diseases in the emerging world: An approach to global health equity'. <b>2006</b> , 70, 1397-402		10
790	[Epidemiology of hypertension in Germany and worldwide]. <b>2006</b> , 31, 287-93		19
789	[Morbidity and health in old age. A challenge for prevention and health care]. <b>2006</b> , 49, 537-46		12
788	Renin-inhibitor Aliskiren als Antihypertensivum. <b>2006</b> , 1, 149-156		
787	The enigma of hypertensive ESRD: observations on incidence and trends in 18 European, Canadian, and Asian-Pacific populations, 1998 to 2002. <b>2006</b> , 48, 183-91		11
786	[Modern antihypertensive therapy in the light of arterial vascular function]. <b>2006</b> , 131, 2610-5		1
785	Smoking status, obesity and hypertension in a general population sample: a cross-sectional study. <b>2006</b> , 99, 407-15		22
784	Physicians, patients, and public knowledge and perception regarding hypertension and stroke: a review of survey studies. <b>2006</b> , 22, 1319-30		16
783	Blood pressure reduction with olmesartan in mild-to-moderate essential hypertension: a planned interim analysis of an open label sub-study in German patients. <b>2006</b> , 22, 1375-80		2
782	Factors influencing the decision to start drug treatment in hypertension. A questionnaire study comparing general practitioners and hypertension specialists in Denmark. <b>2006</b> , 15, 207-12		5
781	Microalbuminuria In Primary Hypertension. <b>2006</b> , 2, 11-19		2
780	Stroke among male professional drivers in Denmark, 1994-2003. <b>2006</b> , 63, 456-60		35

779	New hypertension guidelines from the National Institute for Health and Clinical Excellence and the British Hypertension Society. <b>2006</b> , 7, 61-3	62
778	Blood pressure lowering for primary and secondary prevention of stroke. <i>Hypertension</i> , <b>2006</b> , 48, 187-958.5	87
777	Targeting hypertension with valsartan: Lessons learned from the Valsartan/HCTZ versus Amlodipine in stage II hypertensive patients (VAST) trial. <b>2006</b> , 7 Suppl 1, S8-11	3
776	Are current therapies for hypertension achieving their goal?. <b>2006</b> , 7, S3	
775	Blood pressure categories and cardiovascular risk factors in Japan: the Jichi Medical School (JMS) Cohort Study. <b>2007</b> , 30, 643-9	9
774	Drug treatment discontinuation and achievement of target blood pressure and cholesterol in United Kingdom primary care. <b>2007</b> , 23, 2765-74	6
773	Socio-economic status and the therapeutic effectiveness of antihypertensive treatment--the design of the LEO study. <b>2007</b> , 23, 1987-95	7
772	Hypertension. <b>2007</b> ,	
771	Efficacy and safety of valsartan 160/HCTZ 25 mg in fixed combination in hypertensive patients not controlled by candesartan 32 mg plus HCTZ 25 mg in free combination. <b>2007</b> , 23, 2877-85	19
770	Epidemiology of Hypertension. <b>2007</b> , 3-14	
769	Attitudes to and application of the concept of overall cardiovascular risk: comparison of male and female primary care providers. <b>2007</b> , 21, 359-65	1
768	Hypertension in an urban population--who is treated with what and how well?. <b>2007</b> , 21, 323-6	
767	Hypertension in sub-saharan Africa: a systematic review. <i>Hypertension</i> , <b>2007</b> , 50, 1012-8	8.5 403
766	Effect of general practitioner education on adherence to antihypertensive drugs: cluster randomised controlled trial. <b>2007</b> , 335, 1030	52
765	Enhanced cardiovascular morbidity and mortality during rhythm control treatment in persistent atrial fibrillation in hypertensives: data of the RACE study. <b>2007</b> , 28, 741-51	34
764	Decreasing association between body mass index and blood pressure over time. <b>2007</b> , 18, 493-500	34
763	Antihypertensive drugs in combination: additive or greater than additive?. <b>2007</b> , 21, 914-6	15
762	Outpatient hypertension treatment, treatment intensification, and control in Western Europe and the United States. <b>2007</b> , 167, 141-7	203



761	Awareness, treatment and control of hypertension in Denmark. The Inter99 study. <b>2007</b> , 16, 312-9		21
760	Persistence of treatment and blood pressure control in elderly hypertensive patients treated with different classes of antihypertensive drugs. <b>2007</b> , 16, 280-6		17
759	Differences in blood pressure control and stroke mortality across Spain: the Prevenci3n de Riesgo de Ictus (PREV-ICTUS) study. <i>Hypertension</i> , <b>2007</b> , 49, 799-805	8.5	46
758	Amlodipine and valsartan: calcium channel blockers/angiotensin II receptor blockers combination for hypertension. <b>2007</b> , 4, 31-40		17
757	Effectiveness of blood pressure control outside the medical setting. <i>Hypertension</i> , <b>2007</b> , 49, 62-8	8.5	142
756	Lack of effect of guideline changes on hypertension control for patients with diabetes in the U.S., 1995-2005. <b>2007</b> , 30, 49-52		5
755	The Relevance of Long-Term Adherence to Non-Pharmacological and Pharmacological Treatment of Hypertension. <b>2007</b> , 3, 203-207		0
754	Using public health indicators to measure the success of hypertension control. <i>Hypertension</i> , <b>2007</b> , 49, 773-4	8.5	20
753	Rates and determinants of reinitiating antihypertensive therapy after prolonged stoppage: a population-based study. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 689-97	1.9	11
752	The future of antihypertensive treatment. <b>2007</b> , 14, 121-34		51
751	Trends in prevalence, awareness, treatment and control of hypertension in urban communities in Chile. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 1807-11	1.9	26
750	Association of suboptimal blood pressure control with body size and metabolic abnormalities. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 2296-300	1.9	37
749	Pharmacokinetics, safety, and tolerability of the novel oral direct renin inhibitor aliskiren in elderly healthy subjects. <b>2007</b> , 47, 453-60		41
748	Do we need out-of-office blood pressure in every patient?. <b>2007</b> , 22, 321-8		15
747	Renin inhibition with aliskiren provides additive antihypertensive efficacy when used in combination with hydrochlorothiazide. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 217-26	1.9	218
746	Getting into a healthy 'CV success zone': effective strategies to prevent CVD. <b>2007</b> , 9, B4-B7		2
745	Blood pressure is the most important cause of death and disability in the world. <b>2007</b> , 9, B23-B28		28
744	Prevalence, treatment, and control of hypertension in primary care: gaps, trends, and opportunities. <b>2007</b> , 9, 28-35		22

743	Amlodipine and valsartan combined and as monotherapy in stage 2, elderly, and black hypertensive patients: subgroup analyses of 2 randomized, placebo-controlled studies. <b>2007</b> , 9, 355-64	77
742	The efficacy and safety of initial use of irbesartan/hydrochlorothiazide fixed-dose combination in hypertensive patients with and without high cardiovascular risk. <b>2007</b> , 9, 23-30	13
741	Emerging insights in the first-step use of antihypertensive combination therapy. <b>2007</b> , 9, 5-14	5
740	Mobile phone-based remote patient monitoring system for management of hypertension in diabetic patients. <b>2007</b> , 20, 942-8	167
739	Benefits of First-Line Combination of Perindopril and Indapamide in Clinical Practice for Patients With Hypertension and Diabetes. <b>2007</b> , 20, S9-S14	4
738	Tolerability and blood pressure-lowering efficacy of the combination of amlodipine plus valsartan compared with lisinopril plus hydrochlorothiazide in adult patients with stage 2 hypertension. <b>2007</b> , 29, 279-89	82
737	Two multicenter, 8-week, randomized, double-blind, placebo-controlled, parallel-group studies evaluating the efficacy and tolerability of amlodipine and valsartan in combination and as monotherapy in adult patients with mild to moderate essential hypertension. <b>2007</b> , 29, 563-80	208
736	Analyzing international prescribing patterns and medication use: an approach to assisting in the improvement of health care quality and patient outcomes. <b>2007</b> , 29, 936-938	1
735	Hypertension in people with diabetes in sub-Saharan Africa: revealing the hidden face of the iceberg. <b>2007</b> , 77, 293-9	39
734	A specific training on hypertension guidelines improves blood pressure control by more than 10% in hypertensive patients: the VALNORM study. <b>2007</b> , 1, 278-85	7
733	Effects of a fixed combination of perindopril and indapamide on macrovascular and microvascular outcomes in patients with type 2 diabetes mellitus (the ADVANCE trial): a randomised controlled trial. <b>2007</b> , 370, 829-40	1521
732	The 2007 Canadian Hypertension Education Program recommendations for the management of hypertension: part 1- blood pressure measurement, diagnosis and assessment of risk. <b>2007</b> , 23, 529-38	49
731	Telemanagement of hypertension: a qualitative assessment of patient and physician preferences. <b>2007</b> , 23, 591-4	22
730	Clinical practice and recent recommendations in hypertension management--reporting a gap in a global survey of 1259 primary care physicians in 17 countries. <b>2007</b> , 23, 783-91	47
729	Persistence on treatment and blood pressure control with different first-line antihypertensive treatments: a prospective evaluation. <b>2007</b> , 29, 553-62	16
728	Risk factor control in treated hypertensives from Estonia and Sweden. Why the difference?. <b>2007</b> , 16, 301-4	5
727	A randomized, placebo-controlled trial to evaluate the efficacy, safety, and pharmacodynamic interaction of coadministered amlodipine and atorvastatin in 1660 patients with concomitant hypertension and dyslipidemia: the respond trial. <b>2007</b> , 47, 1555-69	43
726	Awareness of hypertension guidelines in primary healthcare in Poland. <b>2007</b> , 16, 320-7	3

725	Predictors of acute myocardial infarction mortality in hypertensive patients treated in primary care: a population-based follow-up study in the Skaraborg Project. <b>2007</b> , 25, 237-43	6
724	Electronic pillboxes (MEMS) to assess the relationship between medication adherence and blood pressure control in primary care. <b>2007</b> , 25, 202-7	22
723	Aliskiren: a review of its use in the management of hypertension. <b>2007</b> , 67, 1767-92	82
722	Efficacy and tolerability of olmesartan medoxomil in patients with mild to moderate essential hypertension: the OLMEBEST Study. <b>2007</b> , 27, 545-58	32
721	BP goal achievement in patients with uncontrolled hypertension : results of the treat-to-target post-marketing survey with irbesartan. <b>2007</b> , 27, 783-96	6
720	Self-measurement and self-titration in hypertension: a pilot telemedicine study. <b>2007</b> , 20, 1314-20	51
719	Antihypertensive efficacy of indapamide SR in hypertensive patients uncontrolled with a background therapy: the NATIVE study. <b>2007</b> , 23, 2929-36	11
718	Genetics of Hypertension. <b>2007</b> , 15-24	
717	Regional Differences in Blood Pressure in Developed Countries. <b>2007</b> , 31-39	
716	Sticky knowledge: a possible model for investigating implementation in healthcare contexts. <b>2007</b> , 2, 44	48
715	A quasi-experimental test of an intervention to increase the use of thiazide-based treatment regimens for people with hypertension. <b>2007</b> , 2, 5	6
714	Adherence to chronic cardiovascular therapies: persistence over the years and dose coverage. <b>2007</b> , 63, 346-55	28
713	The need for combination antihypertensive therapy to reach target blood pressures: what has been learned from clinical practice and morbidity-mortality trials?. <b>2007</b> , 61, 1592-602	24
712	Under-diagnosis of common chronic diseases: prevalence and impact on human health. <b>2007</b> , 61, 1569-79	43
711	Blood pressure reduction and cardiovascular outcomes: past, present, and future. <b>2007</b> , 100, 3J-9J	42
710	Antihypertensive therapy in the presence of proteinuria. <b>2007</b> , 49, 12-26	475
709	Efficacy and tolerability of lercanidipine in patients with hypertension: results of a Phase IV study in general practice. <b>2007</b> , 8, 2215-23	11
708	Genetics of arterial hypertension and hypotension. <b>2007</b> , 374, 429-69	28

707	Prescribing pattern of antihypertensive drugs in primary care units in Turkey: results from the TURKSAHA study. <b>2007</b> , 63, 397-402	15
706	[External control in medicine. Sense or nonsense]. <b>2007</b> , 48 Suppl 1, S26-34	
705	Progress In Practice UKCPA Residential Symposium. <b>2007</b> , 29, 240-277	1
704	The importance of managing hypertension and dyslipidemia to decrease cardiovascular disease. <b>2007</b> , 21, 297-309	37
703	Effect of a milk drink supplemented with whey peptides on blood pressure in patients with mild hypertension. <b>2007</b> , 46, 21-7	91
702	Deutsche Leitlinie zur Rehabilitation von Patienten mit Herz-Kreislaufkrankungen (DLL-KardReha). <b>2007</b> , 2, 1-54	24
701	Literature alert. <b>2007</b> , 9, 253-256	
700	Blood pressure control and stroke mortality across populations. <b>2007</b> , 9, 440-1	0
699	How can we promote medication adherence and lifestyle changes in hypertensive patients?. <b>2008</b> , 72, 1-2	7
698	Effective and safe reduction of blood pressure with the combination of amlodipine 5 mg and valsartan 160 mg in hypertensive patients not controlled by calcium channel blocker monotherapy. <b>2008</b> , 25, 399-411	25
697	The cost of treating high blood pressure in general practice in France. <b>2008</b> , 9, 229-36	8
696	Qualitätsmanagement in der Intensivmedizin. <b>2008</b> , 45, 1-11	2
695	Historie des Qualitätsmanagements. <b>2008</b> , 45, 171-181	3
694	CRISTOPH - a cluster-randomised intervention study to optimise the treatment of patients with hypertension in General Practice. <b>2008</b> , 9, 33	4
693	Long-term use of antihypertensive drugs and risk of cancer. <b>2008</b> , 17, 1039-49	58
692	The economic consequences of noncompliance in cardiovascular disease and related conditions: a literature review. <b>2008</b> , 62, 338-51	67
691	A novel programme to evaluate and communicate 10-year risk of CHD reduces predicted risk and improves patients' modifiable risk factor profile. <b>2008</b> , 62, 1484-98	41
690	Prevalence and treatment of isolated and concurrent hypertension and hypercholesterolaemia in the United Kingdom. <b>2008</b> , 65, 775-86	19

689	Antihypertensive medication prescription patterns and time trends for newly-diagnosed uncomplicated hypertension patients in Taiwan. <b>2008</b> , 8, 133	37
688	Hypertension among adults in a deprived urban area of Peru - undiagnosed and uncontrolled?. <b>2008</b> , 1, 2	10
687	State of hypertension management in the United States: confluence of risk factors and the prevalence of resistant hypertension. <b>2008</b> , 10, 130-9	78
686	Efficacy of the combination of amlodipine and valsartan in patients with hypertension uncontrolled with previous monotherapy: the Exforge in Failure after Single Therapy (EX-FAST) study. <b>2008</b> , 10, 185-94	88
685	Telmisartan/Hydrochlorothiazide: a review of its use as fixed-dose combinations in essential hypertension. <b>2008</b> , 68, 1877-99	13
684	Perindopril for control of blood pressure in patients with hypertension and other cardiovascular risk factors: an open-label, observational, multicentre, general practice-based study. <b>2008</b> , 28, 673-86	14
683	Eplerenona en la disfunci3n cardiorrenal y bloqueo del sistema renina-angiotensina-aldosterona. <b>2008</b> , 29, 21-28	
682	Resistant hypertension: an overview of evaluation and treatment. <b>2008</b> , 52, 1749-57	253
681	Combination of amlodipine 10 mg and valsartan 160 mg lowers blood pressure in patients with hypertension not controlled by an ACE inhibitor/CCB combination. <b>2008</b> , 2, 13-21	7
680	Efficacy and tolerability of combination therapy with valsartan/hydrochlorothiazide in the initial treatment of severe hypertension. <b>2008</b> , 24, 2303-11	15
679	Effectiveness of antihypertensive treatment in patients with chronic kidney disease. <b>2008</b> , 18, 134-9	4
678	Is the use of ABPM justified in patients on 1 or 2 antihypertensive medications?. <b>2008</b> , 125, 118-9	
677	Controlling hypertension from a public health perspective. <b>2008</b> , 127, 151-6	11
676	Cedrelopsis grevei improves endothelial vasodilatation in aged rats through an increase of NO participation. <b>2008</b> , 117, 76-83	9
675	An adherence self-report questionnaire facilitated the differentiation between nonadherence and nonresponse to antihypertensive treatment. <b>2008</b> , 61, 282-8	55
674	Hypertension awareness, treatment, and control in chronic kidney disease. <b>2008</b> , 121, 332-40	194
673	Gender differences in office and ambulatory control of hypertension. <b>2008</b> , 121, 1078-84	26
672	The importance of prompt blood pressure control. <b>2008</b> , 10, 13-9	7

671	What factors contribute to the inadequate control of elevated blood pressure?. <b>2008</b> , 10, 20-6	82	
670	Combined therapy with a calcium channel blocker and an angiotensin II type 1 receptor blocker. <b>2008</b> , 10, 27-32	40	
669	Risk-based classification of hypertension and the role of combination therapy. <b>2008</b> , 10, 4-12	18	
668	Impact of electronic monitoring of drug adherence on blood pressure control in primary care: a cluster 12-month randomised controlled study. <b>2008</b> , 19, 427-34	51	
667	Efficacy and safety of amlodipine/valsartan compared with amlodipine monotherapy in patients with stage 2 hypertension: a randomized, double-blind, multicenter study: the EX-EFFeCTS Study. <b>2008</b> , 2, 294-302	58	
666	The 2008 Canadian Hypertension Education Program recommendations for the management of hypertension: Part 1 - blood pressure measurement, diagnosis and assessment of risk. <b>2008</b> , 24, 455-63	36	
665	Trends in antihypertensive drug prescriptions and physician visits in Canada between 1996 and 2006. <b>2008</b> , 24, 507-12	50	
664	Management of hypertension in elderly long-term care residents. <b>2008</b> , 24, 912-4	9	
663	Medida de la presi3n arterial y control de la hipertensi3n. <b>2008</b> , 131, 339-340	0	
662	Quality of life in hypertension management using olmesartan in primary care. <b>2008</b> , 9, 1641-53	11	
661	Public health value of fixed-dose combinations in hypertension. <b>2008</b> , 17, 5-14	6	
660	Gender differences in hypertension treatment, drug utilization patterns, and blood pressure control among US adults with hypertension: data from the National Health and Nutrition Examination Survey 1999-2004. <b>2008</b> , 21, 789-98	156	
659	Barriers to adherence to hypertension guidelines among GPs in southern Sweden: a survey. <b>2008</b> , 26, 154-9	40	
658	Prevalence, awareness, treatment, and risk factors associated with hypertension in the Iranian population: the national survey of risk factors for noncommunicable diseases of Iran. <b>2008</b> , 21, 620-6	104	
657	Effect of board certification on antihypertensive treatment intensification in patients with diabetes mellitus. <b>2008</b> , 117, 623-8	60	
656	Response to Gender and Blood Pressure Control. <i>Hypertension</i> , <b>2008</b> , 51,	8.5	
655	Vascular remodeling and duration of hypertension predict outcome of adrenalectomy in primary aldosteronism patients. <i>Hypertension</i> , <b>2008</b> , 51, 1366-71	8.5	165
654	Long-term predictors of increased mortality risk in screened men with new hypertension; the Malmo preventive project. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 2288-94	1.9	6

653	Screening, treatment, and control of hypertension in US private physician offices, 2003-2004. <i>Hypertension</i> , <b>2008</b> , 51, 1275-81	8.5	38
652	Prescribing practices and morning blood pressure control: results of a large-scale, primary-care study conducted in Germany. <b>2008</b> , 22, 295-7		7
651	Prevalence and treatment of hypertensive patients with multiple concomitant cardiovascular risk factors in The Netherlands and Italy. <b>2008</b> , 22, 704-13		8
650	Hypertension in Mexico and among Mexican Americans: prevalence and treatment patterns. <b>2008</b> , 22, 617-26		29
649	Current status and characteristics of hypertension treatment by primary physicians in Korea: data from Korean epidemiology study on hypertension (KEY study). <b>2008</b> , 21, 884-9		26
648	Hypertension confirmation and blood pressure control rates in epidemiological surveys. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2008</b> , 15, 263-9		4
647	Amlodipine reduces predicted risk of coronary heart disease in high-risk patients with hypertension in Spain (The CORONARIA Study). <b>2008</b> , 36, 1399-417		1
646	Prevalence and pattern of hypertension in a semiurban community in Nigeria. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2008</b> , 15, 683-7		61
645	Blood pressure and risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <b>2008</b> , 167, 438-46		134
644	Olmesartan for the treatment of arterial hypertension. <b>2008</b> , 4, 357-72		8
643	Continued high risk of stroke in treated hypertensives in a general population: the Jichi Medical School Cohort study. <b>2008</b> , 31, 1125-33		7
642	Efficacy and safety of long-term losartan therapy demonstrated by a prospective observational study in Japanese patients with hypertension: The Japan Hypertension Evaluation with Angiotensin II Antagonist Losartan Therapy (J-HEALTH) study. <b>2008</b> , 31, 295-304		24
641	Home blood pressure measurements associated with better blood pressure control: the J-HOME study. <b>2008</b> , 22, 197-204		18
640	Use of antihypertensive medications among United States veterans newly diagnosed with hypertension. <b>2008</b> , 24, 795-805		5
639	Comparison of monotherapy versus combination antihypertensive therapy in elderly patients with essential hypertension. <b>2008</b> , 59, 230-5		2
638	Prevalence, awareness, treatment and control of hypertension in healthy unrelated male-female pairs of European regions: the dietary habit profile in European communities with different risk of myocardial infarction—the impact of migration as a model of gene-environment interaction project. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 2303-11	1.9	43
637	Benefits of perindopril all along the cardiovascular continuum: the level of evidence. <b>2008</b> , 10, G4-G12		
636	Outpatient Hypertension Treatment, Treatment Intensification, and Control in Western Europe and the United States. <b>2008</b> , 2008, 6-7		



635	Practical solutions to the challenges of uncontrolled hypertension: a white paper. <i>Journal of Hypertension</i> , <b>2008</b> , 26, S1-14	1.9	27
634	Blood pressure in late adolescence and early incidence of coronary heart disease and stroke in the Swedish 1969 conscription cohort. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1313-20	1.9	32
633	Effect of social deprivation on blood pressure monitoring and control in England: a survey of data from the quality and outcomes framework. <b>2008</b> , 337, a2030		73
632	Increased prevalence of metabolic syndrome in uncontrolled hypertension across Europe: the Global Cardiometabolic Risk Profile in Patients with hypertension disease survey. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 2064-70	1.9	62
631	Anthropometric and dietary determinants of blood pressure in over 7000 Mediterranean women: the European Prospective Investigation into Cancer and Nutrition-Florence cohort. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 2112-20	1.9	46
630	Laboratory tests as predictors of the antihypertensive effects of amlodipine, bisoprolol, hydrochlorothiazide and losartan in men: results from the randomized, double-blind, crossover GENRES Study. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1250-6	1.9	25
629	Comparative efficacy and safety of aliskiren, an oral direct renin inhibitor, and ramipril in hypertension: a 6-month, randomized, double-blind trial. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 589-99	1.9	120
628	A cross-national study of the persistence of antihypertensive medication use in the elderly. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 145-53	1.9	37
627	Discontinuation of and changes in drug therapy for hypertension among newly-treated patients: a population-based study in Italy. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 819-24	1.9	156
626	Risk factors associated with uncontrolled hypertension: findings from the baseline CARMEN survey in Cienfuegos, Cuba. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 663-71	1.9	12
625	Depression and cardiovascular risk: does blood pressure play a role?. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1738-9	1.9	17
624	Altered blood pressure progression in the community and its relation to clinical events. <b>2008</b> , 168, 1450-7		6
623	Health and Clinical Management - From Hospital to Home Patient Care Management. <b>2008</b> , 17, 29-32		
622	Renin inhibition with aliskiren in hypertension: focus on aliskiren/hydrochlorothiazide combination therapy. <i>Vascular Health and Risk Management</i> , <b>2008</b> , 4, 1205-20	4.4	13
621	Ambulatory blood pressure monitoring in the community: Increasing access and choice. <b>2008</b> , 3, 211-216		
620	Blood pressure goal achievement with olmesartan medoxomil-based treatment: additional analysis of the OLMEBEST study. <i>Vascular Health and Risk Management</i> , <b>2009</b> , 5, 723-9	4.4	4
619	Management of hypertension with fixed dose combinations of candesartan cilexetil and hydrochlorothiazide: patient perspectives and clinical utility. <i>Vascular Health and Risk Management</i> , <b>2009</b> , 5, 1043-58	4.4	9
618	Fixed combination of irbesartan and hydrochlorothiazide in the management of hypertension. <i>Vascular Health and Risk Management</i> , <b>2009</b> , 5, 213-24	4.4	19



617	Role of ARBs in the blood hypertension therapy and prevention of cardiovascular events. <b>2009</b> , 10, 20-5	14
616	Health-related quality of life and blood pressure control in hypertensive patients with and without complications. <b>2009</b> , 64, 619-28	28
615	Factors associated with compliance, discontinuation and switching of calcium channel blockers in 20,156 Chinese patients. <b>2009</b> , 22, 904-10	24
614	Antihypertensive efficacy of telmisartan vs ramipril over the 24-h dosing period, including the critical early morning hours: a pooled analysis of the PRISMA I and II randomized trials. <b>2009</b> , 23, 610-9	28
613	Prevalence, awareness, treatment and control of high blood pressure in a Swiss city general population: the CoLaus study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2009</b> , 16, 66-72	47
612	Continued improvement in hypertension management in England: results from the Health Survey for England 2006. <i>Hypertension</i> , <b>2009</b> , 53, 480-6	8.5 159
611	Awareness and pharmacotherapy of hypertension in a rural community. <b>2009</b> , 18, 261-5	5
610	Targeting blood pressure in the management of total cardiovascular risk. <b>2009</b> , 11, F27-F32	2
609	Standardized arrangement for a guideline-driven treatment of the metabolic syndrome: the SAGE-METS study. <b>2009</b> , 25, 971-80	16
608	Single-pill amlodipine/atorvastatin helps patients of diverse ethnicity attain recommended goals for blood pressure and lipids (the Gemini-AALA study). <b>2009</b> , 23, 196-210	27
607	Qualität der fachärztlichen Hypertoniebehandlung   Daten aus einer internationalen Querschnittsuntersuchung. <b>2009</b> , 14, 258-263	
606	Profiles of mortality among Chinese hypertensive patients in Hong Kong: a cohort study. <b>2009</b> , 23, 735-42	3
605	Improvement of blood pressure control in a hypertension clinic in Japan: a 15-year follow-up study. <b>2009</b> , 31, 553-9	7
604	The impact of a multidisciplinary information technology-supported program on blood pressure control in primary care. <b>2009</b> , 2, 170-7	51
603	Protocol for a randomised controlled trial of telemonitoring and self-management in the control of hypertension: telemonitoring and self-management in hypertension. [ISRCTN17585681]. <b>2009</b> , 9, 6	20
602	Short-term adherence to beta-blocker therapy among ethnic Chinese patients with hypertension: a cohort study. <b>2009</b> , 31, 2170-7; discussion 2150-1	19
601	The biochemical pharmacology of renin inhibitors: implications for translational medicine in hypertension, diabetic nephropathy and heart failure: expectations and reality. <b>2009</b> , 78, 933-40	48
600	Diverging trends in cardiovascular morbidity and mortality in a low risk population. <b>2009</b> , 24, 415-23	18

599	Hypertension in Ireland: public awareness and doctors choice of therapy. <b>2009</b> , 178, 413-7	2
598	Discussing coronary risk with patients to improve blood pressure treatment: secondary results from the CHECK-UP study. <b>2009</b> , 24, 33-9	22
597	Cognitive health among older adults in the United States and in England. <b>2009</b> , 9, 23	56
596	Blood pressure reduction, persistence and costs in the evaluation of antihypertensive drug treatment--a review. <b>2009</b> , 8, 18	56
595	Better adherence to antihypertensive agents and risk reduction of chronic heart failure. <b>2009</b> , 266, 207 - 18	57
594	Issues in blood pressure control and the potential role of single-pill combination therapies. <b>2009</b> , 63, 790-8	42
593	Use of intravenous sedation in the management of patients with high blood pressure. <b>2009</b> , 2, 116-125	4
592	A Validated RPIC Method for Simultaneous Determination of Losartan Potassium and Amlodipine Besilate in Pharmaceutical Preparations. <b>2009</b> , 69, 201-206	5
591	High blood pressure in Latin America: a call to action. <b>2009</b> , 3, 259-85	18
590	Age- and gender-specific awareness, treatment, and control of cardiovascular risk factors and subclinical vascular lesions in a founder population: the SardiNIA Study. <b>2009</b> , 19, 532-41	36
589	Coronary heart disease benefits from blood pressure and lipid-lowering. <b>2009</b> , 135, 218-22	6
588	Knowledge and perceptions about hypertension among neo- and settled-migrants in Delhi, India. <b>2009</b> , 4, 119-129	6
587	Situaci3n actual del control global de los factores de riesgo cardiovascular. <b>2009</b> , 26, 28-36	0
586	Improving hypertension management in the UK. <b>2009</b> , 26, 112-115	
585	Is it time to review the treatment strategies in hypertension guidelines?. <b>2009</b> , 26, 151-156	
584	Efficacy and safety of a stepped-care regimen using olmesartan medoxomil, amlodipine and hydrochlorothiazide in patients with moderate-to-severe hypertension: an open-label, long-term study. <b>2009</b> , 29, 381-91	39
583	Olmesartan medoxomil plus amlodipine increases efficacy in patients with moderate-to-severe hypertension after monotherapy: a randomized, double-blind, parallel-group, multicentre study. <b>2009</b> , 29, 427-439	37
582	Efficacy and tolerability of olmesartan medoxomil combined with amlodipine in patients with moderate to severe hypertension after amlodipine monotherapy: a randomized, double-blind, parallel-group, multicentre study. <b>2009</b> , 29, 11-25	69

581	Eprosartan: a review of its use in hypertension. <b>2009</b> , 69, 2477-99		15
580	Fixed-dose combinations as initial therapy for hypertension: a review of approved agents and a guide to patient selection. <b>2009</b> , 69, 1761-76		16
579	Cardiovascular disease, diabetes and established risk factors among populations of sub-Saharan African descent in Europe: a literature review. <b>2009</b> , 5, 7		113
578	Management of cardiovascular risk with RAS inhibitor/CCB combination therapy. <b>2009</b> , 23, 77-85		13
577	Trends in Prescription and Determinants of Persistence to Antihypertensive Therapy : The PAPEETE Study. <b>2009</b> , 16, 167-76		4
576	Fixed-combination therapies in hypertension management: focus on enalapril/lercanidipine. <b>2009</b> , 7, 115-23		11
575	Long-term tolerability and efficacy of the combination of amlodipine/valsartan in hypertensive patients: a 54-week, open-label extension study. <b>2009</b> , 25, 187-93		7
574	Efficacy and tolerability of amlodipine/valsartan combination therapy in hypertensive patients not adequately controlled on amlodipine monotherapy. <b>2009</b> , 25, 2655-62		20
573	Are high-risk hypertensive patients being prescribed concomitant statin therapy?: a retrospective cohort study. <b>2009</b> , 9, 299-308		5
572	[From clinical observation to assessment of practices: guidelines for hypertension management]. <b>2009</b> , 5 Suppl 4, S240-5		1
571	International open-label studies to assess the efficacy and safety of single-pill amlodipine/atorvastatin in attaining blood pressure and lipid targets recommended by country-specific guidelines: the JEWEL programme. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2009</b> , 16, 472-80		12
570	The 2009 Canadian Hypertension Education Program recommendations for the management of hypertension: Part 1--blood pressure measurement, diagnosis and assessment of risk. <b>2009</b> , 25, 279-86		57
569	Control de la presi3n arterial en una poblaci3n hipertensa espa3ola [65 a3os asistida en Atenci3n Primaria. Datos del estudio PRESCAP 2006. <b>2009</b> , 35, 426-434		4
568	Impact of supportive measures on drug adherence in patients with essential hypertension treated with valsartan: the randomized, open-label, parallel group study VALIDATE. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 894-901	1.9	22
567	Prevalence, awareness and treatment of hypertension in Finland during 1982-2007. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1552-9	1.9	59
566	Differential risks of stroke in pharmacotherapy on uncomplicated hypertensive patients?. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 174-80	1.9	7
565	Risk factors associated with hypertension awareness, treatment, and control in a multi-ethnic Asian population. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 190-7	1.9	62
564	Optimization of hypertension management: the role of angiotensin receptor blocker-calcium channel blocker combinations. <b>2009</b> , 53, 352-8		5

563	Factors associated with uncontrolled hypertension and cardiovascular risk in hypertensive 60-year-old men and women--a population-based study. <b>2009</b> , 32, 780-5		19
562	Low Life Expectancy in the United States: Is the Health Care System at Fault?. <b>2009</b> ,		16
561	Management of antihypertensive drugs in three European countries. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1917-22	1.9	20
560	Evaluation of the awareness, control and cost-effectiveness of hypertension treatment in a Brazilian city: populational study. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1900-7	1.9	23
559	Explaining the decrease in coronary heart disease mortality in Italy between 1980 and 2000. <b>2010</b> , 100, 684-92		67
558	Improving patient compliance with hypertension treatment: mission possible?. <b>2010</b> , 8, 804-7		3
557	Current place of beta-blockers in the treatment of hypertension. <b>2010</b> , 8, 733-41		22
556	Belly fat and resistant hypertension. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 1131-3	1.9	1
555	Impact of adherence to antihypertensive agents on clinical outcomes and hospitalization costs. <b>2010</b> , 48, 418-25		146
554	Acupuncture for hypertension. <b>2010</b> ,		
553	Hypertension among the Inuit from Nunavik: should we expect an increase because of obesity?. <b>2010</b> , 69, 361-72		20
552	Triple combination therapy with amlodipine, valsartan, and hydrochlorothiazide vs dual combination therapy with amlodipine and hydrochlorothiazide for stage 2 hypertensive patients. <i>Vascular Health and Risk Management</i> , <b>2010</b> , 6, 821-7	4.4	11
551	[Compliance-problems in antihypertensive therapy]. <b>2010</b> , 152, 51-2		
550	Blood pressure and antihypertensive therapy according to the global cardiovascular risk level in Italy: the CHECK Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2010</b> , 17, 562-8		4
549	Urapidil, a dual-acting antihypertensive agent: Current usage considerations. <b>2010</b> , 27, 426-43		23
548	Race, Genetics and Health: An Introduction. <b>2010</b> , 37, 1-6		2
547	Lifestyle and psychosocial risk factors predict non-adherence to medication. <b>2010</b> , 40, 228-33		59
546	Aktuelle Aspekte der Kombinationstherapie bei Hypertonie. <b>2010</b> , 4, 27-36		1

545	Baroreflex stimulation in antihypertensive treatment. <b>2010</b> , 12, 176-81		9
544	Association between adherence to calcium-channel blocker and statin medications and likelihood of cardiovascular events among US managed care enrollees. <b>2010</b> , 10, 29		33
543	EDUCORE project: a clinical trial, randomised by clusters, to assess the effect of a visual learning method on blood pressure control in the primary healthcare setting. <b>2010</b> , 10, 449		4
542	Immunization against angiotensins for the treatment of hypertension. <b>2010</b> , 134, 89-95		29
541	A global perspective on blood pressure treatment and control in a referred cohort of hypertensive patients. <b>2010</b> , 12, 666-77		64
540	Preventing Heart Failure. <b>2010</b> , 1-26		
539	Relationship impact and African American males' responses to health care practitioner recommendations. <b>2010</b> , 4, 32-38		
538	Does a colour-coded blood pressure diary improve blood pressure control for patients in general practice: the CoCo trial. <b>2010</b> , 11, 38		5
537	Evidence-based Nursing Practice for Health Promotion in Adults With Hypertension: A Literature Review. <b>2010</b> , 4, 227-45		9
536	'Multiple action fixed combination. Present or future?'. <b>2010</b> , 24, 37-42		10
535	US mortality in an international context: age variations. <b>2010</b> , 36, 749-73		42
534	Combination therapy with amlodipine/valsartan in essential hypertension: a 52-week, randomised, open-label, extension study. <b>2010</b> , 64, 1367-74		9
533	Adherence level of antihypertensive agents in coronary artery disease. <b>2010</b> , 69, 74-84		51
532	The competence of primary care doctors in the investigation of patients with elevated blood pressure: results of a cross-sectional study using clinical vignettes. <b>2010</b> , 16, 784-9		3
531	Diuretics and diabetes incidence--an appeal against the reluctance to prescribe a medication that is safe and proven. <b>2010</b> , 27, 130-5		3
530	[Control of arterial pressure in patients undergoing anti-hypertensive treatment in Brazil: Controlar Brazil]. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2010</b> , 94, 663-70	1.2	15
529	Evaluation of arterial hypertension control and treatment in daily practice of family physicians. <b>2010</b> , 46, 657		
528	Optimizing blood pressure control through the use of fixed combinations. <i>Vascular Health and Risk Management</i> , <b>2010</b> , 6, 321-5	4.4	45

527	First-line treatment of hypertension: critical appraisal of potential role of aliskiren and hydrochlorothiazide in a fixed combination. <b>2010</b> , 3, 163-70		1
526	Role of valsartan, amlodipine and hydrochlorothiazide fixed combination in blood pressure control: an update. <i>Vascular Health and Risk Management</i> , <b>2010</b> , 6, 253-60	4-4	12
525	Therapeutic inertia and control of high blood pressure in primary health care units. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2010</b> , 95, 223-8	1.2	10
524	Multicenter cluster-randomized trial of a multifactorial intervention to improve antihypertensive medication adherence and blood pressure control among patients at high cardiovascular risk (the COM99 study). <b>2010</b> , 122, 1183-91		71
523	A cross-national comparative study of blood pressure and hypertension between English and Dutch South-Asian- and African-origin populations: the role of national context. <b>2010</b> , 23, 639-48		37
522	EUROASPIRE III. Management of cardiovascular risk factors in asymptomatic high-risk patients in general practice: cross-sectional survey in 12 European countries. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2010</b> , 17, 530-40		155
521	Switching of antihypertensive drugs among 93,286 Chinese patients: a cohort study. <b>2010</b> , 24, 669-77		13
520	Antihypertensive drug adherence among 6408 Chinese patients on angiotensin-converting enzyme inhibitors in Hong Kong: a cohort study. <b>2010</b> , 50, 598-605		22
519	Impact of blood pressure telemonitoring on hypertension outcomes: a literature review. <b>2010</b> , 16, 830-8		76
518	Valsartan/amlodipine single pill combination for the treatment of hypertension. <b>2010</b> , 3, 739-46		1
517	Overcoming clinical inertia to achieve blood pressure goals: the role of fixed-dose combination therapy. <b>2010</b> , 4, 119-27		26
516	Quality of care in patients with chronic kidney disease is determined by hospital specific factors. <b>2010</b> , 25, 3647-54		14
515	Prevalence, Awareness, Treatment, and Control of Hypertension in Romania: Results of the SEPHAR Study. <b>2010</b> , 2010, 970694		36
514	Antihypertensive drug therapy and blood pressure control in men and women: an international perspective. <b>2010</b> , 24, 336-44		79
513	Computer-based education for patients with hypertension: A systematic review. <b>2010</b> , 69, 236-245		13
512	Challenging hypertension: how to diagnose and treat resistant hypertension in daily clinical practice. <b>2010</b> , 8, 811-20		16
511	Physician-pharmacist cooperation program for blood pressure control in patients with hypertension: a randomized-controlled trial. <b>2010</b> , 23, 1144-52		32
510	Efficacy, safety and tolerability of aliskiren, a direct renin inhibitor, in women with hypertension: a pooled analysis of eight studies. <b>2010</b> , 24, 721-9		24

509	The doctor needs to see you now: accelerating the care of patients with uncontrolled hypertension. <b>2010</b> , 8, 1501-3	2
508	Treating arteries instead of risk factors: a paradigm change in management of atherosclerosis. <b>2010</b> , 41, 1193-9	106
507	Dieciannidivita in piÙ realizzazione e valutazione di un progetto di educazione terapeutica al paziente iperteso. Risultati preliminari. <b>2010</b> , 4, 239-246	
506	Secondary stroke prevention. <b>2010</b> , 6, 477-86	21
505	Comparison of the efficacy of candesartan and losartan: a meta-analysis of trials in the treatment of hypertension. <b>2010</b> , 24, 525-31	10
504	Effect of an intensive nurse-managed medical care programme on ambulatory blood pressure in hypertensive patients. <b>2010</b> , 103, 142-9	10
503	Amlodipine/Atorvastatin: a review of its use in the treatment of hypertension and dyslipidaemia and the prevention of cardiovascular disease. <b>2010</b> , 70, 191-213	22
502	Efficacy and safety of olmesartan medoxomil 40 mg/hydrochlorothiazide 12.5 mg combination therapy versus olmesartan medoxomil 40 mg monotherapy in patients with moderate to severe hypertension: a randomized, double-blind, parallel-group, multicentre, multinational, phase III study. <b>2010</b> , 30, 581-97	11
501	Novel therapeutic targets for hypertension. <b>2010</b> , 7, 431-41	89
500	[New therapeutic strategies to improve control of arterial hypertension and simplify the regimen of drug treatment]. <b>2010</b> , 134, 635-42	3
499	Comparison of two self-rating instruments for medication adherence assessment in hypertension revealed insufficient psychometric properties. <b>2010</b> , 63, 299-306	49
498	Renal sympathetic denervation in patients with treatment-resistant hypertension (The Symplicity HTN-2 Trial): a randomised controlled trial. <b>2010</b> , 376, 1903-9	1577
497	Telemonitoring or better follow-up? [Authors' reply. <b>2010</b> , 376, 1737-1738	
496	The 2010 Canadian Hypertension Education Program recommendations for the management of hypertension: part I - blood pressure measurement, diagnosis and assessment of risk. <b>2010</b> , 26, 241-8	77
495	Cardiovascular burden and related risk factors among Nunavik (Quebec) Inuit: insights from baseline findings in the circumpolar Inuit health in transition cohort study. <b>2010</b> , 26, 190-6	44
494	Regional variations in not treating diagnosed hypertension in Canada. <b>2010</b> , 26, 409-13	13
493	Does self-monitoring reduce blood pressure? Meta-analysis with meta-regression of randomized controlled trials. <b>2010</b> , 42, 371-86	175
492	Compliance, safety, and effectiveness of fixed-dose combinations of antihypertensive agents: a meta-analysis. <i>Hypertension</i> , <b>2010</b> , 55, 399-407	8.5 484

491	Factors associated with antihypertensive drug compliance in 83,884 Chinese patients: a cohort study. <b>2010</b> , 64, 895-901	36
490	Long-term safety and efficacy of aliskiren and valsartan combination with or without the addition of HCT in patients with hypertension. <b>2010</b> , 26, 2841-9	14
489	Use of Electronic Support for Implementing Global Cardiovascular Risk Management. <b>2010</b> , 17, 37-47	11
488	Translation of Hypertension Guidelines into Practice. <b>2010</b> , 10, 3-15	2
487	Gender differences in health: results from SHARE, ELSA and HRS. <b>2011</b> , 21, 81-91	283
486	Effects of pharmaceutical care interventions on blood pressure and medication adherence of patients with primary hypertension in China. <b>2011</b> , 28, 1-6	12
485	Drug safety evaluation of amlodipine. <b>2011</b> , 10, 795-804	17
484	Investigation of the effects of the chronic administration of some antihypertensive drugs on enzymatic and non-enzymatic oxidant/antioxidant parameters in rat ovarian tissue. <b>2011</b> , 27, 895-9	6
483	Fixed-combination therapy to improve blood pressure control: experience with olmesartan-based therapy. <b>2011</b> , 9, 829-40	2
482	Ensemble Empirical Mode Decomposition for atherosclerosis in high-risk subjects. <b>2011</b> ,	
481	Beneficial effect of switching from a combination of angiotensin II receptor blockers other than losartan and thiazides to a fixed dose of losartan/hydrochlorothiazide on uric acid metabolism in hypertensive patients. <b>2011</b> , 33, 565-70	7
480	Dose-dependent antihypertensive efficacy and tolerability of perindopril in a large, observational, 12-week, general practice-based study. <b>2011</b> , 11, 45-55	18
479	Telmisartan for the management of patients at high cardiovascular risk. <b>2011</b> , 27, 1673-82	17
478	Single-pill telmisartan and amlodipine: a rational combination for the treatment of hypertension. <b>2011</b> , 71, 2295-305	4
477	Catheter-based renal sympathetic denervation for resistant hypertension: durability of blood pressure reduction out to 24 months. <i>Hypertension</i> , <b>2011</b> , 57, 911-7	8.5 583
476	Hypertensives in Russia are interested in a healthier lifestyle: results of the RELIF multicenter study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2011</b> , 18, 224-32	5
475	A new device for motion-aware ambulatory blood pressure measurement. <b>2011</b> ,	3
474	The 2011 Canadian Hypertension Education Program recommendations for the management of hypertension: blood pressure measurement, diagnosis, assessment of risk, and therapy. <b>2011</b> , 27, 415-433.e1-2 <sup>93</sup>	



473	Depression is associated with increased occurrence of left ventricle concentric geometry in older subjects independently of blood pressure levels. <b>2011</b> , 21, 915-21		8
472	[Analyzing the coronary heart disease mortality decline in a Mediterranean population: Spain 1988-2005]. <b>2011</b> , 64, 988-96		89
471	Blood pressure outcomes in patients receiving angiotensin II receptor blockers in primary care: a comparative effectiveness analysis from electronic medical record data. <b>2011</b> , 13, 801-12		9
470	Analyzing the Coronary Heart Disease Mortality Decline in a Mediterranean Population: Spain 1988-2005. <b>2011</b> , 64, 988-996		2
469	National, regional, and global trends in systolic blood pressure since 1980: systematic analysis of health examination surveys and epidemiological studies with 786 country-years and 574 million participants. <b>2011</b> , 377, 568-77		721
468	Accurate hypertension diagnosis is key in efficient control. <b>2011</b> , 378, 1199-200		12
467	Clinical utility of fixed-combination telmisartan-amlodipine in the treatment of hypertension. <b>2011</b> , 4, 27-34		1
466	Blood Pressure Control in Treated Hypertensive Patients in Daily Practice of Latvian Family Physicians. <b>2011</b> , 47, 84		
465	Olmesartan medoxomil for the treatment of hypertension in children and adolescents. <i>Vascular Health and Risk Management</i> , <b>2011</b> , 7, 177-81	4.4	3
464	Olmesartan/amlodipine: a review of its use in the management of hypertension. <i>Vascular Health and Risk Management</i> , <b>2011</b> , 7, 183-92	4.4	23
463	Sensitivity and specificity in the diagnosis of hypertension with different methods. <b>2011</b> , 45, 837-44		3
462	High blood pressure prevalence and control in a middle-aged French population and their associated factors: the MONA LISA study. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 43-50	1.9	70
461	Current and projected prevalence of arterial hypertension in sub-Saharan Africa by sex, age and habitat: an estimate from population studies. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 1281-2	1.9	8
460	Physician attitudes to blood pressure control: findings from the Supporting Hypertension Awareness and Research Europe-wide survey. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 1633-40	1.9	32
459	Better compliance to antihypertensive medications reduces cardiovascular risk. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 610-8	1.9	196
458	Effects of a multifaceted educational program on blood pressure and cardiovascular risk in hypertensive patients: the Austrian herz.leben project. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 2024-30	1.9	8
457	Dietary habits and inadequate control of blood pressure in hypertensive adults assisted by a Brazilian Family Doctor Program. <b>2011</b> , 14, 2176-84		2
456	Properties and Applications of Antimicrobial Proteins and Peptides from Milk and Eggs. <b>2011</b> , 64-111		1

455	Factors associated with compliance to thiazide diuretics among 8551 Chinese patients. <b>2011</b> , 36, 179-86	21
454	Epidemiology of resistant hypertension. <b>2011</b> , 13, 523-8	45
453	Adrenal venous sampling but not computed tomography is essential before undertaking adrenalectomy for primary aldosteronism. <b>2011</b> , 149, 852	2
452	Retrospective analysis of real-world efficacy of angiotensin receptor blockers versus other classes of antihypertensive agents in blood pressure management. <b>2011</b> , 33, 1190-203	13
451	Association of occupation with prevalent hypertension in an elderly East German population: an exploratory cross-sectional analysis. <b>2011</b> , 84, 361-9	12
450	Late-breaking clinical trials presented at the American Heart Association Congress in Chicago 2010. <b>2011</b> , 100, 1-9	22
449	Blood pressure management in a cohort of hypertensive patients in Germany treated by cardiologists. <b>2011</b> , 100, 483-91	12
448	Catheter-based renal sympathetic denervation: chronic preclinical evidence for renal artery safety. <b>2011</b> , 100, 1095-101	147
447	Cardiovascular risk stratification and antihypertensive therapy according to guidelines in the outpatient setting. <b>2011</b> , 161, 557-64	
446	Salt Restriction and Challenges in China for Hypertension Control. <b>2011</b> , 5, 180-186	5
445	Real-life safety and effectiveness of amlodipine/valsartan combination in the treatment of hypertension. <b>2011</b> , 28, 134-49	14
444	Interventionelle Therapiestrategien bei resistenter Hypertonie. <b>2011</b> , 6, 479-487	
443	Neue Medikamente in der Hypertensiologie. <b>2011</b> , 6, 504-509	
442	The quality of primary care in a country with universal health care coverage. <b>2011</b> , 26, 724-30	16
441	The role of Beta-blockers as first-line therapy in hypertension. <b>2011</b> , 13, 147-53	16
440	Dual-acting angiotensin receptor-neprilysin inhibition. <b>2011</b> , 13, 74-8	10
439	Change in antihypertensive drug prescribing after guideline implementation: a controlled before and after study. <b>2011</b> , 12, 87	10
438	Predictors of switching from beta-blockers to other anti-hypertensive drugs: a review of records of 19,177 Chinese patients seen in public primary care clinics in the New Territory East, Hong Kong. <b>2011</b> , 10, 10	3

437	Hypertension is a potential risk factor for vascular dementia: systematic review. <b>2011</b> , 26, 661-9	137
436	Long-term blood pressure control: what can we do?. <b>2011</b> , 123, 88-93	5
435	[Expert consensus statement on interventional renal sympathetic denervation for hypertension treatment]. <b>2011</b> , 136, 2418	30
434	Hypertension: Does home telemonitoring improve hypertension management?. <b>2011</b> , 7, 493-5	7
433	High blood pressure in Chinese ethnic minorities: report from rural Yunnan province. <b>2011</b> , 24, 1209-14	12
432	Medium-term effects of cardiac rehabilitation in Germany: systematic review and meta-analysis of results from national and international trials. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2011</b> , 18, 587-93	17
431	Marked underestimation of blood pressure control with conventional vs. ambulatory measurements in an urban, developing community of African ancestry. <b>2011</b> , 24, 789-95	10
430	NICE guidance on primary hypertension National Institute for Health and Clinical Excellence (2011) Hypertension: Clinical Management of Primary Hypertension in Adults. NICE Clinical Guideline 127.. <b>2011</b> , 6, 582-584	3
429	Stroke mortality and trends from 1990 to 2006 in 39 countries from Europe and Central Asia: implications for control of high blood pressure. <b>2011</b> , 32, 1424-31	144
428	Hypertension management 2011: optimal combination therapy. <b>2011</b> , 32, 2499-506	71
427	How common is true resistant hypertension?. <b>2011</b> , 25, 137-40	40
426	Economic evaluation of home blood pressure telemonitoring: a randomized controlled trial. <b>2011</b> , 20, 117-25	24
425	Consequence of masked hypertension in treated hypertensive outpatients: 1-year follow-up study. <b>2011</b> , 33, 270-4	4
424	Safety and efficacy of olmesartan: an observational pooled-analysis of 156,682 hypertensive patients. <b>2011</b> , 10, 185-96	7
423	[Renal denervation a new treatment option in resistant arterial hypertension]. <b>2011</b> , 100, 1353-60	0
422	Impact of pharmacist care in the management of cardiovascular disease risk factors: a systematic review and meta-analysis of randomized trials. <b>2011</b> , 171, 1441-53	203
421	Switching therapy from variable-dose multiple pill to fixed-dose single-pill combinations of angiotensin II receptor blockers and thiazides for hypertension. <b>2011</b> , 33, 309-15	7
420	Telemedicine: the role of specialist second opinion for GPs in the care of hypertensive patients. <b>2011</b> , 20, 158-65	13

419	Trend of blood pressure control status in hypertensive outpatients: with special reference to elderly hypertensives. <b>2012</b> , 34, 258-63		1
418	Status of end organs in newly detected rural essential hypertensives: a study from southern India. <b>2012</b> , 34, 201-8		
417	Focus on Brain Angiotensin III and Aminopeptidase A in the Control of Hypertension. <b>2012</b> , 2012, 124758		15
416	Direct angiotensin II type 2 receptor stimulation in N <sup>ε</sup> -nitro-L-arginine-methyl ester-induced hypertension: the effect on pulse wave velocity and aortic remodeling. <i>Hypertension</i> , <b>2012</b> , 59, 485-92	8.5	81
415	Renal sympathetic denervation for the treatment of systemic hypertension. <b>2012</b> , 20, 274-8		3
414	A pilot study evaluating multiple risk factor interventions by community pharmacists to prevent cardiovascular disease: the PAART CVD pilot project. <b>2012</b> , 46, 183-91		17
413	Antihypertensive therapies. <b>2012</b> , 78-88		
412	Central antihypertensive effects of orally active aminopeptidase A inhibitors in spontaneously hypertensive rats. <i>Hypertension</i> , <b>2012</b> , 60, 411-8	8.5	53
411	Ethnicity and cardiovascular health research: pushing the boundaries by including comparison populations in the countries of origin. <b>2012</b> , 17, 579-96		43
410	Hypertension among Tunisian adults: results of the TAHINA project. <b>2012</b> , 35, 341-7		45
409	An observational study to evaluate factors responsible and actions taken for hypertensive patients who are not at blood pressure goal: i-target Goal Study. <b>2012</b> , 35, 624-32		2
408	Healthy ageing: the role of health care services. <b>2012</b> , 132, 171-7		9
407	Real-life treatment patterns, compliance, persistence, and medication costs in patients with hypertension in Germany. <b>2012</b> , 15, 155-65		13
406	Prevalence, patterns of treatment, and control of hypertension in predialysis patients with chronic kidney disease. <b>2012</b> , 120, c147-55		30
405	Ambulatory blood pressure monitoring: an invaluable tool comes of age for patients with chronic kidney disease?. <b>2012</b> , 35, 238-41		15
404	The 2012 John Swales lecture: questions unanswered - 30 years in the world of blood pressure. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 2060-5	1.9	
403	Blood pressure control in Italy: analysis of clinical data from 2005-2011 surveys on hypertension. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 1065-74	1.9	62
402	Modelling the impact on avoidable cardiovascular disease burden and costs of interventions to lower SBP in the England population. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 217-26	1.9	16

- 401 National, regional, and global trends in systolic blood pressure since 1980: systematic analysis of health examination surveys and epidemiological studies with 786 country-years and 524 million participants. **2012**, 2012, 15-17
- 400 Catheter-based renal sympathetic denervation improves central hemodynamics and arterial stiffness: a pilot study. **2012**, 14, 861-70 20
- 399 Adherence to anti-hypertensive medication: proposing and testing a conceptual model. **2012**, 17, 202-19 17
- 398 Effects of renal sympathetic denervation on arterial stiffness and central hemodynamics in patients with resistant hypertension. **2012**, 60, 1956-65 115
- 397 [Importance of central and peripheral blood pressure for adjustment of arterial hypertension]. **2012**, 37, 735-41
- 396 [Renal denervation: current state and future perspectives]. **2012**, 37, 746-53 2
- 395 Electrical carotid sinus stimulation in treatment resistant arterial hypertension. **2012**, 172, 31-6 15
- 394 Intra-uterine growth restriction and increased risk of hypertension in adult life: a follow-up study of 50-year-olds. **2012**, 126, 561-5 21
- 393 Trends in Mortality From Myocardial Infarction. A Comparative Study Between Spain and the United States: 1990-2006. **2012**, 65, 1079-1085
- 392 Trends in mortality from myocardial infarction. A comparative study between Spain and the United States: 1990-2006. **2012**, 65, 1079-85 19
- 391 Incidence of cardiovascular events in Italian patients with early discontinuations of antihypertensive, lipid-lowering, and antidiabetic treatments. **2012**, 25, 549-55 10
- 390 Prevalence, awareness, treatment, and control of hypertension: rule of thirds in the Skaraborg project. **2012**, 30, 88-94 29
- 389 Regression of vascular calcification in chronic kidney disease - feasible or fantasy? a review of the clinical evidence. **2013**, 76, 560-72 20
- 388 Combination of amlodipine plus angiotensin receptor blocker or diuretics in high-risk hypertensive patients: a 96-week efficacy and safety study. **2012**, 12, 137-42 13
- 387 [Resistant arterial hypertension]. **2012**, 154, 70-2
- 386 Process of care and prescribing practices for hypertension in public and private primary care clinics in Malaysia. **2012**, 24, 764-75 13
- 385 The 2012 Canadian hypertension education program recommendations for the management of hypertension: blood pressure measurement, diagnosis, assessment of risk, and therapy. **2012**, 28, 270-87 133
- 384 Personal attributes that influence the adequate management of hypertension and dyslipidemia in patients with type 2 diabetes. Results from the DIAB-CORE Cooperation. **2012**, 11, 120 14

- 383 Renal Denervation: A New Approach to an Old Problem. **2012**, 4, 447-54
- 382 Candesartan plus hydrochlorothiazide: an overview of its use and efficacy. **2012**, 13, 2699-709 4
- 381 Assessment of cardiovascular risk in workers occupationally exposed to lead without clinical presentation of cardiac involvement. **2012**, 34, 351-357 5
- 380 Global cardiovascular risk management in different Italian regions: an analysis of the Evaluation of Final Feasible Effect of Control Training and Ultra Sensitisation (EFFECTUS) educational program. **2012**, 22, 635-42 13
- 379 Non-pharmacological methods in the treatment of resistant hypertension. **2012**, 54, 5-11 5
- 378 Symptoms of depression and anxiety and adherence to antihypertensive medication. **2012**, 25, 505-11 70
- 377 Triple combination therapy to improve blood pressure control: experience with olmesartan-amlodipine-hydrochlorothiazide therapy. **2012**, 13, 2687-97 8
- 376 An observational, prospective, open-label, multicentre evaluation of aliskiren in treated, uncontrolled patients: a real-life, long-term, follow-up, clinical practice in Italy. **2012**, 19, 73-83 5
- 375 Prevalence, awareness, treatment and control of hypertension in Vietnam-results from a national survey. **2012**, 26, 268-80 81
- 374 1999-2009 Trends in prevalence, unawareness, treatment and control of hypertension in Geneva, Switzerland. *PLoS ONE*, **2012**, 7, e39877 3-7 88
- 373 Use of carvedilol in hypertension: an update. *Vascular Health and Risk Management*, **2012**, 8, 307-22 4-4 23
- 372 Blood Pressure Variability and Vascular Dysfunction in Essential Hypertension. *Journal of the Korean Society of Hypertension*, **2012**, 18, 75 1
- 371 Efficacy and safety of delapril/indapamide compared to different ACE-inhibitor/hydrochlorothiazide combinations: a meta-analysis. **2012**, 5, 725-34 7
- 370 A randomized, double-blind, placebo-controlled study to evaluate the efficacy and tolerability of Fufang Danshen (*Salvia miltiorrhiza*) as add-on antihypertensive therapy in Taiwanese patients with uncontrolled hypertension. **2012**, 26, 291-8 33
- 369 Renal intervention to treat hypertension. **2012**, 14, 142-9 1
- 368 Single-pill combination of telmisartan/amlodipine versus amlodipine monotherapy in diabetic hypertensive patients: an 8-week randomized, parallel-group, double-blind trial. **2012**, 34, 537-51 17
- 367 Treating hypertension to reduce cardiovascular risk: a Korean perspective. **2012**, 34, 1559-68 3
- 366 Management of sunitinib adverse events in renal cell carcinoma patients: the Asian experience. **2012**, 8, 132-44 16

365	Persistence to antihypertensive drug treatment in Swedish primary healthcare. <b>2013</b> , 69, 1955-64		42
364	Level of hypertension control: comparison of a rural and urban family practice centre in South Croatia. <b>2013</b> , 125, 173-9		1
363	Pill burden in hypertensive patients treated with single-pill combination therapy--an observational study. <b>2013</b> , 30, 406-19		18
362	Effectiveness and safety of aliskiren and aliskiren hydrochlorothiazide (HCT) in a multiethnic, real-world setting. <b>2013</b> , 30, 176-89		2
361	Epidemiology of Hypertension. <b>2013</b> , 1-11		2
360	Unmasking the potential of the angiotensin AT2 receptor as a therapeutic target in hypertension in men and women: what we know and what we still need to find out. <b>2013</b> , 40, 542-50		31
359	Un tratamiento nuevo para una enfermedad antigua: tratamiento de la hipertensi3 arterial resistente mediante denervaci3 simp3tica renal percut3nea. <b>2013</b> , 66, 734-740		3
358	New treatment for old disease: management of resistant hypertension by percutaneous renal sympathetic denervation. <b>2013</b> , 66, 734-40		1
357	[Blood pressure control in hospital units in Spain]. <b>2013</b> , 141, 47-52		4
356	Risk-adjusted versus overall blood pressure control rate for identifying the need for intensified cardiovascular risk reduction: lessons from a cross-sectional study. <i>European Journal of Preventive Cardiology</i> , <b>2013</b> , 20, 972-9	3.9	3
355	Resistant hypertension--its identification and epidemiology. <b>2013</b> , 9, 51-8		125
354	Cost-effectiveness of enhancing adherence to therapy with blood pressure-lowering drugs in the setting of primary cardiovascular prevention. <b>2013</b> , 16, 318-24		9
353	Review of the state of renal nerve ablation for patients with severe and resistant hypertension. <b>2013</b> , 7, 484-93		14
352	Effects of guided breathing on blood pressure and heart rate variability in hypertensive diabetic patients. <b>2013</b> , 179, 131-7		28
351	Interval type-2 fuzzy logic for encoding clinical practice guidelines. <b>2013</b> , 54, 329-341		10
350	How does renal denervation lower blood pressure and when should this technique be considered for the treatment of hypertension?. <b>2013</b> , 15, 414		3
349	Kriterien der Deutschen Gesellschaft ff3 Kardiologie, Deutschen Hochdruckliga e.V. DHL /Deutschen Gesellschaft ff3 Hypertonie und Pr3vention und der Deutschen Gesellschaft ff3 Nephrologie zur Zertifizierung von Renale-Denervations-Zentren (RDZ) 2013, 7, 429-434		3
348	Primary care of patients with high cardiovascular risk : Blood pressure, lipid and diabetic target levels and their achievement in Hungary. <b>2013</b> , 125, 371-80		2

347	Renal denervation in a patient with prior renal artery stenting. <b>2013</b> , 81, 342-5	19
346	Management of resistant hypertension in a multidisciplinary unit of renal denervation: protocol and results. <b>2013</b> , 66, 364-70	
345	Pulse pressure and heart rate in patients with metabolic syndrome across Europe: insights from the GOOD survey. <b>2013</b> , 27, 412-6	14
344	Associations between Borg's rating of perceived exertion and physiological measures of exercise intensity. <b>2013</b> , 113, 147-55	339
343	Differences between office and 24-hour blood pressure control in hypertensive patients with CKD: A 5,693-patient cross-sectional analysis from Spain. <b>2013</b> , 62, 285-94	72
342	Does information on health status lead to a healthier lifestyle? Evidence from China on the effect of hypertension diagnosis on food consumption. <b>2013</b> , 32, 367-85	37
341	Situaci3n de la hipertensi3n arterial en Argentina. <b>2013</b> , 30, 101-106	3
340	Olmesartan/amlodipine combination versus olmesartan or amlodipine monotherapies on blood pressure and insulin resistance in a sample of hypertensive patients. <b>2013</b> , 35, 301-7	5
339	Mean perfusion pressure deficit during the initial management of shock--an observational cohort study. <b>2013</b> , 28, 816-24	28
338	Olmesart3n con diur3ticos o con antagonistas del calcio: ¿a qu3 perfil de paciente hipertenso?.	
	<b>2013</b> , 30, 16-20	
337	Manejo de la hipertensi3n resistente en una unidad multidisciplinaria de denervaci3n renal: protocolo y resultados. <b>2013</b> , 66, 364-370	14
336	Slovak trial on cardiovascular risk reduction following national guidelines with CaDUET3 (the STRONG DUET study). <b>2013</b> , 30, 60-70	5
335	MR-guided periarterial ethanol injection for renal sympathetic denervation: a feasibility study in pigs. <b>2013</b> , 36, 791-6	20
334	Effects of an olmesartan/amlodipine fixed dose on blood pressure control, some adipocytokines and interleukins levels compared with olmesartan or amlodipine monotherapies. <b>2013</b> , 38, 48-55	4
333	Combination therapy in hypertension. <b>2013</b> , 30, 320-36	16
332	Scaling up chronic disease prevention interventions in lower- and middle-income countries. <b>2013</b> , 34, 317-35	43
331	Novel Approaches for the Treatment of the Patient with Resistant Hypertension: Renal Nerve Ablation. <b>2013</b> , 7, 401	6
330	Potential lifetime cost-effectiveness of catheter-based renal sympathetic denervation in patients with resistant hypertension. <b>2013</b> , 34, 451-61	34



329	[Renal denervation: ready for prime time?]. <b>2013</b> , 138, 2212-8		1
328	Hypertensive Disorders of Pregnancy - A Life-Long Risk?!. <b>2013</b> , 73, 47-52		7
327	Diabetes and hypertension screening by pharmacy students in Thai communities. <b>2013</b> , 77, 56		6
326	The combined use of aspirin, a statin, and blood pressure-lowering agents (polypill components) in clinical practice in patients with vascular diseases or type 2 diabetes mellitus. <i>European Journal of Preventive Cardiology</i> , <b>2013</b> , 20, 771-8	3.9	13
325	Hypertension Management and Factors Associated with Blood Pressure Control in Jordanian Patients Attending Cardiology Clinic. <b>2013</b> , 12,		2
324	Meta-analysis of three observational studies of amlodipine/valsartan in hypertensive patients with additional risk factors. <b>2013</b> , 22 Suppl 1, 11-21		7
323	Impedance cardiographic hemodynamic variables and hypertension in elderly Han residents. <b>2013</b> , 118, 80-6		7
322	Populations and polypills: if yes, then how?. <b>2013</b> , 67, 903-4		1
321	Renal sympathetic nerve ablation for the management of resistant hypertension: an update. <b>2013</b> , 22, 607-14		4
320	Prevalence of arterial hypertension in Serbia: PAHIS study. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 2151-7; discussion 2157	1.9	14
319	Global Cardiovascular Therapy. <b>2013</b> , 75-82		
318	Are physicians underestimating the challenges of hypertension management? Results from the Supporting Hypertension Awareness and Research Europe-wide (SHARE) survey. <i>European Journal of Preventive Cardiology</i> , <b>2013</b> , 20, 786-92	3.9	12
317	Medication adherence and blood pressure control amongst adults with primary hypertension attending a tertiary hospital primary care clinic in Eastern Nigeria. <b>2013</b> , 5,		14
316	Synergistic effects of low-intensity exercise conditioning and $\beta$ -blockade on cardiovascular and autonomic adaptation in pre- and postmenopausal women with hypertension. <b>2013</b> , 15, 433-42		6
315	Prevalence, awareness, treatment, and control of hypertension among Ghanaian population in Amsterdam, The Netherlands: the GHAIA study. <i>European Journal of Preventive Cardiology</i> , <b>2013</b> , 20, 938-46	3.9	33
314	Effectiveness of a pharmacist-led drug counseling on enhancing antihypertensive adherence and blood pressure control: a randomized controlled trial. <b>2013</b> , 53, 753-61		25
313	Treatment of hypertension in the elderly: data from an international cohort of hypertensives treated by cardiologists. <b>2013</b> , 27, 131-7		4
312	Is gravitation your friend or foe?. <b>2013</b> , 36, 1037-8		

311	Total lipid management and cardiovascular disease in the dyslipidemia international study. <b>2013</b> , 125, 154-63		13
310	What are the benefits of renal denervation in patients with resistant hypertension?. <b>2013</b> , 5, 141-143		
309	Therapeutic strategies to improve control of hypertension. <i>Journal of Hypertension</i> , <b>2013</b> , 31 Suppl 1, S9-12	1.9	30
308	Renale Denervation als Therapieoption. <b>2013</b> , 13, 38-44		
307	The impact of pay for performance on the control of blood pressure in people with chronic kidney disease stage 3-5. <b>2013</b> , 28, 2107-16		39
306	Morning and smooth 24-h ambulatory blood pressure control is not achieved in general practice: results from the SURGE observational study. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 616-23; discussion 623	1.9	6
305	Blood pressure control in the hypertensive population. Is the trend favourable?. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 1094-5	1.9	3
304	Ten more years of life: Development and evaluation of a therapeutic education project for hypertensive patients. Preliminary results. <b>2013</b> , 239-246		
303	Proactive multifactorial intervention strategy reduces the risk of cardiovascular disease estimated with region-specific risk assessment models in Pacific Asian patients participating in the CRUCIAL trial. <b>2013</b> , 28, 1741-8		3
302	Reducing cardiovascular risk in diabetes: insights from the ADVANCE study. <b>2013</b> , 30-34		
301	Awareness, treatment, and control of major cardiovascular risk factors in a small-scale Italian community: results of a screening campaign. <i>Vascular Health and Risk Management</i> , <b>2013</b> , 9, 177-85	4.4	15
300	About INCLUSIVE study. <b>2013</b> , 1, 32		
299	Impact of universal health insurance coverage on hypertension management: a cross-national study in the United States and England. <i>PLoS ONE</i> , <b>2014</b> , 9, e83705	3.7	9
298	Vaccines for metabolic diseases: current perspectives. <b>2014</b> , 55		
297	The future of interventional management of hypertension: threats and opportunities. <b>2014</b> , 12, 69-76		9
296	Patient-related barriers to hypertension control in a Nigerian population. <b>2014</b> , 7, 345-53		33
295	CoCo trial: Color-coded blood pressure Control, a randomized controlled study. <b>2014</b> , 8, 1383-92		2
294	Why do Americans have shorter life expectancy and worse health than do people in other high-income countries?. <b>2014</b> , 35, 307-25		101

293	Identifying predictors of blood pressure control in the Lebanese population - a national, multicentric survey -- I-PREDICT. <b>2014</b> , 14, 1142		19
292	Efficacy of olmesartan/amlodipine combination therapy in reducing ambulatory blood pressure in moderate-to-severe hypertensive patients not controlled by amlodipine alone. <b>2014</b> , 37, 836-44		11
291	Apparent and true resistant hypertension: definition, prevalence and outcomes. <b>2014</b> , 28, 463-8		133
290	Control of hypertension with medication: a comparative analysis of national surveys in 20 countries. <b>2014</b> , 92, 10-19C		93
289	High incidence of secondary hypertension in patients referred for renal denervation--the Copenhagen experience. <b>2014</b> , 23, 233-9		3
288	Hypertension: empirical evidence and implications in 2014. <b>2014</b> , 1, e000048		17
287	Cost-effectiveness of Barostim therapy for the treatment of resistant hypertension in European settings. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 681-92	1.9	18
286	Blutdruckregulation durch Wasserreize. <b>2014</b> , 63, 5-13		1
285	Universal health insurance--a prerequisite of a 21st century health system: the case for hypertension management. <b>2014</b> , 10, 327-31		1
284	[Relevance of arterial hypertension in primary open-angle glaucoma]. <b>2014</b> , 231, 136-43		3
283	Comparative epidemiology of resistant hypertension in chronic kidney disease and the general hypertensive population. <b>2014</b> , 34, 483-91		18
282	The effect of different circadian blood pressure rhythms on left ventricular systolic dyssynchrony in patients with newly diagnosed essential hypertension. <b>2014</b> , 31, 34-40		2
281	CrossTalk opposing view: Which technique for controlling resistant hypertension? Carotid sinus stimulation. <b>2014</b> , 592, 3933-5		4
280	Stroke prevention knowledge and prestroke health behaviors among hypertensive stroke patients in mainland China. <b>2014</b> , 29, E1-9		30
279	High performance of a risk calculator that includes renal function in predicting mortality of hypertensive patients in clinical application. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 1245-54	1.9	7
278	Potential cost-effectiveness of therapeutic drug monitoring in patients with resistant hypertension. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 2411-21; discussion 2421	1.9	34
277	Cardiovascular-risk prediction and type of event. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 473-4	1.9	0
276	Hypertension prevalence and control in Romania at a seven-year interval. Comparison of SEPHAR I and II surveys. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 39-47	1.9	24

275	Prevalence, awareness, treatment and control of hypertension and salt intake in Portugal: changes over a decade. The PHYSA study. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 1211-21	1.9	111
274	Improving blood pressure control through pharmacist interventions: a meta-analysis of randomized controlled trials. <b>2014</b> , 3, e000718		179
273	Flaxseed for hypertension: implications for blood pressure regulation. <b>2014</b> , 16, 499		36
272	Trend of office and home blood pressure control in treated hypertensive patients: changes in antihypertensive medication and salt intake. <b>2014</b> , 36, 103-7		3
271	School performance affects adolescent blood pressure. <b>2014</b> , 24, 459-63		
270	Percutaneous computer tomography-guided ethanol sympathectomy for the treatment of resistant arterial hypertension. <b>2014</b> , 37, 513-8		10
269	Renal sympathetic denervation for the treatment of refractory hypertension. <b>2014</b> , 65, 349-65		11
268	A complex network analysis of hypertension-related genes. <b>2014</b> , 394, 166-176		8
267	Renal sympathetic denervation therapy in the real world: results from the Heidelberg registry. <b>2014</b> , 103, 117-24		54
266	Real-life effectiveness, safety, and tolerability of amlodipine/valsartan or amlodipine/valsartan/hydrochlorothiazide single-pill combination in patients with hypertension from Pakistan. <b>2014</b> , 8, 45-55		8
265	Cardiovascular mortality in hypertensive patients newly prescribed perindopril vs. lisinopril: a 5-year cohort study of 15,622 Chinese subjects. <b>2014</b> , 176, 703-9		9
264	Diagnosis and treatment of resistant hypertension. <b>2014</b> , 23, 193-9		3
263	Self-monitoring of blood pressure for improving adherence to antihypertensive medicines and blood pressure control: a randomized controlled trial. <b>2014</b> , 27, 1339-45		23
262	The concept and definition of therapeutic inertia in hypertension in primary care: a qualitative systematic review. <b>2014</b> , 15, 130		64
261	The effects of spinal anaesthesia for elective caesarean section on uterine and umbilical arterial pulsatility indexes in normotensive and chronic hypertensive pregnant women: a prospective, longitudinal study. <b>2014</b> , 14, 291		8
260	Discontinuation of anti-hypertensive drugs increases 11-year cardiovascular mortality risk in community-dwelling elderly (the Bambui Cohort Study of Ageing). <b>2014</b> , 14, 725		4
259	The effectiveness of metoprolol versus atenolol on prevention of all-cause and cardiovascular mortality in a large Chinese population: a cohort study. <b>2014</b> , 175, 425-32		8
258	Exploring differences in prevalence of diagnosed, measured and undiagnosed hypertension: the case of Ireland and the United States of America. <b>2014</b> , 59, 759-67		15

257	Real-world clinical experience of amlodipine/valsartan and amlodipine/valsartan/hydrochlorothiazide in hypertension: the EXCITE study. <b>2014</b> , 30, 1937-45	14
256	Gesundheit-Sport-Biografie-Survey. <b>2014</b> , 9, 29-38	
255	Blood pressure response to a community-based program and long-term cardiovascular outcome. <b>2014</b> , 27, 1061-8	8
254	Hypertension as a risk factor for ischemic stroke in women. <b>2014</b> , 30, 774-82	33
253	Prevalence and management of uncontrolled hypertension in French patients aged over 80 years. <b>2014</b> , 107, 236-44	3
252	Hypertension management in England: a serial cross-sectional study from 1994 to 2011. <b>2014</b> , 383, 1912-9	173
251	Increasing Patient Adherence to Home Health-Monitoring Systems. <b>2014</b> , 3, 8-14	5
250	Using Cognitive Work Analysis and a Persuasive Design Approach to Create Effective Blood Pressure Management Systems. <b>2014</b> , 3, 36-43	5
249	Osmotically driven drug delivery through remote-controlled magnetic nanocomposite membranes. <b>2015</b> , 9, 054113	14
248	Long term trends in control of hypertension in the Northern Sweden MONICA study 1986-2009. <b>2015</b> , 15, 957	10
247	Adherence and medication utilisation patterns of fixed-dose and free combination of angiotensin receptor blocker/thiazide diuretics among newly diagnosed hypertensive patients: a population-based cohort study. <b>2015</b> , 69, 729-37	13
246	Undiagnosed and uncontrolled hypertension among the adults in rural Bangladesh: findings from a community-based study. <i>Journal of Hypertension</i> , <b>2015</b> , 33, 2399-406	1.9 15
245	Prevalence and risk factors of noncontrolled and resistant arterial hypertension in renal transplant recipients. <b>2015</b> , 99, 1016-22	3
244	Comportamento da pressão arterial em homens pré-hipertensos participantes em um programa regular de nataç�o. <b>2015</b> , 21, 178-181	2
243	Compliance to Hypertension Treatment in Residents of a Fishermen Colony in District Kollam, Kerala. <b>2015</b> , 5, 480-7	
242	Antihypertensive Combination Treatment: State of the Art. <b>2015</b> , 17, 51	19
241	Renal Sympathetic Denervation. <b>2015</b> , 69-81	0
240	Efficacy, safety, and tolerability of antihypertensive therapy with aliskiren/amlodipine in clinical practice in Austria. The RALLY (Rasilamlo long lasting efficacy) study. <b>2015</b> , 127, 203-9	3

- 239 Combination Therapy for the Clinical Management of Hypertension. **2015**, 887-902
- 238 Drugs Targeting RAAS in the Treatment of Hypertension and Other Cardiovascular Diseases. **2015**, 751-806 1
- 237 The rising prevalence of self-reported hypertension among Chinese subjects: a population-based study from 121 895 household interviews. **2015**, 108, 9-17 9
- 236 Prevalence and Incidence of Hypertension in the General Adult Population: Results of the CARLA-Cohort Study. **2015**, 94, e952 65
- 235 Impact of renal sympathetic denervation on home blood pressure monitoring in well defined patients with resistant hypertension. **2015**, 12, 23-27
- 234 [Arterial hypertension and control in Brazzaville (Congo): role of ambulatory blood pressure monitoring (ABPM)]. **2015**, 64, 76-80 3
- 233 Renal Denervation After SYMPLICITY HTN-3: Where Do We Go?. **2015**, 31, 642-8 9
- 232 Regional and physician specialty-associated variations in the medical management of atherosclerotic renal-artery stenosis. **2015**, 9, 443-52 3
- 231 Duration of initial antihypertensive prescription and medication adherence: a cohort study among 203,259 newly diagnosed hypertensive patients. **2015**, 182, 503-8 11
- 230 Angiotensin II Receptor Blocker Nephilysin Inhibitor (ARNI): New Avenues in Cardiovascular Therapy. **2015**, 22, 241-6 15
- 229 Hypertension prevalence, awareness, treatment and control in Germany 1998 and 2008-11. **2015**, 29, 247-53 86
- 228 The contribution of national disparities to international differences in mortality between the United States and 7 European countries. **2015**, 105, e112-9 11
- 227 The effectiveness of perindopril vs. lisinopril on reducing the incidence of diabetes and renal diseases: A cohort study of 20,252 patients. **2015**, 190, 384-8 2
- 226 Spinal NF- $\kappa$ B and chemokine ligand 5 expression during spinal glial cell activation in a neuropathic pain model. *PLoS ONE*, **2015**, 10, e0115120 3.7 26
- 225 From hypertension control to global cardiovascular risk management: an educational intervention in a cluster-randomised controlled trial. **2015**, 16, 56 3
- 224 Control of main risk factors after ischaemic stroke across Europe: data from the stroke-specific module of the EUROASPIRE III survey. *European Journal of Preventive Cardiology*, **2015**, 22, 1354-62 3.9 60
- 223 Renal denervation: unde venis et quo vadis?. **2015**, 187, 237-47 1
- 222 The approach of general practitioners in Lagos to the detection and evaluation of hypertension. **2015**, 21, 10

221	Casual blood pressure of adolescents attending public secondary schools in Maiduguri, Nigeria. <b>2015</b> , 21, 16	4
220	Implementation of simple telehealth to manage hypertension in general practice: a service evaluation. <b>2015</b> , 16, 83	10
219	Effects of Renal Sympathetic Denervation on Arterial Stiffness and Blood Pressure Control in Resistant Hypertensive Patients: A Single Centre Prospective Study. <b>2015</b> , 22, 411-6	9
218	Ambulatory Blood Pressure Monitoring in the Diagnosis, Prognosis, and Management of Resistant Hypertension: Still a Matter of our Resistance?. <b>2015</b> , 17, 78	11
217	Effectiveness and clinical inertia in the management of hypertension in patients in Colombia. <b>2015</b> , 9, 878-84	8
216	Effects of established blood pressure loci on blood pressure values and hypertension risk in an Algerian population sample. <b>2015</b> , 29, 296-302	5
215	Effect of hypertension on the resting-state functional connectivity in patients with Alzheimer's disease (AD). <b>2015</b> , 60, 210-6	17
214	Cardio-Renal Clinical Challenges. <b>2015</b> ,	1
213	Emerging Therapies for Chronic Kidney Disease. <b>2015</b> , 771-780	
212	Songling Xuemaikang Capsule ( ) for primary hypertension: A systematic review of randomized controlled trials. <b>2015</b> , 21, 312-20	8
211	[Arterial hypertension in Dakar: Prevalence, awareness, treatment, and control]. <b>2015</b> , 108, 49-56	2
210	The Inaugural Elijah B. Saunders Memorial Lecture: The Global Consequences of Hypertension and Related Disparities. <i>Ethnicity and Disease</i> , <b>2016</b> , 26, 461-8	1.8
209	Blood Pressure Control in Hypertensive Patients, Cardiovascular Risk Profile and the Prevalence of Masked Uncontrolled Hypertension (MUCH). <b>2016</b> , 70, 274-279	11
208	Resistant hypertension in elderly patient with nephropathy in primary and secondary care settings. <b>2016</b> , 2,	
207	Put pressure worldwide on blood pressure control. <b>2016</b> , 8, E1610-E1613	3
206	Epidemiological study of hypertensive retinopathy in the primary care setting: Retrospective cross-sectional review of retinal photographs. <b>2016</b> , 4, 13-21	
205	Awareness, treatment, and control of hypertension in Austria: a multicentre cross-sectional study. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 1432-40	1.9 7
204	Changes in Hypertension Prevalence, Awareness, Treatment, and Control in High-, Middle-, and Low-Income Countries: An Update. <b>2016</b> , 18, 62	22

203	Comparison of hypertension healthcare outcomes among older people in the USA and England. <b>2016</b> , 70, 264-70		5
202	Hypertension types defined by clinic and ambulatory blood pressure in 14 143 patients referred to hypertension clinics worldwide. Data from the ARTEMIS study. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 2187-98 <sup>9</sup>		64
201	The association between blood pressure and lipid levels in Europe: European Study on Cardiovascular Risk Prevention and Management in Usual Daily Practice. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 2155-63	1.9	15
200	Safety and feasibility of transcatheter renal sympathetic denervation using different types of catheter and various radiofrequency settings. <b>2016</b> , 11, 35-42		1
199	LEADER-4: blood pressure control in patients with type 2 diabetes and high cardiovascular risk: baseline data from the LEADER randomized trial. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 1140-50	1.9	10
198	Effectiveness of renal sympathetic denervation in renal function and blood pressure in CKD and non-CKD patients with controlled uncontrolled hypertension. <b>2016</b> , 13, 3-5		1
197	Predictors of Uncontrolled Blood Pressure in Treated Hypertensive Individuals: First Population-Based Study in Lebanon. <b>2016</b> , 18, 871-7		15
196	Improvement of renal function after renal sympathetic denervation in CKD patients with controlled vs. uncontrolled hypertension. <b>2016</b> , 223, 494-496		7
195	Secondary Data Analysis of National Surveys in Japan Toward Improving Population Health. <b>2016</b> , 26, 106-14		1
194	Modulatory Effects of Egg White Ovotransferrin-Derived Tripeptide IRW (Ile-Arg-Trp) on Vascular Smooth Muscle Cells against Angiotensin II Stimulation. <b>2016</b> , 64, 7342-7347		42
193	Lifestyle and risk factor management in people at high risk of cardiovascular disease. A report from the European Society of Cardiology European Action on Secondary and Primary Prevention by Intervention to Reduce Events (EUROASPIRE) IV cross-sectional survey in 14 European regions. <i>European Journal of Preventive Cardiology</i> , <b>2016</b> , 23, 2007-2018	3.9	96
192	Current Status of Renal Denervation in Hypertension. <b>2016</b> , 18, 107		3
191	Real-life Effectiveness and Safety of Amlodipine/Valsartan Single-pill Combination in Patients with Hypertension in Egypt: Results from the EXCITE Study. <b>2016</b> , 3, 307-315		6
190	Efficacy and Tolerability of a Fixed Combination of Perindopril/Amlodipine/Indapamide in Patients with Essential Hypertension: Pilot Study / Efikasnost i Tolerabilnost Fiksne Kombinacije Perindopril/Amlodipin/Indapimida Kod Pacijenata Sa Esencijalnom Hipertenzijom: Pilot Studija. <b>2016</b> , 17, 21-26		2
189	Uncontrolled blood pressure as an independent risk factor of early impaired left ventricular systolic function in treated hypertension. <b>2016</b> , 33, 1488-1494		9
188	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <b>2016</b> , 15, 199		45
187	Physical activity and exercise lower blood pressure in individuals with hypertension: narrative review of 27 RCTs. <b>2016</b> , 50, 356-61		105
186	Association Between Lifestyle and Systemic Arterial Hypertension in Young Adults: A National, Survey-Based, Cross-Sectional Study. <b>2016</b> , 23, 31-40		19



185	Prevalence and management of hypertensive patients in clinical practice: Cross-sectional registry in five countries outside the European Union. <b>2016</b> , 25, 104-16		6
184	The persisting gender gap in hypertension management and control in Germany: 1998 and 2008-2011. <b>2016</b> , 39, 457-66		18
183	A pathway-based network analysis of hypertension-related genes. <b>2016</b> , 444, 928-939		1
182	Evaluation of medication adherence in Lebanese hypertensive patients. <b>2016</b> , 6, 157-67		29
181	Trends in Antihypertensive Medication Use and Blood Pressure Control Among Adults With Hypertension in Germany. <b>2016</b> , 29, 104-13		39
180	Annual incidence of mortality related to hypertensive disease in Canada and associations with heliophysical parameters. <b>2016</b> , 60, 9-20		8
179	Prevalence, treatment and control of hypertension in La Réunion: the RDIA population-based cohort study. <b>2017</b> , 26, 39-47		5
178	The effect of resveratrol on hypertension: A clinical trial. <b>2017</b> , 13, 295-301		30
177	Team-based care for improving hypertension management among outpatients (TBC-HTA): study protocol for a pragmatic randomized controlled trial. <b>2017</b> , 17, 39		11
176	Drug adherence in hypertension: from methodological issues to cardiovascular outcomes. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 1133-1144	1.9	55
175	Exploring factors associated with patients' adherence to antihypertensive drugs among people with primary hypertension in the United Kingdom. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 1881-1890	1.9	8
174	Self-reported adherence to therapeutic regimens among patients with hypertension. <b>2017</b> , 39, 264-270		15
173	Improved treatment and control of hypertension in Swedish primary care: results from the Swedish primary care cardiovascular database. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 2102-2108	1.9	13
172	Impact of home blood pressure monitoring on blood pressure control in older individuals: a French randomized study. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 612-620	1.9	7
171	Decreased left atrial myocardial strain in patients with suboptimal blood pressure control. <b>2017</b> , 39, 481-488		2
170	Differences in prevalence, treatment and control rates of hypertension between male and female in the area of Blida (Algeria). <b>2017</b> , 66, 123-129		7
169	Triple Combination Therapies Based on Olmesartan: A Personalized Therapeutic Approach to Improve Blood Pressure Control. <b>2017</b> , 24, 255-263		3
168	Starting a Fixed-Dose Combination Pill versus a Single Agent for Patients with Hypertension. <b>2017</b> , 32, 597-598		

167	Global cardiovascular risk assessment in the primary prevention of cardiovascular disease in adults: systematic review of systematic reviews. <b>2017</b> , 7, e013650	48
166	Fast and sensitive LC-MS/MS method for the simultaneous determination of lisinopril and hydrochlorothiazide in human plasma. <b>2017</b> , 7, 163-169	9
165	Hypertension treatment practices and its determinants among ambulatory patients: retrospective cohort study in Ethiopia. <b>2017</b> , 7, e015743	10
164	Efficacy and safety of renal denervation for Chinese patients with resistant hypertension using a microirrigated catheter: study design and protocol for a prospective multicentre randomised controlled trial. <b>2017</b> , 7, e015672	2
163	Telemonitoring and/or self-monitoring of blood pressure in hypertension (TASMINH4): protocol for a randomised controlled trial. <b>2017</b> , 17, 58	13
162	Prevalence of reported high blood pressure in Canada: investigation of demographic and spatial trends. <b>2017</b> , 25, 49-59	0
161	Cardiovascular Risk Factor Management Performance in Canada and the United States: A Systematic Review. <b>2017</b> , 33, 393-404	18
160	Changing Provider Behavior in the Context of Chronic Disease Management: Focus on Clinical Inertia. <b>2017</b> , 57, 263-283	25
159	Prevalence and control of hypertension in the general practice in Italy: updated analysis of a large database. <b>2017</b> , 31, 258-262	45
158	[Combination for initial therapy in hypertension, is it useful?]. <b>2017</b> , 34 Suppl 1, 19-24	
157	Socioeconomic Disparities in the Prevalence, Diagnosis, and Control of Hypertension in the Context of a Universal Health Insurance System. <b>2017</b> , 32, 561-567	10
156	Effect of frailty syndrome on treatment compliance in older hypertensive patients. <b>2017</b> , 12, 805-814	10
155	Hypertension in Non-Type 2 Diabetes in Isfahan, Iran: Incidence and Risk Factors. <b>2017</b> , 2017, 3132729	1
154	Antihypertensive and Antihypertrophic Effects of Acupuncture at PC6 Acupoints in Spontaneously Hypertensive Rats and the Underlying Mechanisms. <b>2017</b> , 2017, 9708094	11
153	Prevalence of Anemia, Overweight/Obesity, and Undiagnosed Hypertension and Diabetes among Residents of Selected Communities in Ghana. <b>2017</b> , 2017, 7836019	13
152	Selected factors affecting adherence in the pharmacological treatment of arterial hypertension. <b>2017</b> , 11, 363-371	26
151	Self-monitoring of blood pressure in hypertension: A systematic review and individual patient data meta-analysis. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002389	11.6 222
150	Prevalence and risk factors of hypertension: A nationwide cross-sectional study in Lebanon. <b>2018</b> , 20, 867-879	13

149	Clinical and Demographic Characteristics Associated With Suboptimal Primary Stroke and Transient Ischemic Attack Prevention: Retrospective Analysis. <b>2018</b> , 49, 682-687		3
148	Update of the ERS international Adult Respiratory Medicine syllabus for postgraduate training. <b>2018</b> , 14, 19-28		4
147	What are chronic diseases?. <b>2018</b> , 195, 3197-3220		6
146	Exploring guideline adaptation strategy for Turkey: Is "ADAPTE" feasible or does it need adaptation as well?. <b>2018</b> , 24, 97-104		4
145	Untreated Relative Hypotension Measured as Perfusion Pressure Deficit During Management of Shock and New-Onset Acute Kidney Injury-A Literature Review. <b>2018</b> , 49, 497-507		5
144	A comparison of the genetic and clinical risk factors for arterial hypertension between indigenous and non-indigenous people of the Shoria Mountain Region. <b>2018</b> , 40, 324-331		0
143	Drug treatment of hypertension in Sweden in relation to sex, age, and comorbidity. <b>2018</b> , 20, 106-114		17
142	Emotional reactivity and blood pressure elevations: anxiety as a mediator. <b>2018</b> , 23, 585-592		11
141	Acupuncture for hypertension. <b>2018</b> , 11, CD008821		14
140	The Institutional Determinants of Health Insurance: Moving Away from Labor Market, Marriage, and Family Attachments under the ACA.. <b>2018</b> , 83, 1144-1170		11
139	Psychometric evaluation of the Polish version of the Adherence to Refills and Medications Scale (ARMS) in adults with hypertension. <b>2018</b> , 12, 2661-2670		9
138	Lactose Intolerance, Dairy Avoidance, and Treatment Options. <b>2018</b> , 10,		61
137	The adoption of hypertension reference framework: An investigation among primary care physicians of Hong Kong. <i>PLoS ONE</i> , <b>2018</b> , 13, e0205529	3-7	2
136	Treatment adherence and blood pressure outcome among hypertensive out-patients in two tertiary hospitals in Sokoto, Northwestern Nigeria. <b>2018</b> , 18, 194		14
135	Association of guideline and policy changes with incidence of lifestyle advice and treatment for uncomplicated mild hypertension in primary care: a longitudinal cohort study in the Clinical Practice Research Datalink. <b>2018</b> , 8, e021827		7
134	Masked hypertension and cardiovascular outcomes: an updated systematic review and meta-analysis. <b>2018</b> , 11, 11-24		30
133	MODERN POSSIBILITIES OF ACHIEVING TARGET BLOOD PRESSURE LEVEL IN HYPERTENSIVE PATIENTS IN OUTPATIENT PRACTICE: THE LEADER STUDY RESULTS. <b>2018</b> , 14, 12-20		3
132	Rationale and evidence for the development of a durable device-based cardiac neuromodulation therapy for hypertension. <b>2018</b> , 12, 381-391		1

131	Drug Adherence in Hypertension and Cardiovascular Protection. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2018</b> ,	0.1	2
130	Clinical, Socioeconomic, and Psychosocial Factors Associated with Blood Pressure Control and Adherence: Results from a Multidisciplinary Cardiovascular National Program Providing Universal Coverage in a Developing Country. <b>2018</b> , 2018, 5634352		6
129	General Population and Global Cardiovascular Risk Prediction. <b>2018</b> , 1-14		
128	Cost-Effectiveness of Renal Denervation Therapy for Treatment-Resistant Hypertension: A Best Case Scenario. <b>2018</b> , 31, 1156-1163		8
127	Use of Fixed-Dose Combinations in Hypertension and Cardiovascular Disease Prevention. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2018</b> , 225-235	0.1	
126	Lowering blood pressure in primary care in Vienna (LOW-BP-VIENNA) : A cluster-randomized trial. <b>2018</b> , 130, 698-706		1
125	Combination therapies for hypertension - why we need to look beyond RAS blockers. <b>2018</b> , 11, 841-853		4
124	Prevalence, Awareness, Treatment and Control of hypertension in the Malaysian population: findings from the National Health and Morbidity Survey 2006-2015. <b>2018</b> , 32, 617-624		23
123	Dietary calcium intake and hypertension risk: a dose-response meta-analysis of prospective cohort studies. <b>2019</b> , 73, 969-978		14
122	Long-term and recent trends in hypertension awareness, treatment, and control in 12 high-income countries: an analysis of 123 nationally representative surveys. <b>2019</b> , 394, 639-651		156
121	Considerable international variation exists in blood pressure control and antihypertensive prescription patterns in chronic kidney disease. <b>2019</b> , 96, 983-994		25
120	[Assessment of adherence to antihypertensive drugs in patients with resistant hypertension receiving optimal treatment]. <b>2019</b> , 68, 264-268		1
119	Circular RNAs in hypertension: challenges and clinical promise. <b>2019</b> , 42, 1653-1663		16
118	Blood pressure control in treated hypertensive Middle Eastern patients: a post hoc analysis based on JNC8 definitions. <i>Vascular Health and Risk Management</i> , <b>2019</b> , 15, 35-46	4.4	4
117	Songling Xuemaikang capsules for patients with low-to-medium risk hypertension: study protocol for a randomized controlled trial. <b>2019</b> , 20, 218		1
116	New Approaches in Hypertension Management: a Review of Current and Developing Technologies and Their Potential Impact on Hypertension Care. <b>2019</b> , 21, 44		43
115	Efficacy and Safety of Incremental Dosing of a New Single-Pill Formulation of Perindopril and Amlodipine in the Management of Hypertension. <b>2019</b> , 19, 313-323		4
114	How May Coexisting Frailty Influence Adherence to Treatment in Elderly Hypertensive Patients?. <b>2019</b> , 2019, 5245184		6

113	Effects of expanding outpatient benefit package on the rationality of medical service utilisation of patients with hypertension: a quasi-experimental trial in rural China. <b>2019</b> , 9, e025254		2
112	A Subgroup of Chronic Low Back Pain Patients With Central Sensitization. <b>2019</b> , 35, 869-879		25
111	[Arterial Hypertension register in private clinics in Venezuela: RHAVEN Study]. <b>2019</b> , 36, 85-95		
110	The value of mHealth for managing chronic conditions. <b>2020</b> , 23, 185-202		27
109	Emerging Therapies. <b>2020</b> , 1189-1205		
108	Women discontinue antihypertensive drug therapy more than men. Evidence from an Italian population-based study. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 142-149	1.9	3
107	PERSON-centredness in hypertension management using information technology (PERHIT): a protocol for a randomised controlled trial in primary health care. <b>2020</b> , 29, 149-156		4
106	Sex differences in the adherence of antihypertensive drugs: a systematic review with meta-analyses. <b>2020</b> , 10, e036418		8
105	Diabetes Mellitus Versus Hypertension-Does Disease Affect Pharmacological Adherence?. <i>Frontiers in Pharmacology</i> , <b>2020</b> , 11, 1157	5.6	1
104	Extracellular Vesicle-Mediated Vascular Cell Communications in Hypertension: Mechanism Insights and Therapeutic Potential of ncRNAs. <b>2020</b> , 1		6
103	Frequency & factors associated with apparent resistant hypertension among Ghanaians in a multicenter study. <b>2020</b> , 22, 1594-1602		10
102	Blood pressure lowering efficacy of drugs inhibiting the renin-angiotensin system as second-line therapy for primary hypertension. <b>2020</b> ,		
101	Modal lifespan and disparity at older ages by leading causes of death: a Canada-U.S. comparison. <b>2020</b> , 37, 323-344		
100	Correlates of Blood Pressure and Cholesterol Level Testing Among a Socially-Disadvantaged Population in Poland. <b>2020</b> , 17,		1
99	Evaluation of pharmacokinetics and safety with bioequivalence of Amlodipine in healthy Chinese volunteers: Bioequivalence Study Findings. <b>2020</b> , 34, e23228		3
98	A validated LCMS/MS method for the quantification of amlodipine, bisoprolol, enalapril and enalaprilatApplication to pharmacokinetic study in healthy volunteers. <b>2020</b> , 155, 104700		5
97	Unhealthy behaviors and risk of uncontrolled hypertension among treated individuals-The CONSTANCES population-based study. <i>Scientific Reports</i> , <b>2020</b> , 10, 1925	4.9	6
96	Evaluation of antihypertensive prescriptions for rationality and adherence to treatment guidelines: An experience from United Arab Emirates. <b>2020</b> , 8, 764-769		

95	Correlation Between Central Sensitization and Remote Muscle Performance in Individuals With Chronic Low Back Pain. <b>2021</b> , 44, 14-24			1
94	Well Controlled Blood Pressure in Turkish Patients: How Many Drugs Are Required to Attain and Maintain the Blood Pressure Goal?. <b>2021</b> , 12, 23-33			
93	Resistant hypertension: Prevalence and profile of patients followed in a university ambulatory. <b>2021</b> , 9, 20503121211020892			
92	Risk of Target Organ Damage in Patients with Masked Hypertension versus Sustained Hypertension: A Meta-analysis. <i>Cardiovascular Innovations and Applications</i> , <b>2021</b> , 5, 155-163	0.1		0
91	Patient Awareness and Clinical Inertia: Obstacles to Hypertension Control in Rural Communities in the Dominican Republic. <b>2021</b> , 34, 939-947			1
90	Opportunistic screening for hypertension: what does it say about the true epidemiology?. <b>2021</b> ,			0
89	Novel Digital Technologies for Blood Pressure Monitoring and Hypertension Management. <b>2021</b> , 15, 11			1
88	Exploring stroke risk and prevention in China: insights from an outlier. <b>2021</b> , 13, 15659-15673			1
87	Treatment and adherence to antihypertensive therapy in France: the roles of socioeconomic factors and primary care medicine in the ESTEBAN survey. <b>2021</b> , 44, 550-560			0
86	Comparison of a 5 F Microtube-Irrigated Ablation Catheter and a General Ablation Catheter in the Treatment of Resistant Hypertension with Renal Denervation. <i>Cardiovascular Innovations and Applications</i> , <b>2021</b> ,	0.1		
85	AT1 Receptors, Angiotensin Receptor Blockade, and Clinical Hypertensive Disease. <b>2009</b> , 59-79			2
84	Gruppendiskussionen mit Patientinnen und Patienten: eine Methode in der Versorgungsforschung. <b>2008</b> , 63-80			0
83	Adherence to antihypertensive treatment: a critical factor for blood pressure control. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 243-9			93
82	Antihypertensive drugs and the risk of cancer: a critical review of available evidence and perspective. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 1005-1015	1.9		4
81	Physicians' degree of motivation regarding their perception of hypertension, and blood pressure control. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 1130-1139	1.9		9
80	Targeted Metabolomics as a Tool in Discriminating Endocrine From Primary Hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, 1111-1128	5.6		6
79	Echocardiographic markers of left ventricular dysfunction among men with uncontrolled hypertension and stage 3 chronic kidney disease. <i>Medical Science Monitor</i> , <b>2013</b> , 19, 838-45	3.2		5
78	Under-prescribing of Prevention Drugs and Primary Prevention of Stroke and Transient Ischaemic Attack in UK General Practice: A Retrospective Analysis. <i>PLoS Medicine</i> , <b>2016</b> , 13, e1002169	11.6		12

77	Changes in the prevalence, treatment and control of hypertension in Germany? A clinical-epidemiological study of 50.000 primary care patients. <i>PLoS ONE</i> , <b>2012</b> , 7, e52229	3.7	28
76	Level of unawareness and management of diabetes, hypertension, and dyslipidemia among adults in Luxembourg: findings from ORISCAV-LUX study. <i>PLoS ONE</i> , <b>2013</b> , 8, e57920	3.7	23
75	Environmental and genetic contribution to hypertension prevalence: data from an epidemiological survey on Sardinian genetic isolates. <i>PLoS ONE</i> , <b>2013</b> , 8, e59612	3.7	27
74	Determinants of medication adherence to antihypertensive medications among a Chinese population using Morisky Medication Adherence Scale. <i>PLoS ONE</i> , <b>2013</b> , 8, e62775	3.7	113
73	Adherence to Antihypertensive Therapy and Elevated Blood Pressure: Should We Consider the Use of Multiple Medications?. <i>PLoS ONE</i> , <b>2015</b> , 10, e0137451	3.7	31
72	Costs and Cost-Effectiveness of Interventions and Policies to Prevent and Treat Cardiovascular and Respiratory Diseases. <b>2017</b> , 349-367		6
71	Carvedilol in hypertension treatment. <i>Vascular Health and Risk Management</i> , <b>2008</b> , 4, 23-30	4.4	52
70	Physiologic tailoring of treatment in resistant hypertension. <i>Current Cardiology Reviews</i> , <b>2010</b> , 6, 119-23	2.4	13
69	Implementation of guidelines for the management of arterial hypertension. The impulsion study. <i>Open Cardiovascular Medicine Journal</i> , <b>2009</b> , 3, 26-34	0.7	13
68	Treatment strategies for resistant arterial hypertension. <i>Deutsches A&amp;#x0308;rztblatt International</i> , <b>2011</b> , 108, 725-31	2.5	21
67	Hypertension in Germany. <i>Deutsches A&amp;#x0308;rztblatt International</i> , <b>2016</b> , 113, 809-815	2.5	19
66	Validity of Self-reported Hypertension and Factors Related to Discordance Between Self-reported and Objectively Measured Hypertension: Evidence From a Cohort Study in Iran. <i>Journal of Preventive Medicine and Public Health</i> , <b>2019</b> , 52, 131-139	3.7	4
65	[Awareness, treatment and control of hypertension and related factors in the jurisdictional areas of primary health care posts in a rural community of Korea]. <i>Journal of Preventive Medicine and Public Health</i> , <b>2011</b> , 44, 74-83	3.7	12
64	A trend analysis of the prevalence, awareness, treatment, and control of hypertension by age group. <i>Journal of Preventive Medicine and Public Health</i> , <b>2013</b> , 46, 353-9	3.7	24
63	Target organ damage in newly detected hypertensive patients. <i>Journal of Family Medicine and Primary Care</i> , <b>2019</b> , 8, 2042-2046	1.5	8
62	Assessment of drug compliance in patients with high blood pressure resistant to antihypertensive therapy. <i>EuroIntervention</i> , <b>2013</b> , 9 Suppl R, R29-34	3.1	7
61	Global cardiovascular risk profiles of untreated hypertensives in an urban, developing community in Africa. <i>Cardiovascular Journal of Africa</i> , <b>2011</b> , 22, 261-7	0.7	4
60	Early diastolic functional abnormalities in normotensive offspring of Nigerian hypertensives. <i>Cardiovascular Journal of Africa</i> , <b>2012</b> , 23, 255-9	0.7	3



59	Compliance with the Prescription of Antihypertensive Medications and Blood Pressure Control in Primary Care. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2017</b> , 108, 135-142	1.2	9
58	Higher hemoglobin levels are an independent risk factor for adverse metabolism and higher mortality in a 20-year follow-up. <i>Scientific Reports</i> , <b>2021</b> , 11, 19936	4.9	1
57	The burden of hypertension and unmet need for hypertension care among men aged 15-54 years: a population-based cross-sectional study in India. <i>Journal of Biosocial Science</i> , <b>2021</b> , 1-22	1.6	2
56	Cardiovascular Disease in Racial and Ethnic Minorities. <i>Fundamental and Clinical Cardiology</i> , <b>2006</b> , 721-751		0
55	U.S. and Canadian Guidelines for Hypertension. <b>2007</b> , 551-570		
54	Hypertonie. <b>2008</b> , 507-542		
53	Comparaison des ventes de médicaments antihypertenseurs dans cinq pays européens en 2009. <i>Revue Francaise Des Affaires Sociales</i> , <b>2013</b> , 1, 88	0.3	
52	A PROSPECTIVE STUDY OF PRESCRIBING PATTERN OF ANTIHYPERTENSIVE DRUGS IN TERTIARY CARE HOSPITAL, BANGALORE. <i>Journal of Evolution of Medical and Dental Sciences</i> , <b>2013</b> , 2, 10339-10344 <sup>0.1</sup>		
51	Bluthochdruck (Hypertonie). <b>2014</b> , 401-411		
50	Obesity Increases Blood Pressure Variability during the Night. <i>Journal of the Korean Society of Hypertension</i> , <b>2014</b> , 20, 1		
49	Challenging Complex Diseases. <b>2015</b> , 209-215		0
48	Psychosomatic Aspects of Low Adherence to Antihypertensive Therapy in Patients with Arterial Hypertension. <i>Systemic Hypertension</i> , <b>2014</b> , 11, 11-16	1.6	
47	Association of Work-related Characteristics and Hypertension among White Collar Workers. <i>Han-guk Saneop Bogeon Hakoeji</i> , <b>2015</b> , 25, 418-427		
46	The Stroke Prevention Programme: a programme of research to inform optimal stroke prevention in primary care. <i>Programme Grants for Applied Research</i> , <b>2016</b> , 4, 1-290	1.5	1
45	Unpuzzling the Comorbid Type 2 Diabetes and Hypertension-Related Cognitive Dysfunction and Stroke. <i>Springer Series in Translational Stroke Research</i> , <b>2017</b> , 711-731	0.1	1
44	Dietary Intake of Vitamin D and Its Relation with Blood Pressure in the Elderly Population. <i>International Journal of Preventive Medicine</i> , <b>2019</b> , 10, 40	1.6	1
43	The drug adherence and lifestyle factors that contribute to blood pressure control among hypertensive patients. <i>The European Research Journal</i> ,	0	1
42	Adherence to Hypertension Treatment and its Determinants in Patients Referred to a Tertiary Cardiology Center in Urmia, Iran. <i>Avicenna Journal of Clinical Medicine</i> , <b>2019</b> , 26, 83-92	0	0



41	Stratégie thérapeutique non conventionnelle pour le contrôle des valeurs de la pression artérielle chez les hypertendus. <i>Bulletin De L'Académie Nationale De Médecine</i> , <b>2019</b> , 203, 688-696	0.1	
40	The relationship between personality traits and adherence among patients with hypertension. <i>International Archives of Health Sciences</i> , <b>2020</b> , 7, 43	0.3	
39	Design and rationale of NATURE-HTN: the National Tunisian Registry of Hypertension (Preprint).		
38	Design and rationale of NATURE-HTN: A National observational, multicentric Tunisian Registry of Hypertension (Preprint). <i>JMIR Research Protocols</i> ,	2	
37	RETINOPATHY IN NEWLY DIAGNOSED ELDERLY HYPERTENSIVE PATIENTS (>60 YEARS) IN A RURAL TEACHING INSTITUTE OF SUB-HIMALAYAN REGION. <b>2020</b> , 1-2		
36	Prevalence, awareness, treatment and control of hypertension in Greece: EMENO national epidemiological study. <i>Journal of Hypertension</i> , <b>2021</b> , 39, 1034-1039	1.9	1
35	Organisational factors in relation to control of blood pressure: an observational study. <i>British Journal of General Practice</i> , <b>2005</b> , 55, 931-7	1.6	18
34	Blood pressure normalization in a large population of hypertensive patients treated with perindopril/indapamide combination: results of the OPTIMAX trial. <i>Vascular Health and Risk Management</i> , <b>2007</b> , 3, 173-80	4.4	5
33	Supporting self-care in general practice. <i>British Journal of General Practice</i> , <b>2007</b> , 57, 814-21	1.6	40
32	Can combining different risk interventions into a single formulation contribute to improved cardiovascular disease risk reduction? The single pill of amlodipine/atorvastatin. <i>Vascular Health and Risk Management</i> , <b>2007</b> , 3, 711-9	4.4	2
31	A prospective evaluation of persistence on antihypertensive treatment with different antihypertensive drugs in clinical practice. <i>Vascular Health and Risk Management</i> , <b>2007</b> , 3, 999-1005	4.4	30
30	Management of hypertension in patients with diabetes mellitus. <i>Experimental and Clinical Cardiology</i> , <b>2010</b> , 15, 5-8		12
29	Actions to control hypertension among adults in Oklahoma. <i>Preventing Chronic Disease</i> , <b>2011</b> , 8, A10	3.7	4
28	Racial differences in response to antihypertensive therapy: does one size fits all?. <i>International Journal of Preventive Medicine</i> , <b>2010</b> , 1, 217-9	1.6	19
27	Difficulties in achieving arterial hypertension control. <i>Medica</i> , <b>2011</b> , 6, 114-9		
26	Aliskiren in hypertension: evidence for its potential therapeutic value. <i>Core Evidence</i> , <b>2005</b> , 1, 13-22	4.9	
25	Risk factors for acute non-ST-segment elevation myocardial infarction in a population sample of predominantly African American patients with chest pain and normal coronary arteries. <i>Ethnicity and Disease</i> , <b>2011</b> , 21, 421-8	1.8	4
24	Influence of dyslipidemia in control of arterial hypertension among type-2 diabetics in the western region of the Republic of Macedonia. <i>American Journal of Cardiovascular Disease</i> , <b>2014</b> , 4, 58-69	0.9	1

23	An evaluation of a clinical pharmacy-directed intervention on blood pressure control. <i>Pharmacy Practice</i> , <b>2006</b> , 4, 110-6	1.8	4
22	Diabetic hypertensive control and treatment: a descriptive report from the audit diabetes control and management (adcm) registry. <i>Malaysian Family Physician</i> , <b>2010</b> , 5, 134-9	0.5	4
21	Effectiveness of in-office blood pressure measurement by eye care practitioners in early detection and management of hypertension. <i>International Journal of Ophthalmology</i> , <b>2015</b> , 8, 612-21	1.4	0
20	Secular Trends in Prescription Patterns of Single-Pill Combinations of an Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Plus a Thiazide Diuretic for Hypertensive Patients in Taiwan. <i>Acta Cardiologica Sinica</i> , <b>2013</b> , 29, 49-55	1.1	7
19	Evaluation of Knowledge and Adherence of Primary Healthcare Physicians Regarding Hypertension Prevention Guidelines in the Jazan Region, Saudi Arabia. <i>Materia Socio-medica</i> , <b>2020</b> , 32, 258-262	0.9	0
18	Prevalence of Hypertension in a Community. <i>Journal of the Nepal Medical Association</i> , <b>2020</b> , 58, 1011-1017	1.4	1
17	Hypertension Cure and Reducing Pill Burden after Adrenalectomy for Endocrine Hypertension of Adrenal Origin: A Comparative Study from an Asian and UK Cohort. <i>World Journal of Endocrine Surgery</i> , <b>2021</b> , 13, 9-15	0.1	0
16	Hypertension and pre-hypertension in Middle East and North Africa (MENA): A meta-analysis of prevalence, awareness, treatment, and control. <i>Current Problems in Cardiology</i> , <b>2021</b> , 101069	17.1	1
15	Prevalence of Hypertension in a Community. <i>Journal of the Nepal Medical Association</i> , <b>2020</b> , 58, 1011-1017	1.4	1
14	The effect of mobile health focused on diet and lifestyle on blood pressure: a systematic review and Meta-analysis.. <i>European Journal of Preventive Cardiology</i> , <b>2022</b> ,	3.9	1
13	Using Confocal Microscopy to Generate an Accurate Vascular Model for Use in Patient Education Animation.. <i>Advances in Experimental Medicine and Biology</i> , <b>2022</b> , 1356, 31-52	3.6	0
12	Ethnobotanical and phytochemical aspects of the edible herb <i>Coriandrum sativum</i> L.. <i>Journal of Food Science</i> , <b>2022</b> ,	3.4	1
11	Methylenetetrahydrofolate Reductase Polymorphism (rs1801133) and the Risk of Hypertension among African Populations: A Narrative Synthesis of Literature.. <i>Genes</i> , <b>2022</b> , 13,	4.2	0
10	Youtube as a source of information on "Manual Blood Pressure Measurement". <i>Koçiyolu Heart Journal</i> ,	0	0
9	Prevalence and inequality in persistent undiagnosed, untreated, and uncontrolled hypertension: Evidence from a cohort of older Mexicans. <i>PLOS Global Public Health</i> , <b>2021</b> , 1, e0000114	0	0
8	Resistant Hypertension: Recognition and Treatment. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2022</b> , 351-366	0.1	0
7	Prevalence of Controlled Blood Pressure among Hypertensive Patients and Determinants of Hypertensive Complications in a Nigerian Population. <i>International Journal of Medicine and Health Development</i> , <b>2022</b> , 27, 226	0.1	0
6	Trends in Antihypertensive Medicine Utilization in the Republic of Srpska, Bosnia and Herzegovina: An Eleven-Year Follow-Up. <i>Frontiers in Pharmacology</i> , 13,	5.6	0

- 5 NEWER APPROACHES IN HYPERTENSION MANAGEMENT; A NARRATIVE REVIEW. **2022**, 57-59
- 4 Treatment of Hypertension in New Frontiers. 44-52
- 3 Rates of Pheochromocytoma/Paraganglioma Screening in At-Risk Populations.
- 2 Arterielle Hypertonie. **2022**, 155-204
- 1 Hypertension medication from guidelines to practice: A cohort study in western Iran.