

Acne and propionibacterium acnes

Clinics in Dermatology

22, 375-379

DOI: [10.1016/j.clindermatol.2004.03.005](https://doi.org/10.1016/j.clindermatol.2004.03.005)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Insights in the Pathogenic Potential of <i>Propionibacterium acnes</i> From Its Complete Genome. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2005, 24, 67-72. | 1.6 | 111 |
| 2 | Inhibition of Pathogenic Bacterial Adhesion by Acidic Polysaccharide from Green Tea (<i>Camellia</i>) Tj ETQq1 1 0.784314 rgBT /Oyerglock 100 | 2.4 | 100 |
| 3 | Herbal Medicine for Acne Vulgaris. <i>Alternative and Complementary Therapies</i> , 2006, 12, 303-309. | 0.1 | 10 |
| 4 | Nasal antibiotic-resistant <i>Propionibacterium acnes</i> carriage in acne vulgaris patients in Turkey. <i>Journal of Dermatology</i> , 2006, 33, 899-901. | 0.6 | 8 |
| 5 | Pulmonary Immune Responses to <i>Propionibacterium acnes</i> in C57BL/6 and BALB/c Mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2006, 35, 347-356. | 1.4 | 34 |
| 6 | In vivo Porphyrin Production by <i>P. acnes</i> in Untreated Acne Patients and its Modulation by Acne Treatment. <i>Acta Dermato-Venereologica</i> , 2006, 86, 316-319. | 0.6 | 58 |
| 7 | Variable expression of immunoreactive surface proteins of <i>Propionibacterium acnes</i> . <i>Microbiology (United Kingdom)</i> , 2006, 152, 3667-3681. | 0.7 | 66 |
| 8 | Endocarditis caused by <i>Propionibacterium</i> species: a report of three cases and a review of clinical features and diagnostic difficulties. <i>Journal of Medical Microbiology</i> , 2006, 55, 981-987. | 0.7 | 80 |
| 9 | Activity of the Novel Macrolide BAL19403 against Ribosomes from Erythromycin-Resistant <i>Propionibacterium acnes</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 4361-4365. | 1.4 | 9 |
| 10 | Potential Targets of <i>P. acnes</i> for New Treatments of <i>P. acnes</i> -Associated Diseases. <i>Current Proteomics</i> , 2007, 4, 157-161. | 0.1 | 0 |
| 11 | Introduction of a Qualified Presumption of Safety (QPS) approach for assessment of selected microorganisms referred to EFSA - Opinion of the Scientific Committee. <i>EFSA Journal</i> , 2007, 5, 587. | 0.9 | 350 |
| 13 | Pulsed Dye Laser Treatment of Acne. Study of Clinical Efficacy and Mechanism of Action. <i>Actas Dermo-sifiliogrÃ¡ficas</i> , 2007, 98, 415-419. | 0.2 | 7 |
| 14 | Acne and risk of prostate cancer. <i>International Journal of Cancer</i> , 2007, 121, 2688-2692. | 2.3 | 78 |
| 15 | A Citrus Polymethoxy Flavonoid, Nobiletin Inhibits Sebum Production and Sebocyte Proliferation, and Augments Sebum Excretion in Hamsters. <i>Journal of Investigative Dermatology</i> , 2007, 127, 2740-2748. | 0.3 | 23 |
| 16 | Effect of <i>Garcinia mangostana</i> on inflammation caused by <i>Propionibacterium acnes</i> . <i>FÃ-toterapÃ-t</i> , 2007, 78, 401-408. | 1.1 | 100 |
| 17 | 2â-AcetoxyferruginolÃ-A new antibacterial abietane diterpene from the bark of <i>Prumnopitys andina</i> . <i>Phytochemistry Letters</i> , 2008, 1, 49-53. | 0.6 | 18 |
| 18 | Antibodies Elicited by Inactivated <i>Propionibacterium acnes</i> -Based Vaccines Exert Protective Immunity and Attenuate the IL-8 Production in Human Sebocytes: Relevance to Therapy for Acne Vulgaris. <i>Journal of Investigative Dermatology</i> , 2008, 128, 2451-2457. | 0.3 | 68 |
| 19 | Efficacy and tolerability of clindamycin phosphate and salicylic acid gel in the treatment of mild to moderate acne vulgaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 629-631. | 1.3 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 20 | Acne vulgaris and acne rosacea as part of immune reconstitution disease in HIV-1 infected patients starting antiretroviral therapy. <i>International Journal of STD and AIDS</i> , 2008, 19, 493-495. | 0.5 | 17 |
| 21 | Acne Through the Ages: Case-Based Observations Through Childhood and Adolescence. <i>Clinical Pediatrics</i> , 2008, 47, 639-651. | 0.4 | 23 |
| 22 | Fatores etiopatogênicos da acne vulgar. <i>Anais Brasileiros De Dermatologia</i> , 2008, 83, 451-459. | 0.5 | 15 |
| 23 | Chemical composition and biological activities of Jeju <i>Thymus quinquecostatus</i> essential oils against <i>Propionibacterium</i> species inducing acne. <i>Journal of General and Applied Microbiology</i> , 2009, 55, 63-68. | 0.4 | 24 |
| 24 | Development of Three-Dimensional Tissue-Engineered Models of Bacterial Infected Human Skin Wounds. <i>Tissue Engineering - Part C: Methods</i> , 2009, 15, 475-484. | 1.1 | 49 |
| 25 | Involvement of <i>Propionibacterium acnes</i> in the Augmentation of Lipogenesis in Hamster Sebaceous Glands In Vivo and In Vitro. <i>Journal of Investigative Dermatology</i> , 2009, 129, 2113-2119. | 0.3 | 72 |
| 26 | Antimicrobial Property of Lauric Acid Against <i>Propionibacterium Acnes</i> : Its Therapeutic Potential for Inflammatory Acne Vulgaris. <i>Journal of Investigative Dermatology</i> , 2009, 129, 2480-2488. | 0.3 | 266 |
| 27 | The antimicrobial activity of liposomal lauric acids against <i>Propionibacterium acnes</i> . <i>Biomaterials</i> , 2009, 30, 6035-6040. | 5.7 | 161 |
| 28 | Inhibition of Pathogen Adhesion to Host Cells by Polysaccharides from <i>Panax ginseng</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 209-212. | 0.6 | 27 |
| 29 | Protease-activated receptor-2 mediates the expression of inflammatory cytokines, antimicrobial peptides, and matrix metalloproteinases in keratinocytes in response to <i>Propionibacterium acnes</i> . <i>Archives of Dermatological Research</i> , 2010, 302, 745-756. | 1.1 | 96 |
| 30 | Proteomic identification of secreted proteins of <i>Propionibacterium acnes</i> . <i>BMC Microbiology</i> , 2010, 10, 230. | 1.3 | 142 |
| 31 | Radiant near infrared light emitting Diode exposure as skin preparation to enhance photodynamic therapy inflammatory type acne treatment outcome. <i>Lasers in Surgery and Medicine</i> , 2010, 42, 171-178. | 1.1 | 33 |
| 32 | A rapid method to clinically assess the effect of an anti-acne formulation. <i>International Journal of Cosmetic Science</i> , 2010, 32, 82-82. | 1.2 | 0 |
| 33 | Induction of inflammatory reactions by lipopolysaccharide in hamster sebaceous glands and pilosebaceous units <i>in vivo</i> and <i>in vitro</i> . <i>Experimental Dermatology</i> , 2010, 19, 1107-1109. | 1.4 | 9 |
| 34 | Anaerobic bacteria. , 2010, , 1757-1776. | | 1 |
| 35 | Current status of acne vaccines. <i>Expert Review of Dermatology</i> , 2010, 5, 561-566. | 0.3 | 8 |
| 36 | Mutagenesis of <i>Propionibacterium acnes</i> and analysis of two CAMP factor knock-out mutants. <i>Journal of Microbiological Methods</i> , 2010, 83, 211-216. | 0.7 | 40 |
| 37 | Processing efficacy in relation to microbial contamination of skin allografts from 723 donors. <i>Burns</i> , 2010, 36, 347-351. | 1.1 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 38 | Sebum Free Fatty Acids Enhance the Innate Immune Defense of Human Sebocytes by Upregulating Î²-Defensin-2 Expression. <i>Journal of Investigative Dermatology</i> , 2010, 130, 985-994. | 0.3 | 182 |
| 39 | Major constituents and antimicrobial activity of Korean herb <i>Acorus calamus</i> . <i>Natural Product Research</i> , 2011, 25, 1278-1281. | 1.0 | 25 |
| 41 | Susceptibility of <i>Propionibacterium acnes</i> isolated from patients with acne vulgaris to zinc ascorbate and antibiotics. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2011, 4, 161. | 0.8 | 11 |
| 43 | Microbial Symbiosis with the Innate Immune Defense System of the Skin. <i>Journal of Investigative Dermatology</i> , 2011, 131, 1974-1980. | 0.3 | 289 |
| 44 | Prevalence of <i>Propionibacterium acnes</i> in diseased prostates and its inflammatory and transforming activity on prostate epithelial cells. <i>International Journal of Medical Microbiology</i> , 2011, 301, 69-78. | 1.5 | 126 |
| 45 | <i>Staphylococcus epidermidis</i> : A possible role in the pustules of rosacea. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 49-52. | 0.6 | 80 |
| 46 | Laser Raman Spectroscopy as a Potential Chair-side Microbiological Diagnostic Device. <i>Journal of Endodontics</i> , 2011, 37, 968-972. | 1.4 | 5 |
| 47 | Therapeutic agents and herbs in topical application for acne treatment. <i>International Journal of Cosmetic Science</i> , 2011, 33, 289-297. | 1.2 | 74 |
| 48 | Nanocarrier Systems for Transdermal Drug Delivery. , 0, , . | | 11 |
| 49 | Peptides with antimicrobial and anti-inflammatory activities that have therapeutic potential for treatment of acne vulgaris. <i>Peptides</i> , 2012, 34, 275-282. | 1.2 | 58 |
| 50 | <sc>SIG</sc>1273: a new cosmetic functional ingredient to reduce blemishes and <i><sc>P</sc>ropionibacterium acnes</i> in acne prone skin. <i>Journal of Cosmetic Dermatology</i> , 2012, 11, 272-278. | 0.8 | 14 |
| 51 | Multilocus sequence typing and repetitive-sequence-based PCR (DiversiLab) for molecular epidemiological characterization of <i>Propionibacterium acnes</i> isolates of heterogeneous origin. <i>Anaerobe</i> , 2012, 18, 392-399. | 1.0 | 14 |
| 52 | An Expanded Multilocus Sequence Typing Scheme for <i>Propionibacterium acnes</i> : Investigation of â€œPathogenicâ€™, â€œCommensalâ€™ and Antibiotic Resistant Strains. <i>PLoS ONE</i> , 2012, 7, e41480. | 1.1 | 196 |
| 53 | Properties of herbal extracts against<i>Propionibacterium acnes</i>for biomedical application. <i>Proceedings of SPIE</i> , 2012, , . | 0.8 | 0 |
| 54 | Zinc ascorbate has superoxide dismutase-like activity and in vitro antimicrobial activity against <i>Staphylococcus aureus</i> and <i>Escherichia coli</i> . <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2012, 5, 135. | 0.8 | 1 |
| 55 | Antibacterial and Anti-inflammatory Activity of Traditional Chinese Herb Pairs, <i>Angelica sinensis</i> and <i>Sophora flavescens</i> . <i>Inflammation</i> , 2012, 35, 913-919. | 1.7 | 40 |
| 56 | Antibiotic susceptibility in prostateâ€derived <i>Propionibacterium acnes</i> isolates. <i>Apmis</i> , 2012, 120, 778-785. | 0.9 | 20 |
| 57 | Reply: â€œFollicular spicules associated with <i>Propionibacterium acnes</i> with response to erythromycinâ€ Lack of evidence for the species?. <i>Journal of Dermatology</i> , 2012, 39, 586-586. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 58 | An increased incidence of <i>Propionibacterium acnes</i> biofilms in acne vulgaris: a case-control study. <i>British Journal of Dermatology</i> , 2012, 167, 50-58. | 1.4 | 185 |
| 59 | Structure and function of the human skin microbiome. <i>Trends in Microbiology</i> , 2013, 21, 660-668. | 3.5 | 348 |
| 60 | <i>Propionibacterium acnes</i> activates caspase-1 in human neutrophils. <i>Apmsis</i> , 2013, 121, 652-663. | 0.9 | 39 |
| 61 | Simultaneous visualization of <i>Propionibacterium acnes</i> and <i>Propionibacterium granulosum</i> with immunofluorescence and fluorescence in situ hybridization. <i>Anaerobe</i> , 2013, 23, 48-54. | 1.0 | 24 |
| 62 | <i>Propionibacterium acnes</i> Strain Populations in the Human Skin Microbiome Associated with Acne. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2152-2160. | 0.3 | 557 |
| 63 | Antimicrobial susceptibility and genetic characteristics of <i>Propionibacterium acnes</i> isolated from patients with acne. <i>International Journal of Dermatology</i> , 2013, 52, 418-425. | 0.5 | 64 |
| 64 | Acne vulgarism treatment using ultra-short laser pulse generated by micro- and nano-ring resonator system. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2013, 41, 92-97. | 1.9 | 3 |
| 65 | Deciphering the Intracellular Fate of <i>Propionibacterium acnes</i> in Macrophages. <i>BioMed Research International</i> , 2013, 2013, 1-11. | 0.9 | 52 |
| 66 | Antibacterial Activity of Long-Chain Polyunsaturated Fatty Acids against <i>Propionibacterium acnes</i> and <i>Staphylococcus aureus</i> . <i>Marine Drugs</i> , 2013, 11, 4544-4557. | 2.2 | 126 |
| 68 | Diagnosis and Management of Periprosthetic Shoulder Infections. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 956-965. | 1.4 | 83 |
| 69 | Acne Pathogenesis: History of Concepts. <i>Dermatology</i> , 2014, 229, 1-46. | 0.9 | 20 |
| 70 | <i>Propionibacterium acnes</i> Induces IL-1 β Secretion via the NLRP3 Inflammasome in Human Monocytes. <i>Journal of Investigative Dermatology</i> , 2014, 134, 381-388. | 0.3 | 164 |
| 71 | Analysis of the secondary endodontic lesions focusing on the extraradicular microorganisms: an overview. <i>Journal of Investigative and Clinical Dentistry</i> , 2014, 5, 245-254. | 1.8 | 9 |
| 72 | New Insights into Acne Pathogenesis: <i>Propionibacterium Acnes</i> Activates the Inflammasome. <i>Journal of Investigative Dermatology</i> , 2014, 134, 310-313. | 0.3 | 70 |
| 73 | IL-1 β Drives Inflammatory Responses to <i>Propionibacterium acnes</i> In Vitro and In Vivo. <i>Journal of Investigative Dermatology</i> , 2014, 134, 677-685. | 0.3 | 178 |
| 74 | The Protective Effects of Melittin on <i>Propionibacterium acnes</i> Induced Inflammatory Responses In Vitro and In Vivo. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1922-1930. | 0.3 | 87 |
| 75 | <i>Propionibacterium acnes</i> : from Commensal to Opportunistic Biofilm-Associated Implant Pathogen. <i>Clinical Microbiology Reviews</i> , 2014, 27, 419-440. | 5.7 | 471 |
| 76 | The Use of Chicken Igy in a Double Antibody Sandwich Elisa for the Quantification of Melittin in Bee Venom and Bee Venom Melittin Content in Cosmetics. <i>Journal of Apicultural Science</i> , 2015, 59, 97-107. | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 77 | Lubricant and Bactericidal Properties of Calcium Salts of Fatty Acids: Effect of Degree of Unsaturation. <i>Journal of Oleo Science</i> , 2015, 64, 1095-1100. | 0.6 | 13 |
| 78 | Magnesium Ascorbyl Phosphate Regulates the Expression of Inflammatory Biomarkers in Cultured Sebocytes. <i>Annals of Dermatology</i> , 2015, 27, 376. | 0.3 | 6 |
| 79 | Inhibition of lipase and inflammatory mediators by <i>Chlorella</i> lipid extracts for antiacne treatment. <i>Journal of Advanced Pharmaceutical Technology and Research</i> , 2015, 6, 7. | 0.4 | 24 |
| 80 | Propionibacteria and Disease. , 2015, , 837-858. | | 7 |
| 81 | Human Microbiome: When a Friend Becomes an Enemy. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2015, 63, 287-298. | 1.0 | 53 |
| 82 | Conventional Diagnostic Challenges in Periprosthetic Joint Infection. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2015, 23, S18-S25. | 1.1 | 31 |
| 83 | The diversity and host interactions of <i>Propionibacterium acnes</i> bacteriophages on human skin. <i>ISME Journal</i> , 2015, 9, 2078-2093. | 4.4 | 83 |
| 84 | The Incidence of <i>Propionibacterium acnes</i> in Open Shoulder Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 957-963. | 1.4 | 144 |
| 85 | Antibiotic susceptibility of <i>Propionibacterium acnes</i> isolated from orthopaedic implant-associated infections. <i>Anaerobe</i> , 2015, 32, 57-62. | 1.0 | 37 |
| 86 | Propionic Acid Produced by <i>Propionibacterium acnes</i> Strains Contributes to Their Pathogenicity. <i>Acta Dermato-Venereologica</i> , 2016, 96, 43-49. | 0.6 | 46 |
| 87 | Bactericidal Effect of Lauric Acid-Loaded PCL-PEG-PCL Nano-Sized Micelles on Skin Commensal <i>Propionibacterium acnes</i> . <i>Polymers</i> , 2016, 8, 321. | 2.0 | 30 |
| 88 | The balance of metagenomic elements shapes the skin microbiome in acne and health. <i>Scientific Reports</i> , 2016, 6, 39491. | 1.6 | 169 |
| 89 | Microbial biofilms and the human skin microbiome. <i>Npj Biofilms and Microbiomes</i> , 2016, 2, 3. | 2.9 | 120 |
| 90 | Multicenter cross-sectional observational study of antibiotic resistance and the genotypes of <i>Propionibacterium acnes</i> isolated from Chinese patients with acne vulgaris. <i>Journal of Dermatology</i> , 2016, 43, 406-413. | 0.6 | 22 |
| 91 | Molecular Microbiological Profile of Chronic Suppurative Otitis Media. <i>Journal of Clinical Microbiology</i> , 2016, 54, 2538-2546. | 1.8 | 48 |
| 92 | Reduction of Inflammatory and Noninflammatory Lesions with Topical Tyrothricin 0.1% in the Treatment of Mild to Severe Acne Papulopustulosa: A Randomized Controlled Clinical Trial. <i>Skin Pharmacology and Physiology</i> , 2016, 29, 1-8. | 1.1 | 11 |
| 93 | Frequency and typing of <i>Propionibacterium acnes</i> in prostate tissue obtained from men with and without prostate cancer. <i>Infectious Agents and Cancer</i> , 2016, 11, 26. | 1.2 | 63 |
| 94 | Choline and Geranate Deep Eutectic Solvent as a Broad-Spectrum Antiseptic Agent for Preventive and Therapeutic Applications. <i>Advanced Healthcare Materials</i> , 2016, 5, 1282-1289. | 3.9 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 95 | Energy-Based Devices in Treatment of Acne Vulgaris. <i>Dermatologic Surgery</i> , 2016, 42, 573-585. | 0.4 | 17 |
| 96 | Investigation of antibacterial activity of aspidin BB against <i>Propionibacterium acnes</i> . <i>Archives of Dermatological Research</i> , 2016, 308, 79-86. | 1.1 | 29 |
| 97 | Different cutaneous innate immunity profiles in acne patients with and without atrophic scars. <i>European Journal of Dermatology</i> , 2016, 26, 68-74. | 0.3 | 37 |
| 98 | Strain-Level Differences in Porphyrin Production and Regulation in <i>Propionibacterium acnes</i> Elucidate Disease Associations. <i>MSphere</i> , 2016, 1, . | 1.3 | 71 |
| 99 | The potential of the brown seaweed <i>Sargassum polycystum</i> against acne vulgaris. <i>Journal of Applied Phycology</i> , 2016, 28, 3127-3133. | 1.5 | 18 |
| 100 | Inhibition of <i>Propionibacterium acnes</i> lipase activity by the antifungal agent ketoconazole. <i>Microbiology and Immunology</i> , 2017, 61, 42-44. | 0.7 | 17 |
| 101 | A Polycation Antimicrobial Peptide Mimic without Resistance Buildup against <i>Propionibacterium Acnes</i> . <i>Macromolecular Bioscience</i> , 2017, 17, 1700090. | 2.1 | 5 |
| 102 | Rhodomyrton inhibits lipase production, biofilm formation, and disorganizes established biofilm in <i>Propionibacterium acnes</i> . <i>Anaerobe</i> , 2017, 43, 61-68. | 1.0 | 25 |
| 103 | Comparative effects of schisandrin A, B, and C on <i>Propionibacterium acnes</i> -induced, NLRP3 inflammasome activation-mediated IL-1 β secretion and pyroptosis. <i>Biomedicine and Pharmacotherapy</i> , 2017, 96, 129-136. | 2.5 | 42 |
| 104 | <i>Cutibacterium</i> (formerly <i>Propionibacterium</i>) <i>acnes</i> infections associated with implantable devices. <i>Expert Review of Anti-Infective Therapy</i> , 2017, 15, 1083-1094. | 2.0 | 29 |
| 105 | Factors shaping the composition of the cutaneous microbiota. <i>British Journal of Dermatology</i> , 2017, 176, 344-351. | 1.4 | 51 |
| 106 | Tea tree oil: a promising essential oil. <i>Journal of Essential Oil Research</i> , 2017, 29, 201-213. | 1.3 | 62 |
| 107 | Green Tea and Other Tea Polyphenols: Effects on Sebum Production and Acne Vulgaris. <i>Antioxidants</i> , 2017, 6, 2. | 2.2 | 43 |
| 108 | <i>P. acnes</i> -Driven Disease Pathology: Current Knowledge and Future Directions. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 81. | 1.8 | 44 |
| 109 | Phenotype and Antimicrobial Activity of Th17 Cells Induced by <i>Propionibacterium acnes</i> Strains Associated with Healthy and Acne Skin. <i>Journal of Investigative Dermatology</i> , 2018, 138, 316-324. | 0.3 | 83 |
| 110 | 16S rRNA gene amplicon sequencing reveals dominance of Actinobacteria in <i>Rhodnius pallescens</i> compared to <i>Triatoma maculata</i> midgut microbiota in natural populations of vector insects from Colombia. <i>Acta Tropica</i> , 2018, 178, 327-332. | 0.9 | 36 |
| 111 | <i>Kaempferia parviflora</i> Extract as a Potential Anti-Acne Agent with Anti-Inflammatory, Sebostatic and Anti- <i>Propionibacterium acnes</i> Activity. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3457. | 1.8 | 18 |
| 112 | Antibiotics and autoimmune and allergy diseases: Causative factor or treatment?. <i>International Immunopharmacology</i> , 2018, 65, 328-341. | 1.7 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 113 | TNIP1 Regulates Cutibacterium acnes-Induced Innate Immune Functions in Epidermal Keratinocytes. <i>Frontiers in Immunology</i> , 2018, 9, 2155. | 2.2 | 19 |
| 114 | Alteration of the cutaneous microbiome in psoriasis and potential role in Th17 polarization. <i>Microbiome</i> , 2018, 6, 154. | 4.9 | 190 |
| 115 | In-vitro investigation of anti-acne properties of Mangifera indica L. kernel extract and its mechanism of action against Propionibacterium acnes. <i>Anaerobe</i> , 2018, 52, 64-74. | 1.0 | 32 |
| 116 | SIG1459: A novel phytylâ€cysteine derived TLR2 modulator with in vitro and clinical antiâ€acne activity. <i>Experimental Dermatology</i> , 2018, 27, 993-999. | 1.4 | 12 |
| 117 | Anticancer, Antiviral, Antibacterial, and Antifungal Properties in Microalgae. , 2018, , 235-261. | | 26 |
| 118 | The Anti-Inflammatory Activities of Propionibacterium acnes CAMP Factor-Targeted Acne Vaccines. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2355-2364. | 0.3 | 43 |
| 119 | Control of Propionibacterium acnes by natural antimicrobial substances: Role of theÂbacteriocin AS-48 and lysozyme. <i>Scientific Reports</i> , 2018, 8, 11766. | 1.6 | 22 |
| 120 | Genetic association between the <i>NLRP3</i> gene and acne vulgaris in a Chinese population. <i>Clinical and Experimental Dermatology</i> , 2019, 44, 184-189. | 0.6 | 19 |
| 121 | The role of the skin microbiota in acne pathophysiology. <i>British Journal of Dermatology</i> , 2019, 181, 691-699. | 1.4 | 64 |
| 122 | Potential Therapeutic Applications of Bee Venom on Skin Disease and Its Mechanisms: A Literature Review. <i>Toxins</i> , 2019, 11, 374. | 1.5 | 37 |
| 123 | Application of Porphyrins in Antibacterial Photodynamic Therapy. <i>Molecules</i> , 2019, 24, 2456. | 1.7 | 172 |
| 124 | A Microtube Array Membrane (MTAM) Encapsulated Live Fermenting Staphylococcus epidermidis as a Skin Probiotic Patch against Cutibacterium acnes. <i>International Journal of Molecular Sciences</i> , 2019, 20, 14. | 1.8 | 40 |
| 125 | Skin: Cutibacterium (formerly Propionibacterium) acnes and Acne Vulgaris. , 2019, , 1-20. | | 1 |
| 126 | Cutibacterium acnes (formerly Propionibacterium acnes) isolated from prosthetic joint infections is less susceptible to oxacillin than to benzylpenicillin. <i>Journal of Bone and Joint Infection</i> , 2019, 4, 106-110. | 0.6 | 11 |
| 127 | Microbiome in the hair follicle of androgenetic alopecia patients. <i>PLoS ONE</i> , 2019, 14, e0216330. | 1.1 | 38 |
| 128 | A Subset of Type I Conventional Dendritic Cells Controls Cutaneous Bacterial Infections through VEGFÎ±-Mediated Recruitment of Neutrophils. <i>Immunity</i> , 2019, 50, 1069-1083.e8. | 6.6 | 50 |
| 129 | Short-Chain Fatty Acids from <i>Cutibacterium acnes</i> Activate Both a Canonical and Epigenetic Inflammatory Response in Human Sebocytes. <i>Journal of Immunology</i> , 2019, 202, 1767-1776. | 0.4 | 71 |
| 130 | The Role of Digital Fluorescence in Acne Vulgaris: Correlation of Ultraviolet Red Fluorescence with the Severity of Acne Vulgaris. <i>Dermatology Research and Practice</i> , 2019, 2019, 1-4. | 0.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 132 | Extrinsic Factors Shaping the Skin Microbiome. <i>Microorganisms</i> , 2020, 8, 1023. | 1.6 | 23 |
| 133 | Enhancement of anti-acne effect of <i>Scutellaria baicalensis</i> extract by fermentation with symbiotic fungus <i>Penicillium decumbens</i> . <i>Journal of Bioscience and Bioengineering</i> , 2020, 130, 457-463. | 1.1 | 6 |
| 134 | Preparation, characterization and antimicrobial activity evaluation of electrospun PCL nanofiber composites of resveratrol nanocrystals. <i>Pharmaceutical Development and Technology</i> , 2020, 25, 1216-1225. | 1.1 | 17 |
| 135 | A Review on Airborne Microbes: The Characteristics of Sources, Pathogenicity and Geography. <i>Atmosphere</i> , 2020, 11, 919. | 1.0 | 20 |
| 136 | Nanovectorized Microalgal Extracts to Fight <i>Candida albicans</i> and <i>Cutibacterium acnes</i> Biofilms: Impact of Dual-Species Conditions. <i>Antibiotics</i> , 2020, 9, 279. | 1.5 | 6 |
| 137 | Knockdown of H19 Inhibits the Pathogenesis of Acne Vulgaris by Targeting the miR-196a/TLR2/NF- κ B Axis. <i>Inflammation</i> , 2020, 43, 1936-1947. | 1.7 | 14 |
| 138 | <i>Rosa davurica</i> Pall. Improves <i>Propionibacterium acnes</i> -Induced Inflammatory Responses in Mouse Ear Edema Model and Suppresses Pro-Inflammatory Chemokine Production via MAPK and NF- κ B Pathways in HaCaT Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1717. | 1.8 | 14 |
| 139 | Strategies to decolonize the shoulder of <i>Cutibacterium acnes</i> : a review of the literature. <i>Journal of Shoulder and Elbow Surgery</i> , 2020, 29, 660-666. | 1.2 | 18 |
| 140 | Cosm-nutraceutical nanovesicles for acne treatment: Physicochemical characterization and exploratory clinical experimentation. <i>International Journal of Pharmaceutics</i> , 2020, 577, 119092. | 2.6 | 44 |
| 141 | Microbial Diversity and Classification. , 2021, , . | | 0 |
| 142 | The Effects of Dietary Supplementation of <i>Lactococcus lactis</i> Strain Plasma on Skin Microbiome and Skin Conditions in Healthy Subjectsâ€”A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Microorganisms</i> , 2021, 9, 563. | 1.6 | 4 |
| 143 | Polyphyllin I Inhibits <i>Propionibacterium acnes</i> -Induced IL-8 Secretion in HaCaT Cells by Downregulating the CD36/NOX1/ROS/NLRP3/IL-1 β Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-11. | 0.5 | 7 |
| 144 | Antibiofilm activities of fatty acids including myristoleic acid against <i>Cutibacterium acnes</i> via reduced cell hydrophobicity. <i>Phytomedicine</i> , 2021, 91, 153710. | 2.3 | 18 |
| 145 | Metagenomics of the Human Body. , 2011, , . | | 18 |
| 146 | Identification of Pathogen Signatures in Prostate Cancer Using RNA-seq. <i>PLoS ONE</i> , 2015, 10, e0128955. | 1.1 | 34 |
| 147 | Phytochemical characterization of different yarrow species (<i>Achillea</i> sp.) and investigations into their antimicrobial activity. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2021, 76, 55-65. | 0.6 | 13 |
| 148 | Plant Extracts as a Natural Source of Bioactive Compounds and Potential Remedy for the Treatment of Certain Skin Diseases. <i>Current Pharmaceutical Design</i> , 2020, 26, 2859-2875. | 0.9 | 14 |
| 149 | <i>Propionibacterium acnes</i> in the Pathogenesis and Immunotherapy of Acne Vulgaris. <i>Current Drug Metabolism</i> , 2015, 16, 245-254. | 0.7 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 150 | Cutibacterium acnes Infection Induces Type I Interferon Synthesis Through the cGAS-STING Pathway. <i>Frontiers in Immunology</i> , 2020, 11, 571334. | 2.2 | 23 |
| 153 | Secretory Proteases of the Human Skin Microbiome. <i>Infection and Immunity</i> , 2022, 90, IAI0039721. | 1.0 | 8 |
| 154 | The Bacterial Life Cycle in Textiles is Governed by Fiber Hydrophobicity. <i>Microbiology Spectrum</i> , 2021, 9, e0118521. | 1.2 | 12 |
| 155 | Microbial-based cleaning products as a potential risk to human health: A review. <i>Toxicology Letters</i> , 2021, 353, 60-70. | 0.4 | 2 |
| 156 | <i>Bacteriology of the Skin.</i> , 2009, , 29-36. | | 1 |
| 157 | <i>Skin: Acne and Propionibacterium acnes Genomics.</i> , 2010, , 3215-3225. | | 1 |
| 158 | Jaunatvini ³ spuog ³ diagnostikos bei koregavimo galimybi ³ kosmetin ³ mis priemon ³ mis ir proced ³ romis s ³ ajos su subjektyviai vertinama sveikata. <i>Health Sciences</i> , 2013, 23, 69-77. | 0.0 | 0 |
| 159 | Skin microbiota in women of reproductive age in norm and androgen-dependent dermatoses. <i>Journal of Obstetrics and Women's Diseases</i> , 2019, 68, 7-16. | 0.0 | 2 |
| 160 | Probable Scenarios of Process Contamination with <i>Cutibacterium</i> (<i>Propionibacterium</i>) <i>acnes</i> in Mammalian Cell Bioreactor. <i>PDA Journal of Pharmaceutical Science and Technology</i> , 2020, 74, 592-601. | 0.3 | 1 |
| 161 | <i>Skin: Cutibacterium (formerly Propionibacterium) acnes and Acne Vulgaris.</i> , 2020, , 225-243. | | 1 |
| 162 | Immune recovery folliculitis: Case reports in HIV na ³ ve and experienced patients. <i>IDCases</i> , 2021, 26, e01324. | 0.4 | 1 |
| 163 | Development of a topical bacteriophage gel targeting <i>Cutibacterium acnes</i> for acne prone skin and results of a phase 1 cosmetic randomized clinical trial. <i>Skin Health and Disease</i> , 2022, 2, . | 0.7 | 14 |
| 164 | The Anti-Acne Potential and Chemical Composition of Two Cultivated <i>Cotoneaster</i> Species. <i>Cells</i> , 2022, 11, 367. | 1.8 | 5 |
| 165 | The Anticancer Agent 3,3'-Diindolylmethane Inhibits Multispecies Biofilm Formation by Acne-Causing Bacteria and <i>Candida albicans</i> . <i>Microbiology Spectrum</i> , 2022, 10, e0205621. | 1.2 | 18 |
| 166 | Immunohistochemical expression of interleukin 1 beta in papule biopsies from patients with acne vulgaris. <i>Dermatology Reports</i> , 2022, 14, . | 0.4 | 7 |
| 167 | Prediction of Antibacterial Peptides against <i>Propionibacterium acnes</i> from the Peptidomes of <i>Achatina fulica</i> Mucus Fractions. <i>Molecules</i> , 2022, 27, 2290. | 1.7 | 8 |
| 168 | Chemical profiling and antimicrobial effect of Anatolian honey bee venom. <i>Toxicon</i> , 2022, 213, 1-6. | 0.8 | 4 |
| 176 | Can Extracts from the Leaves and Fruits of the <i>Cotoneaster</i> Species Be Considered Promising Anti-Acne Agents?. <i>Molecules</i> , 2022, 27, 2907. | 1.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 177 | PATHOGENETIC MECHANISM OF ACNE-COUPLED INFLAMMATION. Russian Journal of Immunology: RJI: Official Journal of Russian Society of Immunology, 2020, 23, 19-26. | 0.2 | 0 |
| 178 | Thermosensitive gel based on cellulose derivative for topical delivery of propolis in acne treatment. Pharmaceutical Development and Technology, 2022, 27, 490-501. | 1.1 | 1 |
| 179 | T Cell Extracellular Traps: Tipping the Balance Between Skin Health and Disease. Frontiers in Immunology, 0, 13, . | 2.2 | 5 |
| 180 | Adipose-derived stem cells attenuate acne-related inflammation via suppression of NLRP3 inflammasome. Stem Cell Research and Therapy, 2022, 13, . | 2.4 | 3 |
| 181 | An overview of biomedical applications of choline geranate (CAGE): a major breakthrough in drug delivery. RSC Advances, 2022, 12, 25977-25991. | 1.7 | 11 |
| 182 | Identification of natural inhibitors to inhibit C. acnes lipase through docking and simulation studies. Journal of Molecular Modeling, 2022, 28, . | 0.8 | 4 |
| 183 | Anaerobes and the cleanroom operator association: Is there a case for anaerobic environmental monitoring?. European Journal of Parenteral and Pharmaceutical Sciences, 0, , . | 1.0 | 0 |
| 184 | Evaluation of serum levels of interleukins 1 β , 10 and 12 in patients with acne vulgaris. Journal of Cosmetic Dermatology, 2022, 21, 7100-7106. | 0.8 | 4 |
| 185 | PECULIARITIES OF THE PHYSIOTHERAPEUTIC METHODS USE IN THE TREATMENT OF ACNE. Bulletin of Problems of Biology and Medicine, 2022, 1, 18. | 0.0 | 0 |
| 186 | Treatment of acne fulminans with intense pulsed light: a case report. The Journal of Cosmetic Medicine, 2022, 6, 99-102. | 0.1 | 0 |
| 191 | Cutibacterium (previously Propionibacterium) acnes and disease. , 2024, , 881-903. | | 0 |