

CITATION REPORT

List of articles citing

**Protease-activated receptor-1 in human brain:
localization and functional expression in astrocytes**

DOI: 10.1016/j.expneurol.2004.02.018
Experimental Neurology, 2004, 188, 94-103.

Source: <https://exaly.com/paper-pdf/37472397/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
136	Protease-activated receptors: regulation of neuronal function. 2005 , 7, 79-99		39
135	Activity of recombinant trypsin isoforms on human proteinase-activated receptors (PAR): mesotrypsin cannot activate epithelial PAR-1, -2, but weakly activates brain PAR-1. 2005 , 146, 990-9		40
134	Fibrin-modifying serine proteases thrombin, tPA, and plasmin in ischemic stroke: a review. <i>Glia</i> , 2005 , 50, 340-50	9	72
133	Activation of protease-activated receptor-1 triggers astrogliosis after brain injury. 2005 , 25, 4319-29		115
132	Pseudopalisading Necrosis in glioblastoma: a familiar morphologic feature that links vascular pathology, hypoxia, and angiogenesis. 2006 , 65, 529-39		369
131	Modulation of hippocampal neuron survival by thrombin and factor Xa. 2006 , 71, 1082-9		17
130	Protease-activated receptor-1 mediates protection elicited by thrombin preconditioning in a rat 6-hydroxydopamine model of Parkinson's disease. 2006 , 1116, 177-86		27
129	Two forms of single-vesicle astrocyte exocytosis imaged with total internal reflection fluorescence microscopy. 2007 , 104, 4212-7		120
128	Protease-activated receptor signaling: new roles and regulatory mechanisms. 2007 , 14, 230-5		84
127	Learning and memory deficits in mice lacking protease activated receptor-1. 2007 , 88, 295-304		47
126	Exacerbation of dopaminergic terminal damage in a mouse model of Parkinson's disease by the G-protein-coupled receptor protease-activated receptor 1. 2007 , 72, 653-64		43
125	Thrombin potently enhances swelling-sensitive glutamate efflux from cultured astrocytes. <i>Glia</i> , 2007 , 55, 917-25	9	45
124	Astrocytic control of synaptic NMDA receptors. 2007 , 581, 1057-81		166
123	Protease-activated receptors in the brain: receptor expression, activation, and functions in neurodegeneration and neuroprotection. 2007 , 56, 331-45		140
122	Regional distribution of human trypsinogen 4 in human brain at mRNA and protein level. 2007 , 32, 1423-33		23
121	Protease-activated receptor dependent and independent signaling by kallikreins 1 and 6 in CNS neuron and astroglial cell lines. 2008 , 107, 855-70		53
120	Two forms of astrocyte calcium excitability have distinct effects on NMDA receptor-mediated slow inward currents in pyramidal neurons. 2008 , 28, 6659-63		208

119	The multiple sclerosis degradome: enzymatic cascades in development and progression of central nervous system inflammatory disease. 2008 , 318, 133-75		32
118	What is the role of astrocyte calcium in neurophysiology?. 2008 , 59, 932-46		410
117	Effects of thrombin on neurogenesis after intracerebral hemorrhage. 2008 , 39, 2079-84		71
116	Thrombin induces long-term potentiation of reactivity to afferent stimulation and facilitates epileptic seizures in rat hippocampal slices: toward understanding the functional consequences of cerebrovascular insults. 2008 , 28, 732-6		87
115	Plasmin potentiates synaptic N-methyl-D-aspartate receptor function in hippocampal neurons through activation of protease-activated receptor-1. 2008 , 283, 20600-11		60
114	Thrombin potentiates D-aspartate efflux from cultured astrocytes under conditions of K ⁺ homeostasis disruption. 2009 , 111, 1398-408		11
113	Protease-activated receptor 1-dependent neuronal damage involves NMDA receptor function. <i>Experimental Neurology</i> , 2009 , 217, 136-46	5-7	45
112	Thrombin-induced neuronal protection: role of the mitogen activated protein kinase/ribosomal protein S6 kinase pathway. 2010 , 1361, 93-101		17
111	Caffeine-mediated inhibition of calcium release channel inositol 1,4,5-trisphosphate receptor subtype 3 blocks glioblastoma invasion and extends survival. 2010 , 70, 1173-83		126
110	Astrocytic adrenoceptors and learning: alpha1-adrenoceptors. 2010 , 57, 404-10		19
109	Anatomical localization of protease-activated receptor-1 and protease-mediated neuroglial crosstalk on peri-synaptic astrocytic endfeet. 2011 , 119, 460-73		26
108	Thrombin-induced activation of astrocytes in mixed rat hippocampal cultures is inhibited by soluble thrombomodulin. 2011 , 1381, 38-51		14
107	Serine proteases, serine protease inhibitors, and protease-activated receptors: roles in synaptic function and behavior. 2011 , 1407, 107-22		54
106	Activation of protease activated receptor 1 increases the excitability of the dentate granule neurons of hippocampus. 2011 , 4, 32		42
105	Upregulation of matrix metalloproteinase-1 and proteinase-activated receptor-1 promotes the progression of human gliomas. 2011 , 207, 24-9		26
104	ATP derived from astrocytes modulates memory in the chick. 2011 , 7, 177-86		17
103	Integrating genetic and gene expression evidence into genome-wide association analysis of gene sets. 2012 , 22, 386-97		77
102	Kallikrein 6 is a novel molecular trigger of reactive astrogliosis. 2012 , 393, 355-67		40

101	Blood-brain barrier integrity and glial support: mechanisms that can be targeted for novel therapeutic approaches in stroke. 2012 , 18, 3624-44		112
100	TREK-1 and Best1 channels mediate fast and slow glutamate release in astrocytes upon GPCR activation. 2012 , 151, 25-40		219
99	STIM1 and Orai1 mediate thrombin-induced Ca(2+) influx in rat cortical astrocytes. 2012 , 52, 457-67		35
98	Protease activated receptor 1-induced glutamate release in cultured astrocytes is mediated by Bestrophin-1 channel but not by vesicular exocytosis. 2012 , 5, 38		41
97	siRNA-mediated silence of protease-activated receptor-1 minimizes ischemic injury of cerebral cortex through HSP70 and MAP2. 2012 , 320, 6-11		16
96	Astrocyte calcium signaling and epilepsy. <i>Glia</i> , 2012 , 60, 1227-33	9	102
95	Protease-activated receptor 1 (PAR1) coupling to G(q/11) but not to G(i/o) or G(12/13) is mediated by discrete amino acids within the receptor second intracellular loop. 2012 , 24, 1351-60		32
94	Channel-mediated astrocytic glutamate release via Bestrophin-1 targets synaptic NMDARs. 2013 , 6, 4		44
93	Regulation of neuronal plasticity and fear by a dynamic change in PAR1-G protein coupling in the amygdala. 2013 , 18, 1136-45		16
92	Thrombin regulation of synaptic transmission: implications for seizure onset. <i>Neurobiology of Disease</i> , 2013 , 50, 171-8	7.5	51
91	Critical role for PAR1 in kallikrein 6-mediated oligodendroglial pathology. <i>Glia</i> , 2013 , 61, 1456-70	9	46
90	Protease-activated receptor-1 modulates hippocampal memory formation and synaptic plasticity. 2013 , 124, 109-22		44
89	Thrombin regulation of synaptic plasticity: implications for physiology and pathology. <i>Experimental Neurology</i> , 2013 , 247, 595-604	5.7	45
88	Kallikrein 6 signals through PAR1 and PAR2 to promote neuron injury and exacerbate glutamate neurotoxicity. 2013 , 127, 283-98		40
87	Plasmin Activation of Glial Cells through Protease-Activated Receptor 1. 2013 , 2013, 314709		6
86	Ketorolac reduces spinal astrocytic activation and PAR1 expression associated with attenuation of pain after facet joint injury. 2013 , 30, 818-25		26
85	Thrombin induces release of proinflammatory chemokines interleukin-8 and interferon- γ -induced protein-10 from cultured human fetal astrocytes. 2013 , 24, 36-40		13
84	Salmon and human thrombin differentially regulate radicular pain, glial-induced inflammation and spinal neuronal excitability through protease-activated receptor-1. <i>PLoS ONE</i> , 2013 , 8, e80006	3.7	12

83	Treating seizures and epilepsy with anticoagulants?. 2013 , 7, 19		30
82	The anticoagulant activated protein C (aPC) promotes metaplasticity in the hippocampus through an EPCR-PAR1-S1P1 receptors dependent mechanism. 2014 , 24, 1030-8		25
81	Protease-activated receptor 1-induced GABA release in cultured cortical astrocytes pretreated with GABA is mediated by the Bestrophin-1 channel. 2014 , 18, 244-249		1
80	Plasmin-dependent modulation of the blood-brain barrier: a major consideration during tPA-induced thrombolysis?. 2014 , 34, 1283-96		74
79	NMDA-receptor inhibition restores Protease-Activated Receptor 1 (PAR1) mediated alterations in homeostatic synaptic plasticity of denervated mouse dentate granule cells. 2014 , 86, 212-8		17
78	Disruption of astrocyte-vascular coupling and the blood-brain barrier by invading glioma cells. 2014 , 5, 4196		309
77	Modulation of protease-activated receptor expression by Porphyromonas gingivalis in human gingival epithelial cells. 2015 , 15, 128		8
76	Protease activated receptor-1 antagonist ameliorates the clinical symptoms of experimental autoimmune encephalomyelitis via inhibiting breakdown of blood-brain barrier. 2015 , 135, 577-88		21
75	Increased thrombin activity following reperfusion after ischemic stroke alters synaptic transmission in the hippocampus. 2015 , 135, 1140-8		21
74	Thrombin regulation of synaptic transmission and plasticity: implications for health and disease. 2015 , 9, 151		45
73	PAR1-activated astrocytes in the nucleus of the solitary tract stimulate adjacent neurons via NMDA receptors. 2015 , 35, 776-85		41
72	Thrombin induces ischemic LTP (iLTP): implications for synaptic plasticity in the acute phase of ischemic stroke. <i>Scientific Reports</i> , 2015 , 5, 7912	4.9	45
71	Thrombin Activity and Thrombin Receptor in Rat Glioblastoma Model: Possible Markers and Targets for Intervention?. 2015 , 56, 644-51		12
70	Channel-mediated astrocytic glutamate modulates hippocampal synaptic plasticity by activating postsynaptic NMDA receptors. 2015 , 8, 7		43
69	Protease-activated receptors (PARs)--biology and role in cancer invasion and metastasis. 2015 , 34, 775-96		84
68	Inhibition of Protease-Activated Receptor 1 Does not Affect Dendritic Homeostasis of Cultured Mouse Dentate Granule Cells. 2016 , 10, 64		3
67	Thrombin-unique coagulation system protein with multifaceted impacts on cancer and metastasis. 2016 , 35, 213-33		51
66	Targeting the thrombin receptor modulates inflammation and astrogliosis to improve recovery after spinal cord injury. <i>Neurobiology of Disease</i> , 2016 , 93, 226-42	7.5	29

65	Pharmacological Tools to Study the Role of Astrocytes in Neural Network Functions. 2016 , 949, 47-66		10
64	Protease activated receptor 1 (PAR1) enhances Src-mediated tyrosine phosphorylation of NMDA receptor in intracerebral hemorrhage (ICH). <i>Scientific Reports</i> , 2016 , 6, 29246	4.9	8
63	Novel pharmaceutical treatments for minimal traumatic brain injury and evaluation of animal models and methodologies supporting their development. 2016 , 272, 69-76		15
62	PAR1 inhibition suppresses the self-renewal and growth of A2B5-defined glioma progenitor cells and their derived gliomas in vivo. 2016 , 35, 3817-28		31
61	PAR1 activation affects the neurotrophic properties of Schwann cells. 2017 , 79, 23-33		6
60	PAR1 activation induces rapid changes in glutamate uptake and astrocyte morphology. <i>Scientific Reports</i> , 2017 , 7, 43606	4.9	30
59	Astroglia as a cellular target for neuroprotection and treatment of neuro-psychiatric disorders. <i>Glia</i> , 2017 , 65, 1205-1226	9	69
58	Gliotransmission and adenosinergic modulation: insights from mammalian spinal motor networks. 2017 , 118, 3311-3327		7
57	Protease activated receptor 2 controls myelin development, resiliency and repair. <i>Glia</i> , 2017 , 65, 2070-2086	9	11
56	Protease-activated receptor-1 activation by granzyme B causes neurotoxicity that is augmented by interleukin-1. 2017 , 14, 131		27
55	Neuro-Coagulopathy: Blood Coagulation Factors in Central Nervous System Diseases. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	48
54	A Linear Temporal Increase in Thrombin Activity and Loss of Its Receptor in Mouse Brain Following Ischemic Stroke. 2017 , 8, 138		14
53	Kallikrein-related peptidase 6 orchestrates astrocyte form and function through proteinase activated receptor-dependent mechanisms. 2018 , 399, 1041-1052		9
52	Recurrent Chronic Subdural Hematoma: Report of 13 Cases. 2018 , 13, 520-527		2
51	A Novel Compound Targeting Protease Receptor 1 Activators for the Treatment of Glioblastoma. 2018 , 9, 1087		7
50	Neuro-Immune Hemostasis: Homeostasis and Diseases in the Central Nervous System. 2018 , 12, 459		56
49	MMP-1 overexpression selectively alters inhibition in D1 spiny projection neurons in the mouse nucleus accumbens core. <i>Scientific Reports</i> , 2018 , 8, 16230	4.9	1
48	Effective Glucose Uptake by Human Astrocytes Requires Its Sequestration in the Endoplasmic Reticulum by Glucose-6-Phosphatase. 2018 , 28, 3481-3486.e4		19

47	Role of the protease-activated receptor 1 in regulating the function of glial cells within central and peripheral nervous system. 2019 , 126, 1259-1271		5
46	Neuronal Hyperexcitability Following mTBI. 2019 , 67-81		
45	HIV-1 Tat promotes astrocytic release of CCL2 through MMP/PAR-1 signaling. <i>Glia</i> , 2019 , 67, 1719-1729	9	8
44	Effect of thrombin injection on cerebral vascular in rats with subarachnoid hemorrhage. 2019 , 47, 2819-2831		
43	CRAC channels regulate astrocyte Ca signaling and gliotransmitter release to modulate hippocampal GABAergic transmission. 2019 , 12,		34
42	Neuroprotection and vasculoprotection using genetically targeted protease-ligands. 2019 , 1715, 13-20		4
41	Hindbrain astrocytes and glucose counter-regulation. 2019 , 204, 140-150		5
40	Podocalyxin is required for maintaining blood-brain barrier function during acute inflammation. 2019 , 116, 4518-4527		15
39	Fibrinolysis protease receptors promote activation of astrocytes to express pro-inflammatory cytokines. 2019 , 16, 257		12
38	Thrombin and the Protease-Activated Receptor-1 in Organophosphate-Induced Status Epilepticus. 2019 , 67, 227-234		4
37	Synaptic Potentiation at Basal and Apical Dendrites of Hippocampal Pyramidal Neurons Involves Activation of a Distinct Set of Extracellular and Intracellular Molecular Cues. 2019 , 29, 283-304		17
36	Neuron-generated thrombin induces a protective astrocyte response via protease activated receptors. <i>Glia</i> , 2020 , 68, 246-262	9	9
35	Protease-activated receptor 1 (PAR1) inhibits synaptic NMDARs in mouse nigral dopaminergic neurons. <i>Pharmacological Research</i> , 2020 , 160, 105185	10.2	2
34	Locus Coeruleus and neurovascular unit: From its role in physiology to its potential role in Alzheimer's disease pathogenesis. <i>Journal of Neuroscience Research</i> , 2020 , 98, 2406-2434	4.4	14
33	Thrombin action on astrocytes in the hindbrain of the rat disrupts glycemic and respiratory control. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020 , 318, R1068-R1077	10.7	2
32	Nanostructural Diversity of Synapses in the Mammalian Spinal Cord. <i>Scientific Reports</i> , 2020 , 10, 8189	4.9	9
31	New PAR1 Agonist Peptide Demonstrates Protective Action in a Mouse Model of Photothrombosis-Induced Brain Ischemia. <i>Frontiers in Neuroscience</i> , 2020 , 14, 335	5.1	
30	Neurons, Glia, Extracellular Matrix and Neurovascular Unit: A Systems Biology Approach to the Complexity of Synaptic Plasticity in Health and Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	37

29	Design and synthesis of glyco-peptides as anti-cancer agents targeting thrombin-protease activated receptor-1 interaction. <i>Chemical Communications</i> , 2020 , 56, 5827-5830	5.8	1
28	Emerging Roles of Protease-Activated Receptors (PARs) in the Modulation of Synaptic Transmission and Plasticity. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
27	Ischemic stroke in PAR1 KO mice: Decreased brain plasmin and thrombin activity along with decreased infarct volume. <i>PLoS ONE</i> , 2021 , 16, e0248431	3.7	1
26	Discovery of Screening Biomarkers for Major Depressive Disorder in Remission by Proteomic Approach. <i>Diagnostics</i> , 2021 , 11,	3.8	0
25	The thrombin receptor modulates astroglia-neuron trophic coupling and neural repair after spinal cord injury. <i>Glia</i> , 2021 , 69, 2111-2132	9	3
24	Role of Thrombin in Central Nervous System Injury and Disease. <i>Biomolecules</i> , 2021 , 11,	5.9	10
23	When the Blood Hits Your Brain: The Neurotoxicity of Extravasated Blood. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
22	The thrombin receptor links brain derived neurotrophic factor to neuron cholesterol production, resiliency and repair after spinal cord injury. <i>Neurobiology of Disease</i> , 2021 , 152, 105294	7.5	0
21	A common role for astrocytes in rhythmic behaviours?. <i>Progress in Neurobiology</i> , 2021 , 202, 102052	10.9	4
20	Increased activation product of complement 4 protein in plasma of individuals with schizophrenia. <i>Translational Psychiatry</i> , 2021 , 11, 486	8.6	2
19	Vaso-occlusive Mechanisms that Intiate Hypoxia and Necrosis in Glioblastoma: The Role of Thrombosis and Tissue Factor. 2009 , 507-528		3
18	The domino effect triggered by the tethered ligand of the protease activated receptors. <i>Thrombosis Research</i> , 2020 , 196, 87-98	8.2	8
17	Protease induced plasticity: matrix metalloproteinase-1 promotes neurostructural changes through activation of protease activated receptor 1. <i>Scientific Reports</i> , 2016 , 6, 35497	4.9	28
16	Protease-Activated Receptors. <i>Frontiers in Neuroscience</i> , 2006 , 421-439		2
15	Stimulation of Glia Reveals Modulation of Mammalian Spinal Motor Networks by Adenosine. <i>PLoS ONE</i> , 2015 , 10, e0134488	3.7	19
14	PROTEASE-ACTIVATED RECEPTOR 1 INHIBITION DOES NOT AFFECT THE SOCIAL BEHAVIOR AFTER STATUS EPILEPTICUS IN RAT. <i>Fiziolohichnyi Zhurnal (Kiev, Ukraine: 1994)</i> , 2018 , 64, 17-22	0.1	3
13	A protease-activated receptor 1 antagonist protects against global cerebral ischemia/reperfusion injury after asphyxial cardiac arrest in rabbits. <i>Neural Regeneration Research</i> , 2017 , 12, 242-249	4.5	9
12	Astrocytic modulation of excitatory synaptic signaling in a mouse model of Rett syndrome. <i>ELife</i> , 2018 , 7,	8.9	16

11	Thrombin in Ischemic Stroke Targeting. 2012 , 189-204		
10	Thrombin-induced tolerance against oxygen-glucose deprivation in astrocytes: role of protease-activated receptor-1. <i>Conditioning Medicine</i> , 2018 , 1, 57-63	1.4	7
9	Technology-based approaches toward a better understanding of neuro-coagulation in brain homeostasis. <i>Cell and Tissue Research</i> , 2021 , 1	4.2	1
8	Neurocoagulation from a Mechanistic Point of View in the Central Nervous System.. <i>Seminars in Thrombosis and Hemostasis</i> , 2022 ,	5.3	1
7	The Effect of Thrombin on Cultured Rat Astrocytes Exposed to Oxygen-Glucose Deprivation. <i>Biochemistry (Moscow) Supplement Series A: Membrane and Cell Biology</i> , 2022 , 16, 63-71	0.7	
6	Pyrroloquinoline Quinone Protects SMA560 Astrocytes Against Thrombin-Induced Cell Death by Improving Mitochondrial Function. <i>Natural Product Communications</i> , 2022 , 17, 1934578X2210813	0.9	
5	Thrombin induces morphological and inflammatory astrocytic responses via activation of PAR1 receptor.. <i>Cell Death Discovery</i> , 2022 , 8, 189	6.9	0
4	Data_Sheet_1.PDF. 2020 ,		
3	Protease-Activated Receptors in Health and Disease.		3
2	Diversification of PAR signaling through receptor crosstalk. 2022 , 27,		1
1	Activation of protease-activated receptor-1 causes chronic pain in lupus-prone mice via suppressing spinal glial glutamate transporter function and enhancing glutamatergic synaptic activity. 2023 ,		0