

CITATION REPORT

List of articles citing

Chemical modification of silica surface by immobilization of functional groups for extractive concentration of metal ions

DOI: 10.1016/j.talanta.2003.10.028
Talanta, 2004, 62, 1005-28.

Source: <https://exaly.com/paper-pdf/37486331/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
759	New solid phase extractors for selective separation and preconcentration of mercury (II) based on silica gel immobilized aliphatic amines 2-thiophenecarboxaldehyde Schiff bases. 2004 , 523, 133-140		71
758	A novel separation and preconcentration method for traces of manganese, cobalt, zinc and cadmium using coagulation of colloidal silica. 2004 , 20, 1733-6		5
757	Sorption behavior of vanadium on silica gel modified with tetrakis(4-carboxyphenyl)porphyrin. 2005 , 21, 951-4		5
756	Preconcentration of rare earth elements on silica gel loaded with 1-phenyl-3-methyl-4-benzoylpyrazol-5-one prior to their determination by ICP-AES. 2005 , 21, 1185-8		24
755	Use of 1,3-diaminepropane-3-propyl grafted onto a silica gel as a sorbent for flow-injection spectrophotometric determination of copper (II) in digests of biological materials and natural waters. 2005 , 62, 398-406		14
754	Electrochemical modulation of the ligand properties of organically modified mesoporous silicas. 2005 , 581, 70-78		19
753	The interaction at the solid/liquid interface of 2,4-dichlorophenoxyacetic acid with silica modified by reaction with ammonia gas. 2005 , 291, 53-8		20
752	Simultaneous determination of thyreostatic residues in animal tissues by matrix solid-phase dispersion and gas chromatography-mass spectrometry. 2005 , 1074, 1-7		50
751	New stationary phase for anion-exchange chromatography. 2005 , 1073, 147-53		77
750	Interaction of divalent copper with two diaminealkyl hexagonal mesoporous silicas evaluated by adsorption and thermochemical data. 2005 , 590, 51-62		41
749	New hybrid chelating sorbents with grafted 3-aminopropionate groups based on mixed silicon, aluminum, titanium, or zirconium oxides. 2005 , 54, 1836-1841		10
748	In Situ Growth of Continuous b-Oriented MFI Zeolite Membranes on Porous γ -Alumina Substrates Precoated with a Mesoporous Silica Sublayer. 2005 , 17, 1167-1173		55
747	Catechol functionalized aminopropyl silica gel: synthesis, characterization and preconcentrative separation of uranium(VI) from thorium(IV). 2005 , 93,		18
746	Factorial design for optimization of flow-injection preconcentration procedure for copper(II) determination in natural waters, using 2-aminomethylpyridine grafted silica gel as adsorbent and spectrophotometric detection. 2005 , 85, 475-491		43
745	Adsorption of cadmium(II) from aqueous media onto a mesoporous silica chemically modified with 2-mercaptopyrimidine. 2006 , 16, 1757-1764		128
744	Sorption and Preconcentration of Vanadium, Chromium, Manganese, and Lead on Silica Gel Modified with (3-Mercaptopropyl) Trimethoxysilane. 2006 , 34, 359-366		8
743	Surface Chemistry in Biomedical and Environmental Science. 2006 ,		19

742	Synthesis and characterization of ordered mesoporous materials for removal of heavy metal ions. 2006 , 325-336		2
741	Inorganic-organic hybrids derived from lamellar acidic kenyaite immobilizations for cation removal at the solid/liquid interface. 2006 , 16, 2338-2346		32
740	Layered Crystalline Barium Phosphate Organofunctionalized for Cation Removal. 2006 , 18, 2226-2232		21
739	Alumina modified by dimethyl sulfoxide as a new selective solid phase extractor for separation and preconcentration of inorganic mercury(II). <i>Talanta</i> , 2006 , 69, 55-60	6.2	55
738	Extraction of metal ions using chemically modified silica gel covalently bonded with 4,4'-diaminodiphenylether and 4,4'-diaminodiphenylsulfone-salicylaldehyde Schiff bases. 2006 , 22, 1105-10		13
737	Preparation of ethylenediamine-anchored cellulose and determination of thermochemical data for the interaction between cations and basic centers at the solid/liquid interface. 2006 , 341, 2842-50		101
736	Selective removal of heavy metal ions using sol-gel immobilized and SPE-coated thiocrown ethers. 2006 , 555, 146-156		35
735	Thermodynamic properties of divalent cations complexed by ethylenesulfide immobilized on silica gel. 2006 , 279, 64-68		17
734	Efficient surface functionalization of zeolites via esterification. 2006 , 92, 101-108		8
733	A reactivity index study to monitor the role of solvation on the interaction of the chromophores with amino-functional silanol surface for colorimetric sensors. 2006 , 25, 208-18		12
732	Some features associated with organosilane groups grafted by the sol-gel process onto synthetic talc-like phyllosilicate. 2006 , 297, 95-103		50
731	Synthesis, characterization, and sorption properties of silica gel-immobilized pyrimidine derivative. 2006 , 300, 94-9		27
730	Use of statistical design of experiments to evaluate the sorption capacity of 7-amine-4-azaheptylsilica and 10-amine-4-azadecylsilica for Cu(II), Pb(II), and Fe(III) adsorption. 2006 , 302, 396-407		33
729	Separation, preconcentration and determination of silver ion from water samples using silica gel modified with 2,4,6-trimorpholino-1,3,5-triazin. <i>Journal of Hazardous Materials</i> , 2006 , 128, 67-72	12.8	72
728	Thermodynamic studies of the interaction at the solid/liquid interface between metal ions and cellulose modified with ethylenediamine. <i>Journal of Hazardous Materials</i> , 2006 , 129, 239-43	12.8	45
727	Application of ram horn powder (RHP) for the preconcentration and determination of copper in various samples by flame atomic absorption spectrometry. 2006 , 61, 483-489		15
726	Diaion SP-850 resin as a new solid phase extractor for preconcentration-separation of trace metal ions in environmental samples. <i>Journal of Hazardous Materials</i> , 2006 , 137, 1496-501	12.8	96
725	Use of Benzoylthiourea Immobilized on Silica Gel for Separation and Preconcentration of Uranium(VI). 2006 , 154, 109-114		36

724	Influence of superficial organic modification of MCM-41 matrices on drug delivery rate. 2006 , 8, 1243-1249		118
723	Detailed structural examinations of covalently immobilized gold nanoparticles onto hydrogen-terminated silicon surfaces. 2005 , 12, 314-23		38
722	Rapid and effective adsorption of lead ions on fine poly(phenylenediamine) microparticles. 2006 , 12, 4341-50		177
721	Ordered mesoporous materials in the context of drug delivery systems and bone tissue engineering. 2006 , 12, 5934-43		446
720	Synthesis of Glyco-Silicas by Cu(I)-Catalyzed Click-Chemistry and their Applications in Affinity Chromatography. 2006 , 348, 2410-2420		83
719	Functionalized surfaces: silica structure and metal ion adsorption behavior. 2006 , 337-348		1
718	Synthesis and Characterization of Mesostructured Silica Doped with Acyl-Hydroxy-Pyrazole Derivatives. Sorption Tests of Cu(II) and Eu(III). <i>Separation Science and Technology</i> , 2006 , 41, 2933-2946	2.5	8
717	Functionalized Sol-Gel Silica as Solid Phase Extractant. 2007 , 30,		2
716	Application of carbon sorbents for the concentration and separation of metal ions. 2007 , 23, 631-7		80
715	Model for the water-amorphous silica interface: the undissociated surface. 2007 , 111, 11181-93		112
714	Solid Phase Extraction and Determination of Lead in Water Samples Using Silica Gel Homogeneously Modified by Thiosalicylic Acid. 2007 , 40, 2524-2543		27
713	Macromolecular Chelator-Amberlite XAD-16 Anchored with 2,3-Dihydropyridine (DHP) for Enrichment of Metal Ions before their Determination by Flame Atomic Absorption Spectrometry. <i>Separation Science and Technology</i> , 2007 , 42, 3429-3446	2.5	6
712	PNIPAAm-modified nanoporous colloidal films with positive and negative temperature gating. 2007 , 23, 12704-9		82
711	Synthesis and Characterization of Butoxylated Silica Nanoparticles. Reaction with Benzophenone Triplet States. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 7623-7628	3.8	17
710	Polymer-Templated Mesoporous Organosilicas with Two Types of Multifunctional Organic Groups. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 1745-1751	3.9	37
709	Column Solid Phase Extraction of Copper and Nickel on Triethylenetetramine Bonded Silica Gel for their Atomic Absorption Spectrometric Determination. 2007 , 36, 105-116		17
708	Conjugated polyelectrolyte-grafted silica microspheres. 2007 , 23, 4541-8		55
707	Diffusion-based deprotection in mesoporous materials: a strategy for differential functionalization of porous silica particles. 2007 , 129, 9674-85		85

706	Determination of Some Trace Metals in Environmental Samples by Flame AAS Following Solid Phase Extraction with Amberlite XAD-2000 Resin after Complexing with 8-Hydroxyquinoline. 2007 , 25, 196-202		35
705	p-Nitro-N-propylaniline/silica: synthesis, characterization, and its application in matrix solid phase dispersion for multiresidue analysis of pesticides in carrots. 2007 , 30, 2109-16		7
704	Recent developments in the high-performance chelation ion chromatography of trace metals. 2007 , 30, 1773-93		39
703	Hexagonal mesoporous silica modified with 2-mercaptothiazoline for removing mercury from water solution. 2007 , 601, 2194-2202		66
702	Sequestration of Cu(II), Ni(II), and Co(II) by ethyleneimine immobilized on silica. 2007 , 453, 72-74		20
701	Silylated calcium phosphates and their new behavior for copper retention from aqueous solution. 2007 , 301, 376-381		31
700	Synthesis, characterization, and cadmium(II) uptake of iminodiacetic acid-modified mesoporous SBA-15. 2007 , 304, 77-81		38
699	Functionalized silicas: Structural characteristics and adsorption of Cu(II) and Pb(II). 2007 , 307, 83-92		44
698	Solid-phase extraction of trace Cu(II) Fe(III) and Zn(II) with silica gel modified with curcumin from biological and natural water samples by ICP-OES. 2007 , 86, 189-194		79
697	Nanometer SiO ₂ modified with 5-sulfosalicylic acid as selective solid-phase extractant for Fe(III) determination by ICP-AES from biological and natural water samples. 2007 , 86, 23-28		49
696	Synthesis, characterization and metal chelating properties of silica-physisorbed and chemisorbed-2,5-dioxypiperazine. 2007 , 26, 3956-3962		13
695	Preparation of xylenol orange functionalized silica gel as a selective solid phase extractor and its application for preconcentration--separation of mercury from waters. <i>Journal of Hazardous Materials</i> , 2007 , 145, 323-30	12.8	70
694	A regenerable ruthenium tetraammine nitrosyl complex immobilized on a modified silica gel surface: preparation and studies of nitric oxide release and nitrite-to-NO conversion. 2007 , 307, 405-17		34
693	Preparation, characterization, and Zn(2+) adsorption behavior of chemically modified MCM-41 with 5-mercapto-1-methyltetrazole. 2007 , 313, 551-62		91
692	Cr(VI) adsorption on functionalized amorphous and mesoporous silica from aqueous and non-aqueous media. 2007 , 42, 1518-1530		43
691	Chiral permselectivity in nanoporous opal films surface-modified with chiral selector moieties. 2007 , 17, 1870		23
690	Removal of Cu(II), Fe(III), and Cr(III) from Aqueous Solution by Aniline Grafted Silica Gel. <i>Separation Science and Technology</i> , 2007 , 42, 591-609	2.5	62
689	Enrichment and flame atomic absorption spectrometric determination of palladium using chelating matrices designed by functionalizing Amberlite XAD-2/16 and silica gel. 2007 , 159, 149-155		13

688	Preparation of a high pH-resistant AAPTS-silica coating and its application to capillary microextraction (CME) of Cu, Zn, Ni, Hg and Cd from biological samples followed by on-line ICP-MS detection. 2007 , 605, 1-10		49
687	Selective adsorption of gold from complex mixtures using mesoporous adsorbents. 2008 , 145, 185-195		89
686	Silica-coated magnetic nanoparticles modified with Mercaptopropyltrimethoxysilane for fast and selective solid phase extraction of trace amounts of Cd, Cu, Hg, and Pb in environmental and biological samples prior to their determination by inductively coupled plasma mass spectrometry. 2008 , 63, 437-444		334
685	Determination of trace elements in food samples by ICP-AES after preconcentration with p-toluenesulfonylamide immobilized on silica gel and nanometer SiO ₂ . 2008 , 160, 147-152		57
684	Solid phase extraction using silica gel functionalized with Sulfasalazine for preconcentration of uranium(VI) ions from water samples. 2008 , 163, 313-320		39
683	Preconcentration and matrix elimination for the determination of Pb(II), Cd(II), Ni(II), and Co(II) by 8-hydroxyquinoline anchored poly(styrene-divinylbenzene) microbeads. 2008 , 107, 2714-2722		15
682	Solid phase extraction of metal ions using carbon nanotubes. 2008 , 89, 29-33		99
681	Silica gel-immobilized-vanillin derivatives as selective solid-phase extractants for determination of chromium (III) in environmental samples by ICP-OES. 2008 , 90, 71-76		12
680	ICP-OES determination of trace metal ions after preconcentration by 4-(8-hydroxy-5-quinolylazo)naphthalenesulfonic acid modified silica gel. 2008 , 891, 45-49		22
679	Affinity of some metal ions towards 1,8-diaminonaphthalene conductive polymer. 2008 , 68, 974-980		13
678	Chemically modified silica surface as effective sodium cation scavenger. 2008 , 134, 672-679		4
677	Designed pendant chain covalently bonded to silica gel for cation removal. <i>Journal of Hazardous Materials</i> , 2008 , 156, 95-101	12.8	42
676	Chemical modification of silica-gel with hydroxyl- or amino-terminated polyamine for adsorption of Au(III). <i>Applied Surface Science</i> , 2008 , 255, 3361-3370	6.7	70
675	Functionalized SiO ₂ with N-, S-containing ligands for Pb(II) and Cd(II) adsorption. 2008 , 320, 25-35		34
674	Mesoporous silica functionalized with diethylenetriamine moieties for metal removal and thermodynamics of cationBasic center interactions. 2008 , 324, 41-46		35
673	Selective solid phase extraction of trace Sc(III) from environmental samples using silica gel modified with 4-(2-morinyldiazonyl)-N-(3-(trimethylsilyl)propyl)benzamide. 2008 , 629, 84-91		50
672	Organically modified silica: synthesis and applications due to its surface interaction with organic molecules. 2008 , 140, 77-94		86
671	Nanosized centers for mercury(II) ions adsorption on a surface of modified silica. 2008 , 6, 581-591		3

670	Ion transport in sulfonated nanoporous colloidal films. 2008 , 24, 2650-4		44
669	Sorption and Desorption of Lead on 5-Amino-1,3,4-Thiadiazole-2-Thiol Immobilized Silica Gel by Flame Atomic Absorption Spectrometry (FAAS). 2008 , 36, 476-492		3
668	Selective solid phase extraction of trace cadmium(II) and lead(II) from biological and natural water samples by ofloxacin-modified-silica gel. 2008 , 88, 857-868		24
667	Carbon Nanotubes as a New Solid-Phase Extraction Material for Removal and Enrichment of Organic Pollutants in Water. 2008 , 37, 372-389		65
666	Organic functionalization of luminescent oxide nanoparticles toward their application as biological probes. 2008 , 24, 11018-26		67
665	Chromium(III)-imprinted silica gel for speciation analysis of chromium in environmental water samples with ICP-MS detection. <i>Talanta</i> , 2008 , 75, 536-43	6.2	122
664	Novel talc-like nickel phyllosilicates functionalized with ethanolamine and diethanolamine. <i>Applied Clay Science</i> , 2008 , 42, 130-136	5.2	25
663	Proton transport in assemblies of silica colloidal spheres. 2008 , 18, 5335		13
662	Fabrication of hydrophobic zeolites using triethoxyfluorosilane and their application as supports for TiO(2) photocatalysts. 2008 , 4783-5		58
661	Removal of Lead and Cadmium Ions from Aqueous Solution by Polyvinyl Alcohol-Modified Kaolinite Clay: A Novel Nano-Clay Adsorbent. 2008 , 26, 383-405		34
660	Investigation of the Chemical Purity of Silicon Surfaces Reacted with Liquid Methanol. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 11907-11919	3.8	48
659	Quantitative physicochemical analysis of equilibria on chemically modified silica surfaces. 2008 , 80, 1561-1592	20	
658	Selective preconcentration of uranyl ion by silica gel phases modified with chelating compounds as inorganic polymeric ion exchangers. 2008 , 24, 381-7		19
657	Organically Modified Ordered Mesoporous Siliceous Solids. 2009 , 283-308		8
656	Further Reading. 2009 , 17, 113-197		
655	Biogenic modified silica as a sorbent of cadmium ions: preparation and characterization. 2009 , 30, 663-71		8
654	The Initial Reactions of H ₃ PO ₄ and NaH ₂ PO ₄ Supported on Silica: A Joint Experimental and Theoretical Study. 2009 , 22, 315-321		7
653	Removal of 17-B-estradiol Pollutants from Contaminated Water by Molecularly Imprinted Polymers. 2009 ,		2

652	Magnetic behaviour of nickel-cyclam complexes in mesoporous silica: EPR investigations. 2009 , 21, 076004	5
651	Characteristics, Chemical Modification Processes as well as the Application of Silica and its Modified Forms. 2009 , 39, 60-69	11
650	Synthesis of mesoporous silica grafted with 3-glycidoxypropyltrimethoxy silane. 2009 , 63, 2331-2334	12
649	Removal of heavy metals from artificial metals contaminated water samples based on micelle-templated silica modified with pyoverdine I. 2009 , 21, 1009-16	8
648	Characterization of chitin-metal silicates as binding superdisintegrants. 2009 , 98, 4887-901	29
647	Selective solid-phase extraction of lead(II) from biological and natural water samples using surface-grafted lead(II)-imprinted polymers. 2009 , 164, 125-132	73
646	Ion-imprinted thiol-functionalized silica gel sorbent for selective separation of mercury ions. 2009 , 165, 151-157	33
645	Determination of trace metals in natural samples by ICP-OES after preconcentration on modified silica gel and on modified silica nanoparticles. 2009 , 165, 319-327	40
644	FAAS determination of palladium after its selective recovery by silica modified with hydrazone derivative. 2009 , 167, 81-89	15
643	Modified coupling agents based on thiourea, immobilized onto silica. Thermodynamics of copper adsorption. 2009 , 603, 2200-2206	32
642	Synthesis of sol-gel silica chemically bonded with cyanex 272 for the removal of Cu(II), Ni(II), and Zn(II). 2009 , 44, 2628-2636	13
641	One-step preparation of thiol-modified mesoporous silica spheres with various functionalization levels and different pore structures. 2009 , 49, 112-124	39
640	Preparation of morin modified nanometer SiO ₂ as a sorbent for solid-phase extraction of trace heavy metals from biological and natural water samples. 2009 , 50, 35-43	16
639	Sensing abilities of materials prepared by sol-gel technology. 2009 , 50, 201-215	39
638	Modification of aminopropyl silica gel with some chelating agents and their effect on its stability against hydrolysis. 2009 , 51, 228-237	6
637	Fabrication of Hydrophobic Zeolites Using Triethoxyfluorosilane and their Application for Photocatalytic Degradation of Acetaldehyde. 2009 , 52, 643-648	11
636	Amberlite XAD-4 functionalized with m-phenylenediamine: Synthesis, characterization and applications as extractant for preconcentration and determination of rhodium (III) in water samples by Inductive Couple Plasma Atomic Emission Spectroscopy (ICP-AES). 2009 , 93, 49-54	42
635	Amine functionalized MCM-41: An active and reusable catalyst for Knoevenagel condensation reaction. 2009 , 310, 93-100	140

634	Inorganic magnetic support for sodium cation scavenging. 2009 , 517, 6076-6080		7
633	SBA-15 surface functionalization via ferrocenyl Fischer chromium carbene coatings: Technology and textural properties. 2009 , 203, 1444-1451		3
632	Characterization of a carbon paste electrode containing organically modified nanostructure silica: Application to voltammetric detection of ferricyanide. 2009 , 626, 23-29		15
631	Effect of structural properties of acid dyes on their adsorption behaviour from aqueous solutions by amine modified silica. <i>Journal of Hazardous Materials</i> , 2009 , 161, 1544-50	12.8	136
630	Comparison of synthesis of chelating resin silica-gel-supported diethylenetriamine and its removal properties for transition metal ions. <i>Journal of Hazardous Materials</i> , 2009 , 163, 127-35	12.8	51
629	Solid phase extraction using silica gel modified with murexide for preconcentration of uranium (VI) ions from water samples. <i>Journal of Hazardous Materials</i> , 2009 , 163, 861-8	12.8	114
628	Enhanced mercury ion adsorption by amine-modified activated carbon. <i>Journal of Hazardous Materials</i> , 2009 , 166, 866-72	12.8	86
627	Removal of Co(II) and Ni(II) ions from contaminated water using silica gel functionalized with EDTA and/or DTPA as chelating agents. <i>Journal of Hazardous Materials</i> , 2009 , 171, 1071-80	12.8	147
626	Separation and preconcentration of aluminum in parenteral solutions and bottled mineral water using different analytical techniques. <i>Journal of Hazardous Materials</i> , 2009 , 172, 780-5	12.8	37
625	Palladium(II) and cobalt(II) sorption by silica gel sequentially modified by polyhexamethylene guanidine and a nitroso-R salt. 2009 , 19, 167-169		10
624	Cage-like mesoporous organosilicas with isocyanurate bridging groups synthesized by soft templating with poly(ethylene oxide)-poly(butylene oxide)-poly(ethylene oxide) block copolymer. 2009 , 333, 354-62		12
623	Organofunctionalized kenyaite for dye removal from aqueous solution. 2009 , 336, 398-405		80
622	Thermodynamics of the nickel and cobalt removal from aqueous solution by layered crystalline organofunctionalized barium phosphate. 2009 , 41, 21-25		13
621	Flow injection solid phase extraction electrothermal atomic absorption spectrometry for the determination of Cr(VI) by selective separation and preconcentration on a lab-made hybrid mesoporous solid microcolumn. 2009 , 64, 500-505		28
620	Preparation of mesoporous silica with grafted chelating agents for uptake of metal ions. 2009 , 155, 916-924		24
619	Inverse gas chromatography as a source of physicochemical data. 2009 , 1216, 1551-66		189
618	A new organofunctionalized silica containing thioglycolic acid incorporated for divalent cations removal: A thermodynamic cation/basic center interaction. 2009 , 332, 144-149		39
617	Attachment of linear poly(amido amine) to silica surface and evaluation of metal-binding behavior. <i>Applied Surface Science</i> , 2009 , 255, 8176-8182	6.7	20

616	Effect of amine type modifier on the uptake behaviour of silica towards mercury(II) in aqueous solution. 2009 , 246, 257-274		21
615	Chemical modification of silica-gel with diethylenetriamine via an end-group protection approach for adsorption to Hg(II). <i>Applied Surface Science</i> , 2009 , 255, 5818-5826	6.7	41
614	Chemical modification of silica gel with synthesized new Schiff base derivatives and sorption studies of cobalt (II) and nickel (II). <i>Applied Surface Science</i> , 2009 , 255, 8798-8803	6.7	60
613	Novel zwitterionic-polymer-coated silica nanoparticles. 2009 , 25, 3196-9		79
612	Factors affecting copper(II) binding to multiarmed cyclam-grafted mesoporous silica in aqueous solution. 2009 , 25, 9804-13		35
611	Analytical chemistry with silica sol-gels: traditional routes to new materials for chemical analysis. 2009 , 2, 121-43		146
610	Application of aminopropyltriethoxysilane and N-[2-(aminoethyl)-N-3-(trimethoxysilyl)propyl]amine to the synthesis of linear and heterocyclic compounds. 2009 , 79, 2137-2141		4
609	Modified silica surface by phenylboronic acid derivatives as effective sugar sensor. 2009 , 7, 697-701		2
608	Molecular Modeling of 4-Ethyl-1-(pyridin-2-yl)thiosemicarbazide and its Cu(II) Complex Utilized for Separation of Cu(II) from Water Samples. 2009 , 54, 1277-1283		6
607	Effect of Organized Assemblies, Part VII: Adsorption Behavior of Polyoxyethylated Nonyl Phenol at Silica/Cyclohexane Interface and Its Efficiency in Stabilizing the Silica/Cyclohexane Dispersion. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 3403-3409	3.9	26
606	End-group protection as a novel strategy to prepare silica-gel supported diethylenetriamine with high adsorption capacities for metal ions. 2009 , 355, 453-457		8
605	Designing of the Nanosized Centers for Adsorption of Mercury (II) on a Silica Surface. 2009 , 247-258		
604	Preparation of ethylenediaminetriacetic acid silica-gel immobilised ligand system and its application for trace metal analysis in aqueous samples. 2009 , 89, 1057-1069		22
603	Synthesis and Properties of Ordered Mesoporous Organosilicas with Vinyl and Mercaptopropyl Surface Groups: The Effect of Ligand Concentration on Pore Structure. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 4875-4884	3.8	17
602	Silica gel surface modified with sulfanilamide for selective solid-phase extraction of Cu(II), Zn(II) and Ni(II). 2009 , 89, 1043-1055		25
601	Removal of Toxic/Heavy Metal Ions Using Ion-Imprinted Aminofunctionalized Silica Gel. <i>Separation Science and Technology</i> , 2009 , 44, 1829-1850	2.5	16
600	Multiarm cyclam-grafted mesoporous silica: a strategy to improve the chemical stability of silica materials functionalized with amine ligands. 2009 , 25, 3137-45		35
599	Adsorption of Cu ²⁺ on Amino Functionalized Silica Gel with Different Loading. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 8954-8960	3.9	49

598	Kinetics and computational studies of an aminosilane reaction with a silsesquioxane silanol. 2009 , 113, 6612-9		10
597	Synthesis of dithiocarbamate-functionalized mesoporous silica-based materials: interest of one-step grafting. 2009 , 33, 528-537		10
596	Hydrophobic Modification of a Mesoporous Silica Surface Using a Fluorine-Containing Silylation Agent and Its Application as an Advantageous Host Material for the TiO ₂ Photocatalyst. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 1552-1559	3.8	87
595	Synthesis, characterization, and application of m-phenyldiamine-modified Amberlite XAD-4 resin for preconcentration and determination of metal ions in water samples. 2009 , 81, 532-9		12
594	Poly(L-alanine)-modified nanoporous colloidal films. 2009 , 5, 457-462		22
593	On-Line Selective Solid-Phase Extraction of Copper with a Surface Ion Imprinted Silica Gel Sorbent. 2009 , 56, 763-770		11
592	Nanostructured Catalysts: Controlling Single-Site Composition. 2009 ,		
591	Solid phase selective and extractive preconcentration of silver ion from aqueous samples on modified silica gel with 5-(4-dimethylaminobenzylidene)-rhodanine; prepared by sol-gel method. 2009 , 25, 711-6		11
590	The Solid Phase Extraction of Lead Using Silver Nanoparticles Attached to Silica Gel Prior to its Determination by FAAS. 2009 , 5, 352-357		23
589	Smart pH cuvette for optical monitoring of pH of biological samples. 2010 ,		
588	Synthesis of silica chemically bonded with poly(ethylene oxide) 4-arm, amine-terminated for copper cation removal. 2010 , 82, 2387-92		5
587	Silica surface modified by aliphatic amines as effective copper complexing agents. 2010 , 101, 1037-1041		3
586	Solid-phase extractors based on 8-aminoquinoline and 2-aminopyridine covalently bonded to silica gel for the selective separation and determination of calcium in natural water and pharmaceutical samples. 2010 , 26, 473-8		14
585	Copper removal by carbon nanomaterials bearing cyclam-functionalized silica. 2010 , 8, 341-346		5
584	An integrated approach to the study of the interaction between proteins and nanoparticles. 2010 , 26, 8336-46		100
583	Immobilized ruthenium complexes and aspects of their reactivity. 2010 , 254, 355-371		56
582	Hybrid inorganic/organic alumina adsorbents-functionalized-purpurogallin for removal and preconcentration of Cr(III), Fe(III), Cu(II), Cd(II) and Pb(II) from underground water. <i>Journal of Hazardous Materials</i> , 2010 , 176, 906-12	12.8	43
581	Immobilization of methylene blue onto bentonite and its application in the extraction of mercury (II). <i>Journal of Hazardous Materials</i> , 2010 , 178, 94-100	12.8	21

580	Synthesis of ion-imprinted mesoporous silica gel sorbent for selective adsorption of copper ions in aqueous media. 2010 , 171, 203-209		18
579	Synthesis, characterization and application of allyl phenol modified amberlite XAD-4 resin for preconcentration and determination of copper in water samples. 2010 , 27, 1269-1274		10
578	Silica-attached molecular receptor complexes for benzoates and naphthoates. 2010 , 68, 261-270		3
577	Stabilization of n-aminopropyl silica gel against hydrolysis by blocking silanol groups with TiO ₂ or ZrO ₂ . 2010 , 53, 587-597		5
576	X-ray diffraction and thermogravimetry data of cellulose, chlorodeoxycellulose and aminodeoxycellulose. 2010 , 100, 315-321		28
575	Al-centered functionalized inorganic-organic hybrid sorbent containing N and S donor atoms for effective removal of cadmium. 2010 , 12, 440-447		13
574	Influence of the Synthesis pH on Sorption Behavior of Mesoporous MCM-41 for Toxic Metal Ions. 2010 , 28, 1923-1926		2
573	A Palladium Wall Coated Microcapillary Reactor for Use in Continuous Flow Transfer Hydrogenation. 2010 , 352, 1736-1745		42
572	Purification, surface modification of coal ash silica and its potential application in rubber composites. 2010 , 117, NA-NA		1
571	Humic acid-inspired hybrid materials as heavy metal absorbents. 2010 , 351, 239-47		31
570	Removal and preconcentration of lead (II), copper (II), chromium (III) and iron (III) from wastewaters by surface developed alumina adsorbents with immobilized 1-nitroso-2-naphthol. <i>Journal of Hazardous Materials</i> , 2010 , 173, 349-57	12.8	65
569	Solid phase extraction of uranium(VI) onto benzoylthiourea-anchored activated carbon. <i>Journal of Hazardous Materials</i> , 2010 , 176, 119-24	12.8	137
568	Combined cation-exchange and extraction chromatographic method of preconcentration and concomitant separation of bismuth(III) with high molecular mass liquid cation exchanger. <i>Journal of Hazardous Materials</i> , 2010 , 182, 363-70	12.8	28
567	Synthesis and characterization of hydrophobic zeolite for the treatment of hydrocarbon contaminated ground water. <i>Journal of Hazardous Materials</i> , 2010 , 183, 434-40	12.8	28
566	Study of organically-modified montmorillonite clay for the removal of copper(II). <i>Journal of Hazardous Materials</i> , 2010 , 184, 654-661	12.8	38
565	Characterization and analytical application of surface modified magnetic nanoparticles. 2010 , 94, 148-158		176
564	Enhancement of the field-effect mobility of solution processed organic thin film transistors by surface modification of the dielectric. 2010 , 11, 344-350		10
563	Identification of dissolved organic species in non-drinking tap water by solid-phase extraction and gas chromatography-mass spectrometry. 2010 , 14, 105-115		3

562	A mild and convenient one-pot two-step synthesis of hydroxy- iminodihydrobenzofurans mediated by silica gel under microwave activation conditions. 2010 , 66, 3754-3760	22
561	Multifunctional nanoparticles: analytical prospects. 2010 , 666, 1-22	215
560	Strontium and calcium ion adsorption by molecularly imprinted hybrid gel. 2010 , 157, 401-407	51
559	Preparation and adsorption properties of chelating resins containing 3-aminopyridine and hydrophilic spacer arm for Hg(II). 2010 , 165, 573-580	38
558	Cyclam complexes of Cu(II) and Co(II) as stationary phases for gas chromatography. 2010 , 1217, 4648-54	5
557	A new route to synthesis of surface hydrophobic silica with long-chain alcohols in water phase. 2010 , 369, 218-222	22
556	Extraction chromatographic method of preconcentration and separation of lead (II) with high molecular mass liquid cation exchanger. 2010 , 250, 506-514	20
555	Removal and preconcentration of lead (II) and other heavy metals from water by alumina adsorbents developed by surface-adsorbed-dithizone. 2010 , 251, 123-130	80
554	Performance evaluation of hybrid inorganic/organic adsorbents in removal and preconcentration of heavy metals from drinking and industrial waste water. 2010 , 253, 9-15	43
553	Development of acyl-bonded aminopropyl silica gel fillers with low interfacial adhesion energy in a polystyrene matrix. 2010 , 42, 489-493	
552	Generation of chemisorbed benzyl radicals on silica nanoparticles. 2010 , 86, 1208-14	3
551	Application of Carbon Nanotubes as a Solid-Phase Extraction Material for Environmental Samples. 2010 , 199-212	1
550	Design of New Functional Titanium Oxide-Based Photocatalysts for Degradation of Organics Diluted in Water and Air. 2010 , 14, 616-629	36
549	Adsorption of metal ions on magnetic carbon nanomaterials bearing chitosan-functionalized silica. 2010 , 101, 1543-1547	6
548	Gellan gum as an immobilization matrix for the production of cyclosporin A. 2010 , 20, 1086-91	15
547	Adsorption of Hg(II) from an Aqueous Solution by Silica-Gel Supported Diethylenetriamine Prepared via Different Routes: Kinetics, Thermodynamics, and Isotherms. 2010 , 55, 1496-1504	26
546	Periodic mesoporous titanium phosphonate hybrid materials. 2010 , 20, 7406	57
545	Study of the Interaction between Silica Surfaces and the Carbon Dioxide Molecule. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 17773-17787	3.8 60

544	Adsorption Behavior of Molybdenum on Modified Mesoporous Zirconium Silicates. <i>Separation Science and Technology</i> , 2010 , 45, 421-426	2.5	13
543	Effect of Thermal Treatment of Silica Gels on Their Amino Functionalization and Subsequent Adsorption Properties for Cu ²⁺ from Aqueous Solution of Copper Sulfate. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 8184-8191	3.9	10
542	Mesoporous organosilica adsorbents: nanoengineered materials for removal of organic and inorganic pollutants. 2010 , 20, 4478		471
541	Enhancement of oxyanion and diatrizoate reduction kinetics using selected azo dyes on Pd-based catalysts. 2010 , 44, 1773-9		30
540	Functionalized SiO ₂ With S-Donor Thiophene: Synthesis, Characterization, and Its Heavy Metals Adsorption. 2010 , 185, 2003-2013		11
539	Nanomaterials and Supramolecular Structures. 2010 ,		18
538	Determination of trace quantity of aluminium in dialysate concentrates using solid phase and cloud point extraction methods. 2010 , 2, 558		28
537	Magnetic quantitative immunoanalysis of carcinoembryonic antigen by ICP-MS with mercury labels. 2011 , 26, 1217		28
536	Synthesis and characterisation of a silicon oxide film solid-phase extraction system for lead traces determination: an all the way green analytical method. 2011 , 91, 828-843		3
535	MCM-41 μ S μ Alumina Tubular Membranes for Metal Separation in Aqueous Solution. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 176-187	3.8	19
534	Safranin-T Triplet-State Quenching by Modified Silica Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 18122-18130	3.8	10
533	Effect of Concentration of Aminopropyl Groups on the Surface of MCM-41 on Adsorption of Cu ²⁺ . <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 11432-11439	3.9	23
532	Complex Formation, Metal Uptake, and Sorption Kinetics of a Chemically Modified Chlorosulfonated Polystyrene with Aminosalicic Acid. 2011 , 56, 1827-1839		11
531	A two-component polymeric optode membrane based on a multifunctional ionic liquid. 2011 , 136, 348-53		19
530	Adsorption Kinetics and Isotherms of Ag(I) and Hg(II) onto Silica Gel with Functional Groups of Hydroxyl- or Amino-Terminated Polyamines. 2011 , 56, 1982-1990		29
529	Salen impregnated silica gel as a new sorbent for on-line preconcentration of cadmium(II). 2011 , 91, 484-492		1
528	Extraction and Separation of Zr(IV) From Hydrochloric Acid Solution Using Modified Silica Gel Produced From Waste Solution of Sodium Silicate. <i>Separation Science and Technology</i> , 2011 , 46, 1329-1336	3.5	5
527	Efficient photocatalytic degradation of organics diluted in water and air using TiO ₂ designed with zeolites and mesoporous silica materials. 2011 , 21, 2407-2416		109

526	Mercury uptake by biogenic silica modified with L-cysteine. 2011 , 32, 1615-25		7
525	Graphene-Based Solid-Phase Extraction for a Sensitive Determination of Trace Amounts of Lead in Water Samples. 2011 , 1, 337-348		
524	Amine-Functionalized Titanosilicates Prepared by the Sol-Gel Process as Adsorbents of the Azo-Dye Orange II. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 239-246	3.9	31
523	Silicon, silica and its surface patterning/activation with alkoxy- and amino-silanes for nanomedical applications. 2011 , 6, 281-300		28
522	Displacement mechanism of binary competitive adsorption for aqueous divalent metal ions onto a novel IDA-chelating resin: isotherm and kinetic modeling. 2011 , 45, 1177-88		136
521	Imprinted functionalized silica sol-gel for solid-phase extraction of triazolamin. <i>Talanta</i> , 2011 , 84, 644-506.2		24
520	Anion separations for liquid chromatography using propylpyridinium silica as the stationary phase. <i>Talanta</i> , 2011 , 84, 1174-9	6.2	11
519	Synthesis, characterization and application of a novel mercapto- and amine-bifunctionalized silica for speciation/sorption of inorganic arsenic prior to inductively coupled plasma mass spectrometric determination. <i>Talanta</i> , 2011 , 85, 1517-25	6.2	31
518	Post-grafting of silica surfaces with pre-functionalized organosilanes: new synthetic equivalents of conventional trialkoxysilanes. 2011 , 47, 4860-71		76
517	Orientated glyco-macroligand formation based on site-specific immobilization of O-cyanate chain-end functionalized glycopolymer. 2011 , 9, 845-50		22
516	Nanocomposite Materials with Oriented Functionalized Structure. 2011 ,		
515	Nanostructured Catalysts: Controlling Single-Site Composition. 2011 ,		
514	Synthesis and optical behaviour of mesoporous silica functionalized by organometallic molecules. <i>Journal of Physics: Conference Series</i> , 2011 , 289, 012024	0.3	2
513	SO ₂ gas adsorption by modified kaolin clays: influence of previous heating and time acid treatments. <i>Journal of Environmental Management</i> , 2011 , 92, 2590-5	7.9	25
512	Layered inorganic/organic mercaptopropyl pendant chain hybrid for chelating heavy cations. 2011 , 46, 2346-2352		11
511	An infrared study of adsorbed metal ions on modified silica: Comparative chelation between mercury, cadmium, and lead divalent ions to silica functionalized with ortho- and para-aminothiophenoles. 2011 , 57, 254-260		
510	Heavy metal ions extraction from aqueous media using nanoporous silica. 2011 , 175, 117-123		30
509	Reversible As(V) adsorption on magnetic nanoparticles and pH dependent desorption concentrates dilute solutions and realizes true moving bed reactor systems. 2011 , 175, 244-250		15

508	The recent development of CO ₂ fixation and conversion by ionic liquid. 2011 , 1, 142-159		70
507	Adsorption properties of a nanostructured hybrid material containing aluminium towards some metal ions. 2011 , 9, 932-940		1
506	Polyamine-substituted epoxy-grafted silica for aqueous metal recovery. 2011 , 65,		
505	Iron(III) chloride supported on MCM-41 molecular sieve as a catalyst for the liquid-phase oxidation of phenol. <i>Russian Journal of Physical Chemistry A</i> , 2011 , 85, 390-396	0.7	7
504	Stabilization of quercetin-functionalized silica gel against hydrolysis by blocking silanol groups with TiO ₂ or ZrO ₂ and its application for the removal of Hg(II). 2011 , 57, 57-67		6
503	Structural and thermal properties of monolithic silica-phosphate (SiO ₂ /P ₂ O ₅) gel glasses prepared by sol-gel technique. 2011 , 58, 507-517		20
502	Effect of preparation conditions on structural properties of PMHS-TEOS hybrid materials. 2011 , 59, 480-487		18
501	Thermodynamic study of Cd(II) complex formation with tripodal N-donor ligands in DMSO. 2011 , 103, 35-40		7
500	Novel method for in-situ surfactant-based solid-phase extraction: application to the determination of Co(II) and Ni(II) in aqueous samples. 2011 , 173, 415-421		12
499	FAAS slurry analysis of lead and copper ions preconcentrated on titanium dioxide nanoparticles coated with a silver shell and modified with cysteamine. 2011 , 173, 495-502		20
498	Fast and selective magnetic solid phase extraction of trace Cd, Mn and Pb in environmental and biological samples and their determination by ICP-MS. 2011 , 175, 121-128		73
497	Selective extraction of toxic heavy metal oxyanions and cations by a novel silica gel phase functionalized by vitamin B ₄ . 2011 , 172, 177-183		24
496	Combined cation-exchange and extraction chromatographic method of pre-concentration and concomitant separation of Cu(II) with high molecular mass liquid cation exchanger after its online detection. 2011 , 1218, 5644-52		17
495	The morphology and structure of PS-b-P4VP block copolymer films by solvent annealing: effect of the solvent parameter. 2011 , 22, 915-923		42
494	Engineering Nanocarriers for siRNA Delivery. 2011 , 7, 841-56		92
493	New polysiloxane-chemically immobilized C,C-bipyrazolic receptor for heavy metals adsorption. 2011 , 121, 1393-1399		6
492	Equilibrium studies on the adsorption of Co(II) and Ni(II) by modified silica gels: One-component and binary systems. 2011 , 172, 376-385		34
491	Potential of nanoparticles in sample preparation. 2011 , 1218, 620-37		182

490	Effect of humic acid on sorption of trace metal ions by sodium aluminosilicate. 2011 , 268, 189-194	7
489	Removal of Pb(II), Cu(II) and Cd(II) ions from aqueous solution using polyazomethineamides: Equilibrium and kinetic approach. 2011 , 271, 199-208	94
488	Surface functionalization of SBA-15 and a nonordered mesoporous silica with a 1,4-diazabicyclo[2.2.2]octane derivative: study of CuCl ₂ adsorption from ethanol solution. 2011 , 356, 248-56	21
487	Heavy metals adsorption by novel EDTA-modified chitosan-silica hybrid materials. 2011 , 358, 261-7	221
486	Size-selective molecular transport through silica colloidal nanopores. 2011 , 47, 553-5	23
485	Selective preconcentration of trace thorium from aqueous solutions with Th(IV)-imprinted polymers prepared by a surface-grafted technique. 2011 , 91, 1050-1061	24
484	Biosensors Based on Sol-Gel-Derived Materials. 2011 , 471-489	4
483	Adsorption of Benzene from Aqueous Solution Using Base Modified Expanded Perlite. 2012 , 622-623, 1779-1783	
482	Adsorption of Cu ²⁺ From Aqueous Solution onto Agricultural Solid Waste-Mentha: Characterization, Isotherms, and Kinetic Studies. 2012 , 33, 1188-1196	17
481	An ionic liquid-based sorbent for solid phase extraction of trace iron(III) from biological and natural water samples. 2012 , 92, 1250-1261	5
480	Chemically Modified Mesoporous Silicas and Organosilicas for Adsorption and Detection of Heavy Metal Ions. 2012 , 227-260	
479	Application of graphene as a sorbent for preconcentration and determination of trace amounts of chromium(III) in water samples by flame atomic absorption spectrometry. 2012 , 4, 1110	57
478	Formation of inclusion complexes and controlled release of atrazine using free or silica-anchored Cyclodextrin. 2012 , 74, 375-381	16
477	Effect of particle morphology and pore size on the release kinetics of ephedrine from mesoporous MCM-41 materials. 2012 , 19, 825-833	16
476	Removal of Cu(II), Zn(II) and Pb(II) from water using microwave-assisted synthesized maghemite nanotubes. 2012 , 211-212, 493-500	116
475	Studies on the recovery of uranium from nuclear industrial effluent using nanoporous silica adsorbent. 2012 , 9, 629-636	21
474	Synthesis of Polysiloxane-Immobilized Monoamine, Diamine, and Triamine Ligand Systems in the Presence of CTAB and Their Applications. 2012 , 187, 392-402	3
473	Palladium silica nanosphere-catalyzed decomposition of formic acid for chemical hydrogen storage. 2012 , 22, 19146	78

472	Study of Extraction of Co(II) Ions using the Synthesized Polyacrylonitrile-Manganese Dioxide Composite Beads. <i>Separation Science and Technology</i> , 2012 , 47, 1177-1184	2.5	3
471	Triplet state of 4-methoxybenzyl alcohol chemisorbed on silica nanoparticles. 2012 , 11, 1032-40		8
470	Functional group-template integrated ABC copolymer silicone surfactant directing for highly hydrophobic mesoporous silica. 2012 , 22, 19076		5
469	Noninvasive surface coverage determination of chemically modified conical nanopores that rectify ion transport. 2012 , 84, 6926-9		17
468	Optical mesosensors for monitoring and removal of ultra-trace concentration of Zn(II) and Cu(II) ions from water. 2012 , 137, 5278-90		119
467	Fluorescent nanoparticle adhesion assay: a novel method for surface pKa determination of self-assembled monolayers on silicon surfaces. 2012 , 28, 3403-11		34
466	Amine/acid catalyzed synthesis of a new silica-aminomethyl pyridine material as a selective adsorbent of copper. 2012 , 22, 17293		31
465	Graphene-based solid-phase extraction combined with flame atomic absorption spectrometry for a sensitive determination of trace amounts of lead in environmental water and vegetable samples. 2012 , 716, 112-8		209
464	Thin layer chromatography in the separation of unsaturated organic compounds using silver-thiolate chromatographic material. 2012 , 1251, 240-243		26
463	Nanocomposite Silica Aerogel Activated Carbon: Preparation, Characterization and Application to Remove Lead(II) from Aqueous Solutions. 2012 , 59, 1578-1583		2
462	Silica nanoparticles functionalized via click chemistry and ATRP for enrichment of Pb(II) ion. 2012 , 7, 485		23
461	Controllable synthesis and catalysis application of hierarchical PS/Au core-shell nanocomposites. 2012 , 387, 47-55		19
460	Chemical modification of coal fly ash for the retention of low levels of lead from aqueous solutions. 2012 , 102, 135-144		12
459	Scaling up magnetic filtration and extraction to the ton per hour scale using carbon coated metal nanoparticles. 2012 , 96, 68-74		21
458	Thiol functionalized mesoporous silicas for selective adsorption of precious metals. 2012 , 35, 20-26		33
457	Selective solid-phase extraction of trace mercury(II) using a silica gel modified with diethylenetriamine and thiourea. 2012 , 178, 421-428		17
456	Improvement of thermal stability of polypropylene using DOPO-immobilized silica nanoparticles. 2012 , 290, 1371-1380		45
455	Synthesis and application of Amberlite xad-4 functionalized with alizarin red-s for preconcentration and adsorption of rhodium (III). 2012 , 9, 7		8

454	Production of porous silica microparticles by membrane emulsification. 2012 , 28, 134-43	25
453	Chemically modified nano silica gel with 2-((3silylpropylimino) methyl)-2-hydroxy-1-naphthol (SPIMHN) as good and efficient adsorbent for solid phase extraction. 2012 , 41, 315-324	12
452	Silica-metal core-shell nanostructures. 2012 , 170, 28-47	181
451	Application of Graphene as a Sorbent for Simultaneous Preconcentration and Determination of Trace Amounts of Cobalt and Nickel in Environmental Water and Vegetable Samples. 2012 , 59, 1468-1477	26
450	Scope and limitations of surface functional group quantification methods: exploratory study with poly(acrylic acid)-grafted micro- and nanoparticles. 2012 , 134, 8268-76	72
449	Metal-organic-silica nanocomposites: copper, silver nanoparticles-ethylene diamine-silica gel and their CO ₂ adsorption behaviour. 2012 , 22, 12032	30
448	Heavy metal removal of tri-amino-functionalized sol-gel hybrids with tailored characteristics. 2012 , 62, 177-185	12
447	Mercury and lead sorption properties of poly(ethyleneimine) coated onto silica gel. 2012 , 68, 1577-1588	10
446	RETRACTED ARTICLE: Application of graphene as a sorbent for the preconcentration and determination of trace amounts of lead in water samples prior to flame atomic absorption spectrometry. 2012 , 177, 497-497	1
445	Magnetic nanoparticles with an imprinted polymer coating for the selective extraction of uranyl ions. 2012 , 178, 89-97	78
444	Separation of unsaturated organic compounds using silver-thiolate chromatographic material. 2012 , 1240, 83-9	33
443	Efficient liquid chromatographic analysis of mono-, di-, and triglycerols using silver thiolate stationary phase. 2012 , 1240, 90-5	17
442	Cleaved disulfide cross-linking functionalized silica nanoparticles for enrichment of Cd (II). 2012 , 395, 18-23	0
441	Analytical expressions for pH-regulated electroosmotic flow in microchannels. 2012 , 93, 260-2	6
440	pH sensitive silica nanotubes as rationally designed vehicles for NSAIDs delivery. 2012 , 94, 288-95	19
439	Superhydrophobicity of electrospray-synthesized fluorinated silica layers. 2012 , 368, 599-602	21
438	Comparison of BEA, USY and ZSM-5 for the quantitative extraction of polycyclic aromatic hydrocarbons from water samples. 2012 , 149, 186-192	18
437	The successful synthesis of biguanide-functionalized mesoporous silica catalysts: Excellent reactivity combined with facile catalyst recyclability. 2012 , 159, 9-16	36

- 436 Characterization of cyclodextrin glycosyltransferase immobilized on silica microspheres via aminopropyltrimethoxysilane as a spacer arm **2012**, 78, 51-56 25
- 435 A Highly Sensitive and Efficient Functionalized Magnetic Chemosensor for Cu²⁺ Removal. **2012**, 25, 2125-2130 3
- 434 Surface functionalized mesoporous activated carbon for the immobilization of acidic lipase and their application to hydrolysis of waste cooked oil: Isotherm and kinetic studies. **2012**, 47, 435-445 59
- 433 Immobilization of quaternary ammonium salts on silica gel for perchlorate ions removal. **2012**, 10, 1452-1458
- 432 Effect of pH on monolayer properties of colloidal silica particles at the air/water interface. **2012**, 290, 445-455 13
- 431 O-carboxymethyl chitosan entrapped by silica: preparation and adsorption behaviour toward neodymium (III) ions. **2013**, 88, 317-325 45
- 430 Enhanced adsorption of mercury ions on thiol derivatized single wall carbon nanotubes. *Journal of Hazardous Materials*, **2013**, 261, 534-41 12.8 135
- 429 Thermochemistry of interaction between cellulose modified with 2-aminomethylpyridine and divalent cations. **2013**, 114, 423-429 5
- 428 Sol-gel thin-film based mesoporous silica and carbon nanotubes for the determination of dopamine, uric acid and paracetamol in urine. *Talanta*, **2013**, 116, 726-35 6.2 63
- 427 Aminopolycarboxylic acid functionalized adsorbents for heavy metals removal from water. **2013**, 47, 4812-32 162
- 426 Adsorption Properties toward Trivalent Rare Earths by Alginate Beads Doping with Silica. *Industrial & Engineering Chemistry Research*, **2013**, 52, 3453-3461 3.9 47
- 425 Preconcentration of milk proteins using octadecylated monolithic silica microchip. **2013**, 798, 40-7 11
- 424 New macrocyclic ligand incorporated organosilicas: Co-condensation synthesis, characterization and separation of strontium in simulated high level liquid waste. **2013**, 73, 228-236 17
- 423 Controllable immobilization of polyacrylamide onto glass slide: synthesis and characterization. **2013**, 291, 2359-2364 12
- 422 Nanosensor for dopamine and glutathione based on the quenching and recovery of the fluorescence of silica-coated quantum dots. **2013**, 180, 269-277 56
- 421 Silica nanoparticles modified with a Schiff base ligand: An efficient adsorbent for Th(IV), U(VI) and Eu(III) ions. **2013**, 30, 1644-1651 32
- 420 Layered inorganic-organic hybrid with talc-like structure for cation removal at the solid/liquid interface. **2013**, 552, 28-36 11
- 419 Ultra-trace recognition and removal of toxic chromium (VI) ions from water using visual mesocaptor. *Journal of Hazardous Materials*, **2013**, 244-245, 726-35 12.8 50

418	Adsorption and kinetic studies of cesium ions from aqueous solution by functionalized silica. 2013 , 51, 2014-2020	7
417	Micro-nano hierarchical superhydrophobic electro-spray-synthesized silica layers. 2013 , 392, 376-381	29
416	Preparation of sinapinaldehyde modified mesoporous silica materials and their application in selective extraction of trace Pb(II). 2013 , 93, 1274-1285	10
415	Novel route for silylation of silica gel and aliphatic amines immobilization based on microwave-assisted solvent free synthesis and their applications for Cu(II) and Fe(III) removal from natural water samples. 2013 , 48, 817-28	3
414	Immobilized silver nanoparticles enhance contact killing and show highest efficacy: elucidation of the mechanism of bactericidal action of silver. 2013 , 5, 7328-40	334
413	Impregnation and Characterization of High Performance Extraction Columns for Separation of Metal Ions. 2013 , 31, 668-682	7
412	Inorganic-organic hybrids presenting high basic center content: SBA-15 incorporation, toxic metals sorption and energetic behavior. 2013 , 48, 1045-1056	21
411	Degradation of Acid Blue 29 in visible light radiation using iron modified mesoporous silica as heterogeneous Photo-Fenton catalyst. 2013 , 450, 96-105	80
410	Surface-functionalized silica nanoparticles as fillers in polydimethylsiloxane membrane for the pervaporative recovery of 1-butanol from aqueous solution. 2013 , 88, 2216-2226	17
409	Silicone surfactant templated mesoporous silica. 2013 , 172, 30-35	6
408	Core/shell-type nanorods of Tb-doped LaPO ₄ , modified with amine groups, revealing reduced cytotoxicity. 2013 , 15, 2068	42
407	References. 2013 , 1017-1094	
406	Membrane assisted micro-solid phase extraction of pharmaceuticals with amino and urea-grafted silica gel. 2013 , 1316, 8-14	18
405	Taking advantage of a terpyridine ligand for the deposition of Pd nanoparticles onto a magnetic material for selective hydrogenation reactions. 2013 , 1, 1441-1449	31
404	Selective detection toward Hg(II) and Pb(II) using polypyrrole/carbonaceous nanospheres modified screen-printed electrode. 2013 , 105, 218-223	60
403	Adjusted pH for the Selective Separation of Cadmium from Lead by Nano-Active Silica-Functionalized-[Bmim+Tf2 N] Ionic Liquid. <i>Separation Science and Technology</i> , 2013 , 48, 931-940	2.5 17
402	Synthesis of superhydrophobic SiO ₂ layers via combination of surface roughness and fluorination. 2013 , 197, 23-28	21
401	Stationary Phases and Their Performance. 2013 , 191-362	1

400	The use of silica gel modified with allyl 6-methyl-4-phenyl-2-thioxo-1,2,3,4-tetrahydropyrimidine-5-carboxylate for selective separation and preconcentration of lead in environmental samples. 2013 , 185, 4969-76		2
399	A binary and ternary adsorption study of wastewater Cd(II), Ni(II) and Co(II) by Fe ₂ O ₃ nanotubes. 2013 , 115, 172-179		67
398	Solid phase extraction of heavy metals on chemically modified silica-gel with 2-(3-silylpropylimino) methyl-5-bromophenol in food samples. 2013 , 93, 843-857		11
397	Separation of Cobalt From Europium with Mesoporous Hybrid Silica-Poly(Styrene) Impregnated Chelating Resin. 2013 , 34, 57-72		2
396	Dynamic adsorption behavior and mechanism of transition metal ions on silica gels functionalized with hydroxyl- or amino-terminated polyamines. 2013 , 221, 264-274		26
395	Laws and mechanism of adsorption of cations by different ion-exchange forms of silica gel. 2013 , 19, 769-776		5
394	Synthesis and modification of p(VI) microgels for in situ metal nanoparticle preparation and their use as catalyst for hydrogen generation from NaBH ₄ hydrolysis. 2013 , 111, 14-21		27
393	Heavy metal removal from water by magnetite nanorods. 2013 , 219, 209-216		131
392	Surface modification of nano-silica with amides and imides for use in polyester nanocomposites. 2013 , 1, 6073		30
391	Synchrotron small angle X-ray scattering for the evaluation of the interaction of silica nanotubes with lipid membranes. <i>RSC Advances</i> , 2013 , 3, 10323	3.7	1
390	Design of polymer-brush-grafted magnetic nanoparticles for highly efficient water remediation. 2013 , 5, 3784-93		117
389	Iron incorporated rice husk silica as a sorbent for hexavalent chromium attenuation in aqueous system. 2013 , 91, 2691-2702		22
388	Influence of sintering temperature on the properties of pulsed electric current sintered hybrid coreshell powders. 2013 , 33, 2233-2239		1
387	Magnetic solid-phase extraction to preconcentrate ultra trace amounts of lead(II) using modified-carbon nanotubes decorated with NiFe ₂ O ₄ magnetic nanoparticles. 2013 , 5, 3903		26
386	Preparation of silica gel bound crown ether and its extraction performance towards zirconium and hafnium. 2013 , 225, 528-534		14
385	Adsorption of Pb(II) from aqueous solution by silica-gel supported hyperbranched polyamidoamine dendrimers. <i>Journal of Hazardous Materials</i> , 2013 , 244-245, 276-86	12.8	141
384	Effect of EDTA and some other interfering species on the adsorption of Co(II) by EDTA-modified chitosan. 2013 , 321, 93-102		46
383	Removal of toxic heavy metal ions from waste water by functionalized magnetic core-zeolitic shell nanocomposites as adsorbents. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 3900-9	5.1	26

382	Functionalization of semi-terminated silica nanotubes. 2013 , 28, 425-428	2
381	Quantification of steady-state ion transport through single conical nanopores and a nonuniform distribution of surface charges. 2013 , 29, 8743-52	29
380	Preconcentration of tin in environmental and biological samples by ion exchange using modified Amberlite XAD-2. 2013 , 95, 1650-1658	2
379	Characterization of surface chemical modified carbon nano-particles. 2013 , 102-103, 83-86	11
378	Detailed characterization of functionalized magnetite and ascertained effects. 2013 , 15, 1	12
377	Periodic Mesoporous Organosilicas: from simple to complex bridges; a comprehensive overview of functions, morphologies and applications. 2013 , 42, 3913-55	385
376	The Preparation of Aniline Formaldehyde Condensate-Mesoporous Materials Compound and the Application in Adsorption of Zn(II) and Pb(II) in Aqueous Solution. 2013 , 781-784, 2229-2232	2
375	Preparation of the Corking both End Silica Nanotubes. 2013 , 661, 24-27	
374	Adsorptive Removal of Cadmium and Copper from Water by Mesoporous Silica Functionalized with N-(Aminothioxomethyl)-2-Thiophen Carboxamide. 2013 , 139, 1285-1296	6
373	Determination of Copper in Different Ethanolic Matrices Using a Chloropropyl Silica Gel Modified with a Nanostructured Cubic Octa(3-aminopropyl)octasilsesquioxane. 2013 , 2013, 1-11	4
372	Capillary evaporation on micromembrane-enhanced microchannel wicks with atomic layer deposited silica. 2013 , 103, 151602	34
371	Mechanochemical Treatment of Amorphous Silica Powder for Glasses Without Firing. 2013 , 96, 3708-3711	4
370	Silica Colloidal Nanoporous Membranes. 2013 , 1	
369	Adsorption of Thorium from Aqueous Solution using Nanoporous Adsorbents: Effect of Contact Time, pH, Initial Concentration, and Temperature. 2013 , 31, 372-378	3
368	Simultaneous preconcentration and determination of nickel and cobalt using functionalised mesoporous silica spheres by ICP-OES. 2013 , 93, 1537-1556	14
367	Kinetic Study of Mercury(II) Transport through a Bulk Liquid Membrane Using Cyanex 301 as Carrier. 2013 , 60, 559-566	2
366	- Cationic Polymers for the Delivery of Therapeutic Nucleotides. 2013 , 41-70	
365	Synthesis of Silica-Coated Uranium Oxide Nanoparticles by Surfactant-Templated Sol-Gel Process for Use as Catalysts. 2013 , 181, 371-379	4

364	New solid phase extractor based on ionic liquid functionalized silica gel surface for selective separation and determination of lanthanum. 2013 , 4,	13
363	Synthesis of NH ₂ -MCM-41 Nano Porous Adsorbent and Using it for Zn and Ag Metals Removal from Aqueous Solutions by Adsorption Method and Studying Effect of Some Physicochemical Parameters on it. 2013 , 6, 26-32	3
362	Near-Stoichiometric Adsorption of Phosphate by Silica Gel Supported Nanosized Hematite. 2013 , 2013, 1-10	2
361	Adsorption of Au(III), Cu(II) and Ni(II) on Magnetite Coated with Mercapto Groups Modified Rice Hull Ash Silica. 2014 , 25, 114-121	5
360	Modulating in vitro release and solubility of griseofulvin using functionalized mesoporous silica nanoparticles. 2014 , 434, 218-25	55
359	Extraction of Pb(II) from water samples by ionic liquid-modified silica sorbents. 2014 , 52, 7915-7924	3
358	Pore Characteristics and Hydrothermal Stability of Mesoporous Silica: Role of Oleic Acid. 2014 , 2014, 1-8	11
357	Selecting the nature of imprinted molecular organosilica sieves with gallic acid via thermal analyses. 2014 , 118, 1039-1048	9
356	Hydroxyl density affects the interaction of fibrinogen with silica nanoparticles at physiological concentration. 2014 , 419, 86-94	20
355	Characterization and electronic spectral studies of 2-(naphthalen-1-yl)-4,5-diphenyl-1H-imidazole bound Fe ₂ O ₃ nanoparticles. 2014 , 120, 84-7	3
354	Enhancement the detection of Ni ²⁺ and Zn ²⁺ ions using nanostructure of synthesized dithiol surfactants with gold nanoparticles. 2014 , 20, 3905-3912	13
353	Synthesis and Characterization of Novel Sulfur-Functionalized Silica Gels as Mercury Adsorbents. 2014 , 23, 809-818	15
352	Poly(ethyleneimine) functionalized organic-inorganic hybrid silica by hydrothermalassisted surface grafting method for removal of nickel(II). 2014 , 31, 343-349	8
351	Application of solid-phase extraction for trace elements in environmental and biological samples: a review. 2014 , 44, 233-54	57
350	The bonding of heavy metals on nitric acid-etched coal fly ashes functionalized with 2-mercaptoethanol or thioglycolic acid. 2014 , 143, 1469-1480	9
349	Coordination ability of free or silica immobilized Schiff bases towards Hg(II), Cd(II) and Pb(II) ions. 2014 , 410, 29-38	12
348	Surface modification of metal oxides by polar molecules in a non-polar, polarizable solvent system. 2014 , 50, 5397-9	27
347	Functionalisation of mesoporous silica gel with 2-[(phosphonomethyl)-amino]acetic acid functional groups. Characterisation and application. <i>Applied Surface Science</i> , 2014 , 288, 373-380	6.7 17

346	Synthesis of novel aniline immobilized silica gel for the selective extraction of Cr(III). 2014 , 52, 1550-1559		3
345	Optimized and functionalized paper sludge activated with potassium fluoride for single and binary adsorption of reactive dyes. 2014 , 20, 830-840		31
344	Insights into the Adsorption of Heavy Metals from Wastewater using Diatomaceous Earth. <i>Separation Science and Technology</i> , 2014 , 49, 1787-1806	2.5	21
343	Fabrication of a TCEP-immobilised monolithic silica microchip for reduction of disulphide bonds in proteins. 2014 , 6, 558-568		7
342	Cadmium removal in waste water by nanostructured TiO ₂ particles. 2014 , 2, 13932-13941		35
341	Biocatalytic approach on the treatment of edible oil refinery wastewater. <i>RSC Advances</i> , 2014 , 4, 10680	3.7	16
340	Covalent Immobilization of Collagen on Titanium through Polydopamine Coating to Improve Cellular Performances of MC3T3-E1 Cells. <i>RSC Advances</i> , 2013 , 4, 7185-7192	3.7	51
339	Magnetic quantitative analysis for multiplex glycoprotein with polymer-based elemental tags. 2014 , 29, 1112		18
338	Facile Synthesis of Fluorescent Silica-Doped Polyvinylpyrrolidone Composites: From Cross-Linked Composite Film to Core/Shell Nanoparticles. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 2872-2877	3.9	2
337	Chelation gradients for investigation of metal ion binding at silica surfaces. 2014 , 30, 10019-27		12
336	Monitoring of trace amounts of heavy metals in different food and water samples by flame atomic absorption spectrophotometer after preconcentration by amine-functionalized graphene nanosheet. 2014 , 186, 7245-57		62
335	Recent developments in the thiamacrocylic chemistry of the latter d-block elements. 2014 , 280, 176-202		29
334	Thermally induced structural modifications and O ₂ trapping in highly porous silica nanoparticles. 2014 , 148, 956-963		2
333	Functionalization of SBA-15 mesoporous silica by Cu-phosphonate units: Probing of synthesis route. 2014 , 220, 221-226		26
332	Highly dispersed platinum nanoparticles supported on silica as catalyst for hydrogen production. <i>RSC Advances</i> , 2014 , 4, 50114-50122	3.7	16
331	Effect of surface functionality of silica nanoparticles on cellular uptake and cytotoxicity. 2014 , 11, 3642-55		70
330	Surface-Bound Ruthenium Diimine Organometallic Complexes: Excited-State Properties. 2014 , 33, 2467-2478		13
329	Sol-Gel Preparation and Hg(II) Adsorption Properties of Silica-Gel Supported Low Generation Polyamidoamine Dendrimers Polymer Adsorbents. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 2878-2888	3.9	14

328	Selective removal of heavy metal ions from aqueous solutions with surface functionalized silica nanoparticles by different functional groups. 2014 , 21, 3575-3579		22
327	Adsorption of lead(II) from aqueous solution using a poly(ethyleneimine)-functionalized organic/inorganic hybrid silica prepared by hydrothermal-assisted surface grafting method. 2014 , 9, 800-809		6
326	Immobilization of Guanazyl Functional Groups on Silica for Solid-Phase Extraction of Metal Ions. 2014 , 47, 2665-2681		4
325	An advanced fabrication route for alkali silicate glass by non-firing process. 2014 , 25, 360-364		2
324	Gold electrode modified with a self-assembled glucose oxidase and 2,6-pyridinedicarboxylic acid as novel glucose bioanode for biofuel cells. 2014 , 257, 272-279		15
323	Statistical DoE Approach to the Removal of Palladium from Active Pharmaceutical Ingredients (APIs) by Functionalized Silica Adsorbents. 2014 , 18, 626-635		26
322	Synthesis of calix[4]arene-based polycarboxylate ligands and their chemical immobilization onto controlled-pore glass. 2014 , 70, 5254-5259		2
321	Preparation and characterization of multi-carboxyl-functionalized silica gel for removal of Cu (II), Cd (II), Ni (II) and Zn (II) from aqueous solution. <i>Applied Surface Science</i> , 2014 , 314, 1063-1069	6.7	65
320	Chemical and Structural Properties of Polyethyleneimine Film Coated on a SiO ₂ Substrate in Different Concentrations. 2014 , 55, 801-805		20
319	Poly(ethyleneimine)-functionalized Silica-supported Organic/Inorganic Hybrid Sorbent Prepared by Combining Sol-Gel Method and Hydrothermal-assisted Process. 2014 , 43, 579-581		5
318	Synthesis of hierarchically porous polymethylsilsesquioxane monoliths with controlled mesopores for HPLC separation. 2015 , 123, 770-778		13
317	Enzyme Immobilization and its Application in the Food Industry. 2015 , 145-164		24
316	Use of Cellulosic Materials as Dye Adsorbents – A Prospective Study. 2015 ,		5
315	Ion Exchange Method for Removal and Separation of Noble Metal Ions. 2015 ,		5
314	Effects of Self-Assembled Monolayers with Different Chemical Groups on Ovarian Cancer Cell Line Behavior In Vitro. 2015 , 2015, 1-10		3
313	Influence of solution pH, supporting electrolyte presence and solid content on the stability of aqueous nanosilica suspension. 2015 , 30, 71-76		17
312	High density silanization of nano-silica particles using ̳-aminopropyltriethoxysilane (APTES). <i>Applied Surface Science</i> , 2015 , 351, 646-654	6.7	97
311	Recent Advances in Silica-Based Materials for the Removal of Hexavalent Chromium: A Review. 2015 , 60, 2521-2540		87

- 310 Adsorption of metal ions under chemically modified silica gel with the presence of Aza Crown Ether at physiological pH. **2015**, 34, 210-214
- 309 Synthesis of 1-(furan-2-yl) imine Functionalized Silica as a Chelating Sorbent and its Preliminary Use in Metal Ion Adsorption. *Separation Science and Technology*, **2015**, 50, 710-717 2.5 16
- 308 On the design of Pt based catalysts. Combining porous architecture with surface modification by Sn for electrocatalytic activity enhancement. **2015**, 282, 34-44 24
- 307 Organoclay-modified electrodes: preparation, characterization and recent electroanalytical applications. **2015**, 19, 1949-1973 22
- 306 Synthesis and Characterization of Organo-Inorganic Nanoobjects Based on Hyperbranched Polyethoxysiloxanes. **2015**, 7, 165-176 9
- 305 Improving water-injection performance of quartz sand proppant by surface modification with surface-modified nanosilica. **2015**, 470, 114-119 22
- 304 Surface charge control through the reversible adsorption of a biomimetic polymer on silica particles. **2015**, 119, 1726-35 19
- 303 Chemical Mapping of Silica Prepared via Sol-Gel Reaction in Rubber Nanocomposites. **2015**, 48, 1093-1103 22
- 302 Silica Nanoparticle Wettability: Characterization and Effects on the Emulsion Properties. *Industrial & Engineering Chemistry Research*, **2015**, 54, 4274-4284 3.9 27
- 301 The use of mesoporous silica in the removal of Cu(I) from the cyanidation process. **2015**, 50, 439-446 3
- 300 Synthesis of dual type Fe species supported mesostructured silica nanoparticles: synergistical effects in photocatalytic activity. *RSC Advances*, **2015**, 5, 9727-9736 3.7 25
- 299 Determination of trace labile copper in environmental waters by magnetic nanoparticle solid phase extraction and high-performance chelation ion chromatography. *Talanta*, **2015**, 135, 155-62 6.2 38
- 298 Silica-decorated magnetic nanocomposites for catalytic applications. **2015**, 288, 118-143 221
- 297 Organic Modification of Hydroxylated Nanoparticles: Silica, Sepiolite, and Polysaccharides. **2015**, 1-35
- 296 Effects of different functional groups on metastatic behavior of SPC-A-1/human lung cancer cells in self-assembled monolayers. *RSC Advances*, **2015**, 5, 41412-41419 3.7 2
- 295 Divalent heavy metals adsorption onto different types of EDTA-modified mesoporous materials: Effectiveness and complexation rate. **2015**, 212, 125-136 65
- 294 Preparation and performance of polyacrylonitrile fiber functionalized with iminodiacetic acid under microwave irradiation for adsorption of Cu(II) and Hg(II). **2015**, 276, 349-357 59
- 293 Baeyer-Villiger oxidation of cyclic ketones with hydrogen peroxide catalyzed by silica-TMDSO₃H. **2015**, 22, 487-492 4

292	Effective and highly recyclable nanosilica produced from the rice husk for effective removal of organic dyes. 2015 , 29, 134-145		34
291	Preparation of an Al ₂ O ₃ /SiO ₂ core-shell composite material for solid phase extraction of flavonoids. 2015 , 7, 3486-3492		14
290	C,N-bipyrazole receptor grafted onto a porous silica surface as a novel adsorbent based polymer hybrid. <i>Talanta</i> , 2015 , 143, 1-6	6.2	17
289	Preparation of Hollow N-Chloramine-Functionalized Hemispherical Silica Particles with Enhanced Efficacy against Bacteria in the Presence of Organic Load: Synthesis, Characterization, and Antibacterial Activity. 2015 , 7, 11536-46		19
288	Magnetic nanoporous carbon as an adsorbent for the extraction of phthalate esters in environmental water and aloe juice samples. 2015 , 38, 1411-8		18
287	Palladium supported on silica-chitosan hybrid material (Pd-CS@SiO ₂) for Suzuki-Miyaura and Mizoroki-Meck cross-coupling reactions. 2015 , 29, 339-345		45
286	Simple and green technique for sequestration and concentration of silver nanoparticles by polysaccharides immobilized on glass beads in aqueous media. 2015 , 9, 34		3
285	Removal of Pb ²⁺ , Ni ²⁺ and Cd ²⁺ ions in aqueous media using functionalized MWCNT wrapped polypyrrole nanocomposite. 2015 , 1-15		4
284	Rational design of nanomaterials for water treatment. 2015 , 7, 17167-94		157
283	Preparation of tetrasulfide-functionalized silica particles by hydrothermal assisted grafting method for removal of lead (II) via dynamic solid phase extraction. 2015 , 485, 63-72		11
282	Discovery of neat silica gel as a catalyst: an example of S- to acetyl migration reaction. 2015 , 51, 15390-3		13
281	Design and synthesis of cauliflower-shaped hydroxyl functionalized core-shell polymer. 2015 , 18, 723-733		4
280	Fabrication of porous resins via solubility differences for adsorption of cadmium (II). 2015 , 262, 250-259		32
279	Preparation of Silica-PAN Functionalized Nanoextractants for the Extraction of Ferbam from Various Samples. <i>Separation Science and Technology</i> , 2015 , 50, 661-669	2.5	2
278	Polyelectrolyte assembled graphene oxide coated silica composite as sorbent for solid-phase extraction of cinnamic acid and its derivatives. <i>RSC Advances</i> , 2015 , 5, 4420-4427	3.7	5
277	Enhancing the photoluminescence of 1-(naphthalene-1-yl)-2,4,5-triphenyl-1H-imidazole anchored to superparamagnetic nanoparticles. 2015 , 135, 1169-72		1
276	Removal of heavy metals from aqueous solution by poly(ethyleneimine)-functionalized silica: studies on equilibrium isotherm, kinetics, and thermodynamics of interactions. <i>Research on Chemical Intermediates</i> , 2015 , 41, 3913-3928	2.8	8
275	Adsorption of Mercury(II), Lead(II), Cadmium(II) and Zinc(II) from Aqueous Solutions using Mercapto-Modified Silica Particles. 2015 , 12, 461-472		29

274	An Effective and Environmentally Friendly Method for Surface Modification of Amorphous Silica Nanoparticles by Biodegradable Diacids Derived From Different Amino Acids. 2015 , 45, 376-380	17
273	Synthesis, characterization and sorption properties of silica modified with some derivatives of Eyclodextrin. <i>Journal of Hazardous Materials</i> , 2015 , 283, 643-56	12.8 20
272	Long-living, stress- and pH-tolerant superhydrophobic silica particles via fast and efficient urethane chemistry; facile preparation of self-recoverable SH coatings. 2015 , 3, 1465-1475	31
271	Double carboxyl silicane modified graphene oxide coated silica composite as sorbent for solid-phase extraction of quarternary alkaloids. 2015 , 7, 135-142	7
270	A study of ion adsorption onto surface functionalized silica particles. 2015 , 262, 119-124	11
269	Synthesis and characterization of silica microsphere and their application in removal of uranium and thorium from water. 2015 , 12, 1899-1906	24
268	Graphene for separation and preconcentration of trace amounts of cobalt in water samples prior to flame atomic absorption spectrometry. 2016 , 20, S145-S152	21
267	Separation and preconcentration of trace amounts of gold from water samples prior to determination by flame atomic absorption spectrometry. 2016 , 9, S1700-S1705	14
266	Mesoporous Silica Materials in Drug Delivery System: pH/Glutathione- Responsive Release of Poorly Water-Soluble Pro-drug Quercetin from Two and Three-dimensional Pore-Structure Nanoparticles. 2016 , 07,	29
265	pH-controlled Release System for Curcumin based on Functionalized Dendritic Mesoporous Silica Nanoparticles. 2016 , 07,	8
264	Iron Doped SBA-15 Mesoporous Silica Studied by Mössbauer Spectroscopy. 2016 , 2016, 1-6	5
263	Surface modified Fe/silica floating magnetic materials for efficient oil removal. 2016 , 91, 786-792	2
262	Precise and Accurate Doping of Nanoporous Silica Gel for the Synthesis of Trace Element Microanalytical Reference Materials. 2016 , 40, 505-516	6
261	Nouveaux Matériaux hybrides organiques/inorganiques obtenus par action du tétraéthoxysilane avec des molécules hétérocycliques bi-fonctionnelles. 2016 , 191, 1092-1100	4
260	Synthesis of new hybrid sorbent by grafting 2,6-diacetyl pyridine onto microporous Zeolite and its application in solid phase extraction of heavy metals from environmental samples. 2016 , 128, 779-786	3
259	Sol-gel synthesis of a humic acid-silica gel composite material as low-cost adsorbent for thorium and uranium removal. 2016 , 310, 69-80	8
258	Catalytic oxidation of n-butanol over platinum supported mesoporous silica CMI-1. 2016 , 420, 50-55	5
257	Tuning the Nanostructure of Highly Functionalized Silica Using Amphiphilic Organosilanes: Curvature Agent Effects. 2016 , 32, 4624-34	10

256	Separation of transition and heavy metals using stationary phase gradients and thin layer chromatography. 2016 , 1446, 141-8		15
255	Probing Heterogeneity and Bonding at Silica Surfaces through Single-Molecule Investigation of Base-Mediated Linkage Failure. 2016 , 32, 9171-9		10
254	Bisurfactant-assisted preparation of amorphous silica from fly ash. 2016 , 11, 884-892		6
253	Surface Modification of AMH-3 for Development of Mixed Matrix Membranes. 2016 , 148, 86-92		4
252	Photoacoustic infrared spectroscopic studies of silica gels with organically functionalized surface. 2016 , 49, 529-534		5
251	Selective extraction and detection of noble metal based on ionic liquid immobilized silica gel surface using ICP-OES. 2016 , 39, 1011-1019		5
250	Molecularly Imprinted Polymer-based Micro- and Nanotraps for Solid-phase Extraction. 2016 , 129-163		5
249	A method to derivatize surface silanol groups to Si-alkyl groups in carbon-doped silicon oxides. <i>RSC Advances</i> , 2016 , 6, 93219-93230	3.7	45
248	Mechanism and properties of coloured nanoscale SiO ₂ prepared from silica and reactive dyes. 2016 , 132, 399-406		3
247	Molecular Scale Description of Anion Competition on Amine-Functionalized Surfaces. 2016 , 32, 11532-11539		9
246	Using silica modified by Tiron for metal preconcentration and determination in natural waters by inductively coupled plasma atomic emission spectrometry. 2016 , 71, 1081-1088		3
245	Sustainable Water Remediation. 2016 , 1-16		
244	Ligand Exchange Chromatography of Nitrophenol Positional Isomers on Co-CMEDA-Silica Gel. 2016 , 44, 1352-1357		
243	Combination of Syringe Solid Phase Extraction with Inductively Coupled Plasma Mass Spectrometry for Efficient Heavy Metals Detection. 2016 , 44, 720-727		17
242	Early entombment within silica minimizes the molecular degradation of microorganisms during advanced diagenesis. 2016 , 437, 98-108		61
241	Thiopropyl-containing ionic liquid based periodic mesoporous organosilica as a novel and efficient adsorbent for the removal of Hg(II) and Pb(II) ions from aqueous solutions. <i>RSC Advances</i> , 2016 , 6, 58658-58666 ¹³		
240	Insights into CO ₂ and CH ₄ Adsorption by Pristine and Aromatic Amine-Modified Periodic Mesoporous Phenylene-Silicas. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 14236-14245	3.8	17
239	Effect of pretreatment temperature on the surface modification of diatomite with trimethylchlorosilane. 2016 , 23, 1439-1449		12

238	Functionalized mesoporous silica: absorbents for water purification. 2016 , 57, 29352-29362		12
237	Detection of low-concentration heavy metal ions using optical microfiber sensor. 2016 , 237, 142-149		46
236	Preparation of polyaniline-coated polystyrene nanoparticles for the sorption of silver ions. 2016 , 105, 52-59		18
235	Dispersion of Colloidal Suspensions and Their Stability. 2016 , 221-284		1
234	Synthesis of aminated glycidyl methacrylate grafted rice husk and investigation of its anion-adsorption properties. 2016 , 133, n/a-n/a		2
233	Biosorption of Cu(II) by immobilized microalgae using silica: kinetic, equilibrium, and thermodynamic study. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 1025-34	5.1	18
232	One-step synthesis of periodic ion imprinted mesoporous silica particles for highly specific removal of Cd ²⁺ from mine wastewater. 2016 , 78, 632-640		14
231	Investigation of interaction between the Pt(II) ions and aminosilane-modified silica surface in heterogeneous system. <i>Applied Surface Science</i> , 2016 , 371, 494-503	6.7	7
230	Solid-phase extraction of Cu, Zn, and Mn from Nile river and tap water prior to flame atomic absorption determination. 2016 , 57, 21893-21903		
229	Solid-phase extraction of flavonoids in honey samples using carbamate-embedded triacontyl-modified silica sorbent. 2016 , 204, 56-61		32
228	Heterogeneous basic catalysts for biodiesel production. 2016 , 6, 2877-2891		96
227	Multi-wall carbon nanotubes chemically modified silica microcolumn preconcentration/separation combined with inductively coupled plasma optical emission spectrometry for the determination of trace elements in environmental waters. 2016 , 96, 212-224		9
226	Interaction of CO ₂ and CH ₄ with Functionalized Periodic Mesoporous PhenyleneSilica: Periodic DFT Calculations and Gas Adsorption Measurements. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 3863-3875	3.8	36
225	Amino and thiol modified magnetic multi-walled carbon nanotubes for the simultaneous removal of lead, zinc, and phenol from aqueous solutions. <i>Applied Surface Science</i> , 2016 , 369, 398-413	6.7	61
224	Highly efficient removal of TiO ₂ nanoparticles from aquatic bodies by silica microsphere impregnated Ca-alginate. 2016 , 40, 3177-3186		20
223	New adsorbent material based on nitrothiophene-functionalized silica particles for aqueous heavy metals removal. 2016 , 37, 296-306		8
222	Recent Advances on Luminescent Enhancement-Based Porous Silicon Biosensors. 2016 , 33, 2314-36		38
221	Removal of mercury (II) via a novel series of cross-linked polydithiocarbamates. 2016 , 60, 602-616		27

220	Application of novel surface-modified PES membranes for removal of heavy metals from aqueous solutions. 2016 , 57, 19794-19809	1
219	Phosphorylated cellulose triacetate-silica composite adsorbent for recovery of heavy metal ion. 2016 , 136, 1315-22	26
218	Preparation of glycine γ -modified silica nanoparticles for the adsorption of malachite green dye. 2016 , 23, 35-46	21
217	Solid phase extraction using silica gel modified with azo-dyes derivative for preconcentration and separation of Th(IV) ions from aqueous solutions. 2016 , 308, 81-91	14
216	Adsorption behaviors of anionic and cationic dyes on ionic liquid-modified silica gel as sorbent. 2016 , 57, 8447-8453	2
215	Cadmium sorption by sodium and thiourea-modified zeolite-rich tuffs. 2017 , 52, 39-48	15
214	Solid supports for extraction and preconcentration of proteins and peptides in microfluidic devices: A review. 2017 , 955, 1-26	31
213	Ferromagnetic nanoparticle-supported copper complex: A highly efficient and reusable catalyst for three-component syntheses of 1,4-disubstituted 1,2,3-triazoles and C C coupling of aryl halides. 2017 , 31, e3714	16
212	Evaluation of Methylated Silica Solid-Phase Extraction Sorbent to Retain a Surfactant in the Detection of Pesticides in Water Using Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry. 2017 , 80, 247-257	2
211	Improving osteogenesis of three-dimensional porous scaffold based on mineralized recombinant human-like collagen via mussel-inspired polydopamine and effective immobilization of BMP-2-derived peptide. 2017 , 152, 124-132	39
210	Chemically immobilized and physically adsorbed PAN/acetylacetone modified mesoporous silica for the recovery of rare earth elements from the waste water-comparative and optimization study. 2017 , 114, 264-276	68
209	Resistive-pulse and rectification sensing with glass and carbon nanopipettes. 2017 , 473, 20160931	32
208	Determination of copper ion by square wave anodic stripping voltammetry at antimony trioxide-modified carbon nanotube paste electrode. 2017 , 14, 1263-1270	8
207	New silica-based hybrid materials (Nouveaux mat \acute{e} riaux hybrides \grave{a} base de silicium). 2017 , 192, 1018-1026	4
206	Mixed silica-alumina oxide as sorbent for dyes and metal ions removal from aqueous solutions and wastewaters. 2017 , 250, 128-147	63
205	Zinc oxide crystal whiskers as a novel sorbent for solid-phase extraction of flavonoids. 2017 , 1060, 91-96	8
204	Immobilization of organofunctionalized silica (SiMPTMS) with biphenyl-2,2'-dioic acid and investigation of its catalytic property for one-pot tandem synthesis of acridine-1,8-dione derivatives. 2017 , 14, 2199-2210	7
203	Fabrication of magnetic core PEI-silica shell particles. 2017 , 96, 222-232	2

202	Proton transfer assisted facile encapsulation of picric acid in sol-gel derived silica decorated with azo-azomethine hosts. 2017 , 139, 635-643		10
201	A new separation and preconcentration method for selenium in some foods using modified silica gel with 2,6-diamino-4-phenyl-1,3,5-triazine. 2017 , 221, 1394-1399		26
200	DFT studies on coordination models for adsorption essays of Cu(II) and Ni(II) solutions in modified silica gel with iminodiacetic groups. 2017 , 71, 1019-1030		7
199	Two-dimensional silica opens new perspectives. 2017 , 92, 341-374		49
198	Synthesis and characterization of epitope-imprinted polymers for purification of human hemoglobin. <i>RSC Advances</i> , 2017 , 7, 41705-41712	3-7	24
197	Anchoring di and tri-metallic nanoparticles on an amorphous functionalized surface for inducing photocatalytic activity. 2017 , 41, 11556-11567		5
196	Solid-state nanopore based biomimetic voltage gated ion channels. 2017 , 12, 066008		3
195	Chitosan templated synthesis of mesoporous silica and its application in the treatment of aqueous solutions contaminated with cadmium(II) and lead(II). 2017 , 328, 434-444		57
194	Sorption in the chemistry of rare earth elements. 2017 , 87, 1220-1245		8
193	Membrane Materials Form Polymer Brush Nanoparticles. 2017 , 655-686		
192	Removal of toxic trace elements from aqueous solutions using a SiO ₂ -sol-gel/2,2'-(imidazolidine-1,3-diylbis(methylene))bis(3,5-di-tert-butylphenol) matrix. 2017 , 43, 429-435		1
191	Ethylenediamine functionalized carbon nanoparticles: synthesis, characterization, and evaluation for cadmium removal from water. <i>RSC Advances</i> , 2017 , 7, 34226-34235	3-7	11
190	Turbidimetric studies of colloidal silica/aqueous solution system stability. 2017 , 5, 138-146		2
189	Cation-Exchange Membranes with Controlled Porosity in Electrodialysis Application. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 8111-8120	3-9	8
188	Development of chemically modified carbon paste electrodes with transition metal complexes anchored on silica gel. 2017 , 186, 470-477		6
187	Incorporating functionalized silica nanoparticles in polyethersulfone-based anion exchange nanocomposite membranes. 2017 , 134,		8
186	On-line separation and pre-concentration on a mesoporous silica-grafted graphene oxide adsorbent coupled with solution cathode glow discharge-atomic emission spectrometry for the determination of lead. 2017 , 130, 353-359		38
185	Separation of rhodium(III) and iridium(IV) chlorido complexes using polymer microspheres functionalized with quaternary diammonium groups. <i>Separation Science and Technology</i> , 2017 , 52, 71-80 ^{2.5}		5

184	Recent advances in immobilization strategies for glycosidases. 2017 , 33, 104-112	26
183	Solid Phase Extraction Preconcentration Method for Simultaneous Determination of Cadmium, Lead, and Nickel in Poultry Supplements. 2017 , 100, 1062-1069	6
182	3.30 Biosensors Based on Sol-Gel Derived Materials ?. 2017 , 657-689	2
181	Nanosilica-supported thiosemicarbazide-glutaraldehyde polymer for selective Au(III) removal from aqueous solution. <i>RSC Advances</i> , 2017 , 7, 55215-55223	3-7 12
180	Preparation of a nanosilica cross-linker and investigation of its effect on properties of guar gum fracturing fluid. 2017 , 12, 445-449	2
179	Separation and preconcentration of Arsenic(III) ions from aqueous media by adsorption on MWCNTs. 2017 , 10, S3682-S3686	10
178	Eriochrome Blue Black modified activated carbon as solid phase extractor for removal of Pb(II) ions from water samples. 2017 , 10, S1955-S1962	10
177	Adsorption of Cr(VI) onto Hybrid Membrane of Carboxymethyl Chitosan and Silicon Dioxide. 2017 , 2017, 1-8	13
176	Preparation of L-Arginine-Modified Silica-Coated Magnetite Nanoparticles for Au(III) Adsorption. 2017 , 33, 384-395	7
175	Chemically Modified Nanopores in Colloidal Crystals. 2017 , 103-129	
174	Synthesis and characterization of molybdic acid immobilized on modified magnetic nanoparticles as a new and recyclable catalyst for the synthesis of chromeno[4,3-b]chromenes. 2017 , 41, 11584-11590	16
173	Modified Electrodes for Determining Trace Metal Ions. 2017 ,	5
172	Tailoring bifunctional hybrid organic-inorganic nanoadsorbents by the choice of functional layer composition probed by adsorption of Cu ions. 2017 , 8, 334-347	14
171	Catalytic Reaction in Ionic Liquids. 2017 , 111-191	4
170	Surface chemical heterogeneity modulates silica surface hydration. 2018 , 115, 2890-2895	57
169	Efficient detection and adsorption of cadmium(II) ions using innovative nano-composite materials. 2018 , 343, 118-127	290
168	Hydrogenation of silyl formates: sustainable production of silanol and methanol from hydrosilane and carbon dioxide. 2018 , 54, 4995-4998	13
167	High-Magnification SEM Micrograph of Siloxanes. 2018 , 10, 2627-2633	1

166	Outer-Sphere Effects in Visible-Light Photochemical Oxidations with Immobilized and Recyclable Ruthenium Bipyridyl Salts. 2018 , 8, 4383-4389		19
165	Extraction of precious metals from industrial solutions by the pine (Pinus sylvestris) sawdust-based biosorbent modified with thiourea groups. 2018 , 176, 118-128		23
164	Metal recovery by microbial electro-metallurgy. 2018 , 94, 435-461		86
163	Current Scenario of Adsorbent Materials Used in Ethylene Scavenging Systems to Extend Fruit and Vegetable Postharvest Life. 2018 , 11, 511-525		37
162	Immobilization of Green Synthesized Silver Nanoparticles onto Amino-Functionalized Silica and Their Application for Indigo Carmine Dye Removal. 2018 , 229, 1		29
161	Enhanced Tissue Compatibility of Polyetheretherketone Disks by Dopamine-Mediated Protein Immobilization. 2018 , 26, 128-138		17
160	Oxygen vacancy promoting adsorption property of BiOI microspheres modified with SDS. 2018 , 29, 1689-1691	6	
159	An investigation of heavy metal adsorption by hexa-dentate ligand-modified magnetic nanocomposites. <i>Separation Science and Technology</i> , 2018 , 53, 863-876	2.5	14
158	Cobalt and nickel uptake by silica-based extractants. <i>Separation Science and Technology</i> , 2018 , 53, 1552-1562	9	
157	Easily separated and recyclable amino-functionalized porous SiO ₂ beads with 3D continuous meso/macropore channels. 2018 , 34, 13-18		4
156	Schiff base-functionalized mesoporous silicas (MCM-41, HMS) as Pb(II) adsorbents. <i>RSC Advances</i> , 2018 , 8, 176-189	3.7	28
155	Exploration of solvent responsive Cr-Schiff base conjugates for monitoring Cr ions and organophosphates: Fabrication of spot-testing devices. 2018 , 201, 46-53		5
154	Fe/Nx clusters embedded in graphene with tunable properties for gas separation. 2018 , 241, 39-46		10
153	Metal(loid) immobilization in soils with biochars pyrolyzed in N and CO environments. 2018 , 630, 1103-1114		35
152	Carbon-based Nanomaterials Enhanced Selectivity and Sensitivity Toward PTS. 2018 , 125-194		
151	Ion extraction applications of bilayer-structured hybrid silicas. 2018 , 2, 1031-1039		3
150	Modifying cellulose with metaphosphoric acid and its efficiency in removing brilliant green dye. 2018 , 114, 470-478		24
149	Some aspects of estimation of extraction selectivity under the conditions of competitive sorption on modified silica gels. 2018 , 86, 34-41		

148	Surface functionalization and manipulation of mesoporous silica adsorbents for improved removal of pollutants: a review. <i>Environmental Science: Water Research and Technology</i> , 2018 , 4, 110-128	4.2	101
147	An expedient click approach for the synthetic evaluation of ester-triazole-tethered organosilica conjugates. 2018 , 32, e4028		1
146	Impact of modified chitosan on pore water bioavailability of zinc in contaminated soils. 2018 , 186, 94-99		
145	Thiol group functionalization of mesoporous SiO ₂ SBA-15 using supercritical CO ₂ . 2018 , 256, 147-154		16
144	Adsorption of cobalt (III) by HCl and H ₂ O ₂ modified activated carbon. 2018 , 63, 192		1
143	Carboxymethyl-Chitosan Cross-Linked 3- Aminopropyltriethoxysilane Membrane for Speciation of Toxic Chromium from Water. 2018 ,		2
142	Synthesis of novel silica-supported chelating resin containing tert-butyl 2-picolyamino-N-acetate and its properties for selective adsorption of copper from simulated nickel electrolyte. 2018 , 28, 2553-2565		2
141	The Effect of Support Pretreatment with Ammonia on Pd/SiO ₂ Catalyst. 2018 , 922, 125-129		1
140	Superhydrophobic coatings and self-cleaning through the use of geothermal scaling silica in improvement of material resistance. 2018 ,		5
139	Chlorine-Free Catalytic Formation of Silsesquioxanes with Si-OH and Si-OR Functional Groups. 2018 , 2018, 4905-4910		8
138	Optimization of carboxyl-functionalized mesoporous silica for the selective adsorption of dysprosium. 2018 , 6, 5990-5998		10
137	Silylation of sodium silicate-based silica aerogel using trimethylethoxysilane as alternative surface modification agent. 2018 , 87, 319-330		15
136	Synthesis and characterization of a Ni nanoparticle stabilized on Ionic liquid-functionalized magnetic Silica nanoparticles for tandem oxidative reaction of primary alcohols. 2018 , 32, e4452		14
135	Uranium extraction by sulfonated mesoporous silica derived from blast furnace slag. 2018 , 509, 295-304		36
134	Highly efficient in situ oxidization of metal ions in porous media with high power laser. 2018 , 57, 4232-4236		1
133	Preparation of zwitterionic polymers functionalized fluorescent mesoporous silica nanoparticles through photoinduced surface initiated RAFT polymerization in the presence of oxygen. 2018 , 91, 570-577		8
132	Effect of synthesis conditions on the morphology of mesoporous silica from elephant grass and its application in the adsorption of cationic and anionic dyes. 2018 , 6, 5341-5350		15
131	Optimized mercapto-modified resorcinol formaldehyde xerogel for adsorption of lead and copper ions from aqueous solutions. 2018 , 88, 236-248		10

130	A chemically functionalized paper-based microfluidic platform for multiplex heavy metal detection. 2018 , 273, 18-24		50
129	Hysteresis Charges in the Dynamic Enrichment and Depletion of Ions in Single Conical Nanopores. 2018 , 5, 3089-3095		12
128	Fabrication and Use of Nanopipettes in Chemical Analysis. 2018 , 11, 265-286		39
127	Solid-phase extraction using octadecyl-bonded silica modified with photosynthetic pigments from <i>Spinacia oleracea</i> L. for the preconcentration of lead(II) ions from aqueous samples. 2018 , 41, 3129-3142		6
126	Development of Structure in Hexadecyltrimethoxysilane Adsorbed on Silica. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 19005-19012	3.8	5
125	Supported Boron Oxide Catalysts for Selective and Low-Temperature Oxidative Dehydrogenation of Propane. 2019 , 9, 8263-8270		55
124	Direct immobilization of triphenylphosphine palladium complexes on the external surface of zeolite β 2019 , 288, 109571		3
123	Thermodynamic and Kinetic Studies for Adsorption of Reactive Blue (RB-19) Dye Using Calix[4]arene-Based Adsorbent. 2019 , 64, 3407-3415		27
122	Pore-Size Distribution of Silica Colloidal Crystals from Nitrogen Adsorption Isotherms. 2019 , 35, 14975-14982		8
121	Practical Cleavage of Acetals by Using an Odorless Thiol Immobilized on Silica. 2019 , 2019, 7389-7393		2
120	Adsorption of Cu ²⁺ and Mg ²⁺ ions on silica gel derived from rice hulls ash: Experimental and theoretical studies. 2019 , 18, 1950026		1
119	Super rapid removal of copper, cadmium and lead ions from water by NTA-silica gel.. <i>RSC Advances</i> , 2018 , 9, 397-407	3.7	26
118	Preparation and Heavy Metal Ions Chelating Properties of Multifunctional Polymer-Grafted Silica Hybrid Materials. 2019 , 2019, 1-11		9
117	Nickel Ferrite Magnetic Nanoparticles as a Sorbent for Solid Phase Extraction of Trace Lead from Water Prior to Spectrophotometric Determination. 2019 , 74, 316-322		5
116	Synthesis and characterization of L-Arginine modified silica by sol-gel method prepared rice hull ash. 2019 , 509, 012135		
115	Potential of rice husk silica as a source of L-lysine modified silica for adsorption of Fe(III) ion. 2019 , 230, 012090		1
114	PVP modified Fe ₃ O ₄ @SiO ₂ nanoparticles as a new adsorbent for hydrophobic substances. 2019 , 133, 28-34		24
113	Preparation and characterization of co-processed starch/MCC/chitin hydrophilic polymers onto magnesium silicate. 2019 , 24, 761-774		6

112	Coating of iron sand magnetic material with aminobenzimidazole modified silica via green process. 2019 , 235, 012075		1
111	Influence of nanosilica on inner structure and performance of chitosan based films. 2019 , 212, 421-429		24
110	Purification of lysozyme from chicken egg white using diatom frustules. 2019 , 286, 483-490		12
109	Fabrication of carbon nanotubes reinforced silica composites with improved rare earth elements adsorption performance. 2019 , 365, 291-304		43
108	High-Magnification SEM Micrograph of Siloxanes. 2019 ,		
107	Synthesis Of Imprinted Ionic Material (SiO ₂ (BGS/RHA)-TMPDT-Im-Au) For Adsorption Of Ion Au(III). 2019 , 578, 012018		
106	A tantalum(V) oxide impregnated silica gel surface: application as a promising adsorbent for simultaneous heavy metal preconcentration. 2019 , 11, 6184-6192		7
105	Dielectric and Electrostatic Properties of the Silica Nanoparticle/Water Interface by EPR of pH-Sensitive Spin Probes. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 29972-29985	3.8	3
104	Rhodamine-B modified silica for uranium(VI) extraction from aqueous waste samples. <i>Separation Science and Technology</i> , 2019 , 54, 602-614	2.5	8
103	Structural studies of complexation of Cu(II) with aminosilane-modified silica surface in heterogeneous system in a wide range of pH. <i>Applied Surface Science</i> , 2019 , 469, 566-572	6.7	5
102	General Synthesis and Physico-chemical Properties of Mesoporous Materials. 2019 , 15-85		2
101	Fabrication of Uniaxially Aligned Silica Nanogrooves with Sub-5 nm Periodicity on Centimeter-Scale Si Substrate Using Poly(dimethylsiloxane) Stamps. 2019 , 13, 2795-2803		6
100	Synthesis, characterization and catalytic activity of single site, Lewis acidic aluminosilicates. 2019 , 334, 131-139		5
99	Non-firing ceramics: Activation of silica powder surface by a planetary ball milling. 2019 , 30, 461-465		7
98	Polymer-silica nanocomposite membranes for CO ₂ capturing. 2020 , 13, 557-567		15
97	Effective separation of uranyl(II) and thorium(IV) ions from mixtures with neodymium(III) using citric acid and hexabutyl citramide as ligands grafted on mesoporous silica and polystyrene adsorbents. <i>Separation Science and Technology</i> , 2020 , 55, 1795-1812	2.5	1
96	Characteristics of composite microspheres for in-depth profile control in oilfields and the effects of polymerizable silica nanoparticles. 2020 , 359, 205-215		14
95	Separation and preconcentration followed by ICP-OES and ICP-MS determination of precious metals using silica gel chemically modified with dithiocarbamate groups. <i>Separation Science and Technology</i> , 2020 , 55, 2659-2669	2.5	6

94	Adsorption isotherm and kinetic modeling of a novel procedure for physical modification of silica gel using aqueous solutions of 4,4'-(1,2-ethanediyldinitrilo)bis-(2-pentanone) for preconcentration of Ni(II) ion. <i>Separation Science and Technology</i> , 2020 , 55, 2919-2932	2.5	4
93	Magnetic tubular carbon nanofibers as efficient Cu(II) ion adsorbent from wastewater. 2020 , 252, 119825		32
92	A New Triazole-Thiol Compound Organofunctionalized on the Silica Gel Surface: Chemical Properties and Copper Sorption in Ethanol / Water Media. 2020 , 13, 2243		1
91	Eco-friendly chitosan/quartzite composite as adsorbent for dye removal. 2020 , 256, 123711		9
90	Silica-based nanomaterials as designer adsorbents to mitigate emerging organic contaminants from water matrices. 2020 , 38, 101675		16
89	Removal of Chromium(VI) by Chitosan Beads Modified with Sodium Dodecyl Sulfate (SDS). 2020 , 10, 4745		6
88	Solid phase extraction-based separation of the nuclear isomers Lu and Lu. 2020 , 164, 109264		
87	Coating of mercapto modified silica on iron sand magnetic material for Au(III) adsorption in aqueous solution. 2020 , 823, 012031		2
86	Chitosan-functionalized natural magnetic particle@silica modified with (3-chloropropyl)trimethoxysilane as a highly stable magnetic adsorbent for gold(III) ion. 2020 , 255, 123507		15
85	Platinum (IV) Recovery from Waste Solutions by Adsorption onto Dibenzo-30-crown-10 Ether Immobilized on Amberlite XAD7 Resin-Factorial Design Analysis. 2020 , 25,		2
84	Interaction of Humic Acids with Microelements/Radionuclides in Sorption Systems. 2020 , 62, 141-160		4
83	Well-organized organosilane composites for adhesion enhancement of heterojunctions. 2020 , 193, 108135		15
82	Nanoadsorbents for wastewater treatment: next generation biotechnological solution. 2020 , 17, 4095-4132		38
81	Adsorption of Pb(II) from Aqueous Solutions on Dithizone-Immobilized Coal Fly Ash. 2020 , 840, 57-63		1
80	A retrospective and prospective of the use of bio- and nanomaterials for preconcentration, speciation, and determination of trace elements: a review spanning 25 years of research. 2020 , 412, 6023-6036 ⁴		
79	Hollow Silica Cubes with Customizable Porosity. <i>Materials</i> , 2020 , 13,	3.5	1
78	Dual roles of cellulose monolith in the continuous-flow generation and support of gold nanoparticles for green catalyst. 2020 , 247, 116723		8
77	Synthesis of NE(3-trimethoxysilylpropyl)diethylentriamine modified silica (SiO ₂ (RHA)-TMPDT) for adsorption of gold(III). 2020 ,		

76	Sorption-desorption profile of Au(III) onto silica modified quaternary amines (SMQA) in gold mining effluent. 2020 , 8, 103747	6
75	TiO ₂ microsphere impregnated alginate: a novel hybrid sorbent for uranium removal from aquatic bodies. 2020 , 44, 3950-3960	12
74	Selective recovery of rare-earth elements from diluted aqueous streams using N- and O-coordination ligand-grafted organic-inorganic hybrid composites. 2020 , 565-664	
73	Enhanced adsorption and separation of zirconium and hafnium under mild conditions by phosphoric acid based ligand functionalized silica gels: Insights from experimental and theoretical investigations. 2020 , 239, 116518	2
72	Silica Gel-Immobilized 5-aminoisophthalohydrazide: A novel sorbent for solid phase extraction of Cu, Zn and Pb from natural water samples. 2020 , 34, e5481	5
71	Functionalization of Silica with Triazine Hydrazide to Improve Corrosion Protection and Interfacial Adhesion Properties of Epoxy Coating and Steel Substrate. 2020 , 10, 351	2
70	Biogenic silicon dioxide nanoparticles processed from natural sources. 2021 , 39, 481-489	5
69	Controlled release evaluation of paracetamol loaded amine functionalized mesoporous silica KCC1 compared to microcrystalline cellulose based tablets. 2021 , 11, 535	6
68	The application of silica-cellulose material as heavy metal adsorbent on laboratory wastewater. 2021 ,	
67	Development of a reusable fluorescent nanosensor based on rhodamine B immobilized in StBer silica for copper ion detection. 2021 , 13, 1970-1975	2
66	Activation and Modification of Natural Silica for Anion Adsorbent. <i>Journal of Physics: Conference Series</i> , 2021 , 1788, 012013	0.3
65	Sustainable composite sensor material for optical cadmium(II) monitoring and capturing from wastewater. 2021 , 161, 105800	32
64	Reactivity of silanol group on siloxane oligomers for designing molecular structure and surface wettability. 2021 , 97, 734-742	3
63	Immobilization of a copper complex based on the tripodal ligand (2-aminoethyl)bis(2-pyridylmethyl)amine (uns-penp). 2021 , 647, 560-571	2
62	Amino acid-functionalized carbon quantum dots for selective detection of Al ions and fluorescence imaging in living cells. 2021 , 413, 3965-3974	7
61	Effect of surface modification of dispersoid on hybrid polymer electrolyte. 2021 , 96, 107118	2
60	Gas Phase Modification of Silica Nanoparticles in a Fluidized Bed: Tailored Deposition of Aminopropylsiloxane. 2021 , 37, 4481-4492	2
59	High-End Reclamation of Coal Fly Ash Focusing on Elemental Extraction and Synthesis of Porous Materials. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 6894-6911	8.3 6

58	Towards a rational design of materials for the removal of environmentally relevant cations: polymer inclusion membranes (PIMs) and surface-modified PIMs for Sn sequestration in aqueous solution. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 51072-51087	5.1	
57	Synthesis of reactive silica from kaolinitic clay: Effect of process parameters. <i>Applied Clay Science</i> , 2021 , 207, 106087	5.2	2
56	Modified Natural Silica Dimethylamine for Optimization of Sulfate Ion Absorption Using the Batch Method. <i>Journal of Physics: Conference Series</i> , 2021 , 1940, 012035	0.3	
55	Optimization of Nitrate and Nitrite Anions Adsorption on Modified Silica using Batch Method. <i>Journal of Physics: Conference Series</i> , 2021 , 1940, 012042	0.3	
54	Preparation of Colored Microcapsule Phase Change Materials with Colored SiO Shell for Thermal Energy Storage and Their Application in Latex Paint Coating. <i>Materials</i> , 2021 , 14,	3.5	0
53	An Aptamer-functionalized Magnetic Relaxation Switch Sensor for the Rapid Detection of <i>Vibrio alginolyticus</i> in Water. <i>Applied Magnetic Resonance</i> , 1	0.8	1
52	Faster Energy Transfer in Core-shell Nanoparticles: Theoretical Model and Monte Carlo Study. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 18517-18525	3.8	0
51	Cu(I) removal using mesoporous silica (UGM-triamin). <i>Revista De Energia Química Y Física</i> , 1-7		
50	Synthesis of new functionalized Calix[4]arene modified silica resin for the adsorption of metal ions: Equilibrium, thermodynamic and kinetic modeling studies. <i>Journal of Molecular Liquids</i> , 2021 , 339, 116741	6	10
49	Progress in surface-modified silicas for Cr(VI) adsorption: A review. <i>Journal of Hazardous Materials</i> , 2022 , 423, 127041	12.8	7
48	Naturally derived pyroxene nanomaterials: an ore for wide applications. 2020 , 731-774		1
47	CHAPTER 6: Functionalized Silica Gel as Green Material for Metal Remediation. <i>RSC Green Chemistry</i> , 2013 , 105-134	0.9	4
46	Disiloxanes and Functionalized Silica Gels: One Route, Two Complementary Outcomes-Guanidinium and Pyridinium Ion-Exchangers. <i>PLoS ONE</i> , 2015 , 10, e0145680	3.7	1
45	Effects of Synthesis Parameters Towards Morphological Properties of Silica Xerogels. <i>Asian Journal of Applied Sciences</i> , 2012 , 5, 247-251	0.4	5
44	Aptamer-Based Extraction of Ergot Alkaloids from Ergot Contaminated Rye Feed. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2014 , 05, 692-698	0.9	10
43	Design, Synthesis and Application of SiO ₂ -RATP Nanoparticles for Preconcentration and Separation of Trace Copper Ions: A Green Analytical Method. <i>Advances in Nanoparticles</i> , 2012 , 01, 1-7	1.4	1
42	Stabilization of Silica Gel against Hydrolysis by Doping with F ⁺ Zr(IV). <i>Green and Sustainable Chemistry</i> , 2014 , 04, 24-32	0.3	3
41	Multinuclear Solid-state NMR Investigation of Nanoporous Silica Prepared by Sol-gel Polymerization Using Sodium Silicate. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 3644-3649	1.2	13

40	Effect of Surface Treatment Condition of Aminosilane on Ethylene Polymerization of Supported Metallocene. <i>Korean Chemical Engineering Research</i> , 2015 , 53, 397-400		1
39	Silica particles with fluorescein-labelled cores for evaluating accessibility through fluorescence quenching by copper.. <i>Nanoscale Advances</i> , 2021 , 3, 6459-6467	5.1	1
38	Synthesis and characterization of Fe ₃ O ₄ @SiO ₂ -(CH ₂) ₃ -NH-Asn-M(II) (Cu (II)/ Ni(II)/ Co(II)) and its catalytic application in the synthesis of chromeno-pyrazolo-phthalazine derivatives. <i>Research on Chemical Intermediates</i> , 1	2.8	3
37	A New Perspective on Adsorbent Materials Based Impregnated MgSiO with Crown Ethers for Palladium Recovery. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
36	Surface Modification. 2006 ,		
35	Surface Modification. 2006 , 485-491		1
34	Evaluation and Interpretation of the Experimental Data. 2008 , 119-190		
33	Chapter 3:Chelating Stationary Phases. <i>RSC Chromatography Monographs</i> , 2010 , 35-115		
32	Preparation of Metallocene Catalysts Supported on Aminosilane and Ionic Liquids Functionalized Silica and its Ethylene Polymerization. <i>Porrime</i> , 2015 , 39, 169-173	1	1
31	Organic Modification of Hydroxylated Nanoparticles: Silica, Sepiolite, and Polysaccharides. 2016 , 1061-1100		
30	Nanotechnology for Water Environmental Application. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2019 , 171-200	0.4	
29	Modification of Takari natural sand based silica with BSA (SiO ₂ @BSA) for biogenic amines compound adsorbent. <i>AIMS Materials Science</i> , 2021 , 9, 36-55	1.9	0
28	Adsorption of Pb(II), Cu(II), Cd(II), Ni(II), and Co(II) ions by newly synthesized 2-(2'-Hydroxyphenyl)Benzothiazole-functionalized silica. <i>Journal of Molecular Liquids</i> , 2022 , 348, 118388 ⁶		3
27	Interaction of ornidazole with initial and functionalized silicas. <i>Applied Surface Science</i> , 2022 , 580, 152218.7		0
26	Oxidative degradation of cylindrospermopsin and anatoxin-a by FeIII ^{B*} /H ₂ O ₂ . <i>Environmental Science: Water Research and Technology</i> , 2022 , 8, 385-395	4.2	1
25	Efficient and reusable Cu (II)-metalated silica-based inorganic-organic hybrid catalyst for dye degradation. <i>Journal of the Indian Chemical Society</i> , 2022 , 99, 100296		0
24	Kinetic Study on Removal of Cr(III) Heavy Metal by Using Amino Oxime Molecule. <i>Russian Journal of Physical Chemistry A</i> , 2022 , 96, 550-555	0.7	
23	Novel Silica Hybrid Adsorbent Functionalized with L-Glutathione Used for the Uptake of As(V) from Aqueous Media. <i>Industrial & Engineering Chemistry Research</i> , 2022 , 61, 4348-4362	3.9	0

22	Facile Preparation of Supported Copper-modified SBA-15 Catalysts for efficient Benzaldehyde Hydrogenation. <i>Surfaces and Interfaces</i> , 2022 , 101955	4.1	
21	Gel-entrapped biomass of <i>Lactarius salmonicolor</i> for the effective treatment of aquatic Co ²⁺ and Mn ²⁺ pollution. <i>Biomass Conversion and Biorefinery</i> , 1	2.3	
20	Silica gel functionalized with imidazolium group via click chemistry [New stationary phase for ion chromatography. <i>Chimica Techno Acta</i> , 2021 , 8, 20218409	1.3	
19	Research progress and applications of silica-based aerogels - a bibliometric analysis.. <i>RSC Advances</i> , 2022 , 12, 14137-14153	3.7	0
18	Adsorption of Chromium from an Aqueous Solution onto Chitosan Beads Modified with Sodium Dodecyl Sulfate (SDS).		
17	Removal of Th(IV) from aqueous solution with modified silica gel by 4-hydroxy-N-(2-thiophen-2-yl)methylene)benzohydrazide schiff base. <i>Separation Science and Technology</i> , 1-15	2.5	1
16	Removal of hazardous ions from aqueous solutions: Current methods, with a focus on green ion flotation. <i>Journal of Environmental Management</i> , 2022 , 319, 115666	7.9	3
15	Preparation of new modified silica gel terminated with phenylphosphonic acid-amide moieties for adsorption of uranium(VI) from aqueous solutions.		
14	Quaternary diammonium reagents hosted on polymer nanofibers for hexachloroiridate(IV) specificity: Experimental and theoretical studies. 2022 , 187, 107810		
13	Electro-optical properties of APS and APhS linkers on silicon thin film: A DFT study. 2022 , 605, 154752		0
12	A comprehensive review of anionic azo dyes adsorption on surface-functionalised silicas.		0
11	Incorporation of Betulinic Acid into Silica-Based Nanoparticles for Controlled Phytochemical Release. 1-15		0
10	Characterization and Modification of Red Mud and Ferrosilicomanganese Fines and Their Application in the Synthesis of Hybrid Hydrogels. 2022 , 14, 4330		0
9	Physicochemical, structural analysis of coal discards (and sewage sludge) (co)-HTC derived biochar for a sustainable carbon economy and evaluation of the liquid by-product. 2022 , 12,		0
8	Effect of silicic acid concentration on green mesoporous silica synthesis. 1-5		0
7	Silica gel-promoted synthesis of amide by rearrangement of oxime under visible light. 2023 , 114, 154286		0
6	The influence of synthesis conditions, oligosaccharide additive and functional silane on the structure and composition of sol-gel silicas.		0
5	Nanoelectrodes for Intracellular and Intercellular electrochemical detection: working principles, fabrication techniques and applications. 2022 , 117125		0

- 4 A novel dry water with perfluorohexanone for explosion suppression of ALH3. **2023**, 271, 118575 ○
- 3 The recent progress of ion exchange for the separation of rare earths from secondary resources IIA review. **2023**, 218, 106047 ○
- 2 Research progress and prospect of silica-based polymer nanofluids in enhanced oil recovery. **2023**, 12, ○
- 1 Bioceramics: from bone substitutes to nanoparticles for bone drug delivery. **2023**, 389-405 ○