

Experimental demonstration of guiding and confining light in a low-refractive-index material

Optics Letters

29, 1626

DOI: [10.1364/ol.29.001626](https://doi.org/10.1364/ol.29.001626)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Polymer-on-glass waveguide structure for efficient fluorescence-based optical biosensors. , 2005, , .		0
2	Guiding, modulating, and emitting light on Silicon-challenges and opportunities. Journal of Lightwave Technology, 2005, 23, 4222-4238.	2.7	594
3	Surface-Plasmon-Assisted Guiding of Broadband Slow and Subwavelength Light in Air. Physical Review Letters, 2005, 95, 063901.	2.9	189
4	Ultrasmall Mode Volumes in Dielectric Optical Microcavities. Physical Review Letters, 2005, 95, 143901.	2.9	225
5	Microphotonic Elements for Integration on the Silicon-on-Insulator Waveguide Platform. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 1402-1415.	1.9	21
6	Ultrasmall Overlapped Arrayed-Waveguide Grating Based on Si Nanowire Waveguides for Dense Wavelength Division Demultiplexing. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 1301-1305.	1.9	19
7	Optical Field Concentration in Low-Index Waveguides. IEEE Journal of Quantum Electronics, 2006, 42, 883-888.	1.0	99
8	Guided modes of nonlinear slot waveguides. IEEE Photonics Technology Letters, 2006, 18, 1530-1532.	1.3	38
9	Planar Waveguides for Fluorescence-Based Biosensing: Optimization and Analysis. IEEE Sensors Journal, 2006, 6, 1218-1226.	2.4	37
10	Theoretical investigation of ultrasmall polarization-insensitive $1/\sqrt{2}$ multimode interference waveguides based on sandwiched structures. IEEE Photonics Technology Letters, 2006, 18, 1246-1248.	1.3	52
11	Structural Optimization of Silicon-On-Insulator Slot Waveguides. IEEE Photonics Technology Letters, 2006, 18, 2557-2559.	1.3	53
12	Spontaneous Emergence of Periodic Patterns in a Biologically Inspired Simulation of Photonic Structures. Physical Review Letters, 2006, 96, 143904.	2.9	55
13	Polarization-independent optical directional coupler based on slot waveguides. Optics Letters, 2006, 31, 56.	1.7	89
14	Quadratic phase matching in slot waveguides. Optics Letters, 2006, 31, 3146.	1.7	23
15	All-optical logic gates based on nonlinear slot-waveguide couplers. Journal of the Optical Society of America B: Optical Physics, 2006, 23, 684.	0.9	96
16	Mode conversion losses in silicon-on-insulator photonic wire based racetrack resonators. Optics Express, 2006, 14, 3872.	1.7	122
17	High confinement in silicon slot waveguides with sharp bends. Optics Express, 2006, 14, 9197.	1.7	108
18	Characteristic analysis of nanosilicon rectangular waveguides for planar light-wave circuits of high integration. Applied Optics, 2006, 45, 4941.	2.1	47

#	ARTICLE	IF	CITATIONS
19	Bilevel mode converter between a silicon nanowire waveguide and a larger waveguide. Journal of Lightwave Technology, 2006, 24, 2428-2433.	2.7	39
20	One Sub-wavelength Mode Volumes in Silicon Optical Nanocavities. , 2006, , IMD4.		0
21	Highly integrated planar lightwave circuits based on plasmonic and Si nano-waveguides. Proceedings of SPIE, 2006, , .	0.8	1
22	Nanoshells as Contrast Agents for Scatter-Based Optical Imaging. , 0, , .		1
23	“Needle beam:” Beyond-diffraction-limit concentration of field and transmitted power in dielectric waveguide. Applied Physics Letters, 2006, 89, 141103.	1.5	8
24	Direct evidence of light confinement and emission enhancement in active silicon-on-insulator slot waveguides. Applied Physics Letters, 2006, 89, 241114.	1.5	62
25	Spontaneous emergence of periodic patterns in an evolutionary simulation of photonic structures. , 2006, , .		0
26	NOEMS devices based on Slot-Waveguides. , 2007, , .		2
27	Optical confinement in nonlinear low index nanostructures. Journal of Modern Optics, 2007, 54, 2699-2722.	0.6	2
28	PECVD Silicon Carbide Waveguides for Multichannel Sensors. , 2007, , .		2
29	Low-loss Compact Size Slotted Waveguide Mode Transformers. , 2007, , IMC4.		0
30	Surface plasmon polariton waveguiding: From multimode stripe to a slot geometry. Applied Physics Letters, 2007, 90, 251104.	1.5	13
31	Sub-Wavelength Intensity Profiles and Field Enhancement within an Optical Fiber. , 2007, , .		1
32	Design and fabrication of segmented, slotted waveguides for electro-optic modulation. Applied Physics Letters, 2007, 91, .	1.5	40
33	20 dB -enhanced coupling to slot photonic crystal waveguide using multimode interference coupler. Applied Physics Letters, 2007, 91, .	1.5	30
34	Deep-UV Lithography Fabrication of Slot Waveguides and Sandwiched Waveguides for Nonlinear Applications. , 2007, , .		34
35	Theoretical and experimental demonstration of light confinement in a multi-slot waveguide. , 2007, , .		0
36	Guided-Wave Optical Biosensors. Sensors, 2007, 7, 508-536.	2.1	132

#	ARTICLE	IF	CITATIONS
37	Nanotaper coupler for the horizontal slot-waveguide. , 2007, , .		1
38	Active transmission control based on photonic-crystal MOS capacitor. , 2007, , .		0
39	Conductive distributed Bragg reflector fabricated by oblique angle deposition from a single material. Proceedings of SPIE, 2007, , .	0.8	4
40	Forces and binding in a two-mirror system. , 2007, , .		0
41	Enhanced Light Emission in Active Silicon-on-Insulator Photonic Crystal Slabs and Slot Waveguides. , 2007, , .		0
42	High efficiency fiber to waveguide optical coupler in silicon-on-insulator based slot waveguides. Proceedings of SPIE, 2007, , .	0.8	0
43	Two-slab all-optical spring. Optics Letters, 2007, 32, 692.	1.7	38
44	Lossless strip-to-slot waveguide transformer. Optics Letters, 2007, 32, 1250.	1.7	83
45	Slot-waveguide biochemical sensor. Optics Letters, 2007, 32, 3080.	1.7	339
46	Simple and effective calculation of modal properties of bent slot waveguides. Journal of the Optical Society of America B: Optical Physics, 2007, 24, 2373.	0.9	14
47	Confined waveguide modes in slot photonic crystal slab. Optics Express, 2007, 15, 4304.	1.7	13
48	Optical sensing by optimized silicon slot waveguides. Optics Express, 2007, 15, 4977.	1.7	321
49	Nonlinear silicon-on-insulator waveguides for all-optical signal processing. Optics Express, 2007, 15, 5976.	1.7	366
50	Demonstration of slot-waveguide structures on silicon nitride / silicon oxide platform. Optics Express, 2007, 15, 6846.	1.7	91
51	Design of an ultracompact MMI wavelength demultiplexer in slot waveguide structures. Optics Express, 2007, 15, 8300.	1.7	105
52	Band gap characterization and slow light effects in one dimensional photonic crystals based on silicon slot-waveguides. Optics Express, 2007, 15, 11769.	1.7	35
53	Compact silicon microring resonators with ultra-low propagation loss in the C band. Optics Express, 2007, 15, 14467.	1.7	119
54	Horizontal single and multiple slot waveguides: optical transmission at $\lambda = 1550$ nm. Optics Express, 2007, 15, 17967.	1.7	202

#	ARTICLE	IF	CITATIONS
55	Low-loss coupler between fiber and waveguide based on silicon-on-insulator slot waveguides. Applied Optics, 2007, 46, 7858.	2.1	14
56	Design of Silicon-Based Slot Waveguide Configurations for Optimum Nonlinear Performance. Journal of Lightwave Technology, 2007, 25, 1298-1305.	2.7	115
57	Metal-Dielectric Slot-Waveguide Structures for the Propagation of Surface Plasmon Polaritons at 1.55 μm . IEEE Journal of Quantum Electronics, 2007, 43, 479-485.	1.0	102
58	Ultrafast nonlinear all-optical processes in silicon-on-insulator waveguides. Journal Physics D: Applied Physics, 2007, 40, R249-R271.	1.3	149
59	NOEMS devices based on slot-waveguides. , 2007, , .		2
60	Distributed Bragg reflector consisting of high- and low-refractive-index thin film layers made of the same material. Applied Physics Letters, 2007, 90, 141115.	1.5	123
61	Theory-inspired nano-engineering of photonic and electronic materials: Noncentrosymmetric charge-transfer electro-optic materials. Solid-State Electronics, 2007, 51, 1263-1277.	0.8	65
62	Highly-sensitive sensor with large measurement range realized with two cascaded-microring resonators. Optics Communications, 2007, 279, 89-93.	1.0	22
63	Field enhancement within an optical fibre with a subwavelength air core. Nature Photonics, 2007, 1, 115-118.	15.6	162
64	Optical thin-film materials with low refractive index for broadband elimination of Fresnel reflection. Nature Photonics, 2007, 1, 176-179.	15.6	1,065
65	Atomic spectroscopy on a chip. Nature Photonics, 2007, 1, 331-335.	15.6	175
66	Nanoscale waveguiding methods. Nanoscale Research Letters, 2007, 2, 219-229.	3.1	19
67	Fabrication and characteristics of a PECVD SiC evanescent wave optical sensor. Sensors and Actuators A: Physical, 2008, 142, 61-66.	2.0	28
68	Optofluidic waveguides: II. Fabrication and structures. Microfluidics and Nanofluidics, 2008, 4, 17-32.	1.0	109
69	Optofluidic waveguides: I. Concepts and implementations. Microfluidics and Nanofluidics, 2008, 4, 3-16.	1.0	175
70	Light-Extraction Enhancement of GaInN Light-Emitting Diodes by Graded-Index Indium Tin Oxide Anti-Reflection Contact. Advanced Materials, 2008, 20, 801-804.	11.1	275
71	Dispersion characteristics of SOI-based slot optical waveguides. Optics Communications, 2008, 281, 5151-5155.	1.0	51
72	Photonic crystal slotted slab waveguides. Photonics and Nanostructures - Fundamentals and Applications, 2008, 6, 38-41.	1.0	63

#	ARTICLE	IF	CITATIONS
73	Photonic Crystals: Physics and Technology. , 2008, , .		35
74	Focused-Ion-Beam Fabrication of Slots in Silicon Waveguides and Ring Resonators. IEEE Photonics Technology Letters, 2008, 20, 2004-2006.	1.3	19
75	Quantification of porosity and deposition rate of nanoporous films grown by oblique-angle deposition. Applied Physics Letters, 2008, 93, .	1.5	102
76	Electro-optic silicon modulator with horizontal photonic crystal slot slab. , 2008, , .		0
77	Modelling and Analysis of Modal Behaviour in SOI Slot Waveguides. Chinese Physics Letters, 2008, 25, 2918-2921.	1.3	4
78	Design of polarization-independent optical couplers composed of three parallel slot waveguides. Applied Optics, 2008, 47, 2687.	2.1	33
79	Planar Hollow-Core Waveguide Technology for Atomic Spectroscopy and Quantum Interference in Alkali Vapors. Journal of Lightwave Technology, 2008, 26, 3727-3733.	2.7	8
80	Giant birefringence in multi-slotted silicon nanophotonic waveguides. Optics Express, 2008, 16, 8306.	1.7	70
81	Birefringence and optical power confinement in horizontal multi-slot waveguides made of Si and SiO ₂ . Optics Express, 2008, 16, 8623.	1.7	25
82	First-principle derivation of gain in high-index-contrast waveguides. Optics Express, 2008, 16, 16659.	1.7	184
83	A Theoretical Investigation of Slot Waveguide Bragg Gratings. IEEE Journal of Quantum Electronics, 2008, 44, 622-627.	1.0	8
84	Scattering-matrix analysis of periodically patterned multilayers with asymmetric unit cells and birefringent media. Physical Review B, 2008, 77, .	1.1	70
85	Advances in optical ring resonator based bio/chemical sensing. , 2008, , .		0
86	Ultra-compact silicon-on-insulator optical filter based on sidewall Bragg grating. , 2008, , .		0
87	Design of a Compact Polarization Splitter in Horizontal Multiple-Slotted Waveguide Structures. Japanese Journal of Applied Physics, 2008, 47, 3748-3754.	0.8	64
88	Active Si-based photonics via heterogeneous integration. , 2008, , .		0
89	Light confinement in low contrast slot waveguide structures investigated. , 2008, , .		4
91	Low-index-material-based nano-slot waveguide with quasi-Bragg-reflector buffer. Electronics Letters, 2008, 44, 1354.	0.5	3

#	ARTICLE	IF	CITATIONS
92	Ultrasmall integrated devices based on silicon nanowires for optical communications. Journal of Nanophotonics, 2008, 2, 021780.	0.4	2
93	High-confined second harmonic generation in nano-scale slot waveguides. Journal Physics D: Applied Physics, 2008, 41, 025109.	1.3	4
94	Two-dimensional array self-assembled quantum dot sub-diffraction waveguides with low loss and low crosstalk. Nanotechnology, 2008, 19, 295201.	1.3	9
95	Novel routes in heteroepitaxy and selective area growth for nanophotonics. , 2008, , .		1
96	Coupled cavities in one-dimensional photonic crystal based on horizontal slot waveguide structure with Si-nc. , 2008, , .		2
97	Reflectance analysis of a multilayer one-dimensional porous silicon structure: Theory and experiment. Journal of Applied Physics, 2008, 104, .	1.1	30
98	Near-field modal microscopy of subwavelength light confinement in multimode silicon slot waveguides. Applied Physics Letters, 2008, 93, 251103.	1.5	19
99	Quantum theory of spontaneous emission in multilayer dielectric structures. Physical Review A, 2008, 78, .	1.0	28
100	Leakage studies on SOI slot waveguide structures. Proceedings of SPIE, 2008, , .	0.8	2
101	Low loss Si-SiO ₂ -Si 8nm slot waveguides. , 2008, , .		1
102	Photon confinement in multi-slot waveguides. , 2008, , .		0
103	Multi-slot silicon optical waveguides. , 2008, , .		0
104	Effects of slot geometry on the slot-mode overlap and Q-factors of horizontal slot microdisk resonators. , 2009, , .		0
105	Self-alignment and instability of waveguides induced by optical forces. Physical Review A, 2009, 80, .	1.0	5
106	Broadband waveguide QED system on a chip. Physical Review A, 2009, 80, .	1.0	51
107	Nano-Opto-Electro-Mechanical devices based on silicon slot-waveguides structures. , 2009, , .		5
108	Nonlinear Waves in Subwavelength Waveguide Arrays: Evanescent Bands and the "Phoenix Soliton" Physical Review Letters, 2009, 102, 163902.	2.9	21
109	Scattering loss of multi-slot silicon light emission device: Theory and experiment. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
110	Filling of slot waveguides with Atomic Layer Deposition. , 2009, , .		0
111	Modification of erbium radiative lifetime in planar silicon slot waveguides. Applied Physics Letters, 2009, 94, .	1.5	28
112	Wafer-bonded single-crystal silicon slot waveguides and ring resonators. Applied Physics Letters, 2009, 94, .	1.5	13
113	Biodiesel sensing using silicon-on-insulator technologies. Proceedings of SPIE, 2009, , .	0.8	3
114	Efficient Chemical Sensing by Coupled Slot SOI Waveguides. Sensors, 2009, 9, 1012-1032.	2.1	61
115	Quantum dot nanophotonics - from waveguiding to integration. Journal of Nanophotonics, 2009, 3, 031603.	0.4	2
116	Optical characteristics of V-groove waveguide structures. , 2009, , .		5
117	Electrooptically-Active Slow-Light-Enhanced Silicon Slot Photonic Crystal Waveguides. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 1506-1509.	1.9	14
118	Fully three-dimensional accurate modeling of scattering loss in optical waveguides. Optical and Quantum Electronics, 2009, 41, 285-298.	1.5	17
119	Towards athermal optically-interconnected computing system using slotted silicon microring resonators and RF-photonic comb generation. Applied Physics A: Materials Science and Processing, 2009, 95, 1101-1109.	1.1	27
120	Engineered nanoporous and nanostructured films. Materials Today, 2009, 12, 36-45.	8.3	53
121	Analysis of symmetric and asymmetric nanoscale slab slot waveguides. Optics Communications, 2009, 282, 324-328.	1.0	7
122	Electro-optic polymer assisted optical switch based on silicon slot structure. Optics Communications, 2009, 282, 2506-2510.	1.0	11
123	Athermal silicon arrayed waveguide grating with polymer-filled slot structure. Optics Communications, 2009, 282, 2841-2844.	1.0	17
124	Theoretical and experimental investigation of radiative decay rates in active slot waveguides. Journal of Optics, 2009, 11, 114011.	1.5	1
125	Ultra-compact low-loss coupler between strip and slot waveguides. Optics Letters, 2009, 34, 1498.	1.7	119
126	Comparative Analysis of a Planar Slotted Microdisk Resonator. Journal of Lightwave Technology, 2009, 27, 4009-4016.	2.7	7
127	Generalized Simple Theory for Estimating Lateral Leakage Loss Behavior in Silicon-on-Insulator Ridge Waveguides. Journal of Lightwave Technology, 2009, 27, 5492-5499.	2.7	8

#	ARTICLE	IF	CITATIONS
128	Slot waveguides with polycrystalline silicon for electrical injection. Optics Express, 2009, 17, 1527.	1.7	51
129	Metal-free scanning optical microscopy with a fractal fiber probe. Optics Express, 2009, 17, 1772.	1.7	11
130	A full vectorial model for pulse propagation in emerging waveguides with subwavelength structures part I: Kerr nonlinearity. Optics Express, 2009, 17, 2298.	1.7	305
131	Slot-waveguide cavities for optical quantum information applications. Optics Express, 2009, 17, 7295.	1.7	34
132	Broadband enhancement of light emission in silicon slot waveguides. Optics Express, 2009, 17, 7479.	1.7	83
133	Nonlinearity of optimized silicon photonic slot waveguides. Optics Express, 2009, 17, 9282.	1.7	74
134	A full vectorial model for pulse propagation in emerging waveguides with subwavelength structures part II: Stimulated Raman Scattering. Optics Express, 2009, 17, 11565.	1.7	34
135	Large tuning of birefringence in two strip silicon waveguides via optomechanical motion. Optics Express, 2009, 17, 17818.	1.7	22
136	Angled sidewalls in silicon slot waveguides: conformal filling and mode properties. Optics Express, 2009, 17, 21066.	1.7	36
137	Carrier-envelope phase stabilization of a multi-millijoule, regenerative-amplifier-based chirped-pulse amplifier system. Optics Express, 2009, 17, 21091.	1.7	16
138	Highly sensitive digital optical sensor based on cascaded high-Q ring-resonators. Optics Express, 2009, 17, 23817.	1.7	114
139	Bragg grating based biochemical sensor using submicron Si/SiO ₂ waveguides for lab-on-a-chip applications: a novel design. Applied Optics, 2009, 48, 4562.	2.1	20
140	Control of optical mode properties in cross-slot waveguides. Applied Optics, 2009, 48, 6547.	2.1	25
141	Low Loss Si/SiO ₂ 8-nm Slot Waveguides. IEEE Photonics Technology Letters, 2009, 21, 353-355.	1.3	15
142	Athermalizing and Trimming of Slotted Silicon Microring Resonators With UV-Sensitive PMMA Upper-Cladding. IEEE Photonics Technology Letters, 2009, 21, 1175-1177.	1.3	90
143	Dielectric and plasmon slot waveguides for photonic integration. , 2009, , .		0
144	Future prospects of silicon photonics in next generation communication and computing systems. Electronics Letters, 2009, 45, 584.	0.5	34
145	Multiple slot waveguides for enhanced biochemical sensing. , 2009, , .		2

#	ARTICLE	IF	CITATIONS
146	Low contrast double slot structure based optomechanical sensor. , 2009, , .		0
147	Optical Microring-Based Interrogation Method for Phase Detecting Elements. IEEE Sensors Journal, 2009, 9, 2016-2023.	2.4	2
148	Enhanced Evanescent Confinement in Multiple-Slot Waveguides and Its Application in Biochemical Sensing. IEEE Photonics Journal, 2009, 1, 48-57.	1.0	25
149	Electromagnetic Analysis of Ring-Cavity-Assisted Amplified Spontaneous Emission in Er:SiO ₂ /a-Si Horizontal Slot Waveguides. IEEE Journal of Quantum Electronics, 2009, 45, 825-829.	1.0	1
150	Optical Slot-Waveguide Based Biochemical Sensors. Sensors, 2009, 9, 4751-4765.	2.1	150
151	Low refractive index contrast double slot structure based cantilever type sensor. , 2009, , .		1
152	Variable optical power splitter based on slot waveguide. , 2009, , .		2
153	Design of silicon and polymer photonic waveguide structures for sensing applications. , 2009, , .		2
154	Proposal and analysis of a double-tip coupler for efficient coupling fiber to slot and strip waveguides. Proceedings of SPIE, 2009, , .	0.8	1
155	Highly sensitive biochemical sensor utilizing Bragg grating in submicron Si/SiO ₂ waveguides. , 2009, , .		0
156	Feature size reduction of silicon slot waveguides by partial filling using atomic layer deposition. Optical Engineering, 2009, 48, 080502.	0.5	15
157	Real-time label-free biosensing with integrated planar waveguide ring resonators. Proceedings of SPIE, 2010, , .	0.8	5
158	Self-alignment and instability of waveguides induced by forces of guided and radiated fields. Proceedings of SPIE, 2010, , .	0.8	0
159	Hybrid silicon-organic racetrack resonator designs for electro-optical modulation. Proceedings of SPIE, 2010, , .	0.8	1
160	Influence of transverse perturbation of soliton propagation direction on laser radiation evolution along the layered medium. , 2010, , .		5
161	Lateral electrical injection into Si/SiO ₂ horizontal multislot waveguides. Proceedings of SPIE, 2010, , .	0.8	2
162	Enhanced vertical confinement in angled-wall slot waveguides. Optical Review, 2010, 17, 181-186.	1.2	3
163	Liquid concentration sensor based on slot waveguide microresonators. Measurement Techniques, 2010, 53, 563-568.	0.2	3

#	ARTICLE	IF	CITATIONS
164	Theory-inspired development of new nonlinear optical materials and their integration into silicon photonic circuits and devices. <i>Optical Materials</i> , 2010, 32, 658-668.	1.7	58
165	Slot Optical Waveguides Simulations and Modeling. , 0, , .		1
166	>25Å— Reduction in the Effective Nonlinear Coefficient over a 100-nm Wavelength Range using Vertically-Slotted Silicon Waveguide. , 2010, , .		0
167	Liquid-Core Waveguide Sensors. <i>Springer Series on Chemical Sensors and Biosensors</i> , 2010, , 195-219.	0.5	2
168	PECVD SiC-SiO ₂ . , 2010, , .		3
169	An exact solution to Maxwell's equations including an evanescent field for a gapped three layered optical system. <i>Journal of Applied Physics</i> , 2010, 107, 123118.	1.1	2
170	Increasing the coupling efficiency of a microdisk laser to waveguides by using well designed spiral structures. <i>Journal of Applied Physics</i> , 2010, 107, 043105.	1.1	5
171	Efficient light confinement to $\lambda/10$ spot sizes in optical fibre tips. , 2010, , .		0
172	Optical properties of atomic layer deposited materials and their application in silicon waveguides. <i>Proceedings of SPIE</i> , 2010, , .	0.8	0
173	Silicon based 2-dimensional slot waveguides. <i>Proceedings of SPIE</i> , 2010, , .	0.8	0
174	Optical fibre nanophotonics. , 2010, , .		0
175	Slot Waveguide by Using Double High-Mesa Structure for Optical Absorption Sensing. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 122503.	0.8	5
176	Demonstration of PECVD SiC/SiO ₂ /SiC Horizontal Slot Waveguides. <i>IEEE Photonics Technology Letters</i> , 2010, 22, 398-400.	1.3	5
177	An Ultracompact Directional Coupler Based on GaAs Cross-Slot Waveguide. <i>IEEE Photonics Technology Letters</i> , 2010, 22, 1324-1326.	1.3	46
178	Cylindrical hybrid plasmonic waveguide for subwavelength confinement of light. <i>Applied Optics</i> , 2010, 49, 6868.	2.1	43
179	Controlling the polarization dependence of dual-channel directional couplers formed by silicon-on-insulator slot waveguides. <i>Applied Optics</i> , 2010, 49, 6979.	2.1	11
180	Light guiding in a slot waveguide that includes an additional confining core region. <i>Optics Express</i> , 2010, 18, 6408.	1.7	11
181	Wideband slow light in chirped slot photonic-crystal coupled waveguides. <i>Optics Express</i> , 2010, 18, 10567.	1.7	34

#	ARTICLE	IF	CITATIONS
182	High performance nanophotonic circuits based on partially buried horizontal slot waveguides. Optics Express, 2010, 18, 20690.	1.7	20
183	Tailoring the dispersion behavior of silicon nanophotonic slot waveguides. Optics Express, 2010, 18, 20839.	1.7	42
184	Highly efficient nonlinearity reduction in silicon-on-insulator waveguides using vertical slots. Optics Express, 2010, 18, 22061.	1.7	18
185	Dielectric-loaded surface plasmon polariton waveguide with a holey ridge for propagation-loss reduction and subwavelength mode confinement. Optics Express, 2010, 18, 23756.	1.7	47
186	Fluorescence enhancement by a two-dimensional dielectric annular Bragg resonant cavity. Optics Express, 2010, 18, 25029.	1.7	13
187	Designing the quality factor of infiltrated photonic wire slot microcavities. Optics Express, 2010, 18, 25217.	1.7	9
188	Highly Sensitive Miniaturized Refractive Index Sensor Based on Au-Ag Surface Gratings on a Planar Optical Waveguide. Journal of Lightwave Technology, 2010, 28, 2469-2476.	2.7	27
189	Optical Guided-wave Chemical and Biosensors II. Springer Series on Chemical Sensors and Biosensors, 2010, , .	0.5	21
190	Optical switching element based on layered nonlinear photonic crystal. , 2010, , .		0
191	Fully etched grating couplers for atomic layer deposited horizontal slot waveguides. , 2011, , .		3
192	ALD high-k layer grating couplers for single and double slot on-chip SOI photonics. , 2011, , .		1
193	Field enhancement in polymer waveguides fabricated by UV imprinting. , 2011, , .		0
194	Efficient Strip to Strip-Loaded Slot Mode Converter in Silicon-on-Insulator. IEEE Photonics Technology Letters, 2011, 23, 1496-1498.	1.3	21
195	Adaptive Interrogation for Fast Optical Sensing Based on Cascaded Micro-Ring Resonators. IEEE Sensors Journal, 2011, 11, 1595-1601.	2.4	4
196	The photonic integration of non-solid media using optofluidics. Nature Photonics, 2011, 5, 598-604.	15.6	275
197	Achieving Higher Modulation Efficiency in Electrooptic Polymer Modulator With Slotted Silicon Waveguide. Journal of Lightwave Technology, 2011, 29, 3310-3318.	2.7	17
198	Characterization of the terahertz near-field output of parallel-plate waveguides. Journal of the Optical Society of America B: Optical Physics, 2011, 28, 558.	0.9	25
199	Coupling-induced high-sensitivity silicon microring intensity-based sensor. Journal of the Optical Society of America B: Optical Physics, 2011, 28, 1611.	0.9	12

#	ARTICLE	IF	CITATIONS
200	Glancing angle deposited ITO films for efficiency enhancement of a-Si:H/ $\text{H}^{1/4}$ c-Si:H tandem thin film solar cells. Optics Express, 2011, 19, A258.	1.7	69
201	Efficient transmission of crossing dielectric slot waveguides. Optics Express, 2011, 19, 4756.	1.7	6
202	Coupling slot-waveguide cavities for large-scale quantum optical devices. Optics Express, 2011, 19, 6354.	1.7	1
203	Reduced propagation loss in silicon strip and slot waveguides coated by atomic layer deposition. Optics Express, 2011, 19, 11529.	1.7	154
204	Concentrating evanescent waves: Systematic analyses of properties of the needle beam in three-medium dielectric cylindrical waveguide. Optics Express, 2011, 19, 18795.	1.7	2
205	Total longitudinal momentum in a dispersive optical waveguide. Optics Express, 2011, 19, 25263.	1.7	14
206	Low-loss silicon slot waveguides and couplers fabricated with optical lithography and atomic layer deposition. Optics Express, 2011, 19, 26275.	1.7	69
207	Manipulating and controlling the evanescent field within optical waveguides using high index nanolayers. Optical Materials Express, 2011, 1, 192.	1.6	17
208	Optofluidic microsystems for chemical and biological analysis. Nature Photonics, 2011, 5, 591-597.	15.6	793
209	Nanophotonics inside structured optical fibres. , 2011, , .		0
210	Polymer based single and multislot waveguides. Proceedings of SPIE, 2011, , .	0.8	1
211	Localization of laser pulse and slow light propagation in nonlinear photonic crystal. Proceedings of SPIE, 2011, , .	0.8	0
212	Photonic crystal nanolasers with nanoslot structure for sensing applications. , 2011, , .		2
213	Photonic Crystal Slot Waveguide Spectroscopy for the Detection of Chemical Warfare Simulants. , 2011, , .		0
214	Design of narrow band photonic filter with compact MEMS for tunable resonant wavelength ranging 100 nm. AIP Advances, 2011, 1, 042171.	0.6	5
215	Low-loss silicon-based hybrid plasmonic waveguide with an air nanotrench for sub-wavelength mode confinement. Micro and Nano Letters, 2011, 6, 643.	0.6	16
216	Guiding and Confining Light in Low-Index Circularly Symmetric Waveguides. IEEE Photonics Journal, 2011, 3, 854-860.	1.0	1
217	Effects of Design Geometries and Nonlinear Losses on Gain in Silicon Waveguides With Erbium-Doped Regions. IEEE Journal of Quantum Electronics, 2011, 47, 327-334.	1.0	2

#	ARTICLE	IF	CITATIONS
218	Photonic Crystal Point-Shift Nanolasers With and Without Nanoslots Design, Fabrication, Lasing, and Sensing Characteristics. IEEE Journal of Selected Topics in Quantum Electronics, 2011, 17, 1632-1647.	1.9	45
219	Slotted photonic crystal cavities with integrated microfluidics for biosensing applications. Biosensors and Bioelectronics, 2011, 27, 101-105.	5.3	174
220	Optical ring resonators for biochemical and chemical sensing. Analytical and Bioanalytical Chemistry, 2011, 399, 205-211.	1.9	294
221	Advances in Nanophotonic Sensing Technologies During Three International Label-Free Lab-On-Chip Projects. BioNanoScience, 2011, 1, 162-172.	1.5	5
222	Q-factor optimization for TM-like modes in pillar-based photonic crystal cavities with planar slot waveguides. Photonics and Nanostructures - Fundamentals and Applications, 2011, 9, 63-69.	1.0	8
223	Nanostructured porous SiO ₂ films for antireflection coatings. Optics Communications, 2011, 284, 873-876.	1.0	49
224	Erbium implanted silicon rich oxide thin films suitable for slot waveguides applications. Optical Materials, 2011, 33, 1083-1085.	1.7	7
225	Si-based 1D and 2D slot waveguides for magneto-optics. Proceedings of SPIE, 2011, , .	0.8	0
226	Silicon (Si) and germanium (Ge) in optical devices. , 2011, , 551-574.		3
227	Nanophotonics inside structured optical fibres. Proceedings of SPIE, 2011, , .	0.8	0
228	Enhancement of nonreciprocal phase shift by magneto-optical slot waveguide with a compensation wall. Applied Physics Letters, 2011, 98, 171109.	1.5	6
229	All ALD TiO ₂ -Al ₂ O ₃ -TiO ₂ horizontal slot waveguides for optical sensing. , 2011, , .		1
230	Diverging Rabi Oscillations in Subwavelength Photonic Lattices. Physical Review Letters, 2011, 106, 073901.	2.9	21
231	Microdisplacement sensor based on high-Q nanocavity in slot photonic crystal. Optical Engineering, 2011, 50, 054402.	0.5	18
232	Theory-Guided Design of Organic Electro-Optic Materials and Devices. Polymers, 2011, 3, 1325-1351.	2.0	55
233	Recent progress toward a nanoslot modulator: polymer poling experiments. Proceedings of SPIE, 2011, , .	0.8	2
234	Strained Silicon Photonics. Materials, 2012, 5, 889-908.	1.3	23
235	Characterisation of bifurcation and chaos in silicon microring resonator. IET Communications, 2012, 6, 2671-2675.	1.5	38

#	ARTICLE	IF	CITATIONS
236	Sensing performance of plasma-enhanced chemical vapor deposition SiC-SiO ₂ -SiC horizontal slot waveguides. Journal of Nanophotonics, 2012, 6, 063530.	0.4	1
237	Slot Optical Waveguide Usage in Forming Passive Optical Devices. Recent Patents on Nanotechnology, 2012, 6, 73-77.	0.7	2
238	Time-variant 1D photonic crystals using flowing microdroplets. Optics Express, 2012, 20, 24330.	1.7	4
239	Efficient Lanczosâ€™Fourier expansion-based transmission line formulation for full-wave modal analysis of optical waveguides. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 1296.	0.9	7
240	Optical amplification in Er/Yb silicate slot waveguide. Optics Letters, 2012, 37, 1427.	1.7	41
241	Novel, low-index waveguide as laser external cavity. Optics Express, 2012, 20, 11137.	1.7	1
242	Transmission characteristics of crossing slot-waveguides with finite core-height. , 2012, , .		0
243	Metamaterial features in a dielectric fiber with an inserted thin cylindrical shell. Applied Physics Letters, 2012, 101, 143508.	1.5	0
244	Optical temperature sensor on the base of slot waveguide with LC filling. , 2012, , .		2
245	Mode converter between channel waveguide and slot waveguide. , 2012, , .		0
246	Propagation of lossy wave in Si slot waveguide. , 2012, , .		1
247	A Slot Micro/Nano Fiber With Elliptical Low-Index Core. IEEE Photonics Journal, 2012, 4, 1610-1621.	1.0	1
248	Reducing the temperature sensitivity of SOI waveguide-based biosensors. Proceedings of SPIE, 2012, , .	0.8	1
249	Low-nonlinearity and low-loss silicon slot waveguides with ALD-grown thin films. Proceedings of SPIE, 2012, , .	0.8	0
250	On-chip sensing of volatile organic compounds in water by hybrid polymer and silicon photonic-crystal slot-waveguide devices. Proceedings of SPIE, 2012, , .	0.8	0
251	Anomalous giant soliton formation near boundary of nonlinear layered PC and its propagation across the PC. Proceedings of SPIE, 2012, , .	0.8	1
252	Photonic Crystal Nanolaser Biosensors. IEICE Transactions on Electronics, 2012, E95-C, 188-198.	0.3	13
253	Ultracompact Electroabsorption Modulators Based on Tunable Epsilon-Near-Zero-Slot Waveguides. IEEE Photonics Journal, 2012, 4, 735-740.	1.0	102

#	ARTICLE	IF	CITATIONS
254	Low-Loss Multiple-Slot Waveguides Fabricated by Optical Lithography and Atomic Layer Deposition. IEEE Photonics Technology Letters, 2012, 24, 2074-2076.	1.3	13
255	A novel coupler with high mode conversion efficiency for SMF and SOI single-mode waveguide coupling interface. , 2012, , .		0
256	Integrated tunable liquid optical fiber. Lab on A Chip, 2012, 12, 3670.	3.1	20
257	Design of a compact SOI polarization rotator for mid-IR application. , 2012, , .		1
258	ALD high-k layer grating couplers for single and double slot on-chip SOI photonics. Solid-State Electronics, 2012, 74, 58-63.	0.8	6
259	Rib-based slot waveguide for nonlinear silicon photonics. , 2012, , .		1
260	A Slot-Based Surface Plasmon-Polariton Waveguide With Long-Range Propagation and Superconfinement. IEEE Photonics Journal, 2012, 4, 844-855.	1.0	16
261	Efficient light confinement with nanostructured optical microfiber tips. Optics Communications, 2012, 285, 4688-4697.	1.0	5
262	A hybrid long-range surface plasmon waveguide comprising a narrow metal stripe surrounded by the low-index dielectric regions. Optics Communications, 2012, 285, 4359-4363.	1.0	4
263	Subwavelength beam shaping via multiple-metal slits surrounded by slot waveguides. Optics Communications, 2012, 285, 5486-5491.	1.0	1
264	T-shaped dielectric slot waveguides for efficient control of birefringence and polarization independent directional coupling. Optics Communications, 2012, 285, 5118-5121.	1.0	12
265	Micro-analysis of Lanthanides and Actinides: A New Approach by a Co-integration of Optical and Fluidic Guides. Procedia Chemistry, 2012, 7, 685-690.	0.7	1
266	Three-Dimensional Finite-Element Solutions for Crossing Slot-Waveguides With Finite Core-Height. Journal of Lightwave Technology, 2012, 30, 3394-3400.	2.7	28
267	Sub-wavelength focusing of high intensities in microfibre tips. , 2012, , .		0
268	Electric field enhancement in silicon slotted optical strip waveguides and microring resonators. Physica Scripta, 2012, T149, 014027.	1.2	0
269	Nanoscale electro-optic modulators based on graphene-slot waveguides. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 1490.	0.9	231
270	CMOS-Compatible Fabrication of Silicon-Based Sub-100-nm Slot Waveguide With Efficient Channel-Slot Coupler. IEEE Photonics Technology Letters, 2012, 24, 10-12.	1.3	25
271	Subwavelength beam focusing by multiple-metal slits surrounded by chirped dielectric surface gratings. Optics Communications, 2012, 285, 1519-1522.	1.0	2

#	ARTICLE	IF	CITATIONS
272	Characteristic analysis of a directional coupler in horizontal multiple-slotted silicon wires with slanted sidewalls. <i>Optics and Laser Technology</i> , 2012, 44, 1747-1752.	2.2	4
273	Electro-optic polymer/silicon hybrid slow light modulator based on one-dimensional photonic crystal waveguides. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	30
274	A Temperature sensor based on a slot waveguide with a liquid crystal filling. <i>Measurement Techniques</i> , 2013, 56, 503-509.	0.2	4
275	Toward a 1.54 μm Electrically Driven Erbium-Doped Silicon Slot Waveguide and Optical Amplifier. <i>Journal of Lightwave Technology</i> , 2013, 31, 391-397.	2.7	34
276	Design and Performance Study of a Compact SOI Polarization Rotator at 1.55 μm . <i>Journal of Lightwave Technology</i> , 2013, 31, 3687-3693.	2.7	38
277	Orders of magnitude enhancement of optical nonlinearity in subwavelength metal-nonlinear dielectric gratings. <i>Applied Physics Letters</i> , 2013, 102, 021907.	1.5	6
278	Numerical analysis of silicon-based horizontal multiple-slotted waveguides with slanted sidewalls. <i>Optics Communications</i> , 2013, 291, 222-227.	1.0	2
279	Low-loss light transport at the subwavelength scale in silicon nano-slot based symmetric hybrid plasmonic waveguiding schemes. <i>Optics Express</i> , 2013, 21, 23907.	1.7	43
280	Designing low transmission loss silicon slot waveguide at wavelength band of high material absorption. <i>Optics Communications</i> , 2013, 306, 131-134.	1.0	16
281	Label-free optical resonant sensors for biochemical applications. <i>Progress in Quantum Electronics</i> , 2013, 37, 51-107.	3.5	165
282	Generalized Ellipsometry Characterization of Sculptured Thin Films Made by Glancing Angle Deposition. , 2013, , 341-410.		7
283	Optofluidic fiber optic. , 2013, , .		0
284	Design of a compact silicon-based slot-waveguide crossing composed of an orthogonal strip multimode waveguide and four logarithmical mode converters. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 455102.	1.3	7
285	Design of a compact polarization splitter composed of a multiple-slotted waveguide and a silicon nanowire. <i>Journal of Optics (United Kingdom)</i> , 2013, 15, 035501.	1.0	14
286	Flat Band Slow Light Performance in Dual-Slot Silicon-on-Insulator Based Photonic Crystal Waveguide. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 032001.	0.8	3
287	Nanoimprint Fabrication of Slot Waveguides. <i>IEEE Photonics Journal</i> , 2013, 5, 2200808-2200808.	1.0	6
288	Transmission-Efficient Structures of Bent and Crossing Silicon Slot Waveguides. <i>IEEE Photonics Journal</i> , 2013, 5, 6601809-6601809.	1.0	9
289	Suppression of free carrier absorption in silicon using multislot $\text{SiO}_2/\text{nc-Si}$ waveguides. <i>Optics Letters</i> , 2013, 38, 4849.	1.7	2

#	ARTICLE	IF	CITATIONS
290	Design of a compact silicon-based slot waveguide crossing. Applied Optics, 2013, 52, 3737.	0.9	20
291	Polarization splitter using horizontal slot waveguide. Optics Express, 2013, 21, 3363.	1.7	35
292	Enhanced 154 nm emission in Y-Er disilicate thin films on silicon photonic crystal cavities. Optics Express, 2013, 21, 10278.	1.7	21
293	Efficient perfectly vertical fiber-to-chip grating coupler for silicon horizontal multiple slot waveguides. Optics Express, 2013, 21, 10886.	1.7	40
294	Broadband light coupling to dielectric slot waveguides with tapered plasmonic nanoantennas. Optics Letters, 2013, 38, 4853.	1.7	7
295	A Multi-Slot-Waveguide-Based Ring Resonator Sensor on Silicon-on-Insulator Platform: Design and Simulation. Advanced Materials Research, 2013, 710, 404-407.	0.3	0
296	Optimizing the structure of optical temperature sensors on the base of slot and double-slot ring waveguides with liquid crystal filling. Optical Engineering, 2013, 53, 071802.	0.5	5
297	Design of a compact crossing for silicon-based slot and strip waveguides. Optical Engineering, 2013, 52, 087105.	0.5	1
298	Semianalytical method to study silicon slot waveguides for optical sensing application. Optical Engineering, 2013, 52, 107102.	0.5	10
299	Optical Sensing Properties Optimization of a Slot-Waveguide-Based Silicon Ring Resonator Biosensor. Advanced Materials Research, 0, 710, 395-399.	0.3	0
300	Analysis and design of a rib-like-based slot waveguide for nonlinear silicon nanophotonics. Journal of Modern Optics, 2013, 60, 891-899.	0.6	5
301	Characterization of a compact silicon-based slot-to-strip waveguide crossing. Journal of Modern Optics, 2013, 60, 1981-1991.	0.6	1
302	Optimized Nano-Slot Silicon Waveguide Structures for Optical Sensing Applications. Advanced Materials Research, 0, 832, 212-217.	0.3	2
303	Multiple scale analysis of low index subwavelength slot waveguide electrooptic modulator. , 2013, , .		5
304	Silicon photonic slot guides for nonlinear optics. , 2013, , .		1
305	Spectroscopic ellipsometry investigations of porous SiO ₂ films prepared by glancing angle deposition. Surface and Interface Analysis, 2013, 45, 1690-1694.	0.8	9
306	Electromagnetically induced transparency and ultraslow optical solitons in a coherent atomic gas filled in a slot waveguide. Optics Express, 2013, 21, 5149.	1.7	6
307	A silicon integration approach for optical front end applied to PON end-user terminal. , 2013, , .		3

#	ARTICLE	IF	CITATIONS
308	Analysis of orthogonally polarized modes in curved slot and double-slot waveguides. , 2013, , .		0
309	Unidirectional surface plasmon-polariton excitation by a compact slot partially filled with dielectric. Optics Express, 2013, 21, 5949.	1.7	33
310	Guided Light in Silicon-Based Materials. Series in Optics and Optoelectronics, 2013, , 55-96.	0.0	3
311	Nonlinear Optics in Silicon. Series in Optics and Optoelectronics, 2013, , 197-248.	0.0	2
312	Coupled Mode Theory and Its Applications on Computational Nanophotonics. , 2013, , 285-314.		0
313	Engineered SOI slot photonic crystal waveguides. Proceedings of SPIE, 2013, , .	0.8	0
314	Design of a compact polarization splitter composed of multiple-slotted waveguide and silicon nanowire. Proceedings of SPIE, 2013, , .	0.8	0
315	Nanophotonic silicon electro-optic switch. , 2013, , .		0
316	Graphene Embedded Modulator with Extremely Small Footprint and High Modulation Efficiency. Journal of Photonics, 2014, 2014, 1-6.	1.0	1
317	Coaxial multi-layer hybrid plasmonic waveguide at subwavelength scale. European Physical Journal D, 2014, 68, 1.	0.6	3
318	Ultra-compact broadband nanowire-to-slot waveguide mode converter based on SOI. , 2014, , .		1
319	Highly Efficient Phase-Matched Third Harmonic Generation From Mid-IR to Near-IR Regions Using an Asymmetric Plasmonic Slot Waveguide. IEEE Photonics Journal, 2014, 6, 1-9.	1.0	1
320	Ultralow Propagation Loss Slot-Waveguide in High Absorption Active Material. IEEE Photonics Journal, 2014, 6, 1-6.	1.0	7
321	Refractive index sensing utilizing parallel tapered nano-slotted photonic crystal nano-beam cavities. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 1746.	0.9	31
322	Strip-slot waveguide mode converter based on symmetric multimode interference. Optics Letters, 2014, 39, 5665.	1.7	46
323	Integrated strip and slot waveguides in silicon-on-sapphire for mid infrared VOC detection in water. , 2014, , .		1
324	Grating-coupled silicon-on-sapphire integrated slot waveguides operating at mid-infrared wavelengths. Optics Letters, 2014, 39, 3070.	1.7	55
325	XOR and XNOR operations at 125 Gb/s using cascaded carrier-depletion microring resonators. Optics Express, 2014, 22, 2996.	1.7	32

#	ARTICLE	IF	CITATIONS
326	Polymeric slot waveguide interferometer for sensor applications. <i>Optics Express</i> , 2014, 22, 7229.	1.7	34
327	Optical data exchange of m-QAM signals using a silicon-organic hybrid slot waveguide: proposal and simulation. <i>Optics Express</i> , 2014, 22, 24796.	1.7	14
328	Integrated photonics in the 21st century. <i>Photonics Research</i> , 2014, 2, 75.	3.4	66
329	Strong field enhancement and light-matter interactions with all-dielectric metamaterials based on split bar resonators. <i>Optics Express</i> , 2014, 22, 30889.	1.7	79
330	Chapter 6. Introduction to Optofluidics for LOC Systems. <i>RSC Detection Science</i> , 2014, , 153-191.	0.0	0
331	Optical Properties of a Y-Splitter Based on Hybrid Multilayer Plasmonic Waveguide. <i>IEEE Journal of Quantum Electronics</i> , 2014, 50, 898-903.	1.0	21
332	Highly efficient mode converter for coupling light into wide slot photonic crystal waveguide. <i>Optics Express</i> , 2014, 22, 20678.	1.7	41
333	Optimization of electron beam patterned hydrogen silsesquioxane mask edge roughness for low-loss silicon waveguides. <i>Journal of Nanophotonics</i> , 2014, 8, 083098.	0.4	17
334	Epsilon-near-zero-slot waveguides and their applications in ultrafast laser beam steering. , 2014, , .		3
335	Improvement of optical sensing performances of a double-slot-waveguide-based ring resonator sensor on silicon-on-insulator platform. <i>Optik</i> , 2014, 125, 850-854.	1.4	22
336	Experimental demonstration of silicon slot waveguide with low transmission loss at 1064nm. <i>Optics Communications</i> , 2014, 329, 168-172.	1.0	16
337	Silicon-Slot-Mediated Guiding of Plasmonic Modes: The Realization of Subwavelength Optical Confinement With Low Propagation Loss. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2014, 20, 181-188.	1.9	6
338	Large group-index bandwidth product empty core slow light photonic crystal waveguides for hybrid silicon photonics. <i>Frontiers of Optoelectronics</i> , 2014, 7, 376-384.	1.9	2
339	Compact polarization rotator for silicon-based slot waveguide structures. <i>Applied Optics</i> , 2014, 53, 2390.	0.9	20
340	Extremely Local Electric Field Enhancement and Light Confinement in Dielectric Waveguide. <i>IEEE Photonics Technology Letters</i> , 2014, 26, 1426-1429.	1.3	6
341	Nanocolumnar growth of thin films deposited at oblique angles: Beyond the tangent rule. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2014, 32, .	0.6	42
342	Nanophotonic Biosensor Technologies for Lab on Chip Applicationsâ€”a Focus Article on Optical Biosensors from Three EC Lab on Chip Projects with a Comparison to the State of Art. <i>BioNanoScience</i> , 2014, 4, 329-334.	1.5	3
343	A convenient solâ€“gel approach to the preparation of nano-porous silica coatings with very low refractive indices. <i>Chemical Communications</i> , 2014, 50, 13813-13816.	2.2	41

#	ARTICLE	IF	CITATIONS
344	Analysis of silica-filled slot waveguides based on hyperbolic metamaterials. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 1822.	0.9	14
345	Dynamic control of wideband slow wave in graphene based waveguides. Optics Letters, 2014, 39, 3094.	1.7	16
346	Theoretical examination of the slot channel waveguide configured in a cylindrically symmetric dielectric ring profile. Optics Communications, 2014, 329, 154-162.	1.0	6
347	Dispersion modified slot optical waveguides. Optik, 2014, 125, 3549-3554.	1.4	5
348	Excitation of Confined Modes in Silicon Slotted Waveguides and Microring Resonators for Sensing Purposes. IEEE Sensors Journal, 2014, 14, 1412-1417.	2.4	8
349	Comparative sensitivity analysis of integrated optical waveguides for near-infrared volatile organic compounds with 1ppb detection. Proceedings of SPIE, 2014, , .	0.8	1
350	Design of a compact polarization rotator for silicon-based slot waveguides. , 2014, , .		0
351	Design of a 1×4 silicon wavelength demultiplexer based on multimode interference in a slot waveguide structures. , 2014, , .		3
352	Polymer and composite polymer slot waveguides. Proceedings of SPIE, 2014, , .	0.8	0
353	Nonlinear Group IV photonics based on silicon and germanium: from near-infrared to mid-infrared. Nanophotonics, 2014, 3, 247-268.	2.9	219
354	Graphene Based Waveguide Polarizers: In-Depth Physical Analysis and Relevant Parameters. Scientific Reports, 2015, 5, 16949.	1.6	57
356	Spontaneous emission rate and optical amplification of Er ³⁺ in double slot waveguide. Science China: Physics, Mechanics and Astronomy, 2015, 58, 1.	2.0	3
357	Design of a 1 Å– 4 silicon-alumina wavelength demultiplexer based on multimode interference in slot waveguide structures. Journal of Optics (United Kingdom), 2015, 17, 125702.	1.0	26
358	Size and Shape Controlled Semiconductor Nanocrystals Synthesized by RFâ€šputtering Techniques for Electronic and Optoelectronic Applications. Contributions To Plasma Physics, 2015, 55, 714-727.	0.5	2
359	Design of an efficient terahertz wave source from a GaP waveguide embedded in a silicon slot waveguide. Journal of the European Optical Society-Rapid Publications, 2015, 10, 15024.	0.9	3
360	Coupled strip-slot waveguide design for dispersion compensation. Optical and Quantum Electronics, 2015, 47, 3161-3169.	1.5	13
361	Formation of an oscillating soliton near a photonic crystal surface. Optics and Spectroscopy (English Translation of Optika I Spektroskopiya), 2015, 118, 590-593.	0.2	6
362	A hybrid plasmonic waveguide terahertz quantum cascade laser. Applied Physics Letters, 2015, 106, .	1.5	9

#	ARTICLE	IF	CITATIONS
363	Mode analysis and light confinement of optical rib waveguides in various air slot configurations. , 2015, , .		1
364	Moving femtosecond soliton in layered structure with cubic nonlinearity. Proceedings of SPIE, 2015, , .	0.8	1
365	Analysis of silicon-on-insulator slot waveguide ring resonators targeting high Q-factors. Optics Letters, 2015, 40, 5566.	1.7	28
366	Effects of opto-geometric parameters to enhance field confinement at air-slot waveguides. , 2015, , .		0
367	Waveguide sub-wavelength structures: a review of principles and applications. Laser and Photonics Reviews, 2015, 9, 25-49.	4.4	475
368	Analysis of ultra-compact waveguide modes in thin film lithium niobate. Applied Physics B: Lasers and Optics, 2015, 118, 261-267.	1.1	17
369	Horizontal slot waveguides for polarization branching control. Applied Optics, 2015, 54, 436.	0.9	25
370	Versatile liquid-core optofluidic waveguides fabricated in hydrophobic silica aerogels by femtosecond-laser ablation. Optical Materials, 2015, 47, 478-483.	1.7	16
371	Design of broadband power splitters using two-mode interference in slot waveguides. Optics Communications, 2015, 355, 367-375.	1.0	5
372	Mid-infrared holey and slotted photonic crystal waveguides in silicon-on-sapphire for chemical warfare simulant detection. Sensors and Actuators B: Chemical, 2015, 221, 1094-1103.	4.0	39
373	Strong Modulation Instability in a Silicon-Organic Hybrid Slot Waveguide. IEEE Photonics Journal, 2015, 7, 1-8.	1.0	3
374	Optofluidic Approaches for Enhanced Microsensor Performances. Sensors, 2015, 15, 465-484.	2.1	31
375	Superluminal integrated waveguides. Optik, 2015, 126, 583-587.	1.4	0
376	Design of a broadband polarization rotator for silicon-based cross-slot waveguides. Applied Optics, 2015, 54, 3805.	2.1	14
377	Optical modulators and beam steering based on electrically tunable plasmonic material. Journal of Nanophotonics, 2015, 9, 093793.	0.4	9
378	Suspended silicon slotted microring resonators with ultra-high optical quality. , 2015, , .		3
379	High Confinement Factor Ridge Slot Waveguide for Optical Sensing. IEEE Photonics Technology Letters, 2015, 27, 2395-2398.	1.3	25
380	Rabi oscillations and stimulated mode conversion on the subwavelength scale. Optics Express, 2015, 23, 6731.	1.7	12

#	ARTICLE	IF	CITATIONS
381	Transverse magnetic modes in planar slot waveguides. Journal of the Optical Society of America B: Optical Physics, 2015, 32, 2052.	0.9	16
382	High-sensitivity liquid refractive-index sensor based on a Mach-Zehnder interferometer with a double-slot hybrid plasmonic waveguide. Optics Express, 2015, 23, 25688.	1.7	106
383	Optimization of a horizontal slot waveguide biosensor to detect DNA hybridization. Applied Optics, 2015, 54, 4881.	2.1	45
384	A near-field light probe with an optical slot-waveguide structure. Optics Express, 2015, 23, 1981.	1.7	2
385	Broadband enhancement of single photon emission and polarization dependent coupling in silicon nitride waveguides. Optics Express, 2015, 23, 13713.	1.7	9
386	Erbium-doped slot waveguides containing size-controlled silicon nanocrystals. Journal of Applied Physics, 2015, 117, 163106.	1.1	3
387	Slot waveguide ring resonators for visible wavelengths in ALD titanium dioxide. , 2015, , .		3
388	Quasi-guiding Modes in Microfibers on a High Refractive Index Substrate. ACS Photonics, 2015, 2, 1278-1283.	3.2	16
389	Low-loss mode converter for coupling light into slotted photonic crystal waveguide. Proceedings of SPIE, 2015, , .	0.8	0
390	Design of an ultra-compact slotted photonic crystal nanobeam cavity for biosensing. Journal of the Optical Society of America B: Optical Physics, 2015, 32, 1788.	0.9	27
391	Extraordinary Optical Confinement in a Silicon Slot Waveguide with Metallic Gratings. Chinese Physics Letters, 2015, 32, 064206.	1.3	1
392	High Purcell Factor Due To Coupling of a Single Emitter to a Dielectric Slot Waveguide. Nano Letters, 2015, 15, 464-468.	4.5	56
393	Efficient optical biochemical sensor with slotted Bragg-grating-based Fabry-Pérot resonator structure in silicon-on-insulator platform. Optical and Quantum Electronics, 2015, 47, 247-255.	1.5	5
394	A Photonic 1 Å– 4 Power Splitter Based on Multimode Interference in Silicon-Gallium-Nitride Slot Waveguide Structures. Materials, 2016, 9, 516.	1.3	34
395	Highly nonlinear polarization-maintaining photonic crystal fiber with nanoscale GaP strips. Applied Optics, 2016, 55, 10030.	2.1	24
396	Localization of laser pulse and slow light propagation in 2D nonlinear photonic crystal. , 2016, , .		0
397	Polarisation independent silicon-on-insulator slot waveguides. Scientific Reports, 2016, 6, 37760.	1.6	10
398	Advanced optical material for enhanced solar spectrum confinement investigated. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
399	Bulk characterization in a Monte Carlo particle-deposition model with a novel adherence-potential barrier. Journal of Applied Physics, 2016, 120, .	1.1	3
400	Slot silicon-gallium nitride waveguide realizing 1Å–4 optical power splitter. , 2016, , .		3
401	Reverse Ridge Silicon Strip Waveguide and Silica Slot Waveguide Structure for the Dispersion at 1550Ånm. IEEE Photonics Journal, 2016, 8, 1-9.	1.0	4
402	Optical forces in a silicon nano-optomechanical device based on a cross-slot waveguide. Proceedings of SPIE, 2016, , .	0.8	0
403	Losses of Slot Mode Devices. Journal of Lightwave Technology, 2016, 34, 3901-3907.	2.7	4
404	Robust polarization-insensitive strip-slot waveguide mode converter based on symmetric multimode interference. Optics Express, 2016, 24, 7347.	1.7	32
405	Mesoscale cavities in hollow-core waveguides for quantum optics with atomic ensembles. Nanophotonics, 2016, 5, 392-408.	2.9	5
406	Model Analysis of Ridge and Rib Types of Silicon Waveguides With Void Compositions. IEEE Journal of Quantum Electronics, 2016, 52, 1-7.	1.0	12
407	Effect of thickness on optical properties of nickel vertical posts deposited by GLAD technique. Optical Materials, 2016, 62, 146-151.	1.7	8
408	Experimental Investigation of Top Cladding on Properties of Silicon Slotted Photonic Crystal Waveguides. IEEE Journal of Selected Topics in Quantum Electronics, 2016, 22, 305-311.	1.9	4
409	Sub-50-nm wide slot waveguides with good optical isolation on silicon on insulator. Optical Engineering, 2016, 55, 087102.	0.5	9
410	Tunable broadband optical field enhancement in graphene-based slot waveguide at infrared frequencies. Applied Optics, 2016, 55, 5095.	2.1	9
411	Moth-eye effect in hierarchical carbon nanotube anti-reflective coatings. Carbon, 2016, 108, 262-267.	5.4	21
412	Proposal of using slot-waveguide cavity to reduce noises in resonant integrated optical gyroscopes. , 2016, , .		0
413	Optical forces in a silicon nano-optomechanical device based on a cross-slot waveguide. Journal of Nanophotonics, 2016, 10, 046009.	0.4	2
414	Lasing in silicon-organic hybrid waveguides. Nature Communications, 2016, 7, 10864.	5.8	44
415	Modelling of TiO2 based slot waveguides with high optical confinement in sharp bends. , 2016, , .		8
416	Parametric Analysis of Silicon Nanowire Optical Rectangular Waveguide Sensor. IEEE Photonics Technology Letters, 2016, 28, 2889-2892.	1.3	27

#	ARTICLE	IF	CITATIONS
417	Optical waveguide materials, structures, and dispersion modulation. Proceedings of SPIE, 2016, , .	0.8	0
418	Multilayer coatings with slotted MDM surface plasmon waveguide for the improvement of sensitivity and transmission with high refractive index material. , 2016, , .		1
419	Anomalous velocity enhancing of soliton, propagating in nonlinear PhC, due to its reflection from nonlinear ambient medium. , 2016, , .		2
420	High Degree Picosecond Pulse Compression in Chalcogenide-Silicon Slot Waveguide Taper. Journal of Lightwave Technology, 2016, 34, 3843-3852.	2.7	29
421	Optimization of Si slot waveguide using approximate semi-analytical method. Optics Express, 2016, 24, 4722.	1.7	7
422	Design and Study of Strip-Slot Waveguide Structure for Dispersion Analysis. IEEE Photonics Journal, 2016, 8, 1-8.	1.0	11
423	Sub-Wavelength Dual Capillaries-Assisted Chalcogenide Optical Fibers: Unusual Modal Properties in Mid-IR (2â€“5 Î¼m) Spectral Range. IEEE Journal of Selected Topics in Quantum Electronics, 2016, 22, 208-213.	1.9	3
424	Slab waveguide theory for general multi-slot waveguide. Journal of Modern Optics, 2016, , 1-10.	0.6	3
425	Substrate-Independent Light Confinement in Bioinspired All-Dielectric Surface Resonators. ACS Photonics, 2016, 3, 532-536.	3.2	9
426	High Coupling Efficiency Silicon Waveguide to Metalâ€“Insulatorâ€“Metal Waveguide Mode Converter. Journal of Lightwave Technology, 2016, 34, 2467-2472.	2.7	35
427	Silicon Slot Waveguides With Low Transmission and Bending Losses at 1064 nm. IEEE Photonics Technology Letters, 2016, 28, 19-22.	1.3	7
428	Multi-input and multi-output SOI (MIMO-SOI) platform for silicon photonics. CSI Transactions on ICT, 2017, 5, 189-193.	0.7	0
429	Optimized nonlinear SOI slot optical waveguides. Optik, 2017, 133, 89-97.	1.4	1
430	Dynamic routing control through bends for Si sub-micrometer optical interconnects. , 2017, , .		0
431	Slotted Photonic Crystal Microring Resonators. Fiber and Integrated Optics, 2017, 36, 91-100.	1.7	1
432	Temperature dependence of resonance characteristics of silicon resonators and thermal stability improvement by differential operation method. Japanese Journal of Applied Physics, 2017, 56, 04CC06.	0.8	1
433	Characterization of slotted photonic crystal waveguide and its application in nonlinear optics. Superlattices and Microstructures, 2017, 109, 107-116.	1.4	18
434	GeAsSe chalcogenide slot optical waveguide ring resonator for refractive index sensing. Proceedings of SPIE, 2017, , .	0.8	2

#	ARTICLE	IF	CITATIONS
435	Approaching to Genuine Monochromatic Light Filters Employing A Serially Coupled Triple Ring Resonator System. Journal of Physics: Conference Series, 2017, 787, 012004.	0.3	0
436	Design and Simulation of Compact Optical Modulators and Switches Based on SiO ₂ /Si Horizontal Slot Waveguides. Journal of Lightwave Technology, 2017, 35, 3020-3028.	2.7	31
437	Control of slanting angle, porosity, and anisotropic optical constants of slanted columnar thin films via in situ nucleation layer tailoring. Applied Surface Science, 2017, 421, 766-771.	3.1	3
438	Design and optimization of high-performance slot-microring Si-photodetector based on internal photoemission effect. Optics Communications, 2017, 397, 10-16.	1.0	6
439	Tailoring the Structure of Multilayered Hybrid Silicon Vertical Waveguide to Achieve Anomalous Dispersion. IEEE Photonics Journal, 2017, 9, 1-8.	1.0	1
440	Efficient Cross-talk Reduction of Nanophotonic Circuits Enabled by Fabrication Friendly Periodic Silicon Strip Arrays. Scientific Reports, 2017, 7, 15827.	1.6	18
441	Tailoring Optical Forces Behavior in Nano-optomechanical Devices Immersed in Fluid Media. Scientific Reports, 2017, 7, 14325.	1.6	2
442	Slot-waveguide fibers for ultra-low volume optofluidic sensing. , 2017, , .		0
443	Hollow hybrid plasmonic Mach-Zehnder sensor. Optics Letters, 2017, 42, 807.	1.7	28
444	Subwavelength grating slot (SWGS) waveguide on silicon platform. Optics Express, 2017, 25, 18250.	1.7	39
445	Ultra-compact on-chip slot Bragg grating structure for small electric field detection. Photonics Research, 2017, 5, 212.	3.4	26
446	Compact polarization rotator for silicon-based cross-slot waveguides using subwavelength gratings. Applied Optics, 2017, 56, 4892.	2.1	21
447	Modal properties of a strip-loaded horizontal slot waveguide. Journal of the European Optical Society-Rapid Publications, 2017, 13, .	0.9	11
448	A compact and broadband Y-splitter to interface with slot waveguides. , 2017, , .		0
449	Silicon Slot Waveguide Electro-Optic Kerr Effect Modulator. IEEE Photonics Technology Letters, 2018, 30, 873-876.	1.3	7
450	Matrix method for two-dimensional waveguide mode solution. Journal of Modern Optics, 2018, 65, 914-919.	0.6	1
451	Analytical predictions for nonlinear optical processes in silicon slot waveguides. Journal of Computational Electronics, 2018, 17, 857-865.	1.3	4
452	Transverse electric modes in planar slot waveguides. Journal of Modern Optics, 2018, 65, 111-118.	0.6	5

#	ARTICLE	IF	CITATIONS
453	Silicon on silicon dioxide slot waveguide evanescent field gas absorption sensor. Journal of Modern Optics, 2018, 65, 174-178.	0.6	65
454	Design of compact narrowband optical filter on SOI using asymmetric directional coupler. Journal of Modern Optics, 2018, 65, 456-464.	0.6	1
455	Light confinement in a 90° double high mesa slot bend waveguide. Journal of Physics: Conference Series, 2018, 1096, 012126.	0.3	2
456	All-optical Drifting and Locking of a Microring Resonator Resonance. , 2018, , .		1
457	Design Optimization of Biochemical Sensor Using Multiple Cross-Slot Waveguide. , 2018, , .		0
458	Design of a tapered slot waveguide dielectric laser accelerator for sub-relativistic electrons. Optics Express, 2018, 26, 22801.	1.7	10
459	Silicon nano crystal filled ellipse core based quasi photonic crystal fiber with birefringence and very high nonlinearity. Chinese Journal of Physics, 2018, 56, 2782-2788.	2.0	26
460	Aberrated surface soliton formation in a nonlinear 1D and 2D photonic crystal. PLoS ONE, 2018, 13, e0194632.	1.1	2
461	Low-threshold optical bistability in field-enhanced nonlinear guided-mode resonance grating nanostructure. Optics Letters, 2018, 43, 4156.	1.7	9
462	All-dielectric bowtie waveguide with deep subwavelength mode confinement. Frontiers of Physics, 2018, 13, 1.	2.4	6
463	Design and optimization of a TE-pass polarization filter based on a slotted photonic crystal waveguide. Journal of the Optical Society of America B: Optical Physics, 2018, 35, 1791.	0.9	29
464	Review on Optical Waveguides. , 0, , .		32
465	Adjusting third-order nonlinear properties in silicon triply resonant nanobeam cavities. Journal of the Optical Society of America B: Optical Physics, 2018, 35, 636.	0.9	3
466	Periodic waveguide structures for on-chip modulation and sensing. Japanese Journal of Applied Physics, 2018, 57, 08PA04.	0.8	9
467	A microring conjugate mirror design and simulation for naked-eye 3D imaging application. Microwave and Optical Technology Letters, 2018, 60, 1653-1660.	0.9	0
468	Subwavelength light confinement and enhancement enabled by dissipative dielectric nanostructures. Optics Letters, 2018, 43, 1826.	1.7	2
469	SOI Waveguide-Based Biochemical Sensors. , 2019, , 423-448.		6
470	Introduction to Silicon Photonics. , 2019, , 73-90.		0

#	ARTICLE	IF	CITATIONS
471	Enhancing optical transmission of multilayer composites using interfacial nanostructures. Journal of Applied Physics, 2019, 126, 063101.	1.1	7
472	Feasibility of Cascadable Plasmonic Full Adder. IEEE Photonics Journal, 2019, 11, 1-12.	1.0	8
473	Metal Slot Color Filter Based on Thin Air Slots on Silver Block Array. Nanomaterials, 2019, 9, 912.	1.9	0
474	High- Q Exterior Whispering-Gallery Modes in a Double-Layer Crystalline Microdisk Resonator. Physical Review Letters, 2019, 122, 253902.	2.9	36
475	Hybrid plasmonic waveguide coupling of photons from a single molecule. APL Photonics, 2019, 4, .	3.0	25
476	Morphology of films and nanostructures grown on trenched substrates by Monte Carlo simulations. Thin Solid Films, 2019, 690, 137448.	0.8	1
477	Silicon optical sensor arrays for environmental and health applications. Current Opinion in Environmental Science and Health, 2019, 10, 22-29.	2.1	7
478	Theoretical structural dependence of optical power density in horizontal slot waveguides using Nb2O5. Japanese Journal of Applied Physics, 2019, 58, SJJB01.	0.8	4
479	Improving Upconversion Efficiency Based on Cross-Patterned Upconversion Material Slot Waveguides on a Silicon Layer. Nanomaterials, 2019, 9, 520.	1.9	1
480	Investigation of Hybrid Silicon-Nitride/Polymer Waveguides for Second-Harmonic Generation. IEEE Photonics Journal, 2019, 11, 1-9.	1.0	4
481	Silicon photonic biosensors. IET Optoelectronics, 2019, 13, 48-54.	1.8	11
482	Dispersion analysis of the strip-slot waveguide with the low refractive index strip. Optik, 2019, 185, 199-207.	1.4	1
483	Polarization- and wavelength-agnostic nanophotonic beam splitter. Scientific Reports, 2019, 9, 3604.	1.6	25
484	A T-shaped balanced optical power splitter based on 90° bend asymmetric vertical slot waveguides. Laser Physics, 2019, 29, 046207.	0.6	14
485	Optical Refractive Index Sensors with Plasmonic and Photonic Structures: Promising and Inconvenient Truth. Advanced Optical Materials, 2019, 7, 1801433.	3.6	303
486	Silicon Waveguide Optically Tunable THz Filter. , 2019, , .		0
487	All-dielectric concentration of electromagnetic fields at the nanoscale: the role of photonic nanojets. Nanoscale Advances, 2019, 1, 4615-4643.	2.2	49
488	Lab-on-Chip Silicon Photonic Sensor. , 2019, , 83-102.		1

#	ARTICLE	IF	CITATIONS
489	Segmented multimode to dual port slot couplers as compact optical sensors with improved sensitivity. <i>Journal of Modern Optics</i> , 2019, 66, 590-598.	0.6	2
490	Role of structural anisotropy in geometric birefringence of high-birefringence index-guiding PCFs: analysis by moment of inertia. <i>Optical and Quantum Electronics</i> , 2019, 51, 1.	1.5	1
491	Optimization of a liquid refractive index sensor based on an integrated optic slot-waveguide directional coupler. <i>Optik</i> , 2019, 180, 984-990.	1.4	2
492	Influences of asymmetrical geometric structures on the birefringence of index-guiding photonic crystal fiber. <i>Optik</i> , 2019, 180, 973-983.	1.4	6
493	Low-Cost and Highly Sensitive Liquid Refractive Index Sensor Based on Polymer Horizontal Slot Waveguide. <i>Photonic Sensors</i> , 2020, 10, 7-15.	2.5	18
494	Releasing the light field in subwavelength grating slot microring resonators for athermal and sensing applications. <i>Nanoscale</i> , 2020, 12, 15620-15630.	2.8	13
495	Design of a compact polarization beam splitter for silicon-based cross-slot waveguides. <i>Journal of Modern Optics</i> , 2020, 67, 1277-1284.	0.6	2
496	Ultra-compact and high-performance polarization beam splitter assisted by slotted waveguide subwavelength gratings. <i>Scientific Reports</i> , 2020, 10, 12841.	1.6	6
497	Novel High-Resolution Lateral Dual-Axis Quad-Beam Optical MEMS Accelerometer Using Waveguide Bragg Gratings. <i>Photonics</i> , 2020, 7, 49.	0.9	12
498	Octave-Spanning Dispersive Slot Waveguide Based Chip-Level Ultrashort Pulse Stretcher. <i>IEEE Access</i> , 2020, 8, 172086-172095.	2.6	0
499	Design Rule of Mach-Zehnder Interferometer Sensors for Ultra-High Sensitivity. <i>Sensors</i> , 2020, 20, 2640.	2.1	28
500	Aberrated moving soliton in nonlinear photonic crystal. <i>Journal of Modern Optics</i> , 2020, 67, 405-429.	0.6	0
501	Ultrahigh sensitive gas sensors based on slotted photonic wire-based structures including optical microcavities. <i>European Physical Journal Plus</i> , 2020, 135, 1.	1.2	6
502	Air-Mode Photonic Crystal Micro-Ring Resonator With Enhanced Quality Factor for Refractive Index Sensing. <i>IEEE Photonics Journal</i> , 2020, 12, 1-11.	1.0	6
503	Transverse magnetic modes in hybrid nanoslot waveguides. <i>Results in Physics</i> , 2020, 16, 103017.	2.0	5
504	Structural optimization and parametric analysis of SOI optical slot waveguides. <i>Journal of Computational Electronics</i> , 2020, 19, 825-839.	1.3	4
505	Effects of thin coating on guided mode and sidewall-roughness scattering loss in slot waveguides. <i>Physica Scripta</i> , 2020, 95, 045502.	1.2	1
506	Ultra-high birefringence and nonlinearity photonic crystal fiber with a nanoscale core shaped by an air slot and silicon strips. <i>Optical Fiber Technology</i> , 2020, 54, 102082.	1.4	7

#	ARTICLE	IF	CITATIONS
507	Silicon-organic hybrid photonics: Overview of recent advances, electro-optical effects and CMOS-integration concepts. JPhys Photonics, 0, , .	2.2	8
508	Spatial distribution of the electric field of laser pulses in optical fibers having a gradient profile of the refractive index. Linear case. Journal of Physics: Conference Series, 2021, 1859, 012053.	0.3	0
509	Highly Efficient Airy-Mode Silicon Metasurfaces for Visible Light Operation Embedded in a Protective Silica Layer. Advanced Optical Materials, 2021, 9, 2002209.	3.6	9
510	Specification optimization and sensitivity analysis of Si3N4/SiO2 slot and ridge-slot optical waveguides for integrated-optical biochemical sensors. Journal of Sensor Science and Technology, 2021, 30, 139-147.	0.1	1
511	Highly confined dielectric guiding mode in nanoridges embedded in a conventional slot waveguide. Optics Express, 2021, 29, 16284.	1.7	3
512	10 nm SiO2 TM Slot Mode in Laterally Mismatched Asymmetric Fin-Waveguides. Frontiers in Physics, 2021, 9, .	1.0	0
513	Silicon-on-insulator slot waveguide design for C band optical amplification confinement. Optical Materials Express, 2021, 11, 1989.	1.6	7
514	The Quantum Optics of Asymmetric Mirrors With Coherent Light Absorption. Frontiers in Photonics, 2021, 2, .	1.1	3
515	Nanostructured hybrid plasmonic waveguide in a slot structure for high-performance light transmission. Optics Express, 2021, 29, 29341.	1.7	10
516	A novel strip-slot-strip waveguide with extremely high dispersion and large bandwidth using cascaded resonant coupling. Optics and Laser Technology, 2021, 140, 107091.	2.2	1
517	Single Molecule Analysis with Planar Optofluidics. Integrated Analytical Systems, 2009, , 487-512.	0.4	3
518	Label-Free Biochemical Sensors Based on Optical Microresonators. Integrated Analytical Systems, 2009, , 177-227.	0.4	1
519	Label-Free Optical Ring Resonator Bio/Chemical Sensors. Springer Series on Chemical Sensors and Biosensors, 2010, , 259-279.	0.5	6
520	Loop-mirror-based slot waveguide refractive index sensor. AIP Advances, 2012, 2, 042142.	0.6	4
521	Handbook of Optofluidics. , 0, , .		46
522	Threshold conditions of electric field enhancement and energy confinement in the low-index core of nanoscale waveguides. Applied Optics, 2020, 59, 9415.	0.9	2
523	Single-step 3D-printed integrated optical system and its implementation for a sensing application using digital light processing technology. Applied Optics, 2020, 59, 122.	0.9	10
524	Silicon Slot-Waveguide as NOEMS Photonic Platform. , 2006, , .		7

#	ARTICLE	IF	CITATIONS
525	Magnetic field concentration with coaxial silicon nanocylinders in the optical spectral range. Journal of the Optical Society of America B: Optical Physics, 2017, 34, D36.	0.9	43
526	Low loss slow light propagation in silicon slot waveguide. Optics Express, 2019, 27, 26203.	1.7	6
527	A compact design of a balanced 1 μ m—4 optical power splitter based on silicon on insulator slot waveguides. Computer Optics, 2018, 42, 244-247.	1.3	11
528	Recent Advances in Modelling and Simulation of Silicon Photonic Devices. , 0, , .		2
529	Low loss hybrid plasmon polariton Mach-Zehnder modulators. OSA Continuum, 2021, 4, 2721.	1.8	2
530	Realization of High Mode Confinement in Nanometer Thin Low-Index Media by Multiple Stacked Slot Waveguides. , 2006, , .		0
531	Towards a Low-Q Erbium Doped Silicon Laser. , 2008, , .		0
532	Atomic spectroscopy and quantum interference in on-chip hollow-core waveguides. , 2008, , .		0
533	Slot Waveguides for Achieving 147-nm-wide and ~ 31.3 ps/(m \cdot nm) Dispersion and Near-zero Flattened Dispersion. , 2009, , .		0
534	Tuning giant birefringence in multi-slot silicon optical waveguides. , 2009, , .		0
535	Advantages of Angled Sidewalls in Slot Waveguides. , 2009, , .		0
536	Filling of Slot Waveguides with Versatile Material Systems Using Atomic Layer Deposition. , 2009, , .		1
537	On-Chip, High-Dispersion-Value and Coupled Strip/Slotted Waveguide Structure for Efficient Dispersion Compensation. , 2009, , .		0
538	Towards Athermal Slotted Silicon Microring Resonators with UV-Trimable PMMA Upper-Cladding. , 2009, , .		3
539	Variable Optical Power Splitter Based on Channel Waveguide. , 2009, , .		1
540	Tradeoff between mode confinement, loss, and cross-talk, for dielectric and metal slot waveguides. Photonics Letters of Poland, 2009, 1, .	0.2	1
541	Field perturbations due to strong coupling and modal confinement in SOI arrayed waveguides. , 2010, , .		0
542	Dispersion Tailoring in Dual Slot Waveguide. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
543	Suppression of free carrier absorption in multi-slot silicon light emission devices. , 2010, , .		0
544	Single-Molecule Detection. , 2010, , 13-1-13-39.		0
546	Fluid-Filled Optical Fibers. , 2010, , 15-1-15-34.		1
547	Integrated Optofluidic Waveguides. , 2010, , 16-1-16-28.		1
548	Silicon Photonics Waveguides and Modulators. , 2010, , 15-1-15-45.		0
549	Nanophotonics inside structured optical fibres. , 2011, , .		0
551	Study of photonic crystal fiber with an air core. Wuli Xuebao/Acta Physica Sinica, 2012, 61, 214210.	0.2	1
552	Full-vectorial analysis of the directional couplers in horizontal multiple-slotted silicon wires with trapezoidal cross-section. Wuli Xuebao/Acta Physica Sinica, 2012, 61, 124216.	0.2	2
553	Full-vectorial analysis of the directional couplers in vertical multiple-slotted silicon wires with trapezoidal cross-section. Hongwai Yu Haomibo Xuebao/Journal of Infrared and Millimeter Waves, 2012, 31, 437-440.	0.2	0
554	Design and fabrication of hollow core slow light slot photonic crystal waveguides for nonlinear optics. , 2013, , .		0
555	High-Q Comb Slot Photonic Crystal Cavities in SOI photonics. , 2013, , .		0
556	FDTD Simulation of Three Photon Absorption and Realization of NAND Gate with GaAs Wire Waveguide. Optics and Photonics Journal, 2013, 03, 311-317.	0.3	1
557	Nanophotonic Biosensors Within Lab on Chip Optical Systems. , 2015, , .		0
558	Tunable slow wave waveguides based on graphene. , 2015, , .		0
559	Sub-wavelength confinement in dual capillary assisted chalcogenide core optical fiber for Mid-IR Applications. , 2015, , .		0
560	Chapter 11: Sub-wavelength slot waveguides. Series in Optics and Optoelectronics, 2017, , 235-256.	0.0	0
561	Incident femtosecond pulse chirp influence on nonlinear localization of laser energy in layered photonic crystal. , 2017, , .		0
562	High Q Si Slot Waveguide Ring Resonators for Gas Sensing Application. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
563	Incident femtosecond pulse chirp influence on nonlinear localization of laser energy in 2D photonic crystal. , 2018, , .		0
564	Silicon slot waveguide dispersion analysis and engineering through dynamic excess carrier generation. , 2018, , .		0
565	Photonic potential for TM waves. Optics Letters, 2018, 43, 4949.	1.7	1
566	Numerical design of a high-performance polarization beam splitter assisted by composite subwavelength gratings. Optics Express, 2020, 28, 14908.	1.7	3
567	Surface Enhanced Raman Scattering of Silver Nanoparticles with Slot Waveguide. , 2020, , .		0
568	Proposal for a quantum traveling Brillouin resonator. Optics Express, 2020, 28, 22450.	1.7	6
569	Silicon-Based Photonic Crystals and Nanowires. , 2008, , 149-169.		0
572	Study on Silicon-Based Polarization Converter Using Asymmetric Slot Waveguide. IEICE Transactions on Electronics, 2020, E103.C, 605-608.	0.3	1
573	Study on Analysis and Fabrication Conditions of Horizontal SiO ₂ Slot Waveguides Using Nb ₂ O ₅ . IEICE Transactions on Electronics, 2020, E103.C, 669-678.	0.3	3
575	Computational analysis of the effect of SOI vertical slot optical waveguide specifications on integrated-optic biochemical waveguide wensitivity. Journal of Sensor Science and Technology, 2021, 30, 395-407.	0.1	1
576	Monitoring the loss of mass or the volume recessed into a waveguide by resonant signal principle: Nano-inscribed slots in DUV210 micro-resonators. International Journal of Physical Sciences, 2021, 16, 158-169.	0.1	0
577	Optical Interconnects Finally Seeing the Light in Silicon Photonics: Past the Hype. Nanomaterials, 2022, 12, 485.	1.9	18
578	Planar Lightwave Circuits. , 2022, , 427-684.		0
579	Design of Passive Silicon Photonic Devices. , 2022, , 1-38.		0
580	Analytical prediction for quasi-TE mode in silicon nanowire optical rectangular waveguide. Journal of Computational Electronics, 0, , 1.	1.3	0
581	Simulation of a High-Performance Polarization Beam Splitter Assisted by Two-Dimensional Metamaterials. Nanomaterials, 2022, 12, 1852.	1.9	5
582	O-Band Multimode Interference Coupler Power Combiner Using Slot-Waveguide Structures. Applied Sciences (Switzerland), 2022, 12, 6444.	1.3	7
583	Photonic Nanolaser with Extreme Optical Field Confinement. Physical Review Letters, 2022, 129, .	2.9	8

#	ARTICLE	IF	CITATIONS
584	Anisotropic slot waveguides with bulk transition metal dichalcogenides for crosstalk reduction and high-efficiency mode conversion. Optics Express, 0, , .	1.7	0
585	THz Phase Shifter based on MEMS-actuated Slot Waveguides. , 2022, , .		2
586	Atomic-Void van der Waals Channel Waveguides. Nano Letters, 2022, 22, 6254-6261.	4.5	8
587	Highly sensitive based on a Mach-Zehnder interferometer with double-slot hybrid plasmonic waveguide. Optik, 2022, 270, 169995.	1.4	2
588	Modal properties of dielectric bowtie cavities with deep sub-wavelength confinement. Optics Express, 2022, 30, 40367.	1.7	4
589	Low-Capacitance Ultrathin InGaAs Membrane Photodetector on Si Slot Waveguide Toward Receiverless System. IEEE Transactions on Electron Devices, 2022, 69, 7184-7189.	1.6	2
590	Efficient four-wave mixing wavelength conversion in a hybrid silicon slot and polymer microring resonator. Optics Express, 2022, 30, 45499.	1.7	1
591	Design, Simulation, and Characterization of MEMS-Based Slot Waveguides. IEEE Transactions on Microwave Theory and Techniques, 2023, 71, 3819-3828.	2.9	2
592	Fabrication and characterization of electro-optic polymer/silicon hybrid MZI for interrogating small signals from an ECG. Optics Communications, 2023, 539, 129510.	1.0	1
596	Perspectives of thin-film lithium niobate and electro-optic polymers for high-performance electro-optic modulation. Journal of Materials Chemistry C, 2023, 11, 11107-11122.	2.7	2
599	Approaching Dielectric Silicon Slot Waveguides for THz Frequencies by Simulation From Optical and Electrical Points of View. , 2023, , .		0