

CITATION REPORT

List of articles citing

Validating the independent components of
neuroimaging time series via clustering and visualization

DOI: 10.1016/j.neuroimage.2004.03.027
NeuroImage, 2004, 22, 1214-22.

Source: <https://exaly.com/paper-pdf/37588627/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1028	Model-independent fluxome profiling from 2H and 13C experiments for metabolic variant discrimination. 2004 , 5, R99		29
1027	Automatic prediction of myocardial contractility improvement in stress MRI using shape morphometrics with independent component analysis. 2005 , 19, 321-32		5
1026	Boosted Independent Features for Face Expression Recognition. 2005 , 137-146		1
1025	Genomic signal analysis of HIV variability. 2005 ,		2
1024	Human Figure Segmentation Using Independent Component Analysis. 2005 , 300-307		3
1023	Blind source separation: new tools for extraction of source signals and denoising. 2005 ,		6
1022	Neuronal effects of acute citalopram detected by pharmacMRI. 2005 , 180, 680-6		99
1021	An ICA Approach to Detect Functionally Different Intra-regional Neuronal Signals in MEG Data. 2005 , 1083-1090		2
1020	Independent component analysis of fMRI group studies by self-organizing clustering. <i>NeuroImage</i> , 2005 , 25, 193-205	7.9	274
1019	Functional MRI. 2008 , 1037-1050		
1018	Comparison of Image Segmentation and Registration Based Methods for Analysis of Misaligned Dynamic H152O Cardiac PET Images. 2006 ,		
1017	Cognitive modules utilized for narrative comprehension in children: a functional magnetic resonance imaging study. <i>NeuroImage</i> , 2006 , 29, 254-66	7.9	117
1016	Linear aspects of transformation from interictal epileptic discharges to BOLD fMRI signals in an animal model of occipital epilepsy. <i>NeuroImage</i> , 2006 , 30, 1133-48	7.9	28
1015	Independent component model of the default-mode brain function: Assessing the impact of active thinking. 2006 , 70, 263-9		205
1014	References. 161-184		
1013	Non-Inferential Multi-Subject Study of Functional Connectivity during Visual Stimulation. 2007 , 19, 711-5		
1012	DNA copy number amplification profiling of human neoplasms. 2006 , 25, 7324-32		91

1011	An independent component analysis-based approach on ballistocardiogram artifact removing. 2006 , 24, 393-400	47
1010	Independent component analysis reveals new and biologically significant structures in micro array data. 2006 , 7, 290	60
1009	Functional source separation from magnetoencephalographic signals. 2006 , 27, 925-34	35
1008	Analysis of functional image analysis contest (FIAC) data with brainvoyager QX: From single-subject to cortically aligned group general linear model analysis and self-organizing group independent component analysis. 2006 , 27, 392-401	836
1007	Subspace identification through blind source separation. 2006 , 13, 100-103	3
1006	A feature-selective independent component analysis method for functional MRI. 2007 , 2007, 15635	10
1005	[Functional exploration of the brain by fMRI]. 2007 , 37, 229-37	0
1004	Object identification and lexical/semantic access in children: a functional magnetic resonance imaging study of word-picture matching. 2007 , 28, 1060-74	40
1003	Estimating the number of independent components for functional magnetic resonance imaging data. 2007 , 28, 1251-66	669
1002	Alignment of 3-dimensional cardiac structures in O-15-labeled water PET emission images with mutual information. 2007 , 14, 82-91	4
1001	Dissecting cognitive stages with time-resolved fMRI data: a comparison of fuzzy clustering and independent component analysis. 2007 , 25, 860-8	24
1000	Performance of blind source separation algorithms for fMRI analysis using a group ICA method. 2007 , 25, 684-94	126
999	Assessment of brain interactivity in the motor cortex from the concept of functional connectivity and spectral analysis of fMRI data. 2008 , 98, 101-14	4
998	Enhanced detection of genetic association of hypertensive heart disease by analysis of latent phenotypes. 2008 , 32, 528-38	7
997	Ranking and averaging independent component analysis by reproducibility (RAICAR). 2008 , 29, 711-25	68
996	Partner-matching for the automated identification of reproducible ICA components from fMRI datasets: algorithm and validation. 2008 , 29, 875-93	32
995	Visual target modulation of functional connectivity networks revealed by self-organizing group ICA. 2008 , 29, 1450-61	33
994	Independent component analysis based on marginal density estimation using weighted Parzen windows. 2008 , 21, 914-24	1

993	Independent component analysis on the mismatch negativity in an uninterrupted sound paradigm. 2008 , 174, 301-12		21
992	Independent component model of the default-mode brain function: combining individual-level and population-level analyses in resting-state fMRI. 2008 , 26, 905-13		113
991	Cortical reorganization of language functioning following perinatal left MCA stroke. 2008 , 105, 99-111		80
990	Reprint of "Cortical reorganization of language functioning following perinatal left MCA stroke" [Brain and Language 105 (2008) 99-111]. 2008 , 106, 184-94		16
989	Decomposition of working memory-related scalp ERPs: crossvalidation of fMRI-constrained source analysis and ICA. 2008 , 67, 200-11		19
988	Analyzing consistency of independent components: an fMRI illustration. <i>NeuroImage</i> , 2008 , 39, 169-80	7.9	45
987	Automatic independent component labeling for artifact removal in fMRI. <i>NeuroImage</i> , 2008 , 39, 1227-45	7.9	184
986	Measuring directional coupling between EEG sources. <i>NeuroImage</i> , 2008 , 43, 497-508	7.9	99
985	BSS and ICA in neuroinformatics: from current practices to open challenges. 2008 , 1, 50-61		54
984	Extraction of the Mismatch Negativity on Two Paradigms Using Independent Component Analysis. 2008 ,		2
983	A Robust ICA-Based Adaptive Filter Algorithm for System Identification. 2008 , 55, 1259-1263		10
982	The Statistical Analysis of Functional MRI Data. 2008 ,		2
981	Causal modelling combining instantaneous and lagged effects. 2008 ,		29
980	ERP qualification exploiting waveform, spectral and time-frequency infomax. 2008 ,		2
979	Contribution of exploratory methods to the investigation of extended large-scale brain networks in functional MRI: methodologies, results, and challenges. 2008 , 2008, 2185-19		25
978	A review of independent component analysis application to microarray gene expression data. 2008 , 45, 501-20		78
977	Independent Component Analysis. 2009 , 39-56		1
976	Enhance fMRI Data Analysis by RAICAR. 2009 ,		2

975	EEG source extraction by autoregressive source separation reveals abnormal synchronization in Parkinson's disease. 2009 , 2009, 1868-72	2
974	Non-negative matrix factorization Vs. FastICA on mismatch negativity of children. 2009 ,	5
973	Automated detection of regional wall motion abnormalities based on a statistical model applied to multislice short-axis cardiac MR images. 2009 , 28, 595-607	66
972	Large-scale neural model validation of partial correlation analysis for effective connectivity investigation in functional MRI. 2009 , 30, 941-50	54
971	Independent component analysis as a model-free approach for the detection of BOLD changes related to epileptic spikes: a simulation study. 2009 , 30, 2021-31	29
970	Dysregulation of working memory and default-mode networks in schizophrenia using independent component analysis, an fBIRN and MCIC study. 2009 , 30, 3795-811	202
969	Functional segmentation of the brain cortex using high model order group PICA. 2009 , 30, 3865-86	280
968	Functional integrity of thalamocortical circuits differentiates normal aging from mild cognitive impairment. 2009 , 30, 3944-57	37
967	Unbiased group-level statistical assessment of independent component maps by means of automated retrospective matching. 2010 , 31, 727-42	10
966	The effect of model order selection in group PICA. 2010 , 31, 1207-16	251
965	On the application of (topographic) independent and tree-dependent component analysis for the examination of DCE-MRI data. 2009 , 4, 247-253	7
964	Extraction of the mismatch negativity elicited by sound duration decrements: A comparison of three procedures. 2009 , 68, 1411-1426	9
963	Independent component analysis of Alzheimer's DNA microarray gene expression data. 2009 , 4, 5	52
962	Improvement of spectral density-based activation detection of event-related fMRI data. 2009 , 27, 879-94	6
961	Entropy embedding and fluctuation analysis in genomic manifolds. 2009 , 14, 2602-2618	3
960	Objective selection of EEG late potentials through residual dependence estimation of independent components. 2009 , 30, 779-94	11
959	Study DNA Microarray Gene Expression Data of Alzheimer's Disease by Independent Component Analysis. 2009 ,	
958	Changes of resting state brain networks in amyotrophic lateral sclerosis. 2009 , 217, 147-53	165

957	Independent Component Analysis. 2009 , 227-248		2
956	Identifying reliable independent components via split-half comparisons. <i>NeuroImage</i> , 2009 , 45, 1199-2117.9		133
955	Spatial and temporal reproducibility-based ranking of the independent components of BOLD fMRI data. <i>NeuroImage</i> , 2009 , 46, 1041-54	7.9	16
954	Increased synchronization and decreased neural complexity underlie thalamocortical oscillatory dynamics in mild cognitive impairment. <i>NeuroImage</i> , 2009 , 46, 938-48	7.9	42
953	Blind source separation of fMRI data by means of factor analytic transformations. <i>NeuroImage</i> , 2009 , 47, 77-87	7.9	10
952	Resting state networks in human cervical spinal cord observed with fMRI. 2010 , 108, 265-71		27
951	Group ICA of resting-state data: a comparison. 2010 , 23, 317-25		34
950	Resting developments: a review of fMRI post-processing methodologies for spontaneous brain activity. 2010 , 23, 289-307		174
949	Identification of imaging biomarkers in schizophrenia: a coefficient-constrained independent component analysis of the mind multi-site schizophrenia study. 2010 , 8, 213-29		38
948	Extracting functional components of neural dynamics with Independent Component Analysis and inverse Current Source Density. 2010 , 29, 459-73		25
947	ICA based automatic segmentation of dynamic H(2)(15)O cardiac PET images. 2010 , 14, 795-802		11
946	Independent component analysis: mining microarray data for fundamental human gene expression modules. 2010 , 43, 932-44		72
945	Correction of low-frequency physiological noise from the resting state BOLD fMRI--Effect on ICA default mode analysis at 1.5 T. 2010 , 186, 179-85		26
944	The non-separability of physiologic noise in functional connectivity MRI with spatial ICA at 3T. 2010 , 191, 263-76		27
943	Default-mode network dysfunction and cognitive impairment in progressive MS. 2010 , 74, 1252-9		251
942	Advances and pitfalls in the analysis and interpretation of resting-state FMRI data. 2010 , 4, 8		624
941	Single-trial based independent component analysis on mismatch negativity in children. 2010 , 20, 279-92		28
940	Waveform analysis of non-oscillatory independent components in single-trial auditory event-related activity in healthy subjects and Alzheimer's disease patients. 2010 , 7, 334-47		5

939	Hybrid ICA-Seed-Based Methods for fMRI Functional Connectivity Assessment: A Feasibility Study. 2010 , 2010,		20
938	Treatment with olanzapine is associated with modulation of the default mode network in patients with Schizophrenia. 2010 , 35, 904-12		153
937	A group model for stable multi-subject ICA on fMRI datasets. <i>NeuroImage</i> , 2010 , 51, 288-99	7.9	107
936	Multi-level bootstrap analysis of stable clusters in resting-state fMRI. <i>NeuroImage</i> , 2010 , 51, 1126-39	7.9	237
935	Subject order-independent group ICA (SOI-GICA) for functional MRI data analysis. <i>NeuroImage</i> , 2010 , 51, 1414-24	7.9	47
934	Subcortical functional connectivity and verbal episodic memory in healthy elderly--a resting state fMRI study. <i>NeuroImage</i> , 2010 , 52, 379-88	7.9	100
933	Reactivity of hemodynamic responses and functional connectivity to different states of alpha synchrony: a concurrent EEG-fMRI study. <i>NeuroImage</i> , 2010 , 52, 1252-60	7.9	95
932	Overview of source separation applications. 2010 , 639-681		3
931	Independent component analysis reveals dynamic ictal BOLD responses in EEG-fMRI data from focal epilepsy patients. <i>NeuroImage</i> , 2010 , 49, 366-78	7.9	57
930	Independent component analysis of short-time Fourier transforms for spontaneous EEG/MEG analysis. <i>NeuroImage</i> , 2010 , 49, 257-71	7.9	116
929	Reliable intrinsic connectivity networks: test-retest evaluation using ICA and dual regression approach. <i>NeuroImage</i> , 2010 , 49, 2163-77	7.9	593
928	Modulation by EEG features of BOLD responses to interictal epileptiform discharges. <i>NeuroImage</i> , 2010 , 50, 15-26	7.9	29
927	A group independent component analysis of covert verb generation in children: a functional magnetic resonance imaging study. <i>NeuroImage</i> , 2010 , 51, 472-87	7.9	47
926	Data model conversion for independent component analysis to extract brain signals. 2011 ,		
925	Independent component analysis of fMRI data: Detection of the working memory network. 2011 ,		
924	Determining the number of sources in high-density EEG recordings of event-related potentials by model order selection. 2011 ,		2
923	Impact of Mindfulness-Based Stress Reduction training on intrinsic brain connectivity. <i>NeuroImage</i> , 2011 , 56, 290-8	7.9	212
922	Resting-state networks in the macaque at 7 T. <i>NeuroImage</i> , 2011 , 56, 1546-55	7.9	95

921	Multimodal imaging of functional networks and event-related potentials in performance monitoring. <i>NeuroImage</i> , 2011 , 56, 1588-97	7.9	71
920	Testing the ICA mixing matrix based on inter-subject or inter-session consistency. <i>NeuroImage</i> , 2011 , 58, 122-36	7.9	32
919	Effects of repeatability measures on results of fMRI sICA: a study on simulated and real resting-state effects. <i>NeuroImage</i> , 2011 , 56, 554-69	7.9	23
918	Decoding fMRI brain states in real-time. <i>NeuroImage</i> , 2011 , 56, 440-54	7.9	122
917	Semantic association investigated with functional MRI and independent component analysis. 2011 , 20, 613-22		56
916	The effects of left or right hemispheric epilepsy on language networks investigated with semantic decision fMRI task and independent component analysis. 2011 , 20, 623-32		28
915	A baseline for the multivariate comparison of resting-state networks. 2011 , 5, 2		895
914	A linear structural equation model for covert verb generation based on independent component analysis of fMRI data from children and adolescents. 2011 , 5, 29		21
913	Group-ICA Model Order Highlights Patterns of Functional Brain Connectivity. 2011 , 5, 37		86
912	Components of cross-frequency modulation in health and disease. 2011 , 5, 59		55
911	Assessing the influence of different ROI selection strategies on functional connectivity analyses of fMRI data acquired during steady-state conditions. 2011 , 6, e14788		48
910	Extra-visual functional and structural connection abnormalities in Leber's hereditary optic neuropathy. 2011 , 6, e17081		16
909	A simple and objective method for reproducible resting state network (RSN) detection in fMRI. 2011 , 6, e27594		14
908	Extracting functional networks with spatial independent component analysis: the role of dimensionality, reliability and aggregation scheme. 2011 , 24, 378-85		25
907	A spectral graphical model approach for learning brain connectivity network of children's narrative comprehension. 2011 , 1, 389-400		5
906	Applying independent component analysis to detect silent speech in magnetic resonance imaging signals. 2011 , 34, 1189-99		3
905	An independent component analysis of fMRI data of grapheme-colour synaesthesia. 2011 , 5, 203-13		15
904	Dimension reduction: additional benefit of an optimal filter for independent component analysis to extract event-related potentials. 2011 , 201, 269-80		23

903	Independent component analysis for auditory evoked potentials and cochlear implant artifact estimation. 2011 , 58, 348-54	14
902	Independent complexity patterns in single neuron activity induced by static magnetic field. 2011 , 104, 212-8	10
901	Investigating the enhancement of template-free activation detection of event-related fMRI data using wavelet shrinkage and figures of merit. 2011 , 51, 187-98	5
900	Can back-projection fully resolve polarity indeterminacy of independent component analysis in study of event-related potential?. 2011 , 6, 422-426	12
899	Resting-state brain networks: literature review and clinical applications. 2011 , 32, 773-85	343
898	Investigating human audio-visual object perception with a combination of hypothesis-generating and hypothesis-testing fMRI analysis tools. 2011 , 213, 309-20	8
897	Answering six questions in extracting children's mismatch negativity through combining wavelet decomposition and independent component analysis. 2011 , 5, 343-59	18
896	Can resting-state functional MRI serve as a complement to task-based mapping of sensorimotor function? A test-retest reliability study in healthy volunteers. 2011 , 34, 511-7	32
895	Detection and characterization of single-trial fMRI bold responses: paradigm free mapping. 2011 , 32, 1400-18	29
894	Comparison of multi-subject ICA methods for analysis of fMRI data. 2011 , 32, 2075-95	483
893	Large Sample Group Independent Component Analysis of Functional Magnetic Resonance Imaging Using Anatomical Atlas-Based Reduction and Bootstrapped Clustering. 2011 , 21, 223-231	8
892	EEGIFT: group independent component analysis for event-related EEG data. 2011 , 2011, 129365	64
891	Automatic identification of functional clusters in FMRI data using spatial dependence. 2011 , 58, 3406-17	85
890	Segregation of frontoparietal and cerebellar components within saccade and vergence networks using hierarchical independent component analysis of fMRI. 2011 , 28, 247-61	16
889	Directional connectivity of resting state human fMRI data using cascaded ICA-PDC analysis. 2011 , 52, 1037-42	9
888	Posterior medial frontal cortex activity predicts post-error adaptations in task-related visual and motor areas. 2011 , 31, 1780-9	186
887	Neural correlates of trial-to-trial fluctuations in response caution. 2011 , 31, 17488-95	129
886	Blind Signal Processing. 2011 ,	6

885	Source Contribution Evaluation of Mechanical Vibration Signals via Enhanced Independent Component Analysis. 2012 , 134,		21
884	A closed-loop system for artifact mitigation in ambulatory electrocardiogram monitoring. 2012 ,		0
883	Intrinsic network connectivity reflects consistency of synesthetic experiences. 2012 , 32, 7614-21		50
882	Altered resting state connectivity of the default mode network in alexithymia. 2012 , 7, 660-6		39
881	Alterations in default mode network connectivity during pain processing in borderline personality disorder. 2012 , 69, 993-1002		63
880	Data-driven functional clustering reveals dominance of face, place, and body selectivity in the ventral visual pathway. 2012 , 108, 2306-22		17
879	. 2012 , 100, 1567-1584		88
878	Recovery of the default mode network after demanding neurofeedback training occurs in spatio-temporally segregated subnetworks. <i>NeuroImage</i> , 2012 , 63, 1775-81	7.9	22
877	Default-mode network changes in preclinical Huntington's disease. 2012 , 237, 191-8		52
876	ErpICASSO: a tool for reliability estimates of independent components in EEG event-related analysis. 2012 , 2012, 368-71		20
875	Feature-based approach to fuse fMRI and DTI in epilepsy using joint independent component analysis. 2012 ,		
874	Selection of independent components based on cortical mapping of electromagnetic activity. 2012 , 9, 056006		3
873	Bayesian independent component analysis recovers pathway signatures from blood metabolomics data. 2012 , 11, 4120-31		18
872	Independent component analysis based source number estimation and its comparison for mechanical systems. 2012 , 331, 5153-5167		39
871	Independent Principal Component Analysis for biologically meaningful dimension reduction of large biological data sets. 2012 , 13, 24		74
870	A Generalized Multivariate Autoregressive (GmAR)-Based Approach for EEG Source Connectivity Analysis. 2012 , 60, 453-465		16
869	Differences in resting-state functional magnetic resonance imaging functional network connectivity between schizophrenia and psychotic bipolar probands and their unaffected first-degree relatives. 2012 , 71, 881-9		204
868	Modulation of large-scale brain networks by transcranial direct current stimulation evidenced by resting-state functional MRI. 2012 , 5, 252-263		204

867	Removal of interference from fetal MEG by frequency dependent subtraction. <i>NeuroImage</i> , 2012 , 59, 2475-84	7.9	12
866	Capturing inter-subject variability with group independent component analysis of fMRI data: a simulation study. <i>NeuroImage</i> , 2012 , 59, 4141-59	7.9	155
865	The "why" and "how" of JointICA: results from a visual detection task. <i>NeuroImage</i> , 2012 , 60, 1171-85	7.9	39
864	A K-means multivariate approach for clustering independent components from magnetoencephalographic data. <i>NeuroImage</i> , 2012 , 62, 1912-23	7.9	19
863	Generalized RAICAR: discover homogeneous subject (sub)groups by reproducibility of their intrinsic connectivity networks. <i>NeuroImage</i> , 2012 , 63, 403-14	7.9	33
862	Let's face it, from trial to trial: comparing procedures for N170 single-trial estimation. <i>NeuroImage</i> , 2012 , 63, 1196-202	7.9	36
861	Data-driven analysis of analogous brain networks in monkeys and humans during natural vision. <i>NeuroImage</i> , 2012 , 63, 1107-18	7.9	24
860	Iterative approach of dual regression with a sparse prior enhances the performance of independent component analysis for group functional magnetic resonance imaging (fMRI) data. <i>NeuroImage</i> , 2012 , 63, 1864-89	7.9	18
859	Abnormal connectivity between attentional, language and auditory networks in schizophrenia. 2012 , 135, 15-22		37
858	Independent component analysis of localized resting-state functional magnetic resonance imaging reveals specific motor subnetworks. 2012 , 2, 218-24		13
857	Advances in Neural Networks – ISNN 2012. 2012 ,		1
856	Non-stationarity in the "resting brain's" modular architecture. 2012 , 7, e39731		293
855	Functional subdivision of group-ICA results of fMRI data collected during cinema viewing. 2012 , 7, e42000		21
854	Reduced connectivity in the self-processing network of schizophrenia patients with poor insight. 2012 , 7, e42707		41
853	Age-related changes in task related functional network connectivity. 2012 , 7, e44421		34
852	BICAR: a new algorithm for multiresolution spatiotemporal data fusion. 2012 , 7, e50268		5
851	Task-related, low-frequency task-residual, and resting state activity in the default mode network brain regions. 2012 , 3, 172		27
850	Patients with Schizophrenia Fail to Up-Regulate Task-Positive and Down-Regulate Task-Negative Brain Networks: An fMRI Study Using an ICA Analysis Approach. 2012 , 6, 149		34

849	Fully exploratory network independent component analysis of the 1000 functional connectomes database. 2012 , 6, 301	46
848	Independent Component Analysis in ECG Signal Processing. 2012 ,	2
847	Mind over chatter: plastic up-regulation of the fMRI alertness network by EEG neurofeedback. 2012 ,	0
846	BMICA - Independent Component Analysis Based on B-Spline Mutual Information Estimator. 2012 , 3, 33-52	3
845	Dissimilarity Measures for ICA-Based Source Number Estimation. 2012 ,	
844	Independent component analysis of DTI reveals multivariate microstructural correlations of white matter in the human brain. 2012 , 33, 1431-51	28
843	Brain functional connectivity of male patients in remission after the first episode of schizophrenia. 2013 , 34, 726-37	17
842	Order Selection of the Linear Mixing Model for Complex-valued FMRI Data. 2012 , 67, 117-128	3
841	A novel group ICA approach based on multi-scale individual component clustering. Application to a large sample of fMRI data. 2012 , 10, 269-85	10
840	Method for eliminating mode mixing of empirical mode decomposition based on the revised blind source separation. 2012 , 92, 248-258	66
839	Consistency and asymptotic normality of FastICA and bootstrap FastICA. 2012 , 92, 1767-1778	7
838	Functional networks for cognitive control in a stop signal task: independent component analysis. 2012 , 33, 89-104	159
837	The organization of intrinsic brain activity differs between genders: a resting-state fMRI study in a large cohort of young healthy subjects. 2013 , 34, 1330-43	111
836	Functional parcellation of the inferior frontal and midcingulate cortices in a flanker-stop-change paradigm. 2013 , 34, 1501-14	14
835	Functional network connectivity during rest and task conditions: a comparative study. 2013 , 34, 2959-71	81
834	MRI predicts efficacy of constraint-induced movement therapy in children with brain injury. 2013 , 10, 511-9	18
833	Toward a neurometric foundation for probabilistic independent component analysis of fMRI data. 2013 , 13, 641-59	26
832	Age-related changes in resting-state and task-activated functional MRI networks. 2013 ,	2

831	Extracting intrinsic functional networks with feature-based group independent component analysis. 2013 , 78, 243-59		29
830	The functional and structural neural basis of individual differences in loss aversion. 2013 , 33, 14307-17		117
829	Mapping brain activity using event-related independent components analysis (eICA): specific advantages for EEG-fMRI. <i>NeuroImage</i> , 2013 , 70, 164-74	7.9	33
828	Dimensional change card sort performance associated with age-related differences in functional connectivity of lateral prefrontal cortex. 2013 , 5, 40-50		42
827	Independent component analysis: recent advances. 2013 , 371, 20110534		140
826	Task-related concurrent but opposite modulations of overlapping functional networks as revealed by spatial ICA. <i>NeuroImage</i> , 2013 , 79, 62-71	7.9	58
825	Abstracts of Presentations at the International Conference on Basic and Clinical Multimodal Imaging (BaCI), a Joint Conference of the International Society for Neuroimaging in Psychiatry (ISNIP), the International Society for Functional Source Imaging (ISFSI), the International Society for Bioelectromagnetism (ISBEM), the International Society for Brain Electromagnetic Topography		4
824	Task-dependent signal variations in EEG error-related potentials for brain-computer interfaces. 2013 , 10, 026024		38
823	Changes in intrinsic functional brain networks following blast-induced mild traumatic brain injury. 2013 , 27, 1304-10		62
822	Divergent brain network connectivity in amyotrophic lateral sclerosis. 2013 , 34, 419-27		116
821	Group information guided ICA for fMRI data analysis. <i>NeuroImage</i> , 2013 , 69, 157-97	7.9	179
820	Normal brain activation in schizophrenia patients during associative emotional learning. 2013 , 214, 269-76		8
819	Noninvasive diagnosis of melanoma with tensor decomposition-based feature extraction from clinical color image. 2013 , 8, 755-763		8
818	Is aberrant functional connectivity a psychosis endophenotype? A resting state functional magnetic resonance imaging study. 2013 , 74, 458-66		166
817	Groupwise spatial normalization of fMRI data based on multi-range functional connectivity patterns. <i>NeuroImage</i> , 2013 , 82, 355-72	7.9	17
816	Reproducible paired sources from concurrent EEG-fMRI data using BICAR. 2013 , 219, 205-19		3
815	Neurometrics of intrinsic connectivity networks at rest using fMRI: retest reliability and cross-validation using a meta-level method. <i>NeuroImage</i> , 2013 , 76, 236-51	7.9	49
814	Changes in resting connectivity with age: a simultaneous electroencephalogram and functional magnetic resonance imaging investigation. 2013 , 34, 2194-207		38

813	Functional network connectivity in the behavioral variant of frontotemporal dementia. 2013 , 49, 2389-401	149
812	Cocaine addiction related reproducible brain regions of abnormal default-mode network functional connectivity: a group ICA study with different model orders. 2013 , 548, 110-4	28
811	Improved estimation of the number of independent components for functional magnetic resonance data by a whitening filter. 2013 , 17, 629-41	10
810	Validating the performance of one-time decomposition for fMRI analysis using ICA with automatic target generation process. 2013 , 31, 970-5	9
809	Spontaneous brain activity predicts learning ability of foreign sounds. 2013 , 33, 9295-305	70
808	Abnormal network connectivity in frontotemporal dementia: evidence for prefrontal isolation. 2013 , 49, 1856-73	134
807	Current Trends in ERP Analysis Using EEG and EEG/fMRI Synergistic Methods. 2013 , 323-350	2
806	. 2013 , 15, 1060-1069	39
805	Selecting the best number of synergies in gait: preliminary results on young and elderly people. 2013 , 2013, 6650416	9
804	Semi-blind independent component analysis of functional MRI elicited by continuous listening to music. 2013 ,	2
803	Impact of analysis methods on the reproducibility and reliability of resting-state networks. 2013 , 3, 363-74	35
802	Extraction of mismatch negativity using a resampling-based spatial filtering method. 2013 , 10, 026015	5
801	Functional network connectivity underlying food processing: disturbed salience and visual processing in overweight and obese adults. 2013 , 23, 1247-56	82
800	Simultaneous electroencephalographic and functional magnetic resonance imaging indicate impaired cortical top-down processing in association with anesthetic-induced unconsciousness. 2013 , 119, 1031-42	123
799	Classification of schizophrenia patients based on resting-state functional network connectivity. 2013 , 7, 133	117
798	Testing independent component patterns by inter-subject or inter-session consistency. 2013 , 7, 94	11
797	Spatiotemporal Segregation of Neural Response to Auditory Stimulation: An fMRI Study Using Independent Component Analysis and Frequency-Domain Analysis. 2013 , 8, e66424	4
796	The Use of a priori Information in ICA-Based Techniques for Real-Time fMRI: An Evaluation of Static/Dynamic and Spatial/Temporal Characteristics. 2013 , 7, 64	11

795	Dysregulated but not decreased salience network activity in schizophrenia. 2013 , 7, 65	20
794	BOLD Frequency Power Indexes Working Memory Performance. 2013 , 7, 207	23
793	Extensive neurological recovery from a complete spinal cord injury: a case report and hypothesis on the role of cortical plasticity. 2013 , 7, 290	36
792	An automated method for identifying artifact in independent component analysis of resting-state fMRI. 2013 , 7, 343	40
791	Emotional modulation of experimental pain: a source imaging study of laser evoked potentials. 2013 , 7, 552	21
790	Event-related potentials to unattended changes in facial expressions: detection of regularity violations or encoding of emotions?. 2013 , 7, 557	35
789	Shifted intrinsic connectivity of central executive and salience network in borderline personality disorder. 2013 , 7, 727	46
788	Resting state fMRI reveals a default mode dissociation between retrosplenial and medial prefrontal subnetworks in ASD despite motion scrubbing. 2013 , 7, 802	60
787	Plasticity of resting state brain networks in recovery from stress. 2013 , 7, 919	22
786	ICA model order selection of task co-activation networks. 2013 , 7, 237	95
785	Opposite modulation of brain functional networks implicated at low vs. high demand of attention and working memory. 2014 , 9, e87078	20
784	Stimulus-response mappings shape inhibition processes: a combined EEG-fMRI study of contextual stopping. 2014 , 9, e96159	26
783	Ongoing activity in temporally coherent networks predicts intra-subject fluctuation of response time to sporadic executive control demands. 2014 , 9, e99166	4
782	A model for visual memory encoding. 2014 , 9, e107761	13
781	Dynamic connectivity states estimated from resting fMRI Identify differences among Schizophrenia, bipolar disorder, and healthy control subjects. 2014 , 8, 897	271
780	De-noising with a SOCK can improve the performance of event-related ICA. 2014 , 8, 285	1
779	Detection of abnormal resting-state networks in individual patients suffering from focal epilepsy: an initial step toward individual connectivity assessment. 2014 , 8, 419	24
778	Lingam: Non-Gaussian Methods for Estimating Causal Structures. 2014 , 41, 65-98	35

777	Detection of driving fatigue by using noncontact EMG and ECG signals measurement system. 2014 , 24, 1450006	73
776	Brain functional networks extraction based on fMRI artifact removal: Single subject and group approaches. 2014 , 2014, 1026-9	4
775	Exploring difference and overlap between schizophrenia, schizoaffective and bipolar disorders using resting-state brain functional networks. 2014 , 2014, 1517-20	17
774	The link between resting-state functional connectivity and cognition in MS patients. 2014 , 20, 338-48	56
773	Comparison of functional network connectivity for passive-listening and active-response narrative comprehension in adolescents. 2014 , 4, 273-85	7
772	How to validate similarity in linear transform models of event-related potentials between experimental conditions?. 2014 , 236, 76-85	1
771	Independent component analysis uncovers the landscape of the bladder tumor transcriptome and reveals insights into luminal and basal subtypes. 2014 , 9, 1235-45	131
770	Age-related sensitivity to task-related modulation of language-processing networks. 2014 , 63, 107-15	40
769	Specific resting-state brain networks in mesial temporal lobe epilepsy. 2014 , 5, 127	20
768	Independent component analysis of instantaneous power-based fMRI. 2014 , 2014, 579652	3
767	A Comprehensive Study of Vibration Signals for a Thin Shell Structure Using Enhanced Independent Component Analysis and Experimental Validation. 2014 , 136,	10
766	Intranetwork and internetwork functional connectivity abnormalities in pediatric multiple sclerosis. 2014 , 35, 4180-92	34
765	Visual system integrity and cognition in early Huntington's disease. 2014 , 40, 2417-26	31
764	Networks involved in olfaction and their dynamics using independent component analysis and unified structural equation modeling. 2014 , 35, 2055-72	34
763	Modality-spanning deficits in attention-deficit/hyperactivity disorder in functional networks, gray matter, and white matter. 2014 , 34, 16555-66	59
762	Brain connectivity abnormalities extend beyond the sensorimotor network in peripheral neuropathy. 2014 , 35, 513-26	10
761	Altered connectivity within the salience network during direct eye gaze in PTSD. 2014 , 1, 17	15
760	Early adverse life events and resting state neural networks in patients with chronic abdominal pain: evidence for sex differences. 2014 , 76, 404-12	47

759	Abnormal resting-state connectivity of motor and cognitive networks in early manifest Huntington's disease. 2014 , 44, 3341-56		35
758	Evaluation of spatio-temporal decomposition techniques for group analysis of fMRI resting state data sets. <i>NeuroImage</i> , 2014 , 87, 363-82	7.9	10
757	Dysconnectivity of neurocognitive networks at rest in very-preterm born adults. 2014 , 4, 352-65		63
756	Functional connectivity in the developing brain: a longitudinal study from 4 to 9 months of age. <i>NeuroImage</i> , 2014 , 84, 169-80	7.9	65
755	Altered default mode and fronto-parietal network subsystems in patients with schizophrenia and their unaffected siblings. 2014 , 1562, 87-99		50
754	High-order interactions observed in multi-task intrinsic networks are dominant indicators of aberrant brain function in schizophrenia. <i>NeuroImage</i> , 2014 , 102 Pt 1, 35-48	7.9	15
753	Source-based morphometry of gray matter volume in patients with schizophrenia who have persistent auditory verbal hallucinations. 2014 , 50, 102-9		51
752	The dynamics of contour integration: A simultaneous EEG-fMRI study. <i>NeuroImage</i> , 2014 , 88, 10-21	7.9	26
751	Oral contraceptive pill use and menstrual cycle phase are associated with altered resting state functional connectivity. <i>NeuroImage</i> , 2014 , 90, 24-32	7.9	130
750	A statistically motivated framework for simulation of stochastic data fusion models applied to multimodal neuroimaging. <i>NeuroImage</i> , 2014 , 102 Pt 1, 92-117	7.9	21
749	Source-based morphometry reveals distinct patterns of aberrant brain volume in delusional infestation. 2014 , 48, 112-6		24
748	Plastic modulation of PTSD resting-state networks and subjective wellbeing by EEG neurofeedback. 2014 , 130, 123-36		107
747	RELICA: a method for estimating the reliability of independent components. <i>NeuroImage</i> , 2014 , 103, 391-400	7.9	56
746	An evaluation of independent component analyses with an application to resting-state fMRI. 2014 , 70, 224-36		18
745	Graph analysis of functional brain networks: practical issues in translational neuroscience. 2014 , 369,		220
744	Common and unique neural networks for proactive and reactive response inhibition revealed by independent component analysis of functional MRI data. <i>NeuroImage</i> , 2014 , 103, 65-74	7.9	80
743	Ocular and cardiac artifact rejection for real-time analysis in MEG. 2014 , 233, 105-14		17
742	Dynamic changes in network activations characterize early learning of a natural language. 2014 , 62, 77-86		9

741	Longitudinal task-negative network analyses in preclinical Huntington's disease. 2014 , 264, 493-505		11
740	Functional connectivity during cognitive control in children with autism spectrum disorder: an independent component analysis. 2014 , 121, 1145-55		24
739	Brain responses to emotional stimuli during breath holding and hypoxia: an approach based on the independent component analysis. 2014 , 27, 771-85		21
738	Functional and effective connectivity of stopping. <i>NeuroImage</i> , 2014 , 94, 120-128	7.9	26
737	Kurtosis-Based Constrained Independent Component Analysis and Its Application on Source Contribution Quantitative Estimation. 2014 , 63, 1842-1854		11
736	Thalamus and posterior temporal lobe show greater inter-network connectivity at rest and across sensory paradigms in schizophrenia. <i>NeuroImage</i> , 2014 , 97, 117-26	7.9	98
735	Key issues in decomposing fMRI during naturalistic and continuous music experience with independent component analysis. 2014 , 223, 74-84		23
734	Spatial variability of functional brain networks in early-blind and sighted subjects. <i>NeuroImage</i> , 2014 , 95, 208-16	7.9	9
733	Developmental differences in higher-order resting-state networks in Autism Spectrum Disorder. 2014 , 4, 820-7		34
732	Dynamic changes of spatial functional network connectivity in healthy individuals and schizophrenia patients using independent vector analysis. <i>NeuroImage</i> , 2014 , 90, 196-206	7.9	132
731	Working memory networks and activation patterns in schizophrenia and bipolar disorder: comparison with healthy controls. 2014 , 204, 290-8		52
730	Fine-grained mapping of mouse brain functional connectivity with resting-state fMRI. <i>NeuroImage</i> , 2014 , 96, 203-15	7.9	54
729	Cortical surface alignment in multi-subject spatiotemporal independent EEG source imaging. <i>NeuroImage</i> , 2014 , 87, 297-310	7.9	17
728	Defining language networks from resting-state fMRI for surgical planning--a feasibility study. 2014 , 35, 1018-30		140
727	Mutual information spectrum for selection of event-related spatial components. Application to eloquent motor cortex mapping. 2013 , 7, 53		3
726	Isoflurane induces dose-dependent alterations in the cortical connectivity profiles and dynamic properties of the brain's functional architecture. 2014 , 35, 5754-75		92
725	Using Normalised Compression Distance to Identify Different Profiling Days in Type 1 Diabetic Patients. 2015 , 48, 383-388		
724	A simple iterative independent component analysis algorithm for vibration source signal identification of complex structures. 2015 , 7, 128-141		2

723	Rapidly acquired multisensory association in the olfactory cortex. 2015 , 5, e00390	16
722	A novel fMRI group data analysis method based on data-driven reference extracting from group subjects. 2015 , 122, 362-71	24
721	MICA. 2015 ,	
720	How bilingualism shapes the functional architecture of the brain: A study on executive control in early bilinguals and monolinguals. 2015 , 36, 5101-12	23
719	Distinct intrinsic network connectivity patterns of post-traumatic stress disorder symptom clusters. 2015 , 132, 29-38	87
718	Connectivity-based whole brain dual parcellation by group ICA reveals tract structures and decreased connectivity in schizophrenia. 2015 , 36, 4681-701	21
717	Differential functional brain network connectivity during visceral interoception as revealed by independent component analysis of fMRI TIME-series. 2015 , 36, 4438-68	39
716	Independent component analysis of functional networks for response inhibition: Inter-subject variation in stop signal reaction time. 2015 , 36, 3289-302	32
715	Genome-wide significant linkage of schizophrenia-related neuroanatomical trait to 12q24. 2015 , 168, 678-86	8
714	Distribution of independent components of binocular natural images. 2015 , 15, 6	13
713	An introductory review of parallel independent component analysis (p-ICA) and a guide to applying p-ICA to genetic data and imaging phenotypes to identify disease-associated biological pathways and systems in common complex disorders. 2015 , 6, 276	60
712	Age-Related Changes in Inter-Network Connectivity by Component Analysis. 2015 , 7, 237	12
711	Mindfulness is associated with intrinsic functional connectivity between default mode and salience networks. 2015 , 9, 461	62
710	Enhanced disease characterization through multi network functional normalization in fMRI. 2015 , 9, 95	6
709	A network analysis of ^{18}F -MPP PET reveals deep brain stimulation effects on brain network of Parkinson's disease. 2015 , 56, 726-36	9
708	Functional network overlap as revealed by fMRI using sICA and its potential relationships with functional heterogeneity, balanced excitation and inhibition, and sparseness of neuron activity. 2015 , 10, e0117029	13
707	Same same but different. Different trigeminal chemoreceptors share the same central pathway. 2015 , 10, e0121091	20
706	Reproducibility and Temporal Structure in Weekly Resting-State fMRI over a Period of 3.5 Years. 2015 , 10, e0140134	75

705	Joint Coupling of Awake EEG Frequency Activity and MRI Gray Matter Volumes in the Psychosis Dimension: A BSNIP Study. 2015 , 6, 162	8
704	Differential relations between juvenile psychopathic traits and resting state network connectivity. 2015 , 36, 2396-405	33
703	WASICA: An effective wavelet-shrinkage based ICA model for brain fMRI data analysis. 2015 , 246, 75-96	12
702	Evidence of stimulus correlated empathy modes--Group ICA of fMRI data. 2015 , 94, 32-43	5
701	Estimation the reliability of independent components in time and frequency domain by RELICA algorithm. 2015 ,	1
700	Data fusion for planning target volume and isodose prediction in prostate brachytherapy. 2015 ,	
699	Improved decoding of attentional selection in a cocktail party environment with EEG via automatic selection of relevant independent components. 2015 , 2015, 5740-3	3
698	Olfactory training induces changes in regional functional connectivity in patients with long-term smell loss. 2015 , 9, 401-10	69
697	Combining PCA and multiset CCA for dimension reduction when group ICA is applied to decompose naturalistic fMRI data. 2015 ,	6
696	The impact of data preprocessing in traumatic brain injury detection using functional magnetic resonance imaging. 2015 , 2015, 5432-5	4
695	Association of resting-state network dysfunction with their dynamics of inter-network interactions in depression. 2015 , 174, 527-34	32
694	Capturing the dynamics of response variability in the brain in ADHD. 2015 , 7, 132-41	22
693	Optimizing methods for linking cinematic features to fMRI data. <i>NeuroImage</i> , 2015 , 110, 136-48	7.9 20
692	Working memory and language network dysfunctions in logopenic aphasia: a task-free fMRI comparison with Alzheimer's dementia. 2015 , 36, 1245-52	64
691	Functional heterogeneity in the default mode network edges. 2015 , 5, 203-13	5
690	AICHA: An atlas of intrinsic connectivity of homotopic areas. 2015 , 254, 46-59	135
689	A group ICA based framework for evaluating resting fMRI markers when disease categories are unclear: application to schizophrenia, bipolar, and schizoaffective disorders. <i>NeuroImage</i> , 2015 , 122, 272-80	93
688	Aberrant functioning of the putamen links delusions, antipsychotic drug dose, and compromised connectivity in first episode psychosis--Preliminary fMRI findings. 2015 , 233, 201-11	10

687	Neural Processes in the Human Temporoparietal Cortex Separated by Localized Independent Component Analysis. 2015 , 35, 9432-45		67
686	The nature of the language input affects brain activation during learning from a natural language. 2015 , 36, 17-34		16
685	Disease-related differences in resting-state networks: a comparison between localized provoked vulvodynia, irritable bowel syndrome, and healthy control subjects. 2015 , 156, 809-819		37
684	Inefficient stimulus processing at encoding affects formation of high-order general representation: A study on cross-modal word-stem completion task. 2015 , 1622, 386-96		9
683	Informing cognitive abstractions through neuroimaging: the neural drift diffusion model. 2015 , 122, 312-336		95
682	A two-step super-Gaussian independent component analysis approach for fMRI data. <i>NeuroImage</i> , 2015 , 118, 344-58	7.9	5
681	Large-Scale ¹³ C flux profiling reveals conservation of the Entner-Doudoroff pathway as a glycolytic strategy among marine bacteria that use glucose. 2015 , 81, 2408-22		49
680	The effect of medial temporal lobe epilepsy on visual memory encoding. 2015 , 46, 173-84		6
679	Comparison of functional thalamic segmentation from seed-based analysis and ICA. <i>NeuroImage</i> , 2015 , 114, 448-65	7.9	29
678	Locality-constrained Subcluster Representation Ensemble for lung image classification. 2015 , 22, 102-13		24
677	Information flow between interacting human brains: Identification, validation, and relationship to social expertise. 2015 , 112, 5207-12		90
676	Intrinsic Connectivity Networks in post-traumatic stress disorder during sub- and supraliminal processing of threat-related stimuli. 2015 , 132, 365-78		47
675	Affective mentalizing and brain activity at rest in the behavioral variant of frontotemporal dementia. 2015 , 9, 484-97		37
674	Effects of chronic peripheral olfactory loss on functional brain networks. 2015 , 310, 589-99		19
673	Sex commonalities and differences in the relationship between resilient personality and the intrinsic connectivity of the salience and default mode networks. 2015 , 112, 107-15		11
672	Resting-State Networks. 2015 , 387-425		0
671	Multimodal Data Fusion Using Source Separation: Application to Medical Imaging. 2015 , 103, 1494-1506		54
670	Frequency of Hospitalizations for Pain and Association With Altered Brain Network Connectivity in Sickle Cell Disease. 2015 , 16, 1077-86		52

669	Altered resting brain connectivity in persistent cancer related fatigue. 2015 , 8, 305-13	46
668	Structural correlates of formal thought disorder in schizophrenia: An ultra-high field multivariate morphometry study. 2015 , 168, 305-12	35
667	Static and Dynamic Intrinsic Connectivity following Mild Traumatic Brain Injury. 2015 , 32, 1046-55	42
666	The relationship between somatic and cognitive-affective depression symptoms and error-related ERPs. 2015 , 172, 89-95	16
665	Modern Electroencephalographic Assessment Techniques. 2015 ,	0
664	Neural network activity and neurological soft signs in healthy adults. 2015 , 278, 514-9	26
663	Baseline effects of transcranial direct current stimulation on glutamatergic neurotransmission and large-scale network connectivity. 2015 , 1594, 92-107	76
662	Functional genetic variation of the cannabinoid receptor 1 and cannabis use interact on prefrontal connectivity and related working memory behavior. 2015 , 40, 640-9	42
661	A new window to understanding individual differences in reward sensitivity from attentional networks. 2015 , 220, 1807-21	10
660	Noise source identification and localization of mechanical systems based on an enhanced independent component analysis. 2016 , 22, 1128-1142	5
659	The Default Mode Network Differentiates Biological From Non-Biological Motion. 2016 , 26, 234-245	15
658	Analysis of Residual Dependencies of Independent Components Extracted from fMRI Data. 2016 , 2016, 2961727	0
657	Neural Modulation in Aversive Emotion Processing: An Independent Component Analysis Study. 2016 , 2016, 2816567	5
656	The Lateralization of Intrinsic Networks in the Aging Brain Implicates the Effects of Cognitive Training. 2016 , 8, 32	23
655	Identifying Dynamic Functional Connectivity Changes in Dementia with Lewy Bodies Based on Product Hidden Markov Models. 2016 , 10, 60	36
654	Patterns of Co-Occurring Gray Matter Concentration Loss across the Huntington Disease Prodrome. 2016 , 7, 147	19
653	Differing Patterns of Altered Slow-5 Oscillations in Healthy Aging and Ischemic Stroke. 2016 , 10, 156	13
652	Memory Efficient PCA Methods for Large Group ICA. 2016 , 10, 17	20

651	Hybrid PET/MR Imaging and Brain Connectivity. 2016 , 10, 64	34
650	Uncovering the Social Deficits in the Autistic Brain. A Source-Based Morphometric Study. 2016 , 10, 388	18
649	Validation of Shared and Specific Independent Component Analysis (SSICA) for Between-Group Comparisons in fMRI. 2016 , 10, 417	5
648	Multimodal Classification of Schizophrenia Patients with MEG and fMRI Data Using Static and Dynamic Connectivity Measures. 2016 , 10, 466	51
647	Increased Modularity of Resting State Networks Supports Improved Narrative Production in Aphasia Recovery. 2016 , 6, 524-9	36
646	Presurgical brain mapping of the language network in patients with brain tumors using resting-state fMRI: Comparison with task fMRI. 2016 , 37, 913-23	71
645	Complex discharge-affecting networks in juvenile myoclonic epilepsy: A simultaneous EEG-fMRI study. 2016 , 37, 3515-29	31
644	Randomness in resting state functional connectivity matrices. 2016 , 2016, 5563-5566	3
643	Neural Correlates of Sevoflurane-induced Unconsciousness Identified by Simultaneous Functional Magnetic Resonance Imaging and Electroencephalography. 2016 , 125, 861-872	78
642	INVESTIGATING DIFFERENCES IN BRAIN FUNCTIONAL NETWORKS USING HIERARCHICAL COVARIATE-ADJUSTED INDEPENDENT COMPONENT ANALYSIS. 2016 , 10, 1930-1957	11
641	Cross-modal representations of first-hand and vicarious pain, disgust and fairness in insular and cingulate cortex. 2016 , 7, 10904	95
640	Association of familial risk for schizophrenia with thalamic and medial prefrontal functional connectivity during attentional control. 2016 , 173, 23-9	18
639	Recovery of slow-5 oscillations in a longitudinal study of ischemic stroke patients. 2016 , 11, 398-407	6
638	Growth Charting of Brain Connectivity Networks and the Identification of Attention Impairment in Youth. 2016 , 73, 481-9	71
637	Dynamic competition between large-scale functional networks differentiates fear conditioning and extinction in humans. <i>NeuroImage</i> , 2016 , 134, 314-319	7.9 6
636	Implication of the Slow-5 Oscillations in the Disruption of the Default-Mode Network in Healthy Aging and Stroke. 2016 , 6, 482-95	13
635	MetICA: independent component analysis for high-resolution mass-spectrometry based non-targeted metabolomics. 2016 , 17, 114	16
634	Classification of schizophrenia and bipolar patients using static and dynamic resting-state fMRI brain connectivity. <i>NeuroImage</i> , 2016 , 134, 645-657	7.9 186

633	Large-scale functional network overlap is a general property of brain functional organization: Reconciling inconsistent fMRI findings from general-linear-model-based analyses. 2016 , 71, 83-100	40
632	Deletion of the mu opioid receptor gene in mice reshapes the reward-aversion connectome. 2016 , 113, 11603-11608	40
631	Compressed online dictionary learning for fast resting-state fMRI decomposition. 2016 ,	15
630	Cocaine dependence and thalamic functional connectivity: a multivariate pattern analysis. 2016 , 12, 348-58	13
629	Clustering techniques for neuroimaging applications. 2016 , 6, 22-36	5
628	Longitudinal Evidence for Dissociation of Anterior and Posterior MTL Resting-State Connectivity in Aging: Links to Perfusion and Memory. 2016 , 26, 3953-3963	46
627	Non-Gaussian Structural Equation Models for Causal Discovery. 2016 , 153-184	4
626	Structural network changes in patients with major depression and schizophrenia treated with electroconvulsive therapy. 2016 , 26, 1465-1474	31
625	Resting-state networks in 6-to-10 year old children. 2016 , 37, 4286-4300	37
624	Examining Functional Resting-State Connectivity in Psychosis and Its Subgroups in the Bipolar-Schizophrenia Network on Intermediate Phenotypes Cohort. 2016 , 1, 488-497	17
623	. 2016 ,	4
622	Tracking intrinsic connectivity brain network features during successive (Pseudo-) resting states and interoceptive task fMRI. 2016 , 2016, 5567-5570	2
621	Diminished supraspinal pain modulation in patients with mild traumatic brain injury. 2016 , 12,	22
620	Hierarchical subdivision and effect of ICA model dimensionality on the interoceptive task-derived brain networks. 2016 ,	4
619	A Preliminary Prospective Study of an Escalation in 'Maximum Daily Drinks', Fronto-Parietal Circuitry and Impulsivity-Related Domains in Young Adult Drinkers. 2016 , 41, 1637-47	27
618	Resting-state fMRI evidence for early episodic memory consolidation: effects of age. 2016 , 45, 197-211	19
617	A source contribution quantitative calculation method for mechanical systems based on the simplified independent component analysis with reference. 2016 , 230, 3222-3240	
616	Artifact removal in the context of group ICA: A comparison of single-subject and group approaches. 2016 , 37, 1005-25	82

615	Brain network dysregulation, emotion, and complaints after mild traumatic brain injury. 2016 , 37, 1645-54	23
614	Intrinsic Visual-Motor Synchrony Correlates With Social Deficits in Autism. 2016 , 79, 633-41	90
613	Improved FastICA algorithm in fMRI data analysis using the sparsity property of the sources. 2016 , 263, 103-14	11
612	Post-concussive complaints after mild traumatic brain injury associated with altered brain networks during working memory performance. 2016 , 10, 1243-1253	23
611	Dysfunctional default mode network and executive control network in people with Internet gaming disorder: Independent component analysis under a probability discounting task. 2016 , 34, 36-42	34
610	Altered Neural Correlate of the Self-Agency Experience in First-Episode Schizophrenia-Spectrum Patients: An fMRI Study. 2016 , 42, 916-25	19
609	Metabolic connectivity mapping reveals effective connectivity in the resting human brain. 2016 , 113, 428-33	59
608	Presurgical Assessment of the Sensorimotor Cortex Using Resting-State fMRI. 2016 , 37, 101-7	22
607	Transradial Amputee Gesture Classification Using an Optimal Number of sEMG Sensors: An Approach Using ICA Clustering. 2016 , 24, 837-46	98
606	Resting-state functional connectivity of the default mode network associated with happiness. 2016 , 11, 516-24	47
605	Common and distinct structural network abnormalities in major depressive disorder and borderline personality disorder. 2016 , 65, 127-33	19
604	Characterizing individual differences in reward sensitivity from the brain networks involved in response inhibition. <i>NeuroImage</i> , 2016 , 124, 287-299	7.9 7
603	A Novel Brain Networks Enhancement Model (BNEM) for BOLD fMRI Data Analysis With Highly Spatial Reproducibility. 2016 , 20, 1107-19	9
602	Default mode network dissociation in depressive and anxiety states. 2016 , 10, 147-57	94
601	Unemotional on all counts: Evidence of reduced affective responses in individuals with high callous-unemotional traits across emotion systems and valences. 2016 , 11, 72-87	23
600	The association between stress and mood across the adult lifespan on default mode network. 2017 , 222, 101-112	24
599	The effect of preprocessing pipelines in subject classification and detection of abnormal resting state functional network connectivity using group ICA. <i>NeuroImage</i> , 2017 , 145, 365-376	7.9 37
598	Reduced activity in functional networks during reward processing is modulated by abstinence in cocaine addicts. 2017 , 22, 479-489	13

597	Pain modulation is affected differently in medication-overuse headache and chronic myofascial pain - A multimodal MRI study. 2017 , 37, 764-779		24
596	Betel quid chewing alters functional connectivity in frontal and default networks: A resting-state fMRI study. 2017 , 45, 157-166		19
595	Parkinson's disease-related network topographies characterized with resting state functional MRI. 2017 , 38, 617-630		40
594	Multiscale Array Decomposition of EEG Spectrum: Implications of Its Stability for the Exploration of Large-Scale Brain Networks. 2017 , 29, 968-989		7
593	Brain networks associated with cognitive and hedonic responses to a meal. 2017 , 29, e13031		11
592	Heterogeneous fractionation profiles of meta-analytic coactivation networks. <i>NeuroImage</i> , 2017 , 149, 424-435	7.9	6
591	Source-Based Morphometry Multivariate Approach to Analyze [11]FP-CIT SPECT Imaging. 2017 , 19, 772-778		13
590	Identifying dynamic functional connectivity biomarkers using GIG-ICA: Application to schizophrenia, schizoaffective disorder, and psychotic bipolar disorder. 2017 , 38, 2683-2708		61
589	Modulation of attentional networks by food-related disinhibition. 2017 , 176, 84-92		3
588	Resting state functional connectivity in women with bipolar disorder during clinical remission. 2017 , 19, 97-106		33
587	The spatiotemporal substrates of autobiographical recollection: Using event-related ICA to study cognitive networks in action. <i>NeuroImage</i> , 2017 , 152, 237-248	7.9	12
586	Gene expression profiles in peripheral blood mononuclear cells correlate with salience network activity in chronic visceral pain: A pilot study. 2017 , 29, e13027		16
585	Brain structure, function, and neurochemistry in schizophrenia and bipolar disorder-a systematic review of the magnetic resonance neuroimaging literature. 2017 , 3, 15		115
584	Influence of endogenous estradiol, progesterone, allopregnanolone, and dehydroepiandrosterone sulfate on brain resting state functional connectivity across the menstrual cycle. 2017 , 107, 1246-1255.e4		28
583	Olanzapine modulates the default-mode network homogeneity in recurrent drug-free schizophrenia at rest. 2017 , 51, 1000-1009		14
582	Precuneus Failures in Subjects of the PSEN1 E280A Family at Risk of Developing Alzheimer's Disease Detected Using Quantitative Electroencephalography. 2017 , 58, 1229-1244		1
581	Brain functional connectivity is associated with visceral sensitivity in women with Irritable Bowel Syndrome. 2017 , 15, 449-457		51
580	Brain Structural Networks Associated with Intelligence and Visuomotor Ability. 2017 , 7, 2177		26

579	Disruption to control network function correlates with altered dynamic connectivity in the wider autism spectrum. 2017 , 15, 513-524		63
578	Presurgical Brain Mapping of the Ventral Somatomotor Network in Patients with Brain Tumors Using Resting-State fMRI. 2017 , 38, 1006-1012		14
577	A new method for independent component analysis with priori information based on multi-objective optimization. 2017 , 283, 72-82		14
576	Relation between patterns of intrinsic network connectivity, cognitive functioning, and symptom presentation in trauma-exposed patients with major depressive disorder. 2017 , 7, e00664		12
575	Enhanced bootstrap method for statistical inference in the ICA model. 2017 , 138, 53-62		16
574	Factor analysis linking functions for simultaneously modeling neural and behavioral data. <i>NeuroImage</i> , 2017 , 153, 28-48	7.9	24
573	Effects of Cross-modal Asynchrony on Informational Masking in Human Cortex. 2017 , 29, 980-990		3
572	Variability of ICA decomposition may impact EEG signals when used to remove eyeblink artifacts. 2017 , 54, 386-398		30
571	Mental rotation task specifically modulates functional connectivity strength of intrinsic brain activity in low frequency domains: A maximum uncertainty linear discriminant analysis. 2017 , 320, 233-243		6
570	Functional Connectivity Parcellation of the Human Thalamus by Independent Component Analysis. 2017 , 7, 602-616		12
569	Brain sexual differentiation and effects of cross-sex hormone therapy in transpeople: A resting-state functional magnetic resonance study. 2017 , 47, 361-370		14
568	Brain functional connectivity patterns in children and adolescents with gender dysphoria: Sex-atypical or not?. 2017 , 86, 187-195		21
567	Changes in brain metabolic connectivity underlie autistic-like social deficits in a rat model of autism spectrum disorder. 2017 , 7, 13213		21
566	Multimodal mapping of the brain's functional connectivity and the adult outcome of attention deficit hyperactivity disorder. 2017 , 114, 11787-11792		63
565	Abnormal intrinsic brain functional network dynamics in Parkinson's disease. 2017 , 140, 2955-2967		154
564	Pleasure attainment or self-realization: the balance between two forms of well-beings are encoded in default mode network. 2017 , 12, 1678-1686		16
563	Replicability of time-varying connectivity patterns in large resting state fMRI samples. <i>NeuroImage</i> , 2017 , 163, 160-176	7.9	110
562	Intrinsic neural network dysfunction in quiescent Crohn's Disease. 2017 , 7, 11579		25

561	Relationship Between Alpha Rhythm and the Default Mode Network: An EEG-fMRI Study. 2017 , 34, 527-533		20
560	The effect of preprocessing in dynamic functional network connectivity used to classify mild traumatic brain injury. 2017 , 7, e00809		27
559	Remodeling of Sensorimotor Brain Connectivity in Gpr88-Deficient Mice. 2017 , 7, 526-540		13
558	The Default Mode Network as a Biomarker of Persistent Complaints after Mild Traumatic Brain Injury: A Longitudinal Functional Magnetic Resonance Imaging Study. 2017 , 34, 3262-3269		21
557	Multimodal neural correlates of cognitive control in the Human Connectome Project. <i>NeuroImage</i> , 2017 , 163, 41-54	7.9	28
556	Neuroimaging the traumatized self: fMRI reveals altered response in cortical midline structures and occipital cortex during visual and verbal self- and other-referential processing in women with PTSD. 2017 , 8, 1314164		14
555	Unsupervised Extraction of Stable Expression Signatures from Public Compendia with an Ensemble of Neural Networks. 2017 , 5, 63-71.e6		50
554	Alterations in functional brain networks associated with loss-chasing in gambling disorder and cocaine-use disorder. 2017 , 178, 363-371		38
553	Altered coupling of default-mode, executive-control and salience networks in Internet gaming disorder. 2017 , 45, 114-120		22
552	Altered Functional Connectivity in Sickle Cell Disease Exists at Rest and During Acute Pain Challenge. 2017 , 33, 1060-1070		15
551	Comparing brain graphs in which nodes are regions of interest or independent components: A simulation study. 2017 , 291, 61-68		28
550	Correlation between the Functional Connectivity of Brain Areas Active in the Resting State with Behavioral and Psychological Indicators. 2017 , 47, 1128-1139		1
549	Biosignal Processing in Psychophysiology: Principles and Current Developments. 628-661		
548	Brain signature and functional impact of centralized pain: a multidisciplinary approach to the study of chronic pelvic pain (MAPP) network study. 2017 , 158, 1979-1991		73
547	Model order effects on independent vector analysis applied to complex-valued fMRI data. 2017 ,		2
546	Comparing test-retest reliability of dynamic functional connectivity methods. <i>NeuroImage</i> , 2017 , 158, 155-175	7.9	102
545	SCGICAR: Spatial concatenation based group ICA with reference for fMRI data analysis. 2017 , 148, 137-151		8
544	Aberrant Intra- and Internetwork Functional Connectivity in Depressed Parkinson's Disease. 2017 , 7, 2568		20

543	The mirror neuron system also rests. 2017 , 222, 2193-2202		6
542	Quantifying functional connectivity in multi-subject fMRI data using component models. 2017 , 38, 882-899		16
541	Alterations of resting state functional network connectivity in the brain of nicotine and alcohol users. <i>NeuroImage</i> , 2017 , 151, 45-54	7.9	57
540	Detection of Mild Traumatic Brain Injury by Machine Learning Classification Using Resting State Functional Network Connectivity and Fractional Anisotropy. 2017 , 34, 1045-1053		64
539	Dynamic functional network connectivity in idiopathic generalized epilepsy with generalized tonic-clonic seizure. 2017 , 38, 957-973		180
538	Neural markers of loss aversion in resting-state brain activity. <i>NeuroImage</i> , 2017 , 146, 257-265	7.9	24
537	The connectomics of brain demyelination: Functional and structural patterns in the cuprizone mouse model. <i>NeuroImage</i> , 2017 , 146, 1-18	7.9	42
536	Risperidone Effects on Brain Dynamic Connectivity-A Prospective Resting-State fMRI Study in Schizophrenia. 2017 , 8, 14		26
535	Altered Brain Functional Connectivity in Betel Quid-Dependent Chewers. 2017 , 8, 239		14
534	Lexical-Semantic Search Under Different Covert Verbal Fluency Tasks: An fMRI Study. 2017 , 11, 131		13
533	Brain Connectivity Patterns Dissociate Action of Specific Acupressure Treatments in Fatigued Breast Cancer Survivors. 2017 , 8, 298		8
532	Coupling of Action-Perception Brain Networks during Musical Pulse Processing: Evidence from Region-of-Interest-Based Independent Component Analysis. 2017 , 11, 230		18
531	A Novel Feature-Map Based ICA Model for Identifying the Individual, Intra/Inter-Group Brain Networks across Multiple fMRI Datasets. 2017 , 11, 510		3
530	Schizophrenia Shows Disrupted Links between Brain Volume and Dynamic Functional Connectivity. 2017 , 11, 624		25
529	Regionally Specific Regulation of Sensorimotor Network Connectivity Following Tactile Improvement. 2017 , 2017, 5270532		9
528	Determining the optimal number of independent components for reproducible transcriptomic data analysis. 2017 , 18, 712		32
527	Graph Analysis of Functional Brain Networks in Patients with Mild Traumatic Brain Injury. 2017 , 12, e0171031		24
526	Spatiospectral Decomposition of Multi-subject EEG: Evaluating Blind Source Separation Algorithms on Real and Realistic Simulated Data. 2018 , 31, 47-61		20

525	Stuck in a State of Inattention? Functional Hyperconnectivity as an Indicator of Disturbed Intrinsic Brain Dynamics in Adolescents With Concussion: A Pilot Study. 2018 , 10, 1759091417753802	10
524	Mindfulness-based interventions modulate structural network strength in patients with opioid dependence. 2018 , 82, 50-56	6
523	Novel in silico multivariate mapping of intrinsic and anticorrelated connectivity to neurocognitive functional maps supports the maturational hypothesis of ADHD. 2018 , 39, 3449-3467	10
522	Model order effects on ICA of resting-state complex-valued fMRI data: Application to schizophrenia. 2018 , 304, 24-38	14
521	Severity of olfactory deficits is reflected in functional brain networks-An fMRI study. 2018 , 39, 3166-3177	17
520	Resting-state functional connectivity in children born from gestations complicated by preeclampsia: A pilot study cohort. 2018 , 12, 23-28	18
519	Connectivity dynamics in typical development and its relationship to autistic traits and autism spectrum disorder. 2018 , 39, 3127-3142	57
518	Musical training induces functional and structural auditory-motor network plasticity in young adults. 2018 , 39, 2098-2110	18
517	The Not-So-Global Blood Oxygen Level-Dependent Signal. 2018 , 8, 121-128	8
516	Addressing Spatial Dependence Bias in Climate Model Simulations—An Independent Component Analysis Approach. 2018 , 54, 827-841	9
515	Four-way multimodal fusion of 7T imaging data using an mCCA+jICA model in first-episode schizophrenia. 2018 , 39, 1475-1488	17
514	Neurobiologic Features of Fibromyalgia Are Also Present Among Rheumatoid Arthritis Patients. 2018 , 70, 1000-1007	36
513	Tumor Tissue Detection using Blood-Oxygen-Level-Dependent Functional MRI based on Independent Component Analysis. 2018 , 8, 1223	20
512	Association of Heritable Cognitive Ability and Psychopathology With White Matter Properties in Children and Adolescents. 2018 , 75, 287-295	55
511	The retrosplenial cortex: A memory gateway between the cortical default mode network and the medial temporal lobe. 2018 , 39, 2020-2034	44
510	Common variation in ZNF804A (rs1344706) is not associated with brain morphometry in schizophrenia or healthy participants. 2018 , 82, 12-20	3
509	Attention Shifts Recruit the Monkey Default Mode Network. 2018 , 38, 1202-1217	15
508	Not single brain areas but a network is involved in language: Applications in presurgical planning. 2018 , 165, 116-128	6

507	Shared facial emotion processing functional network findings in medication-naïve major depressive disorder and healthy individuals: detection by sICA. 2018 , 18, 96			3
506	Neural correlates of cognitive function and symptoms in attention-deficit/hyperactivity disorder in adults. 2018 , 19, 374-383			16
505	Functional brain networks for learning predictive statistics. 2018 , 107, 204-219			5
504	Large-scale brain network connectivity underlying creativity in resting-state and task fMRI: Cooperation between default network and frontal-parietal network. 2018 , 135, 102-111			48
503	Resting-State Networks of Adolescents Experiencing Depersonalization-Like Illusions: Cross-sectional and Longitudinal Findings. 2018 , 44, S501-S511			8
502	Examining stability of independent component analysis based on coefficient and component matrices for voxel-based morphometry of structural magnetic resonance imaging. 2018 , 12, 461-470			5
501	Dynamic functional network connectivity discriminates mild traumatic brain injury through machine learning. 2018 , 19, 30-37			48
500	Applying dimension reduction to EEG data by Principal Component Analysis reduces the quality of its subsequent Independent Component decomposition. <i>NeuroImage</i> , 2018 , 175, 176-187	7.9	71	
499	Multisubject Decomposition of Event-related Positivities in Cognitive Control: Tackling Age-related Changes in Reactive Control. 2018 , 31, 17-34			13
498	Benefits from an autobiographical memory facilitation programme in relapsing-remitting multiple sclerosis patients: a clinical and neuroimaging study. 2018 , 28, 1110-1130			11
497	Super-Gaussian BSS Using Fast-ICA with ChebyshevBade Approximant. 2018 , 37, 305-341			9
496	Anomalous network architecture of the resting brain in children who stutter. 2018 , 55, 46-67			31
495	Differences in Cortical Sources of the Event-Related P3 Potential Between Young and Old Participants Indicate Frontal Compensation. 2018 , 31, 35-46			12
494	EEG Signatures of Dynamic Functional Network Connectivity States. 2018 , 31, 101-116			134
493	Brain functional connectivity in lung cancer population: an exploratory study. 2018 , 12, 369-382			22
492	Long-term intensive gymnastic training induced changes in intra- and inter-network functional connectivity: an independent component analysis. 2018 , 223, 131-144			17
491	Identifying functional network changing patterns in individuals at clinical high-risk for psychosis and patients with early illness schizophrenia: A group ICA study. 2018 , 17, 335-346			19
490	A Tutorial Review on Multi-subject Decomposition of EEG. 2018 , 31, 3-16			26

489	Changes in dynamic resting state network connectivity following aphasia therapy. 2018 , 12, 1141-1149	14
488	Network-specific resting-state connectivity changes in the premotor-parietal axis in writer's cramp. 2018 , 17, 137-144	18
487	Effects of behavioral activation on default mode network connectivity in subthreshold depression: A preliminary resting-state fMRI study. 2018 , 227, 156-163	10
486	An improved multi-objective optimization-based CICA method with data-driver temporal reference for group fMRI data analysis. 2018 , 56, 683-694	5
485	Group independent component analysis reveals alternation of right executive control network in Internet gaming disorder. 2018 , 23, 300-310	10
484	Stable Scalp EEG Spatospectral Patterns Across Paradigms Estimated by Group ICA. 2018 , 31, 76-89	14
483	Left frontoparietal network activity is modulated by drug stimuli in cocaine addiction. 2018 , 12, 1259-1270	14
482	Regional gray matter volume and structural network strength in somatic vs. non-somatic delusional disorders. 2018 , 82, 115-122	10
481	Dynamic functional connectivity in Parkinson's disease patients with mild cognitive impairment and normal cognition. 2018 , 17, 847-855	79
480	Intrinsic Network Connectivity Patterns Underlying Specific Dimensions of Impulsiveness in Healthy Young Adults. 2018 , 31, 477-487	5
479	Gray matter atrophy patterns in multiple sclerosis: A 10-year source-based morphometry study. 2018 , 17, 444-451	41
478	Detection of relationships among multi-modal brain imaging meta-features via information flow. 2018 , 294, 72-80	3
477	Functional connectivity during affective mentalizing in criminal offenders with psychotic disorders: Associations with clinical symptoms. 2018 , 271, 91-99	5
476	Current Market Top Business Scopes Trend Concurrent Text and Time Series Active Learning Study of NASDAQ and NYSE Stocks from 2012 to 2017. 2018 , 8, 751	3
475	Individual differences in rate of acquiring stable neural representations of tasks in fMRI. 2018 , 13, e0207352	4
474	Fatigue Damage Analysis of Cement-Stabilized Base under Construction Loading. 2018 , 8, 2263	12
473	Crossing Borders in Schizotypy Research: 2017 Beijing International Conference. 2018 , 44, NP-NP	78
472	Visual perceptual learning modulates decision network in the human brain: The evidence from psychophysics, modeling, and functional magnetic resonance imaging. 2018 , 18, 9	3

471	Interregional metabolic connectivity of 2-deoxy-2[F]fluoro-D-glucose positron emission tomography in vagus nerve stimulation for pediatric patients with epilepsy: A retrospective cross-sectional study. 2018 , 59, 2249-2259	8
470	Evaluating the Strength of Structural Connectivity Underlying Brain Functional Networks. 2018 , 8, 579-594	3
469	The Study of Seafarer's Brain Functional Connectivity Before and After Sailing Using fMRI. 2018 ,	2
468	ADHD-related sex differences in fronto-subcortical intrinsic functional connectivity and associations with delay discounting. 2018 , 10, 34	22
467	Increased Randomness of Functional Network Connectivity in Nicotine and Alcohol Consumers. 2018 , 2018, 1011-1014	1
466	Correspondence Between Resting-State and Episodic Memory-Task Related Networks in Elderly Subjects. 2018 , 10, 362	1
465	Resting-state network connectivity in cognitively unimpaired drug-naïve patients with rigidity-dominant Parkinson's disease. 2018 , 395, 147-152	10
464	Response inhibition and fronto-striatal-thalamic circuit dysfunction in cocaine addiction. 2018 , 192, 137-145	14
463	Altered attention networks and DMN in refractory epilepsy: A resting-state functional and causal connectivity study. 2018 , 88, 81-86	20
462	Multi-parametric quantitative MRI reveals three different white matter subtypes. 2018 , 13, e0196297	3
461	The fronto-insular cortex causally mediates the default-mode and central-executive networks to contribute to individual cognitive performance in healthy elderly. 2018 , 39, 4302-4311	18
460	Accelerating Likelihood Optimization for ICA on Real Signals. 2018 , 151-160	1
459	Pattern of neural divergence in adults with prelingual deafness: Based on structural brain analysis. 2018 , 1701, 58-63	7
458	Clinical Effects and Differences in Neural Function Connectivity Revealed by MRI in Subacute Hemispheric and Brainstem Infarction Patients With Dysphagia After Swallowing Therapy. 2018 , 12, 488	7
457	Using temporal ICA to selectively remove global noise while preserving global signal in functional MRI data. <i>NeuroImage</i> , 2018 , 181, 692-717	7.9 155
456	Frequency-Resolved Dynamic Functional Connectivity Reveals Scale-Stable Features of Connectivity-States. 2018 , 12, 253	5
455	Effect of Spatial Smoothing on Task fMRI ICA and Functional Connectivity. 2018 , 12, 15	29
454	Large-Scale Brain Networks Supporting Divided Attention across Spatial Locations and Sensory Modalities. 2018 , 12, 8	9

453	Intrinsic connectivity network dynamics in PTSD during amygdala downregulation using real-time fMRI neurofeedback: A preliminary analysis. 2018 , 39, 4258-4275	29
452	When three is greater than five: EEG and fMRI signatures of errors in numerical and physical comparisons. 2018 , 223, 805-818	4
451	An approach to directly link ICA and seed-based functional connectivity: Application to schizophrenia. <i>NeuroImage</i> , 2018 , 179, 448-470	7.9 17
450	Automatic water mixing event identification in the Koljefjord observatory data. 2019 , 7, 67-79	
449	Dynamic connectivity and the effects of maturation in youth with attention deficit hyperactivity disorder. 2019 , 3, 195-216	19
448	Stable EEG Spatiospectral Sources Using Relative Power as Group-ICA Input. 2019 , 125-128	2
447	Evaluation of machine learning algorithms performance for the prediction of early multiple sclerosis from resting-state fMRI connectivity data. 2019 , 13, 1103-1114	29
446	Analysis of Chaotic Behavior in Non-linear Dynamical Systems. 2019 ,	1
445	Patterns of co-altered brain structure and function underlying neurological soft signs in schizophrenia spectrum disorders. 2019 , 40, 5029-5041	17
444	Dynamic functional connectivity in schizophrenia and autism spectrum disorder: Convergence, divergence and classification. 2019 , 24, 101966	37
443	Linking visual gamma to task-related brain networks-a simultaneous EEG-fMRI study. 2019 , 56, e13462	7
442	Dynamic functional connectivity changes associated with dementia in Parkinson's disease. 2019 , 142, 2860-2872	81
441	An ICA based approach for steady-state and transient analysis of task fMRI data: Application to study of thermal pain response. 2019 , 326, 108356	1
440	Tensor clustering on outer-product of coefficient and component matrices of independent component analysis for reliable functional magnetic resonance imaging data decomposition. 2019 , 325, 108359	5
439	Oxycodone-Mediated Activation of the Mu Opioid Receptor Reduces Whole Brain Functional Connectivity in Mice. 2019 , 2, 264-274	7
438	An Integrated Causal Path Identification Method. 2019 , 24, 305-313	
437	Functional Correlates of Resting-State Connectivity in the Default Mode Network of Heroin Users on Methadone Treatment and Medication-Free Therapeutic Community Program. 2019 , 10, 381	4
436	Using Machine Learning to Automatically Detect Volcanic Unrest in a Time Series of Interferograms. 2019 , 124, 12304-12322	21

435	EEG Signal Processing and Feature Extraction. 2019,		26
434	A resting-state network comparison of combat-related PTSD with combat-exposed and civilian controls. 2019, 14, 933-945		2
433	Decreased regional homogeneity and increased functional connectivity of default network correlated with neurocognitive deficits in subjects with genetic high-risk for schizophrenia: A resting-state fMRI study. 2019, 281, 112603		11
432	Using Independent Component Analysis to Detect Exoplanet Reflection Spectrum from Composite Spectra of Exoplanetary Binary Systems. 2019, 158, 161		2
431	. 2019, 7, 148098-148107		3
430	Hybridizing EMD with cICA for fMRI Analysis of Patient Groups. 2019, 2019, 194-197		2
429	The Inter-Regional Connectivity Within the Default Mode Network During the Attentional Processes of Internal Focus and External Focus: An fMRI Study of Continuous Finger Force Feedback. 2019, 10, 2198		2
428	Associations between brain structural networks and neurological soft signs in healthy adults. 2019, 293, 110989		4
427	The Nature of the Task Influences Intrinsic Connectivity Networks: An Exploratory fMRI Study in Healthy Subjects. 2019, 2019, 489-493		5
426	Sex-related differences in intrinsic brain dynamism and their neurocognitive correlates. <i>NeuroImage</i> , 2019, 202, 116116	7.9	18
425	Resting-State-Based Spatial Filtering for an fNIRS-Based Motor Imagery Brain-Computer Interface. 2019, 7, 120603-120615		6
424	Altered dynamic functional connectivity in weakly-connected state in major depressive disorder. 2019, 130, 2096-2104		21
423	Examining resting-state functional connectivity in first-episode schizophrenia with 7T fMRI and MEG. 2019, 24, 101959		13
422	Neural correlates of victimization in psychosis: differences in brain response to angry faces. 2019, 5, 14		1
421	Working Memory Training Is Associated with Changes in Resting State Functional Connectivity in Children Who Were Born Extremely Preterm: a Randomized Controlled Trial. 2019, 3, 376-387		2
420	Structural network integrity of the central executive network is associated with the therapeutic effect of rTMS in treatment resistant depression. 2019, 92, 217-225		17
419	Cerebellar Gray Matter Volume Is Associated With Cognitive Function and Psychopathology in Adolescence. 2019, 86, 65-75		34
418	Abnormal fronto-striatal intrinsic connectivity reflects executive dysfunction in alcohol use disorders. 2019, 115, 27-42		21

417	Alterations in functional networks during cue-reactivity in Internet gaming disorder. 2019 , 8, 277-287	13
416	Extracting Pathway-level Signatures from Proteogenomic Data in Breast Cancer Using Independent Component Analysis. 2019 , 18, S169-S182	11
415	Transdiagnostic Multimodal Neuroimaging in Psychosis: Structural, Resting-State, and Task Magnetic Resonance Imaging Correlates of Cognitive Control. 2019 , 4, 870-880	4
414	Relationship between MEG global dynamic functional network connectivity measures and symptoms in schizophrenia. 2019 , 209, 129-134	8
413	Parcellation of the human hippocampus based on gray matter volume covariance: Replicable results on healthy young adults. 2019 , 40, 3738-3752	8
412	Abnormal intrinsic brain functional network dynamics in unmedicated depressed bipolar II disorder. 2019 , 253, 402-409	9
411	A Quasi-Newton Algorithm on the Orthogonal Manifold for NMF with Transform Learning. 2019 ,	2
410	Multilevel Mapping of Sexual Dimorphism in Intrinsic Functional Brain Networks. 2019 , 13, 332	13
409	Prognostic Utility of Multivariate Morphometry in Schizophrenia. 2019 , 10, 245	17
408	Structure/function interrelationships in patients with schizophrenia who have persistent auditory verbal hallucinations: A multimodal MRI study using parallel ICA. 2019 , 93, 114-121	14
407	The spatial chronnectome reveals a dynamic interplay between functional segregation and integration. 2019 , 40, 3058-3077	32
406	Add-on atypical anti-psychotic treatment alleviates auditory verbal hallucinations in patients with chronic post-traumatic stress disorder. 2019 , 701, 202-207	4
405	Large-Scale Brain Networks Underlying Successful and Unsuccessful Encoding, Maintenance, and Retrieval of Everyday Scenes in Visuospatial Working Memory. 2019 , 10, 233	11
404	A brain task state only arouses a few number of resting-state intrinsic modes. 2019 , 5, 035006	2
403	Altered social cognition and connectivity of default mode networks in the co-occurrence of autistic spectrum disorder and attention deficit hyperactivity disorder. 2019 , 53, 760-771	7
402	Resting-state fMRI detects the effects of learning in short term: A visual search training study. 2019 , 40, 2787-2799	3
401	Brain networks involved in accented speech processing. 2019 , 194, 12-22	7
400	Altered brain functional networks in Internet gaming disorder: independent component and graph theoretical analysis under a probability discounting task. 2019 , 24, 544-556	5

399	Mindfulness-based therapy modulates default-mode network connectivity in patients with opioid dependence. 2019 , 29, 662-671		8
398	Concurrent Cross-Sectional and Longitudinal Analyses of Multivariate White Matter Profiles and Clinical Functioning in Pre-Diagnosis Huntington Disease. 2019 , 8, 199-219		1
397	Psilocybin-assisted mindfulness training modulates self-consciousness and brain default mode network connectivity with lasting effects. <i>NeuroImage</i> , 2019 , 196, 207-215	7.9	68
396	EEG spatospectral patterns and their link to fMRI BOLD signal via variable hemodynamic response functions. 2019 , 318, 34-46		6
395	Resting state connectivity differences in eyes open versus eyes closed conditions. 2019 , 40, 2488-2498		56
394	Dysconnectivity of Multiple Resting-State Networks Associated With Higher-Order Functions in Sensorineural Hearing Loss. 2019 , 13, 55		13
393	Association Between Age and Familial Risk for Alcoholism on Functional Connectivity in Adolescence. 2019 , 58, 692-701		5
392	Identifying Stable Components of Matrix /Tensor Factorizations via Low-Rank Approximation of Inter-Factorization Similarity. 2019 ,		2
391	Dynamic and Static Functional Network Connectivity Analysis in Autism: A Resting State fMRI Analysis. 2019 ,		1
390	Combining ICA Clustering and Power Spectral Density for Feature Extraction of Mental Fatigue of Spinal Cord Injury Patients. 2019 , 2019, 530-533		0
389	Executive Impairment in Alcohol Use Disorder Reflects Structural Changes in Large-Scale Brain Networks: A Joint Independent Component Analysis on Gray-Matter and White-Matter Features. 2019 , 10, 2479		10
388	Spiritual experiences are related to engagement of a ventral frontotemporal functional brain network: Implications for prevention and treatment of behavioral and substance addictions. 2019 , 8, 678-691		8
387	Global vs. Network-Specific Regulations as the Source of Intrinsic Coactivations in Resting-State Networks. 2019 , 13, 65		2
386	Dynamic functional abnormalities in generalized anxiety disorders and their increased network segregation of a hyperarousal brain state modulated by insomnia. 2019 , 246, 338-345		21
385	Spatial dynamics within and between brain functional domains: A hierarchical approach to study time-varying brain function. 2019 , 40, 1969-1986		27
384	Interactions between gut permeability and brain structure and function in health and irritable bowel syndrome. 2019 , 21, 101602		20
383	A hierarchical independent component analysis model for longitudinal neuroimaging studies. <i>NeuroImage</i> , 2019 , 189, 380-400	7.9	12
382	Dynamic Functional Network Connectivity in Schizophrenia with Magnetoencephalography and Functional Magnetic Resonance Imaging: Do Different Timescales Tell a Different Story?. 2019 , 9, 251-262		16

381	Stable between-subject statistical inference from unstable within-subject functional connectivity estimates. 2019 , 40, 1234-1243	7
380	Rhythmic auditory cues shape neural network recruitment in Parkinson's disease during repetitive motor behavior. 2019 , 49, 849-858	20
379	Short-term Sahaja Yoga meditation training modulates brain structure and spontaneous activity in the executive control network. 2019 , 9, e01159	22
378	Temperature and precipitation variability in eastern Anatolia: Results from independent component analysis of Lake Van sediment data spanning the last 250 kyr BP. 2019 , 514, 119-129	4
377	Probing Brain Developmental Patterns of Myelination and Associations With Psychopathology in Youths Using Gray/White Matter Contrast. 2019 , 85, 389-398	22
376	Functional brain connectivity abnormalities and cognitive deficits in neuromyelitis optica spectrum disorder. 2020 , 26, 795-805	8
375	Adolescent sex differences in cortico-subcortical functional connectivity during response inhibition. 2020 , 20, 1-18	2
374	Multimodal Magnetic Resonance Imaging Data Fusion Reveals Distinct Patterns of Abnormal Brain Structure and Function in Catatonia. 2020 , 46, 202-210	32
373	Abnormal dynamic functional network connectivity in unmedicated bipolar and major depressive disorders based on the triple-network model. 2020 , 50, 465-474	37
372	One Core Task of Interpretability in Machine Learning—Expansion of Structural Equation Modeling. 2020 , 34, 2051001	
371	Cognitive remediation therapy modulates intrinsic neural activity in patients with major depression. 2020 , 50, 2335-2345	8
370	Distinct structural brain circuits indicate mood and apathy profiles in bipolar disorder. 2020 , 26, 101989	2
369	Getting into sync: Data-driven analyses reveal patterns of neural coupling that distinguish among different social exchanges. 2020 , 41, 1072-1083	3
368	Alterations in functional brain networks in depressed patients with a suicide attempt history. 2020 , 45, 964-974	8
367	Motivational factors modulate left frontoparietal network during cognitive control in cocaine addiction. 2020 , 25, e12820	7
366	Test-retest reliability of spatial patterns from resting-state functional MRI using the restricted Boltzmann machine and hierarchically organized spatial patterns from the deep belief network. 2020 , 330, 108451	2
365	Sensory trick phenomenon in cervical dystonia: a functional MRI study. 2020 , 267, 1103-1115	10
364	A causal discovery algorithm based on the prior selection of leaf nodes. 2020 , 124, 130-145	

363	Recursive independent component analysis (ICA)-decomposition of ictal EEG to select the best ictal component for EEG source imaging. 2020 , 131, 642-654		6
362	A GICA-TVGL framework to study sex differences in resting state fMRI dynamic connectivity. 2020 , 332, 108531		6
361	Connectivity within the default mode network mediates the association between chronotype and sleep quality. 2020 , 29, e12948		11
360	Dysregulation of multisensory processing stands out from an early stage of migraine: a study in pediatric patients. 2020 , 267, 760-769		2
359	Multi-channel hierarchy functional integration analysis between large-scale brain networks for migraine: An fMRI study. 2020 , 28, 102462		2
358	Resting state network functional connectivity abnormalities in systemic lupus erythematosus: correlations with neuropsychiatric impairment. 2021 , 26, 3634-3645		8
357	Topographic organization of the human subcortex unveiled with functional connectivity gradients. 2020 , 23, 1421-1432		74
356	Localization of deep brain activity with scalp and subdural EEG. <i>NeuroImage</i> , 2020 , 223, 117344	7.9	8
355	Dynamic functional connectivity impairments in idiopathic rapid eye movement sleep behavior disorder. 2020 , 79, 11-17		3
354	Altered sensory system activity and connectivity patterns in adductor spasmodic dysphonia. 2020 , 10, 10179		2
353	Snowball ICA: A Model Order Free Independent Component Analysis Strategy for Functional Magnetic Resonance Imaging Data. 2020 , 14, 569657		6
352	Consistent Cerebral Blood Flow Covariance Networks across Healthy Individuals and Their Similarity with Resting State Networks and Vascular Territories. 2020 , 10,		0
351	The effects of selective serotonin reuptake inhibitors on brain functional networks during goal-directed planning in obsessive-compulsive disorder. 2020 , 10, 20619		4
350	Origin of the Time Lag Phenomenon and the Global Signal in Resting-State fMRI. 2020 , 14, 596084		4
349	A randomized, controlled trial of alpha-rhythm EEG neurofeedback in posttraumatic stress disorder: A preliminary investigation showing evidence of decreased PTSD symptoms and restored default mode and salience network connectivity using fMRI. 2020 , 28, 102490		12
348	Structural covariance pattern abnormalities of insula in major depressive disorder: A CAN-BIND study report. 2021 , 111, 110194		4
347	Pain Perception, Brain Connectivity, and Neurochemistry in Healthy, Capsaicin-Sensitive Subjects. 2020 , 2020, 9125913		2
346	Open eyes and closed eyes elicit different temporal properties of brain functional networks. <i>NeuroImage</i> , 2020 , 222, 117230	7.9	13

345	Structural Covariance Network Disruption and Functional Compensation in Parkinson's Disease. 2020 , 12, 199	5
344	Changes of Dynamic Functional Connectivity Associated With Maturity in Late Preterm Infants. 2020 , 8, 412	0
343	Sex-related differences in brain dynamism at rest as neural correlates of positive and negative valence system constructs. 2021 , 12, 131-154	0
342	Assessment of nonnegative matrix factorization algorithms for electroencephalography spectral analysis. 2020 , 19, 61	3
341	Network communication models improve the behavioral and functional predictive utility of the human structural connectome. 2020 , 4, 980-1006	23
340	Dynamic Resting-State Connectivity Differences in Eyes Open Versus Eyes Closed Conditions. 2020 , 10, 504-519	12
339	Brain structural network alterations related to serum cortisol levels in drug-naïve, first-episode major depressive disorder patients: a source-based morphometric study. 2020 , 10, 22096	5
338	An imbalance between functional segregation and integration in patients with pontine stroke: A dynamic functional network connectivity study. 2020 , 28, 102507	6
337	Structural brain alterations and their association with cognitive function and symptoms in Attention-deficit/Hyperactivity Disorder families. 2020 , 27, 102273	5
336	Cerebellar Atrophy in Multiple System Atrophy (Cerebellar Type) and Its Implication for Network Connectivity. 2020 , 19, 636-644	0
335	A Constrained ICA-EMD Model for Group Level fMRI Analysis. 2020 , 14, 221	1
334	Identifying commonality and specificity across psychosis sub-groups via classification based on features from dynamic connectivity analysis. 2020 , 27, 102284	6
333	Functional Multi-Connectivity: A Novel Approach To Assess Multi-Way Entanglement Between Networks and Voxels. 2020 ,	
332	Classifying heterogeneous presentations of PTSD via the default mode, central executive, and salience networks with machine learning. 2020 , 27, 102262	20
331	Connectivity dynamics from wakefulness to sleep. <i>NeuroImage</i> , 2020 , 220, 117047	7.9 13
330	A Neural Signature of Parkinsonism in Patients With Schizophrenia Spectrum Disorders: A Multimodal MRI Study Using Parallel ICA. 2020 , 46, 999-1008	12
329	Large-Scale Neuronal Network Dysfunction in Diabetic Retinopathy. 2020 , 2020, 6872508	3
328	Neural Correlates of Vocal Pitch Compensation in Individuals Who Stutter. 2020 , 14, 18	6

327	APOE- ϵ Shapes the Cerebral Organization in Cognitively Intact Individuals as Reflected by Structural Gray Matter Networks. 2020 , 30, 4110-4120	2
326	The Identification of Alzheimer's Disease Using Functional Connectivity Between Activity Voxels in Resting-State fMRI Data. 2020 , 8, 1400211	4
325	Deep Temporal Organization of fMRI Phase Synchrony Modes Promotes Large-Scale Disconnection in Schizophrenia. 2020 , 14, 214	3
324	Exploring Frequency-Dependent Brain Networks from Ongoing EEG Using Spatial ICA During Music Listening. 2020 , 33, 289-302	7
323	Neurotransmitter imbalance dysregulates brain dynamic fluidity in frontotemporal degeneration. 2020 , 94, 176-184	3
322	Interpretable brain age prediction using linear latent variable models of functional connectivity. 2020 , 15, e0232296	4
321	Combined Isoflurane-Remifentanyl Anaesthesia Permits Resting-State fMRI in Children with Severe Epilepsy and Intellectual Disability. 2020 , 33, 618-635	1
320	Oxytocin modulates intrinsic neural activity in patients with chronic low back pain. 2020 , 24, 945-955	7
319	Modulating Brain Networks With Transcranial Magnetic Stimulation Over the Primary Motor Cortex: A Concurrent TMS/fMRI Study. 2020 , 14, 31	11
318	Determining the number of states in dynamic functional connectivity using cluster validity indexes. 2020 , 337, 108651	15
317	Electrophysiological resting state networks of predominantly akinetic-rigid Parkinson patients: Effects of dopamine therapy. 2020 , 25, 102147	3
316	Stability-driven non-negative matrix factorization-based approach for extracting dynamic network from resting-state EEG. 2020 , 389, 123-131	3
315	Brain-wide resting-state connectivity regulation by the hippocampus and medial prefrontal cortex is associated with fluid intelligence. 2020 , 225, 1587-1600	4
314	Separating dopamine D and D receptor sources of [C]-(+)-PHNO binding potential: Independent component analysis of competitive binding. <i>NeuroImage</i> , 2020 , 214, 116762	7.9 7
313	Systemic inflammation and grey matter volume in schizophrenia and bipolar disorder: Moderation by childhood trauma severity. 2021 , 105, 110013	9
312	Neural changes following a body-oriented resilience therapy with elements of kickboxing for individuals with a psychotic disorder: a randomized controlled trial. 2021 , 271, 355-366	
311	Oxytocin Modulates the Intrinsic Dynamics Between Attention-Related Large-Scale Networks. 2021 , 31, 1848-1860	12
310	Salience and default-mode network connectivity during threat and safety processing in older adults. 2021 , 42, 14-23	3

309	Multimodal investigation of dopamine D/D receptors, default mode network suppression, and cognitive control in cocaine-use disorder. 2021 , 46, 316-324	5
308	SS-Detect: Development and Validation of a New Strategy for Source-Based Morphometry in Multiscanner Studies. 2021 , 31, 261-271	2
307	Age-related alterations of default mode network in autobiographical memory: Recent versus remote events. 2021 , 177, 107341	1
306	Atlas55+: Brain Functional Atlas of Resting-State Networks for Late Adulthood. 2021 , 31, 1719-1731	5
305	Construction of embedded fMRI resting-state functional connectivity networks using manifold learning. 2021 , 15, 585-608	5
304	Temporal gap statistic: A new internal index to validate time series clustering. 2021 , 142, 110326	1
303	Brain networks involved in place recognition based on personal and spatial semantics. 2021 , 398, 112976	2
302	Gating Patterns to Proprioceptive Stimulation in Various Cortical Areas: An MEG Study in Children and Adults using Spatial ICA. 2021 , 31, 1523-1537	2
301	Altered Dynamic Functional Connectivity in Patients With Mitochondrial Encephalomyopathy With Lactic Acidosis and Stroke-Like Episodes (MELAS) at Acute and Chronic Stages: Shared and Specific Brain Connectivity Abnormalities. 2021 , 53, 427-436	2
300	Neural network connectivity in ADHD children: an independent component and functional connectivity analysis of resting state fMRI data. 2021 , 15, 157-165	5
299	Multi-Spatial Scale Dynamic Interactions between Functional Sources Reveal Sex-Specific Changes in Schizophrenia.	4
298	Effects of aging on brain networks during swallowing: general linear model and independent component analyses. 2021 , 11, 1069	0
297	Increased interhemispheric somatomotor functional connectivity and mirror overflow in ADHD. 2021 , 31, 102759	2
296	ISOMAP and machine learning algorithms for the construction of embedded functional connectivity networks of anatomically separated brain regions from resting state fMRI data of patients with Schizophrenia. 2021 , 8, 295-321	4
295	Automatic Detection of Volcanic Unrest Using Blind Source Separation With a Minimum Spanning Tree Based Stability Analysis. 2021 , 14, 7771-7787	2
294	Joint cortical surface and structural connectivity analysis of Alzheimer's Disease. 2021 , 11596,	0
293	Deep Learning-based Classification of Resting-state fMRI Independent-component Analysis. 2021 , 19, 619-637	3
292	Responses of functional brain networks to bladder control in healthy adults: a study using regional homogeneity combined with independent component analysis methods. 2021 , 53, 883-891	0

291	Inflammation is correlated with abnormal functional connectivity in unmedicated bipolar depression: an independent component analysis study of resting-state fMRI. 2021 , 1-11	2
290	Cortico-amygdalar connectivity and externalizing/internalizing behavior in children with neurodevelopmental disorders.	
289	Investigating the effects of healthy cognitive aging on brain functional connectivity using 4.7T resting-state functional magnetic resonance imaging. 2021 , 226, 1067-1098	4
288	Ground-truth "resting-state" signal provides data-driven estimation and correction for scanner distortion of fMRI time-series dynamics. <i>NeuroImage</i> , 2021 , 227, 117584	7.9 0
287	Altered brain functional network dynamics in obsessive-compulsive disorder. 2021 , 42, 2061-2076	7
286	Alterations in Dynamic Functional Connectivity in Individuals With Subjective Cognitive Decline. 2021 , 13, 646017	4
285	Estimation of the independent components reliability of EEG signal in a clinical application. 2021 , 65, 102336	0
284	Consistency of independent component analysis for FMRI. 2021 , 351, 109013	2
283	White matter alteration in adults with prelingual deafness: A TBSS and SBM analysis of fractional anisotropy data. 2021 , 148, 105676	1
282	Grey and white matter alteration in euthymic children with bipolar disorder: a combined source-based morphometry (SBM) and voxel-based morphometry (VBM) study. 2021 , 1	1
281	Multi-spatial scale dynamic interactions between functional sources reveal sex-specific changes in schizophrenia. 1-48	2
280	The Brain Alteration of Seafarer Revealed by Activated Functional Connectivity Mode in fMRI Data Analysis. 2021 , 15, 656638	2
279	Blind Visualization of Task-Related Networks From Visual Oddball Simultaneous EEG-fMRI Data: Spectral or Spatiospectral Model?. 2021 , 12, 644874	1
278	Altered functional network activities for behavioral adjustments and Bayesian learning in young men with Internet gaming disorder. 2021 , 10, 112-122	4
277	Evaluation of data-driven MEG analysis approaches for the extraction of fMRI resting state networks.	0
276	Stable Meta-Networks, Noise, and Artifacts in the Human Connectome: Low- to High-Dimensional Independent Components Analysis as a Hierarchy of Intrinsic Connectivity Networks. 2021 , 15, 625737	1
275	Alterations of frontal-temporal gray matter volume associate with clinical measures of older adults with COVID-19. 2021 , 14, 100326	11
274	Discrepancies of polygenic effects on symptom dimensions between adolescents and adults with ADHD. 2021 , 311, 111282	0

273	Phase fMRI defines brain resting-state functional hubs within central and posterior regions. 2021 , 226, 1925-1941	0
272	Altered Functional Connectivity of Hippocampal Subfields in Poststroke Dementia. 2021 , 54, 1337-1348	2
271	Functional Interactions between Sensory and Memory Networks for Adaptive Behavior. 2021 , 31, 5319-5330	0
270	Group-level cortical functional connectivity patterns using fNIRS: assessing the effect of bilingualism in young infants. 2021 , 8, 025011	2
269	Altered resting-state functional network connectivity in profound sensorineural hearing loss infants within an early sensitive period: A group ICA study. 2021 , 42, 4314-4326	6
268	The Cerebellum Is a Common Key for Visuospatial Execution and Attention in Parkinson's Disease. 2021 , 11,	0
267	Sex effects on cortical morphological networks in healthy young adults. <i>NeuroImage</i> , 2021 , 233, 117945-7.9	1
266	Alteration of brain resting-state networks and functional connectivity in prelingual deafness. 2021 , 31, 1135-1145	
265	Age-related differences in resting state functional connectivity in pediatric migraine. 2021 , 22, 65	0
264	Dynamic brain connectome and high risk of mental problem in clinical nurses. 2021 , 42, 5300-5308	1
263	Altered static and dynamic functional network connectivity in temporal lobe epilepsy with different disease duration and their relationships with attention. 2021 , 99, 2688-2705	1
262	Functional Imaging to Guide Network-Based TMS Treatments: Toward a Tailored Medicine Approach in Alzheimer's Disease. 2021 , 15, 687493	2
261	Intrinsic Network Brain Dysfunction Correlates With Temporal Complexity in Generalized Anxiety Disorder and Panic Disorder. 2021 , 15, 647518	0
260	The human vestibular cortex: functional anatomy, connectivity and the effect of vestibular disease.	1
259	. 2021 ,	
258	Different resting-state network disruptions in newly diagnosed drug-naïve Parkinson's disease patients with mild cognitive impairment. 2021 , 21, 327	1
257	MARGM: A multi-subjects adaptive region growing method for group fMRI data analysis. 2021 , 69, 102882	2
256	Identification of Methamphetamine Abstainers by Resting-State Functional Magnetic Resonance Imaging. 2021 , 12, 717519	2

255	Dynamic functional connectivity changes in the triple networks and its association with cognitive impairment in hemodialysis patients. 2021 , 11, e2314		1
254	Identifying brain networks in synaptic density PET (C-UCB-J) with independent component analysis. <i>NeuroImage</i> , 2021 , 237, 118167	7.9	3
253	Dynamic functional connectivity changes in Parkinson's disease patients with REM sleep behavior disorder. 2021 , 1764, 147477		4
252	Between-sex variability of resting-state functional brain networks in amyotrophic lateral sclerosis (ALS). 2021 , 128, 1881-1897		3
251	Functional network connectivity during Jazz improvisation. 2021 , 11, 19036		0
250	Brain stimulation boosts perceptual learning by altering sensory GABAergic plasticity and functional connectivity.		0
249	Altered Posterior Midline Activity in Patients with Jerky and Tremulous Functional Movement Disorders. 2021 , 11, 584-593		1
248	Aberrant functional brain network dynamics in patients with functional constipation. 2021 , 42, 5985-5999		3
247	Dynamic Functional Connectivity Signifies the Joint Impact of Dance Intervention and Cognitive Reserve. 2021 , 13, 724094		
246	Multimodel Order Independent Component Analysis: A Data-Driven Method for Evaluating Brain Functional Network Connectivity Within and Between Multiple Spatial Scales. 2021 ,		1
245	Tracking spatial dynamics of functional connectivity during a task. <i>NeuroImage</i> , 2021 , 239, 118310	7.9	0
244	A pilot clinical study of low-intensity transcranial focused ultrasound in Alzheimer's disease. 2021 , 40, 512-519		9
243	Phase-locking of resting-state brain networks with the gastric basal electrical rhythm. 2021 , 16, e0244756		2
242	The Effects of Cardiorespiratory and Motor Skill Fitness on Intrinsic Functional Connectivity of Neural Networks in Individuals with Parkinson's Disease. 2021 , 7, 77-95		
241	A Data Driven Approach Reveals That Anomalous Motor System Connectivity is Associated With the Severity of Core Autism Symptoms. 2021 ,		3
240	Brains and Phantoms: An ICA Study of fMRI. 2006 , 503-510		2
239	Drawback of ICA Procedure on EEG: Polarity Indeterminacy at Local Optimization. 2008 , 202-205		3
238	A Toolbox for Model-Free Analysis of fMRI Data. 2007 , 209-217		1

237	Mining Spatio-Spectro-Temporal Cortical Dynamics: A Guideline for Offline and Online Electrographic Analyses. 2013 , 39-55	2
236	Segregation between the parietal memory network and the default mode network: effects of spatial smoothing and model order in ICA. 2016 , 61, 1844-1854	5
235	Transcriptional Programs Define Intratumoral Heterogeneity of Ewing Sarcoma at Single-Cell Resolution. 2020 , 30, 1767-1779.e6	39
234	Large-scale sparse functional networks from resting state fMRI. <i>NeuroImage</i> , 2017 , 156, 1-13	7.9 27
233	Using ICA for the Analysis of fMRI Data. 2010 , 135-152	1
232	Redefining the multidimensional clinical phenotypes of frontotemporal lobar degeneration syndromes. 2020 , 143, 1555-1571	45
231	Using Temporal ICA to Selectively Remove Global Noise While Preserving Global Signal in Functional MRI Data.	9
230	Topographic organization of the human subcortex unveiled with functional connectivity gradients.	15
229	Network communication models improve the behavioral and functional predictive utility of the human structural connectome.	1
228	Phase-locking of resting-state brain networks with the gastric basal electrical rhythm.	1
227	Probing brain developmental patterns of myelination and associations with psychopathology in youth using gray/white matter contrast.	2
226	Oxytocin modulates the intrinsic dynamics between attention-related large scale networks.	1
225	The spatial chronnectome reveals a dynamic interplay between functional segregation and integration.	2
224	Dynamic Functional Network Connectivity In Schizophrenia With MEG And fMRI, Do Different Time Scales Tell A Different Story?.	2
223	Exploring Frequency-dependent Brain Networks from ongoing EEG using Spatial ICA during music listening.	0
222	Transcriptional programs define intratumoral heterogeneity of Ewing sarcoma at single cell resolution.	3
221	Structural Brain Alterations and Their Association with Cognitive Function and Symptoms in Attention-Deficit/Hyperactivity Disorder Families.	1
220	Exploring joint patterns of brain structure and function in inflammatory bowel diseases using multimodal data fusion. 2021 , 33, e14078	5

219	Ultra-high-order ICA: an exploration of highly resolved data-driven representation of intrinsic connectivity networks (sparse ICNs). 2019 ,	5
218	Changes in the Laterality of Functional Connectivity Associated with Tinnitus: Resting-State fMRI Study. 2019 , 23, 55	0
217	An fMRI data analysis strategy for Seafarer's brain functional network study. 2017 ,	1
216	Stimulus-related independent component and voxel-wise analysis of human brain activity during free viewing of a feature film. 2012 , 7, e35215	44
215	Changes of functional and effective connectivity in smoking replenishment on deprived heavy smokers: a resting-state FMRI study. 2013 , 8, e59331	59
214	Listening to an audio drama activates two processing networks, one for all sounds, another exclusively for speech. 2013 , 8, e64489	15
213	Stress Impact on Resting State Brain Networks. 2013 , 8, e66500	74
212	Cognitive reserve in granulin-related frontotemporal dementia: from preclinical to clinical stages. 2013 , 8, e74762	22
211	Altered functional connectivity between emotional and cognitive resting state networks in euthymic bipolar I disorder patients. 2014 , 9, e107829	69
210	How many separable sources? Model selection in independent components analysis. 2015 , 10, e0118877	6
209	APOE- ϵ Allele Altered the Rest-Stimulus Interactions in Healthy Middle-Aged Adults. 2015 , 10, e0128442	7
208	Stronger Neural Modulation by Visual Motion Intensity in Autism Spectrum Disorders. 2015 , 10, e0132531	18
207	Reduced resting state connectivity and gray matter volume correlate with cognitive impairment in minimal hepatic encephalopathy. 2017 , 12, e0186463	13
206	Elevated resting-state connectivity in the medial temporal lobe and the prefrontal cortex among patients with Cushing's syndrome in remission. 2019 , 180, 329-338	6
205	Aberrant posterior superior temporal sulcus functional connectivity and executive dysfunction in adolescents with internet gaming disorder. 2020 , 9, 589-597	5
204	Effect of tDCS on Aberrant Functional Network Connectivity in Refractory Hallucinatory Schizophrenia: A Pilot Study. 2019 , 16, 244-248	2
203	Brain Function Diagnosis Enhanced Using Denoised fNIRS Raw Signals. 2014 , 07, 218-227	9
202	Evaluating Functional Autocorrelation within Spatially Distributed Neural Processing Networks. 2010 , 3, 45-58	3

201	Cortical network architecture for context processing in primate brain. 2015 , 4,		5
200	Dynamic structure of locomotor behavior in walking fruit flies. 2017 , 6,		22
199	Fine-scale computations for adaptive processing in the human brain. 2020 , 9,		5
198	State-Dependent Effective Connectivity in Resting-State fMRI. 2021 , 15, 719364		0
197	Differences in Disrupted Dynamic Functional Network Connectivity Among Children, Adolescents, and Adults With Attention Deficit/Hyperactivity Disorder: A Resting-State fMRI Study. 2021 , 15, 697696		1
196	Spatially Covarying Patterns of Gray Matter Volume and Concentration Highlight Distinct Regions in Schizophrenia. 2021 , 15, 708387		1
195	How recent learning shapes the brain: Memory-dependent functional reconfiguration of brain circuits. <i>NeuroImage</i> , 2021 , 245, 118636	7.9	1
194	Schizotypy, childhood trauma and brain morphometry. 2021 , 238, 73-81		1
193	Data Analysis and Application Study. 2011 , 301-366		
192	A Systematic Independent Component Analysis Approach to Extract Mismatch Negativity. 2012 , 411-421		
191	ICA and ICAMM Methods. 2013 , 29-55		1
190	Resting-State-fMRT. 2013 , 229-256		1
189	Individual Independent Component Analysis on EEG: Event-Related Responses Vs. Difference Wave of Deviant and Standard Responses. 2016 , 30-39		
188	Unsupervised extraction of stable expression signatures from public compendia with eADAGE.		1
187	Segregation between the parietal memory network and the default mode network: Effects of spatial smoothing and model order in ICA.		
186	Multimodal neural correlates of cognitive control in the Human Connectome Project.		
185	Pathway-Level Integration of Proteogenomic Data in Breast Cancer Using Independent Component Analysis.		1
184	Heritable cognitive and psychopathology factors in youth are predicted by brain fronto-temporal white matter pathway.		1

- 183 A Novel Spatial-Spectra Dynamics-Based Ranking Model for Sorting Time-Varying Functional Networks from Single Subject fMRI Data. **2018**, 431-441 0
- 182 An Improvement of PAA on Trend-Based Approximation for Time Series. **2018**, 248-262 1
- 181 Cerebellar grey matter volume in adolescence is associated with prodromal psychotic symptoms and norm-violating behavior.
- 180 Connectivity dynamics from wakefulness to sleep. 2
- 179 Spatial dynamics within and between brain functional domains: A hierarchical approach to study time-varying brain function.
- 178 Blind Source Separation. **2019**, 117-140 1
- 177 PCA-based source-space contrast maps reveal psychologically meaningful individual differences in continuous MEG activity.
- 176 Modulating brain networks with transcranial magnetic stimulation over the primary motor cortex: a concurrent TMS/fMRI study.
- 175 Inferring brain functional hubs by eigencentality mapping of phase fMRI connectivity. **2020**, 0
- 174 Monolingual and bilingual infants rely on the same brain networks: Evidence from resting-state functional connectivity.
- 173 Atlas55+: Brain Functional Atlas of Resting-state Networks for Late Adulthood.
- 172 Dance Intervention Impact on Brain Plasticity: A Randomized 6-Month fMRI Study in Non-expert Older Adults. **2021**, 13, 724064 2
- 171 Multi-model Order ICA: A Data-driven Method for Evaluating Brain Functional Network Connectivity Within and Between Multiple Spatial Scales. 0
- 170 Multimodal neuroimaging fusion biomarkers mediate the association between gut microbiota and cognition. **2022**, 113, 110468 1
- 169 Altered EEG Oscillatory Brain Networks During Music-Listening in Major Depression. **2021**, 31, 2150001 4
- 168 Functional imaging to guide network-based TMS treatments: toward a tailored medicine approach in Alzheimer's disease.
- 167 Clinical Response of Major Depressive Disorder Patients With Suicidal Ideation to Individual Target-Transcranial Magnetic Stimulation. **2021**, 12, 768819 1
- 166 Deep learning-based classification of resting-state fMRI independent-component analysis. 0

- 165 SS-Detect: Development and Validation of a New Strategy for Source-Based Morphometry in Multi-Scanner Studies.
- 164 Development of an MRI Compatible Nasal Drug Delivery Method: Probing Nicotine Addiction Dynamics.
- 163 Investigating the effects of healthy cognitive aging on brain functional connectivity using 4.7 T resting-state functional Magnetic Resonance Imaging.
- 162 Sleep Quality Modulates the Association between Dynamic Functional Network Connectivity and Cognitive Function in Healthy Older Adults. **2021**, 480, 131-142 0
- 161 Discussion on "distributional independent component analysis for diverse neuroimaging modalities" by Ben Wu, Subhadip Pal, Jian Kang, and Ying Guo. **2021**, 0
- 160 Data-driven analysis of kappa opioid receptor binding in major depressive disorder measured by positron emission tomography. **2021**, 11, 602 0
- 159 Structural and functional brain networks of individual differences in trait anger and anger control: an unsupervised machine learning study. **2021**, 55, 510 2
- 158 Abnormal Brain Functional Network Dynamics in Acute CO Poisoning. **2021**, 15, 749887 1
- 157 A Multimodal Fusion Analysis of Pretreatment Anatomical and Functional Cortical Abnormalities in Responsive and Non-responsive Schizophrenia.. **2021**, 12, 737179 0
- 156 Altered Functional Connectivity in a Triple-Network Model in Autism With Co-occurring Attention Deficit Hyperactivity Disorder.. **2021**, 12, 736755 0
- 155 Weaker connectivity in resting state networks is associated with disinhibited eating in older adults.. **2022**, 0
- 154 Aberrant functional metastability and structural connectivity are associated with rumination in individuals with major depressive disorder.. **2021**, 33, 102916 0
- 153 Multivariate patterns of brain-behavior associations across the adult lifespan.. **2022**, 14, 0
- 152 The Resting State Central Auditory Network: a Potential Marker of HIV-Related Central Nervous System Alterations.. **2022**, 0
- 151 Alterations of dynamic functional connectivity between visual and executive-control networks in schizophrenia.. **2022**, 1 0
- 150 Decreased gray matter volume is associated with theory of mind deficit in adolescents with schizophrenia.. **2022**, 1 0
- 149 Atlasing white matter and grey matter joint contributions to resting-state networks in the human brain. 0
- 148 Mapping normative trajectories of cognitive function and its relation to psychopathology symptoms and genetic risk in youth. **2022**, 1

- 147 The human vestibular cortex: functional anatomy of OP2, its connectivity and the effect of vestibular disease.. **2022,** ○
- 146 Interplay Between the Salience and the Default Mode Network in a Social-Cognitive Task Toward a Close Other.. **2021, 12, 718400** ○
- 145 Abnormal static and dynamic functional connectivity of networks related to cognition in patients with subcortical ischemic vascular disease.. **2022, 1**
- 144 Investigation of the effect of bars on the properties of spiral galaxies: a multivariate statistical study. 1-31
- 143 Conflict- and error-related theta activities are coupled to BOLD signals in different brain regions.
- 142 Ameliorative patterns of grey matter in patients with first-episode and treatment-naïve schizophrenia.. **2022, 1-11** ○
- 141 Altered Dynamic Functional Connectivity in Parkinson's Disease Patients With Depression.. **2021, 13, 789785** ○
- 140 Altered Neural Network Connectivity Predicts Depression in Parkinson's Disease.. **2022, 16, 828651** ○
- 139 Deep Brain Stimulation Modulates Multiple Abnormal Resting-State Network Connectivity in Patients With Parkinson's Disease.. **2022, 14, 794987** ○
- 138 Altered Intra- and Inter-Network Functional Connectivity in Patients With Crohn's Disease: An Independent Component Analysis-Based Resting-State Functional Magnetic Resonance Imaging Study.. **2022, 16, 855470**
- 137 Concurrent TMS-fMRI to determine adaptive brain changes to virtual lesions interfering with visual processing.
- 136 Multimodal neuroimaging of metabotropic glutamate 5 receptors and functional connectivity in alcohol use disorder.. **2022,**
- 135 Psilocybin induces spatially constrained alterations in thalamic functional organization and connectivity. ○
- 134 Widespread cortical functional disconnection in gliomas: an individual network mapping approach.. **2022, 4, fcac082** ○
- 133 Neurochemical and functional interactions for improved perceptual decisions through training.. **2022,** ○
- 132 Joint independent component analysis for hypothesizing spatiotemporal relationships between longitudinal gray and white matter changes in preclinical Alzheimer's disease. **2022,**
- 131 Automatic Classification of Subjects of the PSEN1-E280A Family at Risk of Developing Alzheimer's Disease Using Machine Learning and Resting State Electroencephalography.. **2022,**
- 130 Network analysis of neuroimaging in mice.. *NeuroImage*, **2022, 119110** 7.9 ○

- 129 Group linear non-Gaussian component analysis with applications to neuroimaging. **2022**, 171, 107454
- 128 Altered brain functional network dynamics in classic trigeminal neuralgia: a resting-state functional magnetic resonance imaging study.. **2021**, 22, 147 ○
- 127 Altered Resting-State Intranetwork and Internetwork Functional Connectivity in Patients With Chronic Unilateral Vestibulopathy.. **2021**, ○
- 126 Altered executive control network connectivity in anti-NMDA receptor encephalitis.. **2021**, ○
- 125 Contributions of sex, depression, and cognition on brain connectivity dynamics in Parkinson's disease.. **2021**, 7, 117 ○
- 124 Structural network alterations and their association with neurological soft signs in schizophrenia: Evidence from clinical patients and unaffected siblings. **2021**,
- 123 Association Between Functional and Structural Brain Connectivity of the Default Mode Network in Non-treatment Seeking Individuals With Alcohol Use Disorder.. **2021**, ○
- 122 Preoperative Assessment of Language Dominance through Combined Resting-State and Task-Based Functional Magnetic Resonance Imaging.. **2021**, 11, 1
- 121 Similarities and differences between internet gaming disorder and tobacco use disorder: A large-scale network study.. **2021**, e13119
- 120 Altered Temporal Variations of Functional Connectivity Associated With Surgical Outcomes in Drug-Resistant Temporal Lobe Epilepsy.. **2022**, 16, 840481
- 119 Data_Sheet_1.docx. **2018**,
- 118 Image_1.PDF. **2018**,
- 117 DataSheet1.pdf. **2018**,
- 116 Data_Sheet_1.PDF. **2020**,
- 115 Image_1.TIFF. **2020**,
- 114 Table_1.docx. **2020**,
- 113 Data_Sheet_1.docx. **2019**,
- 112 Data_Sheet_1.PDF. **2020**,

111 Data_Sheet_2.PDF. 2020,

110 Data_Sheet_3.PDF. 2020,

109 Data_Sheet_4.PDF. 2020,

108 Data_Sheet_5.PDF. 2020,

107 Data_Sheet_6.PDF. 2020,

106 Table_1.docx. 2020,

105 Image_1.tif. 2018,

104 Data_Sheet_1.pdf. 2020,

103 Data_Sheet_1.PDF. 2020,

102 Data_Sheet_2.pdf. 2020,

101 Table_1.XLSX. 2019,

100 Table_2.XLSX. 2019,

99 Table_3.DOCX. 2019,

98 Table_4.DOCX. 2019,

97 Table_5.DOCX. 2019,

96 Table_6.DOCX. 2019,

95 Table_7.DOCX. 2019,

94 Table_1.pdf. 2019,

93	DataSheet_1.docx. 2019 ,		
92	Data_Sheet_1.docx. 2019 ,		
91	Cortico-amygdalar connectivity and externalizing/internalizing behavior in children with neurodevelopmental disorders.. 2022 , 1		0
90	A resting-state fMRI pattern of spinocerebellar ataxia type 3 and comparison with F-FDG PET.. 2022 , 34, 103023		0
89	Repetitive Transcranial Magnetic Stimulation (rTMS) of Dorsolateral Prefrontal Cortex May Influence Semantic Fluency and Functional Connectivity in Fronto-Parietal Network in Mild Cognitive Impairment (MCI). 2022 , 10, 994		1
88	Three-Level Distributed Real-Time Monitoring of Construction near Underground Infrastructure Using a Combined Intelligent Method.. 2022 , 22,		
87	Conflict- and error-related theta activities are coupled to BOLD signals in different brain regions.. <i>NeuroImage</i> , 2022 , 119264	7.9	0
86	The evolving causal structure of equity risk factors. 2021 ,		
85	Abnormal Dynamic Functional Connectivity in Patients With End-Stage Renal Disease. 2022 , 16,		
84	Structural covariance changes in major cortico-basal ganglia and thalamic networks in amyloid-positive patients with white matter hyperintensities. 2022 ,		
83	Distinct neural responses of morningness and eveningness chronotype to homeostatic sleep pressure revealed by resting-state functional magnetic resonance imaging.		1
82	BrainEx: Interactive Visual Exploration and Discovery of Sequence Similarity in Brain Signals. 2022 , 6, 1-41		
81	Identifying Alcohol Use Disorder With Resting State Functional Magnetic Resonance Imaging Data: A Comparison Among Machine Learning Classifiers. 13,		0
80	Empirical evaluation of human fetal fMRI preprocessing steps. 1-20		0
79	Comparing the reliability of different ICA algorithms for fMRI analysis. 2022 , 17, e0270556		0
78	PSILOCYBIN INDUCES SPATIALLY CONSTRAINED ALTERATIONS IN THALAMIC FUNCTIONAL ORGANIZATON AND CONNECTIVITY. <i>NeuroImage</i> , 2022 , 119434	7.9	0
77	Reproducibility in Matrix and Tensor Decompositions: Focus on model match, interpretability, and uniqueness. 2022 , 39, 8-24		0
76	Evaluation of functional MRI-based human brain parcellation: a review. 2022 , 128, 197-217		0

- 75 Impairments in the Default Mode and Executive Networks in Methamphetamine Users During Short-Term Abstinence. Volume 15, 6073-6084
- 74 Parietal-hippocampal rTMS improves cognitive function in Alzheimer’s disease and increases dynamic functional connectivity of default mode network. **2022**, 315, 114721
- 73 Reproducibility and replicability in neuroimaging data analysis. **2022**, 35, 475-481 ○
- 72 A large-scale brain network of species-specific dynamic human body perception.
- 71 Abnormal cerebellar network and effective connectivity in sudden and long-term sensorineural hearing loss. 14,
- 70 Dynamic spectral signatures of mirror movements in the sensorimotor functional connectivity network of patients with Kallmann syndrome. 16,
- 69 Age-dependent changes in the dynamic functional organization of the brain at rest in a cross-cultural replication approach. ○
- 68 Mindfulness meditation increases default mode, salience, and central executive network connectivity. **2022**, 12,
- 67 Multi-omics characterization reveals the pathogenesis of liver focal nodular hyperplasia. **2022**, 25, 104921
- 66 Joint cmICA: auto-linking of structural and functional connectivity. ○
- 65 Abnormal dynamic functional network connectivity in first-episode, drug-naïve patients with major depressive disorder. **2022**, 319, 336-343 ○
- 64 Estimation of the Basic LiNGAM Model. **2022**, 31-48 ○
- 63 Brain disorder prediction with dynamic multivariate spatio-temporal features: Application to Alzheimer’s disease and autism spectrum disorder. 14, ○
- 62 Aberrant intrinsic neural network strength in individuals with ‘‘smartphone addiction’’—An MRI data fusion study. **2022**, 12, 1
- 61 Efficient estimation of time-dependent functional connectivity using Structural Connectivity constraints. ○
- 60 Fetal frontolimbic connectivity prospectively associates with aggression in toddlers. **2022**, ○
- 59 Perception-action integration during inhibitory control is reflected in a concomitant multi-region processing of specific codes in the neurophysiological signal. ○
- 58 Identification of suicidality in patients with major depressive disorder via dynamic functional network connectivity signatures and machine learning. **2022**, 12, ○

- 57 Functional network alterations in young brain tumor patients with radiotherapy-induced memory impairments and vascular injury. 13, ○
- 56 Dynamic connectivity patterns of resting-state brain functional networks in healthy individuals after acute alcohol intake. 16, ○
- 55 Clusterwise Independent Component Analysis (C-ICA): Using fMRI resting state networks to cluster subjects and find neurofunctional subtypes. **2022**, 109718 ○
- 54 Anticipatory cues in emotional processing shift the activation of a combined salience sensorimotor functional network in drug-naïve depressed patients. **2022**, ○
- 53 An fMRI study of frontal networks in obsessive-compulsive disorder during cognitive reappraisal. 1-22 ○
- 52 Test-retest reliability of peak location in the sensorimotor network of resting state fMRI for potential rTMS targets. 16, ○
- 51 Muscle Selection Using ICA Clustering and Phase Variable Method for Transfemoral Amputees Estimation of Lower Limb Joint Angles. **2022**, 10, 944 ○
- 50 Neuroanatomical correlates of screening for aphasia in NeuroDegeneration (SAND) battery in non-fluent/agrammatic variant of primary progressive aphasia. 14, ○
- 49 Altered dynamic functional network connectivity in levodopa-induced dyskinesia of Parkinson's disease. ○
- 48 The integrative functional connectivity analysis between seafarer's brain networks using functional magnetic resonance imaging data of different states. 16, ○
- 47 IABC: A Toolbox for Intelligent Analysis of Brain Connectivity. ○
- 46 Abnormal static and dynamic functional network connectivity in stable chronic obstructive pulmonary disease. 14, ○
- 45 A ventral stream-prefrontal cortex processing cascade enables working memory gating dynamics. **2022**, 5, ○
- 44 Resting-state BOLD signal variability is associated with individual differences in metacontrol. **2022**, 12, ○
- 43 The characterization of static and dynamic brain functional networks in suicide attempters with major depressive disorder and its relation to psychological pain. **2022**, 111562 ○
- 42 Deviations from normative brain white and gray matter structure are associated with psychopathology in youth. **2022**, 58, 101173 ○
- 41 Clinical and cortical similarities identified between bipolar disorder I and schizophrenia: A multivariate approach. 16, ○
- 40 Rapid interactions of widespread brain networks characterize semantic cognition. JN-RM-0529-21 ○

39	Anxious brains: A combined data fusion machine learning approach to predict trait anxiety from gray and white matter features.	0
38	Deconvolution of the Functional Ultrasound Response in the Mouse Visual Pathway Using Block-Term Decomposition.	0
37	Resting state fMRI analysis of pseudobulbar affect in Amyotrophic Lateral Sclerosis (ALS): motor dysfunction of emotional expression.	0
36	Large-scale brain functional network abnormalities in social anxiety disorder. 1-11	0
35	Functional-structural decoupling in visual network is associated with cognitive decline in patients with type 2 diabetes mellitus: Evidence from a multimodal MRI analysis.	0
34	Alcohol use is associated with affective and interoceptive network alterations in bipolar disorder.	0
33	Joint connectivity matrix independent component analysis: Auto-linking of structural and functional connectivities.	0
32	Sequential fear generalization and network connectivity in trauma exposed humans with and without psychopathology. 2022 , 5,	0
31	Impact of low-frequency repetitive transcranial magnetic stimulation on functional network connectivity in schizophrenia patients with auditory verbal hallucinations. 2022 , 114974	0
30	Disturbed hippocampal intra-network in first-episode of drug-naïve major depressive disorder.	0
29	A large-scale brain network of species-specific dynamic human body perception. 2022 , 102398	0
28	Age-dependent changes in the dynamic functional organization of the brain at rest: a cross-cultural replication approach.	0
27	Cognitive domain-independent aberrant frontoparietal network strength in individuals with excessive smartphone use. 2023 , 111593	0
26	Altered intrinsic brain functional network dynamics in moderate-to-severe obstructive sleep apnea. 2023 , 101, 550-557	0
25	IABC: A Toolbox for Intelligent Analysis of Brain Connectivity.	0
24	Anxious Brains: A Combined Data Fusion Machine Learning Approach to Predict Trait Anxiety from Morphometric Features. 2023 , 23, 610	1
23	Brain dynamics in triple-network interactions and its relation to multiple cognitive impairments in mild traumatic brain injury.	0
22	mICA-Based fMRI Analysis of Specific CO ₂ -Level-Dependent BOLD Signal Changes in the Human Brainstem. 2023 , 12, 290	0

- 21 Using convolutional dictionary learning to detect task-related neuromagnetic transients and ageing trends in a large open-access dataset. **2023**, 267, 119809
- 20 Functional Coherence in Intrinsic Frontal Executive Networks Predicts Cognitive Impairments in Alcohol Use Disorder. **2023**, 13, 45
- 19 Dynamic functional connectivity changes associated with psychiatric traits and cognitive deficits in Cushing's disease.
- 18 Gender differences in dynamic functional network connectivity in pediatric and adult patients with attention deficit hyperactivity disorder.
- 17 Alterations in Dynamic Functional Connectivity in Patients with Cerebral small vessel disease.
- 16 Creative thinking and brain network development in schoolchildren.
- 15 Changes of creative ability and underlying brain network connectivity throughout the lifespan. **2023**, 168, 105975
- 14 Altered static and dynamic functional network connectivity in post-stroke cognitive impairment. **2023**, 799, 137097
- 13 Altered temporal connectivity and reduced meta-state dynamism in adolescents born very preterm. **2022**, 5,
- 12 A thin line between conflict and reaction time effects on EEG and fMRI brain signals.
- 11 Structure/function interrelationships and illness insight in patients with schizophrenia: a multimodal MRI data fusion study.
- 10 Linking resting-state network fluctuations with systems of coherent synaptic density: A multimodal fMRI and ¹¹C-UCB-J PET study. 17,
- 9 Identification of the Language Network from Resting-State fMRI in Patients with Brain Tumors: How Accurate Are Experts?. **2023**, 44, 274-282
- 8 Altered dynamic functional connectivity associates with post-traumatic stress disorder.
- 7 Disrupted dynamic functional network connectivity in fetal alcohol spectrum disorders.
- 6 Abnormal Brain Circuits Characterize Borderline Personality and Mediate the Relationship between Childhood Traumas and Symptoms: A mCCA+jICA and Random Forest Approach. **2023**, 23, 2862
- 5 Identification of synchronous BOLD signal patterns in white matter of primate spinal cord.
- 4 Alterations in Dynamic Functional Connectivity in Patients with Cerebral Small Vessel Disease.

- 3 Altered dynamic functional and effective connectivity in drug-naive children with Tourette Syndrome. ○
- 2 Functional network interactions in patients with schizophrenia with persistent auditory verbal hallucinations: A multimodal MRI fusion approach using three-way pICA. **2023**, ○
- 1 Altered dynamic functional network connectivity states in patients with acute basal ganglia ischemic stroke. **2023**, 148406 ○