

CITATION REPORT

List of articles citing

Surviving Sepsis Campaign guidelines for management of severe sepsis and septic shock

DOI: 10.1097/01.ccm.0000117317.18092.e4
Critical Care Medicine, 2004, 32, 858-73.

Source: <https://exaly.com/paper-pdf/37629337/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2282	Septic Shock. 403-408		
2281	A Non-invasive Method for Assessment of Intravascular Fluid Status: Inferior Vena Cava Diameters and Collapsibility Index. 2016 , 32, 836-40		6
2280	Anaesthetist or intensivist?. 2004 , 65, 516-518		
2279	Hematologic changes in sepsis and their therapeutic implications. 2004 , 25, 645-59		51
2278	Surviving sepsis. 2004 , 5, 1-2		6
2277	Effects of continuous vasopressin infusion in patients with septic shock. 2004 , 38, 1117-22		47
2276	The evolving paradigm of hyperglycemia and critical illness. <i>Chest</i> , 2004 , 126, 674-6	5.3	11
2275	Errata. <i>Critical Care Medicine</i> , 2004 , 32, 2169-2170	1.4	
2274	Errata. <i>Critical Care Medicine</i> , 2004 , 32, 2170	1.4	
2273	Drotrecogin alfa: a role in emergency department treatment of severe sepsis?. 2004 , 16, 324-35		3
2272	Interventions to reduce mortality among patients treated in intensive care units. 2004 , 19, 158-64		101
2271	Fixed-dose vasopressin compared with titrated dopamine and norepinephrine as initial vasopressor therapy for septic shock. 2004 , 24, 1002-12		38
2270	The role of vasopressin in vasodilatory septic shock. 2004 , 24, 1050-63		38
2269	From A&E to ICU: how nurses can support the Surviving Sepsis Campaign. 2004 , 20, 113-5		2
2268	[S2 Guideline for diagnosis and therapy of infectious endocarditis]. 2004 , 93, 1005-21		33
2267	Comment on "Surviving sepsis campaign guidelines for the management of severe sepsis and septic shock" by Dellinger et al. 2004 , 30, 1984; author reply 1981		5
2266	C-reactive protein used as an early indicator of infection in patients with systemic inflammatory response syndrome. 2004 , 30, 2038-45		94

2265	Advances in Sepsis Treatment. <i>Current Infectious Disease Reports</i> , 2004 , 6, 354-360	3.9	3
2264	Recently published papers: bugs, fluids, obesity and food. 2004 , 8, 148-50		1
2263	Severe sepsis epidemiology: sampling, selection, and society. 2004 , 8, 222-6		166
2262	Albumin in critical care: SAFE, but worth its salt?. 2004 , 8, 297-9		10
2261	Clinical review: Vasopressin and terlipressin in septic shock patients. 2005 , 9, 212-22		84
2260	Bench-to-bedside review: Resuscitation in the emergency department. 2005 , 9, 170-6		6
2259	Dear vasopressin, where is your place in septic shock?. 2005 , 9, 134-5		6
2258	The challenge of sepsis. 2004 , 8, 435-6		4
2257	Causes and management of shock. 2004 , 5, 418-421		1
2256	Extremely high-pressure lung recruitment maneuver may be life saving in the most severe cases of acute lung injury/acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2004 , 32, 1441-2; author reply 1442	1.4	3
2255	Early lactate clearance is associated with improved outcome in severe sepsis and septic shock. <i>Critical Care Medicine</i> , 2004 , 32, 1637-42	1.4	1370
2254	Ethical issues in the intensive care unit. 2004 , 10, 292-8		4
2253	Rotation of propofol and midazolam for long-term sedation. <i>Critical Care Medicine</i> , 2004 , 32, 1435-6; author reply 1436	1.4	1
2252	Deadspace ratio. <i>Critical Care Medicine</i> , 2004 , 32, 1441	1.4	2
2251	Extracorporeal albumin dialysis for intoxication from protein-bound agents. <i>Critical Care Medicine</i> , 2004 , 32, 1436-7; author reply 1437	1.4	3
2250	Platelet-activating factor acetylhydrolase and acute respiratory distress syndrome: unanswered questions. <i>Critical Care Medicine</i> , 2004 , 32, 1434-5; author reply 1435	1.4	2
2249	Platelet-activating Factor Acetylhydrolase and Acute Respiratory Distress Syndrome: Unanswered Questions: The authors reply. <i>Critical Care Medicine</i> , 2004 , 32, 1435	1.4	2
2248	Does the age of blood matter?. <i>Critical Care Medicine</i> , 2004 , 32, 1442-3; author reply 1443	1.4	1

2247	Does the storage time of transfused red blood cells influence critically ill patients?. <i>Critical Care Medicine</i> , 2004 , 32, 1443-4; author reply 1444-5	1.4	0
2246	Outcome of patients who underwent mechanical ventilation following intracerebral hemorrhage: is the glass really half full?. <i>Critical Care Medicine</i> , 2004 , 32, 1431	1.4	1
2245	Unreported deviations of genotype distributions from Hardy-Weinberg equilibrium in articles published in <i>Critical Care Medicine</i> between 1999 and 2003. <i>Critical Care Medicine</i> , 2004 , 32, 1431-3	1.4	9
2244	Healthcare Facilities Should Include Patients in Their Compliance Program: The authors reply. <i>Critical Care Medicine</i> , 2004 , 32, 1447	1.4	
2243	Unraveling the mystery of adrenal failure in the critically ill. <i>Critical Care Medicine</i> , 2004 , 32, 1447-8; author reply 1448	1.4	3
2242	Caution Should be Exercised When Maintaining a Serum Sodium Level >160 meq/L: The authors reply. <i>Critical Care Medicine</i> , 2004 , 32, 1439-1440	1.4	6
2241	Does the Age of Blood Matter?: The authors reply. <i>Critical Care Medicine</i> , 2004 , 32, 1443	1.4	
2240	Central venous and mixed venous oxygen saturations in the surviving sepsis campaign guidelines. <i>Critical Care Medicine</i> , 2004 , 32, 1626-7; author reply 1627-8	1.4	
2239	The surviving sepsis guidelines: "lost in translation". <i>Critical Care Medicine</i> , 2004 , 32, 1598-600	1.4	17
2238	The surviving sepsis guidelines: not another "groundhog day". <i>Critical Care Medicine</i> , 2004 , 32, 1601-2	1.4	16
2237	Lac-time?. <i>Critical Care Medicine</i> , 2004 , 32, 1785-6	1.4	9
2236	No argument for not accepting a single, well-performed trial for the highest level of recommendation. <i>Critical Care Medicine</i> , 2004 , 32, 2167; author reply 2168	1.4	
2235	No Argument for Not Accepting a Single, Well-Performed Trial for the Highest Level of Recommendation. <i>Critical Care Medicine</i> , 2004 , 32, 2168	1.4	
2234	Physician's Guide to Terrorist Attack. <i>Critical Care Medicine</i> , 2004 , 32, 2168-2169	1.4	
2233	Introduction. <i>Critical Care Medicine</i> , 2004 , 32, S445-S447	1.4	3
2232	Sepsis change bundles: converting guidelines into meaningful change in behavior and clinical outcome. <i>Critical Care Medicine</i> , 2004 , 32, S595-7	1.4	221
2231	Management of severe sepsis and septic shock. 2004 , 10, 354-63		29
2230	Current status of blood component therapy in surgical critical care. 2004 , 10, 311-7		29

2229	Vasopressin in the ICU. 2004 , 10, 442-8		34
2228	Respiratory failure in interstitial lung disease. 2004 , 10, 412-8		12
2227	Epidemiology and control of antibiotic resistance in the intensive care unit. 2004 , 17, 309-16		54
2226	What can we learn from the three megatrials using anticoagulants in severe sepsis?. 2004 , 22, 508-12		6
2225	Letâ Be Splitters, Rather Than âumpersâThe authors reply. <i>Critical Care Medicine</i> , 2004 , 32, 1440-1441	1.4	1.4
2224	Antioxidants and Sepsis: Can We Find the Ideal Approach?: The authors reply. <i>Critical Care Medicine</i> , 2004 , 32, 1446		1.4
2223	Research and critical care medicine: an ongoing love story. 2004 , 10, 434-435		
2222	Rotation of Propofol and Midazolam for Long-Term Sedation: The authors reply. <i>Critical Care Medicine</i> , 2004 , 32, 1436		1.4
2221	Healthcare facilities should include patients in their compliance program. <i>Critical Care Medicine</i> , 2004 , 32, 1446-7; author reply 1447	1.4	1
2220	Unraveling the Mystery of Adrenal Failure in the Critically Ill: The author replies. <i>Critical Care Medicine</i> , 2004 , 32, 1448	1.4	1
2219	Does the Storage Time of Transfused Red Blood Cells Influence Critically Ill Patients?: The authors reply. <i>Critical Care Medicine</i> , 2004 , 32, 1444-1445	1.4	
2218	Extremely High-Pressure Lung Recruitment Maneuver May Be Life Saving in the Most Severe Cases of Acute Lung Injury/Acute Respiratory Distress Syndrome: The author replies. <i>Critical Care Medicine</i> , 2004 , 32, 1442	1.4	1
2217	Let's be splitters, rather than "lumpers". <i>Critical Care Medicine</i> , 2004 , 32, 1440	1.4	1
2216	Caution should be exercised when maintaining a serum sodium level >160 meq/L. <i>Critical Care Medicine</i> , 2004 , 32, 1438-9; author reply 1439-40	1.4	25
2215	Lessons Learned from High-Dosage Vasopressin Infusion in Septic Shock: The authors reply. <i>Critical Care Medicine</i> , 2004 , 32, 1434	1.4	2
2214	Stress ulcer prophylaxis. <i>Critical Care Medicine</i> , 2004 , 32, 1626	1.4	2
2213	Keeping Patients Safe: Transforming the Work Environment of Nurses. <i>Critical Care Medicine</i> , 2004 , 32, 2169	1.4	38
2212	Acute renal failure in children and infants. 2004 , 10, 499-504		35

2211	A More Appropriate Critical Appraisal of the Available Evidence?. <i>Critical Care Medicine</i> , 2004 , 32, 2167	1.4	
2210	Management of the critically ill patient with severe acute pancreatitis. <i>Critical Care Medicine</i> , 2004 , 32, 2524-36	1.4	270
2209	Antioxidants and sepsis: can we find the ideal approach?. <i>Critical Care Medicine</i> , 2004 , 32, 1445-6; author reply 1446	1.4	5
2208	A more appropriate critical appraisal of the available evidence?. <i>Critical Care Medicine</i> , 2004 , 32, 2166-7; author reply 2167	1.4	3
2207	Lessons learned from high-dosage vasopressin infusion in septic shock. <i>Critical Care Medicine</i> , 2004 , 32, 1433-4; author reply 1434	1.4	4
2206	DES, not always the best!. <i>Critical Care Medicine</i> , 2004 , 32, 2166; author reply 2166	1.4	1
2205	Extracorporeal Albumin Dialysis for Intoxication from Protein-Bound Agents: The author replies. <i>Critical Care Medicine</i> , 2004 , 32, 1437-1438	1.4	1
2204	DES, Not Always the Best!. <i>Critical Care Medicine</i> , 2004 , 32, 2166	1.4	3
2203	Emergency care in pediatric septic shock. 2004 , 20, 617-24		3
2202	Sepsis. 2004 , 34, 32cc1-32cc4		
2201	Winning the battle against severe sepsis. 2004 , 2, 26-33		
2200	ERRATUM. <i>Critical Care Medicine</i> , 2004 , 32, 1448	1.4	
2199	Early care of severe sepsis and multiple organ failure in children. 2004 , 65, 553-6		1
2198	Working out the complexities of severe sepsis. 2004 , 35, 48A-48H		
2197	Role of interleukin-8 in the pathogenesis and treatment of COPD. <i>Chest</i> , 2004 , 126, 676-8	5.3	25
2196	Severe sepsis: new concepts in pathogenesis and management. 2004 , 328, 193-5		3
2195	Human recombinant activated protein C for severe sepsis in neonates. 2005 ,		
2194	Chapter 16 Looking to the future as keepers of the dam. 2005 , 35, 471-516		

2193	Propylene Glycol Accumulation After High-Dose Lorazepam: What Have We Learned?. <i>Critical Care Medicine</i> , 2005 , 33, 468	1.4	
2192	Strategies to prevent antimicrobial resistance in the intensive care unit. <i>Critical Care Medicine</i> , 2005 , 33, 1845-53	1.4	116
2191	Augmentation of hospital critical care capacity after bioterrorist attacks or epidemics: recommendations of the Working Group on Emergency Mass Critical Care. <i>Critical Care Medicine</i> , 2005 , 33, 2393-403	1.4	131
2190	Effect of airway pressure display on interobserver agreement in the assessment of vascular pressures in patients with acute lung injury and acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2005 , 33, 98-103; discussion 243-4	1.4	39
2189	Surgical Intensive Care Medicine. <i>Critical Care Medicine</i> , 2005 , 33, 474	1.4	
2188	Intra-abdominal hypertension: not just a surgical critical care curiosity. <i>Critical Care Medicine</i> , 2005 , 33, 447-9	1.4	11
2187	Further clarification?. <i>Critical Care Medicine</i> , 2005 , 33, 466-7	1.4	1
2186	Regional analgesia in the critically ill. <i>Critical Care Medicine</i> , 2005 , 33, 1400-7	1.4	35
2185	Cardiac and renal effects of levosimendan, arginine vasopressin, and norepinephrine in lipopolysaccharide-treated rabbits. 2005 , 103, 514-21		52
2184	Sepsis. 2005 , 35, 44		
2183	Biomarkers for Pulmonary Injury in Critically Ill Patients. 2005 , 63-72		
2182	Assessing, treating and managing patients with sepsis. 2005 , 19, 56-64		9
2181	Assessment of indices of preload and volume responsiveness. 2005 , 11, 235-9		96
2180	Arginine vasopressin as a rescue vasopressor agent in the operating room. 2005 , 18, 396-404		14
2179	Intensivists: providing primary care for critically ill patients. <i>Critical Care Medicine</i> , 2005 , 33, 446-7	1.4	9
2178	Propylene glycol accumulation after high-dose lorazepam: what have we learned?. <i>Critical Care Medicine</i> , 2005 , 33, 468; author reply 468	1.4	
2177	Open randomized phase II trial of an extracorporeal endotoxin adsorber in suspected gram-negative sepsis. <i>Critical Care Medicine</i> , 2005 , 33, 461-2	1.4	2
2176	Getting Dark, Too Dark to See. <i>Critical Care Medicine</i> , 2005 , 33, 469	1.4	1

2175	Positive clinical impact of low tidal volume strategy. <i>Critical Care Medicine</i> , 2005 , 33, 1143-4	1.4	6
2174	Adjuvant therapy for meningococcal sepsis. 2005 , 24, 177-8		19
2173	Sepsis in the immunocompromised child: the least studied with the most to gain. 2005 , 6, S78-9		
2172	Impact of prolonged elevated heart rate on incidence of major cardiac events in critically ill patients with a high risk of cardiac complications. <i>Critical Care Medicine</i> , 2005 , 33, 81-8; discussion 241-2	1.4	78
2171	Tracheostomy in mechanically ventilated patients: unanswered questions. <i>Critical Care Medicine</i> , 2005 , 33, 444-5	1.4	6
2170	Surviving Sepsis Campaign Guidelines: selective decontamination of the digestive tract still neglected. <i>Critical Care Medicine</i> , 2005 , 33, 462-3; author reply 463-4	1.4	15
2169	Surviving Sepsis Campaign Guidelines: Selective Decontamination of the Digestive Tract Still Neglected. <i>Critical Care Medicine</i> , 2005 , 33, 463-464	1.4	60
2168	Increasing mean arterial pressure in patients with septic shock: effects on oxygen variables and renal function. <i>Critical Care Medicine</i> , 2005 , 33, 780-6	1.4	289
2167	Pediatric definitions for sepsis: it's about time!. 2005 , 6, 83-4		7
2166	B-type natriuretic peptide for predicting outcomes after open heart surgery: superior to traditional scoring systems?. <i>Critical Care Medicine</i> , 2005 , 33, 459-60	1.4	0
2165	Predicting the course of sepsis: the next step?. <i>Critical Care Medicine</i> , 2005 , 33, 450-2	1.4	1
2164	Ventilator-associated lung injury in healthy lung: how important is it?. <i>Critical Care Medicine</i> , 2005 , 33, 472-3; author reply 473	1.4	0
2163	Low-dose terlipressin for hemodynamic support in sepsis and systemic inflammatory response syndrome: art for (he)art's sake or state of the art?. <i>Critical Care Medicine</i> , 2005 , 33, 455-7	1.4	16
2162	The distinct concepts and implications of hepatopulmonary syndrome and portopulmonary hypertension. <i>Critical Care Medicine</i> , 2005 , 33, 470	1.4	7
2161	Bibliography. Current world literature. Cardiovascular system. 2005 , 11, 493-511		
2160	15-Deoxy-delta(12,14)-prostaglandin J(2) (15D-PGJ(2)), a peroxisome proliferator activated receptor gamma ligand, reduces tissue leukosequestration and mortality in endotoxic shock. 2005 , 24, 59-65		74
2159	Prone position: can we move from better oxygenation to better survival?. <i>Critical Care Medicine</i> , 2005 , 33, 453-5	1.4	4
2158	Critical illness polyneuropathy: a new (or old?) reason for weaning failure. <i>Critical Care Medicine</i> , 2005 , 33, 452-3	1.4	6

2157	Diametrically opposite result?. <i>Critical Care Medicine</i> , 2005 , 33, 461-2	1.4	15
2156	Getting dark, too dark to see. <i>Critical Care Medicine</i> , 2005 , 33, 468-9; author reply 469-70	1.4	43
2155	To appreciate fully the indications and timing of tracheotomies. <i>Critical Care Medicine</i> , 2005 , 33, 467; author reply 467-8	1.4	1
2154	Caution and patient safety concerns should guide us. <i>Critical Care Medicine</i> , 2005 , 33, 471-2; author reply 472	1.4	1
2153	Doing Antithrombin III An Injustice?. <i>Critical Care Medicine</i> , 2005 , 33, 465-466	1.4	
2152	Ventilator-Associated Lung Injury in Healthy Lung: How Important Is It?. <i>Critical Care Medicine</i> , 2005 , 33, 473-474	1.4	
2151	Caution and Patient Safety Concerns Should Guide Us. <i>Critical Care Medicine</i> , 2005 , 33, 472	1.4	10
2150	Give your patient a fast hug (at least) once a day. <i>Critical Care Medicine</i> , 2005 , 33, 1225-9	1.4	165
2149	Use of goal-directed therapy for severe sepsis and septic shock in academic emergency departments. <i>Critical Care Medicine</i> , 2005 , 33, 1888-9; author reply 1889-90	1.4	90
2148	Primer on medical management of severe brain injury. <i>Critical Care Medicine</i> , 2005 , 33, 1392-9	1.4	80
2147	Hemodynamic support in septic shock: is restoring a normal blood pressure the right target?. <i>Critical Care Medicine</i> , 2005 , 33, 2113-5	1.4	5
2146	Infusion of the beta-adrenergic blocker esmolol attenuates myocardial dysfunction in septic rats. <i>Critical Care Medicine</i> , 2005 , 33, 2294-301	1.4	135
2145	The early bird catches the worm. <i>Critical Care Medicine</i> , 2005 , 33, 2412-4	1.4	20
2144	Proapoptotic effect of curcumin on human neutrophils: activation of the p38 mitogen-activated protein kinase pathway. <i>Critical Care Medicine</i> , 2005 , 33, 2571-8	1.4	60
2143	Sepsis: the changing times. <i>Critical Care Medicine</i> , 2005 , 33, 2700-1	1.4	
2142	Need for critical appraisal of implementation of use of lower tidal volumes. <i>Critical Care Medicine</i> , 2005 , 33, 2718; author reply 2718-9	1.4	2
2141	Admission hyperglycemia and outcome: the ongoing story. <i>Critical Care Medicine</i> , 2005 , 33, 2848-9	1.4	2
2140	Biomarkers of sepsis: clinically useful?. 2005 , 11, 473-80		71

2139	The myth of the gastric residual volume. <i>Critical Care Medicine</i> , 2005 , 33, 449-50	1.4	38
2138	Heme oxygenase: a new piece in the glutamine puzzle. <i>Critical Care Medicine</i> , 2005 , 33, 457-8	1.4	10
2137	Early or late tracheostomy. <i>Critical Care Medicine</i> , 2005 , 33, 466	1.4	74
2136	Hepatopulmonary syndrome and portopulmonary hypertension. <i>Critical Care Medicine</i> , 2005 , 33, 470-1; author reply 471	1.4	1
2135	Hepatopulmonary Syndrome and Portopulmonary Hypertension. <i>Critical Care Medicine</i> , 2005 , 33, 471	1.4	1
2134	To Appreciate Fully the Indications and Timing of Tracheotomies. <i>Critical Care Medicine</i> , 2005 , 33, 467	1.4	1
2133	Do not (over) resuscitate. <i>Critical Care Medicine</i> , 2005 , 33, 464; author reply 464	1.4	
2132	Glucocorticoid therapy in neurologic critical care. <i>Critical Care Medicine</i> , 2005 , 33, 1214-24	1.4	96
2131	Forums for expressing concerns. <i>Critical Care Medicine</i> , 2005 , 33, 1467; author reply 1467-8	1.4	1
2130	Cardiovascular response to dopamine and early prediction of outcome in septic shock: a prospective multiple-center study. <i>Critical Care Medicine</i> , 2005 , 33, 2172-7	1.4	54
2129	Sepsis during pregnancy. <i>Critical Care Medicine</i> , 2005 , 33, S286-93	1.4	51
2128	Glucocorticoids in the treatment of severe sepsis and septic shock. 2005 , 11, 449-53		58
2127	Vasoactive drugs in the intensive care unit. 2005 , 11, 413-7		57
2126	Reexamining quinolone use in the intensive care unit: use them right or lose the fight against resistant bacteria. <i>Critical Care Medicine</i> , 2005 , 33, 443-4	1.4	13
2125	Doing antithrombin III an injustice?. <i>Critical Care Medicine</i> , 2005 , 33, 464-5; author reply 465-6	1.4	1
2124	Do Not (Over) Resuscitate. <i>Critical Care Medicine</i> , 2005 , 33, 464	1.4	2
2123	Omission bias and decision making in pulmonary and critical care medicine. <i>Chest</i> , 2005 , 128, 1497-505	5.3	95
2122	The impact of a normoglycemic management protocol on clinical outcomes in the trauma intensive care unit. 2005 , 29, 353-8; discussion 359		61

2121	Disseminated intravascular coagulation in sepsis. <i>Chest</i> , 2005 , 128, 2864-75	5.3	216
2120	Arterial Pressure: A Personal View. 2005 , 89-97		4
2119	Cecal ligation and puncture. 2005 , 24 Suppl 1, 52-7		493
2118	Cytokine-related genotypic differences in peak interleukin-6 blood levels of patients with SIRS and septic complications. 2005 , 59, 1181-9; discussion 1189-90		33
2117	Evidenced-based practice: priorities and implementation strategies. 2005 , 16, 36-42		13
2116	Assessing outcomes in advanced practice nursing practice: the use of quality indicators and evidence-based practice. 2005 , 16, 43-57		43
2115	Haemodynamic support of paediatric patients in septic shock. 2005 , 587-596		
2114	Sepsis: taking a deeper look. 2005 , 35, 38-42; quiz 42-3		5
2113	The use of common continuous monitoring parameters: a quality indicator for critically ill patients with sepsis. 2005 , 16, 140-8		9
2112	Gender differences in acute response to trauma-hemorrhage. 2005 , 24 Suppl 1, 101-6		121
2111	Trends but not individual values of central venous oxygen saturation agree with mixed venous oxygen saturation during varying hemodynamic conditions. 2005 , 103, 249-57		163
2110	Activated Protein C. 2005 , 69-95		
2109	A blueprint for a sepsis protocol. 2005 , 12, 352-9		26
2108	Establishing a comprehensive, evidence-based protocol for the care of patients with sepsis. 2005 , 12, 912-3; author reply 914		1
2107	Recombinant human activated protein C treatment of septic shock syndrome in a patient at 18th week of gestation: a case report. 2005 , 193, 864-5		16
2106	Systematik der Therapie bei Sepsis und Multiorgandysfunktionssyndrom (MODS). 2005 , 77-133		
2105	An updated view of hemostasis: mechanisms of hemostatic dysfunction associated with sepsis. 2005 , 15, 83-91		36
2104	BEST FREE PAPER SESSIONS. 2005 , 49, 1-7		7

2103 ORAL FREE PAPER SESSIONS. **2005**, 49, 8-42

2102 POSTERS. **2005**, 49, 43-48

2101 SCANDINAVIAN PRIZE FOR RESEARCH âRADIOMETER PRIZE COMPETITION. **2005**, 49, 49-53

2100 REFRESHER COURSES. **2005**, 49, 54-65

1

2099 SYMPOSIA. **2005**, 49, 66-139

13

2098 PLENARY LECTURES. **2005**, 49, 140-152

1

2097 HONORARY LECTURES. **2005**, 49, 153-154

2096 LATE ABSTRACTS. **2005**, 49, 155-156

2095 [Fungal sepsis--therapeutical strategy]. **2005**, 48 Suppl 1, 72-7

2094 Incidence and outcome of critical illness amongst hospitalised patients with haematological malignancy: a prospective observational study of ward and intensive care unit based care. **2005**, 60, 340-7

578

2093 Etomidate for emergency anaesthesia; mad, bad and dangerous to know?. **2005**, 60, 737-40

68

2092 The patient with shock: is there any role for the non-invasive monitoring of cardiac output?. **2005**, 17, 189-90

4

2091 Empiric antimicrobial therapy for severe sepsis in the intensive care unit: In early, hit hard, out early. **2005**, 16, 221-230

2

2090 What's new in general surgery: critical care and trauma. **2005**, 200, 755-65

1

2089 Sepsis: still going strong. **2005**, 36, 672-81

26

2088 Shock: Management Guidelines. **2005**, 2, 277-286

2087 Struggle for implementation of new strategies in intensive care medicine: anticoagulation, insulin, and lower tidal volumes. **2005**, 20, 199-204

36

2086 A new approach to an old foe: implementation of an early goal-directed sepsis treatment protocol. **2005**, 31, 34-8

2

2085	Early and late complications after pancreatic necrosectomy. 2005 , 137, 499-505	239
2084	Design and implementation of GRIP: a computerized glucose control system at a surgical intensive care unit. 2005 , 5, 38	96
2083	Daily interruption of continuous sedation. 2005 , 25, 3S-7S	20
2082	Relationship between hyperglycemia and infection in critically ill patients. 2005 , 25, 963-76	108
2081	Fas/FasL interaction: a novel immune therapy approach with immobilized biologicals. 2005 , 25, 331-42	25
2080	Neuromuscular manifestations of critical illness. 2005 , 32, 140-63	346
2079	[Effects of dopamine on cellular and humoral immune responses in septic patients]. 2005 , 54, 1012-20	7
2078	Monitoring der Mikrozirkulation bei Sepsis - Erkennen wir Störungen rechtzeitig?. 2005 , 54, 1161-1162	
2077	[New approaches to intensive care for sepsis]. 2005 , 76, 845-55	3
2076	[Relaparotomy in secondary peritonitis Planned relaparotomy or relaparotomy on demand?]. 2005 , 76, 856-67	4
2075	[Therapy of organ failure in primary extracardiac diseases]. 2005 , 46, 256-64	
2074	Surviving sepsis-but for how long?. 2005 , 31, 171-3	5
2073	Feedback and education improve physician compliance in use of lung-protective mechanical ventilation. 2005 , 31, 540-6	58
2072	Hemodynamic variables related to outcome in septic shock. 2005 , 31, 1066-71	305
2071	Stroke output variations calculated by esophageal Doppler is a reliable predictor of fluid response. 2005 , 31, 1388-93	38
2070	Activated protein C: do more survive?. 2005 , 31, 1624-6	65
2069	Empfehlungen zur Diagnostik und Therapie der Schockformen der IAG Schock der DIVI. 2005 , 42, 531-543	5
2068	Behandlung der schweren Sepsis und des septischen Schocks â 2005 , 42, 191-195	

2067	S2-Leitlinie zur Diagnostik und Therapie der infektiösen Endokarditis. 2005 , 42, 79-95	2
2066	Bioethics, the Surviving Sepsis Campaign, and the industry. 2005 , 117, 442-4	14
2065	Continuous renal replacement therapy. 2005 , 52, 1001-2; author reply 1002	2
2064	Sulfadiazine-induced methemoglobinemia in a boy with thalassemia. 2005 , 52, 1002-3	4
2063	Septic shock induced from an implantable cardioverter-defibrillator lead-associated <i>Candida albicans</i> vegetation. 2005 , 14, 55-9	15
2062	Sepsis therapy in the next decade: seamless care from emergency to the ICU. 2005 , 7, 227	1
2061	[Septic shock: diagnosis and management]. 2005 , 94, 765-9	
2060	Development of a Healthcare Coalition for Emergency Preparedness. 2005 , 20, s160-s160	
2059	Collaboratively Designed Practice Guidelines Promote Appropriate Use of Intravenous Proton Pump Inhibitors. 2005 , 40, 497-504	4
2058	Sepsis and Organ(s) Dysfunction âKey Points, Reflections, and Perspectives. 2005 , 71-96	
2057	Clinical decision-making in the management of sepsis and septic shock. 2005 , 89-100	
2056	A Case of Septic Shock of Unknown Origin Guidelines for Management of Sepsis. 2005 , 1, 135-139	
2055	Hospital Reimbursement for Adult Patients with Severe Sepsis Treated with Drotrecogin Alfa (Activated). 2005 , 40, 146-153	0
2054	The Uncertain Risk of Single-Dose Etomidate in the Critically Ill. 2005 , 40, 658-661	3
2053	Pathophysiologische Grundsätze bei Sepsis. 2005 , 25, 175-182	3
2052	Decision-making in paediatric extracranial trauma. 2005 , 633-651	
2051	Pulmonary coagulation and fibrinolysis in acute lung injury and pneumonia. 2005 , 16, 3-10	
2050	Beyond sepsis pathophysiology with cytokines: what is their value as biomarkers for disease severity?. 2005 , 100 Suppl 1, 217-21	25

2049	Severe sepsis in A&E. 2005 , 13, 24-30			9
2048	Update on the Treatment of Infections in the Pediatric and Neonatal Intensive Care Unit. 2005 , 18, 3-8			
2047	Vasopressin for vasopressor-dependent septic shock. 2005 , 62, 1931-6			6
2046	The immunopathogenesis of sepsis in elderly patients. 2005 , 41 Suppl 7, S504-12			270
2045	Treating critical illness: the importance of first doing no harm. 2005 , 2, e167			49
2044	Interaction between dexamethasone treatment and the corticotropin stimulation test in septic shock. 2005 , 39, 335-8			1
2043	Acute Respiratory Distress Syndrome. 2005 , 18, 118-131			1
2042	Yearbook of Intensive Care and Emergency Medicine 2005. 2005 ,			
2041	Drotrecogin alfa (activated) treatment in severe sepsis from the global open-label trial ENHANCE: further evidence for survival and safety and implications for early treatment. <i>Critical Care Medicine</i> , 2005 , 33, 2266-77	1.4		309
2040	Anaesthesia, Pain, Intensive Care and Emergency Medicine âA.P.I.C.E.. 2005 ,			1
2039	Predictive perioperative factors for developing severe sepsis after major surgery. 2005 , 95, 776-81			51
2038	Kardiovaskul�res Management der Sepsis. 2005 , 1, 25-43			
2037	[Procalcitonin as a marker for severe sepsis in an immunosuppressed patient]. 2005 , 40, 97-102			2
2036	Clinical issues and research in respiratory failure from severe acute respiratory syndrome. 2005 , 171, 518-26			56
2035	[Sepsis and multiple organ failure - update of current therapeutic concepts]. 2005 , 40, 511-20			4
2034	[High FIO(2) during mechanical ventilation: pro -- con]. 2005 , 40, 604-8			1
2033	Algorithm for the diagnosis and treatment of acute biliary pancreatitis. 2005 , 94, 124-9			20
2032	Care of the potential organ donor. 2005 , 352, 1266-7; author reply 1266-7			1

2031	Severe sepsis and therapy with activated protein C. 2005 , 353, 1398-400	55
2030	[Infections of the deep neck spaces with accompanying mediastinitis]. 2005 , 84, 171-5	5
2029	The National EMS Research strategic plan. 2005 , 9, 255-66	32
2028	The safety and efficacy of the use of vasopressin in sepsis and septic shock. 2005 , 4, 1027-39	4
2027	Pharmacologic and toxicologic evaluation of C. novyi-NT spores. 2005 , 88, 562-75	63
2026	Insights into severe sepsis in older patients: from epidemiology to evidence-based management. 2005 , 40, 719-27	130
2025	Current Concepts in Severe Sepsis and Septic Shock. 2005 , 18, 351-362	2
2024	Unexpected increased mortality after implementation of a commercially sold computerized physician order entry system. 2005 , 116, 1506-12	855
2023	Surviving Sepsis Guidelines - A Bundle to Adopt?: Summary of the Pro / Con Debate at the Glasgow Spring Meeting. 2005 , 6, 14-16	1
2022	Part 7.5: Postresuscitation Support. 2005 , 112, IV-84-IV-88	123
2021	UK guidelines for the management of acute pancreatitis. 2005 , 54 Suppl 3, iii1-9	331
2020	Maintenance of renal vascular reactivity contributes to acute renal failure during endotoxemic shock. 2005 , 16, 117-24	47
2019	Concept of PIRO as a new conceptual framework to understand sepsis. 2005 , 6, S55-60	44
2018	High tidal volume and positive fluid balance are associated with worse outcome in acute lung injury. <i>Chest</i> , 2005 , 128, 3098-108	53 317
2017	Hydrocortisone infusion for severe community-acquired pneumonia: a preliminary randomized study. 2005 , 171, 242-8	1076
2016	Preclinical models of shock and sepsis: what can they tell us?. 2005 , 24 Suppl 1, 1-6	81
2015	[Management of severe sepsis and septic shock in 2005--a practical approach]. 2005 , 35 Suppl 2, S49-51	
2014	Manejo del shock. 2005 , 9, 2933-2943	

2013	[Empirical antifungal therapy in selected patients with persistent fever and neutropenia]. 2005 , 23, 609-14	12
2012	Who's best practice is it anyway?. 2005 , 18, 135	
2011	Combination antibiotic therapy for Pseudomonas aeruginosa bacteraemia - Authors' reply. 2005 , 5, 193-194	3
2010	Mass antibiotics for trachoma and the Allee effect. 2005 , 5, 194-6	21
2009	Progress in postoperative ICU management. 2005 , 15, 159-80	6
2008	Renal replacement II: dialysis dose. 2005 , 21, 357-66	11
2007	Sepsis: cuando las defensas se vuelven mortales. 2005 , 23, 32-34	
2006	Fluid Therapy of Tissue Hypoperfusion. 2005 , 285-298	
2005	Functional Hemodynamic Monitoring. 2005 ,	6
2004	Early and innovative interventions for severe sepsis and septic shock: taking advantage of a window of opportunity. 2005 , 173, 1054-65	103
2003	Coagulation changes during pregnancy and delivery: adjustment of reference ranges for thrombelastography and for some laboratory tests is necessary. 2005 , 9, P347	78
2002	Pro-atrial natriuretic peptide is a prognostic marker in sepsis, similar to the APACHE II score: an observational study. 2005 , 9, R37-45	99
2001	Scanning the horizon: emerging hospital-wide technologies and their impact on critical care. 2005 , 9, 12-5	3
2000	Closed endotracheal suction system without periodic change versus open endotracheal system. 2005 , 9, P2	78
1999	Ventilator-associated pneumonia caused by multidrug resistant bacteria. 2005 , 9, P3	78
1998	Ventilator-associated pneumonia and Clinical Pulmonary Infection Score validation in a Greek general intensive care unit. 2005 , 9, P4	78
1997	Ventilator-associated pneumonia in neuromuscular, tracheostomyzed patients. 2005 , 9, P5	78
1996	Clinical characteristics of ventilator-associated pneumonia patients and control patients. 2005 , 9, P6	0

1995	Nosocomial pneumonia: impact of a very early antimicrobial therapy. 2005, 9, P7	78
1994	Antibiotics for preventing infections in open fractures are protective against ventilator-associated pneumonia. 2005, 9, P8	78
1993	A simple program to reduce the incidence of ventilator-associated pneumonia in a Brazilian intensive care unit. 2005, 9, P9	78
1992	Risk factor analysis of pneumonias developing after open heart surgery. 2005, 9, P10	4
1991	Perinatal risk factors for early onset neonatal infection. 2005, 9, P11	78
1990	Urinary catheter-related infection in critically ill patients. 2005, 9, P12	78
1989	Serial changes in ICU-acquired pneumonia pathogen after the remodeling of the environment in a MICU. 2005, 9, P13	78
1988	Duration of infusions and blood stream infections in polytrauma patients. 2005, 9, P14	78
1987	Five years of nosocomial Gram-negative bacteremia in a general systems intensive care unit. 2005, 9, P15	78
1986	Epidemiology and etiology of nosocomial infections in a surgical intensive care unit. 2005, 9, P16	78
1985	ICU stay promotes enrichment and dissemination of multi-resistant coagulase-negative staphylococcal clones. 2005, 9, P17	78
1984	Evaluation of outcome in critically ill patients with <i>Acinetobacter baumannii</i> bacteremia. 2005, 9, P18	78
1983	Evolution of resistance in <i>Acinetobacter baumannii</i> in a Tunisian intensive care unit after antibiotherapy restriction. 2005, 9, P19	78
1982	Epidemiological profile and antibiotic susceptibility of <i>Pseudomonas areuginosa</i> isolates within the hospitalized burned patient. 2005, 9, P20	78
1981	Strategy of antimicrobial therapy in patients with severe trauma: importance of initial severity state evaluation. 2005, 9, P21	78
1980	Surveillance of ICU-acquired infections: intensive care unit characteristics, practices in prevention and surveillance methodology. 2005, 9, P22	78
1979	Monitoring of the antibiotic prescriptions in order to prevent microbial resistance in the intensive care unit in the Russian hospital. 2005, 9, P23	78
1978	De-escalation therapy: 1-year experience in a general intensive care unit. 2005, 9, P24	1

1977	The importance of antibiotics in animal models of sepsis. 2005, 9, P25	78
1976	Outbreak of severe Clostridium difficile-associated colitis with MOF in Quebec intensive care units: first analysis in Sherbrooke ICUs. 2005, 9, P26	78
1975	Antimicrobial resistance in bloodstream infection does not affect outcome in intensive care unit patients with acute renal failure treated with renal replacement therapy. 2005, 9, P27	0
1974	Evaluation of adequacy in empirical antibiotic therapy in a general intensive care unit. 2005, 9, P28	78
1973	Usefulness of quantitative analysis of beta-D-glucan in empirical therapy for systematic Candida infection in critically ill patients. 2005, 9, P29	78
1972	Fungal colonization and infection in critically ill patients. 2005, 9, P30	78
1971	Leptospirosis in the intensive care unit: a cohort of 57 patients. 2005, 9, P31	2
1970	Combination of quinine and artesunate may be the best to prevent ARDS in Falciparum Malaria. 2005, 9, P32	78
1969	Zygomycosis by Rhizopus species a very rare angioinvasive mycosis: report of three cases. 2005, 9, P33	78
1968	A 16-year experience with toxic epidermal necrolysis. 2005, 9, P34	78
1967	The removal of antibiotics during continuous venovenous hemofiltration (CVVH) in critically ill patients with acute renal failure: measured versus estimated CVVH clearance. 2005, 9, P35	3
1966	Ceftazidime reduces pulmonary hypertension in an ovine model of sepsis following smoke inhalation injury. 2005, 9, P36	1
1965	Continuous versus intermittent infusion of temocillin in intensive care unit patients. 2005, 9, P37	78
1964	Meropenem administration by intermittent infusion versus continuous infusion for the treatment of nosocomial pneumonia. 2005, 9, P38	4
1963	Continuous infusion versus intermittent infusion of ceftazidime for the treatment of pneumonia caused by Pseudomonas aeruginosa. 2005, 9, P39	78
1962	Laparostomy versus laparotomy in severe abdominal infection: microbiological assessment. 2005, 9, P40	78
1961	Logistic regressive analysis of potential prognostic factors for pulmonary complications after abdominal surgery in elderly patients. 2005, 9, P41	78
1960	Bariatric surgery postoperative management: complications in a series of 278 patients admitted to an intensive care unit. 2005, 9, P42	78

1959	The role of the Shuttle Walking Test in predicting mortality and morbidity post oesophagogastric surgery. 2005, 9, P43	1
1958	Prospective, randomized trial comparing fluids and dobutamine optimization of oxygen delivery in high-risk surgical patients. 2005, 9, 1	78
1957	Early goal directed therapy reduces morbidity and length of hospital stay following high-risk surgery. 2005, 9, P45	2
1956	Impact of a low postoperative central venous oxygen saturation on postoperative morbidity. 2005, 9, P46	78
1955	Can central venous oxygen saturation intermittently measured within the first 24 postoperative hours of cardiac surgery predict death?. 2005, 9, P47	78
1954	Central venous saturation as a weaning success predictor. 2005, 9, P48	1
1953	Effects of optimizing cardiac output by fluid loading on the indocyanine green plasma disappearance rate and splanchnic microcirculation. 2005, 9, P49	78
1952	Carbon dioxide output in septic shock. 2005, 9, P50	78
1951	What effect of vasoactive drugs on passive leg raising response in critically ill patients?. 2005, 9, P51	78
1950	Respiratory variation of plethysmography signal with a pulse oximeter: new predictive parameters of fluid responsiveness?. 2005, 9, P52	1
1949	CVP does not reflect changes in preload when optimal PEEP is determined. 2005, 9, P53	78
1948	Respiratory variability of aortic blood velocity: predictor of preload responsiveness in healthy spontaneously breathing volunteers. 2005, 9, P54	78
1947	Respiratory changes in arterial pulse pressure and fluid responsiveness in spontaneously breathing patients. 2005, 9, P55	1
1946	A follow-up study of severe sepsis/septic shock patients using echocardiography. 2005, 9, P56	78
1945	Assessment of left ventricular diastolic pressure in the emergency room and intensive care unit: a new Doppler index. 2005, 9, P57	78
1944	Does the central venous pressure still have the authority to evaluate a patient's volume status in clinical routine?. 2005, 9, P58	78
1943	Are venous pressures obtained from femoral central lines comparable with pressure readings from neck lines?. 2005, 9, P59	78
1942	The reliability of the central venous pressure measured via catheter inserted in the abdominal vena cava inferior. 2005, 9, P60	78

1941	Continuous pulse contour analysis after cardiopulmonary bypass in cardiac surgery. 2005, 9, P61	78
1940	Validation of a continuous cardiac output measurement using arterial pressure waveforms. 2005, 9, P62	19
1939	The PiCCO system: feasibility and complications of its use in paediatric intensive care. 2005, 9, P63	78
1938	Femoral central venous catheter (CVC) versus internal jugular CVC for assessment of haemodynamic parameters by transpulmonary thermodilution using pulse contour cardiac output. 2005, 9, P64	78
1937	The effect of continuous veno-venous haemofiltration on PiCCO haemodynamic parameters. 2005, 9, P65	4
1936	Effects of vasodilation cardiac output measured by PulseCOTM. 2005, 9, P66	78
1935	USCOM: an accurate system for cardiac output measurement?. 2005, 9, P67	78
1934	Survey of cardiac output monitoring in intensive care units in England and Wales. 2005, 9, P68	3
1933	The use of pulmonary artery catheterization has declined. 2005, 9, P69	78
1932	Measurement of rate of pressure development (dP/dtmax) based on femoral artery pressure waveforms: comparison with left ventricular dP/dtmax. 2005, 9, P70	78
1931	Comparison of non-invasive blood pressure versus radial arterial catheter measurement in an intensive care setting. 2005, 9, P71	78
1930	Sidestream dark field imaging: an improved technique to observe sublingual microcirculation. 2005, 9, P72	33
1929	Sublingual NIRS and reflectance spectrophotometry: new methods to monitor sublingual oxygen availability. 2005, 9, P73	78
1928	Dynamic near-infrared spectroscopy measurements in patients with severe sepsis correlate with invasive hemodynamic measurements. 2005, 9, P74	78
1927	Impact of early sepsis on oxygen delivery in the microvasculature. 2005, 9, P75	78
1926	Increased leukocyte transit times through capillaries contributes to maldistribution of flow. 2005, 9, P76	78
1925	Activated protein C improves intestinal microcirculation in experimental endotoxemia in the rat. 2005, 9, P77	2
1924	Reversal of lipopolysaccharide-induced hyporeactivity in rat aorta and human mesenteric artery in vitro by orthovanadate. 2005, 9, P78	78

1923	Potassium channel blockade restores the attenuated noradrenaline sensitivity in human endotoxemia. 2005, 9, P79	1
1922	Dose-dependent and temporal effects of pentoxifylline in a rat model of acute hepatic failure. 2005, 9, P80	78
1921	Tumor necrosis factor increases the sensitivity of the contractile apparatus in isolated mouse resistance arteries via a calcium-dependent mechanism. 2005, 9, P81	78
1920	Influence of amiodarone treatment on inflammation during cardiopulmonary bypass. 2005, 9, P82	78
1919	Effects of sarpogrelate, a 5-hydroxytryptamine 2A receptor antagonist on endotoxin shock in rats. 2005, 9, P83	1
1918	Possible involvement of rho kinase 1 (rock 1) in cecal ligation and puncture-induced sepsis. 2005, 9, P84	78
1917	Peri-mortem and ante-mortem haemodynamic profile of severe sepsis/septic shock. 2005, 9, P85	78
1916	Effect of reduced bronchial circulation on the lung fluid flux in the case of combined burn and smoke inhalation injury in sheep. 2005, 9, P86	78
1915	A pilot study of left main bronchus pulse oximetry. 2005, 9, P87	78
1914	Relationship between extravascular lung water and oxygenation indices in patients with acute respiratory failure. 2005, 9, P88	78
1913	Diagnostic test of the desaturation index and the calculated desaturation index to identify acute lung injury and/or acute respiratory distress syndrome at the bedside. 2005, 9, P89	1
1912	Effect of pharmacological inhibition of chloride transport on lung fluid balance in acute Escherichia coli pneumonia in mice. 2005, 9, P90	78
1911	Effect of beta-adrenergic agonist on alveolar fluid clearance in rats with acute lung injury. 2005, 9, P91	78
1910	Effect of beta-adrenergic agonist on alveolar fluid clearance in rats. 2005, 9, P92	1
1909	Change of extravascular lung water in sheep with early acute respiratory distress syndrome. 2005, 9, P93	78
1908	Pulmonary surfactant function in patients with acute lung injury/acute respiratory distress syndrome treated by mechanical ventilation. 2005, 9, P94	78
1907	Alveolar fibrinolysis is not altered by mechanical ventilation in humans with healthy lungs. 2005, 9, P95	78
1906	Effect of lung protective ventilation strategy on extrapulmonary organs inflammatory response in an acute respiratory distress syndrome rabbit model. 2005, 9, P96	78

1905	Persistent use of lower tidal volumes after a simple intervention consisting of feedback and education. 2005, 9, P97	78
1904	How did randomized trials impact mechanical ventilator setting in our unit?. 2005, 9, P98	1
1903	Ventilation according the open lung concept attenuates pulmonary dysfunction after cardiac surgery. 2005, 9, P99	78
1902	Effects of positive end-expiratory pressure on liver function and splanchnic microcirculation. 2005, 9, P100	78
1901	Linear and nonlinear analysis of respiratory resistance in ARDS patients. 2005, 9, P101	0
1900	Temporal effect of applied pressures on observed alveolar recruitment. 2005, 9, P102	78
1899	The effects of sustained inflation and post-inflation PEEP in acute respiratory distress syndrome due to pneumonia and traumatic lung contusion. 2005, 9, P103	78
1898	Use of a sigmoidal equation to analyze the pressure-volume curve obtained by the low flow method. 2005, 9, P104	8
1897	Modeling time effects of recruitment and P _{aV} curve characteristics: a simulation study. 2005, 9, P105	1
1896	How to choose the duration of prone-position ventilation between patients with acute respiratory distress syndrome caused by pulmonary and extrapulmonary disease?. 2005, 9, P106	78
1895	PEEP and prone ventilation in liver transplantation: consideration or contraindication?. 2005, 9, P107	78
1894	Effects of prone position ventilation and kinetic therapy in acute respiratory failure. 2005, 9, P108	78
1893	Is the quantitative analysis of lung computed tomography accurate in ALI/ARDS patients?. 2005, 9, P109	78
1892	A validation study of a new software for computed tomography lung measurement. 2005, 9, P110	78
1891	Are three computed tomography lung sections comparable with the whole lung?. 2005, 9, P111	78
1890	Beneficial effects of CT scan guided protective ventilation: multislice thoracic CT analysis. 2005, 9, P112	78
1889	Gas exchange impairment induced by open suctioning in ARDS: impact of permissive hypercapnia. 2005, 9, P113	78
1888	Rational airway control with high-frequency jet ventilation for percutaneous tracheostomy in patients with short fat neck. 2005, 9, P114	0

1887	Comparison of two different percutaneous tracheostomy techniques with early and late complications in critically ill patients. 2005, 9, P115	78
1886	Biomechanical experimental evaluation of percutaneous tracheostomy to compare the Ciaglia and Griggs techniques. 2005, 9, P116	78
1885	Does tracheostomy improve respiratory functions in mechanically ventilated patients. 2005, 9, P117	78
1884	Routine chest radiography following percutaneous dilatational tracheostomy. 2005, 9, P118	1
1883	Consequences of adverse events with handling of the orotracheal cannula in intensive care unit. 2005, 9, P119	1
1882	A prospective study comparing standard laryngoscopy with the trachview videoscope system for orotracheal intubation. 2005, 9, P120	78
1881	Treatment of post-intubation tracheal stenosis with the Nd-YAG laser at the NRITLD. 2005, 9, P121	0
1880	Weaning from mechanical ventilation using assisted spontaneous breathing plus CPAP versus assisted spontaneous ventilation: our experience. 2005, 9, P122	78
1879	Intraoperative monitoring of pHi as a predictor of successful extubation at the end of major abdominal operations. 2005, 9, P123	78
1878	Low f/Vt ratio is associated with successful extubation in our pulmonary patients. 2005, 9, P124	78
1877	Weaning patients with high cardiac output state: influence on central venous pressure and right ventricular stroke work index. 2005, 9, P125	78
1876	Predicting success in weaning from mechanical ventilation: preliminary results from a multicentric study. 2005, 9, P126	78
1875	Weaning of mechanical ventilation in the intensive care units of Brazil. 2005, 9, P127	78
1874	Chest physiotherapy is effective in the management of intensive care unit patients immediately after extubation. 2005, 9, P128	78
1873	Can high efficiency aerosol delivery continue after extubation?. 2005, 9, P129	5
1872	High-dose versus low-dose nebulized albuterol in acute asthmatic attack: a randomized double-blind clinical trial. 2005, 9, P130	78
1871	Should noninvasive positive pressure ventilation be used to prevent post-extubation respiratory failure?. 2005, 9, P131	78
1870	Is the success of positive pressure ventilation dependent on the level of care?. 2005, 9, P133	78

1869	Effects of the domiciliary use of benzodiazepines on the management of patients presenting to the emergency department with exacerbations of chronic obstructive pulmonary disease. 2005, 9, P134	78
1868	Weaning from mechanical ventilation using remifentanil versus midazolam+morphine analgo sedation: our experience. 2005, 9, P135	78
1867	Remifentanil versus sufentanil continuous infusion for sedation in mechanically ventilated patients. 2005, 9, P136	78
1866	Remifentanil in neurosurgical patients in the intensive care unit. 2005, 9, P137	78
1865	Risk factors, coma, and consequences of intensive care unit delirium. 2005, 9, P138	78
1864	Evaluation of EM and orthopedic residents' pain estimation about patients with limb trauma who were visited in the Emergency Department of Hazrat Rasoul Hospital. 2005, 9, P139	78
1863	Sedation in haemofiltered patients: a retrospective study of compliance with the sedation policy. 2005, 9, P140	1
1862	Does implementation of a goal sedation score improve management of mechanically ventilated adults?. 2005, 9, P141	2
1861	The Richmond agitation+sedation scale and bispectral index during dexmedetomidine sedation. 2005, 9, P142	78
1860	The Critically Ill Adults scale. 2005, 9, P143	78
1859	Ketamine and propofol do not affect intestinal microcirculation in the rat endotoxemia: experiments in a new model for intravital microscopy. 2005, 9, P144	78
1858	Ketamine and the coagulation response during and after cardiopulmonary bypass. 2005, 9, P145	78
1857	Combined general and epidural anaesthesia improves perioperative immune function. 2005, 9, P146	78
1856	Influence of thiopentone and midazolam on monocyte differentiation into dendritic cells. 2005, 9, P147	78
1855	Propofol and methohexital comparably affect polymorphonuclear leukocyte function in patients after cardiac surgery. 2005, 9, P148	78
1854	Effects of propofol versus methohexital on neutrophil function and immune status in critically ill patients. 2005, 9, P149	78
1853	HLA-DR expression on monocytes and the T-cell subset in septic patients. 2005, 9, P150	78
1852	Serum cholesterol level: is it a marker of sepsis?. 2005, 9, P151	2

1851	Serum lipoproteins: how important are they in septic shock patients? Is there a relation to outcome?. 2005, 9, P152	78
1850	Association of prior statin therapy with cytokine profiles and outcomes in patients hospitalized with community acquired pneumonia. 2005, 9, P153	78
1849	Compartmentalized anti-inflammatory effects after topical activation of fibrinolysis by tissue plasminogen activator in experimental polymicrobial peritonitis. 2005, 9, P154	78
1848	Endotoxin enhances the fibrinolytic activity of monocytes incorporated in a fibrin clot. 2005, 9, P155	78
1847	Is fibrinolysis a predictive marker of multiple organ failure in critically ill patients?. 2005, 9, P156	78
1846	A proteomic study of sepsis. 2005, 9, P157	1
1845	Circulating levels of the long pentraxin PTX3, an acute phase mediator of innate immunity, in acute lung injury/acute respiratory distress syndrome: functional and prognostic correlations. 2005, 9, P158	31
1844	Soluble haemoglobin scavenger receptor (sCD163): a marker associated with bacteraemia. 2005, 9, P159	78
1843	Measurement of granulocyte colony-stimulating factor and IL-6, IL-8 and IL-10 as an early predictor for septic patients. 2005, 9, P160	78
1842	Marker or mediator? Changes in endotoxin activity as a predictor of adverse outcomes in critical illness. 2005, 9, P161	3
1841	Rates of agreement of endotoxin, procalcitonin and lactate in septic and non-septic critically ill patients. 2005, 9, P162	1
1840	Prevention of postoperative infectious complications with procalcitonin-controlled early postoperative administration of IgM-enriched immunoglobulin preparation in high-risk children with congenital heart diseases. 2005, 9, P163	1
1839	Evaluation of procalcitonin as a diagnostic and prognostic marker in patients with sepsis, severe sepsis and septic shock associated with ventilator-associated pneumonia. 2005, 9, P164	78
1838	Changes in procalcitonin in septic shock patients treated with endotoxin adsorption therapy. 2005, 9, P165	78
1837	Procalcitonin guidance significantly reduces antibiotic duration in community-acquired pneumonia: the 'ProCAP' study. 2005, 9, P166	2
1836	Predictive value of procalcitonin and IL-6 for postoperative sepsis. 2005, 9, P167	78
1835	Infections after myocardial infarction and cardiogenic shock and their reflection by inflammation parameters. 2005, 9, P168	78
1834	Does cardiopulmonary bypass affect the procalcitonin level?. 2005, 9, P169	78

1833	The prognostic value of procalcitonin in cardiac surgical patients. 2005, 9, P170	78
1832	The procalcitonin test in the evaluation of clinical severity in patients with acute pancreatitis. 2005, 9, P171	1
1831	Procalcitonin in the critically ill. 2005, 9, P172	78
1830	Serum C-reactive protein levels in patients with sepsis varies according to the site of infection. 2005, 9, 1	78
1829	C-reactive protein as a marker of septic shock and outcome in the intensive care unit. 2005, 9, P174	1
1828	Serial changes in soluble triggering receptor expressed on myeloid cells in the lung during ventilator-associated pneumonia. 2005, 9, P175	78
1827	High mobility group box 1: as a 'testament' mediator. 2005, 9, P176	78
1826	High mobility group box 1 (HMGB1) quantified by ELISA that dose not cross-react with HMGB2. 2005, 9, P177	78
1825	High-mobility group box 1: role in ARDS. 2005, 9, P178	1
1824	Effect of dexamethasone on the myocardial expression of cytokines and heat shock proteins in human neonates. 2005, 9, P179	78
1823	Pretreatment of dexamethasone before cardiopulmonary bypass upregulates intrahepatic synthesis of IL-10 via the transcription factors Sp1 and Sp3 and CCAAT/enhancer-binding protein. 2005, 9, P180	78
1822	Moderate hypothermia during cardiopulmonary bypass reduces intramyocardial expression of tumor necrosis factor alpha via inhibition of AP-1. 2005, 9, P181	78
1821	Prototype reagents for an automated serum inducible nitric oxide synthase assay. 2005, 9, P182	78
1820	Oxygen metabolism as an indicator in criteria for hemoperfusion using a polymyxin-B immobilized column introduction. 2005, 9, P183	78
1819	Early introduction of hemoperfusion with an immobilized polymyxin B fiber column eliminates humoral mediators and improves pulmonary oxygenation. 2005, 9, P184	1
1818	Prehydration shifts the cytokine response towards a more anti-inflammatory balance during human endotoxemia. 2005, 9, P185	78
1817	Repairing of acute lung injury by transvenous injection of bone marrow-derived stem cells. 2005, 9, P186	78
1816	Cyclosporin A and a non-immunosuppressive derivative (NIM 811) improve survival and mitochondrial myocardial dysfunction in a murine model of severe sepsis by cecal ligation and puncture. 2005, 9, P187	78

1815	Poly (ADP-ribose) polymerase activity during hemorrhagic shock and normotensive versus hypotensive resuscitation. 2005, 9, P188	78
1814	Alpha-1-acid glycoprotein reduces hepatic leukocyte recruitment in early sepsis. 2005, 9, P189	1
1813	Protein C in murine neonatal sepsis. 2005, 9, P190	78
1812	The effect of activated protein C on experimental acute necrotizing pancreatitis. 2005, 9, P191	1
1811	First experiences with protein C concentrate in adult patients with severe sepsis and septic shock associated to low protein C levels: a dose-finding study. 2005, 9, P192	78
1810	Eligibility for drotrecogin alfa therapy on the basis of APACHE II score and organ failure. 2005, 9, P193	78
1809	Canadian ENHANCE data support the efficacy and safety of drotrecogin alfa (activated) despite higher disease severity than the global ENHANCE population. 2005, 9, P194	78
1808	Activated protein C in sepsis: an Indian experience. 2005, 9, P195	2
1807	Epidemiology of severe sepsis and septic shock in Germany: results from the German 'Prevalence' study. 2005, 9, P196	3
1806	Sepsis Brazil: an epidemiological study in intensive care units. 2005, 9, P197	78
1805	Selective poly(ADP-ribose)-polymerase inhibition affects neither DNA repair nor cell senescence after ischemia-reperfusion. 2005, 9, P199	78
1804	Rosiglitazone, a peroxisome proliferator-activated receptor-gamma agonist, attenuates intercellular adhesion molecule-1 and cytokine-induced neutrophil chemoattractant-1 expression in lungs of rats with acute lung injury. 2005, 9, P200	78
1803	Protective effects of rosiglitazone, a peroxisome proliferator-activated receptor-gamma agonist, on endotoxin-induced acute lung injury in rats. 2005, 9, P201	78
1802	Epithelial lining fluid analysis. 2005, 9, P202	78
1801	Ketoconazole for the prevention of ARDS: review of the literature and novel hypothesis. 2005, 9, P203	78
1800	Endothelial nitric oxide synthase is a regulator of hemodynamics in sepsis. 2005, 9, P204	6
1799	Application of the bovine hemoglobin solution HBOC-301 with and without isovolemic hemodilution reduces the histopathologic damage in acute severe pancreatitis in swine. 2005, 9, P205	78
1798	Volume substitution therapy with HES 130/0.4 (Voluven®) versus HES 450/0.7 (hetastarch) during major orthopedic surgery. 2005, 9, P206	4

1797	Sepsis Brazil –early results: albumin and mortality rate in septic shock. 2005, 9, P207	78
1796	Case series of dermatomyositis complicated by acute respiratory failure requiring intensive care. 2005, 9, P208	78
1795	Outcome following burns from 1985 to 2004 in the Centre for Severely Burned Patients, Ghent University Hospital, Belgium. 2005, 9, P209	1
1794	A retrospective cohort study of 36-month use of paediatric intensive care and associated mortality in Sweden. 2005, 9, P210	78
1793	Significant ICU respiratory morbidity in postoperative patients with adult congenital heart disease. 2005, 9, P211	78
1792	Intensive care in adults with congenital heart disease: cost implications of a changing patient population. 2005, 9, P212	5
1791	HELLP syndrome: analysis of 23 cases. 2005, 9, P213	78
1790	Critically ill severe pre-eclamptic patients admitted to an obstetric intensive care unit. 2005, 9, P214	1
1789	Nursing workload and prognosis in the critically ill obstetric patient. 2005, 9, P215	78
1788	Pre-eclampsia in the intensive care unit: indicators of severity and hospital outcome. 2005, 9, P216	78
1787	Development and validation of a new scoring system for the critically ill obstetric patient. 2005, 9, P217	78
1786	Critically ill obstetric patients: outcome and predictability. 2005, 9, P218	1
1785	Case mix outcome and activity for patients with ARF during the first 24 hours of the intensive care unit. 2005, 9, P219	78
1784	Factors predictive of mortality and mortality prediction models in patients with ARF during the first 24 hours of intensive care unit admission. 2005, 9, P220	78
1783	Mortality and predictors of death in patients with pneumonia admitted to the intensive care unit. 2005, 9, P221	78
1782	Survival and prognosis after assisted ventilation for acute respiratory failure in cystic fibrosis. 2005, 9, P222	78
1781	Outcome of septic shock in patients with malignancies and neutropenia. 2005, 9, P223	78
1780	A validation of different prognostic scoring systems in the prediction of outcome in peritonitis. 2005, 9, P224	78

1779	APACHE III outcome prediction after esophagectomy. 2005, 9, P225	78
1778	Multimodal strategies to improve APACHE II score documentation. 2005, 9, P226	78
1777	Comparison of Acute Physiology and Chronic Health Evaluation (APACHE II) and Simplified Acute Physiology Score (SAPS II) in a Greek general intensive care unit. 2005, 9, P227	78
1776	The impact of missing components of the Acute Physiology Score on the standardized mortality ratio calculated by the APACHE III prognostic model. 2005, 9, P228	1
1775	Preliminary update of the Mortality Probability Model (MPM0). 2005, 9, P229	5
1774	Mortality prediction by hormonal profile versus APACHE score assessment in critically ill patients. 2005, 9, P230	78
1773	Serial evaluation of the Sequential Organ Failure Assessment score in non-coronary medical patients. 2005, 9, P231	78
1772	Association of the SOFA score and mortality in elderly patients with severe sepsis and septic shock. 2005, 9, P232	78
1771	Improvement of SOFA's predictive power for death when associated with central venous oxygen saturation intermittently obtained in the first 24 hours of cardiac surgery postoperation. 2005, 9, P233	78
1770	Analysis of risk and prognostic factors of mortality in post-transplant patients in the intensive care unit. 2005, 9, P234	1
1769	Outcome of patients with systematic lupus erythematosus in the intensive care unit. 2005, 9, P235	78
1768	The outcome and follow-up of trauma in elderly intensive care unit patients. 2005, 9, P236	78
1767	Trends of age utilization in intensive care unit resources are matched by the population aging process in Brazil. 2005, 9, P237	78
1766	Hospital mortality associated with day and time of discharge from intensive care units in the United Kingdom. 2005, 9, P238	1
1765	Health-related quality of life and functional performance predictors in secondary peritonitis patients. 2005, 9, P239	78
1764	Quality of life 6 months after discharge from an intensive care unit. 2005, 9, P240	78
1763	Changes in health-related quality of life in severe sepsis. 2005, 9, P241	78
1762	Stress, anxiety and depression in cardiac infarct and bypass surgery patients. 2005, 9, P242	1

1761	Prevalence of symptoms related to post-traumatic stress disorder during long-term follow-up in patients after surgical treatment for secondary peritonitis. 2005, 9, P243	3
1760	Initial assessment of a guesthouse for relatives of patients admitted to a general intensive care unit. 2005, 9, P244	78
1759	Re-humanization in the intensive care unit: perspective of the staff. 2005, 9, P245	78
1758	Protecting healthcare workers from SARS. 2005, 9, P246	1
1757	Burnout syndrome among intensive care staff. 2005, 9, P247	78
1756	The use of a checklist to guide multidisciplinary rounds improves the utilization of prophylactic and safety actions in a closed intensive care unit. 2005, 9, P248	78
1755	The monitoring of vital signs on adult medical wards. 2005, 9, P249	78
1754	Prehospital emergency medicine and non-heart-beating donors: is there a future together?. 2005, 9, P250	78
1753	Organ donation: a 10-year experience. 2005, 9, P251	78
1752	Availability of organs for transplantation: a 15-year overview on organ donation in the ULB network. 2005, 9, P252	78
1751	Estimated weight and height of critically ill patients: how reliable are these values in acutely admitted patients?. 2005, 9, P253	78
1750	Quality in the intensive care unit: a general intensive care unit compared with a cardiointensive unit. 2005, 9, P254	78
1749	Quality of care on an intensive care unit: using subjective indicators as an analysis tool. 2005, 9, P255	78
1748	Managing performance in the intensive care unit: a new system in Brazil. 2005, 9, P256	78
1747	The value of daily routine chest radiographs in intensive care patients. 2005, 9, P257	78
1746	Accidental catheter removal in the intensive care unit: a prospective observational study. 2005, 9, P258	78
1745	Complications of care in a neonatal&paediatric intensive care: first results of a prospective observational survey. 2005, 9, P259	78
1744	Adverse events and death in patients with community-acquired pneumonia in the emergency department of a major university hospital in Brazil. 2005, 9, P260	78

1743	Adverse medication events in the intensive care unit: avoidable or inevitable?. 2005, 9, P261	78
1742	Budget savings following a rationalisation of practice: a comparison of drug-prescribing costs in two different intensive care units. 2005, 9, P262	78
1741	Significance and outcome of critical care system management. 2005, 9, P263	78
1740	The early efficacy of CABG care delivery in a low procedure-volume community hospital: operative and midterm results. 2005, 9, P264	78
1739	Rising use of intensive care unit services in Medicare. 2005, 9, P265	78
1738	A comparative cost analysis before and after opening of an intermediate care unit. 2005, 9, P266	78
1737	ICU research coordinator activities: a time-in-motion multicenter study. 2005, 9, P267	3
1736	Impact of critical care outreach on cardiac arrest rates and readmission rates in an adult cardiothoracic centre. 2005, 9, P268	78
1735	Critical care outreach: implementation in a cardiothoracic centre. 2005, 9, P269	78
1734	A 'Count Outreach Warning Score' forecasts need for 'step-up' care. 2005, 9, P270	78
1733	First national survey on the use of the Internet and other electronic resources among Spanish intensivists. 2005, 9, P271	78
1732	Critical illness polyneuromyopathy: a major problem in a general intensive care unit. 2005, 9, P272	78
1731	Propofol and thiopental for refractory status epilepticus in children. 2005, 9, P273	2
1730	Therapeutic window of opportunity assessment in antithrombotic therapy, using a glycoprotein IIb/IIIa inhibitor (tirofiban), in an experimental model of acute ischemic embolic stroke in rabbits. 2005, 9, P274	78
1729	Hemodynamic instability following bilateral carotid endarterectomy. 2005, 9, P275	1
1728	New presentations about risk factors of ischemic stroke in young persons. 2005, 9, P276	78
1727	Social problems in the management of acute ischemic stroke. 2005, 9, P277	78
1726	Blood-brain barrier damage is an early event in porcine endotoxemic shock. 2005, 9, P278	78

1725	Antiapoptotic effects of delta opioid peptide [D-Ala2, D-Leu5]enkephalin in brain slices induced by oxygen-glucose deprivation. 2005, 9, P279	78
1724	The use of transcranial Doppler ultrasonography in early outcome prediction of patients with subarachnoid hemorrhage. 2005, 9, P280	78
1723	OCTOPUS – observation or computed tomography of mild head injury in Sweden: a randomised clinical trial concerning effects and costs. 2005, 9, P281	2
1722	Post-trauma subarachnoid hemorrhage. 2005, 9, P282	78
1721	Multimodal neuroelectrophysiological studies to predict outcome in paediatric patients with traumatic brain injury. 2005, 9, P283	1
1720	Comparison of biochemical markers and transcranial Doppler ultrasonography findings as early predictors of outcome in patients with traumatic brain injury: preliminary report. 2005, 9, P284	78
1719	Clinical progresses and radiological findings in patients with head injury. 2005, 9, P285	78
1718	The clinical importance of bulbus juguli oxymetry. 2005, 9, P286	78
1717	Prognostic value of specific neural enolase in head trauma. 2005, 9, P287	78
1716	S100B protein: a possible prognostic factor in patients with a severe head trauma injury. 2005, 9, P288	78
1715	Increased levels of serum S100B protein in critically ill patients without brain injury. 2005, 9, P289	1
1714	S100B protein in heroin overdose: a pilot study. 2005, 9, P290	2
1713	Paired serum S-100B and neuron-specific enolase assay in early and fast assessment of brain damage after cardiac arrest. 2005, 9, P291	78
1712	Neuron-specific enolase level predicts survival of patients after cardiopulmonary resuscitation. 2005, 9, P292	78
1711	Retrograde cerebral perfusion of oxygenated compacted red blood cells attenuate the brain damage after hypothermia circulation arrest of rat. 2005, 9, P293	78
1710	A prospective single-center pilot study to evaluate the feasibility and the safety of venovenous cooling to induce mild hypothermia after cardiac arrest. 2005, 9, P294	1
1709	Therapeutic hypothermia post cardiac arrest: an evidence-based guideline. 2005, 9, P295	78
1708	Therapeutic hypothermia: pitfalls and pearls. 2005, 9, P296	78

1707	The European Resuscitation Council Hypothermia After Cardiac Arrest Registry: presentation and plans. 2005, 9, P297	78
1706	Hypothermia in a surgical intensive care unit. 2005, 9, P298	1
1705	Infrared ear thermometry in drowning: not a good choice. 2005, 9, P299	78
1704	Is there any relation between hypothermia and outcome in critically ill patients?. 2005, 9, P300	78
1703	Influence of cardiopulmonary resuscitation on levels of tumor markers. 2005, 9, P301	78
1702	Descriptive analysis of contributing factors in outcomes of emergency department CPRs. 2005, 9, P302	5
1701	Identification of agonal breathing by dispatchers to improve the detection and treatment of cardiac arrest. 2005, 9, P303	78
1700	Cardiopulmonary resuscitation training: the need for continued education and training. 2005, 9, P304	78
1699	Effectiveness of an intubating laryngeal mask airway (ILMA Fastrach) used by nurses during out-of-hospital cardiac arrest resuscitation. 2005, 9, P305	1
1698	Use of automated external defibrillators in the House of Representatives Brazil, the first in Latin America: a 2-year experience. 2005, 9, P306	78
1697	Synchronized cardioversion in a prehospital setting: a safe and reliable method for urgent treatment of tachyarrhythmias. 2005, 9, P307	78
1696	Prehospital transcutaneous cardiac pacing in bradycardia and asystole. 2005, 9, P308	1
1695	EMERGEâa multiprofessional training course in the care of the acute coronary syndrome patient. 2005, 9, P309	78
1694	High mortality rate in critically ill medical patients with new-onset atrial tachyarrhythmias despite rapid conversion to sinus rhythm. 2005, 9, P310	78
1693	Troponin incidence, prevalence and prognosis among critically ill patients. 2005, 9, P311	78
1692	Clinical determinants of severe bleeding complications in patients with acute myocardial infarction treated with thrombolytic therapy. 2005, 9, P312	78
1691	Facilitated percutaneous coronary intervention: a new treatment strategy for acute myocardial infarction. 2005, 9, P313	78
1690	Left ventricular remodeling and function after primary and delayed PCI in patients with recent myocardial infarction. 2005, 9, P314	78

1689	Acute myocardial infarction: incidence and outcomes in an intensive care unit. 2005 , 9, P315	1
1688	Clinical features of acute myocardial infarction in patients with cor pulmonale. 2005 , 9, P316	78
1687	Prospective study on myocardial infarction: short-term prognostic factors. 2005 , 9, P317	78
1686	Haemoglobin concentration on admission influences the rate of in-hospital 30-day mortality and complications in patients with acute myocardial infarction: a retrospective analysis of 637 Chinese patients. 2005 , 9, P318	78
1685	Protective effects of hemodilution and ischemic preconditioning against reperfusion injury in pig heart. 2005 , 9, P319	78
1684	The reliability of electrocardiogram interpretation in critically ill patients. 2005 , 9, P320	78
1683	Patient selection for the ventricular assist device. 2005 , 9, P321	78
1682	Prognostic factors of percutaneous cardiopulmonary support therapy at Osaka City General Hospital, Japan. 2005 , 9, P322	78
1681	Practice of extracorporeal membrane oxygenation in adult patients: a single-centre experience. 2005 , 9, P323	78
1680	Elevated plasma levels of troponin I in surgical patients: analysis of risk factors and outcomes. 2005 , 9, P324	78
1679	Prognostic value of serum troponin levels in patients with pulmonary embolism: a systematic review and meta-analysis. 2005 , 9, P325	78
1678	Pulmonary embolism in younger and older adults: clinical presentation and comparison of right ventricular dysfunction, a new prognostic echocardiographic index. 2005 , 9, P326	78
1677	Pulmonary embolism originated from right heart chamber thrombus: the diagnostic role of transesophageal echocardiography. 2005 , 9, P327	78
1676	The use of type brain natriuretic peptide in a cardiac surgery postoperative context. 2005 , 9, P328	78
1675	Elevated N-terminal pro-B-type natriuretic peptide levels and normal left ventricular systolic function: an echocardiographic study. 2005 , 9, P330	78
1674	N-terminal pro-B-type natriuretic peptide and the diagnosis of left ventricular systolic dysfunction: what is the optimal cut-off?. 2005 , 9, P331	78
1673	Pro-atrial natriuretic peptide in patients with sepsis, severe sepsis and septic shock. 2005 , 9, P332	78
1672	Evaluation of a noninvasive hemoglobin and hematocrit monitoring device. 2005 , 9, P333	2

1671	Hematocrit of 20% versus 25% during normothermic cardiopulmonary bypass for elective coronary artery bypass graft surgery. 2005, 9, P334	1
1670	Anaemia at discharge from the intensive care unit is associated with an inappropriate erythropoietin response. 2005, 9, P335	78
1669	Recombinant human erythropoietin therapy in critically ill patients. 2005, 9, P336	78
1668	A randomised, placebo-controlled, double-blind study to investigate the efficacy and safety of rFVIIa as adjunctive therapy for control of bleeding in patients with severe blunt trauma: a re-analysis following the exclusion of early (2005, 9, P337)	2
1667	The use of activated recombinant coagulation factor VII in patients undergoing major reconstruction surgery for traumatic fracture pelvis or pelvis and acetabulum: a double-blind, randomised, placebo-controlled trial. 2005, 9, P338	78
1666	Abstract withdrawn. 2005, 9, P339	78
1665	Anti-Xa activity after subcutaneous administration of dalteparin in intensive care unit patients with and without subcutaneous oedema. 2005, 9, P340	78
1664	In vitro effect of an antithrombin in platelet activation by HIT antibodies. 2005, 9, P341	78
1663	The effect of fibrinogen and prothrombin complex concentrate on dilutional coagulopathy in a porcine model of uncontrolled hemorrhagic shock. 2005, 9, P342	78
1662	Consensus protocol for the emergency reversal of coumarin-induced anticoagulation. 2005, 9, P343	78
1661	Warfarin overactivity. 2005, 9, P344	78
1660	Role of thromboelastography in septic patients treated with coagulation inhibitor. 2005, 9, P345	78
1659	Thromboelastography during treatment with activated protein C. 2005, 9, P346	78
1658	The histopathologic effects on organs of desmopressin administered to rats in different doses. 2005, 9, P348	78
1657	Continuous hemodiafiltration for hypercytokinemia in tumor lysis syndrome. 2005, 9, P349	78
1656	Anticoagulation during continuous renal replacement therapy with lepirudin in patients with heparin-induced thrombocytopenia. 2005, 9, P350	78
1655	Renal replacement therapy for acute renal failure in the intensive care unit is associated with a worse prognosis than renal replacement therapy for end-stage renal failure. 2005, 9, P351	78
1654	The effect on renal function in high pulmonary flow infants under hypoxic therapy. 2005, 9, P352	78

1653	Prophylaxis of contrast-induced nephropathy in patients with impaired renal function: double-blind comparison of acetylcysteine, theophylline, acetylcysteine + theophylline and placebo. 2005, 9, P353	1
1652	Insulin-like growth factor-1 during renal replacement therapy in patients with multiple organ failure. 2005, 9, P354	78
1651	Clearance of Sotalol on continuous venovenous haemofiltration. 2005, 9, P355	0
1650	Prevalence, incidence and risk factors for acute renal failure in the intensive care unit. 2005, 9, P356	78
1649	Clinical features and prognosis of the patients with acute renal failure in the intensive care unit. 2005, 9, P357	78
1648	Renal failure in obstetrics: epidemiology and outcome in the intensive care unit. 2005, 9, P358	78
1647	Filtration gradient and abdominal perfusion pressure do not correlate with urinary output in patients at risk for intra-abdominal hypertension and normal serum creatinine. 2005, 9, P359	1
1646	Omega 3 fatty acids reduce mortality and length of hospital stay in a cohort of 661 patients with different diagnoses. 2005, 9, P360	0
1645	Probiotic treatment restores short-term fasting-induced colonic mucosal atrophy in rats. 2005, 9, P361	78
1644	Benefits of Synbiotic 2000 Forte in critically ill patients: a randomized controlled trial. 2005, 9, P362	3
1643	The effects of enteral feeding with eicosapentaenoic acid, gamma-linolenic acid and antioxidants in patients with sepsis. 2005, 9, P363	3
1642	Effects of L-alanyl L-glutamine dipeptide-supplemented parenteral nutrition on lymphocyte subpopulations and in prevalence of nosocomial infection in critically ill patients. 2005, 9, P364	78
1641	Managing diarrhea and fecal incontinence: results of a prospective clinical study in the intensive care unit. 2005, 9, P365	78
1640	Luminal lactate and tyrosine release during intestinal ischemia in rabbits. 2005, 9, P366	78
1639	Abstract withdrawn. 2005, 9, P367	0
1638	The impact of gastrointestinal failure on intensive care unit mortality. 2005, 9, P368	78
1637	Incidence of gastrointestinal failure in intensive care unit patients: retrospective and prospective study. 2005, 9, P369	1
1636	Effects of dobutamine on hepatic metabolism in paediatric patients evaluated by LiMON [®] . 2005, 9, P370	1

1635	Therapeutic application of the molecular adsorbent recirculating system in chronic severe hepatitis patients complicated with multiorgan failure. 2005, 9, P371	78
1634	Control of intra-abdominal pressure in severe acute pancreatitis with continuous hemodiafiltration using a polymethyl methacrylate membrane hemofilter and colloid fluid therapy. 2005, 9, P372	78
1633	Impact of abdominal banding on splanchnic organ perfusion. 2005, 9, P373	78
1632	A comparison of the effect on gastric emptying of propofol or dexmedetomidine in critically ill patients. 2005, 9, P374	1
1631	Does diabetes mellitus affect the mortality and morbidity rates after coronary artery bypass surgery?. 2005, 9, P375	1
1630	Hyperglycemia and mortality in high-risk surgical patients. 2005, 9, P376	78
1629	Admission hyperglycemia increases mortality in burns. 2005, 9, P377	78
1628	Intensive insulin therapy does not change the inflammatory response in non-diabetic patients undergoing elective coronary artery bypass grafting. 2005, 9, P378	78
1627	Blood glucose control during cardiac surgery: an evaluation of a fixed versus a variable insulin regime. 2005, 9, P379	78
1626	Accuracy of blood glucose measurements in the intensive care unit. 2005, 9, P380	78
1625	Evaluation of intensive insulin therapy. 2005, 9, P381	78
1624	Intensive insulin therapy in the intensive care unit: assessment by continuous glucose monitoring. 2005, 9, P382	1
1623	Insulin sensitivity and hepatic glucose production in sepsis. 2005, 9, P383	1
1622	Insulin signaling in critical illness: intensive versus conventional insulin therapy. 2005, 9, P384	78
1621	Influence of blood glucose-related factors to glucose tolerance in acutely ill severe patients evaluated by means of bedside-type artificial pancreas. 2005, 9, P385	78
1620	Randomized controlled study for the evaluation of automated blood glucose control in critically ill patients. 2005, 9, P386	78
1619	Implementation of intensive insulin therapy improves glycaemic control in patients managed with conventional insulin therapy. 2005, 9, P387	78
1618	Tight glycaemic control increases the incidence of hypoglycemia in intensive care unit patients. 2005, 9, P388	10

1617	Impact of continuous versus bolus low-dose hydrocortisone application on blood glucose in septic shock patients. 2005, 9, P389	1
1616	Cortisol metabolism in critical illness: effects of intensive insulin therapy. 2005, 9, P390	78
1615	Cortisol elimination properties during intermitting hemofiltration in patients with acute renal failure. 2005, 9, P391	78
1614	Effect of a single dose of etomidate on adrenal function in patients with trauma. 2005, 9, P392	1
1613	Influence of hydrocortisone on platelet receptor expression and aggregation in vitro. 2005, 9, P393	78
1612	Outcome of septic shock patients with relative adrenal insufficiency. 2005, 9, P394	78
1611	Low-dose and high-dose corticotropin stimulation test in septic shock patients. 2005, 9, P395	78
1610	Sepsis-related adrenal dysfunction in HIV-positive and negative critically ill patients using a 1 μ g short synacthen test. 2005, 9, P396	78
1609	The time course of adrenocortical hormones and cytokines in sepsis and/or septic shock. 2005, 9, P397	78
1608	Adrenal insufficiency in septic shock: what should one do at the present time?. 2005, 9, P398	78
1607	Adrenal failure in neurological and septic critically ill patients. 2005, 9, P399	78
1606	Relative adrenal insufficiency in critically ill hematology patients. 2005, 9, P400	78
1605	The relative adrenal insufficiency syndrome in the intensive care unit: incidence and relationship to outcome. 2005, 9, P401	78
1604	Incidence of adrenal insufficiency within 10 days of traumatic brain injury. 2005, 9, P402	78
1603	Endocrine responses to major abdominal surgery. 2005, 9, P403	78
1602	Acute rhabdomyolysis in the intensive care unit. 2005, 9, P404	78
1601	Early definitive stabilization versus damage control orthopaedics for femur shaft fractures in the multiply injured patient. 2005, 9, P405	1
1600	The efficacy of HPLC for the diagnosis of 'illegal drug' intoxication. 2005, 9, P406	78

1599	Lethal intoxication with hydrofluoric acid. 2005, 9, P407	78
1598	Dispersion of the corrected QT interval in acute carbon monoxide poisoning. 2005, 9, P408	78
1597	A new electronic urine meter (UREXACT) is more accurate in measuring urine output than the standard Urinometer: a comparative study. 2005, 9, P409	2
1596	A computerized alert system for hypokalemia can decrease time to treatment. 2005, 9, P410	1
1595	Acetazolamide-mediated decrease in strong ion difference accounts for the correction of metabolic alkalosis in intensive care unit patients. 2005, 9, P411	78
1594	Acid-base changes in meningococcal sepsis revealed by partitioning the base deficit. 2005, 9, P412	78
1593	Peripheral oedema may not reflect capillary leak in severe sepsis: pilot study. 2005, 9, P413	78
1592	Comparative evaluation of extracellular mass and body cell mass between patients with SIRS and severe sepsis by bioelectrical impedance analysis. 2005, 9, P414	78
1591	Strong ion acid-base abnormality and lactate:pyruvate ratio in children following cardiopulmonary bypass. 2005, 9, P415	78
1590	Magnesium at admission: is it an outcome marker in the critically ill patient?. 2005, 9, P416	3
1589	Human endotoxemia and human sepsis: limits to the model. 2005, 9, 151-2	15
1588	Equipment review: the success of early goal-directed therapy for septic shock prompts evaluation of current approaches for monitoring the adequacy of resuscitation. 2005, 9, 349-59	22
1587	Why is early goal-directed therapy successful - is it the technology?. 2005, 9, 307-8	10
1586	Bench-to-bedside review: antimicrobial utilization strategies aimed at preventing the emergence of bacterial resistance in the intensive care unit. 2005, 9, 459-64	19
1585	Steroid use in PROWESS severe sepsis patients treated with drotrecogin alfa (activated). 2005, 9, R502-7	13
1584	Antifactor Xa activity in critically ill patients receiving antithrombotic prophylaxis with standard dosages of certoparin: a prospective, clinical study. 2005, 9, R541-8	33
1583	Lack of evidence for qualitative treatment by disease severity interactions in clinical studies of severe sepsis. 2005, 9, R607-22	17
1582	Mid-regional pro-adrenomedullin as a prognostic marker in sepsis: an observational study. 2005, 9, R816-24	195

1581	Clinical review: interpretation of arterial pressure wave in shock states. 2005, 9, 601-6	161
1580	The impact of compliance with 6-hour and 24-hour sepsis bundles on hospital mortality in patients with severe sepsis: a prospective observational study. 2005, 9, R764-70	351
1579	Functional hemodynamic monitoring. 2005, 9, 566-72	200
1578	The Surviving Sepsis Campaign sepsis change bundles and clinical practice. 2005, 9, 653-4	45
1577	Handwashing in the intensive care unit: a big measure with modest effects. 2005, 59, 172-9	54
1576	Approach to the acute abdomen. 2005, 35, 375-96	13
1575	Assessment and treatment of perfusion abnormalities in the emergency patient. 2005, 35, 319-42	41
1574	[Activated protein C treatment: experience about 23 patients in the operative period]. 2005, 24, 343-6	3
1573	Guidelines for the management of adults with hospital-acquired, ventilator-associated, and healthcare-associated pneumonia. 2005, 171, 388-416	5939
1572	25th International Symposium on Intensive Care and Emergency Medicine, Brussels, Belgium, 21-25 March 2005. Abstracts. 2005, 9 Suppl 1, P1-P416	3
1571	Renal failure in patients with cirrhosis and sepsis unrelated to spontaneous bacterial peritonitis: value of MELD score. 2005, 129, 1944-53	197
1570	Impact of diabetes mellitus and metabolic disorders. 2005, 85, 1153-61, ix	8
1569	Sepsis un estudio detallado. 2005, 23, 16-20	
1568	Pro-B-type natriuretic peptide predicts mortality in critically ill patients. 2005, 9, P329	78
1567	Evaluation of noninvasive mechanical ventilation with positive pressure in the management of patients with difficult weaning from invasive mechanical ventilation. 2005, 9, P132	78
1566	Clinical manifestations of disordered microcirculatory perfusion in severe sepsis. 2005, 9 Suppl 4, S20-6	74
1565	Costs of severe sepsis according to the guidelines of the 'Surviving Sepsis Campaign'. 2005, 9, P198	78
1564	Pulmonary manifestations of malaria : recognition and management. 2006, 5, 419-28	57

1563	Anaesthesia, Pain, Intensive Care and Emergency A.P.I.C.E.. 2006,	1
1562	Contrôle de la glycémie en unité de soins intensifs. Y a-t-il suffisamment de preuves ?. 2006, 10, 271-276	
1561	Interprétation de la courbe de pression artérielle au cours des états de choc. 2006, 15, 96-102	0
1560	Antibiothérapie aux urgences. 2006, 15, 514-522	2
1559	Why do patients who have acute lung injury/acute respiratory distress syndrome die from multiple organ dysfunction syndrome? Implications for management. 2006, 27, 725-31; abstract x-xi	58
1558	Comparison of 6% HES 130/0.4 in a balanced electrolyte solution versus 6% HES 130/0.4 in saline solution in cardiac surgery. 2006, 10, P176	3
1557	Evidence-based medicine: classifying the evidence from clinical trials--the need to consider other dimensions. 2006, 10, 232	37
1556	Treatment options for severe sepsis and septic shock. 2006, 4, 395-403	14
1555	Drotrecogin alfa (activated) in the treatment of severe sepsis. 2006, 4, 537-47	2
1554	Catastrophic antiphospholipid syndrome. 2006, 21, 144-59	55
1553	Vasopressin during cardiopulmonary resuscitation and different shock states: a review of the literature. 2006, 6, 51-68	25
1552	The effect of vasopressin on organ blood flow in an endotoxin-induced rabbit shock model. 2006, 19, 361-9	9
1551	Yearbook of Intensive Care and Emergency Medicine. 2006,	2
1550	Antibiotic Resistance in the Intensive Care Unit. 2006, 582-591	
1549	The intensive care unit as a research laboratory: developing strategies to prevent antimicrobial resistance. 2006, 7, 85-99	3
1548	Ventilator-associated pneumonia in children. 2006, 17, 58-64	24
1547	Sepsis in the interventional radiology patient. 2006, 9, 64-8	3
1546	Positioning practices for ventilated intensive care patients: current practice, indications and contraindications. 2006, 19, 122-6, 128, 130-2	22

1545	[Antibiotic strategy during septic shock]. 2006 , 35, 528-32	1
1544	Sepsis y shock s?ptico. 2006 , 9, 3211-3218	
1543	Statins: a preventive strike against sepsis in patients with cardiovascular disease?. 2006 , 367, 372-3	13
1542	Renal support in acute kidney injury. 2006 , 368, 344-5	16
1541	Management of sepsis. 2006 , 355, 1699-713	868
1540	Critical care in the United States of America. 2006 , 22, 447-55, ix	9
1539	Developing and implementing quality initiatives in the ICU: strategies and outcomes. 2006 , 18, 469-79, ix	9
1538	Corticosteroid replacement in critically ill patients. 2006 , 22, 245-53, vi	16
1537	Management of gallstone pancreatitis. 2006 , 40, 265-84	29
1536	Recombinant human activated protein C for severe sepsis in neonates. 2006 , CD005385	18
1535	The last 100 years of sepsis. 2006 , 173, 256-63	106
1534	Management of peritonitis in the critically ill patient. 2006 , 86, 1323-49	70
1533	Prise en charge pr?coce du choc septique aux urgences. 2006 , 15, 507-513	0
1532	Vasopressin in hypotensive and shock states. 2006 , 22, 187-97, v	11
1531	La vasopressine : ses indications en ranimation. 2006 , 10, 25-30	
1530	Management of severe sepsis in the surgical patient. 2006 , 86, 1457-81	12
1529	The role of bundles in sepsis care. 2006 , 22, 521-9, x	4
1528	Management of severe sepsis and septic shock: challenges and recommendations. 2006 , 22, 489-501, ix	35

1527	The relationship between the surgeon and the intensivist in the surgical intensive care unit. 2006 , 86, 1351-7	27
1526	Severe acute pancreatitis. 2006 , 7, 114-115	
1525	Terlipressin: vasopressin analog and novel drug for septic shock. 2006 , 40, 2170-7	69
1524	Advances in the management of sepsis: the randomised controlled trials behind the Surviving Sepsis Campaign recommendations. 2006 , 27, 97-101	10
1523	SIRS and group-B streptococcal sepsis in newborns: pathogenesis and perspectives in adjunctive therapy. 2006 , 11, 333-42	11
1522	Evaluation of a noninvasive blood glucose monitoring device for critically ill patients. 2006 , 10, P255	1
1521	Recombinant activated protein C: the key is clinical assessment of risk of death, not subset analysis. 2006 , 10, 114	7
1520	26th International Symposium on Intensive Care and Emergency Medicine. Brussels, Belgium. 21 - 24 March 2006. Abstracts. 2006 , 10 Suppl 1, P1-472	
1519	Fecal peritonitis in pigs as a model of extrapulmonary ALI/ARDS. 2006 , 10, P2	78
1518	Computer-advised insulin infusion in postoperative cardiac surgery patients: a randomized prospective controlled multicenter trial. 2006 , 10, P3	78
1517	Intravital endoscopy of alveoli: a new method to visualize the mechanical alveolar dynamics. 2006 , 10, P4	78
1516	Influence of the blood on the time course of pancreatitis-induced lung injury evaluated in isolated blood-perfused rat lungs. 2006 , 10, P5	78
1515	Rats surviving after high tidal volume ventilation show marked and reversible pulmonary and systemic changes. 2006 , 10, P6	78
1514	Automatic recruitment maneuvers in porcine acute lung injury based on online PaO ₂ measurements. 2006 , 10, P7	3
1513	Comparison of regional lung recruitment in electrical impedance tomograms and CT scans in experimental acute lung injury. 2006 , 10, P8	2
1512	It is possible to reduce the exposition to ionizing radiation for lung computed tomography scan analysis?. 2006 , 10, P9	2
1511	Computed tomography-based risk estimation on acute lung injury/acute respiratory distress syndrome after blunt thoracic trauma. 2006 , 10, P10	6
1510	Immediate and long-lasting effects of recruitment maneuvers on the pressure-volume curve in normal anesthetized animals. 2006 , 10, P11	2

1509	Online SLICE: a tool for continuous monitoring of respiratory mechanics. 2006 , 10, P12	78
1508	Abstract withdrawn. 2006 , 10, P13	78
1507	The position of the lower inflection point depends on volume history. 2006 , 10, P14	78
1506	Assessment of the effectiveness of lung recruitment and PEEP setting by vibration response imaging. 2006 , 10, P15	2
1505	Influence of inertance on linearity of respiratory mechanics during mechanical ventilation in ARDS. 2006 , 10, P16	1
1504	Is PEEP detrimental to splanchnic perfusion in mechanically ventilated patients?. 2006 , 10, P17	78
1503	Separate determination of inspiratory and expiratory dynamic lung mechanics using expiratory flow control. 2006 , 10, P18	78
1502	The course of the oxygenation index before kinetic therapy or prone ventilation is decisive for the prognosis of acute respiratory failure. 2006 , 10, P19	78
1501	High-frequency oscillatory ventilation and prone position as early alternative therapy in adults with severe acute respiratory distress syndrome. 2006 , 10, P20	1
1500	High-frequency oscillatory ventilation in acute respiratory distress syndrome in adult patients. 2006 , 10, P21	78
1499	A registry of high-frequency oscillatory ventilation in adults. 2006 , 10, P22	1
1498	Superimposed high-frequency jet ventilation and oleic-acid-induced acute lung injury piglets: an experimental study. 2006 , 10, P23	78
1497	Pressure drop across neonatal endotracheal tubes during high-frequency ventilation. 2006 , 10, P24	78
1496	Efficacy of exogenous surfactant in adult patients with acute respiratory failure. 2006 , 10, P25	78
1495	Extracorporeal membrane oxygenation in the adult patient: experience in a medical ICU. 2006 , 10, P26	78
1494	Outcome of patients with congenital diaphragmatic hernia requiring ECMO: can we predict?. 2006 , 10, P27	78
1493	Abstract withdrawn. 2006 , 10, P28	78
1492	Respiratory variable predictors for intensive care mortality. 2006 , 10, P29	78

1491	Model and clinical studies of a novel differential lung ventilation system for adults. 2006 , 10, P30	1
1490	Open lung ventilation does not increase right ventricular afterload in cardiac surgery patients. 2006 , 10, P31	78
1489	Detection of expiratory flow limitation during experimental mechanical ventilation. 2006 , 10, P32	0
1488	Increased spatial distribution of airflow in lungs with low-level pressure support ventilation compared with maintenance ventilation. 2006 , 10, P33	2
1487	Effects of different spontaneous breathing modes on respiratory mechanics and gas exchange. 2006 , 10, P34	78
1486	Vibration response imaging of the lungs in mechanically ventilated patients in chronic obstructive pulmonary disease. 2006 , 10, P35	78
1485	Effects of connecting tubes and swivels on the breathing pattern and work of breathing during pressure support ventilation: a laboratory and simulation study. 2006 , 10, P36	78
1484	The intensive care requirements and need for early ventilatory support in patients undergoing emergency and elective spinal surgery. 2006 , 10, P37	78
1483	Effect of inspiration rise time on work of breathing and patient comfort during pressure support ventilation. 2006 , 10, P38	2
1482	Effects of change in the expiratory trigger during pressure support ventilation in COPD. 2006 , 10, P39	78
1481	Effects of different spontaneous breathing modes on hemodynamics in patients after coronary artery bypass graft surgery. 2006 , 10, P40	78
1480	Streamlining the weaning process within a UK critical care network. 2006 , 10, P41	78
1479	Weaning from mechanical ventilation using pressure support and T-tube induces ventricular arrhythmia in cardiac patients. 2006 , 10, P42	78
1478	Non-invasive mechanical ventilation can be useful during difficult weaning from invasive ventilation. 2006 , 10, P43	78
1477	Echocardiographic assessment during weaning from mechanical ventilation: pressure support ventilation versus T-tube. 2006 , 10, P44	78
1476	Predictors of early extubation (within 4 hours) in adult cardiac surgical patients. 2006 , 10, P45	78
1475	Norepinephrine use at the time of extubation was not associated with weaning failure from mechanical ventilation in septic patients. 2006 , 10, P46	1
1474	Outcome predictors of non-invasive positive pressure ventilation in hypoxaemic acute respiratory failure. 2006 , 10, P47	78

1473	The learning, introducing and effects of a non-invasive respiratory support programme with the infant-flow method in newborns: Polish 2-year experience. 2006 , 10, P48	0
1472	Non-invasive ventilation in trauma patients: is there a role?. 2006 , 10, P49	78
1471	In vitro comparison of the standard and the Cole endotracheal tubes with an endotracheal tube of new design. 2006 , 10, P50	1
1470	Influence of rhDNase on the duration of mechanical ventilation in intensive care patients: interim analysis of the LUFIT trial. 2006 , 10, P51	78
1469	The efficacy of intratracheal rhDNase therapy in the treatment of severe hypercapnoeic respiratory acidosis in ventilated children with status asthmaticus and bronchiolitis. 2006 , 10, P52	2
1468	The use of the laryngeal mask airway during percutaneous dilatational tracheostomy. 2006 , 10, P53	6
1467	How early is enough in lactate monitoring?. 2006 , 10, P54	78
1466	Early tracheostomy in acute lung injury: who could benefit?. 2006 , 10, P55	78
1465	Comparison of four methods to calibrate respiratory inductive plethysmograph in premature infants. 2006 , 10, P56	78
1464	Safety of percutaneous tracheostomy in coagulopathic patients. 2006 , 10, P57	78
1463	Do sleep studies effectively predict postoperative ventilatory requirements in patients undergoing bariatric surgery?. 2006 , 10, P58	78
1462	Inhaled nitric oxide improves pulmonary functions following massive pulmonary embolism. 2006 , 10, P59	1
1461	Management of severe adult respiratory failure: evidence-based?. 2006 , 10, P60	78
1460	Supplemental systemic oxygen support with peritoneal oxygenation using a continuous low-pressure oxygen flow system (PEROX). 2006 , 10, P61	0
1459	Oxford Miniature Vaporiser for halothane in ventilated asthmatics. 2006 , 10, P62	78
1458	Assessment of oxygen consumption from standard E cylinders by fluidic, turbine, and compressor style portable mechanical ventilators. 2006 , 10, P63	3
1457	Prehospital endotracheal intubations in vitally comprised children in The Netherlands. 2006 , 10, P64	1
1456	Transit care of the ventilated critically ill in commercial airliners. 2006 , 10, P65	78

1455	Nosocomial pneumonia in ICU patients after surgical and percutaneous tracheostomy. 2006 , 10, P66	78
1454	Too few, too late: submission patterns of bronchoalveolar lavage fluid samples obtained under the suspicion of the diagnosis of ventilator-associated pneumonia. 2006 , 10, P67	2
1453	Criteria of the systemic inflammatory response syndrome in patients with community-acquired pneumonia. 2006 , 10, P68	78
1452	Correlation between GCS and the risk of aspiration pneumonia in self-poisoning patients. 2006 , 10, P69	78
1451	Bronchoalveolar lavage in mechanically ventilated patients with suspected pneumonia: a descriptive study. 2006 , 10, P70	78
1450	Bronchoalveolar lavage cytology in the diagnosis of ventilator-associated pneumonia. 2006 , 10, P71	78
1449	Community-acquired pneumonia treated on the ICU. 2006 , 10, P72	2
1448	Multinational, observational study of procalcitonin in ICU patients with presumed or confirmed pneumonia and requiring mechanical ventilation. 2006 , 10, P73	78
1447	Procalcitonin: analysis of diagnostic specificity and effectivity in comparison with other markers of inflammation in the critically ill. 2006 , 10, P74	78
1446	Procalcitonin serum levels in patients after liver, pancreas and simultaneous kidney-pancreas transplantations. 2006 , 10, P75	78
1445	Immediate postinjury procalcitonin levels related to final survival. 2006 , 10, P76	78
1444	Low sensitivity of procalcitonin in cerebrospinal fluid in adult patients with bacterial meningitis. 2006 , 10, P77	1
1443	C-reactive protein on the fourth day of ICU admission predicts mortality and organ failure in critically ill surgical patients. 2006 , 10, P78	78
1442	High C-reactive protein and low cholesterol levels are prognostic marker in severe sepsis. 2006 , 10, P79	78
1441	Urinary and plasma cytokines in the critically ill. 2006 , 10, P80	78
1440	Attempt at simultaneous quantitative determination of multiple cytokines and chemokines in peripheral blood with a suspension array system. 2006 , 10, P81	1
1439	A novel biomarker panel with a Multimarker Index value for the diagnosis of sepsis in the Emergency Department. 2006 , 10, P82	2
1438	The association of early lactate clearance with inflammatory biomarkers in severe sepsis and septic shock. 2006 , 10, P83	2

1437	Newly developed plasma soluble E-selectin rapid assay predicts prevalence of acute respiratory distress syndrome in critically ill patients. 2006 , 10, P84	78
1436	TLR2, TLR4, CD14, CD11b and CD11c expression on monocyte surfaces and cytokine production in septic patients. 2006 , 10, P85	78
1435	Increased leukocyte oxidative metabolism in severe sepsis and septic shock correlates with organ dysfunction and mortality. 2006 , 10, P86	78
1434	A priming endotoxin bolus amplifies the inflammatory response in low-dose human endotoxemia. 2006 , 10, P87	78
1433	The effect of systemic iNOS inhibition during human endotoxemia on the development of TLR-tolerance in vitro. 2006 , 10, P88	78
1432	G-CSF is an endothelial survival factor in LPS-induced inflammatory conditions. 2006 , 10, P89	78
1431	Effects of naloxone on phagocyte functions. 2006 , 10, P90	78
1430	A lack of Toll-like receptor 4 expression variability in the immediate preoperative period: a pilot study of elective surgical patients. 2006 , 10, P91	78
1429	Gene expression in sepsis is independent of the center-associated effects and indicates a tight regulation of the inflammatory process. 2006 , 10, P92	78
1428	Ketamine improves survival in burn followed by sepsis in rats. 2006 , 10, P93	78
1427	Role of calcium regulation in vascular hyporeactivity induced by peritonitis-associated septic shock. 2006 , 10, P94	3
1426	Microcirculatory hyporesponsiveness in lipopolysaccharide-induced inflammation is endothelial cell dependent but calcium independent. 2006 , 10, P95	78
1425	Microdialysis study of imipenem distribution in muscle and lung extracellular fluids of infected rats. 2006 , 10, P96	15
1424	Antibacterial therapy in ovine model of sepsis. 2006 , 10, P97	2
1423	Characterization of an experimental model of septic shock induced by fecal peritonitis in pigs. 2006 , 10, P98	78
1422	Early and late onset nosocomial infections in ICU patients with head injury. 2006 , 10, P99	1
1421	Efficacy and safety of colistin in the treatment of infections in the ICU caused by multidrug-resistant Gram-negative organisms. 2006 , 10, P100	78
1420	Efficacy of an intravenous colistin regimen in ventilator-associated pneumonia and bacteraemia due to multiresistant Gram-negative bacteria: preliminary results. 2006 , 10, P101	78

1419	Colistin monotherapy versus combination of colistin with a β -lactam or rifampicin for the treatment of serious infections in the ICU due to multidrug-resistant Gram-negative bacteria. 2006 , 10, P102	78
1418	Susceptibility to carbapenems of <i>Pseudomonas</i> spp. isolated from patients with ventilator-associated pneumonia. 2006 , 10, P103	78
1417	Cerebrospinal fluid penetration of linezolid in neurosurgical patients. 2006 , 10, P104	78
1416	An outbreak of <i>Acinetobacter baumannii</i> in an ICU: effectiveness of an extensive infection control program. 2006 , 10, P105	78
1415	Rate of microbiologically proven infections among patients with severe sepsis/septic shock: results from the German prevalence study. 2006 , 10, P106	78
1414	Intrusion of antibacterial therapy protocol decreased mortality associated with VAP in severe trauma patients. 2006 , 10, P107	78
1413	Antimicrobial use and antimicrobial resistance in an intensive care burn department. 2006 , 10, P108	78
1412	Relationships between antimicrobial use and antimicrobial resistance in <i>P. aeruginosa</i> in an intensive care burn department. 2006 , 10, P109	78
1411	Introduction of an integrated infection control program in an ICU: effects on epidemiology and antimicrobial resistance of <i>Staphylococcus aureus</i> . 2006 , 10, P110	78
1410	An epidemiological study of sepsis in ICUs: Sepsis Brazil Study. 2006 , 10, P111	1
1409	Management of sepsis and septic shock in critically ill patients transferred by a dedicated transport team in the West of Scotland. 2006 , 10, P112	78
1408	Surveillance of ICU-associated infections. 2006 , 10, P113	78
1407	Feasibility of surveillance of ICU-associated infections in Scotland. 2006 , 10, P114	1
1406	Evaluation of the viability of a hemodynamic optimization protocol to high-risk surgical patients using less invasive monitoring tools. 2006 , 10, P115	78
1405	Antimicrobial treatment in patients with severe sepsis and septic shock: results from the German Prevalence Study. 2006 , 10, P116	78
1404	Prevalence of infection in German ICUs: results from the German Prevalence Study. 2006 , 10, P117	78
1403	Bloodstream infections in the ICU: incidence and outcome. 2006 , 10, P118	78
1402	Nosocomial infection in patients with brain trauma. 2006 , 10, P119	78

1401	Representative survey of criteria used for the diagnosis of severe sepsis/septic shock among German ICU physicians: results from the German Prevalence Study. 2006 , 10, P120	78
1400	Changing patterns of microbial resistance in an Indian cancer hospital ICU. 2006 , 10, P121	1
1399	Severe sepsis and septic shock in Croatian ICUs. 2006 , 10, P122	78
1398	Portuguese network data: compliance with the Surviving Sepsis Campaign bundles. 2006 , 10, P123	78
1397	Comparison of Belgian and US validation studies of ICU-acquired infection surveillance. 2006 , 10, P124	78
1396	Portuguese network data: epidemiology of community-acquired sepsis. 2006 , 10, P125	78
1395	Sepsis: a study of physician's knowledge about the Surviving Sepsis Campaign in Puerto Rico. 2006 , 10, P126	4
1394	A way to audit compliance with the Surviving Sepsis Campaign bundles. 2006 , 10, P127	78
1393	The 2004 tsunami disaster: injury pattern and microbiological aspects. 2006 , 10, P128	1
1392	Relationship between polymorphonuclear leucocytes and the outcome of patients with severe trauma. 2006 , 10, P129	78
1391	Interhospital transport of the critical patients with polytrauma. 2006 , 10, P130	78
1390	Added medical value of a helicopter-transported medical team on emergency prehospital pediatric care in The Netherlands. 2006 , 10, P131	78
1389	Assessment of a medical regulation concept for MEDEVAC during military operations. 2006 , 10, P132	78
1388	Short-term outcome in major trauma: land versus air emergency medical rescue in Tuscany. 2006 , 10, P133	78
1387	Elastic fixation of the diaphyseal fractures of the femoral bone in children. 2006 , 10, P134	78
1386	Treatment of pelvic fractures of patients with polytrauma. 2006 , 10, P135	0
1385	New shape of battle casualty with effects of body armor. 2006 , 10, P136	0
1384	Improving the outcome of trauma patients: is it possible in the absence of a trauma system?. 2006 , 10, P137	78

1383	Empyema in the critical care patient. 2006 , 10, P138	1
1382	Combination antifungal treatment in critically ill patients failing first-line therapy for invasive fungal infections. 2006 , 10, P139	78
1381	Increasing fungal infections in cardiovascular ICUs. 2006 , 10, P140	78
1380	Effects of candiduria-candidemia infections on mortality and morbidity in the ICU and the risk factors of these infections. 2006 , 10, P141	1
1379	Tetanus in the ICU: increasing incidence in the past 5 years. 2006 , 10, P142	78
1378	Analytical survey of human rabies prevalence in the province of Kerman, Iran. 2006 , 10, P143	78
1377	Effects of antibiotics on intestinal microcirculation, cytokine release and in-vitro vascular reactivity in septic rats. 2006 , 10, P144	2
1376	Genetic variation of TNF is associated with sepsis syndrome and death in severely injured patients. 2006 , 10, P145	1
1375	Whole genome expression profiling in multiple trauma patients. 2006 , 10, P146	0
1374	Prothrombin gene and factor V Leiden gene polymorphism in patients with deep vein thrombosis: prevalence, diagnostic and therapeutic implications. 2006 , 10, P147	1
1373	Inhibition of inducible nitric oxide synthase prevents the attenuated response to noradrenaline during human endotoxemia. 2006 , 10, P148	78
1372	Plasma obtained during human endotoxemia increases endothelial permeability in vitro. 2006 , 10, P149	78
1371	Endothelial and coagulation dysfunction during porcine bacteremia: effects of combining iNOS inhibitor and radical scavenger. 2006 , 10, P150	78
1370	Effect of intravenous immunoglobulin in critically ill adult patients with sepsis: a meta-analysis. 2006 , 10, P151	78
1369	VX-166, a novel potent small molecule caspase inhibitor, as a promising new treatment for sepsis. 2006 , 10, P152	1
1368	TAK-242, a novel Toll-like receptor 4 signal transduction inhibitor, protects mice in Escherichia coli-induced and lipoteichoic acid-induced lethality models. 2006 , 10, P153	78
1367	Selective inhibition of Toll-like receptor 4 signaling by the small molecule TAK-242. 2006 , 10, P154	2
1366	Tifacogin increases bacterial clearance from blood. 2006 , 10, P155	1

1365	Desialylated endothelial cells membrane enhance its fibrinolytic potential. 2006 , 10, P156	78
1364	Altered coagulation in systemic inflammatory response syndrome: role of protein C in diagnosis and prognosis. 2006 , 10, P157	78
1363	Frequency of early coagulopathy in multiple injury: an analysis of 8724 patients from the German Trauma Registry. 2006 , 10, P158	1
1362	Antithrombin reduces ischemia/reperfusion-induced liver injury in mice by enhancing the activation of sensory neurons through protein kinase A activation. 2006 , 10, P159	78
1361	Comparison of the effects of tranexamic acid, aprotinin and placebo on blood conservation, fibrinolysis and platelet function with extensive heart surgery. 2006 , 10, P160	78
1360	Use of anti-Xa factor titration as efficacy marker of enoxaparin in critically ill patients. 2006 , 10, P161	78
1359	Continuous administration of LMWH in critical patients: a contribution to the monitoring of hemocoagulation. 2006 , 10, P162	78
1358	Solvent-detergent plasma: use in neonatal patients, in adult and paediatric patients with liver disease and in obstetric and gynaecological emergencies. 2006 , 10, P163	78
1357	Two years experience with low-dose recombinant activated factor VII treatment of non-haemophilic patients. 2006 , 10, P164	78
1356	Efficacy of recombinant activated factor VII in the management of severe hemorrhage following cardiac surgery. 2006 , 10, P165	78
1355	Experience of NovoSeven administration in management of coagulopathic bleedings after surgical interventions with extracorporeal circulation. 2006 , 10, P166	78
1354	Activated recombinant factor VII in management of bleeding in patients with thrombocytopenia. 2006 , 10, P167	78
1353	Use of recombinant activated factor VII after paediatric cardiac surgery. 2006 , 10, P168	78
1352	Cost-effectiveness analysis of recombinant activated factor VII as adjunctive therapy for bleeding control in severely injured trauma patients in Germany. 2006 , 10, P169	78
1351	Effectiveness and safety of recombinant activated factor. 2006 , 10, P170	78
1350	Does recombinant factor VIIa change the inflammatory response to trauma? Preliminary results of inflammatory biomarkers in critically ill trauma patients. 2006 , 10, P171	1
1349	Assessment of intravascular retention of hydroxyethyl starch in mild hemorrhagic shock. 2006 , 10, P172	78
1348	Does volume substitution with HES 130/0.4 affect renal safety in abdominal aortic surgery?. 2006 , 10, P173	4

1347	Impact of high-molecular hydroxyethyl starch solutions on plasma volume and haemodynamics in porcine faecal peritonitis. 2006 , 10, P174	78
1346	Comparison effect of 6% hydroxyethyl starch with Ringer's solution on splanchnic perfusion in canine with septic shock. 2006 , 10, P175	78
1345	The Cost of Albumin Sepsis Treatment (COAST) study: efficacy analysis of albumin for severe sepsis. Modelling using the SAFE study and CUB-Rea data. 2006 , 10, P177	78
1344	Effect of bicarbonated Ringer's solution on PaCO ₂ and tissue PO ₂ in hemorrhagic shock rats. 2006 , 10, P178	1
1343	Ethyl pyruvate prevents acute lung injury in an experimental multitrauma model. 2006 , 10, P179	78
1342	Effect of ethyl pyruvate against un-injurious spinal cord ischemia in rats. 2006 , 10, P180	78
1341	Maintenance fluids should contain at least 77 mmol sodium per liter for critically ill pediatric patients. 2006 , 10, P181	78
1340	The accuracy of tonicity balance formulas in predicting changes in plasma sodium in ventilated infants with respiratory syncytial virus bronchiolitis. 2006 , 10, P182	78
1339	Therapeutic effects of hypertonic saline on peritonitis-induced septic shock with multiple organ dysfunction syndrome in rats. 2006 , 10, P183	78
1338	Clinical practice of fluid resuscitation in severe sepsis and septic shock on German ICUs. 2006 , 10, P184	78
1337	Survey of intravenous fluid maintenance therapy for surgical patients in the UK. 2006 , 10, P185	78
1336	First-aid treatment of hydrofluoric acid skin burns with 2.5% calcium gluconate gel: an experimental controlled study. 2006 , 10, P186	1
1335	Selenium and its substitution in critically ill patients. 2006 , 10, P187	4
1334	N-terminal pro-B-type natriuretic peptide in patients after cervical spine surgery. 2006 , 10, P188	78
1333	NT-proBNP levels in the ICU do not predict the etiology of respiratory distress. 2006 , 10, P189	78
1332	Relationship between B-type natriuretic peptide plasma levels and echocardiography parameters in decompensated chronic heart failure patients treated with levosimendan. 2006 , 10, P190	78
1331	Significance of B-type natriuretic peptide in acute cerebrovascular disease. 2006 , 10, P191	78
1330	Can N-terminal pro-B-type natriuretic peptide and troponin T predict ICU and hospital mortality in patients with septic shock?. 2006 , 10, P192	78

1329	Should natriuretic peptide B-type be used to predict weaning failure in mechanically ventilated patients?. 2006 , 10, P193	78
1328	N-terminated natriuretic propeptide type B is a better prognostic factor than MB isoenzyme of creatine kinase in patients after cardiac arrest. 2006 , 10, P194	78
1327	Cardiopulmonary exercise testing and NT-proBNP before major vascular surgery: do they correlate?. 2006 , 10, P195	78
1326	Plasma levels of pro-atrial natriuretic peptide, pro-adrenomedullin, and pro-endothelin-1 correlate with the severity of organ dysfunction in critically ill patients. 2006 , 10, P196	78
1325	Prognostic value of pro-atrial natriuretic peptide, pro-adrenomedullin, and pro-endothelin-1 in critically ill patients. 2006 , 10, P197	78
1324	Impact of positive fluid balance on ICU outcome is influenced by the severity of illness. 2006 , 10, P198	78
1323	Determination of 'unmeasured' anions in acidotic ICU patients. 2006 , 10, P199	78
1322	Hyperchloremic metabolic acidosis after cardiac surgery. 2006 , 10, P200	2
1321	Prediction of arterial blood gas values from earlobe blood gas values in patients receiving mechanical ventilation. 2006 , 10, P201	1
1320	Does the arterial-central venous lactate gradient correlate with the P/F ratio in mechanical ventilated critically ill patients?. 2006 , 10, P202	3
1319	Plasma lactate and base excess as independent prognostic factors. 2006 , 10, P203	1
1318	Osmolar gap as an individual prognostic factor (revised data). 2006 , 10, P204	78
1317	Assessment of stress oxidative modulation when conventional parenteral solutions were used compared with nutrition based on an olive oil compound in multiple trauma patients. 2006 , 10, P205	78
1316	Utilisation of structured triglycerides (Structolipid [®]) in surgical ICU patients receiving parenteral nutrition. 2006 , 10, P206	2
1315	Immunonutrition with eicosapentaenoic acid and linolenic acid as a new strategy to reduce mortality and improve outcomes in patients with severe sepsis. 2006 , 10, P207	78
1314	Continuous L-arginine infusion does not deteriorate the haemodynamic condition in patients with severe sepsis. 2006 , 10, P208	78
1313	Cellular immunity changes after total parenteral nutrition enriched with glutamine in patients with systemic inflammatory response syndrome. 2006 , 10, P209	78
1312	Preoperative nutrition support with or without glutamine can reduce ICU admissions. 2006 , 10, P210	78

1311	Role of preoperative nutritional assessment on early postoperative wound infection. 2006 , 10, P211	78
1310	Impact of synbiotics (Synbiotic 2000 Forte) on monocyte function in long-term ICU patients. 2006 , 10, P212	2
1309	The effect of enteral synbiotics on the incidence of ventilator-associated pneumonia in mechanically ventilated critically ill patients. 2006 , 10, P213	2
1308	Erythromycin or metoclopramide for feed intolerance in the critically ill. 2006 , 10, P214	4
1307	Prospective observational study of self-placing nasojejun tubes (Tiger Tube) on the ICU. 2006 , 10, P215	78
1306	Sonography as a tool to confirm the position of the nasogastric tube in ICU patients. 2006 , 10, P216	5
1305	Effects of hypocaloric feeding on clinical outcome in ICU patients. 2006 , 10, P217	3
1304	Nutritional markers as a surrogate of severity of illness: association with ICU length of stay and mortality. 2006 , 10, P218	78
1303	Persistent hypoproteinemia is an independent risk factor for critical illness polyneuromyopathy. 2006 , 10, P219	78
1302	Neuroimmune interactions for the prognosis the risk for stress ulcer formation in patients with peritonitis. 2006 , 10, P220	78
1301	Effect of proton pump inhibitors on gastric volume, gastric pH and gastric intramucosal pH in critically ill patients in the ICU. 2006 , 10, P221	2
1300	Implementation of an evidence-based stress ulcer prophylaxis protocol in the ICU. 2006 , 10, P222	1
1299	Factors associated with excessive bleeding in cardiopulmonary bypass patients. 2006 , 10, P223	2
1298	Blood urea nitrogen and endoscopic pattern relationship in patients with gastrointestinal bleeding. 2006 , 10, P224	78
1297	Predictive genetic factors for bleeding in cardiac surgery patients with cardiopulmonary bypass. 2006 , 10, P225	1
1296	Tranexamic acid decreased postoperative bleeding and systemic inflammatory response syndrome associated with cardiopulmonary bypass: a prospective, randomized, double-blind controlled study. 2006 , 10, P226	78
1295	The erythropoietin neuroprotective effect: assessment in coronary artery bypass graft surgery (TENPEAKS) â randomized, double-blind, placebo-controlled, proof-of-concept clinical trial. 2006 , 10, P227	1
1294	Large changes in renal microvascular PO2 during acute normovolemic hemodilution. 2006 , 10, P228	1

1293	Low hematocrit causes worsened cerebral injury after prolonged hypothermic circulatory arrest in rats: possible involvement of C-Fos, Bcl-2 and Bax. 2006 , 10, P229	78
1292	Impact of critical illness severity on transfusion requirements. 2006 , 10, P230	78
1291	Effect of red blood cell transfusion on cerebral oxygenation and metabolism following severe traumatic brain injury. 2006 , 10, P231	3
1290	Red cell pack use and mortality rate in Brazilian septic patients: Sepsis Brazil study. 2006 , 10, P232	78
1289	Prothrombin complex concentrate versus fresh frozen plasma in patients on oral anticoagulant therapy undergoing cardiac surgery: a randomized study. 2006 , 10, P233	5
1288	Clinical application of an integrated multiparameter system in perioperative body stress assessment. 2006 , 10, P234	4
1287	Phosphodiesterase 4D disruption causes α adrenergic receptors to behave like β adrenergic receptors in vivo. 2006 , 10, P235	1
1286	Long-term alcoholic patients have decreased perioperative cAMP levels. 2006 , 10, P236	1
1285	Effect of inspired oxygen concentration on central venous oxygen saturation. 2006 , 10, P237	78
1284	Contribution of perfusion-related, metabolic and respiratory components to gastric mucosal acidosis in acute cardiorespiratory failure. 2006 , 10, P238	7
1283	Comparison of arterial haemoglobin and electrolyte measurements between an arterial blood gas analyser and the laboratory on the critical care unit. 2006 , 10, P239	78
1282	Potential pharmacobiological and hormonal effects on resuscitation. 2006 , 10, P240	78
1281	Protection of mitochondria by intensive insulin therapy in critical illness: blood glucose control or insulin?. 2006 , 10, P241	78
1280	Hyperglycemia in a rat CLP model of sepsis is associated with mitochondrial uncoupling. 2006 , 10, P242	78
1279	Relationship between blood glucose level and outcome in acutely ill severe patients with glucose intolerance evaluated by means of a bedside-type artificial pancreas. 2006 , 10, P243	78
1278	Univariate and multivariate analysis of factors affecting tight glycaemic control. 2006 , 10, P244	78
1277	An altered glucose concentration increases plasma membrane injury in alveolar cells. 2006 , 10, P245	78
1276	Improved hepatic glucose production in mice lacking inducible nitric oxide synthase during hyperdynamic septic shock. 2006 , 10, P246	78

1275	Parallel determination of glucose metabolism and fractional synthesis rates of individual hepatic proteins during hyperdynamic septic shock. 2006 , 10, P247	78
1274	Organ dysfunction in critical illness: impact of maintaining normoglycemia and glycemia-independent insulin actions. 2006 , 10, P248	78
1273	In-vitro effects of hyperglycemia on survival of neuroblastoma (SHSY) cells. 2006 , 10, P249	78
1272	Insulin inhibits IL-6 production in the kidneys in brain-dead pigs. 2006 , 10, P250	78
1271	Hemoglobin A1c predicts outcome of sepsis in patients with diabetes. 2006 , 10, P251	1
1270	Expression of glucose transporters in critical illness. 2006 , 10, P252	2
1269	Plasma glucose levels and mortality in bacteremic ICU patients. 2006 , 10, P253	78
1268	Continuous glucose monitoring using the SCGM1 system in postcardiothoracic surgery patients. 2006 , 10, P254	3
1267	Does implementation of a computerised, decision-supported intensive insulin protocol achieve tight glycaemic control? A prospective observational study. 2006 , 10, P256	78
1266	Evaluation of function of pituitary gland in patients with septic shock and the effect of low-dose corticosteroid therapy. 2006 , 10, P257	78
1265	Cortisol levels fail to predict hemodynamic response to steroids and outcome in patients with septic shock. 2006 , 10, P258	78
1264	Predicting a low response to ACTH in the critically ill. 2006 , 10, P259	78
1263	Reproducibility of the low-dose corticotropin (ACTH) stimulation test in ICU patients with sepsis and/or septic shock. 2006 , 10, P260	78
1262	Cortisol and dehydroepiandrosterone sulphate levels in ICU patients upon admission correlate with severity of disease. 2006 , 10, P261	78
1261	Hypothalamic-pituitary-adrenal axis in mechanically ventilated critically ill patients: incidence of hyposponsiveness to stimulation and relationship to cytokine levels. 2006 , 10, P262	78
1260	Relative adrenal insufficiency after major abdominal surgery. 2006 , 10, P263	78
1259	Clinical study on the relationship of adrenal function and prognosis in patients with severe sepsis. 2006 , 10, P264	78
1258	Thyroid hormone levels and their relations to survival in children with bacterial sepsis and septic shock. 2006 , 10, P265	78

1257	Regulation of type 1 deiodinase activity in prolonged critical illness. 2006 , 10, P266	1
1256	Predictive factors of the development of acute renal failure in the immediate post-hepatic transplant period. 2006 , 10, P267	78
1255	Predictive factors of mortality in liver transplantation. 2006 , 10, P268	78
1254	Biliary complications after cardiovascular procedures. 2006 , 10, P269	1
1253	Complications and outcome in conservative management of acute pancreatitis. 2006 , 10, P270	78
1252	Predictors of serious local complications in patients with severe acute pancreatitis. 2006 , 10, P271	3
1251	Severe acute pancreatitis in the ICU. 2006 , 10, P272	78
1250	Acute liver failure in children in Istanbul University: retrospective analysis of 30 cases. 2006 , 10, P273	78
1249	Hemolysis Elevated Liver Low Platelet Acute Renal Dysfunction syndrome: evidence for a new entity in the critically ill obstetric patient. 2006 , 10, P274	78
1248	Critically ill obstetric patients with partial HELLP syndrome: still need HELP?. 2006 , 10, P275	2
1247	Assessment of kidney function in ICU patients. 2006 , 10, P276	1
1246	Validation of the Cockcroft-Gault formula for estimation of creatinine clearance in the critically ill population. 2006 , 10, P277	0
1245	Acute renal failure prolongs weaning from mechanical ventilation in critically ill patients. 2006 , 10, 1	0
1244	Three-year outcome of severe acute tubular necrosis: a prospective study of critically ill patients. 2006 , 10, P279	78
1243	Renal replacement therapy and bloodstream infections in cardiovascular intensive care patients. 2006 , 10, P280	78
1242	How continuous is continuous veno-venous haemofiltration?. 2006 , 10, P281	78
1241	Impact of continuous veno-venous hemodiafiltration with regional citrate anticoagulation on the acid-base balance of critically ill patients. 2006 , 10, 1	1
1240	Metabolic disturbances encountered during pediatric continuous renal replacement therapy. 2006 , 10, P283	78

1239	Hybrid renal replacement techniques vs continuous haemodiafiltration in haemodynamically unstable patients. 2006 , 10, P284	78
1238	Citrate anticoagulation realized as CVVHD using a newly designed dialysate solution. 2006 , 10, P285	78
1237	High dose hemofiltration in the intensive care of sepsis in cancer patients. 2006 , 10, P286	78
1236	Physiological response to superantigen-adsorbing hemoperfusion in toxin-concentration-controlled septic swine. 2006 , 10, P287	78
1235	Immunoabsorption of lipopolysaccharides, IL-6 and complement-activation product 5a in severe sepsis and septic shock. 2006 , 10, P288	78
1234	Hemoperfusion with an immobilized polymyxin B fiber column improves gastric mucosal pH with sepsis patients. 2006 , 10, P289	78
1233	The effect of polymyxin B immobilized on fibers and continuous veno-venous hemodiafiltration on tetrahydrobiopterine and NO metabolites in septic patients. 2006 , 10, P290	78
1232	Relationship between effect of polymyxin B-immobilized fiber and high-mobility group box-1 protein in septic shock patients. 2006 , 10, P291	78
1231	Extracorporeal albumin dialysis in paediatric patients with sepsis and multiorgan dysfunction. 2006 , 10, P292	78
1230	Dialytic techniques in critical patients: slow low-efficient daily dialysis or CVVHDF?. 2006 , 10, P293	78
1229	Infection in ICU patients with acute kidney injury treated with renal replacement therapy. 2006 , 10, P294	1
1228	Long-term mortality of critically ill patients with acute renal failure requiring renal replacement therapy: a 5-year population-based cohort study. 2006 , 10, P295	1
1227	Outcome of patients treated with renal replacement therapy for acute kidney injury. 2006 , 10, P296	5
1226	Prognostic value of early vs late acute renal dysfunction in the critically ill obstetric patient. 2006 , 10, P297	78
1225	Effects of autotransfusion on sublingual microvascular perfusion in hemodialysis patients before and after ultrafiltration. 2006 , 10, P298	78
1224	Recognition and management of intra-abdominal hypertension and abdominal compartment syndrome in Australasia. 2006 , 10, P299	78
1223	Technique of temporary abdominal closure in abdominal compartment syndrome for preventing environmental contamination: seal and continuous high-pressure aspiration. 2006 , 10, P300	78
1222	Abdominal compartment syndrome following rectus sheath hematoma: bladder-to-gastric pressure difference as a guide to treatment. 2006 , 10, P301	78

1221	Prognostic value of abdominal perfusion pressure in mechanically ventilated patients. 2006 , 10, P302	78
1220	Influence of intra-abdominal hypertension on renal artery and vein flow in the porcine kidney. 2006 , 10, P303	1
1219	Aggressive resuscitation prevents gut ischemia due to intra-abdominal hypertension in LPS-induced shock. 2006 , 10, P304	78
1218	Does intravesical pressure as an estimation of intra-abdominal pressure predict effects on portal circulation?. 2006 , 10, P305	78
1217	Influence of intra-abdominal hypertension on microvascular flow in the porcine renal cortex. 2006 , 10, P306	78
1216	Ultralow volumes in transvesical intra-abdominal pressure measurement. 2006 , 10, P307	78
1215	Evaluation of the Spiegelberg method and the bladder method with different intravesical volumes for measurement of intra-abdominal pressure in a porcine model of intra-abdominal hypertension. 2006 , 10, P308	78
1214	Quantitative relationship between increased intra-abdominal pressure and intrathoracic pressures and volumetric filling parameters in the pig. 2006 , 10, P309	3
1213	Intra-abdominal pressure and Sequential Organ Failure Assessment score: is there a correlation?. 2006 , 10, P310	1
1212	Effect of vasopressin and norepinephrine on renal blood flow in a canine model of raised intra-abdominal pressure. 2006 , 10, P311	3
1211	Indocyanine green clearance as a predictor of outcome in liver transplant patients. 2006 , 10, P312	78
1210	Value of serial serum lactate evaluation in liver transplant patients at the ICU. 2006 , 10, P313	2
1209	Monitoring of lactate and base deficit: what is their role in the predictive outcome of severe trauma?. 2006 , 10, P314	78
1208	A novel therapeutic concept for the treatment of acute angioedema attacks in hereditary angioedema patients: multiple successful treatments even in severe swelling attacks with the bradykinin-B2 receptor antagonist Icatibant. 2006 , 10, P315	78
1207	Impact of early sepsis on oxygen delivery in the microvasculature. 2006 , 10, P316	78
1206	A method for improvement of data quality from OPS/SDF devices in visualization of the microcirculation. 2006 , 10, P101	1
1205	Non-invasive assessment of the microcirculation in ICU patients. 2006 , 10, P318	78
1204	Changes in microcirculation during weaning trials from mechanical ventilation. 2006 , 10, P319	78

1203	Changes in the microcirculation during human endotoxemia measured with near-infrared spectroscopy. 2006 , 10, P320	78
1202	Microcirculation parameters are related to hemodynamic indices in postoperative cardiac patients. 2006 , 10, P321	78
1201	Covert oxygen supply failure measured using the LiDCO plus monitor. 2006 , 10, P322	78
1200	Pulse contour analysis for cardiac output measurement in patients after off-pump coronary artery bypass grafting: a comparison of FloTrac and PiCCOpluswith intermittent thermodilution. 2006 , 10, P323	1
1199	Continuous arterial pulse cardiac output validation in hyperdynamic conditions. 2006 , 10, P324	2
1198	A calibrated pulse waveform analysis algorithm, which determines continuous cardiac output, compared with a noncalibrated algorithm. 2006 , 10, P325	0
1197	Do the data obtained by the PiCCO system enable one to differentiate between direct ALI/ARDS and indirect ALI/ARDS?. 2006 , 10, P326	2
1196	Combined gas exchange and pulse wave monitoring for detecting anaerobic metabolism in critically ill patients. 2006 , 10, P327	78
1195	Feasibility study of continuous non-invasive blood pressure measurement in critically ill children. 2006 , 10, P328	78
1194	Arterial pressure based cardiac output in the septic patient. 2006 , 10, P329	78
1193	Measurement of CO by flow probe, USCOM and PAC in conscious sheep at rest and after dobutamine. 2006 , 10, P330	1
1192	Pneumoperitoneum influence on the cardiovascular system evaluated by the PiCCO system. 2006 , 10, P331	1
1191	Non-invasive assessment of cardiac index: comparison between PiCCO and LiDCO. 2006 , 10, P332	78
1190	Effects of midline thoracotomy on pulse pressure variations during pressure-control ventilation. 2006 , 10, P333	2
1189	Influence of ventilatory settings on the value of static hemodynamic variables and pulse pressure variation. 2006 , 10, P334	78
1188	Comparative evaluation of pulse contour analysis, thermodilution and partial CO ₂ rebreathing techniques for cardiac output assessment in critically ill patients during different levels of positive end expiratory pressure. 2006 , 10, P335	78
1187	Stroke volume variation for assessment of the responsiveness to volume loading in canines with hemorrhagic shock: study on the comparison with hemodynamic parameters. 2006 , 10, P336	0
1186	Monitoring of cardiac output in cardiogenic shock and low-output heart failure: LiDCO vs pulmonary artery catheter thermodilution. 2006 , 10, P337	78

1185	Passive leg rising and pulse contour monitoring. 2006 , 10, P338	78
1184	Assessment of stroke volume variation. 2006 , 10, P339	78
1183	Continuous central venous oxygenation measurement by CeVOX in patients undergoing off-pump coronary artery bypass grafting. 2006 , 10, P340	78
1182	Noninvasive approach to follow-up hemodynamics in patients with intra-aortic balloon counterpulsation: expediency and value. 2006 , 10, P341	78
1181	Increasing cardiac output by epinephrine after cardiac surgery: effects on indocyanine green plasma disappearance rate and splanchnic microcirculation. 2006 , 10, P342	78
1180	Cardiac output measurement in preterm neonates: validation of USCOM against echocardiography. 2006 , 10, P343	9
1179	Transthoracic contrast echocardiography in the detection of patent foramen ovale. 2006 , 10, P344	1
1178	Simplified parameter to attest systolic right ventricular function obtained by tissue Doppler imaging of the tricuspid annulus. 2006 , 10, P345	78
1177	Noninvasive monitoring of cardiac output in critically ill patients: transesophageal Doppler vs transesophageal echocardiography. 2006 , 10, P346	78
1176	Cardiac pump performance in patients who underwent coronary artery bypass grafting. 2006 , 10, P347	78
1175	Incidence and efficacy of pulmonary artery catheters in the ICU of a developing country: a prospective, controlled study. 2006 , 10, P348	78
1174	Hemodynamic monitoring in severe sepsis and septic shock in German ICUs. 2006 , 10, P349	2
1173	Arterial to end-tidal carbon dioxide pressure difference and correlation of the difference with end-expiratory pressure in critically ill patients with severe lung injury. 2006 , 10, P350	78
1172	Tissue perfusion may be assessed at the bedside with ETCO ₂ -derived dead-space estimation. 2006 , 10, P351	78
1171	Investigation of the pulmonary vascular permeability index and extravascular lung water in patients with SIRS and ARDS under the PiCCO system. 2006 , 10, P352	1
1170	Comparative study on central venous pressure evaluation in jugular or subclavian and femoral accesses. 2006 , 10, P353	78
1169	Anterior approach internal jugular vein catheterization. 2006 , 10, P354	78
1168	Influence of veno-venous renal replacement therapy on transpulmonary thermodilution measurements. 2006 , 10, P355	78

1167	Heart dysfunction evaluated by troponin, stroke work analysis and QT dispersion can predict outcome in patients with septic shock. 2006 , 10, P356	78
1166	Levosimendan: experience of an adult ICU. 2006 , 10, P357	78
1165	Hemodynamic and echographic effects of levosimendan in patients with cardiogenic shock refractory to catecholamines. 2006 , 10, P358	78
1164	Carvedilol inhibits right ventricular hypertrophy induced by chronic hypobaric hypoxia. 2006 , 10, P359	78
1163	Low-dose vasopressin improves cardiopulmonary functions in sheep with combined burn and smoke inhalation injury. 2006 , 10, P360	78
1162	Effects of enalaprilat sodium on plasma NTproANP and NTproBNP levels in healthy volunteers. 2006 , 10, P361	78
1161	Early administration of Eblockade in high-risk, acute coronary syndrome patients. 2006 , 10, P362	78
1160	Evaluating the values of blood troponin T in relation to the values of cardiac ejection fraction in patients suffering sub-arachnoid hemorrhage due to ruptured cerebral aneurysms. 2006 , 10, P363	78
1159	Cardiac troponin in the general adult critical care unit: solution or problem. 2006 , 10, P364	78
1158	High incidence of elevated serum creatine kinase in the ICU: an underestimated problem. 2006 , 10, P365	0
1157	Role of homocysteine in the development of the cerebral and cardiovascular pathology in young persons. 2006 , 10, P366	78
1156	The use of medical early warning scores in high-risk acute coronary syndrome patients in a district hospital setting. 2006 , 10, P367	0
1155	Inpatient management of high-risk acute coronary syndrome patients in a district hospital setting. 2006 , 10, P368	78
1154	Clinical factors of extension and severity of the coronary disease in patients with acute coronary syndrome. 2006 , 10, P369	78
1153	Coronary occlusions in first non-ST segment elevation myocardial infarction. 2006 , 10, P370	78
1152	Temporal trends in the type of recurrent acute coronary syndrome. 2006 , 10, P371	78
1151	L-carnitine deficiency in acute myocardium infarction: prevalence and therapeutic effects of repletion. 2006 , 10, P372	78
1150	Acute pulmonary edema with preserved ejection fraction: clinical and prognostic profile in patients with coronary heart disease. 2006 , 10, P373	78

1149	Is faster always better?. 2006 , 10, P374	78
1148	PRONECT: a multiprofessional training course in the care of the acute myocardial infarction. 2006 , 10, P375	78
1147	Advanced cardiac life support: comparative analysis between the results of theoretical valuation in two teaching modalities. 2006 , 10, P376	78
1146	Results from inhospital cardiopulmonary resuscitation records in a medical cardiologic ICU. 2006 , 10, P377	78
1145	Pediatric cardiopulmonary resuscitation in a cardiology hospital. 2006 , 10, P378	78
1144	Unidirectional blood flow can be naturally generated by changing intravascular pressure: an extracorporeal model for elucidating the blood flow mechanism in CPR. 2006 , 10, P379	78
1143	Impact of bystander cardiopulmonary and cerebral resuscitation in the prehospital setting on survival rates in the short and long term. 2006 , 10, P380	78
1142	Outcome of cardiopulmonary resuscitation in the ICU in a university hospital. 2006 , 10, P381	78
1141	Recent circumstances of out-of-hospital CPA in Yokohama, a typical Japanese urban city. 2006 , 10, P382	78
1140	Implementation of the new European Resuscitation Council guidelines regarding epinephrine administration during out-of-hospital cardiopulmonary and cerebral resuscitation, and its effect on the outcome of the patients. 2006 , 10, P383	78
1139	Predicting failure to survive cardiopulmonary resuscitation in intensive care: evaluation of two morbidity scores. 2006 , 10, P384	78
1138	Invasive versus conservative waiting strategy in complicated acute pediatric leukemia patients. 2006 , 10, P385	78
1137	Assessing the poisoning cases being monitored in the ICU in terms of causes and mortality. 2006 , 10, P386	78
1136	Brazilian ITO model in Latin America: Medical Training and Simulation Laboratory Center at the Heart Institute (InCor). 2006 , 10, P387	78
1135	Impact of an accreditation process in a surgical ICU. 2006 , 10, P388	78
1134	Monitoring a high-cost drug in critical care units. 2006 , 10, P389	78
1133	Critical care costs per patient-day are inversely related to the annual admission rate. 2006 , 10, P390	78
1132	Bedside teaching in intensive care: effect on attitudes and skills of fourth-year medical students. 2006 , 10, P391	78

1131	Benchmarking procedural competence in paediatric intensive care using cumulative sum analysis: intravenous access, arterial lines and intubation. 2006, 10, P392	78
1130	Iatrogenic complications in the ICU: prospective study during 17 months. 2006, 10, P393	78
1129	Iatrogenic complications in ICU patients. 2006, 10, P394	1
1128	Quality indicators in critically ill patients. 2006, 10, P395	1
1127	Qualityâ€œefficiency square: a new way to look at cost and quality in critical care. 2006, 10, P396	78
1126	Influence of second-generation and third-generation mobile phones on critical care medical equipment. 2006, 10, P397	78
1125	Value of routine daily chest radiography in a non-university ICU: results of a controlled prospective study. 2006, 10, P398	1
1124	Minimal number of adverse physiological events during physiotherapy intervention. 2006, 10, P399	78
1123	Three generations of mortality prediction models: accuracy for outcome prediction in the critically ill obstetric patient. 2006, 10, P400	78
1122	Expanded Multiple Organ Dysfunction score: is it better than the Sequential Organ Failure Syndrome score?. 2006, 10, P401	78
1121	Value of APACHE II score to predict mortality in cardiogenic shock patients of a cardiologic ICU. 2006, 10, P402	1
1120	Use of the SOFA score in an Indian cancer hospital ICU. 2006, 10, P403	78
1119	Evaluation of APACHE II and the ICU cancer mortality model in an Indian cancer hospital ICU. 2006, 10, P404	0
1118	Severity of disease and infection were related to bad outcomes of elderly patients in a general ICU. 2006, 10, P405	78
1117	Comparison of risk prediction models for admissions to UK critical care units following traumatic brain injury. 2006, 10, P406	78
1116	Using outcome prediction tools in the ICU: performance of APACHE II and SAPS 2 scores in clinical patients. 2006, 10, P407	2
1115	SAPS 2 is a better score than APACHE II to predict mortality in the ICU. 2006, 10, P408	1
1114	Comparison of prognostic scores at a pediatric ICU. 2006, 10, P409	78

1113	Surgical Procedure Assessment score predicts ICU length of stay in cardiac surgical patients. 2006 , 10, P410	78
1112	Is SOFA score a mortality predictor in surgical patients admitted to the postoperative acute care unit?. 2006 , 10, P411	1
1111	Stability and Workload Index for Transfer score predicts unplanned medical ICU patient readmission. 2006 , 10, P412	1
1110	Modified early warning system scoring and critical care readmission. 2006 , 10, P413	78
1109	Can we distinguish patients at risk of deterioration?. 2006 , 10, P414	5
1108	Evaluation of available data on physiological track and trigger warning systems. 2006 , 10, P415	6
1107	Abstract withdrawn. 2006 , 10, P416	78
1106	Patients with liver transplantation readmitted to the ICU: a 15-year retrospective study. 2006 , 10, P417	78
1105	Patients readmitted to the ICU during the same hospitalization: a 2-year study. 2006 , 10, P418	78
1104	Trend in the severity of illness and hospital mortality rates of ICU patients over a 10-year period. 2006 , 10, P419	78
1103	ICU patients requiring mechanical ventilation: incidence, mortality, characteristics and mortality risk factors. 2006 , 10, P420	78
1102	Chronic pain after surviving sepsis. 2006 , 10, P421	7
1101	Significance of the qualified psychotherapeutic care in the PTSR development. 2006 , 10, P422	78
1100	Long-term outcome and quality of life of patients treated in surgical intensive care: a comparison between sepsis and trauma. 2006 , 10, P423	4
1099	Outcome following severe burn injuries in Belgium. 2006 , 10, P424	78
1098	Factors associated with mortality in severe burn patients. 2006 , 10, P425	1
1097	Mortality in the Brussels burn unit: a 7-year longitudinal study. 2006 , 10, P426	78
1096	Quality of life before, during and following intensive care treatment: a long term follow-up study. 2006 , 10, P427	78

1095	How are you feeling 6 months after your ICU discharge?. 2006, 10, P428	78
1094	Differences in ICU admissions for the elderly between the United States and the United Kingdom. 2006, 10, P429	5
1093	Intensive care capacity in Denmark. 2006, 10, P430	78
1092	Mortality as a measure of lack of ICU availability. 2006, 10, P431	78
1091	Is the benefit of a post-ICU follow-up service dependent on the risk of death pre-ICU discharge?. 2006, 10, P432	78
1090	Manganese and hepatic encephalopathy: a prospective study. 2006, 10, P433	78
1089	High thoracic epidural improves postoperative cardiac outcome in ischemic patients undergoing major abdominal surgery. 2006, 10, P434	78
1088	Addition of propofol, midazolam, or haloperidol to sufentanil for intravenous sedation in the ICU using the bispectral index. 2006, 10, P435	78
1087	Remifentanil dosage in critically ill patients is independent of organ dysfunction. 2006, 10, P436	78
1086	Remifentanil versus sufentanyl narco-sedation in a surgical and medical critical care unit with prevention of narcotic-induced hyperalgesia: a randomized double blind study. 2006, 10, P437	1
1085	Sufentanil versus fentanyl in intraoperative and postoperative periods in pediatric patients. 2006, 10, P438	78
1084	Sparing analgesic effect using pregabalin in postsurgical trauma patients in the ICU. 2006, 10, P439	1
1083	Assessment of sedation in patients with pressure-controlled ventilation: tidal-volume variance, sedation scores or bispectral index?. 2006, 10, P440	78
1082	Risk factors for unplanned extubations in critically ill patients, using PRISMA analysis. 2006, 10, P441	0
1081	Novel measure for EEG/EMG responsiveness may indicate the level of sedation in ICU patients. 2006, 10, P442	78
1080	Delirium impact in a chronic ventilatory care unit. 2006, 10, P443	78
1079	The short-time protective effect of hypoxic preconditioning on ischemia/reperfusion brain. 2006, 10, P444	78
1078	Influence of intracellular astrocyte acidification on the behavior of cell volume and intracellular sodium. 2006, 10, P445	78

1077	Neuroprotective effects and mechanisms of fentanyl preconditioning against brain ischemia. 2006 , 10, P446	78
1076	Antiapoptotic action of delta opioid peptide [D-Ala2, D-Leu5]enkephalin against oxygen-glucose deprivation in brain slices. 2006 , 10, P447	78
1075	Role of optic nerve ultrasonography in the diagnosis of elevated intracranial pressure. 2006 , 10, P448	78
1074	Traumatic subarachnoid haemorrhage in the ICU. 2006 , 10, P449	1
1073	Survey of cerebral perfusion pressure measurement: location of the arterial transducer in the patient managed at 30° elevation. 2006 , 10, P450	2
1072	Impact of severe polytrauma on severe brain injured patients. 2006 , 10, P451	78
1071	Cerebral hemodynamics in young patients after ischemic stroke. 2006 , 10, P452	78
1070	Multiparametric monitoring in patients with traumatic brain injury: association with outcome. 2006 , 10, P453	78
1069	Should we perform ocular fundus in patients with severe brain trauma?. 2006 , 10, P454	78
1068	New stereological method for the assessment (prediction) of prognosis in patients with epidural haematoma: the volume fraction of haematoma to the total brain volume. 2006 , 10, P455	78
1067	Clinical significance of prolonged QTc dispersion in spontaneous intracranial hemorrhage. 2006 , 10, P456	78
1066	Electrocardiographic changes in patients with acute stroke in the prehospital setting and their prognostic importance. 2006 , 10, P457	78
1065	Decompressive (hemi)craniectomy for refractory intracranial hypertension after traumatic brain injury. 2006 , 10, P458	3
1064	Outcome of decompressive craniectomy for large middle cerebral artery territory infarctions: a retrospective review. 2006 , 10, P459	78
1063	Magnetic resonance imaging defines structural brain injury acquired during critical illness. 2006 , 10, P460	78
1062	Critical illness polyneuropathy: incidence and risk factors. 2006 , 10, P461	78
1061	Therapeutic cooling in cardiac arrest of noncardiac origin. 2006 , 10, P462	78
1060	Hypothermia after cardiac arrest: impact on myocardial injury. 2006 , 10, P463	78

1059	Neuron-specific enolase and protein S-100 B as prognostic parameters for children with head injury. 2006, 10, P464	78
1058	Correlation of systemic protein S100 β levels with postoperative indicators of neurological damage in supratentorial meningioma surgery. 2006, 10, P465	78
1057	Serum neuron-specific enolase as an early predictor of outcome after in-hospital cardiac arrest. 2006, 10, P466	78
1056	Prognostic markers of the outcome in severe head injuries. 2006, 10, P467	78
1055	End-of-life practices in Brazilian pediatric ICUs of three different regions. 2006, 10, P468	78
1054	Alveolar epithelial function is better preserved in lungs from nonheart-beating donors compared with heartbeating donors. 2006, 10, P469	78
1053	Older age, female sex, and increased IL-6 decrease the organ yield from cadaveric donors. 2006, 10, P470	78
1052	Is bispectral index monitoring an alternative method for diagnosis of brain death?. 2006, 10, P471	78
1051	Brain death in children: a cross-section study enrolling five Brazilian pediatric ICUs. 2006, 10, P472	78
1050	Hemodynamic optimization of sepsis-induced tissue hypoperfusion. 2006, 10 Suppl 3, S2	40
1049	Cutaneous vascular reactivity and flow motion response to vasopressin in advanced vasodilatory shock and severe postoperative multiple organ dysfunction syndrome. 2006, 10, R40	30
1048	The epidemiology of severe sepsis in England, Wales and Northern Ireland, 1996 to 2004: secondary analysis of a high quality clinical database, the ICNARC Case Mix Programme Database. 2006, 10, R42	201
1047	Pro-con debate: steroid use in ACTH non-responsive septic shock patients with high baseline cortisol levels. 2006, 10, 210	6
1046	Rescue therapy in septic shock--is terlipressin the last frontier?. 2006, 10, 131	7
1045	Skin microcirculation and vasopressin infusion: a laser Doppler study. 2006, 10, 135	5
1044	Sugar, soap and statins--an unlikely recipe for the critically ill. 2006, 10, 140	2
1043	Use of an integrated clinical trial database to evaluate the effect of timing of drotrecogin alfa (activated) treatment in severe sepsis. 2006, 10, R74	32
1042	Effects of thoraco-pelvic supports during prone position in patients with acute lung injury/acute respiratory distress syndrome: a physiological study. 2006, 10, R87	39

1041	Sedation in the intensive care unit with remifentanyl/propofol versus midazolam/fentanyl: a randomised, open-label, pharmacoeconomic trial. 2006 , 10, R91		99
1040	Drotrecogin alfa (activated): does current evidence support treatment for any patients with severe sepsis?. 2006 , 10, 145		30
1039	Influence of fluid resuscitation on renal microvascular PO2 in a normotensive rat model of endotoxemia. 2006 , 10, R88		46
1038	Corticosteroids influence the mortality and morbidity of acute critical illness. 2006 , 10, R101		28
1037	Recommendations on the use of recombinant activated factor VII as an adjunctive treatment for massive bleeding--a European perspective. 2006 , 10, R120		162
1036	Patience and change: a conflict of interests?. 2006 , 10, 422		
1035	Dobutamine reverses the vasopressin-associated impairment in cardiac index and systemic oxygen supply in ovine endotoxemia. 2006 , 10, R144		10
1034	Diagnostic value and prognostic implications of serum procalcitonin after cardiac surgery: a systematic review of the literature. 2006 , 10, R145		124
1033	Adrenal function testing in patients with septic shock. 2006 , 10, R149		14
1032	Failure to implement evidence-based clinical guidelines for sepsis at the ED. <i>American Journal of Emergency Medicine</i> , 2006 , 24, 553-9	2.9	76
1031	[Activated proteine C]. 2006 , 25, 270-4		1
1030	Clinical laboratory findings associated with in-hospital mortality. 2006 , 372, 1-13		22
1029	Management of the critically ill obstetric patient. 2006 , 16, 125-133		6
1028	A practical insulin infusion algorithm for the establishment of euglycaemia in both lean and obese patients with type 1 and type 2 diabetes. 2006 , 72, 251-7		1
1027	Noninvasive near-infrared blood glucose monitoring using a calibration model built by a numerical simulation method: Trial application to patients in an intensive care unit. 2006 , 60, 1423-31		28
1026	[Antibiotic therapy in serious infectious states]. 2006 , 36, 299-303		3
1025	Management of sepsis during the early "golden hours". 2006 , 31, 185-99		52
1024	Signal transduction induced by activated protein C: no role in protection against sepsis?. 2006 , 12, 374-81		11

1023	Glucocorticoid receptor beta in acute and chronic inflammatory conditions: clinical implications. 2006 , 211, 85-96		44
1022	Blood purification for hypercytokinemia. <i>Transfusion and Apheresis Science</i> , 2006 , 35, 253-64	2.4	21
1021	Confronto dei risultati dell'esame microscopico diretto e dell'identificazione definitiva nei casi di batteriemia. 2006 , 21,		
1020	Consenso brasileiro de monitorizaçã e suporte hemodinãmico - Parte V: suporte hemodinãmico. 2006 , 18, 161-176		
1019	Avaliaçã da efetividade e seguranã do protocolo de infusã de insulina de Yale para o controle glicãmico intensivo. 2006 , 18, 268-275		1
1018	The "French Hemodiafe Trial": this study is neither decisive nor definitive in resolving the controversy on renal replacement therapy in ICU. 2006 , 29, 1190-2		8
1017	Regulating the collection and use of fetal stem cells. 2006 , 332, 866-7		11
1016	Avaliaçã de teste de tubo T como estratãgia inicial de suspensã da ventilaçã mecãnica. 2006 , 18, 121-125		2
1015	Severe sepsis and septic shock in adult patients: an approach to management and future trends. 2006 , 29, 197-206		1
1014	Evolutive standard base excess and serum lactate level in severe sepsis and septic shock patients resuscitated with early goal-directed therapy: still outcome markers?. 2006 , 61, 47-52		39
1013	[The authors respond:]. 2006 , 8, 243-244		1
1012	Postoperative Complications in Patients over 65 years of Age with Lumbar Spinal Stenosis and its Influencing Factors. 2006 , 13, 114		5
1011	Surgical sepsis: prevention and therapy. 58-70		
1010	[Dangerous fever]. 2006 , 63, 651-7		
1009	Strict glucose control in the critically ill. 2006 , 332, 865-6		29
1008	Continuous Physiologic Monitoring and the Identification of Sepsis. 2006 , 17, 215-223		9
1007	Incidence, Pathogenesis, and Management of Sepsis. 2006 , 17, 385-393		7
1006	Elimination of Central Line-associated Bloodstream Infections. 2006 , 17, 446-454		7

1005	Critical care issues in liver transplantation. 2006 , 44, 1-16		6
1004	Minimizing errors of omission: behavioural reenforcement of heparin to avert venous emboli: the BEHAVE study. <i>Critical Care Medicine</i> , 2006 , 34, 694-9	1.4	90
1003	Hypoxic pulmonary vasoconstriction after combined burn and inhalation injury. <i>Critical Care Medicine</i> , 2006 , 34, 1562-3	1.4	2
1002	Limitations of clinical trials in acute lung injury and acute respiratory distress syndrome. 2006 , 12, 25-31		8
1001	Transfusion in the intensive care unit. <i>Critical Care Medicine</i> , 2006 , 34, S96-101	1.4	78
1000	Glucose levels of critically ill patients to calculate the hyperglycemic index. 2006 , 61, 476-7; author reply 477		
999	Revisiting Vasopressor Therapy During the First 24 Hours After Cardiac Surgery. <i>Critical Care Medicine</i> , 2006 , 34, 581	1.4	
998	Implementation of an evidence-based "standard operating procedure" and outcome in septic shock. <i>Critical Care Medicine</i> , 2006 , 34, 943-9	1.4	255
997	A practical application of practice-based learning: development of an algorithm for empiric antibiotic coverage in ventilator-associated pneumonia. 2006 , 60, 725-9; discussion 729-31		6
996	Early goal-directed therapy of septic shock in the emergency room: who could honestly remain skeptical?. <i>Critical Care Medicine</i> , 2006 , 34, 2842-3	1.4	33
995	Peripheral administration of vasopressin for catecholamine-resistant hypotension complicated by skin necrosis. <i>Critical Care Medicine</i> , 2006 , 34, 935; author reply 935-6	1.4	12
994	Customizing lung-protective mechanical ventilation strategies. <i>Critical Care Medicine</i> , 2006 , 34, 1554-5	1.4	27
993	Pilot study on the effects of high cutoff hemofiltration on the need for norepinephrine in septic patients with acute renal failure. <i>Critical Care Medicine</i> , 2006 , 34, 2099-104	1.4	167
992	The effects of vasopressin on the renal system in vasodilatory shock. 2006 , 25, 1-8; quiz 9-10		2
991	Managing VAP effectively to optimize outcomes and costs. 2006 , 37, 48A-48F; quiz following		3
990	Hyperglycemia in the critically ill patient. 2006 , 17, 50-5		97
989	Hyperglycemia in the critically ill-not so sweet. 2006 , 36, 64cc1		
988	Can Different Types of Central Venous Catheters Be Used to Measure Central Venous Pressure in an Emergent Situation?. 2006 , 28, 269-274		1

987	Diagnostic markers of sepsis in the emergency department. 2006 , 61, 138-42		17
986	Translating research to clinical practice: a 1-year experience with implementing early goal-directed therapy for septic shock in the emergency department. <i>Chest</i> , 2006 , 129, 225-232	5.3	831
985	Carbon monoxide poisoning. Immediate diagnosis and treatment are crucial to avoid complications. 2006 , 106, 40-6; quiz 46-7		10
984	Stopping the train wreck of SIRS. 2006 , 4, 44-54		1
983	Time to get serious about infection prevention in the ICU. <i>Chest</i> , 2006 , 130, 1293-6	5.3	9
982	Predicting Death in Long-Term Survivors of Carbon Monoxide Poisoning. 2006 , 106, 42		
981	Carbon Monoxide Poisoning After Hurricanes. 2006 , 106, 43		0
980	Comparison of arginine vasopressin, terlipressin, or epinephrine to correct hypotension in a model of anaphylactic shock in anesthetized brown Norway rats. 2006 , 104, 734-41		28
979	Crisis management. 2006 , 1, 52-57		
978	Is It Over Yet? Time for Reassessment of the Determination of Septic Shock Resolution. <i>Critical Care Medicine</i> , 2006 , 34, 576-577	1.4	
977	Fluid management in acute lung injury—keep the lung dry. <i>Critical Care Medicine</i> , 2006 , 34, 577-8; author reply 578-9	1.4	
976	Revisiting vasopressor therapy during the first 24 hours after cardiac surgery. <i>Critical Care Medicine</i> , 2006 , 34, 580-1; author reply 581	1.4	
975	Predicting mortality. <i>Critical Care Medicine</i> , 2006 , 34, 581-2	1.4	
974	Fluid Management in Acute Lung Injury—Keep the Lung Dry. <i>Critical Care Medicine</i> , 2006 , 34, 578-579	1.4	
973	l-Arginine and Pulmonary Embolism. <i>Critical Care Medicine</i> , 2006 , 34, 934	1.4	
972	Diagnostic and scientific dilemma: the ischemic bowel. <i>Critical Care Medicine</i> , 2006 , 34, 1561-2	1.4	2
971	The long and short of sedation practices: daily interruption or bolus dosing?. <i>Critical Care Medicine</i> , 2006 , 34, 1544-5	1.4	2
970	The incomplete puzzle of vasoactive medication in (abdominal) sepsis. <i>Critical Care Medicine</i> , 2006 , 34, 1565-6	1.4	3

969	Comfortably numb in the intensive care unit. <i>Critical Care Medicine</i> , 2006 , 34, 1558-9	1.4	0
968	Modified Rapid Deployment Hemostat (RDH-3 Marine Polymer Technologies Inc., Danvers, MA) bandage has not been tested in the model of Grade V hepatic injury. 2006 , 61, 474-5		
967	Fluid challenge revisited. <i>Critical Care Medicine</i> , 2006 , 34, 1333-7	1.4	325
966	Guidelines for severe infections: are they useful?. 2006 , 12, 483-8		21
965	Albumin. <i>Critical Care Medicine</i> , 2006 , 34, 579	1.4	
964	Fluconazole Prophylaxis. <i>Critical Care Medicine</i> , 2006 , 34, 585-586	1.4	
963	Implementation of an evidence-based "standard operating procedure" and outcome in septic shock: what a sepsis pilot must consider before taking flight with your next patient. <i>Critical Care Medicine</i> , 2006 , 34, 1247	1.4	8
962	Pressure pulse waveform analysis in critical care. <i>Critical Care Medicine</i> , 2006 , 34, 1569-70	1.4	6
961	Before-after study of a standardized hospital order set for the management of septic shock. <i>Critical Care Medicine</i> , 2006 , 34, 2707-13	1.4	378
960	Vasoactive drugs and the gut: is there anything new?. 2006 , 12, 155-9		42
959	Venous oximetry. 2006 , 12, 263-8		82
958	A reappraisal of isoproterenol in goal-directed therapy of septic shock. 2006 , 26, 353-7		21
957	Prescribing indications based on successful clinical trials in sepsis: a difficult exercise. <i>Critical Care Medicine</i> , 2006 , 34, 525-9	1.4	48
956	Serious errors in intensive care. <i>Critical Care Medicine</i> , 2006 , 34, 579-80; author reply 580	1.4	2
955	Randomized, double-blind, placebo-controlled crossover pilot study of a potassium channel blocker in patients with septic shock. <i>Critical Care Medicine</i> , 2006 , 34, 980-5	1.4	53
954	Patient-safety and quality initiatives in the intensive-care unit. 2006 , 19, 140-5		22
953	Excellent anaesthesia needs patient preparation and postoperative support to influence outcome. 2006 , 19, 192-7		4
952	Acute renal failure. <i>Critical Care Medicine</i> , 2006 , 34, 582; author reply 582-3	1.4	0

951	Role of inducible nitric oxide synthase in the reduced responsiveness of the myocardium to catecholamines in a hyperdynamic, murine model of septic shock. <i>Critical Care Medicine</i> , 2006 , 34, 307-13 ^{1.4}	1.4	72
950	Extracorporeal support and patient outcome: credible causality remains elusive. <i>Critical Care Medicine</i> , 2006 , 34, 1551-2	1.4	7
949	Tuning up the compression and applying the choke for better horsepower in resuscitation. <i>Critical Care Medicine</i> , 2006 , 34, 1563-4	1.4	
948	What accounts for the difference between observed and predicted?. <i>Critical Care Medicine</i> , 2006 , 34, 1552-3	1.4	4
947	Abdominal lymph flow in an endotoxin sepsis model: influence of spontaneous breathing and mechanical ventilation. <i>Critical Care Medicine</i> , 2006 , 34, 2792-8	1.4	43
946	Fluid resuscitation and the septic kidney. 2006 , 12, 527-30		16
945	Intensive insulin therapy: of harm and health, of hypes and hypoglycemia. <i>Critical Care Medicine</i> , 2006 , 34, 246-8	1.4	30
944	Does dopamine administration in shock influence outcome? Results of the Sepsis Occurrence in Acutely Ill Patients (SOAP) Study. <i>Critical Care Medicine</i> , 2006 , 34, 589-97	1.4	307
943	Hypothermia and lung rest for acute lung injury: truly exploiting reduced ventilatory need or just the treatment benefit of hypothermia alone?. <i>Critical Care Medicine</i> , 2006 , 34, 936	1.4	2
942	Implementation and outcomes of the Multiple Urgent Sepsis Therapies (MUST) protocol. <i>Critical Care Medicine</i> , 2006 , 34, 1025-32	1.4	336
941	Can the effects of vasoactivity of molecular hemoglobin-based plasma expanders be ignored?. <i>Critical Care Medicine</i> , 2006 , 34, 1566-7	1.4	3
940	Controlling the cytokine storm by insulin: glycogen synthase kinase-3 as a target in systemic inflammation. <i>Critical Care Medicine</i> , 2006 , 34, 1567-9	1.4	8
939	"Is the delay to surgery for isolated hip fracture predictive of outcome in efficient systems?" from the April 2006 issue of The Journal of Trauma. 2006 , 61, 475-6		
938	Australian and New Zealand Annual Scientific Meeting on Intensive Care. 2006 , 36, 44-45		
937	Internal medicine resident education. <i>Critical Care Medicine</i> , 2006 , 34, 577; author reply 577	1.4	
936	L-arginine and pulmonary embolism. <i>Critical Care Medicine</i> , 2006 , 34, 934; author reply 934-5	1.4	1
935	Esophageal and transpulmonary pressure help optimize mechanical ventilation in patients with acute lung injury. <i>Critical Care Medicine</i> , 2006 , 34, 1556-8	1.4	17
934	Improved prediction of awakening or nonawakening in severe anoxic coma using tree-based classification. <i>Critical Care Medicine</i> , 2006 , 34, 1573-5	1.4	12

933	Immunoglobulin treatment in sepsis--is the answer "no"?. <i>Critical Care Medicine</i> , 2006 , 34, 1542-4	1.4	12
932	Nitric oxide involvement in the hemodynamic response to fluid resuscitation in endotoxic shock in rats. <i>Critical Care Medicine</i> , 2006 , 34, 2426-31	1.4	23
931	Effects of enteral feeding with eicosapentaenoic acid, gamma-linolenic acid, and antioxidants in mechanically ventilated patients with severe sepsis and septic shock. <i>Critical Care Medicine</i> , 2006 , 34, 2325-33	1.4	370
930	Understanding economic outcomes in critical care. 2006 , 12, 399-404		38
929	The cellular, metabolic, and systemic consequences of aggressive fluid resuscitation strategies. 2006 , 26, 115-21		364
928	Lung Defence Mechanisms and Their Potential Role in the Prevention of Ventilator Associated Pneumonia. 2006 , 2, 285-297		1
927	Electrocardiographic diagnosis of coronary syndromes in the critical care unit. <i>Critical Care Medicine</i> , 2006 , 34, 1546-7	1.4	2
926	Extravascular lung water determined with single transpulmonary thermodilution correlates with the severity of sepsis-induced acute lung injury. <i>Critical Care Medicine</i> , 2006 , 34, 1647-53	1.4	128
925	Evaluation of the abdomen in the critically ill patient: opening the black box. 2006 , 12, 333-9		11
924	Is it over yet? Time for reassessment of the determination of septic shock resolution. <i>Critical Care Medicine</i> , 2006 , 34, 576; author reply 576-7	1.4	
923	Albumin. <i>Critical Care Medicine</i> , 2006 , 34, 579; author reply 579	1.4	2
922	Corticosteroids after traumatic brain injury: new evidence to support their use. <i>Critical Care Medicine</i> , 2006 , 34, 583; author reply 584	1.4	2
921	Fluconazole prophylaxis. <i>Critical Care Medicine</i> , 2006 , 34, 584-5; author reply 585-6	1.4	
920	Internal Medicine Resident Education. <i>Critical Care Medicine</i> , 2006 , 34, 577	1.4	
919	Recombinant activated protein C: decisions for administration. <i>Critical Care Medicine</i> , 2006 , 34, 530-1	1.4	6
918	Serious Errors in Intensive Care. <i>Critical Care Medicine</i> , 2006 , 34, 580	1.4	1
917	Corticosteroids After Traumatic Brain Injury: New Evidence to Support Their Use. <i>Critical Care Medicine</i> , 2006 , 34, 584	1.4	
916	Providing appropriate antimicrobial therapy in the intensive care unit: surveillance vs. de-escalation. <i>Critical Care Medicine</i> , 2006 , 34, 903-5	1.4	29

915	Multidisciplinary management of trauma in pregnancy. <i>Critical Care Medicine</i> , 2006 , 34, 937	1.4	
914	Relationship between hyperglycemia and symptomatic vasospasm after subarachnoid hemorrhage. <i>Critical Care Medicine</i> , 2006 , 34, 936-7	1.4	1
913	Peripheral Administration of Vasopressin for Catecholamine-Resistant Hypotension Complicated by Skin Necrosis. <i>Critical Care Medicine</i> , 2006 , 34, 935-936	1.4	7
912	Statin use and mortality within 180 days after bacteremia: a population-based cohort study. <i>Critical Care Medicine</i> , 2006 , 34, 1080-6	1.4	130
911	Modulating the oral colonization with povidone-iodine antiseptic: a new approach for an old controversy. <i>Critical Care Medicine</i> , 2006 , 34, 1572-3	1.4	5
910	Applying the evidence: multiple urgent therapies for patients with sepsis. <i>Critical Care Medicine</i> , 2006 , 34, 1264-5	1.4	3
909	Preventing postextubation respiratory failure. <i>Critical Care Medicine</i> , 2006 , 34, 1547-8	1.4	13
908	Ischemia-reperfusion: putting the pieces of the puzzle together. <i>Critical Care Medicine</i> , 2006 , 34, 1570-1	1.4	4
907	Acknowledging our mistakes. <i>Critical Care Medicine</i> , 2006 , 34, 1575-6	1.4	3
906	Catecholamines, parasympathetic stimuli, or cortisol for overwhelming sepsis?. <i>Critical Care Medicine</i> , 2006 , 34, 1549-50	1.4	4
905	Critical care performance measurement: the time has come for all. <i>Critical Care Medicine</i> , 2006 , 34, 1538-9	1.4	10
904	Predicting response to fluid administration: something old, something new?. <i>Critical Care Medicine</i> , 2006 , 34, 1559-60	1.4	26
903	Lessons learned: the conditional importance of high positive end-expiratory pressure in acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2006 , 34, 1540-2	1.4	6
902	The anti-inflammatory effect of curcumin in an experimental model of sepsis is mediated by up-regulation of peroxisome proliferator-activated receptor-gamma. <i>Critical Care Medicine</i> , 2006 , 34, 1874-82	1.4	145
901	Cerebral response to norepinephrine compared with fluid resuscitation in ovine traumatic brain injury and systemic inflammation. <i>Critical Care Medicine</i> , 2006 , 34, 2651-7	1.4	24
900	Glycaemic control in critically ill patients with cardiovascular disease. 2006 , 12, 437-43		6
899	Bibliography. Current world literature. Pathogenesis and immune response. 2006 , 19, 298-311		
898	Implementation of a norepinephrine-based protocol for management of septic shock: a pilot feasibility study. 2006 , 60, 77-81		9

- 897 Authors compare two groups (elderly and young) and they base their functional results on the same treatment protocol. **2006**, 61, 474
- 896 Letters to the editor. **2006**, 61, 477
- 895 The effect of age on the development and outcome of adult sepsis. *Critical Care Medicine*, **2006**, 34, 15-21.4 1251
- 894 Incidence, pathogenesis, and management of sepsis: an overview. **2006**, 17, 385-93 10
- 893 Treatment of patients with severe sepsis and septic shock: real-life lessons. **2006**, 8, 244-5
- 892 ?????????? III.????? 3.Surviving Sepsis Guidelines Campaign. **2006**, 95, 2484-2489
- 891 A case report of a new pulmonary embolism occurring in a patient receiving continuous infusion of recombinant activated protein C. **2006**, 1, 23 1
- 890 Critical illness polyneuropathy and myopathy: clinical features, risk factors and prognosis. **2006**, 13, 1203-12 102
- 889 The pulmonary artery catheter in critical care. **2006**, 19, 480-91 18
- 888 Reply. **2006**, 18, 207-208
- 887 Issues in designing and interpreting clinical trials of treatments for chronic hepatitis C. **2006**, 13 Suppl 1, 6-14
- 886 The surviving sepsis campaign and sepsis care bundles: substance or sophistry?. **2006**, 61, 313-5 9
- 885 Central lines in patients with AV fistula. **2006**, 61, 819-20 2
- 884 The effect of temperature on baricity of local anaesthetic solutions. **2006**, 61, 1016-7 1
- 883 Combining care bundles: a potential hazard of sedation interruption and tight glucose control. **2006**, 61, 1017-8 0
- 882 Target ranges and the apparent compliance with tight glycaemic control. **2006**, 61, 956-8 5
- 881 The international Surviving Sepsis Campaign--a collaborative launch in England. **2006**, 11, 1-3
- 880 Severe sepsis and septic shock: review of the literature and emergency department management guidelines. **2006**, 48, 28-54 189

879	National study of emergency department visits for sepsis, 1992 to 2001. 2006 , 48, 326-31, 331.e1-3	102
878	The association of sepsis syndrome and organ dysfunction with mortality in emergency department patients with suspected infection. 2006 , 48, 583-90, 590.e1	159
877	Effect of fluid resuscitation on ryanodine receptor in macaques with endotoxic shock. 2006 , 70, 145-52	6
876	A new noninvasive method to determine central venous pressure. 2006 , 70, 238-46	16
875	Sepsis und Akutes Nierenversagen. 2006 , 92-105	
874	Septische Kardiomyopathie. 2006 , 106-117	
873	Early goal-directed therapy, corticosteroid, and recombinant human activated protein C for the treatment of severe sepsis and septic shock in the emergency department. 2006 , 13, 109-13	84
872	Evidence-based therapies for sepsis care in the emergency department: striking a balance between feasibility and necessity. 2006 , 13, 82-3	8
871	The implementation of new therapies for severe sepsis: some questions raised by "early goal-directed therapy, corticosteroid, and recombinant human activated protein c for the treatment of severe sepsis and septic shock in the emergency department". 2006 , 13, 997-9; author reply 999-1000	4
870	Critical care medicine update: essentials for the nonintensivist, part 2. 2006 , 32, 82-9	1
869	Evaluation of drotrecogin alpha use in a Belgian university hospital. 2006 , 28, 290-5	8
868	From a sore throat to the intensive care unit: the Lemierre syndrome. 2006 , 118, 243-6	1
867	Sepsis und Akutes Nierenversagen. 2006 , 43, 175-188	4
866	Diagnose und Therapie der Sepsis. 2006 , 43, 369-384	2
865	Septisches Lungenversagen. 2006 , 43, 385-398	
864	Septische Kardiomyopathie. 2006 , 43, 486-497	6
863	[The diagnosis of sepsis]. 2006 , 43, 607-618	1
862	[Diagnosis and therapy of sepsis]. 2006 , 95, 429-54	12

861	Organ dysfunction during sepsis. 2006 , 32, 349-60	41
860	Prescription of rh-APC differs substantially among western European countries. 2006 , 32, 630-1	9
859	Conflict of opinion -- is PROWESS real progress?. 2006 , 32, 610-612	4
858	High-volume hemofiltration as salvage therapy in severe hyperdynamic septic shock. 2006 , 32, 713-22	114
857	Persisting low monocyte human leukocyte antigen-DR expression predicts mortality in septic shock. 2006 , 32, 1175-83	350
856	Mixed venous oxygen saturation cannot be estimated by central venous oxygen saturation in septic shock. 2006 , 32, 1336-43	162
855	PS 0446-0765. 2006 , 32, 119-199	0
854	SepsisâCurrent Aspects of Pathophysiology and Implications for Diagnosis and Management. 2006 , 32, 3-9	
853	[Identification of surgical patients for therapy with activated Drotrecogin alfa]. 2006 , 55 Suppl 1, 30-5	
852	Diagnose und Therapie der Sepsis S-2-Leitlinien der Deutschen Sepsis-Gesellschaft e.V. (DSG) und der Deutschen Interdisziplinären Vereinigung für Intensiv- und Notfallmedizin (DIVI). 2006 , 55, 43-56	19
851	[PROWESS, ENHANCE and ADDRESS: clinical implications for the treatment with drotrecogin alfa (activated)]. 2006 , 55 Suppl 1, 16-23	
850	[Pulmonary artery catheter in anaesthesiology and intensive care medicine]. 2006 , 55, 713-28; quiz 729-30	9
849	Qualitätsmanagement bei Sepsis. 2006 , 55, 833-834	0
848	[Trends in surgical intensive care. Experience in one centre over 12 years]. 2006 , 77, 700-8	8
847	[Targeted cardiovascular therapy: shock treatment in ambulance, emergency room and intensive care unit]. 2006 , 47, 389-98, 400-1	2
846	[Nutrition and immunonutrition in septic patients]. 2006 , 47, 374, 376-82	0
845	[Diagnosis and therapy of sepsis. Guidelines of the German Sepsis Society Inc. and the German Interdisciplinary Society for Intensive and Emergency Medicine]. 2006 , 47, 356, 358-60, 362-8, passim	32
844	The systemic inflammatory response syndrome. 2006 , 8, 1382-9	95

843	[Sepsis]. 2006 , 118, 93-106; quiz 107-8		1
842	Combining the old with the new to improve therapeutics. <i>Current Infectious Disease Reports</i> , 2006 , 8, 344-5	3.9	
841	Biomarkers of sepsis. <i>Current Infectious Disease Reports</i> , 2006 , 8, 351-7	3.9	25
840	Current treatment of severe sepsis. <i>Current Infectious Disease Reports</i> , 2006 , 8, 358-65	3.9	14
839	Best evidence in critical care medicine: Early antibiotics and survival from septic shock: it's about time. 2006 , 53, 1157-60		11
838	Inhaled activated protein C attenuates lung injury induced by aerosolized endotoxin in mice. 2006 , 45, 134-40		61
837	Use of recombinant activated factor VII in the management of medical and surgical bleeding: a critical review. 2006 , 8, 66-80		1
836	The secondary abdominal compartment syndrome: iatrogenic or unavoidable?. 2006 , 202, 668-79		115
835	International integrated database for the evaluation of severe sepsis and drotrecogin alfa (activated) therapy: analysis of efficacy and safety data in a large surgical cohort. 2006 , 140, 726-39		20
834	Relative adrenal insufficiency in patients with septic shock; a close look to practice patterns. 2006 , 21, 73-7		15
833	Pharmacotherapy considerations in advanced cardiac life support. 2006 , 26, 1703-29		13
832	Barriers to glucose control in the intensive care unit. 2006 , 26, 214-28		39
831	Adrenal insufficiency in patients with cirrhosis, severe sepsis and septic shock. 2006 , 43, 673-81		218
830	Adrenal insufficiency in patients with cirrhosis and septic shock: Effect of treatment with hydrocortisone on survival. 2006 , 44, 1288-95		234
829	Evidence-based sepsis therapy: a hospitalist perspective. 2006 , 1, 285-95		8
828	Early goal-directed therapy in severe sepsis and septic shock: converting science to reality. <i>Chest</i> , 2006 , 129, 217-218	5.3	34
827	Stop severe sepsis in its tracks. 2006 , 1, 20-26		2
826	Management of sepsis in the critically ill patient: key aspects. 2006 , 7, 2037-45		9

825	Innate recognition of bacteria: potential therapeutic targets for bacterial sepsis. 2006 , 2, 787-99	
824	Shock - Good Things, Badly Out of Control. 2006 , 14, 90-92	
823	[Intensive care medicine: after positive studies questions occur]. 2006 , 131, 1441-4	5
822	Preventing ventilator-associated pneumonia: an evidence-based approach of modifiable risk factors. 2006 , 27, 5-17	16
821	Surviving sepsis campaign: a project to change sepsis trajectory. 2006 , 6, 217-22	4
820	Sepsis -- an ever new challenge. 2006 , 41, 27-31	1
819	Source Control bei abdomineller Infektion. 2006 , 41, 24-33	1
818	Should antibiotic combinations be used to treat ventilator-associated pneumonia?. 2006 , 27, 68-81	11
817	Differenzierter Einsatz kardiovaskulär aktiver Substanzen. 2006 , 2, 301-315	
816	Evaluation and management of shock. 2006 , 27, 230-40	7
815	What kills patients with rheumatoid arthritis?. 2007 , 46, 183-4	25
814	Stress hyperglycemia and adrenal insufficiency in the critically ill. 2006 , 27, 274-85	9
813	[Supportive treatment measures in severe sepsis]. 2006 , 41, 37-41	
812	[Significance of multiple organ failure for the prognosis of surgical intensive care patients]. 2006 , 131, 2456-60	2
811	Editorial [Sepsis: From the Bench to the Bedside]. 2006 , 6, 125-126	
810	Intensive insulin therapy in the medical ICU. 2006 , 354, 2069-71; author reply 2069-71	17
809	Surviving sepsis--practice guidelines, marketing campaigns, and Eli Lilly. 2006 , 355, 1640-2	136
808	Economic evaluation in critical care: a focus on severe sepsis in oncology. 2006 , 6, 49-58	

807	Duration of hypotension before initiation of effective antimicrobial therapy is the critical determinant of survival in human septic shock. <i>Critical Care Medicine</i> , 2006 , 34, 1589-96	1.4	6027
806	Is vasopressin really superior to norepinephrine in reversing milrinone-induced vasodilation?. 2006 , 30, 689		
805	Sepsis. 2006 ,		
804	Is the current management of severe sepsis and septic shock really evidence based?. 2006 , 3, e346		19
803	Intensive insulin therapy in intensive care: an example of the struggle to implement evidence-based medicine. 2006 , 3, e456		16
802	In the Literature. 2006 , 43, v-vi		
801	Using the high-dose corticotropin test to diagnose relative adrenal insufficiency in vasopressor-dependent septic shock. 2006 , 63, 466-71		4
800	Evaluating the clinical and financial impact of severe sepsis with Medicare or other administrative hospital data. 2006 , 63, 575-81		8
799	Dose of dialysis in acute renal failure. 2006 , 1, 380-8		23
798	Intensive insulin therapy in the intensive care unit: assessment by continuous glucose monitoring. 2006 , 29, 1750-6		105
797	Early goal-directed therapy: a UK perspective. 2006 , 23, 828-32		12
796	The helical heart. 2006 , 30, 689-90; author reply 690-1		1
795	Critical care of the obstetric patient. 2006 , 21, 278-86		19
794	Evolving practices in critical care and potential implications for management of acute kidney injury. 2006 , 1, 869-73		17
793	Intensive care of patients with HIV infection. 2006 , 355, 173-81		113
792	Critical care in the emergency department: severe sepsis and septic shock. 2006 , 23, 713-7		22
791	Is taking preoperative high-dose steroid necessary?. 2006 , 30, 688-9		1
790	Is antibiotic cycling the answer to preventing the emergence of bacterial resistance in the intensive care unit?. 2006 , 43 Suppl 2, S82-8		69

789	Applied Physiology in Intensive Care Medicine. 2006,		8
788	Intensive Care Medicine. 2006,		
787	An opinion too far--the campaign against the Surviving Sepsis Campaign. 2006, 7, 485-8		6
786	Antimicrobial treatment of sepsis. 2006, 7 Suppl 2, S87-91		8
785	Progress in the management of sepsis: the surviving sepsis campaign. 2006, 7 Suppl 2, S73-5		
784	Prophylactic heparin in patients with severe sepsis treated with drotrecogin alfa (activated). 2007, 176, 483-90		138
783	Mortality and morbidity attributable to inadequate empirical antimicrobial therapy in patients admitted to the ICU with sepsis: a matched cohort study. 2008, 61, 436-41		142
782	Ulinastatin and/or thymosin α 1 for severe sepsis: A systematic review and meta-analysis. 2016, 80, 335-40		22
781	Hemodynamic monitoring of the injured patient: From central venous pressure to focused echocardiography. 2016, 80, 499-510		8
780	Goal-directed therapy in the operating room: is there any benefit?. 2016, 29, 80-4		6
779	Outcomes Following Sepsis and Cardiopulmonary Resuscitation: Fare Thee Well or Worse for Wear?. <i>Critical Care Medicine</i> , 2016, 44, 1232-3	1.4	1
778	Clinical 'Pearls' of maternal critical care: part I. 2016, 29, 304-16		4
777	Barrier protective effects of 2,4,6-trihydroxy-3-geranyl acetophenone on lipopolysaccharides-stimulated inflammatory responses in human umbilical vein endothelial cells. 2016, 192, 248-255		12
776	Sepsis Resuscitation: Consensus and Controversies. 2016, 39, 58-63		
775	Long-Term Outcomes in Critically Ill Septic Patients Who Survived Cardiopulmonary Resuscitation. <i>Critical Care Medicine</i> , 2016, 44, 1067-74	1.4	6
774	Risks and Benefits of Stress Ulcer Prophylaxis for Patients With Severe Sepsis. <i>Critical Care Medicine</i> , 2016, 44, e464-9	1.4	24
773	Validity of a Modified Sequential Organ Failure Assessment Score Using the Richmond Agitation-Sedation Scale. <i>Critical Care Medicine</i> , 2016, 44, 138-46	1.4	37
772	Early goal-directed therapy in severe sepsis and septic shock: insights and comparisons to ProCESS, ProMISe, and ARISE. 2016, 20, 160		85

771	Hiding in plain sight: Why are we worried about Ebola and not sepsis?. 2016 , 35, 22-7	0
770	The impact of glycaemic variability on the surgical patient. 2016 , 29, 430-7	9
769	Botulinum toxin A-induced paralysis of the lateral abdominal wall after damage-control laparotomy: A multi-institutional, prospective, randomized, placebo-controlled pilot study. 2016 , 80, 237-42	12
768	Invasive meningococcal disease in children in Ireland, 2001-2011. 2016 , 101, 1125-1129	14
767	Incidence, risk factors and impact on outcomes of secondary infection in patients with septic shock: an 8-year retrospective study. 2016 , 6, 38361	24
766	From the Cover: Prolonged Exposure to Volatile Anesthetic Isoflurane Worsens the Outcome of Polymicrobial Abdominal Sepsis. 2017 , 156, 402-411	27
765	Early goal-directed treatment versus standard care in management of early septic shock: Meta-analysis of randomized trials. 2016 , 81, 971-978	6
764	Polymyxin B-immobilised haemoperfusion and mortality in critically ill patients with sepsis/septic shock: a protocol for a systematic review and meta-analysis. 2016 , 6, e012908	4
763	Management of acute kidney injury in sepsis. 2016 , 5, 16-20	
762	Can early initiation of continuous renal replacement therapy improve patient survival with septic acute kidney injury when enrolled in early goal-directed therapy?. 2016 , 35, 51-6	14
761	Development of an e-learning package for sepsis care. 2016 , 25, 292-6	8
760	Early goal-directed resuscitation for patients with severe sepsis and septic shock: a meta-analysis and trial sequential analysis. 2016 , 24, 23	17
759	Diagnosing sepsis is subjective and highly variable: a survey of intensivists using case vignettes. 2016 , 20, 89	85
758	Transforming Patient Value: Comparison of Hospital, Surgical, and General Surgery Patients. 2016 , 222, 568-75	4
757	Fluid Responsiveness and the Six Guiding Principles of Fluid Resuscitation. <i>Critical Care Medicine</i> , 2016 , 44, 1920-2	1.4 43
756	Sepsis in Pregnancy: Identification and Management. 2016 , 30, 95-105	14
755	Predictive and prognostic factors in patients with blood-culture-positive community-acquired pneumococcal pneumonia. 2016 , 48, 797-807	24
754	Mechanical ventilation strategies for intensive care unit patients without acute lung injury or acute respiratory distress syndrome: a systematic review and network meta-analysis. 2016 , 20, 226	21

753	Adherence to the guidelines for the management of severe sepsis and septic shock in patients over 65 years of age admitted to the ICU. 2016 , 44, 299-304		
752	A Review of Central Venous Pressure and Its Reliability as a Hemodynamic Monitoring Tool in Veterinary Medicine. 2016 , 31, 109-121		7
751	Severe community-acquired pneumonia: timely management measures in the first 24 hours. 2016 , 20, 237		31
750	Early identification of sepsis in hospital inpatients by ward nurses increases 30-day survival. 2016 , 20, 244		34
749	Health care waste prevention: are guidelines the solution or the problem?. <i>American Journal of Emergency Medicine</i> , 2016 , 34, 1661-2	2.9	
748	Evaluating sepsis training for medical students and nonphysicians in Malawi. 2016 , 34, 352-7		8
747	Culture-Negative Severe Sepsis: Nationwide Trends and Outcomes. <i>Chest</i> , 2016 , 150, 1251-1259	5.3	89
746	Adherencia a la gu de manejo de sepsis severa y choque sptico en pacientes mayores de 65 as que ingresan a UCI. 2016 , 44, 299-304		1
745	The efficacy and safety of antithrombin and recombinant human thrombomodulin combination therapy in patients with severe sepsis and disseminated intravascular coagulation. 2016 , 36, 29-34		16
744	Fever and pregnancy. 2016 , 35 Suppl 1, S5-S12		8
743	Sepsis and septic shock. 2016 , 2, 16045		544
742	Hemodynamic Monitoring in Surgical Critical Care. 2016 , 77-89		
741	A collaborative improvement project by an NHS Emergency Department and Scottish Ambulance Paramedics to improve the identification and delivery of sepsis 6. 2016 , 5,		3
740	Hypoxicchemic encephalopathy, cardiac arrest, and cardiac encephalopathy. 364-385		
739	Optimum Methods for Keeping the Abdomen Open. 2016 , 2, 189-195		2
738	Vasopressors During Sepsis: Selection and Targets. 2016 , 37, 251-62		10
737	Association of REL polymorphisms and outcome of patients with septic shock. 2016 , 6, 28		4
736	Spontaneous hypothermia in human sepsis is a transient, self-limiting, and nonterminal response. 2016 , 120, 1394-401		20

735	Sepsi acuta. 2016 , 20, 1-11		
734	36th International Symposium on Intensive Care and Emergency Medicine : Brussels, Belgium. 15-18 March 2016. 2016 , 20, 94		110
733	Temporal trends in the utilization of vasopressors in intensive care units: an epidemiologic study. 2016 , 17, 19		11
732	Alert cell strategy in SIRS-induced vasculitis: sepsis and endothelial cells. 2016 , 4, 21		11
731	Lactate and combined parameters for triaging sepsis patients into intensive care facilities. 2016 , 33, 71-7		12
730	[Adequate fluid resuscitation in septic shock with high catecholamine doses]. 2016 , 111, 514-24		1
729	The Changing Epidemiology and Definitions of Sepsis. 2016 , 37, 165-79		79
728	Severe Sepsis and Septic Shock: Timing of Septic Shock Onset Matters. 2016 , 45, 518-24		12
727	Critical Care of the Patient with Acute Stroke. 2016 , 885-915.e9		1
726	Development and Implementation of Sepsis Alert Systems. 2016 , 37, 219-29		25
725	First airborne pathogen direct analysis system. 2016 , 141, 1637-40		21
724	Neurology of Sepsis. 2016 , 16, 21		16
723	A prehospital screening tool utilizing end-tidal carbon dioxide predicts sepsis and severe sepsis. <i>American Journal of Emergency Medicine</i> , 2016 , 34, 813-9	2.9	22
722	Adoption and de-adoption of drotrecogin alfa for severe sepsis in the United States. 2016 , 32, 114-9		11
721	Potential Survival Benefit of Polymyxin B Hemoperfusion in Septic Shock Patients on Continuous Renal Replacement Therapy: A Propensity-Matched Analysis. 2016 , 42, 9-17		33
720	Beyond the Golden Hours: Caring for Septic Patients After the Initial Resuscitation. 2016 , 37, 347-65		
719	Open abdomen with negative pressure device vs primary abdominal closure for the management of surgical abdominal sepsis: a retrospective review. 2016 , 211, 926-32		17
718	Sepsis After Cardiac Surgery: From Pathophysiology to Management. 2016 , 30, 773-80		9

717	Exacerbation of prothrombin time-international normalized ratio before second polymyxin B cartridge hemoperfusion predicts poor outcome of patients with severe sepsis and/or septic shock. 2016 , 200, 308-14	1
716	A rational approach to fluid therapy in sepsis. 2016 , 116, 339-49	147
715	Application of conventional blood glucose control strategy in surgical ICU in developing countries: Is it beneficial?Peer review under responsibility of Egyptian Society of Anesthesiologists.View all notes. 2016 , 32, 123-129	6
714	A Survey of the First-Hour Basic Care Tasks of Severe Sepsis and Septic Shock in Pediatric Patients and an Evaluation of Medical Simulation on Improving the Compliance of the Tasks. 2016 , 50, 239-45	12
713	Improving Outcomes in Patients With Sepsis. 2016 , 31, 56-63	13
712	Ambulance patients with nondocumented sepsis have a high mortality risk: a retrospective study. 2017 , 24, 36-43	16
711	Application of Failure Mode Effect Analysis to Improve the Care of Septic Patients Admitted Through the Emergency Department. 2017 , 13, 76-81	10
710	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. 2017 , 43, 304-377	3178
709	Assuring survival of safety-net surgical patients. 2017 , 161, 855-860	
708	Severe Pneumonia Caused by Legionella pneumophila: Differential Diagnosis and Therapeutic Considerations. 2017 , 31, 111-121	27
707	Use of stepwise lactate kinetics-oriented hemodynamic therapy could improve the clinical outcomes of patients with sepsis-associated hyperlactatemia. 2017 , 21, 33	32
706	Severe Sepsis and Septic Shock Trials (ProCESS, ARISE, ProMISe): What is Optimal Resuscitation?. 2017 , 33, 323-344	22
705	An evaluation of inpatient morbidity and critical care provision in Zambia. 2017 , 72, 172-180	17
704	Fluids and sepsis: changing the paradigm of fluid therapy: a case report. 2017 , 11, 30	6
703	Postoperative Liver Failure. 2017 , 59-81	
702	Early goal-directed therapy et choc septique à 5 ans après la Riversâ study, ARISE, ProCESS et ProMISe. 2017 , 26, 123	
701	Risks and Benefits of Swaddling Healthy Infants: An Integrative Review. 2017 , 42, 216-225	11
700	Could we compare two totally different groups of patients without adjustment?. 2017 , 40, 310-311	

699	Sepsis in Obstetrics: Treatment, Prognosis, and Prevention. 2017 , 42, 206-209		3
698	Both high and low plasma glutamine levels predict mortality in critically ill patients. 2017 , 47, 1331-1338		8
697	A Two-Biomarker Model Predicts Mortality in the Critically Ill with Sepsis. 2017 , 196, 1004-1011		38
696	BTS guideline for oxygen use in adults in healthcare and emergency settings. 2017 , 72, ii1-ii90		259
695	Norepinephrine in septic shock: when and how much?. 2017 , 23, 342-347		24
694	Protocolized Early Sepsis Care Is Not Only Helpful for Patients: It Prevents Medical Errors. <i>Critical Care Medicine</i> , 2017 , 45, 464-472	1.4	8
693	Resuscitation With Balanced Fluids Is Associated With Improved Survival in Pediatric Severe Sepsis. <i>Critical Care Medicine</i> , 2017 , 45, 1177-1183	1.4	55
692	The New Usual Care. 2017 , 35, 11-23		2
691	An update on classification and management of urosepsis. 2017 , 27, 133-137		27
690	Sepsis in Internal Medicine wards: current knowledge, uncertainties and new approaches for management optimization. 2017 , 49, 582-592		15
689	Management of Acute Liver Failure. 40-47		
688	Fourth Surviving Sepsis Campaign's hemodynamic recommendations: a step forward or a return to chaos?. 2017 , 21, 133		13
687	The impact of a multifaceted intervention including sepsis electronic alert system and sepsis response team on the outcomes of patients with sepsis and septic shock. 2017 , 7, 57		25
686	Multicenter Clinical Evaluation of BacT/Alert Virtuo Blood Culture System. 2017 , 55, 2413-2421		29
685	Pathophysiology and Anesthetic Management of Patients with Cardiovascular Disease. 2017 , 496-510		5
684	Sepsis. 2017 ,		3
683	Vitamin D Deficiency in Human and Murine Sepsis. <i>Critical Care Medicine</i> , 2017 , 45, 282-289	1.4	30
682	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Critical Care Medicine</i> , 2017 , 45, 486-552	1.4	1683

681	High Interleukin-10 Expression in Type 2 T Helper Cells in Septic Patients. 2017 , 46, 385-394	5
680	Inhibitory effects of serum from sepsis patients on epithelial cell migration in vitro: a case control study. 2017 , 15, 11	3
679	Burden of bloodstream infection in an area of Mid-Norway 2002-2013: a prospective population-based observational study. 2017 , 17, 205	34
678	Philosophy of Science in Practice. 2017 ,	
677	Partial Evidence in Medicine. 2017 , 25-44	1
676	Interpreting Laboratory Tests in Infection: Making Sense of Biomarkers in Sepsis and Systemic Inflammatory Response Syndrome for Intensive Care Unit Patients. 2017 , 29, 119-130	7
675	[Updated definition of sepsis : Implications for diagnostics and therapy principles]. 2017 , 88, 81-92	1
674	Effect of an Early Resuscitation Protocol on In-hospital Mortality Among Adults With Sepsis and Hypotension: A Randomized Clinical Trial. 2017 , 318, 1233-1240	190
673	Statin therapy in patients with community-acquired pneumonia. 2017 , 17, 403-407	21
672	ERAS: Safety checklists, antibiotics, and VTE prophylaxis. 2017 , 116, 601-607	6
671	Sepsis in the burn patient: a different problem than sepsis in the general population. 2017 , 5, 23	78
670	Effect of hypothermia on splenic leukocyte modulation and survival duration in severely septic rats. 2017 , 215, 196-203	3
669	The recognition and management of sepsis and septic shock: a guide for non-intensivists. 2017 , 93, 626-634	25
668	Mortality of severe septic patients between physician's high and low care volumes. 2017 , 40, 226-231	2
667	Radiotherapy and the tumor microenvironment: The "macro" picture. 2017 , 40, 185-188	3
666	China's growing contribution to sepsis research from 1984 to 2014: A bibliometric study. 2017 , 96, e7275	7
665	Bloodstream Infections in Patients With Intestinal Failure Presenting to a Pediatric Emergency Department With Fever and a Central Line. 2017 , 33, e140-e145	9
664	Are Early Antibiotics Important for Everyone?. 2017 , 47, 26-29	2

663	Early evaluation of severity in patients with severe sepsis: a comparison with "septic shock" - subgroup analysis of the Japanese Association for Acute Medicine Sepsis Registry (JAAM-SR). 2017 , 4, 426-431	2
662	Has Mortality of Community-Acquired Pneumonia Really Reduced?. 2017 , 24, 258-262	1
661	Sepsis and Septic Shock Strategies. 2017 , 97, 1339-1379	46
660	Sepsis in Obstetrics: Pathophysiology and Diagnostic Definitions. 2017 , 42, 194-198	1
659	Different characteristics of ventilator application between tracheostomy- and noninvasive positive pressure ventilation patients with amyotrophic lateral sclerosis. 2017 , 96, e6251	6
658	The effect of early goal-directed therapy for treatment of severe sepsis or septic shock: A systemic review and meta-analysis. 2017 , 38, 115-122	15
657	Resuscitation of the Patient in Septic Shock. 2017 , 25-42	
656	Global end-diastolic volume index vs CVP goal-directed fluid resuscitation for COPD patients with septic shock: a randomized controlled trial. <i>American Journal of Emergency Medicine</i> , 2017 , 35, 101-105 ^{2.9}	13
655	A unified Hyperglycemia and Diabetic ketoacidosis (DKA) insulin infusion protocol based on an Excel algorithm and implemented via Electronic Medical Record (EMR) in Intensive Care Units. 2017 , 11, 265-271	3
654	Antimicrobial Stewardship in the Management of Sepsis. 2017 , 35, 199-217	13
653	Blister fluid and serum cytokine levels in severe sepsis in humans reflect skin dysfunction. 2017 , 61, 53-61	7
652	Sepsis grave y shock séptico en urgencias. 2017 , 43, 1-19	
651	Dehydroepiandrosterone sulfate and dehydroepiandrosterone sulfate/cortisol ratio in cirrhotic patients with septic shock: another sign of hepatoadrenal syndrome?. 2017 , 21, 214	3
650	Does Low Dose Steroids Confer Benefits in Sepsis and Septic Shock?. 2017 , 7, 48-59	
649	Sepsis and Septic Shock: Current Treatment Strategies and New Approaches. 2017 , 49, 53-58	84
648	Transfusion of Red Blood Cells to Patients with Sepsis. 2017 , 18,	7
647	Sepsis Definitions: The Search for Gold and What CMS Got Wrong. 2017 , 18, 951-956	20
646	The Glyoxalase System and Methylglyoxal-Derived Carbonyl Stress in Sepsis: Glycotoxic Aspects of Sepsis Pathophysiology. 2017 , 18,	21

645	Clinical outcomes and mortality before and after implementation of a pediatric sepsis protocol in a limited resource setting: A retrospective cohort study in Bangladesh. <i>PLoS ONE</i> , 2017 , 12, e0181160	3-7	13
644	Goal directed therapy for suspected acute bacterial meningitis in adults and adolescents in sub-Saharan Africa. <i>PLoS ONE</i> , 2017 , 12, e0186687	3-7	8
643	Hyporesponsiveness of natural killer cells and impaired inflammatory responses in critically ill patients. 2017 , 18, 48		8
642	[Staphylococcal toxic shock syndrome at a chronic hemodialysis]. 2017 , 27, 230		
641	Physiologically-based, predictive analytics using the heart-rate-to-Systolic-Ratio significantly improves the timeliness and accuracy of sepsis prediction compared to SIRS. 2017 , 213, 617-621		13
640	Long Pentraxin 3 as a Predictive Marker of Mortality in Severe Septic Patients Who Received Successful Early Goal-Directed Therapy. 2017 , 58, 370-379		13
639	Quality improvement in the ICU: treat first what kills first. <i>Journal of Thoracic Disease</i> , 2017 , 9, E310-E312.6		
638	Effect of <i>Eucommia ulmoides</i> Oliv., <i>Gynostemma pentaphyllum</i> (Thunb.) Makino, and <i>Curcuma longa</i> L. on Th1- and Th2-cytokine responses and human leukocyte antigen-DR expression in peripheral blood mononuclear cells of septic patients. 2018 , 217, 195-204		6
637	Predicting 30-day mortality in patients with sepsis: An exploratory analysis of process of care and patient characteristics. 2018 , 19, 299-304		13
636	Recognition and clinical management of sepsis in frail older people. 2018 , 30, 35-38		1
635	Therapeutic mild hypothermia improves early outcomes in rats subjected to severe sepsis. 2018 , 199, 1-9		8
634	International Clinical Practice Guidelines. 2018 , 97-111		
633	Sepsis: The Road Ahead. 2018 , 253-267		
632	The Surviving Sepsis Campaign Bundle: 2018 update. 2018 , 44, 925-928		469
631	Segmented regression analysis of emergency departments patient visits from Septicemia in Taiwan. 2018 , 7, 149-155		0
630	Handbook of Sepsis. 2018 ,		4
629	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2016 (J-SSCG 2016). 2018 , 5, 3-89		50
628	Sepsis 2018: Definitions and Guideline Changes. 2018 , 19, 117-125		91

627	CE: Managing Sepsis and Septic Shock: Current Guidelines and Definitions. 2018 , 118, 34-39		16
626	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2016 (J-SSCG 2016). 2018 , 6, 7		55
625	Targeting skeletal muscle tissue oxygenation (StO) in adults with severe sepsis and septic shock: a randomised controlled trial (OTO-StS Study). 2018 , 8, e017581		11
624	Acute Brain Dysfunction: Development and Validation of a Daily Prediction Model. <i>Chest</i> , 2018 , 154, 293-301		12
623	Activated Protein C has No Effect on Pulmonary Capillary Endothelial Function in Septic Patients with Acute Respiratory Distress Syndrome: Association of Endothelial Dysfunction with Mortality. <i>Infectious Diseases and Therapy</i> , 2018 , 7, 15-25	6.2	3
622	Early Goal-Directed Therapy in Severe Sepsis and Septic Shock: A Meta-Analysis and Trial Sequential Analysis of Randomized Controlled Trials. 2018 , 33, 296-309		12
621	Predictors to Intravenous Fluid Responsiveness. 2018 , 33, 227-240		11
620	Oxygen-Flow-Pressure Targets for Resuscitation in Critical Hemodynamic Therapy. 2018 , 49, 15-23		13
619	Stakeholder-Driven Quality Improvement: A Compelling Force for Clinical Practice Guidelines. 2018 , 158, 16-20		7
618	Clinical relevance of early sublingual microcirculation monitoring in septic shock patients. 2018 , 68, 347-359		7
617	Low tidal volume ventilation use remains low in patients with acute respiratory distress syndrome at a single center. 2018 , 44, 72-76		12
616	Impact of the FloTrac/Vigileo™ Monitoring on Intraoperative Fluid Management and Outcome after Liver Resection. 2018 , 35, 435-441		4
615	Sepsis: A Definition Under Construction. 2018 , 1-9		
614	Predictors of Vasopressin Responsiveness in Critically Ill Adults. 2018 , 52, 126-132		4
613	Wound Care Center of Excellence: Guide to Operative Technique for Chronic Wounds. 2018 , 226, e7-e17		4
612	Body Mass's Impact on Response to Fixed-Dose Vasopressin in Patients With Septic Shock. 2018 , 50, 388-394		4
611	Polymyxin B-immobilized hemoperfusion and mortality in critically ill adult patients with sepsis/septic shock: a systematic review with meta-analysis and trial sequential analysis. 2018 , 44, 167-178		49
610	Early fluid loading for septic patients: Any safety limit needed?. 2018 , 21, 1-3		3

609	What's in a word? The need for SIRS and sepsis definitions in equine medicine and surgery. 2018 , 50, 7-9		6
608	Treatment-focused Ebola trials, supportive care and future of filovirus care. 2018 , 16, 67-76		7
607	Practical Trends in Anesthesia and Intensive Care 2017. 2018 ,		
606	Case Fatality and Adverse Outcomes Are Reduced in Pregnant Women With Severe Sepsis or Septic Shock Compared With Age-Matched Comorbid-Matched Nonpregnant Women. <i>Critical Care Medicine</i> , 2018 , 46, 1775-1782	1.4	3
605	Management of severe community acquired pneumonia in the emergency department. 2018 , 2, 2-2		3
604	Critical care medicine in Taiwan from 1997 to 2013 under National Health Insurance. <i>Journal of Thoracic Disease</i> , 2018 , 10, 4957-4965	2.6	9
603	Extended-spectrum Beta-lactamase-producing Escherichia coli Meningitis That Developed from Otitis Media with Cholesteatoma. 2018 , 57, 3199-3204		2
602	Approach of minimal invasive monitoring and initial treatment of the septic patient in emergency medicine. 2018 , 10, 183-191		1
601	Hematologic Issues in Sepsis. 2018 , 127-144		
600	Mean arterial pressure and mortality in patients with distributive shock: a retrospective analysis of the MIMIC-III database. 2018 , 8, 107		48
599	Cardiogenic Pulmonary Edema. 2018 , 419-428		
598	Priority for Treatment and Intensive Care of Patients With Non-Severe Community-Acquired Pneumonia. 2018 , 356, 329-334		2
597	Septic Shock. 2018 , 599-629		
596	Effect of adjunctive corticosteroids on clinical outcomes in adult patients with septic shock - a meta-analysis of randomized controlled trials and trial sequential analysis. 2018 , 48, 296-306		6
595	The Surviving Sepsis Campaign Bundle: 2018 Update. <i>Critical Care Medicine</i> , 2018 , 46, 997-1000	1.4	361
594	Implementation of the Sepsis-3 definition in German university intensive care units : A survey. 2018 , 67, 647-653		3
593	Treatment of Infection in Burn Patients. 2018 , 93-113.e4		7
592	The Systemic Inflammatory Response Syndrome. 2018 , 205-220.e4		8

591	Acute Renal Failure in Association with Thermal Injury. 2018 , 318-327.e2	1
590	Biomarkers of Sepsis-Induced Acute Kidney Injury. 2018 , 2018, 6937947	17
589	Prevention and management of urosepsis triggered by ureteroscopy. 2018 , 10, 43-49	17
588	. 2018 ,	23
587	Transfusion for Patients With Sepsis in 2018. 2018 , 25, 138-143	
586	Intensive Care Admissions for Severe Chikungunya Virus Infection, French Polynesia. 2018 , 24, 794-796	12
585	Fluid resuscitation during early sepsis: a need for individualization. 2018 , 84, 987-992	15
584	Sooner is better: use of a real-time automated bedside dashboard improves sepsis care. 2018 , 231, 373-379	7
583	Incidence of hypotension according to the discontinuation order of vasopressors in the management of septic shock: a prospective randomized trial (DOVSS). 2018 , 22, 131	24
582	Neonatal Extracorporeal Life Support: A Review of Nutrition Considerations. 2018 , 33, 625-632	0
581	Comparison of two different models of sepsis induced by cecal ligation and puncture in rats. 2018 , 229, 277-282	7
580	Barriers to implementing the Sepsis Six guidelines in an acute hospital setting. 2018 , 27, 473-478	7
579	The value of serum procalcitonin in acute meningitis in children. 2018 , 56, 28-33	3
578	Monitoring Tissue Perfusion in Shock. 2018 ,	
577	Vasodilatory shock in the ICU and the role of angiotensin II. 2018 , 24, 277-285	10
576	Central and Mixed Venous O ₂ Saturation: A Physiological Appraisal. 2018 , 93-119	
575	Fluid Management. 2019 , 199-216.e4	1
574	Predictors of short-term and long-term mortality in critically ill patients admitted to the intensive care unit following allogeneic stem cell transplantation. 2019 , 54, 418-424	1

573	Microbial findings, sensitivity and outcome in patients with postoperative peritonitis a retrospective cohort study. 2019 , 70, 63-69	1
572	Translational gap in pediatric septic shock management: an ESPNIC perspective. 2019 , 9, 73	8
571	Corticosteroids for pediatric septic shock patients. 2019 , 59, 67-71	
570	Sepsis and Septic Shock: A Review of Definitions, Pathogenesis, and Treatment. 2019 , 807-835	0
569	Early Infectious Disease Consultation Is Associated With Lower Mortality in Patients With Severe Sepsis or Septic Shock Who Complete the 3-Hour Sepsis Treatment Bundle. 2019 , 6, ofz408	11
568	Neutrophil to lymphocyte ratio as a predictor of treatment response and mortality in septic shock patients in the intensive care unit. 2019 , 49, 1336-1349	14
567	Biomarkers of Infection: Are They Useful in the ICU?. 2019 , 40, 465-475	10
566	Serum Lactate Level as a Predictor of Outcome in Patients with Septic Shock. 2019 , 2, 43-51	
565	Metabolic support in the critically ill: a consensus of 19. 2019 , 23, 318	37
564	Late Peaks of HMGB1 and Sepsis Outcome: Evidence For Synergy With Chronic Inflammatory Disorders. 2019 , 52, 334-339	11
563	Maternal Sepsis: Recognition, Treatment, and Escalation of Care. 2019 , 9, 55-59	
562	Investigation of percentage changes in pulse wave transit time induced by mini-fluid challenges to predict fluid responsiveness in ventilated dogs. 2019 , 29, 391-398	4
561	Post-intensive Care Syndrome. 2019 , 213-219	1
560	Intensive Care for Emergency Surgeons. 2019 ,	
559	Ongoing Intraabdominal Infection Requiring ICU Care: Prioritizing Treatment Decisions. 2019 , 267-281	
558	Sepsis and Septic Shock in Cancer Patients. 2019 , 1-9	
557	Neurocritical Care. 2019 ,	
556	Noninvasive estimation of intravascular volume status in cirrhosis by dynamic size and collapsibility indices of the inferior vena cava using bedside echocardiography. 2019 , 3, 322-328	6

555	Telemedicine for Early Treatment of Sepsis. 2019 , 255-280		3
554	Telemedicine in the ICU. 2019 ,		10
553	Sepsis: The evolution in definition, pathophysiology, and management. 2019 , 7, 2050312119835043		119
552	Rules of anti-infection therapy for sepsis and septic shock. 2019 , 132, 589-596		13
551	Should We Abandon Measuring SvO2 or ScvO2 in Patients with Sepsis?. 2019 , 231-238		
550	The Impact of EGDT on Sepsis Mortality in a Single Tertiary Care Center in Lebanon. 2019 , 2019, 8747282		2
549	Efficacy and safety of Shenfu injection for septic shock: A systematic review and meta-analysis of randomized controlled trials. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 2197-2204	2.9	8
548	A Comparative Review of Equine SIRS, Sepsis, and Neutrophils. 2019 , 6, 69		18
547	IJV collapsibility index vs IVC collapsibility index by point of care ultrasound for estimation of CVP: a comparative study with direct estimation of CVP. 2019 , 11, 65-75		4
546	Sepsis Management in Resource-limited Settings. 2019 ,		2
545	Scored minor criteria for severe community-acquired pneumonia predicted better. 2019 , 20, 22		2
544	Sepsis: mechanisms of bacterial injury to the patient. 2019 , 27, 19		58
543	PES Pathogens in Severe Community-Acquired Pneumonia. 2019 , 7,		11
542	Epidemiology and Effects of Bacterial Infections in Patients With Cirrhosis Worldwide. 2019 , 156, 1368-1380.e10		149
541	Resuscitation Guided by Volume Responsiveness Does Not Reduce Mortality in Sepsis: A Meta-Analysis. 2019 , 1, e0015		11
540	Bridge over Troubled Water. 2019 , 4, 385-394		
539	Reporting of Organ Support Outcomes in Septic Shock Randomized Controlled Trials: A Methodologic Review-The Sepsis Organ Support Study. <i>Critical Care Medicine</i> , 2019 , 47, 984-992	1.4	5
538	Enough Is As Good As a Feast. <i>Critical Care Medicine</i> , 2019 , 47, 1004-1006	1.4	

537	Implementation of earlier antibiotic administration in patients with severe sepsis and septic shock in Japan: a descriptive analysis of a prospective observational study. 2019 , 23, 360		17
536	Sepsis Updates: Unpackaging the New Bundles. 2019 , 57, 3-16		2
535	Surveillance for Adult Sepsis Events: An Idea Whose Time Has Come. <i>Critical Care Medicine</i> , 2019 , 47, 467-468	1.4	4
534	Current Controversies in Sepsis Management. 2019 , 40, 594-603		3
533	Physician Judgment and Circulating Biomarkers Predict 28-Day Mortality in Emergency Department Patients. <i>Critical Care Medicine</i> , 2019 , 47, 1513-1521	1.4	7
532	Decreasing Time to Antibiotics for Patients with Sepsis in the Emergency Department. 2019 , 4, e173		2
531	RBC Transfusion Strategies in the ICU: A Concise Review. <i>Critical Care Medicine</i> , 2019 , 47, 1637-1644	1.4	16
530	Maternal sepsis: new concepts, new practices. 2019 , 31, 90-96		3
529	Derivation of a screen to identify severe sepsis and septic shock in the ED-BOMBARD vs. SIRS and qSOFA. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 1260-1267	2.9	2
528	Hämodynamische Stabilisierung des septischen Patienten in der Notaufnahme. 2019 , 22, 205-218		2
527	Acute Kidney Injury Epidemiology in pediatrics. 2019 , 41, 275-283		8
526	[Sepsis Update: Evidence-Based Therapy]. 2019 , 54, 50-62		
525	Vasoactive Agent Use in Septic Shock: Beyond First-Line Recommendations. 2019 , 39, 369-381		12
524	After standard dosage of piperacillin plasma concentrations of drug are subtherapeutic in burn patients. 2019 , 392, 229-241		5
523	Prehospital sepsis alert notification decreases time to initiation of CMS sepsis core measures. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 114-117	2.9	11
522	Evidence-based medicine in trauma/acute care surgery- what does that look like?. 2019 , 217, 1000-1005		
521	Differential Effects of Selective and Nonselective Potassium Channel Inhibitors in Ovine Endotoxemic Shock (Macrocirculation) and in a Rat Model of Septic Shock (Microcirculation). 2019 , 51, 247-255		1
520	Etiology of Shock in the Emergency Department: A 12-Year Population-Based Cohort Study. 2019 , 51, 60-67		13

519	What is the Role of Nursing Homes in the Surviving Sepsis Campaign?. 2020 , 21, 41-45		3
518	Association of negative fluid balance during the de-escalation phase of sepsis management with mortality: A cohort study. 2020 , 55, 16-21		11
517	Assessment and Management of Infection in Alcoholic Hepatitis. 2020 , 40, 11-19		3
516	Interleukin-6 improves infection identification when added to physician judgment during evaluation of potentially septic patients. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 947-952	2.9	9
515	Effects and safety of separate low-dose hydrocortisone use in patients with septic shock: A meta-analysis. 2020 , 27, 39-50		
514	From a pressure-guided to a perfusion-centered resuscitation strategy in septic shock: Critical literature review and illustrative case. 2020 , 56, 294-304		7
513	Immature Platelets As a Predictor of Disease Severity and Mortality in Sepsis and Septic Shock: A Systematic Review. 2020 , 46, 320-327		10
512	Determination of Melatonin Deprivation Impact on Sepsis With Acute Phase Reactants. 2020 , 247, 108-114		2
511	Rapid syndromic molecular testing in pneumonia: The current landscape and future potential. 2020 , 80, 1-7		20
510	MiR-608 Exerts Anti-inflammatory Effects by Targeting ELANE in Monocytes. 2020 , 40, 147-157		6
509	Coupled-plasma filtration and adsorption for severe burn patients with septic shock and acute kidney injury treated with renal replacement therapy. 2020 , 46, 190-198		9
508	Iodine Redistribution During Trauma, Sepsis, and Hibernation: An Evolutionarily Conserved Response to Severe Stress. 2020 , 2, e0215		1
507	Supervised classification techniques for prediction of mortality in adult patients with sepsis. <i>American Journal of Emergency Medicine</i> , 2021 , 45, 392-397	2.9	5
506	Role of Rapid Diagnostics in Diagnosis and Management of Patients With Sepsis. 2020 , 222, S103-S109		9
505	Diagnostic value of miR-155 for acute lung injury/acute respiratory distress syndrome in patients with sepsis. 2020 , 48, 300060520943070		4
504	[Lactate in emergency medicine]. 2020 , 69, 826-834		2
503	Ring Out the Old, Retain With the New. <i>Critical Care Medicine</i> , 2020 , 48, 1385-1386	1.4	
502	Improvement of 1st-hour bundle compliance and sepsis mortality in pediatrics after the implementation of the surviving sepsis campaign guidelines. 2021 , 97, 459-467		3

501	Quantifying misclassification and bias errors due to hierarchical sepsis scores in real-time sepsis diagnosis. 2020 , 62, 102116		
500	Plan-Do-Study-Act Methodology: Refining an Inpatient Pediatric Sepsis Screening Process. 2020 , 5, e338		1
499	Clinical outcome of severe sepsis and septic shock in critically ill children. 2020 , 50, 186-190		2
498	H NMR Based Metabolomics in Human Sepsis and Healthy Serum. 2020 , 10,		12
497	Excess mortality risk from sepsis in patients with HIV - A meta-analysis. 2020 , 59, 101-107		1
496	Inhibiting DNA Methylation Improves Survival in Severe Sepsis by Regulating NF- κ B Pathway. 2020 , 11, 1360		9
495	Do protocols/guidelines actually improve outcomes?. 2020 , 5-10.e1		
494	The initial resuscitation of septic shock. 2020 , 57, 108-117		11
493	Reinterpreting Renal Hemodynamics: The Importance of Venous Congestion and Effective Organ Perfusion in Acute Kidney Injury. 2020 , 359, 193-205		8
492	A Multicenter Study of Nutritional Adequacy in Neonatal and Pediatric Extracorporeal Life Support. 2020 , 249, 67-73		2
491	The management of sepsis: science & fiction. <i>Journal of Thoracic Disease</i> , 2020 , 12, S1-S4	2.6	1
490	What is the value of nondialytic therapy in acute kidney injury?. 2020 , 402-407.e1		
489	The origins of the Lacto-Bolo reflex: the mythology of lactate in sepsis. <i>Journal of Thoracic Disease</i> , 2020 , 12, S48-S53	2.6	7
488	Role of procalcitonin use in the management of sepsis. <i>Journal of Thoracic Disease</i> , 2020 , 12, S5-S15	2.6	25
487	Driving blind: instituting SEP-1 without high quality outcomes data. <i>Journal of Thoracic Disease</i> , 2020 , 12, S22-S36	2.6	13
486	Antimicrobials administration time in patients with suspected sepsis: is faster better? An analysis by propensity score. 2020 , 8, 28		8
485	Older Sepsis Survivors Suffer Persistent Disability Burden and Poor Long-Term Survival. 2020 , 68, 1962-1969		21
484	Inferior Vena Cava Assessment: Correlation with CVP and Plethora in Tamponade. 2013 , 8, 323-7		9

483	Impact of Prehospital Antibiotic Therapy on Septic Shock Mortality. 2021 , 25, 317-324		5
482	The association between higher driving pressure and higher mortality in patients with pneumonia without acute respiratory distress syndrome. 2021 , 120, 204-211		2
481	Hydrocortisone Continuous Infusion Versus Bolus Dose on Glycemic Control in Critically Ill Subjects. 2021 , 34, 35-39		
480	Challenging the Dogma of Aggressive Initiation of Antibiotics in Sepsis. 2021 , 22, 473-476		0
479	Immunomodulatory gene expression analysis in LPS-stimulated human polymorphonuclear leukocytes treated with antibiotics commonly used for multidrug-resistant strains. 2021 , 129, 39-44		6
478	Evidence-Based Management of the Critically Ill Adult With SARS-CoV-2 Infection. 2021 , 36, 18-41		5
477	Antibiotics in the first hour: is there new evidence?. 2021 , 19, 45-54		0
476	Acute Functional Outcomes in Critically Ill COVID-19 Patients. 2020 , 7, 615997		4
475	Mouse Intensive Care Unit (MICU). 2021 , 2321, 121-135		1
474	Co-Evolutions of Pediatric and Adult Critical Care. <i>Critical Care Medicine</i> , 2021 , 49, 188-200	1.4	2
473	Epidemiology of sepsis and septic shock. 2021 , 34, 71-76		10
472	The association between intraoperative hyperglycemia and cerebrovascular markers. 2021 , 18, 1332-1338		0
471	Literatur. 2021 , 945-986		
470	How Robust are the Evidences that Formulate Surviving Sepsis Guidelines? An Analysis of Fragility and Reverse Fragility of Randomized Controlled Trials that were Referred in these Guidelines. 2021 , 25, 773-779		0
469	Steady As She Goes: Practicing Evidence-Based Critical Care When the Evidence Is Limited. <i>Chest</i> , 2021 , 159, 7-8		5.3
468	FULMINANT SOFT TISSUE INFECTIONS CAUSED BY AEROBIC BACTERIA – A PARAMEDICAL PERSPECTIVE. 2021 , 8, 45-52		
467	Sepsis. 2021 , 1035-1058		
466	Extracorporeal detoxification techniques in septic complications in children at the acute stage of severe combined injury. 2021 , 24, 388-396		

465	Fluid Therapy in Dogs and Cats With Sepsis. 2021 , 8, 622127		2
464	Haematological & Inflammatory Markers in Septicaemia and Its Prognostic Implications in Okhla Industrial Area. 2021 , 10, 469-473		
463	The Surviving Sepsis Campaign: Fluid Resuscitation and Vasopressor Therapy Research Priorities in Adult Patients. <i>Critical Care Medicine</i> , 2021 , 49, 623-635	1.4	7
462	Evaluation of Evidence, Pharmacology, and Interplay of Fluid Resuscitation and Vasoactive Therapy in Sepsis and Septic Shock. 2021 , 56, 484-492		1
461	Epidemiologic Trends in Pleural Infection. A Nationwide Analysis. 2021 , 18, 452-459		4
460	Initial Arterial Blood Pressure Targets in Patients With Septic Shock: One Size Fits All or Made to Measure?. <i>Critical Care Medicine</i> , 2021 , 49, 719-721	1.4	1
459	Strategic ventilation reduces non-ventilated contralateral lung injury induced by one-lung ventilation in rabbits. 2021 , 73, 367-376		
458	The surviving sepsis campaign: fluid resuscitation and vasopressor therapy research priorities in adult patients. 2021 , 9, 10		9
457	Pediatric Severe Sepsis and Shock in Three Asian Countries: A Retrospective Study of Outcomes in Nine PICUs. 2021 , 22, 713-721		1
456	High Inter-Patient Variability in Sepsis Evolution: A Hidden Markov Model Analysis. 2021 , 201, 105956		0
455	Can Coagulation System Disorders and Cytokine and Inflammatory Marker Levels Predict the Temporary Clinical Deterioration or Improvement of Septic Patients on ICU Admission?. 2021 , 10,		
454	Contemporary Aspects of Burn Care. 2021 , 57,		1
453	Incidence and Impact of Dysglycemia in Patients with Sepsis Under Moderate Glycemic Control. 2021 , 56, 507-513		1
452	Twenty-four-hour fluid administration in emergency department patients with suspected infection: A multicenter, prospective, observational study. 2021 , 65, 1122-1142		1
451	Abdominal Pain in Pregnancy. 2021 , 168-177		
450	Quality and safety in the literature: September 2021. 2021 , 30, 764-768		
449	Critical illness-related corticosteroid insufficiency in dogs with systemic inflammatory response syndrome: A pilot study in 21 dogs. 2021 , 273, 105677		
448	High-volume hemofiltration reduces short-term mortality with no influence on the incidence of MODS, hospital stay, and hospitalization cost in patients with severe-acute pancreatitis: A meta-analysis. 2021 , 45, 1456-1465		1

447	Average mean arterial pressure in the first 6 hours of extracorporeal cardiopulmonary resuscitation in the prediction of the prognosis of neurological outcome: a single-center retrospective study. 2021 , 2676591211027118		0
446	Study on clinical nursing pathway to promote the effective implementation of sepsis bundle in septic shock. 2021 , 26, 69		2
445	Computerized Mortality Prediction for Community-acquired Pneumonia at 117 Veterans Affairs Medical Centers. 2021 , 18, 1175-1184		1
444	Initial Fluid Balance Associated Outcomes in Children With Severe Sepsis and Septic Shock. 2021 ,		1
443	50 Years of Sepsis Investigation/Enlightenment Among Adults-The Long and Winding Road. <i>Critical Care Medicine</i> , 2021 , 49, 1606-1625	1.4	2
442	Rational Fluid Resuscitation in Sepsis for the Hospitalist: A Narrative Review. 2021 , 96, 2464-2473		1
441	Nursing Care for the Initial Resuscitation of Severe Sepsis Patients. 2021 , 33, 263-274		1
440	Best practices in pediatric sepsis: building and sustaining an evidence-based pediatric sepsis quality improvement program. 2021 , 1-9		
439	What Is the Utility of Measuring Lactate Levels in Patients with Sepsis and Septic Shock?. 2021 , 42, 650-661		2
438	Vasopressor and inotrope treatment for septic shock: An umbrella review of reviews. 2021 , 65, 65-71		1
437	Transfer Status and 90-Day Mortality in ICU Patients with Sepsis: A Propensity Matched Analysis. 2021 , 268, 595-605		0
436	Perioperative Management of Patients With Neuromuscular Disorders. 2022 , 206-224		
435	Simulated Adoption of 2019 Community-Acquired Pneumonia Guidelines Across 114 Veterans Affairs Medical Centers: Estimated Impact on Culturing and Antibiotic Selection in Hospitalized Patients. 2021 , 72, S59-S67		0
434	Pharmacokinetics of meropenem in children with sepsis undergoing extracorporeal life support: A prospective observational study. 2021 , 46, 754-761		3
433	A Checklist Approach for Enhanced Outpatient Guideline-Directed Management in the Secondary Prevention of Atherosclerotic Cardiovascular Disease. 2021 , 17, 79-86		0
432	Liberal versus conservative fluid therapy in adults and children with sepsis or septic shock. 2018 , 12, CD0105935		
431	Antibiotic Resistance in the Intensive Care Unit. 2006 , 582-591		1
430	Splanchnic Perfusion and Oxygenation in Critical Illness. 2006 , 627-640		4

429	Implementation of the Surviving Sepsis Campaign guidelines. 2006 , 525-533	1
428	Severe Sepsis and Septic Shock. 2008 , 287-304	1
427	Postoperative Care of the Cardiac Surgical Patient. 2010 , 535-566	1
426	Classic Critical Care Papers. 2010 , 7-12	1
425	Enjeux éthiques de la recherche clinique en réanimation. 2010 , 85-101	1
424	Using Protocols To Improve the Outcomes of Critically Ill Patients with Infection: Focus on Ventilator-Associated Pneumonia and Severe Sepsis. 2007 , 78-84	3
423	Strict Glycemic Control: Not If and When, but Who and How?. 2008 , 502-513	1
422	Herzchirurgische Intensivmedizin. 2010 , 135-184	2
421	IgM-enriched Immunoglobulins in Sepsis. 2009 , 102-110	3
420	What Have We Learned from the Surviving Sepsis Campaign?. 2011 , 219-225	1
419	Sepsis. 2006 , 589-602	1
418	Monitoring oxygenation. 2009 , 133-144	1
417	Sepsis. 2006 , 1474-1493	2
416	Pediatric Multiple Organ Dysfunction Syndrome. 2006 , 1494-1507	2
415	The systemic inflammatory response syndrome. 2007 , 292-309	2
414	Indications for and Contraindications to Intermittent Hemodialysis in Critically Ill Patients. 2009 , 1239-1243	4
413	Acute Kidney Injury. 2012 , 1044-1099	10
412	Infections of the Urinary Tract. 2012 , 257-326.e12	21

411	Maternal and Perinatal InfectionâBacterial. 2012 , 1140-1155			4
410	Sepsis. 2005 , 671-689			3
409	The Flaw of Medicine: Addressing Racial and Gender Disparities in Critical Care. 2020 , 38, 357-368			1
408	Current state of corticosteroid therapy in patients with septic shock.			2
407	Clinical Challenges and Unmet Needs in the Management of Complicated Intra-abdominal Infections. 2005 , 6, s-49-s-69			7
406	Critical care essentials for pharmacy trainees and new clinical practitioners. 2021 , 78, 1176-1183			0
405	Randomization in clinical trials of titrated therapies: unintended consequences of using fixed treatment protocols. <i>Critical Care Medicine</i> , 2007 , 35, 1509-16	1.4		122
404	Pharmacologic Treatment Related to Severe Sepsis. 2006 , 17, 423-432			1
403	Cirrhotic Patients Admitted to the ICU With Septic Shock: Factors Predicting Short and Long-Term Outcome. 2019 , 52, 408-413			6
402	Levels of protein C activity and clinical factors in early phase of pediatric septic shock may be associated with the risk of death. 2007 , 28, 518-23			12
401	Employing dobutamine as a useful agent to reverse the terlipressin-linked impairments in cardiopulmonary hemodynamics and global oxygen transport in healthy and endotoxemic sheep. 2008 , 29, 71-7			12
400	Role of host defense peptides of the innate immune response in sepsis. 2008 , 30, 117-26			22
399	A campaign worth joining: improving outcome in severe sepsis and septic shock using the Surviving Sepsis Campaign guidelines. 2007 , 100, 557-8			1
398	Serum procalcitonin levels in patients with multiple injuries including visceral trauma. 2009 , 66, 243-9			44
397	Use, timing and factors associated with tracheal intubation in septic shock: a prospective multicentric observational study. 2020 , 10, 62			15
396	Implementing early goal-directed therapy in the emergency setting: the challenges and experiences of translating research innovations into clinical reality in academic and community settings. 2007 , 14, 1072-8			21
395	Hotspot Analysis of Sepsis Literature. 2018 , 24, 5427-5436			4
394	Decreasing mortality in severe sepsis and septic shock patients by implementing a sepsis bundle in a hospital setting. <i>PLoS ONE</i> , 2011 , 6, e26790	3.7		55

393	Feasibility of modified surviving sepsis campaign guidelines in a resource-restricted setting based on a cohort study of severe <i>S. aureus</i> sepsis [corrected]. <i>PLoS ONE</i> , 2012 , 7, e29858	3.7	25
392	Chronic medical conditions and risk of sepsis. <i>PLoS ONE</i> , 2012 , 7, e48307	3.7	89
391	Differences in sepsis treatment and outcomes between public and private hospitals in Brazil: a multicenter observational study. <i>PLoS ONE</i> , 2013 , 8, e64790	3.7	35
390	High-sensitivity C-reactive protein and risk of sepsis. <i>PLoS ONE</i> , 2013 , 8, e69232	3.7	30
389	Using data-driven rules to predict mortality in severe community acquired pneumonia. <i>PLoS ONE</i> , 2014 , 9, e89053	3.7	11
388	Impact of appropriate antimicrobial therapy for patients with severe sepsis and septic shock--a quality improvement study. <i>PLoS ONE</i> , 2014 , 9, e104475	3.7	43
387	Inverted U-Shaped Relationship between Central Venous Pressure and Intra-Abdominal Pressure in the Early Phase of Severe Acute Pancreatitis: A Retrospective Study. <i>PLoS ONE</i> , 2015 , 10, e0128493	3.7	4
386	High Mortality in Severe Sepsis and Septic Shock Patients with Do-Not-Resuscitate Orders in East Asia. <i>PLoS ONE</i> , 2016 , 11, e0159501	3.7	8
385	Efficacy of polymyxin B-immobilized fiber hemoperfusion for patients with septic shock caused by Gram-negative bacillus infection. <i>PLoS ONE</i> , 2017 , 12, e0173633	3.7	5
384	Awareness and knowledge of sepsis in the general Korean population: comparison with the awareness and knowledge of acute myocardial infarction and stroke. 2014 , 1, 41-48		7
383	[Cost differences in the treatment of severe sepsis between survivors and non-survivors on the first day of intensive care admission]. 2007 , 148, 1851-6		1
382	PPIs: between overuse and underprescription when really necessary. 2015 , 107, 649-51		4
381	European Society of Intensive Care Medicine Society of Critical Care Medicine: 6 key provisions for management of sepsis patients. Where do we go next?. 2020 , 17, 54-62		1
380	Treatment of severe sepsis: where next? Current and future treatment approaches after the introduction of drotrecogin alfa. 2006 , 2, 3-18		8
379	Sepsis pathophysiology and anesthetic consideration. 2015 , 15, 57-69		24
378	A collaborative quality improvement model and electronic community of practice to support sepsis management in emergency departments: investigating care harmonization for provincial knowledge translation. 2012 , 1, e6		3
377	A Review on The Protective Effects of Metformin in Sepsis-Induced Organ Failure. 2020 , 21, 363-370		21
376	Current state of corticosteroid therapy in patients with septic shock. 2005 , 16, 151-161		1

375	Prevention, diagnosis, therapy and follow-up care of sepsis: 1st revision of S-2k guidelines of the German Sepsis Society (Deutsche Sepsis-Gesellschaft e.V. (DSG)) and the German Interdisciplinary Association of Intensive Care and Emergency Medicine (Deutsche Interdisziplinäre Vereinigung für Intensiv- und Notfallmedizin (DIVI)). 2010 , 8, Doc14	61
374	Peer reviewing critical care: a pragmatic approach to quality management. 2010 , 8, Doc23	12
373	Protocolised Management In Sepsis (ProMiSe): a multicentre randomised controlled trial of the clinical effectiveness and cost-effectiveness of early, goal-directed, protocolised resuscitation for emerging septic shock. 2015 , 19, i-xxv, 1-150	49
372	Sepsis: the LightCycler SeptiFast Test MGRADE, SepsisTest and IRIDICA BAC BSI assay for rapidly identifying bloodstream bacteria and fungi - a systematic review and economic evaluation. 2016 , 20, 1-246	36
371	Descriptive analysis of timing of administration of antimicrobial therapy for septic shock in a medical-surgical intensive care unit. 2008 , 141, 286-292	1
370	Septic shock due to a giant infected liver cyst after pancreaticoduodenectomy: a case report. 2011 , 22, 890-896	2
369	Skin necrosis after a low-dose vasopressin infusion through a central venous catheter for treating septic shock. 2006 , 21, 287-90	13
368	The effects of enteral feeding with eicosapentaenoic acid, gamma-linolenic acid and antioxidant vitamins on mechanically ventilated patients with severe sepsis and septic shock: a retrospective analysis of Japanese-descendant patients. 2011 , 18, 207-213	2
367	Treatment effect of thrombomodulin- α on septic disseminated intravascular coagulation (DIC): a historical cohort study. 2012 , 19, 359-366	4
366	My First 50 Years of Critical Care (1956-2006). 2007 , 16, 12-16	6
365	Packed Red Blood Cell Transfusion in the Intensive Care Unit: Limitations and Consequences. 2007 , 16, 39-48	37
364	Physiological Monitoring for Critically Ill Patients: Testing a Predictive Model for the Early Detection of Sepsis. 2007 , 16, 122-130	22
363	Adherence to and Efficacy and Safety of an Insulin Protocol in the Critically Ill: A Prospective Observational Study. 2007 , 16, 599-608	31
362	Improvement of Glucose Control in the Intensive Care Unit: An Interdisciplinary Collaboration Study. 2008 , 17, 150-156	11
361	Predictors of Adverse Events in Patients After Discharge From the Intensive Care Unit. 2008 , 17, 255-263	45
360	Surviving Severe Sepsis. 2004 , 24, S2-S13	9
359	Cardiovascular Aspects of Septic Shock. 2005 , 25, 14-40	21
358	Blood Transfusions in the Intensive Care Unit. 2008 , 28, 78-80	3

357	Types of studies and research design. 2016 , 60, 626-630	11
356	Comparative evaluation of central venous pressure and sonographic inferior vena cava variability in assessing fluid responsiveness in septic shock. 2016 , 20, 708-713	2
355	Clinical management guidelines of pediatric septic shock. 2005 , 9, 164-172	1
354	Safety and efficacy of polymyxin B in multidrug resistant Gram-negative severe sepsis and septic shock. 2008 , 12, 153-7	23
353	Sepsis-induced acute kidney injury. 2010 , 14, 14-21	29
352	Vasopressin: Its current role in anesthetic practice. 2011 , 15, 71-7	10
351	Etomidate, adrenal function, and mortality in critically ill patients. 2013 , 58, 639-46	15
350	Biomarkers in Acute Kidney Injury. 2013 , 03, 51-60	1
349	Fatal Urosepsis: A 41 Year-Old Pregnant WomanâCase Report. 2014 , 04, 137-141	1
348	Comparison of Cardiac Output Measurement by Noninvasive Method with Electrical Cardiometry and Invasive Method with Thermodilution Technique in Patients Undergoing Coronary Artery Bypass Grafting. 2014 , 04, 123-130	9
347	The Efficacy of Early Goal-directed Therapy in Septic Shock Patients in the Emergency Department: Severe Sepsis Campaign. 2010 , 25, 61	4
346	Implementing a Sepsis Resuscitation Bundle Improved Clinical Outcome: A Before-and-After Study. 2014 , 29, 250	2
345	The Prognostic Factors of Pneumonia with Septic Shock in Patients Presenting to the Emergency Department. 2015 , 30, 258-264	7
344	Capacity and Utilization of Blood Culture in Two Referral Hospitals in Indonesia and Thailand. 2017 , 97, 1257-1261	14
343	Could Neutrophil CD64 Expression Be Used as a Diagnostic Parameter of Bacteremia in Patients with Febrile Neutropenia?. 2017 , 34, 167-173	2
342	Controversies in Sepsis ManagementâWhat is the Way Forward?. <i>Annals of the Academy of Medicine, Singapore</i> , 2020 , 49, 661-668	2.8 1
341	Análise da Gasometria e dos Níveis de Lactato Na Hipertensã Intra-abdominal Associada â Sepse Abdominal: Modelo Experimental em Ratos. 2013 , 2, 49-51	0
340	Bundle Adherence of Intravenous Antibiotic Fluid Resuscitation and Vasopressor in Children with Severe Sepsis or Septic Shock. 2020 , 24, 128-132	5

339	Thrombocytopenia: A Risk Factor of Mortality for Patients with Sepsis in the Intensive Care Unit. 2016 , 17, 7-14		6
338	Immune disorders in sepsis and their treatment as a significant problem of modern intensive care. 2017 , 71, 703-712		6
337	Prognostic Factors and Postoperative Complications in Patients with Colorectal Perforation. 2010 , 43, 1007-1013		3
336	Role of platelet TLR4 expression in pathogenesis of septic thrombocytopenia. 2011 , 2, 13-7		13
335	Lung recruitment maneuver effects on respiratory mechanics and extravascular lung water index in patients with acute respiratory distress syndrome. 2011 , 2, 201-5		4
334	Systematic screening is essential for early diagnosis of severe sepsis and septic shock. 2015 , 27, 96-101		9
333	An electronic warning system helps reduce the time to diagnosis of sepsis. 2018 , 30, 414-422		9
332	Emergency Physician Compliance with Quality Indicators of Septic Shock and Severe Sepsis in Eastern Taiwanese Community Hospital. <i>Journal of Acute Medicine</i> , 2017 , 7, 135-140	0.4	1
331	Multifaceted interventions to decrease mortality in patients with severe sepsis/septic shock-a quality improvement project. 2015 , 3, e1290		5
330	Dynamics of GRK2 in the kidney: a putative mechanism for sepsis-associated kidney injury. 2021 , 135, 2341-2356		1
329	Sepsis. 2021 , 33, 407-418		2
328	Efficiency of Monocyte/High-Density Lipoprotein Cholesterol Ratio Combined With Neutrophil/Lymphocyte Ratio in Predicting 28-Day Mortality in Patients With Sepsis. 2021 , 8, 741015		2
327	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, e1063-e1143	1.4	131
326	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. 2021 , 47, 1181-1247		199
325	Recent literature review: No clues, EQ, and What does not work. 2004 , 8, 22-25		
324	[Protective ventilation strategy in the acute respiratory distress syndrome]. 2004 , 51, 45-9		0
323	Procrastination Is the Thief of Time1: Surviving Guidelines. 2004 , 13, 287-289		
322	Importance of Svo2 Monitoring and Plasma Lactate Level in Critical Care Management. 2005 , 25, 645-651		

- 321 Severe Sepsis in the Elderly. **2005**, 437-448 1
- 320 Activated Protein C: The current state of play. **2005**, 16, 1-2
- 319 The Ridiculous Mouse. **2005**, 14, 360-362
- 318 Schock. **2006**, 337-429
- 317 Treatment of clinical conditions of DIC. **2006**, 17, 294-297
- 316 A Multidisciplinary Community Hospital Program for Early and Rapid Resuscitation of Shock in Nontrauma Patients. **2006**, 2006, 267-268
- 315 Die Diagnose der Sepsis. **2006**, 1-12
- 314 Antifungal Therapy in Surgical ICU Patients. **2006**, 613-623
- 313 Infectious Diseases. **2006**, 143-204
- 312 Clinical Implementation of the ARDS Network Protocol Is Associated With Reduced Hospital Mortality Compared With Historical Controls. **2006**, 2006, 13-14
- 311 Infectious Diseases and Bioterrorism. **2006**, 377-411 0
- 310 Who's Speaking?. **2006**, 15, 244-246
- 309 More on pneumonia: "Surviving Sepsis" campaign may contradict CURB score. **2006**, 332, 1333-4
- 308 Intensive care unit management of complex postoperative problems. **2006**, 1-19
- 307 The Implementation of New Therapies for Severe Sepsis: Some Questions Raised by "Early Goal-directed Therapy, Corticosteroid, and Recombinant Human Activated Protein C for the Treatment of Severe Sepsis and Septic Shock in the Emergency Department". **2006**, 13, 997-999 1
- 306 Role of Exogenous Arginine Vasopressin in the Management of Catecholamine-Refractory Septic Shock. **2006**, 26, 17-23 3
- 305 Are Mitochondria Responsible for Improved Outcomes in Recent Studies?. **2007**, 188-196
- 304 Glucose Control and Monitoring in the ICU. **2007**, 113-129

303 La thermodilution transpulmonaire. **2007**, 53-64

302 The Importance of Large Volume Initial Fluid Therapy for Severe Sepsis and Septic Shock. **2007**, 18, 687-693

301 Dose Adjustment and Pharmacokinetics of Antibiotics in Severe Sepsis and Septic Shock. **2007**, 122-146

300 Multiorganversagen. **2007**, 271-275

299 Sepsis und SIRS. **2007**, 261-269

298 Intensivmedizin: Entwicklung und derzeitiger Stand. **2007**, 47-60

297 Akute Herz-Kreislauf-Insuffizienz und Schock. **2007**, 1778-1782

296 Sepsis und Infektionen. **2007**, 835-867

295 Endocrine Toxicology. **2007**, 317-345

294 Should we use glucocorticoids for severe community-acquired pneumonia?. **2007**, 14, 253-255

293 De Gruyter. **2007**, 79,

292 Duration of hypotension before initiation of effective antimicrobial therapy is the critical determinant of survival in human septic shock. **2007**, 2007, 187-188

1

291 Cytokine-related genetic polymorphism in critical care medicine. **2007**, 14, 14-17

290 Three cases of low dose hydrocortisone infusion for acute respiratory distress syndrome (ARDS) caused by community-acquired pneumonia. **2007**, 14, 315-320

2

289 Etiology and prevention of multisystem organ failure. **2007**, 434-445

288 Endocrine Issues During Acute Illness, Sepsis, and the Perioperative Period. **2007**, 308-345

287 Pulmonalarterienkatheter. **2007**, 81-96

286 Sepsis. **2007**, 739-744

- 285 The Management of Post-surgical Acute Lung Injury – Summary of Pharmacologic Treatment. **2007**, 27, 218-224
- 284 Procalcitonin: Nice to Know, Need to know, or Needs Further Research?. **2007**, 10-21 1
- 283 Circulatory Shock: Hypovolemic, Distributive, Cardiogenic, Obstructive. **2007**, 211-224
- 282 Glucose Control and Monitoring in the ICU. **2007**, 113-129
- 281 Renal failure in association with thermal injuries. **2007**, 446-453
- 280 Report of a Case with Prolonged Effects of Vecuronium / Midazolam and Conscious Disturbance after Cardiopulmonary Resuscitation, in Whom Differential Diagnosis was Difficult. **2007**, 27, 508-512
- 279 Initial Assessment and Early Resuscitation. **2007**, 3-23
- 278 Le monitoring (invasif et non invasif) de la pression artfielle. **2007**, 15-36 1
- 277 New Information on Monitoring for Anesthesiologists Active in Anesthesia and Critical Care. **2007**, 27, 225-233
- 276 Splanchnic and Renal Monitoring. **2007**, 1016-1028
- 275 Shock. **2007**, 1158-1180
- 274 Hemodynamic Management. **2007**, 1140-1157
- 273 Introduã. **2007**, 33, 51-53 2
- 272 Septicaemic Shock. 1
- 271 Postoperative Infection in Cardiac Surgery. **2008**, 361-388
- 270 Nosokomiale Infektionen. **2008**, 811-830
- 269 Terlipressin in Septic Shock: When and How Much?. **2008**, 423-433
- 268 Prevalence Surveys of Antimicrobial Use in Hospitals: Purpose, Practicalities, and Pitfalls. **2008**, 69-81

- 267 Therapeutic Approach for Severe Sepsis Based on the Evidence 2007. **2008**, 19, 91-98 2
- 266 Sepsis. 97-118
- 265 A Case of Septic Shock due to an Acute Prostatitis Caused by Extended-Spectrum .BETA.-Lactamase (ESBL) Producing Escherichia coli. **2008**, 19, 208-213 0
- 264 Multiple Organ Dysfunction Syndrome. **2008**, 563-576
- 263 Guidelines, Protocols, and the Surviving Sepsis Guidelines: A Critical Appraisal. **2008**, 87-92
- 262 The Systemic Inflammatory Response Syndrome (SIRS), Sepsis, and Septic Shock. **2008**, 99-110
- 261 Long-Term Complications and Management. **2008**, 688-708
- 260 The Cardiovascular Management of Sepsis. **2008**, 413-422
- 259 Use of Mixed Venous Oxygen Saturation in ICU Patients. **2008**, 641-653
- 258 Medical guidelines and performance measures: the need to keep them free of industry influence. **2008**, 6, 22-8
- 257 Sepsis. **2008**, 1085-1101
- 256 Transfusion Therapy. **2008**, 167-189
- 255 Notes for the practice of intensive insulin therapy. **2008**, 15, 160-164
- 254 Management of Infectious Diseases. 63-71
- 253 Sepsis. **2008**, 791-809
- 252 Sepsis. **2008**, 132-140
- 251 Strict Glycemic Control: Not If and When, but Who and How?. **2008**, 502-513
- 250 SEPSIS, SEPTIC SHOCK, AND ITS TREATMENT. **2008**, 670-676

249 [New therapy strategies for treatment of severe sepsis and septic shock in intensive care unit of clinical centre in Kragujevac]. **2008**, 136, 248-52

248 Myocardial Dysfunction in Sepsis and Septic Shock. **2008**, 333-347

1

247 Infectious Diseases. **2008**, 469-499

246 CRITICAL CARE OF THE THORACIC SURGICAL PATIENT. **2008**, 145-159

245 New Therapies for Sepsis. **2008**, 521-557

244 Treatment of DIC. **2008**, 19, 348-352

243 ??????????????????????????????????????. **2008**, 15, 67-71

242 Fluid Balance and Volume Resuscitation. 74-96

241 [Treatment of urosepsis]. **2008**, 149, 1095-9

240 Current approach to diagnosis, antibacterial therapy and prevention of community-acquired pneumonia in adults (on the basis of Infectious Diseases Society of America / American Thoracic Society Consensus Guidelines on the Management of community. **2008**, 15-50

239 Surviving Sepsis Campaign and Bundles. **2009**, 325-331

238 Update on Preload Indexes: More Volume than Pressure. **2009**, 275-284

237 Corticosteroid Treatment of Patients in Septic Shock. **2009**, 753-760

236 Septicemia. **2009**, 644-650

235 An Overwhelming Postsplenectomy Infection Syndrome Associated with Diabetes Mellitus. **2009**, 59, 275-280

1

234 Multiple Organ Failure Followed by Intrauterine Klebsiella Pneumoniae Infection Associated with Diabetes Mellitus. **2009**, 59, 151-155

0

233 Corticosteroid Treatment of Patients in Septic Shock. **2009**, 753-760

232 Sepsis. **2009**, 63-80

- 231 Multiple Organ Dysfunction in the Pediatric Intensive Care Unit. **2009**, 1600-1605
- 230 Blood Glucose Control in Critical Care. **2009**, 757-761
- 229 New Concepts and Emerging Issues in Sepsis. **2009**, 127-163
- 228 Refining the Tools for Early Goal-directed Therapy in Septic Shock. **2009**, 205-218
- 227 Randomized controlled trial????????????????? â?????????????. **2009**, 16, 21-26 1
- 226 Acute right heart failure. **2009**, 89-111
- 225 Maternal and Fetal Infections. **2009**, 739-795
- 224 Oxygen therapy. **2009**, 315-326
- 223 ???disseminated intravascular coagulation(DIC)????????????????????antithrombin III?????????????. **2009**, 16, 453-458
- 222 Cardiac physiology of acute heart failure syndromes. **2009**, 1-45
- 221 Cardiogenic shock. **2009**, 71-87
- 220 Refining the Tools for Early Goal-directed Therapy in Septic Shock. **2009**, 205-218
- 219 Update on preload indexes: More volume than pressure. **2009**, 275-284
- 218 [Severe form of Legionnaires' disease in an immunocompetent patient]. **2009**, 66, 1010-4 1
- 217 Albumine. **2009**, 343-356
- 216 ??????????????????????????. **2009**, 16, 255-262 2
- 215 Highlights from the 2008 Surviving Sepsis Campaign: Part 2. **2009**, 44, 298-302
- 214 Quantifying the Dose of Acute Kidney Replacement Therapy. **2010**, 547-557

213 Gastrointestinal Bleeding. **2010**, 455-469

212 Antithrombotika: aktiviertes Protein C und Antithrombin. **2010**, 813-819

211 Purpura fulminans und andere komplexe Gerinnungsstörungen bei Kindern. **2010**, 591-600

210 Sepsis. **2010**, 472-482

209 Cervical Spinal Epidural Abscess and Perirenal Abscess Associated with Diabetes Mellitus. **2010**, 60, 155-158

208 Evaluation of the Febrile Patient in the ICU. **2010**, 349-360

207 Sepsis. **2010**, 297-309

206 Judicious use of antimicrobial agents in a field of emergency and critical care. **2010**, 21, 871-888

205 Timing of Renal Replacement Therapy. **2010**, 373-379

204 General Principles of Sepsis. **2010**, 121-137

203 Multiple Organ Dysfunction: The Systemic Host Response to Critical Surgical Illness. **2010**, 93-107

202 Effect of Admission Time to the Medical Intensive Care Unit on Acute Critical Patient Outcomes. **2010**, 25, 71

3

201 Determinantes fisiológicos de la transfusión de hemátas. Umbral transfusional. **2010**, 243-252

200 Sepsis. **2010**, 478-491

199 Principles of anti-infective therapy. **2010**, 1275-1287

198 Timing of Renal Replacement Therapy. **2010**, 373-379

197 Critical Care Protocols. **2010**, 2869-2877

196 Anemia y terapia transfusional en el paciente crítico. **2010**, 483-497

195 The Current Status of Sepsis Research in Japan in Comparison to the Status of International Research. **2010**, 56, 334-338

194 ?????????????????? â?????â 2010, 17, 479-489

1

193 Renal Replacement Therapies. **2010**, 2957-2969

192 Sepsis. **2010**, 720-725.e1

191 Cardiovascular Monitoring in Critical Care. 42-61

190 Akutes Lungenversagen. **2011**, 479-486

189 14 Intravasale infecties en sepsis. **2011**, 279-301

188 Blood Glucose Control in Critically Ill Patients. **2011**, 31, 551-559

187 Long-Term Complications and Management. **2011**, 1086-1106

1

186 Infektionskrankheiten und Schutzimpfungen. **2011**, 967-1113

185 Lactate Clearance and Outcome in Septic Shock Patients with Low Level of Initial Lactate. **2011**, 26, 78

184 Critical Care Management: The Patient with Ballistic Trauma. **2011**, 613-627

183 Management and Outcomes of Intensive Care in the Geriatric Surgical Patient. **2011**, 377-390

182 Gas Gangrene. **2011**, 656-661

181 Sepsis syndromes. **2011**, 327-330

180 Management of Severe Sepsis and Septic Shock. **2011**, 93-100

179 SIRS, Sepsis und Multiorganversagen. **2011**, 425-451

178 Pharmacoeconomics. **2011**, 1387-1392

177 Critical Care of the Patient with Acute Stroke. **2011**, 1008-1048

176 Clinical possibility and limitation of recombinant human soluble thrombomodulin (rTM) for the patients of disseminated intravascular coagulation. **2011**, 18, 555-556

175 ??. **2011**, 18, 575-582

174 Conflicts of Interest in the Development and Dissemination of Clinical Practice Guidelines. **2011**, 14, 225-232

1

173 Postoperative Complications. **2012**, 621-639

172 Infezione, sepsi e shock settico. **2012**, 101-117

171 The Corticotrophin Test in Critical Illness: Traps and Tricks. **2012**, 127-137

170 Sepsis in the elderly. **2012**, 227-242

1

169 Managements for the refractory shock according to its pathophysiology. **2012**, 19, 561-563

168 Kreislaufunterstützende Therapie. **2012**, 1484-1503

167 What should we learn from the failure of an activated protein C?. **2012**, 19, 586-594

166 Inflammation and Coagulation. **2012**, 85-91

165 Sepsis. 383-406

164 Translational Equation-Based Modeling. **2013**, 11-28

163 Blut. **2013**, 230-247

162 Continuation or Discontinuation of Statin Therapy Did Not Influence Patient Outcomes after the Development of Acute Respiratory Distress Syndrome. **2013**, 2013, 1-8

161 To improve the survival of sepsis: from the result of a survey for sepsis. **2013**, 20, 579-580

160 Sepsis-induzierte CIP und CIM. **2013**, 24, 36-43

- 159 Predictive value of extravascular lung water indexed to predicted body weight. **2014**, 3, 124
- 158 Hyperglycemia, Dysglycemia and Glycemic Control in Pediatric Critical Care. **2014**, 93-101
- 157 Herzchirurgische Intensivmedizin. **2014**, 1-101
- 156 Sepsis. **2014**, 453-479
- 155 Nutrition in Critical Illness. **2014**, 375-389
- 154 Treatment of Severe Sepsis-Based on Surviving Sepsis Campaign Guideline. **2014**, 86, 557
- 153 Efficacy of an immuno-modulating enteral diet in patients with severe sepsis/septic shock. **2014**, 21, 155-163
- 152 Ulinastatin and thymosin as immune modulators for the treatment of sepsis.
- 151 Sepsis. **2015**, 107-148
- 150 Severe Sepsis Beyond the Emergency Department and ICU: Targeting Early Identification and Treatment on the Hospital Floor. **2015**, 557-569
- 149 Sepsis. **2016**, 1-9
- 148 Infection and Sepsis. **2016**, 85-94
- 147 Should Steroids Be Used in Septic Shock?. **2017**, 239-240
- 146 Rat Model of Cecal Ligation and Puncture versus Colon Ascendens Stent Peritonitis: Comparative Study for Oxidative Stress. **2017**, 07, 80-92
- 145 Acute Right Heart Failure. **2017**, 209-271
- 144 Bundled Therapies in Sepsis. **2017**, 225-236
- 143 Cardiac Physiology and Acute Heart Failure Syndromes. **2017**, 1-80
- 142 Blood Coagulation During Sepsis and Septic Shock: Is There Still Room for Anticoagulants?. **2018**, 43-76

- 141 Six-Hour Sepsis Bundle Decreases Mortality: Truth or Illusion - A Prospective Observational Study. **2018**, 22, 852-857
- 140 in Northern Australia: A Sheep in Wolf's Clothing?. **2018**, 99, 844-848 1
- 139 IV. Sepsis. **2018**, 107, 2252-2260
- 138 ACUTE KIDNEY INJURY IN SEPSIS PATIENTS- AN OBSERVATIONAL STUDY. **2018**, 5, 3374-3380
- 137 Actualité sur le sépsis et le choc septique de l'enfant. **2019**, 28, 239-248
- 136 Core Elements of General Supportive Care for Patients with Sepsis and Septic Shock in Resource-Limited Settings. **2019**, 85-129 1
- 135 Possible role of skeletal muscles in the pathogenesis of hyperdynamic septic shock. **2019**, 27
- 134 Management of Shock. **2019**, 11-18 1
- 133 Hydrocortisone Reduces 28-day Mortality in Septic Patients: A Systemic Review and Meta-analysis. **2019**, 11, e4914
- 132 Sepsis and Septic Shock in Cancer Patients. **2020**, 1313-1321 0
- 131 Microbiological spectrum of nosocomial infection in patients with infectious spondylitis after sepsis. **2019**, 11, 134-141
- 130 Sepsis: Control and Treatment. **2020**, 23-27
- 129 Association between Blood Pressure after Haemodynamic Resuscitation in the Prehospital Setting and 28-Day Mortality in Septic Shock. **2020**, 48, 229-234
- 128 The association between the quick sequential organ failure assessment score prior to emergency ICU admission and outcomes in adults with suspected infection. **2020**, 26, 149-154
- 127 Sepsis, a 2020 review for the internist. **2020**, 58, 129-137 3
- 126 CD11c regulates hematopoietic stem and progenitor cells under stress. **2020**, 4, 6086-6097 3
- 125 Intravenous Iron Isomaltoside 1000 Reduces Postoperative Anemia in Patients Undergoing Elective Urologic Surgery and Those with Urosepsis. **2020**, 14, 5679-5687 1
- 124 Patient Safety in Internal Medicine. **2021**, 213-252 1

123 Critical Care and Fluid Therapy. **2020**, 1521-1544.e4

122 Intensive Care Unit Operational Modeling and Analysis. 132-147

121 Septisches Lungenversagen. **2006**, 78-91

120 Disseminated Intravascular Coagulation. **2008**, 551-562

119 Vasopressors in Sepsis: Do They Change the Outcome?. **2006**, 121-125

118 Delirium in Septic Patients: An Unrecognized Vital Organ Dysfunction. **2006**, 136-150

117 Novel Therapies in Critically Ill Septic Patients. **2006**, 25-32

116 Antifungal Therapy in Surgical ICU Patients. **2006**, 613-623

115 Splanchnic Perfusion and Oxygenation in Critical Illness. **2006**, 627-640

114 Setting The Scene. **2006**, 3-21

113 Diagnostic Technologies to Assess Tissue Perfusion and Cardiorespiratory Performance. **2006**, 153-164

112 Improving Organ Function. **2006**, 201-211

111 Measuring Performance. **2006**, 335-344

110 SIRS, Sepsis und Multiorganversagen. **2006**, 341-359

109 Organ dysfunction during sepsis. **2006**, 345-356

o

108 Sepsis. **2006**, 704-758

107 Haemodynamic monitoring of septic patients with pressure recording analytical method: preliminary observations. **2006**, 323-339

106 Strategy in the treatment of secondary peritonitis. **2006**, 503-518

- 105 Combination therapy for sepsis: the wave of the future or too complex to consider?. **2006**, 519-524
- 104 Are Mitochondria Responsible for Improved Outcomes in Recent Studies?. **2007**, 188-196
- 103 The Cardiovascular Management of Sepsis. **2008**, 413-422
- 102 Terlipressin in Septic Shock: When and How Much?. **2008**, 423-433
- 101 Use of Mixed Venous Oxygen Saturation in ICU Patients. **2008**, 641-653
- 100 Sepsis. 212-219
- 99 Blutzuckermanagement auf der Intensivstation. **2007**, 215-226
- 98 Intensivmedizin nach vaskulären Operationen. **2007**, 63-82
- 97 Sauerstoffangebot und Sauerstoffverbrauch. 181-191
- 96 SIRS, Sepsis und Multiorganversagen. **2008**, 351-371
- 95 Maschinelle Beatmung. 1505-1529
- 94 Kreislaufunterstützende Therapie. 1530-1553
- 93 Interprofessional Simulation to Improve the Understanding of Obstetric Sepsis. **2020**, 36, E18-E26 1
- 92 Usefulness of ischemia-modified albumin in the diagnosis of sepsis/septic shock in the emergency department. **2020**, 7, 161-169 0
- 91 Translational Equation-Based Modeling. **2021**, 13-30
- 90 Comparative Study between the Uses of High Dose Corticosteroid Therapy for Short Duration Versus Low Dose Corticosteroid for Long Duration in Severe Lung Contusion with ARDS. **2020**, 14, 90-100
- 89 Controversies in Sepsis Management—What is the Way Forward?. *Annals of the Academy of Medicine, Singapore*, **2020**, 661-668 2.8 2
- 88 Survival analysis of 314 episodes of sepsis in medical intensive care unit in university hospital: impact of intensive care unit performance and antimicrobial therapy. **2006**, 47, 385-97 35

87	Septic cardiomyopathy - A not yet discovered cardiomyopathy?. 2006 , 11, 226-36		55
86	The secondary abdominal compartment syndrome: not just another post-traumatic complication. 2008 , 51, 399-405		38
85	Low-dose, off-label drotrecogin alfa (xigris) in severe sepsis. <i>P and T</i> , 2008 , 33, 469-76	1.4	
84	The microcirculation in sepsis. 2009 , 53, 281-93		17
83	9 Human Immunoglobulins. 2009 , 36, 449-459		2
82	Eritoran: the evidence of its therapeutic potential in sepsis. <i>Core Evidence</i> , 2008 , 2, 199-207	4.9	2
81	Purpura fulminans in meningococcal septicaemia in an adult: a case report. <i>Annals of Burns and Fire Disasters</i> , 2010 , 23, 43-7	0.8	6
80	Identification of enhanced cytokine generation following sepsis. Dream of magic bullet for mortality prediction and therapeutic evaluation. <i>DARU, Journal of Pharmaceutical Sciences</i> , 2010 , 18, 155-62	3.9	19
79	The effects of moderate-dose steroid therapy in sepsis: A placebo-controlled, randomized study. <i>Journal of Research in Medical Sciences</i> , 2011 , 16, 1410-21	1.6	13
78	Renal dysfunction in burns: a review. <i>Annals of Burns and Fire Disasters</i> , 2013 , 26, 16-25	0.8	24
77	Mitochondrial mechanisms of sepsis-induced organ failure. <i>Frontiers in Bioscience - Landmark</i> , 2008 , 13, 5030-41	2.8	40
76	Construction and management of ARDS/sepsis registry with REDCap. <i>Journal of Thoracic Disease</i> , 2014 , 6, 1293-9	2.6	6
75	Molecular mechanisms in the pathogenesis of sepsis. <i>Journal of Medicine and Life</i> , 2014 , 7 Spec No. 2, 38-41	1.5	10
74	Acute necrotizing pancreatitis: can tigecycline be included in a therapeutic strategy?. <i>Giornale Di Chirurgia</i> , 2015 , 36, 15-20	2.2	2
73	Vasopressor and Inotropic Management Of Patients With Septic Shock. <i>P and T</i> , 2015 , 40, 438-50	1.4	14
72	Effects of combined thymosin and hydrocortisone on immune response in septic mice. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 12989-94		1
71	Why we need a new definition of sepsis. <i>Annals of Translational Medicine</i> , 2015 , 3, 296	3.2	5
70	Protocol Adherence for Severe Sepsis and Septic Shock Management in the Emergency Department; a Clinical Audit. <i>Emergency</i> , 2017 , 5, e16		1

69	Performance of the FilmArray Blood culture identification panel in positive blood culture bottles and cerebrospinal fluid for the diagnosis of sepsis and meningitis. <i>GMS Infectious Diseases</i> , 2016 , 4, Doc06	0.9	0
68	National Trends of Organ Dysfunctions in Sepsis:An 11-Year Longitudinal Population-Based Cohort Study. <i>Journal of Acute Medicine</i> , 2019 , 9, 178-188	0.4	1
67	Barriers and Proposed Solutions to a Successful Implementation of Pediatric Sepsis Protocols. <i>Frontiers in Pediatrics</i> , 2021 , 9, 755484	3.4	0
66	Signaling pathways and intervention therapies in sepsis. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 407	2.1	3
65	Adequacy of probabilistic prehospital antibiotic therapy for septic shock.. <i>American Journal of Emergency Medicine</i> , 2021 , 53, 80-85	2.9	
64	Etiologic Structure of Bloodstream Infections. <i>Problemy Zdorov'ya i Biologii</i> , 2018 , 15-20	0.2	1
63	Analysis of Prognostic Risk Factors of Sepsis Patients in Intensive Care Unit Based on Data Analysis.. <i>Journal of Healthcare Engineering</i> , 2022 , 2022, 3746640	3.7	0
62	Growth factor expression is enhanced and extracellular matrix proteins are depressed in healing skin wounds in septic patients compared with healthy controls.. <i>Apmis</i> , 2021 ,	3.4	
61	Precision medicine in sepsis and septic shock: From omics to clinical tools.. <i>World Journal of Critical Care Medicine</i> , 2022 , 11, 1-21	3	2
60	Colorectal Surgery in Critically Unwell Patients: A Multidisciplinary Approach. <i>Clinics in Colon and Rectal Surgery</i> ,	2.3	
59	The Value of SEP-1.. <i>Chest</i> , 2022 , 161, 303-304	5.3	
58	Hour-1 bundle adherence was associated with reduction of in-hospital mortality among patients with sepsis in Japan.. <i>PLoS ONE</i> , 2022 , 17, e0263936	3.7	0
57	Vasopressin: The Impact of Predatory Patents on a Captive ICU Marketplace.. <i>Critical Care Medicine</i> , 2022 , 50, 711-714	1.4	
56	Early Empirical Use of Broad-Spectrum Antibiotics in Sepsis. <i>Current Infectious Disease Reports</i> , 1	3.9	1
55	The effect of norepinephrine on clinical and hemodynamic parameters in neonates with shock: a retrospective cohort study.. <i>European Journal of Pediatrics</i> , 2022 , 1	4.1	0
54	Gynecological and surgical sepsis. 382-398		
53	Image_1.TIF. 2020 ,		
52	Image_2.TIF. 2020 ,		

51 Image_3.TIF. **2020**,

50 Image_4.TIF. **2020**,

49 Image_5.TIF. **2020**,

48 Table_1.docx. **2020**,

47 Compliance with SEP-1 guidelines is associated with improved outcomes for septic shock but not for severe sepsis. *Journal of Intensive Medicine*, **2022**,

1

46 Analysis of Fresh Frozen Plasma utilization indications in children: an audit of a tertiary care hospital in Turkey. *Transfusion and Apheresis Science*, **2022**, 103469

2.4

45 Early ICU Management of Polytrauma Patients Who Develop Sepsis. **2022**, 503-518

44 A Case-Control Study of Continuous Veno-Venous Hemofiltration Combined with Xuebijing Injection in the Treatment of Severe Sepsis. *Contrast Media and Molecular Imaging*, **2022**, 2022, 1-8

3.2

43 Association of Registered Nurse Staffing With Mortality Risk of Medicare Beneficiaries Hospitalized With Sepsis. *JAMA Health Forum*, **2022**, 3, e221173

2

0

42 Pediatric Sepsis-Development of a Clinical Pathway for the Pediatric Emergency Department.

0

41 Combating surgical infections. **2022**, 1, 1

40 The Sepsis Bundle Effect: An Evaluation of Culture Results and Utilization in Pediatric Appendicitis. *American Surgeon*, 000313482211094

0.8

39 Sepsis-related cardiomyopathy: Not an easy task for ICU physicians. *Journal of Intensive Medicine*, **2022**,

38 Overview of Venoarterial Extracorporeal Membrane Oxygenation (VA-ECMO) Support for the Management of Cardiac Arrest and Cardiogenic Shock.

37 Explainable Machine-Learning Model for Prediction of In-Hospital Mortality in Septic Patients Requiring Intensive Care Unit Readmission. *Infectious Diseases and Therapy*,

6.2

0

36 New Insights Into Diuretic Use to Treat Congestion in the ICU: Beyond Furosemide. 2,

35 Positive Fluid Balance is Associated with Poor Clinical Outcomes in Paediatric Severe Sepsis and Septic Shock. *Annals of the Academy of Medicine, Singapore*, **2019**, 48, 290-297

2.8

7

34 Nurses' knowledge and confidence in recognizing and managing patients with sepsis: A multi-site cross-sectional study.

0

- 33 Early Clinical Management of Sepsis: Past, Present, and Future. **2022**, 4, 14 ○
- 32 Sepsis in Older Adults. **2022**, 463-483 ○
- 31 Monocyte Distribution Width: Another (Better?) Marker to Predict Sepsis?*. **2022**, 23, 752-754 ○
- 30 Characteristics and outcomes of patients presenting with acute myocardial infarction and cardiogenic shock during COVID-19. ○
- 29 Molecular point-of-care testing for lower respiratory tract pathogens improves safe antibiotic de-escalation in patients with pneumonia in the ICU: Results of a randomised controlled trial. **2022**, 1
- 28 Rol del lactato en pacientes con falla hepática. **2021**, 62, ○
- 27 Epidemiology of Community-Acquired Sepsis: Data from an E-Sepsis Registry of a Tertiary Care Center in South India. **2022**, 11, 1226 ○
- 26 Author reply: Combination of norepinephrine with phenylephrine versus norepinephrine with vasopressin in critically ill patients with septic shock: A retrospective study. **2022**, 154176 ○
- 25 Nurses' Knowledge Regarding Nursing Surveillance of the Septic Patient. **2022**, 36, 309-316 ○
- 24 The Survival of the Surviving Sepsis Campaign. **2022**, 106, 1109-1117 ○
- 23 2022 Peggi Guenter Excellence in Clinical Practice Lectureship: Expanding the clinical practice of nutrition—challenging the known, exposing inconvenient truths, and engaging the young. **2022**, 37, 1257-1271 ○
- 22 Letter to the editor: "Combination of norepinephrine with phenylephrine versus norepinephrine with vasopressin in critically ill patients with septic shock: A retrospective study" **2022**, 154239 ○
- 21 The Association of Corticosteroid Therapy With Mortality and Length of Stay Among Children With Septic Shock: A Retrospective Cohort Study. **2023**, ○
- 20 Relative adrenal insufficiency is a risk factor and endotype of sepsis - A proof-of-concept study to support a precision medicine approach to guide glucocorticoid therapy for sepsis. 13, 1
- 19 Vitamin D receptor polymorphisms and vitamin D insufficiency are not associated with sepsis in critically ill children: a case-control study. **2022**, 70, ○
- 18 Surgical Science and the Evolution of Critical Care Medicine. **2023**, 51, 182-211 ○
- 17 An updated "norepinephrine equivalent" score in intensive care as a marker of shock severity. **2023**, 27, ○
- 16 USE OF DATA OF EVIDENCE BASED MEDICINE IN CLINICAL PRACTICE. **2008**, 36-41 ○

- 15 Sepsis Treatment: Fluids. **2023**, 109-119
- 14 New Approaches and Understanding of Sepsis. **2023**, 99-104
- 13 Surviving Sepsis Campaign. **2023**, 51, 431-444
- 12 High peak inspiratory pressure may be associated with intraoperative coughing during neurosurgery under general anesthesia without neuromuscular blockade: a retrospective study. **2023**, 23,
- 11 miR-125b-5p in adipose derived stem cells exosome alleviates pulmonary microvascular endothelial cells ferroptosis via Keap1/Nrf2/GPX4 in sepsis lung injury. **2023**, 62, 102655
- 10 Combined Multiomics and In Silico Approach Uncovers PRKAR1A as a Putative Therapeutic Target in Multi-Organ Dysfunction Syndrome. **2023**, 8, 9555-9568
- 9 Fluid management in septic patients with pulmonary hypertension, review of the literature. 10,
- 8 Multidrug-Resistant Bacteria on Critically Ill Patients with Sepsis at Hospital Admission: Risk Factors and Effects on Hospital Mortality. Volume 16, 1693-1704
- 7 Association between different MAP levels and 30-day mortality in sepsis patients: a propensity-score-matched, retrospective cohort study. **2023**, 23,
- 6 Fludrocortisone Plus Hydrocortisone Versus Hydrocortisone Alone as Adjunctive Therapy in Septic Shock: A Retrospective Cohort Study. 106002802311642
- 5 Development of the definition of sepsis. **2023**, 4, 75-81
- 4 Bedside Flexible Cystoscopy-Guided Ureteric Stent Insertion for Early Control of Sepsis. **2023**,
- 3 Predictive Modeling Using Artificial Intelligence and Machine Learning Algorithms on Electronic Health Record Data. **2023**,
- 2 ??????????????????????. **2023**, 30, 163-169
- 1 Surviving sepsis after burn campaign. **2023**,