

CITATION REPORT

List of articles citing

On the Black Hole Mass-Bulge Mass Relation

DOI: 10.1086/383567

Astrophysical Journal, 2004, 604, L89-L92.

Source: <https://exaly.com/paper-pdf/37635670/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1232	Disc outflows and the accretion rate gap. 2004 , 352, L45-L48		20
1231	Tracing the cosmological assembly of stars and supermassive black holes in galaxies. 2004 , 354, L37-L42		111
1230	Entropy and Effervescent Heating of Intracluster Gas. <i>Astrophysical Journal</i> , 2004 , 615, 681-688	4.7	46
1229	Colors of Active Galactic Nucleus Host Galaxies at 0.5 . <i>Astrophysical Journal</i> , 2004 , 614, 586-606	4.7	159
1228	On the Dark Side of Quasar Evolution. <i>Astrophysical Journal</i> , 2004 , 615, 130-134	4.7	8
1227	Mechanical heating by active galaxies. 2005 , 363, 655-65; discussion 665		10
1226	The legacy and large-scale distribution of active galaxies. 2005 , 363, 613-9; discussion 619		2
1225	The Relationship between Stellar and Black Hole Mass in Submillimeter Galaxies. <i>Astrophysical Journal</i> , 2005 , 635, 853-863	4.7	163
1224	The Dependence of Galaxy Shape on Luminosity and Surface Brightness Profile. <i>Astrophysical Journal</i> , 2005 , 623, 137-147	4.7	58
1223	Dynamical and Photometric Imprints of Feedback Processes on the Formation and Evolution of E/S0 Galaxies. <i>Astrophysical Journal</i> , 2005 , 629, 816-824	4.7	45
1222	Radiation Pressure-supported Starburst Disks and Active Galactic Nucleus Fueling. <i>Astrophysical Journal</i> , 2005 , 630, 167-185	4.7	520
1221	Multiwavelength Monitoring of the Dwarf Seyfert 1 Galaxy NGC 4395. I. A Reverberation-based Measurement of the Black Hole Mass. <i>Astrophysical Journal</i> , 2005 , 632, 799-808	4.7	232
1220	Constraints on the Process that Regulates the Growth of Supermassive Black Holes Based on the Intrinsic Scatter in the $M_{\text{BH}}-L_{\text{ph}}$ Relation. <i>Astrophysical Journal</i> , 2005 , 634, 910-920	4.7	32
1219	Baryonically Closed Galaxy Groups. <i>Astrophysical Journal</i> , 2005 , 634, L137-L140	4.7	18
1218	The Distribution and Cosmic Evolution of Massive Black Hole Spins. <i>Astrophysical Journal</i> , 2005 , 620, 69-77	4.7	249
1217	Host Galaxies of High-Redshift Active Galactic Nuclei in the Great Observatories Origins Deep Surveys Fields. <i>Astrophysical Journal</i> , 2005 , 629, 72-87	4.7	15
1216	Feedback from quasars in star-forming galaxies and the triggering of massive galactic winds. 2005 , 359, 283-294		37

1215	The density structure around quasars from optical depth statistics?. 2005 , 361, 1015-1029	39
1214	Spectral and morphological properties of quasar hosts in smoothed particle hydrodynamics simulations of active galactic nucleus feeding by mergers. 2005 , 359, 1237-1249	31
1213	The host galaxies of radio-loud active galactic nuclei: mass dependences, gas cooling and active galactic nuclei feedback. 2005 , 362, 25-40	529
1212	Dissipationless mergers of elliptical galaxies and the evolution of the fundamental plane. 2005 , 362, 184-196	99
1211	Dark matter in elliptical galaxies - II. Estimating the mass within the virial radius. 2005 , 363, 705-722	203
1210	Active Galactic Nuclei In Cosmological Simulations â. Formation of black holes and spheroids through mergers. 2005 , 364, 407-423	73
1209	A log-quadratic relation between the nuclear black hole masses and velocity dispersions of galaxies. 2005 , 365, 1082-1098	53
1208	A TRANSITION IN THE ACCRETION PROPERTIES OF AGN. 2005 , 300, 23-30	1
1207	High-redshift quasar host galaxies with adaptive optics. 2005 , 439, 497-512	17
1206	Fast growth of supermassive black holes in galaxies. 2005 , 436, 805-815	28
1205	Black holes in astrophysics. 2005 , 7, 199-199	134
1204	IS THERE A RELATIONSHIP BETWEEN THE MASS OF A SMBH AND THE KINETIC ENERGY OF ITS HOST ELLIPTICAL GALAXY?. 2005 , 14, 1861-1872	23
1203	Astrophysics in 2004. 2005 , 117, 311-394	5
1202	The Fueling and Evolution of AGN: Internal and External Triggers. 2006 , 143-183	81
1201	Measuring supermassive black holes with gas kinematics: the active S0 galaxy NGC 3998. 2006 , 460, 439-448	48
1200	Multiwavelength Monitoring of the Dwarf Seyfert 1 Galaxy NGC 4395. III. Optical Variability and X-Ray/UV/Optical Correlations. <i>Astrophysical Journal</i> , 2006 , 650, 88-101	4-7 18
1199	The supermassive black hole in Centaurus A: a benchmark for gas kinematical measurements. 2006 , 448, 921-953	55
1198	Pregalactic Black Hole Formation with an Atomic Hydrogen Equation of State. <i>Astrophysical Journal</i> , 2006 , 652, 902-906	4-7 117

1197	The Relation between Quasar and Merging Galaxy Luminosity Functions and the Merger-driven Star Formation History of the Universe. <i>Astrophysical Journal</i> , 2006 , 652, 864-888	4-7	184
1196	Stellar Populations in the Nuclei of Late-Type Spiral Galaxies. <i>Astrophysical Journal</i> , 2006 , 649, 692-708	4-7	155
1195	The Unified Model of Active Galactic Nuclei. I. Non-Blended Broad-Line Region Seyfert 2 and Narrow-Line Seyfert 1 Galaxies. <i>Astrophysical Journal</i> , 2006 , 653, 137-151	4-7	45
1194	A Comprehensive Study of 2000 Narrow Line Seyfert 1 Galaxies from the Sloan Digital Sky Survey. I. The Sample. 2006 , 166, 128-153		244
1193	Interaction of Massive Black Hole Binaries with Their Stellar Environment. I. Ejection of Hypervelocity Stars. <i>Astrophysical Journal</i> , 2006 , 651, 392-400	4-7	136
1192	On the Fueling of Massive Black Holes and the Properties of Their Host Spheroids. <i>Astrophysical Journal</i> , 2006 , 648, L13-L16	4-7	16
1191	Probing the Coevolution of Supermassive Black Holes and Quasar Host Galaxies. <i>Astrophysical Journal</i> , 2006 , 640, 114-125	4-7	119
1190	The inner workings of early-type galaxies: cores, nuclei and supermassive black holes. 2006 , 2, 261-268		1
1189	On the Correlations of Massive Black Holes with Their Host Galaxies. <i>Astrophysical Journal</i> , 2006 , 637, 96-103	4-7	103
1188	New Relationships between Galaxy Properties and Host Halo Mass, and the Role of Feedbacks in Galaxy Formation. <i>Astrophysical Journal</i> , 2006 , 643, 14-25	4-7	240
1187	A DeepHubble Space Telescope H-Band Imaging Survey of Massive Gas-rich Mergers. <i>Astrophysical Journal</i> , 2006 , 643, 707-723	4-7	82
1186	Cosmic Evolution of Black Holes and Spheroids. I. The MBH- σ Relation at $z = 0.36$. <i>Astrophysical Journal</i> , 2006 , 645, 900-919	4-7	154
1185	A Fundamental Relation between Compact Stellar Nuclei, Supermassive Black Holes, and Their Host Galaxies. <i>Astrophysical Journal</i> , 2006 , 644, L21-L24	4-7	285
1184	The Starburst in the Abell 1835 Cluster Central Galaxy: A Case Study of Galaxy Formation Regulated by an Outburst from a Supermassive Black Hole. <i>Astrophysical Journal</i> , 2006 , 648, 164-175	4-7	77
1183	Massive and Red Objects Predicted by a Semianalytical Model of Galaxy Formation. <i>Astrophysical Journal</i> , 2006 , 648, 820-825	4-7	55
1182	Probing the Coevolution of Supermassive Black Holes and Galaxies Using Gravitationally Lensed Quasar Hosts. <i>Astrophysical Journal</i> , 2006 , 649, 616-634	4-7	326
1181	The Feedback-regulated Growth of Black Holes and Bulges through Gas Accretion and Starbursts in Cluster Central Dominant Galaxies. <i>Astrophysical Journal</i> , 2006 , 652, 216-231	4-7	390
1180	The $M - \sigma$ Relation for Nucleated Galaxies. <i>Astrophysical Journal</i> , 2006 , 650, L37-L40	4-7	67

1179	Understanding the Nuclear Gas Dispersion in Early-Type Galaxies in the Context of Black Hole Demographics. 2006 , 131, 1961-1973		20
1178	Initial Populations of Black Holes in Star Clusters. <i>Astrophysical Journal</i> , 2006 , 650, 303-325	4-7	32
1177	VLT Diffraction-limited Imaging and Spectroscopy in the NIR: Weighing the Black Hole in Centaurus A with NACO. <i>Astrophysical Journal</i> , 2006 , 643, 226-237	4-7	32
1176	Fueling Low-Level AGN Activity through Stochastic Accretion of Cold Gas. 2006 , 166, 1-36		216
1175	An Upper Limit to the Degree of Evolution between Supermassive Black Holes and Their Host Galaxies. <i>Astrophysical Journal</i> , 2006 , 652, 107-111	4-7	43
1174	Hubble Space Telescope STIS Spectra of Nuclear Star Clusters in Spiral Galaxies: Dependence of Age and Mass on Hubble Type. 2006 , 132, 1074-1099		155
1173	From Supermassive Black Holes to Dwarf Elliptical Nuclei: A Mass Continuum. <i>Astrophysical Journal</i> , 2006 , 644, L17-L20	4-7	143
1172	The many lives of active galactic nuclei: cooling flows, black holes and the luminosities and colours of galaxies. 2006 , 365, 11-28		2688
1171	Forming supermassive black holes by accreting dark and baryon matter. 2006 , 365, 345-351		22
1170	The central kinematics of NGC 1399 measured with 14 pc resolution. 2006 , 367, 2-18		64
1169	NGC 4435: a bulge-dominated galaxy with an unforeseen low-mass central black hole. 2006 , 366, 1050-1066		26
1168	Laser Interferometer Space Antenna double black holes: dynamics in gaseous nuclear discs. 2006 , 367, 103-112		95
1167	The SAURON project--IV. The mass-to-light ratio, the virial mass estimator and the Fundamental Plane of elliptical and lenticular galaxies. 2006 , 366, 1126-1150		806
1166	Runaway collisions in young star clusters - I. Methods and tests. 2006 , 368, 121-140		61
1165	The effect of gravitational recoil on black holes forming in a hierarchical universe. 2006 , 368, 1381-1391		43
1164	On the evolution of the black hole: spheroid mass ratio. 2006 , 368, 1395-1403		145
1163	A simple model for lensing by black holes in galactic nuclei. 2006 , 368, 1362-1368		3
1162	Evolution in the black hole mass-bulge mass relation: a theoretical perspective. 2006 , 369, 1808-1812		90

1161	Breaking the hierarchy of galaxy formation. 2006 , 370, 645-655		1810
1160	Consistency of the black hole mass determination in AGN from the reverberation and the X-ray excess variance method. 2006 , 370, 1534-1540		28
1159	Modelling the galaxy bimodality: shutdown above a critical halo mass. 2006 , 370, 1651-1665		340
1158	How galaxies lose their angular momentum. 2006 , 372, 1525-1530		54
1157	The effect of stellar feedback and quasar winds on the active galactic nucleus population. 2006 , 373, 1173-1187		57
1156	On the evolution of the black-hole:spheroid mass ratio. 2006 , 50, 782-785		9
1155	The host galaxies of low luminosity quasars at high redshift. 2006 , 50, 772-775		2
1154	On the evolution of the black-hole/spheroid mass ratio. 2006 , 327, 213-216		4
1153	The Spiral Host Galaxy of the Double Radio Source 0313?1921. 2006 , 132, 2233-2242		28
1152	The Masses of Nuclear Black Holes in Luminous Elliptical Galaxies and Implications for the Space Density of the Most Massive Black Holes. <i>Astrophysical Journal</i> , 2007 , 662, 808-834	4.7	320
1151	Constraints on galaxy structure and evolution from the light of nearby systems. 2007 , 70, 1177-1258		5
1150	Intermediate and extreme mass-ratio inspirals—astrophysics, science applications and detection using LISA. 2007 , 24, R113-R169		303
1149	IMPROVED TESTS ON THE RELATIONSHIP BETWEEN THE KINETIC ENERGY OF GALAXIES AND THE MASS OF THEIR CENTRAL BLACK HOLES. 2007 , 16, 1261-1272		17
1148	The Unified Model of Active Galactic Nuclei. II. Evolutionary Connection. <i>Astrophysical Journal</i> , 2007 , 660, 1072-1092	4.7	66
1147	An Observed Fundamental Plane Relation for Supermassive Black Holes. <i>Astrophysical Journal</i> , 2007 , 669, 67-73	4.7	144
1146	Dynamics of the Narrow-Line Region in the Seyfert 2 Galaxy NGC 1068. <i>Astrophysical Journal</i> , 2007 , 656, 699-708	4.7	45
1145	How Mergers May Affect the Mass Scaling Relation between Gravitationally Bound Systems. <i>Astrophysical Journal</i> , 2007 , 671, 1098-1107	4.7	191
1144	Selection Bias in the M_{BH} and M_{EL} Correlations and Its Consequences. <i>Astrophysical Journal</i> , 2007 , 660, 267-275	4.7	61

1143	The DEEP2 Galaxy Redshift Survey: AEGIS Observations of a Dual AGN at $z = 0.7$. <i>Astrophysical Journal</i> , 2007 , 660, L23-L26	4-7	61
1142	A Theoretical Interpretation of the Black Hole Fundamental Plane. <i>Astrophysical Journal</i> , 2007 , 669, 45-66	4-7	145
1141	Cosmic Evolution of Black Holes and Spheroids. II. Scaling Relations at $z = 0.36$. <i>Astrophysical Journal</i> , 2007 , 667, 117-130	4-7	126
1140	The Central Engines of Narrow-Line Seyfert 1 Galaxies. <i>Astrophysical Journal</i> , 2007 , 654, 799-813	4-7	44
1139	Interaction of Massive Black Hole Binaries with Their Stellar Environment. II. Loss Cone Depletion and Binary Orbital Decay. <i>Astrophysical Journal</i> , 2007 , 660, 546-555	4-7	69
1138	Galactic Bulges from Hubble Space Telescope NICMOS Observations: Central Galaxian Objects, and Nuclear Profile Slopes. <i>Astrophysical Journal</i> , 2007 , 665, 1084-1103	4-7	85
1137	Photometric Properties of the Most Massive High-Redshift Galaxies. <i>Astrophysical Journal</i> , 2007 , 667, 60-78	4-7	14
1136	Narrow-Line Seyfert 1 Galaxies and the $M_{BH} - \sigma$ Relation. <i>Astrophysical Journal</i> , 2007 , 667, L33-L36	4-7	90
1135	On the Anomalous Temperature Distribution of the Intergalactic Medium in the NGC 3411 Group of Galaxies. <i>Astrophysical Journal</i> , 2007 , 658, 299-313	4-7	34
1134	The Nuclear to Host Galaxy Relation of High-Redshift Quasars. <i>Astrophysical Journal</i> , 2007 , 660, 1039-1050	4-7	33
1133	Discovery of a Transient X-Ray Source in the Compact Stellar Nucleus of NGC 2403. <i>Astrophysical Journal</i> , 2007 , 664, 277-283	4-7	9
1132	The Black Hole Mass of NGC 4151: Comparison of Reverberation Mapping and Stellar Dynamical Measurements. <i>Astrophysical Journal</i> , 2007 , 670, 105-115	4-7	69
1131	The Central Parsecs of Centaurus A: High-excitation Gas, a Molecular Disk, and the Mass of the Black Hole. <i>Astrophysical Journal</i> , 2007 , 671, 1329-1344	4-7	105
1130	On the Inconsistency between the Black Hole Mass Function Inferred from $M_{BH} - \sigma$ and $M_{BH} - L$ Correlations. <i>Astrophysical Journal</i> , 2007 , 663, 53-60	4-7	76
1129	The Survey of Nearby Nuclei with the Space Telescope Imaging Spectrograph: Emission-Line Nuclei at Hubble Space Telescope Resolution. <i>Astrophysical Journal</i> , 2007 , 654, 125-137	4-7	35
1128	A Log-Quadratic Relation for Predicting Supermassive Black Hole Masses from the Host Bulge Sersic Index. <i>Astrophysical Journal</i> , 2007 , 655, 77-87	4-7	175
1127	Variability of Moderate-Luminosity Active Galactic Nuclei at $z = 0.36$. <i>Astrophysical Journal</i> , 2007 , 661, 60-69	4-7	20
1126	Galaxy Luminosity Functions to $z \sim 1$ from DEEP2 and COMBO-17: Implications for Red Galaxy Formation. <i>Astrophysical Journal</i> , 2007 , 665, 265-294	4-7	817

- 1125 Host Galaxy Bulge Predictors of Supermassive Black Hole Mass. *Astrophysical Journal*, **2007**, 665, 120-156.7 88
- 1124 Gravitational Stability of Circumnuclear Disks in Elliptical Galaxies. *Astrophysical Journal*, **2007**, 669, 232-240 22
- 1123 Fueling-controlled growth of massive black holes. **2007**, 3, 165-168
- 1122 Supermassive black holes from OASIS and SAURON integral-field kinematics. **2007**, 3, 215-218 1
- 1121 A black hole fundamental plane. **2007**, 3, 219-222
- 1120 The structure of early-type galaxies from the ACS Virgo and Fornax cluster surveys: cores, nuclei and supermassive black holes. **2007**, 3, 203-206
- 1119 Heating Hot Atmospheres with Active Galactic Nuclei. **2007**, 45, 117-175 919
- 1118 Supermassive black holes in local galaxies. **2007**, 8, 16-25
- 1117 Satellite accretion on to massive galaxies with central black holes. **2007**, 374, 1227-1241 30
- 1116 The DEEP2 galaxy redshift survey: the evolution of the blue fraction in groups and the field. **2007**, 376, 1425-1444 122
- 1115 Luminosity dependence in the Fundamental Plane projections of elliptical galaxies. **2007**, 377, 402-414 72
- 1114 Revisiting the baryon fractions of galaxy clusters: a comparison with WMAP 3-yr results. **2007**, 377, 1457-1463 66
- 1113 Low-luminosity active galactic nuclei: are they UV faint and radio loud?. **2007**, 377, 1696-1710 100
- 1112 The Millennium Galaxy Catalogue: the local supermassive black hole mass function in early- and late-type galaxies. **2007**, 378, 198-210 45
- 1111 Luminosity and stellar mass functions of discs and spheroids in the SDSS and the supermassive black hole mass function. **2007**, 379, 841-866 71
- 1110 The black hole mass - spheroid luminosity relation. **2007**, 379, 711-722 133
- 1109 The SAURON project - X. The orbital anisotropy of elliptical and lenticular galaxies: revisiting the $(V/\sigma, \beta)$ diagram with integral-field stellar kinematics. **2007**, 379, 418-444 406
- 1108 A unified model for AGN feedback in cosmological simulations of structure formation. **2007**, 380, 877-900 609

1107	The different physical mechanisms that drive the star formation histories of giant and dwarf galaxies. 2007 , 381, 7-32	100
1106	Black hole growth in hierarchical galaxy formation. 2007 , 382, 1394-1414	114
1105	The UV properties of E+A galaxies: constraints on feedback-driven quenching of star formation. 2007 , 382, 960-970	96
1104	Distant radio galaxies and their environments. 2008 , 15, 67-144	253
1103	Supermassive black holes in galactic bulges. 2008 ,	0
1102	High-resolution radio observations of submillimetre galaxies. 2008 , 385, 893-904	97
1101	Compact massive objects in Virgo galaxies: the black hole population. 2008 , 384, 1387-1392	32
1100	The correlation between spectral index and accretion rate for AGN. 2008 , 385, 1087-1094	10
1099	The role of AGN in the colour transformation of galaxies at redshifts $z \gtrsim 1$. 2008 , 385, 2049-2060	82
1098	Modelling the cosmological co-evolution of supermassive black holes and galaxies \hat{z} . BH scaling relations and the AGN luminosity function. 2008 , 385, 1846-1858	92
1097	Is AGN feedback necessary to form red elliptical galaxies?. 2008 , 387, 13-30	104
1096	The black hole mass \hat{z} stellar velocity dispersion correlation: bulges versus pseudo-bulges. 2008 , 386, 2242-2252	162
1095	Supermassive black holes and their environments. 2008 , 387, 1163-1178	30
1094	Effects of AGN feedback on Λ CDM galaxies. 2008 , 388, 587-602	111
1093	The duty cycle of local radio galaxies. 2008 , 388, 625-637	89
1092	A synthesis model for AGN evolution: supermassive black holes growth and feedback modes. 2008 , ???-???	110
1091	Testing the evolutionary link between submillimetre galaxies and quasars: CO observations of QSOs at $z \sim 2$. 2008 , 389, 45-62	135
1090	The stochastic gravitational-wave background from massive black hole binary systems: implications for observations with Pulsar Timing Arrays. 2008 , 390, 192-209	258

1089	The correlation of black hole mass with metallicity index of host spheroid. 2008 , 390, 814-818		10
1088	A semi-analytic model for the co-evolution of galaxies, black holes and active galactic nuclei. 2008 , 391, 481-506		792
1087	The flip side of galaxy formation: a combined model of galaxy formation and cluster heating. 2008 ,		35
1086	The Hubble Space Telescope Advanced Camera for Surveys Coma Cluster Survey. I. Survey Objectives and Design. 2008 , 176, 424-437		68
1085	Black Hole Accretion in Low-Mass Galaxies since $z \sim 1$. <i>Astrophysical Journal</i> , 2008 , 688, 794-806	4-7	16
1084	A Cosmological Framework for the Co-evolution of Quasars, Supermassive Black Holes, and Elliptical Galaxies. I. Galaxy Mergers and Quasar Activity. 2008 , 175, 356-389		958
1083	Populating the Galaxy Velocity Dispersion: Supermassive Black Hole Mass Diagram, A Catalogue of (M bh, σ) Values. 2008 , 25, 167-175		74
1082	The properties of LLAGN inferred from high resolution observations. 2008 , 131, 012036		2
1081	Properties of Active Galaxies Deduced from HI Observations. <i>Astrophysical Journal</i> , 2008 , 681, 128-140	4-7	45
1080	Evolution of chemical abundances in Seyfert galaxies. 2008 , 478, 335-351		22
1079	Black Holes in Pseudobulges and Spheroidals: A Change in the Black Hole-Bulge Scaling Relations at Low Mass. <i>Astrophysical Journal</i> , 2008 , 688, 159-179	4-7	122
1078	Constraints on First-Light Ionizing Sources from Optical Depth of the Cosmic Microwave Background. <i>Astrophysical Journal</i> , 2008 , 685, 1-7	4-7	34
1077	Dissipation and the Fundamental Plane: Observational Tests. <i>Astrophysical Journal</i> , 2008 , 689, 17-48	4-7	76
1076	Decomposition of the Host Galaxies of Active Galactic Nuclei Using Hubble Space Telescope Images. 2008 , 179, 283-305		46
1075	AMUSE-Virgo. I. Supermassive Black Holes in Low-Mass Spheroids. <i>Astrophysical Journal</i> , 2008 , 680, 154-168		84
1074	The Self-Regulated Growth of Supermassive Black Holes. <i>Astrophysical Journal</i> , 2008 , 686, 815-828	4-7	73
1073	Direct Cosmological Simulations of the Growth of Black Holes and Galaxies. <i>Astrophysical Journal</i> , 2008 , 676, 33-53	4-7	381
1072	First Detection of documentclass{aastex} usepackage{amsbsy} usepackage{amsfonts} usepackage{amssymb} usepackage{bm} usepackage{mathrsfs} usepackage{pifont} usepackage{stmaryrd} usepackage{textcomp} usepackage{portland,xspace} usepackage{amsmath,amsttra} usepackage[OT2,OT1]{fontenc} newcommand{cyr}{} renewcommand{mdefault}{wncy} renewcommand{sfdefault}{wncyss} renewcommand{encoding}{OT2} normalfont selectfont} \end{document}	4-7	1
1071	Direct Cosmological Simulations of the Growth of Black Holes and Galaxies. <i>Astrophysical Journal</i> , 2008 , 676, 137-146		

1071	Galaxy Bulges and their Black Holes: a Requirement for the Quenching of Star Formation. <i>Astrophysical Journal</i> , 2008 , 682, 355-360	4-7	74
1070	Optical to Near-Infrared Spectrum of a Massive Evolved Galaxy at $z=1.26$. <i>Astrophysical Journal</i> , 2008 , 685, 767-772	4-7	8
1069	Toward Precise Constraints on the Growth of Massive Black Holes. <i>Astrophysical Journal</i> , 2008 , 689, 732-754	4-7	55
1068	Off-Nuclear AGNs as a Signature of Recoiling Massive Black Holes. <i>Astrophysical Journal</i> , 2008 , 687, L57-L60	4-7	47
1067	The Fundamental Plane of QSOs and the Relationship between Host and Nucleus. <i>Astrophysical Journal</i> , 2008 , 678, 22-40	4-7	21
1066	Fundamental Planes and the Barless MBH- σ Relation for Supermassive Black Holes. <i>Astrophysical Journal</i> , 2008 , 680, 143-153	4-7	121
1065	On the Detection of High-Redshift Black Holes with ALMA through CO and H ₂ Emission. <i>Astrophysical Journal</i> , 2008 , 678, L5-L8	4-7	39
1064	Discovery of a Relationship between Spiral Arm Morphology and Supermassive Black Hole Mass in Disk Galaxies. <i>Astrophysical Journal</i> , 2008 , 678, L93-L96	4-7	62
1063	The Origin of the Intrinsic Scatter in the Relation Between Black Hole Mass and Bulge Luminosity for Nearby Active Galaxies. <i>Astrophysical Journal</i> , 2008 , 687, 767-827	4-7	69
1062	Very Broad [O iii] λ 959, 5007 Emission from the NGC 4472 Globular Cluster RZ 2109 and Implications for the Mass of Its Black Hole X-Ray Source. <i>Astrophysical Journal</i> , 2008 , 683, L139-L142	4-7	48
1061	Caught in Formation: The Nuclear-Cluster-to-Be in NGC 2139. <i>Astrophysical Journal</i> , 2008 , 688, 990-999	4-7	18
1060	Formation of Central Massive Objects via Tidal Compression. <i>Astrophysical Journal</i> , 2008 , 674, 653-659	4-7	26
1059	First Stellar Velocity Dispersion Measurement of a Luminous Quasar Host with Gemini North Laser Guide Star Adaptive Optics. <i>Astrophysical Journal</i> , 2008 , 682, L21-L24	4-7	23
1058	WEIGHING THE BLACK HOLES IN $z \geq 2$ SUBMILLIMETER-EMITTING GALAXIES HOSTING ACTIVE GALACTIC NUCLEI. 2008 , 135, 1968-1981		154
1057	The Assembly of Present-Day Galaxies as Witnessed by Deep Surveys. 2008 , 279-306		1
1056	Host galaxies of bright high redshift quasars: luminosities and colours. 2008 , 478, 311-319		37
1055	Recent star formation in nearby 3CR radio-galaxies from UV HST observations. 2008 , 489, 989-1002		53
1054	Evidence for powerful AGN winds at high redshift: dynamics of galactic outflows in radio galaxies during the "Quasar Era" 2008 , 491, 407-424		230

1053	DO MODERATE-LUMINOSITY ACTIVE GALACTIC NUCLEI SUPPRESS STAR FORMATION?. <i>Astrophysical Journal</i> , 2009 , 692, L19-L23	4-7	132
1052	THE EVOLUTION OF THE BH- σ RELATION INFERRED FROM THE AGE DISTRIBUTION OF LOCAL EARLY-TYPE GALAXIES AND ACTIVE GALACTIC NUCLEI EVOLUTION. <i>Astrophysical Journal</i> , 2009 , 694, 867-878	4-7	65
1051	IMAGING THE MOLECULAR GAS IN $Az=3.9$ QUASAR HOST GALAXY AT 0.33 RESOLUTION: A CENTRAL, SUB-KILOPARSEC SCALE STAR FORMATION RESERVOIR IN APM 08279+5255. <i>Astrophysical Journal</i> , 2009 , 690, 463-485	4-7	74
1050	EQUAL- AND UNEQUAL-MASS MERGERS OF DISK AND ELLIPTICAL GALAXIES WITH BLACK HOLES. <i>Astrophysical Journal</i> , 2009 , 690, 802-821	4-7	183
1049	A HEURISTIC PREDICTION OF THE COSMIC EVOLUTION OF THE CO-LUMINOSITY FUNCTIONS. <i>Astrophysical Journal</i> , 2009 , 702, 1321-1335	4-7	67
1048	DRY MERGERS AND THE FORMATION OF EARLY-TYPE GALAXIES: CONSTRAINTS FROM LENSING AND DYNAMICS. <i>Astrophysical Journal</i> , 2009 , 703, 1531-1544	4-7	52
1047	THE SPIN-FLIP PHENOMENON IN SUPERMASSIVE BLACK HOLE BINARY MERGERS. <i>Astrophysical Journal</i> , 2009 , 697, 1621-1633	4-7	51
1046	CO-EVOLUTION OF SUPERMASSIVE BLACK HOLE AND HOST GALAXY FROM $z \sim 1$ TO $z = 0$. <i>Astrophysical Journal</i> , 2009 , 696, 1051-1062	4-7	5
1045	UPPER LIMITS ON THE MASSES OF 105 SUPERMASSIVE BLACK HOLES FROM HUBBLE SPACE TELESCOPE/SPACE TELESCOPE IMAGING SPECTROGRAPH ARCHIVAL DATA. <i>Astrophysical Journal</i> , 2009 , 692, 856-868	4-7	57
1044	ONGOING AND CO-EVOLVING STAR FORMATION IN zCOSMOS GALAXIES HOSTING ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2009 , 696, 396-410	4-7	186
1043	ACHANDRAX-RAY ANALYSIS OF ABELL 1664: COOLING, FEEDBACK, AND STAR FORMATION IN THE CENTRAL CLUSTER GALAXY. <i>Astrophysical Journal</i> , 2009 , 697, 867-879	4-7	26
1042	THE UV-MID-IR SPECTRAL ENERGY DISTRIBUTION OF $Az=1.7$ QUASAR HOST GALAXY. <i>Astrophysical Journal</i> , 2009 , 702, 472-479	4-7	12
1041	MASSIVE GALAXIES IN COSMOS: EVOLUTION OF BLACK HOLE VERSUS BULGE MASS BUT NOT VERSUS TOTAL STELLAR MASS OVER THE LAST 9 Gyr?. <i>Astrophysical Journal</i> , 2009 , 706, L215-L220	4-7	143
1040	DOUBLE QUASARS: PROBES OF BLACK HOLE SCALING RELATIONSHIPS AND MERGER SCENARIOS. <i>Astrophysical Journal</i> , 2009 , 693, 1554-1562	4-7	42
1039	NEW LIMITS ON STERILE NEUTRINOS FROM SUZAKU OBSERVATIONS OF THE URSA MINOR DWARF SPHEROIDAL GALAXY. <i>Astrophysical Journal</i> , 2009 , 700, 426-435	4-7	67
1038	IMAGING ATOMIC AND HIGHLY EXCITED MOLECULAR GAS IN $az=6.42$ QUASAR HOST GALAXY: COPIOUS FUEL FOR AN EDDINGTON-LIMITED STARBURST AT THE END OF COSMIC REIONIZATION. <i>Astrophysical Journal</i> , 2009 , 703, 1338-1345	4-7	83
1037	A VIRTUAL SKY WITH EXTRAGALACTIC H I AND CO LINES FOR THE SQUARE KILOMETRE ARRAY AND THE ATACAMA LARGE MILLIMETER/SUBMILLIMETER ARRAY. <i>Astrophysical Journal</i> , 2009 , 703, 1890-1903	4-7	67
1036	The nuclear star cluster of the Milky Way: proper motions and mass. 2009 , 502, 91-111		171

1035	RESOLVED DUST EMISSION IN A QUASAR AT $z = 3.65$. <i>Astrophysical Journal</i> , 2009 , 698, L188-L191	4-7	10
1034	THE BLACK HOLE MASS-BULGE LUMINOSITY RELATIONSHIP FOR ACTIVE GALACTIC NUCLEI FROM REVERBERATION MAPPING AND HUBBLE SPACE TELESCOPE IMAGING. <i>Astrophysical Journal</i> , 2009 , 694, L166-L170	4-7	114
1033	SIMULATION OF THE COSMIC EVOLUTION OF ATOMIC AND MOLECULAR HYDROGEN IN GALAXIES. <i>Astrophysical Journal</i> , 2009 , 698, 1467-1484	4-7	129
1032	FR II QUASARS: INFRARED PROPERTIES, STAR FORMATION RATES, AND EXTENDED IONIZED GAS. <i>Astrophysical Journal</i> , 2009 , 696, 1693-1699	4-7	19
1031	A DEEP HUBBLE SPACE TELESCOPE H-BAND IMAGING SURVEY OF MASSIVE GAS-RICH MERGERS. II. THE QUEST QSOs. <i>Astrophysical Journal</i> , 2009 , 701, 587-606	4-7	106
1030	MERGERS OF LUMINOUS EARLY-TYPE GALAXIES IN THE LOCAL UNIVERSE AND GRAVITATIONAL WAVE BACKGROUND. <i>Astrophysical Journal</i> , 2009 , 692, 511-521	4-7	23
1029	THE SINS SURVEY: BROAD EMISSION LINES IN HIGH-REDSHIFT STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2009 , 701, 955-963	4-7	60
1028	OBSERVATIONAL CONSTRAINTS ON THE CO-EVOLUTION OF SUPERMASSIVE BLACK HOLES AND GALAXIES. <i>Astrophysical Journal</i> , 2009 , 707, 1566-1577	4-7	39
1027	PAIRING OF SUPERMASSIVE BLACK HOLES IN UNEQUAL-MASS GALAXY MERGERS. <i>Astrophysical Journal</i> , 2009 , 696, L89-L92	4-7	95
1026	HOST GALAXIES OF $z = 4$ QUASARS. <i>Astrophysical Journal</i> , 2009 , 704, 415-438	4-7	16
1025	FORMATION OF HIGH-REDSHIFT ($z > 6$) QUASARS DRIVEN BY NUCLEAR STARBURSTS. <i>Astrophysical Journal</i> , 2009 , 706, 676-686	4-7	24
1024	AN ENERGETIC AGN OUTBURST POWERED BY A RAPIDLY SPINNING SUPERMASSIVE BLACK HOLE OR AN ACCRETING ULTRAMAASSIVE BLACK HOLE. <i>Astrophysical Journal</i> , 2009 , 698, 594-605	4-7	74
1023	A HERTZSPRUNG-RUSSELL-LIKE DIAGRAM FOR GALAXIES: THE M_{UV} VERSUS M_{G} RELATION. <i>Astrophysical Journal</i> , 2009 , 703, 1502-1510	4-7	29
1022	Mock observations with the Millennium Simulation: cosmological downsizing and intermediate-redshift observations. 2009 , 393, 1127-1140		27
1021	Imprints of recoiling massive black holes on the hot gas of early-type galaxies. 2009 , 394, 633-640		23
1020	The mass of the black hole in Centaurus A from SINFONI AO-assisted integral-field observations of stellar kinematics. 2009 , 394, 660-674		88
1019	A simple model to link the properties of quasars to the properties of dark matter haloes out to high redshift. 2009 , 394, 1109-1119		67
1018	The evolution of star formation in quasar host galaxies. 2009 , 397, 265-280		35

1017	Black hole spin and radio loudness in a cold dark matter universe. 2009 , 395, 625-636	37
1016	Probing recent star formation with absorption-line strengths in hierarchical models and observations. 2009 , 395, 608-624	50
1015	Modelling the cosmological co-evolution of supermassive black holes and galaxies - II. The clustering of quasars and their dark environment. 2009 , 396, 423-438	75
1014	Monte Carlo Markov Chain parameter estimation in semi-analytic models of galaxy formation. 2009 , 396, 535-547	68
1013	Host galaxy morphologies of X-ray selected AGN: assessing the significance of different black hole fuelling mechanisms to the accretion density of the Universe at $z \sim 1$. 2009 , 397, 623-633	92
1012	Feast and Famine: regulation of black hole growth in low-redshift galaxies. 2009 , 397, 135-147	226
1011	Partly obscured accretion disc model to explain shifted broad Balmer emission lines of active galactic nuclei. 2009 , 397, 1510-1520	3
1010	Quantifying the coexistence of massive black holes and dense nuclear star clusters. 2009 , 397, 2148-2162	166
1009	The small scatter in BH-host correlations and the case for self-regulated BH growth. 2009 , 398, 303-311	44
1008	Are most low-luminosity active galactic nuclei really obscured?. 2009 , 398, 333-349	56
1007	The SAURON Project - XIV. No escape from Vesc: a global and local parameter in early-type galaxy evolution. 2009 , 398, 1835-1857	71
1006	Empirical constraints on the evolution of the relationship between black hole and galaxy mass: scatter matters. 2009 , 399, 1988-1994	20
1005	Determination of masses of the central black holes in NGC 524 and 2549 using laser guide star adaptive optics. 2009 , 399, 1839-1857	54
1004	Growing the first bright quasars in cosmological simulations of structure formation. 2009 , 400, 100-122	112
1003	The Millennium Galaxy Catalogue: the $M_{\text{BH}}-L_{\text{spheroid}}$ derived supermassive black hole mass function. 2009 , 400, 1451-1460	40
1002	Journey to the $M_{\text{BH}}-L_{\text{spheroid}}$ relation: the fate of low-mass black holes in the Universe. 2009 , 400, 1911-1918	127
1001	Cosmological simulations of the growth of supermassive black holes and feedback from active galactic nuclei: method and tests. 2009 , 398, 53-74	574
1000	The growth of supermassive black holes in pseudo-bulges, classical bulges and elliptical galaxies. 2009 , 399, 621-627	44

999	Optical flares from the tidal disruption of stars by massive black holes. 2009 , 400, 2070-2084		321
998	Correlation of black hole-bulge masses by AGN jets. 2009 , 398, L41-L43		16
997	The blazar S5 0014+813: a real or apparent monster?. 2009 , 399, L24-L28		33
996	Science with a lunar low-frequency array: From the dark ages of the Universe to nearby exoplanets. 2009 , 53, 1-26		96
995	The demography of supermassive black holes: Growing monsters at the heart of galaxies. 2009 , 53, 57-77		79
994	DISSIPATION AND EXTRA LIGHT IN GALACTIC NUCLEI. IV. EVOLUTION IN THE SCALING RELATIONS OF SPHEROIDS. <i>Astrophysical Journal</i> , 2009 , 691, 1424-1458	4-7	203
993	DISSIPATION AND EXTRA LIGHT IN GALACTIC NUCLEI. II. μ SP α ELLIPTICALS. 2009 , 181, 135-182		187
992	The Co-Evolution of Galaxies and Black Holes: Current Status and Future Prospects. 2009 , 5, 3-14		2
991	No Evolution in the $M_{BH} \propto M_{*total}$ Relation Over the Last 9 Gyrs. 2009 , 5, 206-206		
990	Accretion and Outflow in Active Galaxies. 2009 , 5, 273-282		
989	Black Hole Feeding and Feedback in the Context of Galaxy Formation. 2009 , 5, 411-420		
988	The Quasar Continuum. 2009 , 5, 55-64		
987	What Do Statistics Reveal About the $M_{BH} \propto M_{bulge}$ Correlation and Co-Evolution?. 2009 , 5, 161-171		1
986	An H β Dynamical Mass for HE 0047-1756. 2009 , 5, 205-205		
985	Cosmic Feedback from AGN. 2009 , 5, 341-349		2
984	Growing Supermassive Black Holes in Cosmological Simulations of Structure Formation. 2009 , 5, 445-450		
983	The race between stars and quasars in reionizing cosmic hydrogen. 2009 , 2009, 022-022		15
982	THE QSO HE 0450-2958: SCANTILY DRESSED OR HEAVILY ROBED? A NORMAL QUASAR AS PART OF AN UNUSUAL ULIRG. <i>Astrophysical Journal</i> , 2009 , 700, 1820-1830	4-7	7

981	SELF-CONSISTENT MODELS OF THE AGN AND BLACK HOLE POPULATIONS: DUTY CYCLES, ACCRETION RATES, AND THE MEAN RADIATIVE EFFICIENCY. <i>Astrophysical Journal</i> , 2009 , 690, 20-41	4-7	352
980	THE EVOLUTION OF BLACK HOLE SCALING RELATIONS IN GALAXY MERGERS. <i>Astrophysical Journal</i> , 2009 , 707, L184-L189	4-7	74
979	RADIO SOURCE FEEDBACK IN GALAXY EVOLUTION. <i>Astrophysical Journal</i> , 2009 , 699, 525-538	4-7	28
978	Evolution of supermassive black hole spins in the Λ CDM cosmology. 2009 , 189, 012013		1
977	How do Galaxies get their Baryons?. 2010 , 6, 267-272		
976	The Supermassive Black Hole at the Heart of Centaurus A: Revealed by the Kinematics of Gas and Stars. 2010 , 27, 449-456		34
975	ON THE COSMIC EVOLUTION OF THE SCALING RELATIONS BETWEEN BLACK HOLES AND THEIR HOST GALAXIES: BROAD-LINE ACTIVE GALACTIC NUCLEI IN THE zCOSMOS SURVEY. <i>Astrophysical Journal</i> , 2010 , 708, 137-157	4-7	243
974	FEEDBACK FROM CENTRAL BLACK HOLES IN ELLIPTICAL GALAXIES. II. CAN PURELY MECHANICAL ENERGY FEEDBACK MODELS WORK?. <i>Astrophysical Journal</i> , 2010 , 711, 268-283	4-7	25
973	COLOR-MAGNITUDE RELATIONS OF ACTIVE AND NON-ACTIVE GALAXIES IN THE CHANDRA DEEP FIELDS: HIGH-REDSHIFT CONSTRAINTS AND STELLAR-MASS SELECTION EFFECTS. <i>Astrophysical Journal</i> , 2010 , 720, 368-391	4-7	165
972	THE SPITZER HIGH-REDSHIFT RADIO GALAXY SURVEY. <i>Astrophysical Journal</i> , 2010 , 725, 36-62	4-7	75
971	ON THE RADIATIVE EFFICIENCIES, EDDINGTON RATIOS, AND DUTY CYCLES OF LUMINOUS HIGH-REDSHIFT QUASARS. <i>Astrophysical Journal</i> , 2010 , 718, 231-250	4-7	72
970	DECOMPOSING STAR FORMATION AND ACTIVE GALACTIC NUCLEUS WITH SPITZER MID-INFRARED SPECTRA: LUMINOSITY FUNCTIONS AND CO-EVOLUTION. <i>Astrophysical Journal</i> , 2010 , 722, 653-667	4-7	34
969	A RUNAWAY BLACK HOLE IN COSMOS: GRAVITATIONAL WAVE OR SLINGSHOT RECOIL?. <i>Astrophysical Journal</i> , 2010 , 717, 209-222	4-7	88
968	TESTING A PREDICTION OF THE MERGER ORIGIN OF EARLY-TYPE GALAXIES: A CORRELATION BETWEEN STELLAR POPULATIONS AND ASYMMETRY. <i>Astrophysical Journal</i> , 2010 , 724, 694-713	4-7	5
967	GALAXY ZOO: THE FUNDAMENTALLY DIFFERENT CO-EVOLUTION OF SUPERMASSIVE BLACK HOLES AND THEIR EARLY- AND LATE-TYPE HOST GALAXIES. <i>Astrophysical Journal</i> , 2010 , 711, 284-302	4-7	152
966	CONSTRAINTS ON BLACK HOLE GROWTH, QUASAR LIFETIMES, AND EDDINGTON RATIO DISTRIBUTIONS FROM THE SDSS BROAD-LINE QUASAR BLACK HOLE MASS FUNCTION. <i>Astrophysical Journal</i> , 2010 , 719, 1315-1334	4-7	137
965	THE NGC 404 NUCLEUS: STAR CLUSTER AND POSSIBLE INTERMEDIATE-MASS BLACK HOLE. <i>Astrophysical Journal</i> , 2010 , 714, 713-731	4-7	126
964	REVERBERATION MAPPING MEASUREMENTS OF BLACK HOLE MASSES IN SIX LOCAL SEYFERT GALAXIES. <i>Astrophysical Journal</i> , 2010 , 721, 715-737	4-7	252

963	THE LABOCA SURVEY OF THE EXTENDED CHANDRA DEEP FIELD SOUTH: TWO MODES OF STAR FORMATION IN ACTIVE GALACTIC NUCLEUS HOSTS?. <i>Astrophysical Journal</i> , 2010 , 712, 1287-1301	4-7	123
962	COSMIC EVOLUTION OF SIZE AND VELOCITY DISPERSION FOR EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2010 , 718, 1460-1475	4-7	108
961	COLA. III. RADIO DETECTION OF ACTIVE GALACTIC NUCLEUS IN COMPACT MODERATE LUMINOSITY INFRARED GALAXIES. <i>Astrophysical Journal</i> , 2010 , 720, 555-568	4-7	20
960	BINARY QUASARS AT HIGH REDSHIFT. I. 24 NEW QUASAR PAIRS AT $z \sim 3-4$. <i>Astrophysical Journal</i> , 2010 , 719, 1672-1692	4-7	91
959	THE SUDDEN DEATH OF THE NEAREST QUASAR. 2010 , 724, L30-L33		57
958	HOT-DUST-POOR TYPE 1 ACTIVE GALACTIC NUCLEI IN THE COSMOS SURVEY. 2010 , 724, L59-L63		47
957	THE MYSTERIOUS MERGER OF NGC 6868 AND NGC 6861 IN THE TELESCOPIUM GROUP. <i>Astrophysical Journal</i> , 2010 , 711, 1316-1332	4-7	16
956	THE EDDINGTON LIMIT IN COSMIC RAYS: AN EXPLANATION FOR THE OBSERVED LACK OF LOW-MASS RADIO-LOUD QUASARS AND THEIR α -RELATION. <i>Astrophysical Journal</i> , 2010 , 710, 891-902	4-7	9
955	EPISODIC ACTIVITIES OF SUPERMASSIVE BLACK HOLES AT REDSHIFT $z \sim 2$: DRIVEN BY MERGERS?. <i>Astrophysical Journal</i> , 2010 , 710, 878-885	4-7	9
954	THE SUPERMASSIVE BLACK HOLE AND DARK MATTER HALO OF NGC 4649 (M60). <i>Astrophysical Journal</i> , 2010 , 711, 484-494	4-7	77
953	THE $M_{\text{BH}} - \sigma$ RELATION DERIVED FROM SPHERE OF INFLUENCE ARGUMENTS. 2010 , 711, L108-L111		43
952	Formation of supermassive black holes. 2010 , 18, 279-315		457
951	Dark matter haloes determine the masses of supermassive black holes. 2010 , 405, L1-L5		95
950	The evolution of M^*/MBH between $z = 2$ and $z = 0$. 2010 , no-no		9
949	AGN have underweight black holes and reach Eddington. 2010 , 408, L95-L98		56
948	Deep, ultra-high-resolution radio imaging of submillimetre galaxies using Very Long Baseline Interferometry. 2010 , 408, 342-351		18
947	Jet-regulated cooling catastrophe. 2010 , 409, 985-1001		122
946	High-redshift formation and evolution of central massive objects - I. Model description. 2010 , 409, 1057-1067		37

945	Feedback and the structure of simulated galaxies at redshift $z=2$. 2010 , 409, 1541-1556	112
944	Local and global environmental effects on galaxies and active galactic nuclei. 2010 , 409, 936-952	22
943	The Tully-Fisher relations of early-type spiral and S0 galaxies. 2010 , 409, 1330-1346	155
942	A high-velocity narrow absorption line outflow in the quasar J212329.46 \hat{D} 05052.9. 2010 , no-no	59
941	The growth of massive black holes in galaxy merger simulations with feedback by radiation pressure. 2010 , no-no	45
940	Two-phase galaxy formation: the evolutionary properties of galaxies. 2010 , 402, 2113-2126	10
939	Simulations of momentum feedback by black hole winds. 2010 , 402, 789-802	27
938	Black hole outflows. 2010 , 402, 1516-1522	186
937	The quasar relation through cosmic time \hat{D} . Data set and black hole masses. 2010 , 402, 2441-2452	27
936	Tidal disruption of satellite galaxies in a semi-analytic model of galaxy formation. 2010 , 403, 768-779	49
935	Do black hole masses scale with classical bulge luminosities only? The case of the two composite pseudo-bulge galaxies NGC 3368 and NGC 3489. 2010 , 403, 646-672	69
934	On merger bias and the clustering of quasars. 2010 ,	7
933	The building up of the black hole \hat{D} stellar mass relation. 2010 ,	17
932	Mass-dependent evolution of the relation between the supermassive black hole mass and host spheroid mass since $z \sim 1$. 2010 ,	4
931	Timing the starburst \hat{D} AGN connection. 2010 ,	71
930	Galaxy formation spanning cosmic history. 2010 , no-no	29
929	Clustering of radio galaxies and quasars. 2010 , 407, 1078-1089	58
928	A non-parametric estimate of mass \hat{D} cored \hat{D} galaxy cores. 2010 , 407, 447-457	18

927	The parameter space of galaxy formation. 2010 , 407, 2017-2045		87
926	A near-IR study of the host galaxies of 2 Jy radio sources at $0.03 < z < 0.5$ - I. The data?. 2010 , 407, 1739-1766		33
925	Metallicity and far-infrared luminosity of high-redshift quasars. 2010 , 407, 1826-1834		17
924	Quasar feedback: more bang for your buck. 2010 , 401, 7-14		332
923	Discriminating between the physical processes that drive spheroid size evolution. 2010 , 401, 1099-1117		175
922	Type 1 active galactic nucleus fraction in the SDSS/FIRST survey. 2010 , no-no		7
921	Analytic and numerical realizations of a disc galaxy. 2010 , 407, 632-644		8
920	On the evolution of the intrinsic scatter in black hole versus galaxy mass relations. 2010 , 407, 1016-1032		70
919	Low redshift AGN in the Hamburg/ESO Survey. 2010 , 516, A87		96
918	SELF CONSISTENT MODEL FOR THE EVOLUTION OF ECCENTRIC MASSIVE BLACK HOLE BINARIES IN STELLAR ENVIRONMENTS: IMPLICATIONS FOR GRAVITATIONAL WAVE OBSERVATIONS. <i>Astrophysical Journal</i> , 2010 , 719, 851-864	4-7	101
917	A CORRELATION BETWEEN CENTRAL SUPERMASSIVE BLACK HOLES AND THE GLOBULAR CLUSTER SYSTEMS OF EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2010 , 720, 516-521	4-7	73
916	NGC 6240: merger-induced star formation and gas dynamics. 2010 , 524, A56		50
915	Deep near-infrared imaging of the HE0450-2958 system. 2010 , 515, A84		
914	NEW LIMITS ON AN INTERMEDIATE-MASS BLACK HOLE IN OMEGA CENTAURI. II. DYNAMICAL MODELS. <i>Astrophysical Journal</i> , 2010 , 710, 1063-1088	4-7	152
913	GECO: Galaxy Evolution COde - A new semi-analytical model of galaxy formation. 2010 , 518, A14		10
912	UNDERSTANDING AGN-HOST CONNECTION IN PARTIALLY OBSCURED ACTIVE GALACTIC NUCLEI. III. PROPERTIES OF ROSAT-SELECTED SDSS ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2010 , 719, 1157-1167	4-7	8
911	EDDINGTON-LIMITED ACCRETION AND THE BLACK HOLE MASS FUNCTION AT REDSHIFT 6. 2010 , 140, 546-560		241
910	Supermassive black-hole growth over cosmic time: active galaxy demography, physics, and ecology from Chandra surveys. 2010 , 107, 7184-9		29

909	Angular momentum and the formation of stars and black holes. 2010 , 73, 014901		21
908	EVOLUTION OF SUPERMASSIVE BLACK HOLES FROM COSMOLOGICAL SIMULATIONS. 2010 , 19, 1233-1240		11
907	PRECISE BLACK HOLE MASSES FROM MEGAMASER DISKS: BLACK HOLE-BULGE RELATIONS AT LOW MASS. <i>Astrophysical Journal</i> , 2010 , 721, 26-45	4-7	187
906	COSMIC EVOLUTION OF BLACK HOLES AND SPHEROIDS. IV. THE MBH-Lsph RELATION. <i>Astrophysical Journal</i> , 2010 , 708, 1507-1527	4-7	98
905	Optical and near-IR long-term monitoring of NGC 3783 and MR 2251: evidence for variable near-IR emission from thin accretion discs. 2011 , 415, 1290-1303		43
904	The stars and stellar evolution. 2011 , 35-76		
903	The dynamics of charged particles in magnetic fields. 2011 , 178-192		
902	Interstellar gas and magnetic fields. 2011 , 333-377		
901	A POWERFUL AGN OUTBURST IN RBS 797. <i>Astrophysical Journal</i> , 2011 , 732, 71	4-7	33
900	PKS 1814-637: a powerful radio-loud AGN in a disk galaxy. 2011 , 535, A97		44
899	The low-metallicity QSO HE 2158-107: a massive galaxy growing by accretion of nearly pristine gas from its environment?. 2011 , 535, A72		16
898	OBSERVATIONAL SELECTION EFFECTS AND THE MBH-Lsph RELATION. <i>Astrophysical Journal</i> , 2011 , 738, 17	4-7	27
897	The black holes of radio galaxies during the "Quasar Era": masses, accretion rates, and evolutionary stage. 2011 , 525, A43		28
896	EVOLUTION OF [O III] λ 5007 EMISSION-LINE PROFILES IN NARROW EMISSION-LINE GALAXIES. <i>Astrophysical Journal</i> , 2011 , 741, 50	4-7	17
895	Preface. 2011 , xiii-xvi		
894	High energy astrophysics: an introduction. 2011 , 3-34		12
893	Interactions of high energy photons. 2011 , 228-278		
892	Active galaxies. 2011 , 585-609		

891 The galaxies. **2011**, 77-98

890 Clusters of galaxies. **2011**, 99-128

889 Ionisation losses. **2011**, 131-153

888 Radiation of accelerated charged particles and bremsstrahlung of electrons. **2011**, 154-177

o

887 Synchrotron radiation. **2011**, 193-227

o

886 Nuclear interactions. **2011**, 279-297

885 Aspects of plasma physics and magnetohydrodynamics. **2011**, 298-330

884 Dead stars. **2011**, 378-442

883 Accretion power in astrophysics. **2011**, 443-492

882 Cosmic rays. **2011**, 493-535

881 The origin of cosmic rays in our Galaxy. **2011**, 536-560

880 The acceleration of high energy particles. **2011**, 561-582

879 Black holes in the nuclei of galaxies. **2011**, 610-636

878 The vicinity of the black hole. **2011**, 637-660

877 Extragalactic radio sources. **2011**, 661-680

876 Compact extragalactic sources and superluminal motions. **2011**, 681-713

1

875 Cosmological aspects of high energy astrophysics. **2011**, 714-752

874 Appendix: Astronomical conventions and nomenclature. **2011**, 753-782

873 Bibliography. **2011**, 783-824

- 872 COSMOLOGICAL EVOLUTION OF SUPERMASSIVE BLACK HOLES. I. MASS FUNCTION AT $z \sim 0$. *Astrophysical Journal*, **2011**, 742, 33 4-7 32
- 871 AKARI detections of hot dust in luminous infrared galaxies. **2011**, 529, A122 18
- 870 Black hole accretion and host galaxies of obscured quasars in XMM-COSMOS. **2011**, 535, A80 72
- 869 Disk, merger, or outflow? Molecular gas kinematics in two powerful obscured QSOs at $z \sim 4$. **2011**, 533, A20 26
- 868 Optical and infrared properties of active galactic nuclei in the Lockman Hole. **2011**, 529, A135 17
- 867 Selection effects in the black hole-bulge relation and its evolution. **2011**, 535, A87 57
- 866 EXPLORING THE LOW-MASS END OF THE $M_{\text{BH}}-M_{\text{BULGE}}$ RELATION WITH ACTIVE GALAXIES. *Astrophysical Journal*, **2011**, 739, 28 4-7 118
- 865 The mass-metallicity relation of SDSS quasars. **2011**, 527, A100 38
- 864 Observations of Molecules in High Redshift Galaxies. **2011**, 7, 325-338
- 863 What makes a galaxy radio-loud?. **2011**, 7, 221-223
- 862 THE BULK OF THE BLACK HOLE GROWTH SINCE $z \sim 1$ OCCURS IN A SECULAR UNIVERSE: NO MAJOR MERGER-AGN CONNECTION. *Astrophysical Journal*, **2011**, 726, 57 4-7 275
- 861 THE LOW FREQUENCY OF DUAL ACTIVE GALACTIC NUCLEI VERSUS THE HIGH MERGER RATE OF GALAXIES: A PHENOMENOLOGICAL MODEL. *Astrophysical Journal*, **2011**, 738, 92 4-7 46
- 860 MASSIVE BLACK HOLES IN STELLAR SYSTEMS: QUIESCENT ACCRETION AND LUMINOSITY. *Astrophysical Journal*, **2011**, 730, 145 4-7 14
- 859 THE STRUCTURE AND DYNAMICS OF AN ACTIVE GALACTIC NUCLEUS TORUS: CO LINE PREDICTIONS FOR ALMA FROM THREE-DIMENSIONAL HYDRODYNAMICAL SIMULATIONS WITH X-RAY-DRIVEN CHEMISTRY. *Astrophysical Journal*, **2011**, 730, 48 4-7 18
- 858 NUCLEAR STAR CLUSTERS FROM CLUSTERED STAR FORMATION. *Astrophysical Journal*, **2011**, 729, 35 4-7 48
- 857 SECULAR EVOLUTION AND A NON-EVOLVING BLACK-HOLE-TO-GALAXY MASS RATIO IN THE LAST 7 Gyr. **2011**, 741, L11 83
- 856 HST WFC3/IR OBSERVATIONS OF ACTIVE GALACTIC NUCLEUS HOST GALAXIES AT $z \sim 2$: SUPERMASSIVE BLACK HOLES GROW IN DISK GALAXIES. **2011**, 727, L31 153

855	BLACK HOLE MASS AND BULGE LUMINOSITY FOR LOW-MASS BLACK HOLES. 2011 , 737, L45		50
854	THE SPATIAL CLUSTERING OF ROSAT ALL-SKY SURVEY AGNs. II. HALO OCCUPATION DISTRIBUTION MODELING OF THE CROSS-CORRELATION FUNCTION. <i>Astrophysical Journal</i> , 2011 , 726, 83	4-7	63
853	THE BLACK HOLE MASS IN THE BRIGHTEST CLUSTER GALAXY NGC 6086. <i>Astrophysical Journal</i> , 2011 , 728, 100	4-7	29
852	ARE RADIO ACTIVE GALACTIC NUCLEI POWERED BY ACCRETION OR BLACK HOLE SPIN?. <i>Astrophysical Journal</i> , 2011 , 727, 39	4-7	91
851	THE EFFECTS OF X-RAY FEEDBACK FROM ACTIVE GALACTIC NUCLEI ON HOST GALAXY EVOLUTION. <i>Astrophysical Journal</i> , 2011 , 738, 16	4-7	22
850	EVIDENCE FOR BLACK HOLE GROWTH IN LOCAL ANALOGS TO LYMAN BREAK GALAXIES. <i>Astrophysical Journal</i> , 2011 , 731, 55	4-7	29
849	HOW IMPORTANT IS THE DARK MATTER HALO FOR BLACK HOLE GROWTH?. <i>Astrophysical Journal</i> , 2011 , 737, 50	4-7	60
848	IS THERE A BLACK HOLE IN NGC 4382?. <i>Astrophysical Journal</i> , 2011 , 741, 38	4-7	18
847	SUPERMASSIVE BLACK HOLE GROWTH IN STARBURST GALAXIES OVER COSMIC TIME: CONSTRAINTS FROM THE DEEPEST CHANDRA FIELDS. <i>Astrophysical Journal</i> , 2011 , 742, 3	4-7	85
846	FEEDBACK IN LUMINOUS OBSCURED QUASARS. <i>Astrophysical Journal</i> , 2011 , 732, 9	4-7	169
845	Sub-millimeter detected $z \sim 2$ radio-quiet QSOs. 2011 , 531, A128		4
844	OPTICAL DISCOVERY OF PROBABLE STELLAR TIDAL DISRUPTION FLARES. <i>Astrophysical Journal</i> , 2011 , 741, 73	4-7	230
843	A KILOPARSEC-SCALE BINARY ACTIVE GALACTIC NUCLEUS CONFIRMED BY THE EXPANDED VERY LARGE ARRAY. 2011 , 740, L44		76
842	Kinematic signature of an intermediate-mass black hole in the globular cluster NGC 6388. 2011 , 533, A36		71
841	ORBIT-BASED DYNAMICAL MODELS OF THE SOMBRERO GALAXY (NGC 4594). <i>Astrophysical Journal</i> , 2011 , 739, 21	4-7	38
840	THE ORBITAL STRUCTURE OF TRIAXIAL GALAXIES WITH FIGURE ROTATION. <i>Astrophysical Journal</i> , 2011 , 728, 128	4-7	20
839	EFFECT OF A DARK MATTER HALO ON THE DETERMINATION OF BLACK HOLE MASSES. <i>Astrophysical Journal</i> , 2011 , 729, 21	4-7	61
838	A LOCAL BASELINE OF THE BLACK HOLE MASS SCALING RELATIONS FOR ACTIVE GALAXIES. I. METHODOLOGY AND RESULTS OF PILOT STUDY. <i>Astrophysical Journal</i> , 2011 , 726, 59	4-7	72

837	EVIDENCE FOR THREE ACCRETING BLACK HOLES IN A GALAXY AT $z \sim 1.35$: A SNAPSHOT OF RECENTLY FORMED BLACK HOLE SEEDS?. 2011 , 743, L37		25
836	RESOLVING THE DYNAMICAL MASS OF $Az \sim 1.3$ QUASI-STELLAR OBJECT HOST GALAXY USING SINFONI AND LASER GUIDE STAR ASSISTED ADAPTIVE OPTICS. <i>Astrophysical Journal</i> , 2011 , 739, 90	4-7	11
835	THE RELATION BETWEEN BLACK HOLE MASS AND HOST SPHEROID STELLAR MASS OUT TO $z \sim 2$. <i>Astrophysical Journal</i> , 2011 , 742, 107	4-7	122
834	THE NON-CAUSAL ORIGIN OF THE BLACK-HOLE-GALAXY SCALING RELATIONS. <i>Astrophysical Journal</i> , 2011 , 734, 92	4-7	252
833	Grand unification of AGN activity in the Λ CDM cosmology. 2011 , 410, 53-74		197
832	On the co-evolution of supermassive black holes and their host galaxies since $z = 3$. 2011 , 410, 1174-1196		32
831	A radio Census of binary supermassive black holes. 2011 , 410, 2113-2122		77
830	The central black hole mass of the high- β but low-bulge-luminosity lenticular galaxy NGC 1332?. 2011 , 410, 1223-1236		55
829	Parametrizing arbitrary galaxy morphologies: potentials and pitfalls. 2011 , 411, 385-401		15
828	The accretion disc particle method for simulations of black hole feeding and feedback. 2011 , 412, 269-276		47
827	Retrograde accretion and merging supermassive black holes. 2011 , 412, 1591-1598		90
826	Gas expulsion by quasar-driven winds as a solution to the overcooling problem in galaxy groups and clusters. 2011 , 412, 1965-1984		168
825	From dwarf spheroidals to cD galaxies: simulating the galaxy population in a Λ CDM cosmology. 2011 , 413, 101-131		853
824	The dependence of AGN activity on stellar and halo mass in semi-analytic models. 2011 , 413, 957-970		28
823	Towards an understanding of the evolution of the scaling relations for supermassive black holes. 2011 , 413, 1158-1164		47
822	Two-dimensional H α kinematics of bulgeless disc galaxies. 2011 , 413, 1875-1888		43
821	Active galactic nucleus feedback drives the colour evolution of local galaxies. 2011 , 413, 2815-2826		26
820	Observational constraints on the spin of the most massive black holes from radio observations. 2011 , 414, 1937-1964		50

819	Contemporaneous Chandra HETG and Suzaku X-ray observations of NGC 4051. 2011 , 414, 1965-1986	36
818	Host galaxy-active galactic nucleus alignments in the Sloan Digital Sky Survey Data Release 7. 2011 , 414, 2148-2162	41
817	Spectroscopic signatures of the tidal disruption of stars by massive black holes. 2011 , 415, 168-180	65
816	A simple model for AGN feedback in nearby early-type galaxies. 2011 , 415, 3798-3806	40
815	Blazars in the early Universe. 2011 , no-no	28
814	The origin of the dust in high-redshift quasars: the case of SDSS J1148+5251. 2011 , 416, 1916-1935	124
813	How active galactic nucleus feedback and metal cooling shape cluster entropy profiles. 2011 , 417, 1853-1870	51
812	New method for exploring super-Eddington active galactic nuclei by near-infrared observations. 2011 , 417, 2562-2570	17
811	Tidal disruption rate of stars by supermassive black holes obtained by direct N-body simulations. 2011 , 418, 1308-1324	42
810	Self-regulated star formation and the black hole-galaxy bulge relation. 2011 , 413, L110-L113	20
809	Large-scale outflows in galaxies. 2011 , 415, L6-L10	94
808	An extended XMM-Newton observation of the Seyfert galaxy NGC 4051. Evidence for a shocked outflow. 2011 , 413, 1251-1263	46
807	The Spitzer/IRAC view of black hole-bulge scaling relations. 2011 , 413, 1479-1494	140
806	Feeding supermassive black holes through supersonic turbulence and ballistic accretion. 2011 , 413, 2633-2650	66
805	A strongly star-forming group: three massive galaxies associated with a quasi-stellar object. 2011 , 413, 2791-2807	10
804	Mass of the black hole in the Seyfert 1.5 galaxy H 0507+164 from reverberation mapping. 2011 , no-no	3
803	The SMBH mass versus M_G relation: a comparison between real data and numerical models. 2011 , 43, 1007-1024	12
802	Exploring intermediate and massive black-hole binaries with the Einstein Telescope. 2011 , 43, 485-518	61

801	Revisit of Local X-Ray Luminosity Function of Active Galactic Nuclei with the MAXI Extragalactic Survey. 2011 , 63, S937-S945	27
800	THE NUCLEAR STRUCTURE IN NEARBY LUMINOUS INFRARED GALAXIES:HUBBLE SPACE TELESCOPENICMOS IMAGING OF THE GOALS SAMPLE. 2011 , 141, 100	98
799	The Dark Matter Halo Density Profile, Spiral Arm Morphology, and Supermassive Black Hole Mass of M33. 2011 , 2011, 1-8	7
798	The coevolution of galaxies and supermassive black holes: a local perspective. 2011 , 333, 182-5	15
797	CANDELS: THE COSMIC ASSEMBLY NEAR-INFRARED DEEP EXTRAGALACTIC LEGACY SURVEY. 2011 , 197, 35	1279
796	A FUNDAMENTAL EQUATION FOR SUPERMASSIVE BLACK HOLES. 2011 , 20, 2305-2315	7
795	Outflow in Overlooked Luminous Quasar: Subaru Observations of AKARI J17575+\$5907. 2011 , 63, S457-S467	20
794	A Practical Guide to the Massive Black Hole Cosmic History. 2012 , 2012, 1-16	12
793	Massive Black Hole Binaries: Dynamical Evolution and Observational Signatures. 2012 , 2012, 1-14	76
792	Do Nuclear Star Clusters and Supermassive Black Holes Follow the Same Host-Galaxy Correlations?. 2012 , 2012, 1-11	22
791	An ultraviolet-optical flare from the tidal disruption of a helium-rich stellar core. 2012 , 485, 217-20	313
790	Seeking for the Leading Actor on the Cosmic Stage: Galaxies versus Supermassive Black Holes. 2012 , 2012, 1-3	2
789	Destructible Bars in Disk Galaxies under the Dynamical Influence of a Massive Central Black Hole. 2012 , 64, 5	11
788	The suppression of star formation by powerful active galactic nuclei. 2012 , 485, 213-6	152
787	Star Formation and AGN Activity in Galaxies Classified Using the 1.6 μ m Bump and PAH Features at $z=0.4$. 2012 , 64, 70	29
786	Model for common growth of supermassive black holes, bulges and globular star clusters: Ripping off Jeans clusters. 2012 , 97, 39001	1
785	The Low-Mass End of the MBH/Mhost Relation in Quasars. 2012 , 2012, 1-11	7
784	Mass Functions of Supermassive Black Holes across Cosmic Time. 2012 , 2012, 1-21	35

783	Are Nuclear Star Clusters the Precursors of Massive Black Holes?. 2012 , 2012, 1-13		30
782	Low-mass black holes as the remnants of primordial black hole formation. 2012 , 3, 1304		105
781	THE ACS FORNAX CLUSTER SURVEY. VI. THE NUCLEI OF EARLY-TYPE GALAXIES IN THE FORNAX CLUSTER. 2012 , 203, 5		101
780	MEASUREMENT OF GALACTIC LOGARITHMIC SPIRAL ARM PITCH ANGLE USING TWO-DIMENSIONAL FAST FOURIER TRANSFORM DECOMPOSITION. 2012 , 199, 33		58
779	RECALIBRATION OF THE VIRIAL FACTOR AND $M_{BH} - \sigma$ RELATION FOR LOCAL ACTIVE GALAXIES. 2012 , 203, 6		106
778	A Dynamical N-body model for the central region of Centauri. 2012 , 538, A19		33
777	Black holes in pseudobulges: demography and models. 2012 , 540, A23		31
776	SDSS 0956+5128: A BROAD-LINE QUASAR WITH EXTREME VELOCITY OFFSETS. <i>Astrophysical Journal</i> , 2012 , 759, 24	4-7	15
775	MERGERS OF UNEQUAL-MASS GALAXIES: SUPERMASSIVE BLACK HOLE BINARY EVOLUTION AND STRUCTURE OF MERGER REMNANTS. <i>Astrophysical Journal</i> , 2012 , 749, 147	4-7	72
774	THE HIDDEN α AGN MAIN SEQUENCE—EVIDENCE FOR A UNIVERSAL BLACK HOLE ACCRETION TO STAR FORMATION RATE RATIO SINCE $z \sim 2$ PRODUCING AN $M_{BH} - M^*$ RELATION. 2012 , 753, L30		187
773	A CANDIDATE DUAL ACTIVE GALACTIC NUCLEUS AT $z = 1.175$. <i>Astrophysical Journal</i> , 2012 , 744, 7	4-7	37
772	ENVIRONMENTAL EFFECTS ON THE GROWTH OF SUPERMASSIVE BLACK HOLES AND ACTIVE GALACTIC NUCLEUS FEEDBACK. <i>Astrophysical Journal</i> , 2012 , 745, 13	4-7	15
771	PRIMUS: THE DEPENDENCE OF AGN ACCRETION ON HOST STELLAR MASS AND COLOR. <i>Astrophysical Journal</i> , 2012 , 746, 90	4-7	201
770	Faint high-redshift AGN in the Chandrasekhar field south: the evolution of the AGN luminosity function and black hole demography. 2012 , 537, A16		127
769	THE EVOLUTION AND ENVIRONMENTS OF X-RAY EMITTING ACTIVE GALACTIC NUCLEI IN HIGH-REDSHIFT LARGE-SCALE STRUCTURES. <i>Astrophysical Journal</i> , 2012 , 746, 155	4-7	19
768	THE RELATION BETWEEN GALAXY MORPHOLOGY AND ENVIRONMENT IN THE LOCAL UNIVERSE: AN RC3-SDSS PICTURE. <i>Astrophysical Journal</i> , 2012 , 746, 160	4-7	42
767	BREAKING THE LAW: THE $M_{BH} - M_{spheroid}$ RELATIONS FOR CORE-SBSIC AND SBSIC GALAXIES. <i>Astrophysical Journal</i> , 2012 , 746, 113	4-7	103
766	DISCOVERY OF AN ACTIVE SUPERMASSIVE BLACK HOLE IN THE BULGELESS GALAXY NGC 4561. <i>Astrophysical Journal</i> , 2012 , 757, 179	4-7	27

765	DIRECT EVIDENCE FOR TERMINATION OF OBSCURED STAR FORMATION BY RADIATIVELY DRIVEN OUTFLOWS IN REDDENED QSOs. <i>Astrophysical Journal</i> , 2012 , 745, 178	4.7	80
764	CANDELS: CONSTRAINING THE AGN-MERGER CONNECTION WITH HOST MORPHOLOGIES AT $z \sim 2$. <i>Astrophysical Journal</i> , 2012 , 744, 148	4.7	285
763	Growing supermassive black holes: sub-grid modelling and intermediate-scale processes. 2012 , 372, 012003		
762	Supermassive black holes: Coevolution (or not) of black holes and host galaxies. 2012 , 8, 241-256		
761	THE RELATIONSHIP BETWEEN BLACK HOLE GROWTH AND STAR FORMATION IN SEYFERT GALAXIES. <i>Astrophysical Journal</i> , 2012 , 746, 168	4.7	130
760	THE IMPACT OF INTERACTIONS, BARS, BULGES, AND ACTIVE GALACTIC NUCLEI ON STAR FORMATION EFFICIENCY IN LOCAL MASSIVE GALAXIES. <i>Astrophysical Journal</i> , 2012 , 758, 73	4.7	187
759	STELLAR POPULATIONS OF ULTRAVIOLET-SELECTED ACTIVE GALACTIC NUCLEI HOST GALAXIES AT $z \sim 2$. <i>Astrophysical Journal</i> , 2012 , 760, 74	4.7	30
758	MODERATE-LUMINOSITY GROWING BLACK HOLES FROM $z = 1.25$. <i>Astrophysical Journal</i> , 2012 , 761, 75	4.7	31
757	MEASUREMENT OF THE BROAD-LINE REGION SIZE IN A LUMINOUS MACHO QUASAR. 2012 , 750, L43		17
756	RAPID COEVAL BLACK HOLE AND HOST GALAXY GROWTH IN MRC 1138-262: THE HUNGRY SPIDER. <i>Astrophysical Journal</i> , 2012 , 755, 146	4.7	47
755	WHAT TURNS GALAXIES OFF? THE DIFFERENT MORPHOLOGIES OF STAR-FORMING AND QUIESCENT GALAXIES SINCE $z \sim 2$ FROM CANDELS. <i>Astrophysical Journal</i> , 2012 , 753, 167	4.7	222
754	SUPERMASSIVE BLACK HOLES, PSEDOBULGES, AND THE NARROW-LINE SEYFERT 1 GALAXIES. <i>Astrophysical Journal</i> , 2012 , 754, 146	4.7	69
753	An over-massive black hole in the compact lenticular galaxy NGC 1277. 2012 , 491, 729-31		156
752	On the relative contribution of high-redshift galaxies and active galactic nuclei to reionization. 2012 , 425, 1413-1420		77
751	Origin of the antihierarchical growth of black holes. 2012 , 426, 237-257		95
750	Black holes in the early Universe. 2012 , 75, 124901		69
749	The M_{BH} -relation in different environments. 2012 , 426, 2751-2757		53
748	Quasar feedback: accelerated star formation and chaotic accretion. 2012 , 427, 372-378		51

747	Active galactic nucleus feedback and triggering of star formation in galaxies. 2012 , 427, 2998-3005		107
746	Accreting supermassive black holes in the COSMOS field and the connection to their host galaxies. 2012 , 427, 3103-3133		178
745	Star formation in high-redshift quasars: excess [O ii] emission in the radio-loud population. 2012 , 427, 2401-2410		34
744	From Observations to Physical Parameters. 2012 , 287-336		
743	Observational Evidence of Active Galactic Nuclei Feedback. 2012 , 50, 455-489		1422
742	EXPLORING THE UNUSUALLY HIGH BLACK-HOLE-TO-BULGE MASS RATIOS IN NGC 4342 AND NGC 4291: THE ASYNCHRONOUS GROWTH OF BULGES AND BLACK HOLES. <i>Astrophysical Journal</i> , 2012 , 753, 140	4-7	33
741	CLEARING OUT A GALAXY. 2012 , 745, L34		237
740	DISENTANGLING AGN AND STAR FORMATION IN SOFT X-RAYS. <i>Astrophysical Journal</i> , 2012 , 758, 82	4-7	18
739	CONSTRAINTS ON THE FAINT END OF THE QUASAR LUMINOSITY FUNCTION AT $z \sim 5$ IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2012 , 756, 160	4-7	33
738	THE COSMIC EVOLUTION OF MASSIVE BLACK HOLES AND GALAXY SPHEROIDS: GLOBAL CONSTRAINTS AT REDSHIFT $z \sim 1.2$. <i>Astrophysical Journal</i> , 2012 , 761, 5	4-7	29
737	LoCuSS: A DYNAMICAL ANALYSIS OF X-RAY ACTIVE GALACTIC NUCLEI IN LOCAL CLUSTERS. <i>Astrophysical Journal</i> , 2012 , 754, 97	4-7	61
736	DRIVING OUTFLOWS WITH RELATIVISTIC JETS AND THE DEPENDENCE OF ACTIVE GALACTIC NUCLEUS FEEDBACK EFFICIENCY ON INTERSTELLAR MEDIUM INHOMOGENEITY. <i>Astrophysical Journal</i> , 2012 , 757, 136	4-7	183
735	A cosmological view of extreme mass-ratio inspirals in nuclear star clusters. 2012 , 542, A102		19
734	MOLECULAR GAS IN INFRARED ULTRALUMINOUS QSO HOSTS. <i>Astrophysical Journal</i> , 2012 , 750, 92	4-7	37
733	A NEW SAMPLE OF CANDIDATE INTERMEDIATE-MASS BLACK HOLES SELECTED BY X-RAY VARIABILITY. <i>Astrophysical Journal</i> , 2012 , 751, 39	4-7	25
732	EXTREME HOST GALAXY GROWTH IN POWERFUL EARLY-EPOCH RADIO GALAXIES. 2012 , 757, L26		25
731	CHANDRA OBSERVATIONS OF NGC 4342, AN OPTICALLY FAINT, X-RAY GAS-RICH EARLY-TYPE GALAXY. <i>Astrophysical Journal</i> , 2012 , 755, 25	4-7	13
730	Fake plunges are very eccentric real EMRIs in disguise. 2012 , 39, 07001		1

729	The rate of stellar tidal disruption flares from SDSS data. 2012 , 39, 08002	5
728	Unusual quasars from the Sloan Digital Sky Survey selected by means of Kohonen self-organising maps. 2012 , 541, A77	32
727	Fe K emission from active galaxies in the COSMOS field. 2012 , 537, A86	35
726	CO-EVOLUTION OF GALAXIES AND CENTRAL BLACK HOLES: OBSERVATIONAL EVIDENCE ON THE TRIGGER OF AGN FEEDBACK. <i>Astrophysical Journal</i> , 2012 , 750, 54	4-7 17
725	Adaptive Optics for Astronomy. 2012 , 50, 305-351	142
724	Investigating the properties of active galactic nucleus feedback in hot atmospheres triggered by cooling-induced gravitational collapse. 2012 , 419, 50-56	13
723	The near-IR Mbh-L and Mbh-n relations. 2012 , 419, 2264-2292	47
722	Effects of supermassive binary black holes on gravitational lenses. 2012 , 419, 2424-2432	4
721	Modelling neutral hydrogen in galaxies using cosmological hydrodynamical simulations. 2012 , no-no	18
720	On the correlations between galaxy properties and supermassive black hole mass. 2012 , 419, 2497-2528	145
719	The evolution of active galactic nuclei across cosmic time: what is downsizing?. 2012 , 419, 2797-2820	137
718	Electromagnetic counterparts of supermassive black hole binaries resolved by pulsar timing arrays. 2012 , 420, 705-719	57
717	On the cosmological evolution of the black hole-host galaxy relation in quasars. 2012 , 420, 732-744	19
716	Self-regulated growth of supermassive black holes by a dual jet-heating active galactic nucleus feedback mechanism: methods, tests and implications for cosmological simulations. 2012 , 420, 2662-2683	228
715	GOODS-Herschel: the far-infrared view of star formation in active galactic nucleus host galaxies since $z \approx 3$. 2012 , 419, 95-115	209
714	Constraining stellar assembly and active galactic nucleus feedback at the peak epoch of star formation. 2012 , 425, L96-L100	10
713	Galacticus: A semi-analytic model of galaxy formation. 2012 , 17, 175-197	200
712	Galaxy And Mass Assembly (GAMA): Structural Investigation of Galaxies via Model Analysis. 2012 , 421, 1007-1039	220

711	High-redshift formation and evolution of central massive objects III. The census of BH seeds. 2012 , 421, 1465-1475	70
710	On the fundamental dichotomy in the local radio-AGN population: accretion, evolution and host galaxy properties. 2012 , 421, 1569-1582	396
709	Modelling supermassive black hole growth: towards an improved sub-grid prescription. 2012 , 421, 3443-3449	26
708	The relation between metallicity, stellar mass and star formation in galaxies: an analysis of observational and model data. 2012 , 422, 215-231	162
707	Galaxy Zoo: dust lane early-type galaxies are tracers of recent, gas-rich minor mergers?. 2012 , 423, 59-67	44
706	The mass function of black holes 1. 2012 , 422, 2051-2057	23
705	Extending the $M_{\text{bh}}-M_{\text{bulge}}$ diagram with dense nuclear star clusters. 2012 , 422, 1586-1591	50
704	Supermassive black hole ancestors. 2012 , 422, 1690-1699	31
703	An extended XMM-Newton observation of the Seyfert galaxy NGC 4051 - III. Fe K emission and absorption. 2012 , 423, 165-175	9
702	Evolution of the luminosity function and obscuration of active galactic nuclei: comparison between X-ray and infrared. 2012 , 423, 464-477	9
701	Surprises in image decomposition of edge-on galaxies: does Sombrero have a (classical) bulge?. 2012 , 423, 877-888	22
700	Gas and dust in $z=2.8$ obscured quasar?. 2012 , 423, 2132-2146	13
699	The formation of galaxies hosting $z \sim 6$ quasars. 2012 , 423, 2397-2406	34
698	The evolution of massive black holes and their spins in their galactic hosts. 2012 , 423, 2533-2557	140
697	Feeding compact bulges and supermassive black holes with low angular momentum cosmic gas at high redshift. 2012 , 423, 3616-3630	89
696	The clustering of intermediate-redshift quasars as measured by the Baryon Oscillation Spectroscopic Survey. 2012 , 424, 933-950	153
695	Prospects of observing a quasar H II region during the epoch of reionization with the redshifted 21-cm signal. 2012 , 424, 762-778	31
694	Nuclear star clusters and the stellar spheroids of their host galaxies. 2012 , 424, 2130-2138	58

693	Bolometric luminosities and Eddington ratios of X-ray selected active galactic nuclei in the XMM-COSMOS survey. 2012 , 425, 623-640		253
692	Coevolution (Or Not) of Supermassive Black Holes and Host Galaxies. 2013 , 51, 511-653		2099
691	A model for cosmological simulations of galaxy formation physics. 2013 , 436, 3031-3067		563
690	THE EVOLUTION OF ACTIVE GALACTIC NUCLEI IN WARM DARK MATTER COSMOLOGY. <i>Astrophysical Journal</i> , 2013 , 766, 110	4-7	22
689	AGN host galaxies at redshift $z \approx 0.7$: peculiar or not?. 2013 , 549, A46		35
688	THE CARNEGIE-IRVINE GALAXY SURVEY. III. THE THREE-COMPONENT STRUCTURE OF NEARBY ELLIPTICAL GALAXIES. <i>Astrophysical Journal</i> , 2013 , 766, 47	4-7	88
687	Observations of feedback from radio-quiet quasars â. Kinematics of ionized gas nebulae. 2013 , 436, 2576-2597		206
686	AGN-driven quenching of star formation: morphological and dynamical implications for early-type galaxies. 2013 , 433, 3297-3313		177
685	A study of AGN and supernova feedback in simulations of isolated and merging disc galaxies. 2013 , 434, 3606-3627		27
684	Observations of feedback from radio-quiet quasars â. Extents and morphologies of ionized gas nebulae. 2013 , 430, 2327-2345		131
683	Isolated galaxies in hierarchical galaxy formation models â present-day properties and environmental histories. 2013 , 433, 1479-1491		31
682	Double-peaked narrow-line signatures of dual supermassive black holes in galaxy merger simulations. 2013 , 429, 2594-2616		72
681	The supermassive black hole massâsize index relations for bulges and elliptical galaxies. 2013 , 434, 387-397		33
680	The most luminous quasars do not live in the most massive dark matter haloes at any redshift. 2013 , 436, 315-326		67
679	Molecular gas in the centre of nearby galaxies from VLT/SINFONI integral field spectroscopy â. Morphology and mass inventory?. 2013 , 428, 2389-2406		61
678	AGN outflows trigger starbursts in gas-rich galaxies. 2013 , 433, 3079-3090		86
677	Constraining the last 7 billion years of galaxy evolution in semi-analytic models. 2013 , 428, 2001-2016		37
676	The merger fraction of active and inactive galaxies in the local Universe through an improved non-parametric classification. 2013 , 431, 2661-2672		37

675	REVISITING THE SCALING RELATIONS OF BLACK HOLE MASSES AND HOST GALAXY PROPERTIES. <i>Astrophysical Journal</i> , 2013 , 764, 184	4-7	754
674	The role of the supermassive black hole spin in the estimation of the EMRI event rate. 2013 , 429, 3155-3165		32
673	Accretion-driven evolution of black holes: Eddington ratios, duty cycles and active galaxy fractions. 2013 , 428, 421-446		120
672	Unravelling obese black holes in the first galaxies. 2013 , 432, 3438-3444		62
671	The kinematic signature of the inspiral phase of massive binary black holes. 2013 , 433, 2502-2510		13
670	The strong environmental dependence of black hole scaling relations. 2013 , 436, 2708-2721		8
669	The ubiquity of supermassive black holes in the Hubble sequence. 2013 , 435, 3085-3095		20
668	Classification and analysis of emission-line galaxies using mean field independent component analysis. 2013 , 430, 3510-3536		16
667	The preferentially magnified active nucleus in IRAS F10214+4724. VLBI observations of the radio core. 2013 , 434, 3322-3336		7
666	Clustering, bias and the accretion mode of X-ray-selected AGN. 2013 , 428, 1382-1394		51
665	Can AGN feedback-driven star formation explain the size evolution of massive galaxies?. 2013 , 431, 2350-2355	46	
664	Blowing cold flows away: the impact of early AGN activity on the formation of a brightest cluster galaxy progenitor. 2013 , 428, 2885-2900		78
663	The nature of obscuration in AGN. Insights from host galaxies. 2013 , 436, 3451-3463		15
662	Size evolution of spheroids in a hierarchical Universe. 2013 , 428, 109-128		110
661	Systematic investigation of the expected gravitational wave signal from supermassive black hole binaries in the pulsar timing band. 2013 , 433, L1-L5		125
660	DISCOVERY OF A LARGE POPULATION OF ULTRALUMINOUS X-RAY SOURCES IN THE BULGELESS GALAXIES NGC 337 AND ESO 501-23. <i>Astrophysical Journal</i> , 2013 , 777, 7	4-7	3
659	BLACK HOLE-GALAXY CORRELATIONS WITHOUT SELF-REGULATION. <i>Astrophysical Journal</i> , 2013 , 770, 5	4-7	78
658	THE BLACK HOLE-BULGE MASS RELATION OF ACTIVE GALACTIC NUCLEI IN THE EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY. <i>Astrophysical Journal</i> , 2013 , 767, 13	4-7	76

657	THE EVOLUTION OF ACTIVE GALACTIC NUCLEI AND THEIR SPINS. <i>Astrophysical Journal</i> , 2013 , 775, 94	4-7	92
656	SUPERMASSIVE BLACK HOLE BINARY EVOLUTION IN AXISYMMETRIC GALAXIES: THE FINAL PARSEC PROBLEM IS NOT A PROBLEM. <i>Astrophysical Journal</i> , 2013 , 773, 100	4-7	105
655	INSIGHT INTO ACTIVE GALACTIC NUCLEUS AND HOST GALAXY CO-EVOLUTION FROM HARD X-RAY EMISSION. <i>Astrophysical Journal</i> , 2013 , 768, 176	4-7	7
654	SMM J04135+10277: A CANDIDATE EARLY-STAGE "WET-DRY" MERGER OF TWO MASSIVE GALAXIES AT $z = 2.8$. 2013 , 765, L31		12
653	BLACK HOLE FORAGING: FEEDBACK DRIVES FEEDING. 2013 , 777, L28		13
652	AN ALMA SURVEY OF SUBMILLIMETER GALAXIES IN THE EXTENDED CHANDRA DEEP FIELD-SOUTH: THE AGN FRACTION AND X-RAY PROPERTIES OF SUBMILLIMETER GALAXIES. <i>Astrophysical Journal</i> , 2013 , 778, 179	4-7	80
651	ACTIVE GALACTIC NUCLEUS BLACK HOLE MASS ESTIMATES IN THE ERA OF TIME DOMAIN ASTRONOMY. <i>Astrophysical Journal</i> , 2013 , 779, 187	4-7	39
650	Multi-messenger approaches to binary supermassive black holes in the "continuous-wave" regime. 2013 , 30, 224013		25
649	ON THE STAR FORMATION-AGN CONNECTION AT $z \approx 0.3$. 2013 , 765, L33		38
648	FURTHER EVIDENCE FOR A SUPERMASSIVE BLACK HOLE MASS-PITCH ANGLE RELATION. <i>Astrophysical Journal</i> , 2013 , 769, 132	4-7	36
647	Black hole demography: from scaling relations to models. 2013 , 30, 244001		29
646	UNVEILING A POPULATION OF GALAXIES HARBORING LOW-MASS BLACK HOLES WITH X-RAYS. <i>Astrophysical Journal</i> , 2013 , 773, 150	4-7	45
645	AN STIS ATLAS OF Ca II TRIPLET ABSORPTION LINE KINEMATICS IN GALACTIC NUCLEI. 2013 , 146, 67		2
644	REFINING THE MBH- V_c SCALING RELATION WITH H I ROTATION CURVES OF WATER MEGAMASER GALAXIES. <i>Astrophysical Journal</i> , 2013 , 778, 47	4-7	23
643	DEPLETED GALAXY CORES AND DYNAMICAL BLACK HOLE MASSES. 2013 , 146, 160		48
642	X-RAY NUCLEAR ACTIVITY IN S4G BARRED GALAXIES: NO LINK BETWEEN BAR STRENGTH AND CO-OCCURRENT SUPERMASSIVE BLACK HOLE FUELING. <i>Astrophysical Journal</i> , 2013 , 776, 50	4-7	40
641	THE SUPERMASSIVE BLACK HOLE MASS-SPHEROID STELLAR MASS RELATION FOR SBC AND CORE-SBC GALAXIES. <i>Astrophysical Journal</i> , 2013 , 768, 76	4-7	99
640	Insights into the astrophysics of supermassive black hole binaries from pulsar timing observations. 2013 , 30, 224014		43

639	ON THE OFFSET OF BARRED GALAXIES FROM THE BLACK HOLE M_BH - σ RELATIONSHIP. <i>Astrophysical Journal</i> , 2013 , 778, 151	4-7	23
638	Simulations of supermassive black hole growth in high-redshift disc galaxies. 2013 , 434, 606-620		94
637	Herschel-ATLAS/GAMA: What determines the far-infrared properties of radio galaxies?. 2013 , 432, 609-625		12
636	A near-infrared relationship for estimating black hole masses in active galactic nuclei. 2013 , 432, 113-126		24
635	NEW OBSERVATIONAL CONSTRAINTS ON THE GROWTH OF THE FIRST SUPERMASSIVE BLACK HOLES. <i>Astrophysical Journal</i> , 2013 , 778, 130	4-7	51
634	Did massive black holes in globular clusters initially satisfy galactic scaling relations?. 2013 , 434, L41-L45		18
633	UM 625 REVISITED: MULTIWAVELENGTH STUDY OF A SEYFERT 1 GALAXY WITH A LOW-MASS BLACK HOLE. <i>Astrophysical Journal</i> , 2013 , 770, 3	4-7	12
632	Galaxy Zoo: bulgeless galaxies with growing black holes. 2013 , 429, 2199-2211		54
631	Gravitational-wave limits from pulsar timing constrain supermassive black hole evolution. 2013 , 342, 334-7		121
630	The interaction between feedback from active galactic nuclei and supernovae. 2013 , 3,		10
629	MID-INFRARED SPECTRAL PROPERTIES OF POST-STARBURST QUASARS. <i>Astrophysical Journal</i> , 2013 , 772, 28	4-7	6
628	On central black holes in ultra-compact dwarf galaxies. 2013 , 558, A14		73
627	LOCAL LUMINOUS INFRARED GALAXIES. III. CO-EVOLUTION OF BLACK HOLE GROWTH AND STAR FORMATION ACTIVITY?. <i>Astrophysical Journal</i> , 2013 , 765, 78	4-7	25
626	The mean star-forming properties of QSO host galaxies. 2013 , 560, A72		77
625	ON THE COMPLEMENTARITY OF PULSAR TIMING AND SPACE LASER INTERFEROMETRY FOR THE INDIVIDUAL DETECTION OF SUPERMASSIVE BLACK HOLE BINARIES. <i>Astrophysical Journal</i> , 2013 , 764, 187	4-7	4
624	Star formation and accretion in the circumnuclear disks of active galaxies. 2013 , 560, A34		12
623	A SIMPLE MODEL FOR QUASAR DEMOGRAPHICS. <i>Astrophysical Journal</i> , 2013 , 762, 70	4-7	81
622	M_BH - σ Relation for intermediate-mass black holes in globular clusters. 2013 , 555, A26		37

621	Secular evolution in disk galaxies. 1-154		48
620	X-RAY SELECTED AGN HOST GALAXIES ARE SIMILAR TO INACTIVE GALAXIES OUT TO $z=3$: RESULTS FROM CANDELS/CDF-S. <i>Astrophysical Journal</i> , 2013 , 763, 59	4-7	47
619	ORIGIN AND GROWTH OF NUCLEAR STAR CLUSTERS AROUND MASSIVE BLACK HOLES. <i>Astrophysical Journal</i> , 2013 , 763, 62	4-7	108
618	THE ANATOMY OF AN EXTREME STARBURST WITHIN 1.3 Gyr OF THE BIG BANG REVEALED BY ALMA. <i>Astrophysical Journal</i> , 2013 , 763, 120	4-7	58
617	EVIDENCE FOR WIDESPREAD ACTIVE GALACTIC NUCLEUS ACTIVITY AMONG MASSIVE QUIESCENT GALAXIES AT $z \sim 2$. <i>Astrophysical Journal</i> , 2013 , 764, 4	4-7	27
616	Indication for an intermediate-mass black hole in the globular cluster NGC 5286 from kinematics. 2013 , 554, A63		33
615	N-body simulations of globular clusters in tidal fields: Effects of intermediate-mass black holes. 2013 , 558, A117		36
614	THE DEMOGRAPHICS OF BROAD-LINE QUASARS IN THE MASS-LUMINOSITY PLANE. II. BLACK HOLE MASS AND EDDINGTON RATIO FUNCTIONS. <i>Astrophysical Journal</i> , 2013 , 764, 45	4-7	101
613	CONCURRENT SUPERMASSIVE BLACK HOLE AND GALAXY GROWTH: LINKING ENVIRONMENT AND NUCLEAR ACTIVITY IN $z=2.23$ H α EMITTERS. <i>Astrophysical Journal</i> , 2013 , 765, 87	4-7	32
612	The properties of the extended warm ionised gas around low-redshift QSOs and the lack of extended high-velocity outflows. 2013 , 549, A43		74
611	Probing AGN triggering mechanisms through the starburstiness of the host galaxies. 2013 , 559, A56		17
610	Spectroastrometry of rotating gas disks for the detection of supermassive black holes in galactic nuclei. 2013 , 549, A139		7
609	Fueling the central engine of radio galaxies. 2013 , 549, A58		17
608	UPDATED MASS SCALING RELATIONS FOR NUCLEAR STAR CLUSTERS AND A COMPARISON TO SUPERMASSIVE BLACK HOLES. <i>Astrophysical Journal</i> , 2013 , 763, 76	4-7	71
607	THE BH-LS PHASE RELATION AT HIGH AND LOW MASSES, THE QUADRATIC GROWTH OF BLACK HOLES, AND INTERMEDIATE-MASS BLACK HOLE CANDIDATES. <i>Astrophysical Journal</i> , 2013 , 764, 151	4-7	186
606	The central dynamics of M3, M13, and M92: stringent limits on the masses of intermediate-mass black holes. 2014 , 566, A58		31
605	Rapidly growing black holes and host galaxies in the distant Universe from the Herschel Radio Galaxy Evolution Project. 2014 , 566, A53		65
604	Fueling the central engine of radio galaxies. 2014 , 564, A128		15

603	Starburst-AGN mixing III. Optically selected active galaxies. 2014 , 444, 3961-3974	54	
602	Erosion of globular cluster systems: the influence of radial anisotropy, central black holes and dynamical friction. 2014 , 441, 150-171	35	
601	Energy- and momentum-conserving AGN feedback outflows. 2014 , 440, 2625-2635	54	
600	Bulge mass is king: the dominant role of the bulge in determining the fraction of passive galaxies in the Sloan Digital Sky Survey. 2014 , 441, 599-629	155	
599	The formation of disc galaxies in high-resolution moving-mesh cosmological simulations. 2014 , 437, 1750-1775	238	
598	Effects of inclination on measuring velocity dispersion and implications for black holes. 2014 , 445, 2667-2676	22	
597	What triggers black hole growth? Insights from star formation rates. 2014 , 437, 3373-3384	31	
596	Comparing simple quasar demographics models. 2014 , 445, 1144-1156	17	
595	The MBH-M* relation for X-ray-obscured, red QSOs at 1.2'. 2014 , 443, 2077-2091	59	
594	The SLUGGS Survey: new evidence for a tidal interaction between the early-type galaxies NGC 4365 and NGC 4342. 2014 , 439, 2420-2431	35	
593	Targeting supermassive black hole binaries and gravitational wave sources for the pulsar timing array. 2014 , 439, 3986-4010	15	
592	Two-phase model for black hole feeding and feedback. 2014 , 437, 2404-2411	20	
591	Dark halo microphysics and massive black hole scaling relations in galaxies. 2014 , 445, 3415-3434	5	
590	A simple way to classify supermassive black holes. 2014 , 335, 193-197	0	
589	A GLIMPSE AT QUASAR HOST GALAXY FAR-UV EMISSION USING DAMPED Ly β AS NATURAL CORONAGRAPHS. <i>Astrophysical Journal</i> , 2014 , 793, 139	4-7	17
588	THE ULTRAVIOLET-BRIGHT, SLOWLY DECLINING TRANSIENT PS1-11af AS A PARTIAL TIDAL DISRUPTION EVENT. <i>Astrophysical Journal</i> , 2014 , 780, 44	4-7	144
587	The globular cluster migratory origin of nuclear star clusters. 2014 , 444, 3738-3755	60	
586	SUPERMASSIVE BLACK HOLES AND THEIR HOST GALAXIES. I. BULGE LUMINOSITIES FROM DEDICATED NEAR-INFRARED DATA. <i>Astrophysical Journal</i> , 2014 , 780, 69	4-7	22

585	ACTIVE GALACTIC NUCLEUS FEEDBACK IN AN ISOLATED ELLIPTICAL GALAXY: THE EFFECT OF STRONG RADIATIVE FEEDBACK IN THE KINETIC MODE. <i>Astrophysical Journal</i> , 2014 , 789, 150	4-7	40
584	TOWARD THE STANDARD POPULATION SYNTHESIS MODEL OF THE X-RAY BACKGROUND: EVOLUTION OF X-RAY LUMINOSITY AND ABSORPTION FUNCTIONS OF ACTIVE GALACTIC NUCLEI INCLUDING COMPTON-THICK POPULATIONS. <i>Astrophysical Journal</i> , 2014 , 786, 104	4-7	357
583	MEGAPARSEC RELATIVISTIC JETS LAUNCHED FROM AN ACCRETING SUPERMASSIVE BLACK HOLE IN AN EXTREME SPIRAL GALAXY. <i>Astrophysical Journal</i> , 2014 , 788, 174	4-7	36
582	SUPERMASSIVE BLACK HOLES AND THEIR HOST GALAXIES. II. THE CORRELATION WITH NEAR-INFRARED LUMINOSITY REVISITED. <i>Astrophysical Journal</i> , 2014 , 780, 70	4-7	47
581	Nuclear star clusters in 228 spiral galaxies in the HST/WFPC2 archive: catalogue and comparison to other stellar systems. 2014 , 441, 3570-3590		109
580	Sussing merger trees: the impact of halo merger trees on galaxy properties in a semi-analytic model. 2014 , 445, 4197-4210		19
579	The incidence of obscuration in active galactic nuclei. 2014 , 437, 3550-3567		164
578	The extent of the Mg ii absorbing circumgalactic medium of quasars?. 2014 , 441, 886-899		32
577	Radio-mode feedback in local AGNs: dependence on the central black hole parameters. 2014 , 443, 1339-1345	15	
576	Morphologies of $z \sim 0.7$ AGN host galaxies in CANDELS: no trend of merger incidence with AGN luminosity. 2014 , 439, 3342-3356		107
575	Black hole evolution âII. Spinning black holes in a supernova-driven turbulent interstellar medium. 2014 , 440, 2333-2346		28
574	BULGE GROWTH AND QUENCHING SINCE $z = 2.5$ IN CANDELS/3D-HST. <i>Astrophysical Journal</i> , 2014 , 788, 11	4-7	202
573	AMUSE-FIELD. II. NUCLEATION OF EARLY-TYPE GALAXIES IN THE FIELD VERSUS CLUSTER ENVIRONMENT. <i>Astrophysical Journal</i> , 2014 , 791, 133	4-7	12
572	THE MASSIVE SURVEY. I. A VOLUME-LIMITED INTEGRAL-FIELD SPECTROSCOPIC STUDY OF THE MOST MASSIVE EARLY-TYPE GALAXIES WITHIN 108 Mpc. <i>Astrophysical Journal</i> , 2014 , 795, 158	4-7	127
571	POLYCYCLIC AROMATIC HYDROCARBON AND MID-INFRARED CONTINUUM EMISSION IN $A_z > 4$ SUBMILLIMETER GALAXY. <i>Astrophysical Journal</i> , 2014 , 786, 31	4-7	34
570	ERRATUM: âMASSIVE STAR-FORMING HOST GALAXIES OF QUASARS ON SLOAN DIGITAL SKY SURVEY STRIPE 82â(2014, ApJ, 780, 162). <i>Astrophysical Journal</i> , 2014 , 789, 91	4-7	2
569	THE X-RAY ZURICH ENVIRONMENTAL STUDY (X-ZENS). I. CHANDRA AND XMM-NEWTON OBSERVATIONS OF ACTIVE GALACTIC NUCLEI IN GALAXIES IN NEARBY GROUPS. <i>Astrophysical Journal</i> , 2014 , 780, 67	4-7	7
568	MASSIVE STAR-FORMING HOST GALAXIES OF QUASARS ON SLOAN DIGITAL SKY SURVEY STRIPE 82. <i>Astrophysical Journal</i> , 2014 , 780, 162	4-7	33

567	ANTI-HIERARCHICAL EVOLUTION OF THE ACTIVE GALACTIC NUCLEUS SPACE DENSITY IN A HIERARCHICAL UNIVERSE. <i>Astrophysical Journal</i> , 2014 , 794, 69	4.7	25
566	THE BLACK HOLE MASS AND THE STELLAR RING IN NGC 3706*. <i>Astrophysical Journal</i> , 2014 , 781, 112	4.7	6
565	ASSESSING PULSAR TIMING ARRAY SENSITIVITY TO GRAVITATIONAL WAVE BURSTS WITH MEMORY. <i>Astrophysical Journal</i> , 2014 , 788, 141	4.7	28
564	THE BLACK HOLE MASS SCALE OF CLASSICAL AND PSEUDO BULGES IN ACTIVE GALAXIES. <i>Astrophysical Journal</i> , 2014 , 789, 17	4.7	99
563	BULGELESS GALAXIES AT INTERMEDIATE REDSHIFT: SAMPLE SELECTION, COLOR PROPERTIES, AND THE EXISTENCE OF POWERFUL ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2014 , 782, 22	4.7	10
562	The effect of bars on the $M_{BH} - M_{bulge}$ relation: offset, scatter and residuals correlations. 2014 , 441, 1243-1259		25
561	A POPULATION OF RELIC INTERMEDIATE-MASS BLACK HOLES IN THE HALO OF THE MILKY WAY. <i>Astrophysical Journal</i> , 2014 , 780, 187	4.7	25
560	THE $M_{BH} - M_{gal}$ RELATION AND THE ACCRETION OF SUPERMASSIVE BLACK HOLES. <i>Astrophysical Journal</i> , 2014 , 784, 34	4.7	3
559	AN ALMA SURVEY OF SUBMILLIMETER GALAXIES IN THE EXTENDED CHANDRA DEEP FIELD SOUTH: THE REDSHIFT DISTRIBUTION AND EVOLUTION OF SUBMILLIMETER GALAXIES. <i>Astrophysical Journal</i> , 2014 , 788, 125	4.7	201
558	A CONTINUUM OF H- TO He-RICH TIDAL DISRUPTION CANDIDATES WITH A PREFERENCE FOR E+A GALAXIES. <i>Astrophysical Journal</i> , 2014 , 793, 38	4.7	256
557	Stars and black holes from the very early universe. 2014 , 89,		23
556	The Supermassive Black Hole-Galaxy Connection. 2014 , 183, 427-451		12
555	THE COEVOLUTION OF SUPERMASSIVE BLACK HOLES AND MASSIVE GALAXIES AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2014 , 782, 69	4.7	69
554	A UNIFORM HISTORY FOR GALAXY EVOLUTION. <i>Astrophysical Journal</i> , 2014 , 796, 25	4.7	16
553	SDSS1133: an unusually persistent transient in a nearby dwarf galaxy. 2014 , 445, 515-527		21
552	Massive Binary Black Holes in Galactic Nuclei and Their Path to Coalescence. 2014 , 183, 189-221		98
551	LINKING THE SPIN EVOLUTION OF MASSIVE BLACK HOLES TO GALAXY KINEMATICS. <i>Astrophysical Journal</i> , 2014 , 794, 104	4.7	111
550	Far-Infrared Surveys of Galaxy Evolution. 2014 , 52, 373-414		62

549	MEASUREMENT OF THE RATE OF STELLAR TIDAL DISRUPTION FLARES. <i>Astrophysical Journal</i> , 2014 , 792, 53	4-7	91
548	New insights on the recoiling/binary black hole candidate J0927+2943 via molecular gas observations. 2014 , 445, 1558-1566		8
547	Seeding black holes in cosmological simulations. 2014 , 442, 2751-2767		31
546	The Coevolution of Galaxies and Supermassive Black Holes: Insights from Surveys of the Contemporary Universe. 2014 , 52, 589-660		600
545	Dusty star-forming galaxies at high redshift. 2014 , 541, 45-161		440
544	Cosmological simulations of black hole growth: AGN luminosities and downsizing. 2014 , 442, 2304-2324		205
543	A close-pair binary in a distant triple supermassive black hole system. 2014 , 511, 57-60		74
542	Massive black hole seeds born via direct gas collapse in galaxy mergers: their properties, statistics and environment. 2014 , 437, 1576-1592		44
541	A low-luminosity type-1 QSO sample. 2014 , 561, A140		31
540	Accounting for selection effects in the BH \hat{B} ulge relations: no evidence for cosmological evolution. 2014 , 438, 3422-3433		58
539	Intermediate-mass black holes in globular clusters: observations and simulations. 2014 , 10, 181-188		1
538	On the fragility of nuclear stellar discs against galaxy mergers: surviving photometric and kinematic signatures of nuclear discs. 2015 , 453, 1070-1078		8
537	Low-redshift quasars in the SDSS Stripe 82. Host galaxy colours and close environment. 2015 , 454, 4103-4113		8
536	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: POST-STARBURST SIGNATURES IN QUASAR HOST GALAXIES ATz <i>Astrophysical Journal</i> , 2015 , 811, 91	4-7	28
535	Cosmological evolution of supermassive black holes in galactic centers unveiled by hard X-ray observations. 2015 , 91, 175-92		4
534	AGN EVOLUTION FROM A GALAXY EVOLUTION VIEWPOINT. <i>Astrophysical Journal</i> , 2015 , 811, 148	4-7	38
533	THE COEVOLUTION OF NUCLEAR STAR CLUSTERS, MASSIVE BLACK HOLES, AND THEIR HOST GALAXIES. <i>Astrophysical Journal</i> , 2015 , 812, 72	4-7	98
532	THE BIASES OF OPTICAL LINE-RATIO SELECTION FOR ACTIVE GALACTIC NUCLEI AND THE INTRINSIC RELATIONSHIP BETWEEN BLACK HOLE ACCRETION AND GALAXY STAR FORMATION. <i>Astrophysical Journal</i> , 2015 , 811, 26	4-7	78

531	RELATIONS BETWEEN CENTRAL BLACK HOLE MASS AND TOTAL GALAXY STELLAR MASS IN THE LOCAL UNIVERSE. <i>Astrophysical Journal</i> , 2015 , 813, 82	4-7	279
530	THE QUASAR-LBG TWO-POINT ANGULAR CROSS-CORRELATION FUNCTION AT $z \sim 4$ IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2015 , 809, 138	4-7	9
529	Intermediate-mass black holes in globular clusters: observations and simulations - Update. 2015 , 12, 240-245		
528	COEVOLUTION BETWEEN SUPERMASSIVE BLACK HOLES AND BULGES IS NOT VIA INTERNAL FEEDBACK REGULATION BUT BY RATIONED GAS SUPPLY DUE TO ANGULAR MOMENTUM DISTRIBUTION. 2015 , 805, L9		13
527	Decreased specific star formation rates in AGN host galaxies. 2015 , 452, 1841-1860		55
526	Scaling relations between black holes and their host galaxies: comparing theoretical and observational measurements, and the impact of selection effects. 2015 , 454, 913-932		40
525	The Subaru- \mathbb{X} MM-Newton Deep Survey (SXDS). VIII. Multi-wavelength identification, optical/NIR spectroscopic properties, and photometric redshifts of X-ray sources. 2015 , 67, 82		17
524	Expected properties of the first gravitational wave signal detected with pulsar timing arrays. 2015 , 451, 2417-2433		87
523	The triggering of local AGN and their role in regulating star formation. 2015 , 452, 774-783		27
522	The Illustris simulation: the evolving population of black holes across cosmic time. 2015 , 452, 575-596		335
521	MRK 1216 and NGC 1277 - An orbit-based dynamical analysis of compact, high-velocity dispersion galaxies. 2015 , 452, 1792-1816		34
520	Star formation in mergers with cosmologically motivated initial conditions. 2015 , 452, 2984-3000		10
519	The impact of dust in host galaxies on quasar luminosity functions. 2015 , 450, L6-L10		8
518	Black hole accretion versus star formation rate: theory confronts observations. 2015 , 452, L6-L10		41
517	Massive Black Hole Science with eLISA. 2015 , 610, 012001		16
516	PATCHY BLAZAR HEATING: DIVERSIFYING THE THERMAL HISTORY OF THE INTERGALACTIC MEDIUM. <i>Astrophysical Journal</i> , 2015 , 811, 19	4-7	19
515	The spectral energy distribution of the redshift 7.1 quasar ULAS J1120+0641. 2015 , 575, A31		23
514	Compton thick AGN in the XMM-COSMOS survey. 2015 , 573, A137		70

513	Orbital decay of supermassive black hole binaries in clumpy multiphase merger remnants. 2015 , 449, 494-505		50
512	The nature of obscuration in AGNs. Insights from clustering properties. 2015 , 448, L72-L76		5
511	SUPERMASSIVE BLACK HOLES FROM ULTRA-STRONGLY SELF-INTERACTING DARK MATTER. <i>Astrophysical Journal</i> , 2015 , 804, 131	4-7	60
510	The Argo simulation. Quenching of massive galaxies at high redshift as a result of cosmological starvation. 2015 , 446, 1939-1956		73
509	Selection of AGN candidates in the GOODS-South Field through Spitzer/MIPS 24 μ m variability. 2015 , 446, 3199-3223		6
508	Black hole masses, accretion rates and hot- and cold-mode accretion in radio galaxies at $z \sim 1$. 2015 , 447, 1184-1203		22
507	The cosmic growth of the active black hole population at $z \sim 1$. 2015 , 447, 2085-2111		51
506	Off the beaten path: a new approach to realistically model the orbital decay of supermassive black holes in galaxy formation simulations. 2015 , 451, 1868-1874		89
505	The MassiveBlack-II simulation: the evolution of haloes and galaxies to $z \sim 0$. 2015 , 450, 1349-1374		206
504	Galaxy Zoo: the effect of bar-driven fuelling on the presence of an active galactic nucleus in disc galaxies. 2015 , 448, 3442-3454		49
503	GAS OUTFLOWS IN SEYFERT GALAXIES: EFFECTS OF STAR FORMATION VERSUS AGN FEEDBACK. <i>Astrophysical Journal</i> , 2015 , 812, 90	4-7	8
502	COSMIC EVOLUTION OF BLACK HOLES AND SPHEROIDS. V. THE RELATION BETWEEN BLACK HOLE MASS AND HOST GALAXY LUMINOSITY FOR A SAMPLE OF 79 ACTIVE GALAXIES. <i>Astrophysical Journal</i> , 2015 , 799, 164	4-7	42
501	THE BLACK HOLE MASS-GALAXY LUMINOSITY RELATIONSHIP FOR SLOAN DIGITAL SKY SURVEY QUASARS. <i>Astrophysical Journal</i> , 2015 , 799, 173	4-7	9
500	THE (BLACK HOLE)-BULGE MASS SCALING RELATION AT LOW MASSES. <i>Astrophysical Journal</i> , 2015 , 798, 54	4-7	83
499	CONNECTING DARK MATTER HALOS WITH THE GALAXY CENTER AND THE SUPERMASSIVE BLACK HOLE. <i>Astrophysical Journal</i> , 2015 , 800, 124	4-7	31
498	ULTRAMASSIVE BLACK HOLE COALESCENCE. <i>Astrophysical Journal</i> , 2015 , 798, 103	4-7	10
497	X-RAY CONSTRAINTS ON THE LOCAL SUPERMASSIVE BLACK HOLE OCCUPATION FRACTION. <i>Astrophysical Journal</i> , 2015 , 799, 98	4-7	80
496	Cosmology: A giant in the young Universe. 2015 , 518, 490-1		3

495	UNDERSTANDING BLACK HOLE MASS ASSEMBLY VIA ACCRETION AND MERGERS AT LATE TIMES IN COSMOLOGICAL SIMULATIONS. <i>Astrophysical Journal</i> , 2015 , 799, 178	4-7	42
494	TORQUE-LIMITED GROWTH OF MASSIVE BLACK HOLES IN GALAXIES ACROSS COSMIC TIME. <i>Astrophysical Journal</i> , 2015 , 800, 127	4-7	44
493	THE SL2S GALAXY-SCALE LENS SAMPLE. V. DARK MATTER HALOS AND STELLAR IMF OF MASSIVE EARLY-TYPE GALAXIES OUT TO REDSHIFT 0.8. <i>Astrophysical Journal</i> , 2015 , 800, 94	4-7	92
492	RADIO-SELECTED BINARY ACTIVE GALACTIC NUCLEI FROM THE VERY LARGE ARRAY STRIPE 82 SURVEY. <i>Astrophysical Journal</i> , 2015 , 799, 72	4-7	40
491	A LUMINOUS, FAST RISING UV-TRANSIENT DISCOVERED BY ROTSE: A TIDAL DISRUPTION EVENT?. <i>Astrophysical Journal</i> , 2015 , 798, 12	4-7	69
490	DISK FORMATION VERSUS DISK ACCRETION—WHAT POWERS TIDAL DISRUPTION EVENTS?. <i>Astrophysical Journal</i> , 2015 , 806, 164	4-7	150
489	The dark matter haloes of moderate luminosity X-ray AGN as determined from weak gravitational lensing and host stellar masses. 2015 , 446, 1874-1888		28
488	Swift discoveries of new populations of extremely long duration high energy transient. 2015 , 7, 44-55		17
487	Dynamical evolution of massive black holes in galactic-scale N-body simulations—Introducing the regularized tree code— 2015 , 452, 2337-2352		8
486	HOST GALAXY PROPERTIES AND BLACK HOLE MASS OF SWIFT J164449.3+573451 FROM MULTI-WAVELENGTH LONG-TERM MONITORING AND HST DATA. <i>Astrophysical Journal</i> , 2015 , 808, 96	4-7	10
485	nIFTy cosmology: comparison of galaxy formation models. 2015 , 451, 4029-4059		47
484	GALAXY EVOLUTION. An over-massive black hole in a typical star-forming galaxy, 2 billion years after the Big Bang. 2015 , 349, 168-71		44
483	A refined sub-grid model for black hole accretion and AGN feedback in large cosmological simulations. 2015 , 448, 1504-1525		101
482	Chemoarchaeological downsizing in a hierarchical universe: impact of a top-heavy IGIMF. 2015 , 446, 3820-3841		55
481	The effects of AGN feedback on present-day galaxy properties in cosmological simulations. 2015 , 448, 1835-1846		45
480	Black hole evolution—Supernova-regulated black hole growth. 2015 , 452, 1502-1518		126
479	Powerful Outflows and Feedback from Active Galactic Nuclei. 2015 , 53, 115-154		337
478	Growing black holes and galaxies: black hole accretion versus star formation rate. 2015 , 449, 1470-1485		52

477	THE STRUCTURE OF NUCLEAR STAR CLUSTERS IN NEARBY LATE-TYPE SPIRAL GALAXIES FROM HUBBLE SPACE TELESCOPE WIDE FIELD CAMERA 3 IMAGING. 2015 , 149, 170		46
476	ENERGETICS AND LIFETIMES OF LOCAL RADIO ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2015 , 806, 59	4-7	69
475	A LOCAL BASELINE OF THE BLACK HOLE MASS SCALING RELATIONS FOR ACTIVE GALAXIES. III. THE MBH- σ RELATION. <i>Astrophysical Journal</i> , 2015 , 809, 20	4-7	33
474	THE BLACK HOLE MASS- σ STELLAR VELOCITY DISPERSION RELATION OF NARROW-LINE SEYFERT 1 GALAXIES. <i>Astrophysical Journal</i> , 2015 , 801, 38	4-7	130
473	DETAILED SHAPE AND EVOLUTIONARY BEHAVIOR OF THE X-RAY LUMINOSITY FUNCTION OF ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2015 , 804, 104	4-7	75
472	The X-ray luminosity function of active galactic nuclei in the redshift interval $z=3-5$. 2015 , 453, 1946-1964		62
471	Swift J1112.2-0238: a candidate relativistic tidal disruption flare. 2015 , 452, 4297-4306		83
470	Insights into tidal disruption of stars from PS1-10jh. 2015 , 454, 2321-2343		30
469	BLACK HOLE AND GALAXY COEVOLUTION FROM CONTINUITY EQUATION AND ABUNDANCE MATCHING. <i>Astrophysical Journal</i> , 2015 , 810, 74	4-7	65
468	EVOLUTION IN THE BLACK HOLE- σ GALAXY SCALING RELATIONS AND THE DUTY CYCLE OF NUCLEAR ACTIVITY IN STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2015 , 802, 14	4-7	40
467	CLASSICAL BULGES, SUPERMASSIVE BLACK HOLES, AND AGN FEEDBACK: EXTENSION TO LOW-MASS GALAXIES. <i>Astrophysical Journal</i> , 2015 , 802, 110	4-7	5
466	Interpreting the possible break in the black hole- σ bulge mass relation. 2015 , 453, 4113-4121		17
465	HUNTING FOR SUPERMASSIVE BLACK HOLES IN NEARBY GALAXIES WITH THE HOBBY-EMBERLY TELESCOPE. 2015 , 218, 10		60
464	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: NO EVIDENCE FOR EVOLUTION IN THE $M_{\text{bullet}}-\sigma_{*}$ RELATION TO $z \sim 1$. <i>Astrophysical Journal</i> , 2015 , 805, 96	4-7	66
463	MASSIVE RELIC GALAXIES CHALLENGE THE CO-EVOLUTION OF SUPER-MASSIVE BLACK HOLES AND THEIR HOST GALAXIES. <i>Astrophysical Journal</i> , 2015 , 808, 79	4-7	44
462	Role of feedback in AGN-host coevolution: A study from partially obscured active galactic nuclei. 2015 , 37, 15-25		5
461	THE HOST GALAXY PROPERTIES OF VARIABILITY SELECTED AGN IN THE PAN-STARRS1 MEDIUM DEEP SURVEY. <i>Astrophysical Journal</i> , 2016 , 826, 62	4-7	16
460	ON THE EVOLUTION OF HIGH-REDSHIFT ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2016 , 828, 96	4-7	9

459	REVISITING THE COMPLETENESS AND LUMINOSITY FUNCTION IN HIGH-REDSHIFT LOW-LUMINOSITY QUASAR SURVEYS. <i>Astrophysical Journal</i> , 2016 , 832, 208	4-7	7
458	SPATIALLY OFFSET ACTIVE GALACTIC NUCLEI. I. SELECTION AND SPECTROSCOPIC PROPERTIES. <i>Astrophysical Journal</i> , 2016 , 829, 37	4-7	27
457	AGN host galaxy mass function in COSMOS. 2016 , 588, A78		57
456	Disentangling star formation and AGN activity in powerful infrared luminous radio galaxies at $z \sim 1$. 2016 , 593, A109		14
455	SUPERMASSIVE BLACK HOLES AND THEIR HOST SPHEROIDS. II. THE RED AND BLUE SEQUENCE IN THE M^* -SPH DIAGRAM. <i>Astrophysical Journal</i> , 2016 , 817, 21	4-7	70
454	Unveiling early black holes with JWST. 2016 , 12, 257-264		
453	Galaxy Zoo: evidence for rapid, recent quenching within a population of AGN host galaxies. 2016 , 463, 2986-2996		22
452	Unveiling Gargantua: A new search strategy for the most massive central cluster black holes. 2016 , 585, A153		0
451	MAD ADAPTIVE OPTICS IMAGING OF HIGH-LUMINOSITY QUASARS: A PILOT PROJECT. 2016 , 152, 38		1
450	THE BLACK HOLE-BULGE MASS RELATION IN MEGAMASER HOST GALAXIES. <i>Astrophysical Journal</i> , 2016 , 825, 3	4-7	46
449	SUPERMASSIVE BLACK HOLES AND THEIR HOST SPHEROIDS. I. DISASSEMBLING GALAXIES. 2016 , 222, 10		41
448	THE LOCAL BLACK HOLE MASS FUNCTION DERIVED FROM THE M^* -BAND M^* -RELATIONS. <i>Astrophysical Journal</i> , 2016 , 830, 117	4-7	20
447	The $2-10$ keV unabsorbed luminosity function of AGN from the LSS, CDFS, and COSMOS surveys. 2016 , 590, A80		19
446	A multi-epoch spectroscopic study of the BAL quasar APM 08279+5255. 2016 , 587, A43		18
445	THE MAIN SEQUENCES OF STAR-FORMING GALAXIES AND ACTIVE GALACTIC NUCLEI AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2016 , 833, 152	4-7	32
444	Is the cluster environment quenching the Seyfert activity in elliptical and spiral galaxies?. 2016 , 461, 2115-2125		14
443	The overmassive black hole in NGC 1277: new constraints from molecular gas kinematics. 2016 , 457, 4272-4284		11
442	THE NANOGRV NINE-YEAR DATA SET: LIMITS ON THE ISOTROPIC STOCHASTIC GRAVITATIONAL WAVE BACKGROUND. <i>Astrophysical Journal</i> , 2016 , 821, 13	4-7	173

441	Black hole starvation and bulge evolution in a Milky Way-like galaxy. 2016 , 459, 2603-2617		23
440	STAR FORMATION IN 3CR RADIO GALAXIES AND QUASARS ATz2016, 151, 120		18
439	Dark matter concentrations in galactic nuclei according to polytropic models. 2016 , 461, 4295-4316		18
438	Dark-matter haloes and the M_{\bullet} -relation for supermassive black holes. 2016 , 462, 1864-1881		7
437	Observational Signatures of High-Redshift Quasars and Local Relics of Black Hole Seeds. 2016 , 33,		48
436	Structure and Kinematics of Early-Type Galaxies from Integral Field Spectroscopy. 2016 , 54, 597-665		254
435	The impact of galactic properties and environment on the quenching of central and satellite galaxies: a comparison between SDSS, Illustris and L-Galaxies. 2016 , 462, 2559-2586		74
434	CONSTRAINTS ON FEEDBACK IN THE LOCAL UNIVERSE: THE RELATION BETWEEN STAR FORMATION AND AGN ACTIVITY IN EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2016 , 818, 182	4-7	17
433	A COMPREHENSIVE ARCHIVAL CHANDRASEARCH FOR X-RAY EMISSION FROM ULTRACOMPACT DWARF GALAXIES. <i>Astrophysical Journal</i> , 2016 , 819, 162	4-7	10
432	A unified multiwavelength model of galaxy formation. 2016 , 462, 3854-3911		223
431	INFERENCE ON THE RELATIONS BETWEEN CENTRAL BLACK HOLE MASS AND TOTAL GALAXY STELLAR MASS IN THE HIGH-REDSHIFT UNIVERSE. 2016 , 820, L6		26
430	Extreme star formation events in quasar hosts over 0.5 . 2016 , 462, 4067-4077		23
429	UNIFICATION OF THE FUNDAMENTAL PLANE AND SUPER MASSIVE BLACK HOLE MASSES. <i>Astrophysical Journal</i> , 2016 , 831, 134	4-7	128
428	Galaxies in the EAGLE hydrodynamical simulation and in the Durham and Munich semi-analytical models. 2016 , 461, 3457-3482		72
427	Evidence of suppression of star formation by quasar-driven winds in gas-rich host galaxies atz2016, 461, 3724-3739		32
426	Theoretical re-evaluations of the black hole mass–bulge mass relation \hat{M} . Effect of seed black hole mass. 2016 , 461, 4389-4394		11
425	Herschel far-infrared photometry of the Swift Burst Alert Telescope active galactic nuclei sample of the local universe \hat{M} . SPIRE observations. 2016 , 456, 3335-3353		24
424	Origin and properties of dual and offset active galactic nuclei in a cosmological simulation at $z=2$. 2016 , 458, 1013-1028		56

423	Active galactic nuclei at $z \sim 1.5$. Black hole mass estimation by means of broad emission lines. 2016 , 460, 187-211		82
422	Gaia transient detection efficiency: hunting for nuclear transients. 2016 , 455, 603-617		6
421	Testing quasar unification: radiative transfer in clumpy winds. 2016 , 458, 293-305		38
420	Selection bias in dynamically measured supermassive black hole samples: its consequences and the quest for the most fundamental relation. 2016 , 460, 3119-3142		150
419	The cosmic evolution of massive black holes in the Horizon-AGN simulation. 2016 , 460, 2979-2996		146
418	It is not easy being green: the evolution of galaxy colour in the EAGLE simulation. 2016 , 460, 3925-3939		87
417	Astronomy. ASASSN-15lh: A highly super-luminous supernova. 2016 , 351, 257-60		137
416	An artificial neural network approach for ranking quenching parameters in central galaxies. 2016 , 457, 2086-2106		51
415	DOES THE INTERMEDIATE-MASS BLACK HOLE IN LEDA 87300 (RGG 118) FOLLOW THE NEAR-QUADRATIC MBH-MSPHEROID RELATION?. <i>Astrophysical Journal</i> , 2016 , 818, 172	4-7	21
414	THE SINFONI BLACK HOLE SURVEY: THE BLACK HOLE FUNDAMENTAL PLANE REVISITED AND THE PATHS OF (CO)EVOLUTION OF SUPERMASSIVE BLACK HOLES AND BULGES. <i>Astrophysical Journal</i> , 2016 , 818, 47	4-7	134
413	Masses and scaling relations for nuclear star clusters, and their co-existence with central black holes. 2016 , 457, 2122-2138		95
412	Near-infrared spectroscopy of quasars at $z \sim 3$ and estimates of their supermassive black hole masses. 2016 , 68, 1		13
411	Subaru Telescope adaptive optics observations of gravitationally lensed quasars in the Sloan Digital Sky Survey. 2016 , 458, 2-55		36
410	IGR J12580+0134: THE FIRST TIDAL DISRUPTION EVENT WITH AN OFF-BEAM RELATIVISTIC JET. <i>Astrophysical Journal</i> , 2016 , 816, 20	4-7	20
409	Bright vigorous winds as signposts of supermassive black hole birth. 2016 , 455, 2-16		14
408	A Black Hole Mass Determination for the Compact Galaxy Mrk 1216. <i>Astrophysical Journal</i> , 2017 , 835, 208	4-7	17
407	Formation and Assembly History of Stellar Components in Galaxies as a Function of Stellar and Halo Mass. <i>Astrophysical Journal</i> , 2017 , 836, 161	4-7	11
406	Improved Dynamical Constraints on the Mass of the Central Black Hole in NGC 404. <i>Astrophysical Journal</i> , 2017 , 836, 237	4-7	51

405	ALMA Observations Show Major Mergers Among the Host Galaxies of Fast-growing, High-redshift, Supermassive Black Holes. <i>Astrophysical Journal</i> , 2017 , 836, 8	4-7	71
404	AGN-host connection at 0.5'. 2017 , 601, A63		31
403	Post-Newtonian Dynamical Modeling of Supermassive Black Holes in Galactic-scale Simulations. <i>Astrophysical Journal</i> , 2017 , 840, 53	4-7	30
402	Unveiling the First Black Holes With JWST: Multi-wavelength Spectral Predictions. <i>Astrophysical Journal</i> , 2017 , 838, 117	4-7	51
401	Black Hole Growth Is Mainly Linked to Host-galaxy Stellar Mass Rather Than Star Formation Rate. <i>Astrophysical Journal</i> , 2017 , 842, 72	4-7	55
400	Turbulent gas accretion between supermassive black-holes and star-forming rings in the circumnuclear disk. 2017 , 602, A84		3
399	Spatially Offset Active Galactic Nuclei. II. Triggering in Galaxy Mergers. <i>Astrophysical Journal</i> , 2017 , 838, 129	4-7	17
398	Was 49b: An Overmassive AGN in a Merging Dwarf Galaxy?. <i>Astrophysical Journal</i> , 2017 , 836, 183	4-7	12
397	Delayed triggering of radio active galactic nuclei in gas-rich minor mergers in the local Universe. 2017 , 464, 4706-4720		29
396	Tracing the origin of the AGN fuelling reservoir in MCG-3-30-15. 2017 , 464, 4227-4246		9
395	Peering Through the Dust. II. XMM-Newton Observations of Two Additional FIRST-2MASS Red Quasars. <i>Astrophysical Journal</i> , 2017 , 847, 116	4-7	10
394	The Chandra deep fields: Lifting the veil on distant active galactic nuclei and X-ray emitting galaxies. 2017 , 79, 59-84		25
393	An Upper Limit on the Mass of a Central Black Hole in the Large Magellanic Cloud from the Stellar Rotation Field. <i>Astrophysical Journal</i> , 2017 , 846, 14	4-7	4
392	Recoiling supermassive black hole escape velocities from dark matter haloes. 2017 , 472, 1526-1537		6
391	Discovery of five low-luminosity active galactic nuclei at the centre of the Perseus cluster. 2017 , 465, 3943-3948		7
390	CANDELS: Elevated Black Hole Growth in the Progenitors of Compact Quiescent Galaxies at $z \sim 2$. <i>Astrophysical Journal</i> , 2017 , 846, 112	4-7	47
389	A rumble in the dark: signatures of self-interacting dark matter in supermassive black hole dynamics and galaxy density profiles. 2017 , 469, 2845-2854		30
388	On the dynamics of supermassive black holes in gas-rich, star-forming galaxies: the case for nuclear star cluster co-evolution. 2017 , 469, 295-313		21

- 387 Gravitational torque-driven black hole growth and feedback in cosmological simulations. **2017**, 464, 2840-2853 99
- 386 Accretion Disc Winds. **2017**, 39-75
- 385 Deepest View of AGN X-Ray Variability with the 7 MsChandraDeep Field-South Survey. *Astrophysical Journal*, **2017**, 849, 127 4-7 15
- 384 SDSS J1056+5516: A Triple AGN or an SMBH Recoil Candidate?. **2017**, 851, L15 9
- 383 OUTFLOW AND METALLICITY IN THE BROAD-LINE REGION OF LOW-REDSHIFT ACTIVE GALACTIC NUCLEI. *Astrophysical Journal*, **2017**, 835, 24 4-7 7
- 382 Stellar Dynamics and Stellar Phenomena Near a Massive Black Hole. **2017**, 55, 17-57 75
- 381 Star formation and gas flows in the centre of the NUGA galaxy NGC 1808 observed with SINFONI. **2017**, 598, A55 18
- 380 Do You See What I See? Exploring the Consequences of Luminosity Limits in Black Hole Galaxy Evolution Studies. *Astrophysical Journal*, **2017**, 843, 125 4-7 11
- 379 Constraining supermassive black hole evolution through the continuity equation. **2017**, 600, A64 20
- 378 Search and study of objects of the early universe. **2017**, 72, 93-99 1
- 377 Galaxy Zoo: the interplay of quenching mechanisms in the group environment?. **2017**, 469, 3670-3687 30
- 376 Extremely red quasars in BOSS. **2017**, 464, 3431-3463 52
- 375 Hubble Space Telescope Imaging of the Active Dwarf Galaxy RGG 118. *Astrophysical Journal*, **2017**, 850, 196 4-7 17
- 374 X-ray-emitting active galactic nuclei from $z=0.6$ to 1.3 in the intermediate- and high-density environments of the ORELSE survey. **2017**, 466, 496-519 13
- 373 Black hole mass measurement using molecular gas kinematics: what ALMA can do. **2017**, 466, 1987-2005 7
- 372 SDSS-IV MaNGA – the spatially resolved transition from star formation to quiescence. **2017**, 466, 2570-2589 65
- 371 Black hole clustering and duty cycles in the Illustris simulation. **2017**, 466, 3331-3343 16
- 370 Herschel far-infrared photometry of the Swift Burst Alert Telescope active galactic nuclei sample of the local universe – III. Global star-forming properties and the lack of a connection to nuclear activity. **2017**, 466, 3161-3183 36

369	On the efficiency of jet production in FR II radio galaxies and quasars. 2017 , 466, 2294-2301		15
368	Star formation history in barred spiral galaxies & active galactic nucleus feedback. 2017 , 469, 3722-3737		13
367	The Romulus cosmological simulations: a physical approach to the formation, dynamics and accretion models of SMBHs. 2017 , 470, 1121-1139		119
366	The characteristic halo masses of half-a-million WISE-selected quasars. 2017 , 469, 4630-4643		18
365	Observational evidence that positive and negative AGN feedback depends on galaxy mass and jet power. 2017 , 471, 28-58		14
364	Observational constraints on the specific accretion-rate distribution of X-ray-selected AGNs. 2017 , 471, 1976-2001		33
363	The redshift evolution of major merger triggering of luminous AGNs: a slight enhancement at $z \sim 2$. 2017 , 470, 755-770		27
362	Beasts in Lambda-CDM zoo. 2017 , 80, 987-994		7
361	HOLiCOW VII: cosmic evolution of the correlation between black hole mass and host galaxy luminosity. 2017 , 472, 90-103		21
360	Supermassive black holes in disc-dominated galaxies outgrow their bulges and co-evolve with their host galaxies. 2017 , 470, 1559-1569		22
359	Late-time observations of the relativistic tidal disruption flare candidate Swift J1112.2+238. 2017 , 472, 4469-4479		11
358	AGN jet feedback on a moving mesh: cocoon inflation, gas flows and turbulence. 2017 , 472, 4707-4735		56
357	Molecular Gas Kinematics and Star Formation Properties of the Strongly-lensed Quasar Host Galaxy RXS J1131+231. <i>Astrophysical Journal</i> , 2017 , 836, 180	4-7	9
356	xCOLD GASS: The Complete IRAM 30 m Legacy Survey of Molecular Gas for Galaxy Evolution Studies. 2017 , 233, 22		228
355	What sparks the radio-loud phase of nearby quasars?. 2017 , 466, 921-944		18
354	Detection of faint broad emission lines in type 2 AGNs. III. On the MBH- σ relation of type 2 AGNs. 2017 , 471, L41-L46		11
353	AGNs and Their Host Galaxies in the Local Universe: Two Mass-independent Eddington Ratio Distribution Functions Characterize Black Hole Growth. <i>Astrophysical Journal</i> , 2017 , 845, 134	4-7	24
352	Galactic-scale Feedback Observed in the 3C 298 Quasar Host Galaxy. <i>Astrophysical Journal</i> , 2017 , 851, 126	4-7	37

351	A unifying evolutionary framework for infrared-selected obscured and unobscured quasar host haloes. 2017 , 464, 3526-3535		11
350	On the Structure of the AGN Torus through the Fraction of Optically Selected Type 1 AGNs. <i>Astrophysical Journal</i> , 2017 , 846, 155	4-7	5
349	The mean star formation rates of unobscured QSOs: searching for evidence of suppressed or enhanced star formation. 2017 , 472, 2221-2240		49
348	Do AGN outflows quench or enhance star formation?. 2017 , 468, 4956-4967		30
347	On the relation between the mass of Compact Massive Objects and their host galaxies CMOs and their host galaxies. 2017 , 472, 4013-4023		16
346	On the mean radiative efficiency of accreting massive black holes in AGNs and QSOs. 2017 , 60, 1		5
345	Radial anisotropy in ICen limiting the room for an intermediate-mass black hole. 2017 , 468, 4429-4440		38
344	Theoretical Re-evaluations of Scaling Relations between SMBHs and Their Host Galaxiesâ. Effect of Seed BH Mass. 2017 , 4,		
343	The Relation Between Globular Cluster Systems and Supermassive Black Holes in Spiral Galaxies: The Case Study of NGC 4258. <i>Astrophysical Journal</i> , 2017 , 835, 184	4-7	7
342	On the frequency of star-forming galaxies in the vicinity of powerful AGNs: The case of SMM J04135+10277. 2017 , 597, A123		7
341	Black holes on FIRE: stellar feedback limits early feeding of galactic nuclei. 2017 , 472, L109-L114		120
340	The new semi-analytic code GalICS 2.0 âreproducing the galaxy stellar mass function and the TullyâFisher relation simultaneously. 2017 , 471, 1401-1427		31
339	Magnetohydrodynamic disc winds and line width distributions â. 2017 , 465, 1741-1756		6
338	H0LiCOW. VI. Testing the fidelity of lensed quasar host galaxy reconstruction. 2017 , 465, 4634-4649		26
337	The galaxy counterpart of the high-metallicity and 16 kpc impact parameter DLA towards Q0918+1636 âa challenge to galaxy formation models?. 2017 , 464, 2441-2461		4
336	Metals in the circumgalactic medium are out of ionization equilibrium due to fluctuating active galactic nuclei. 2017 , 471, 1026-1044		23
335	MultiDark-Galaxies: data release and first results. 2018 , 474, 5206-5231		45
334	The most massive black holes on the Fundamental Plane of black hole accretion. 2018 , 474, 1342-1360		21

333	Comparing galaxy formation in semi-analytic models and hydrodynamical simulations. 2018 , 474, 492-521		35
332	The life cycle of starbursting circumnuclear gas discs. 2018 , 473, 953-968		4
331	Habitable Evaporated Cores and the Occurrence of Panspermia Near the Galactic Center. 2018 , 855, L1		18
330	An ALMA [C ii] Survey of 27 Quasars at $z > 5.94$. <i>Astrophysical Journal</i> , 2018 , 854, 97	4-7	143
329	The fraction of AGNs in major merger galaxies and its luminosity dependence. 2018 , 476, 2308-2317		21
328	SDSS-IV MaNGA: the spatial distribution of star formation and its dependence on mass, structure, and environment. 2018 , 476, 580-600		37
327	Dancing to changa: a self-consistent prediction for close SMBH pair formation time-scales following galaxy mergers. 2018 , 475, 4967-4977		46
326	Linking black hole growth with host galaxies: the accretion-stellar mass relation and its cosmic evolution. 2018 , 475, 1887-1911		43
325	The [O iii] Profiles of Infrared-selected Active Galactic Nuclei: More Powerful Outflows in the Obscured Population. <i>Astrophysical Journal</i> , 2018 , 856, 76	4-7	15
324	Correlation between the Total Gravitating Mass of Groups and Clusters and the Supermassive Black Hole Mass of Brightest Galaxies. <i>Astrophysical Journal</i> , 2018 , 852, 131	4-7	28
323	NGC 307 and the effects of dark-matter haloes on measuring supermassive black holes in disc galaxies. 2018 , 473, 2251-2274		5
322	Momentum-driven Winds from Radiatively Efficient Black Hole Accretion and Their Impact on Galaxies. <i>Astrophysical Journal</i> , 2018 , 860, 14	4-7	28
321	Accretion of clumpy cold gas on to massive black hole binaries: the challenging formation of extended circumbinary structures. 2018 , 478, 1726-1748		3
320	SMBH accretion properties of radio-selected AGN out to $z \sim 4$. 2018 , 481, 4971-4983		10
319	Low-luminosity AGN and X-Ray Binary Populations in COSMOS Star-forming Galaxies. <i>Astrophysical Journal</i> , 2018 , 865, 43	4-7	20
318	BlueTides simulation: establishing black hole-galaxy relations at high redshift. 2018 , 478, 5063-5073		16
317	Shark: introducing an open source, free, and flexible semi-analytic model of galaxy formation. 2018 , 481, 3573-3603		97
316	Novel Relationship among Spiral Arm Pitch Angles (p) and momentum parameter of the host spiral galaxies. 2018 , 1003, 012107		1

315	AGN Evolution from the Galaxy Evolution Viewpoint. II.. <i>Astrophysical Journal</i> , 2018 , 867, 148	4-7	14
314	Supermassive black holes and their feedback effects in the IllustrisTNG simulation. 2018 , 479, 4056-4072		160
313	Nearby Early-type Galactic Nuclei at High Resolution: Dynamical Black Hole and Nuclear Star Cluster Mass Measurements. <i>Astrophysical Journal</i> , 2018 , 858, 118	4-7	68
312	Black Hole–Galaxy Scaling Relationships for Active Galactic Nuclei with Reverberation Masses. <i>Astrophysical Journal</i> , 2018 , 864, 146	4-7	34
311	Active galactic nucleus outflows in galaxy discs. 2018 , 476, 2288-2307		10
310	Using Real and Simulated Measurements of the Thermal Sunyaev–Zel’dovich Effect to Constrain Models of AGN Feedback. <i>Astrophysical Journal</i> , 2018 , 865, 109	4-7	7
309	Red Misfits in the Sloan Digital Sky Survey: properties of star-forming red galaxies. 2018 , 476, 5284-5302		13
308	Normal black holes in bulge-less galaxies: the largely quiescent, merger-free growth of black holes over cosmic time. 2018 , 476, 2801-2812		32
307	The Stripe 82 1.4 GHz Very Large Array Snapshot Survey: host galaxy properties and accretion rates of radio galaxies. 2018 , 480, 358-370		14
306	How to constrain mass and spin of supermassive black holes through their disk emission. 2018 , 612, A59		14
305	The impact of bars and interactions on optically selected AGNs in spiral galaxies. 2018 , 618, A149		12
304	Evaporation of planetary atmospheres due to XUV illumination by quasars. 2018 , 479, 171-182		15
303	The Formation of Extremely Diffuse Galaxy Cores by Merging Supermassive Black Holes. <i>Astrophysical Journal</i> , 2018 , 864, 113	4-7	33
302	How black holes stop their host galaxy from growing without AGN feedback. 2018 , 480, 5673-5688		1
301	Cosmological simulations of black hole growth II: how (in)significant are merger events for fuelling nuclear activity?. 2018 , 481, 341-360		31
300	Introducing galactic structure finder: the multiple stellar kinematic structures of a simulated Milky Way mass galaxy. 2018 , 477, 4915-4930		19
299	A 3.5 million Solar masses black hole in the centre of the ultracompact dwarf galaxy fornax UCD3. 2018 , 477, 4856-4865		39
298	The combined effect of AGN and supernovae feedback in launching massive molecular outflows in high-redshift galaxies. 2018 , 475, 5688-5703		28

297	Spherical accretion in giant elliptical galaxies: multitransonicity, shocks, and implications on AGN feedback. 2018 , 479, 3011-3032		2
296	The Andromeda galaxy's most important merger about 2 billion years ago as M32's likely progenitor. 2018 , 2, 737-743		44
295	A catalogue of faint local radio AGN and the properties of their host galaxies. 2018 , 479, 807-816		6
294	The effect of AGN feedback on the migration time-scale of supermassive black holes binaries. 2018 , 480, 439-450		9
293	(M_{bullet} - σ) relation in spherical systems. 2018 , 39, 1		1
292	Active Galactic Nucleus Feedback in an Elliptical Galaxy with the Most Updated AGN Physics. I. Low Angular Momentum Case. <i>Astrophysical Journal</i> , 2018 , 857, 121	4-7	60
291	A Population of Bona Fide Intermediate-mass Black Holes Identified as Low-luminosity Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2018 , 863, 1	4-7	63
290	Flickering AGN can explain the strong circumgalactic O vi observed by COS-Halos. 2018 , 474, 4740-4755		60
289	Effect of nuclear stars gravity on quasar radiation feedback on the parsec-scale. 2018 , 478, 2887-2895		1
288	The Black Hole Masses and Eddington Ratios of Type 2 Quasars. <i>Astrophysical Journal</i> , 2018 , 859, 116	4-7	11
287	Triggering active galactic nuclei in galaxy clusters. 2018 , 474, 3615-3628		18
286	Jet-driven Galaxy-scale Gas Outflows in the Hyperluminous Quasar 3C 273. <i>Astrophysical Journal</i> , 2019 , 879, 75	4-7	17
285	Robust identification of active galactic nuclei through HST optical variability in GOODS-S: comparison with the X-ray and mid-IR-selected samples?. 2019 , 487, 4285-4304		8
284	Black hole mass estimation for active galactic nuclei from a new angle. 2019 , 487, 3404-3418		22
283	Multiphase quasar-driven outflows in PG 1114+445. 2019 , 627, A121		18
282	NIHAO XXII. Introducing black hole formation, accretion, and feedback into the NIHAO simulation suite. 2019 , 487, 5476-5489		7
281	Revealing the differences in the SMBH accretion rate distributions of starburst and non-starburst galaxies. 2019 , 487, 4071-4082		7
280	No signs of star formation being regulated in the most luminous quasars at $z \sim 2$ with ALMA. 2019 , 488, 1180-1198		28

279	Black hole masses of tidal disruption event host galaxies II. 2019 , 487, 4136-4152		48
278	Black hole Galaxy correlations in simba. 2019 , 487, 5764-5780		38
277	Properties of radio-loud quasars in the Sloan Digital Sky Survey. 2019 , 631, A46		5
276	Evidence for rapid disc formation and reprocessing in the X-ray bright tidal disruption event candidate AT 2018fyk. 2019 , 488, 4816-4830		60
275	Smaller stellar disc scale lengths in rich environments. 2019 , 489, 2216-2226		1
274	Secularly powered outflows from AGNs: the dominance of non-merger driven supermassive black hole growth. 2019 , 489, 4016-4031		14
273	Radiation-driven outflows in AGNs: revisiting feedback effects of scattered and reprocessed photons. 2019 , 490, 2567-2578		4
272	Spin evolution and feedback of supermassive black holes in cosmological simulations. 2019 , 490, 4133-4153		18
271	The impact of black hole seeding in cosmological simulations. 2019 , 483, 4640-4648		5
270	Impact of X-rays on CO emission from high-z galaxies. 2019 , 490, 4502-4514		13
269	The fundamental relation between supermassive black holes and their host galaxies. 2019 , 490, 600-612		22
268	Evolution of Black Hole and Galaxy Growth in a Semi-numerical Galaxy Formation Model. <i>Astrophysical Journal</i> , 2019 , 881, 110	4-7	4
267	Major Mergers Are Not the Dominant Trigger for High-accretion AGNs at $z \sim 2$. <i>Astrophysical Journal</i> , 2019 , 882, 141	4-7	25
266	On the role of supermassive black holes in quenching star formation in local central galaxies. 2019 , 489, 1606-1618		4
265	Active Galactic Nuclei Feedback at the Parsec Scale. <i>Astrophysical Journal</i> , 2019 , 882, 55	4-7	1
264	A New Class of Changing-look LINERs. <i>Astrophysical Journal</i> , 2019 , 883, 31	4-7	37
263	WISDOM project IV. Resolving molecular gas in Keplerian rotation around the supermassive black hole in NGC 0383. 2019 , 490, 319-330		18
262	An Absence of Radio-loud Active Galactic Nuclei in Geometrically Flat Quiescent Galaxies: Implications for Maintenance-mode Feedback Models. 2019 , 872, L12		2

261	A flat trend of star formation rate with X-ray luminosity of galaxies hosting AGN in the SCUBA-2 Cosmology Legacy Survey. 2019 , 486, 4320-4333		10
260	Black Hole Mass Scaling Relations for Spiral Galaxies. I. M BHâM *,sph. <i>Astrophysical Journal</i> , 2019 , 873, 85	4-7	40
259	What shapes a galaxy? âUnraveling the role of mass, environment, and star formation in forming galactic structure. 2019 , 485, 666-696		34
258	Evaluating the QSO contribution to the 21-cm signal from the Cosmic Dawn. 2019 , 487, 1101-1119		19
257	Galaxy formation and evolution science in the era of the Large Synoptic Survey Telescope. 2019 , 1, 450-462		9
256	Active Galactic Nuclei: Boon or Bane for Biota?. <i>Astrophysical Journal</i> , 2019 , 877, 62	4-7	19
255	Supermassive black hole demographics: evading M â2019, 487, 4827-4831		7
254	The (M-sigma) relation between supermassive black holes and their host galaxies. 2019 , 51, 1		4
253	The linear bias of radio galaxies at z â0.3 via cosmic microwave background lensing. 2019 , 485, L1-L5		1
252	Improved Dynamical Constraints on the Masses of the Central Black Holes in Nearby Low-mass Early-type Galactic Nuclei and the First Black Hole Determination for NGC 205. <i>Astrophysical Journal</i> , 2019 , 872, 104	4-7	56
251	Expanding the Sample: The Relationship between the Black Hole Mass of BCGs and the Total Mass of Galaxy Clusters. <i>Astrophysical Journal</i> , 2019 , 875, 141	4-7	12
250	Total density profile of massive early-type galaxies in H orizon-AGN simulation: impact of AGN feedback and comparison with observations. 2019 , 483, 4615-4627		16
249	The KMOS3D Survey: Demographics and Properties of Galactic Outflows at z = 0.6â2.7. <i>Astrophysical Journal</i> , 2019 , 875, 21	4-7	75
248	References. 2019 , 375-410		
247	Evident black hole-bulge coevolution in the distant universe. 2019 , 485, 3721-3737		31
246	The interplay between active galactic nuclei and star formation activities of type 1 active galactic nuclei probed by polycyclic aromatic hydrocarbon 3.3 Æh emission feature with AKARI. 2019 , 71,		0
245	The New Numerical Galaxy Catalogue (âGC): properties of active galactic nuclei and their host galaxies. 2019 , 482, 4846-4873		17
244	Constraining the mass density of free-floating black holes using razor-thin lensing arcs. 2019 , 483, 1558-1573		8

243	Comparison of cosmological simulations and deep submillimetre galaxy surveys. 2019 , 484, 1852-1864		9
242	Multi-wavelength Properties of Type 1 and Type 2 AGN Host Galaxies in the Chandra-COSMOS Legacy Survey. <i>Astrophysical Journal</i> , 2019 , 872, 168	4-7	24
241	The Fe ii/Mg ii Flux Ratio of Low-luminosity Quasars at $z \sim 3$. <i>Astrophysical Journal</i> , 2019 , 874, 22	4-7	19
240	What is the real accretion rate on to a black hole for low-angular-momentum accretion?. 2019 , 484, 1724-1734		5
239	Where Do Quasar Hosts Lie with Respect to the Size-Mass Relation of Galaxies?. 2019 , 887, L5		9
238	The Black Hole-Bulge Mass Relation Including Dwarf Galaxies Hosting Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2019 , 887, 245	4-7	25
237	Massive galaxies on the road to quenching: ALMA observations of powerful high redshift radio galaxies. 2019 , 621, A27		19
236	Probing gaseous halos of galaxies with radio jets. 2019 , 627, A113		5
235	The XXL Survey. 2019 , 625, A111		7
234	A Comparison between Different Methods to Study the Supermassive Black Hole Mass - Pitch Angle Relation. 2019 , 1294, 022010		
233	Black hole mass of central galaxies and cluster mass correlation in cosmological hydro-dynamical simulations. 2019 , 630, A144		10
232	Detections of [O iii] 88 μm in two quasars in the reionization epoch. 2019 , 71,		9
231	The Galaxy Gas Content Regulated by the Dark Matter Halo Mass Results in a Superlinear $M_{\text{BH}}-M_{\text{gas}}$ Relation. 2019 , 885, L36		11
230	ChandraCOSMOS Legacy Survey: Clustering dependence of Type 2 active galactic nuclei on host galaxy properties. 2019 , 632, A88		5
229	GABE: Galaxy Assembly with Binary Evolution. 2019 , 19, 151		2
228	Observational constraints on the feeding of supermassive black holes. 2019 , 3, 48-61		59
227	How frequent are close supermassive binary black holes in powerful jet sources?. 2019 , 482, 240-261		26
226	The quenching and morphological evolution of central galaxies is facilitated by the feedback-driven expulsion of circumgalactic gas. 2020 , 491, 4462-4480		52

225	Surprisingly Strong K-band Emission Found in Low-luminosity Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2020 , 888, 19	4-7	4
224	Universal bolometric corrections for active galactic nuclei over seven luminosity decades. 2020 , 636, A73		48
223	From galactic nuclei to the halo outskirts: tracing supermassive black holes across cosmic history and environments. 2020 , 495, 4681-4706		12
222	Quenching as a Contest between Galaxy Halos and Their Central Black Holes. <i>Astrophysical Journal</i> , 2020 , 897, 102	4-7	33
221	Semi-analytic modelling of AGNs: autocorrelation function and halo occupation. 2020 , 497, 1-18		3
220	SMM J04135+10277: a distant QSO&agrav;starburst system caught by ALMA. 2020 , 493, 3744-3756		9
219	Q wind code release: a non-hydrodynamical approach to modelling line-driven winds in active galactic nuclei. 2020 , 495, 402-412		4
218	The fates of merging supermassive black holes and a proposal for a new class of X-ray sources. 2020 , 498, 3807-3816		3
217	Why do extremely massive disc galaxies exist today?. 2020 , 494, 5568-5575		15
216	Subaru Hyper Suprime-Cam view of quasar host galaxies at $z < 1$. 2020 , 72,		7
215	RAiSE X: searching for radio galaxies in X-ray surveys. 2020 , 493, 5181-5194		4
214	The rise of active galactic nuclei in the galaxy evolution and assembly semi-analytic model. 2020 , 496, 3943-3960		7
213	Dark Energy Survey identification of a low-mass active galactic nucleus at redshift 0.823 from optical variability. 2020 , 496, 3636-3647		4
212	The star formation properties of the observed and simulated AGN Universe: BAT versus EAGLE. 2020 , 498, 2323-2338		2
211	Dark-ages reionization and galaxy formation simulation &agrav;XVIII. The high-redshift evolution of black holes and their host galaxies. 2020 , 494, 2747-2759		9
210	Study of central intensity ratio of early-type galaxies from low-density environment. 2020 , 500, 1343-1349		1
209	Powering galactic superwinds with small-scale AGN winds. 2020 , 497, 5229-5255		21
208	No Significant Evolution of Relations between Black Hole Mass and Galaxy Total Stellar Mass Up to $z \sim 2.5$. <i>Astrophysical Journal</i> , 2020 , 889, 32	4-7	20

207	The Case for the Fundamental MBH- σ Relation. 2020 , 8,		9
206	A New Channel of Bulge Formation via the Destruction of Short Bars. <i>Astrophysical Journal</i> , 2020 , 888, 65	4-7	8
205	Measuring the mass of the supermassive black hole of the lenticular galaxy NGC 4546. 2020 , 495, 2620-2629		1
204	Cosmological Simulation of Galaxy Groups and Clusters. I. Global Effect of Feedback from Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2020 , 889, 60	4-7	2
203	Fainter harder brighter softer: a correlation between Γ_X , X-ray spectral state, and Eddington ratio in tidal disruption events. 2020 , 497, L1-L6		10
202	On the Power to Constrain the Accretion History of Massive Black Holes via Spin Measurements by Upcoming X-Ray Telescopes. <i>Astrophysical Journal</i> , 2020 , 896, 87	4-7	2
201	PKS 2250+51: A giant radio galaxy in Abell 3936. 2020 , 37,		7
200	Dynamical Evolution of Cosmic Supermassive Binary Black Holes and Their Gravitational-wave Radiation. <i>Astrophysical Journal</i> , 2020 , 897, 86	4-7	7
199	Inward bound: the incredible journey of massive black holes as they pair and merge α . The effect of mass ratio in flattened rotating galactic nuclei. 2020 , 492, 256-267		10
198	The Mass Relations between Supermassive Black Holes and Their Host Galaxies at 1 <i>Astrophysical Journal</i> , 2020 , 888, 37	4-7	34
197	NGC 6240: A triple nucleus system in the advanced or final state of merging. 2020 , 633, A79		15
196	High-precision Dark Halo Virial Masses from Globular Cluster Numbers: Implications for Globular Cluster Formation and Galaxy Assembly. 2020 , 159, 56		30
195	Probing black hole accretion tracks, scaling relations, and radiative efficiencies from stacked X-ray active galactic nuclei. 2020 , 493, 1500-1511		16
194	Cosmic rays or turbulence can suppress cooling flows (where thermal heating or momentum injection fail). 2020 , 491, 1190-1212		19
193	Cosmological simulations of massive black hole seeds: predictions for next-generation electromagnetic and gravitational wave observations. 2020 , 491, 4973-4992		7
192	The performance of photometric reverberation mapping at high redshift and the reliability of damped random walk models. 2020 , 492, 3940-3959		2
191	Black Hole Parameter Estimation from Its Shadow. <i>Astrophysical Journal</i> , 2020 , 892, 78	4-7	44
190	The Correlation between Black Hole Mass and Stellar Mass for Classical Bulges and the Cores of Ellipticals. <i>Astrophysical Journal</i> , 2021 , 907, 6	4-7	6

189	Ultramassive Black Holes in the Most Massive Galaxies: $M_{\text{BH}} \propto M_{\text{bul}}^{\alpha}$ versus $M_{\text{BH}} \propto M_{\text{bul}}^{\beta}$. <i>Astrophysical Journal</i> , 2021 , 908, 134	4-7	2
188	A possible sub-kiloparsec dual AGN buried behind the galaxy curtain. 2021 , 646, A153		5
187	Supermassive black holes in cosmological simulations I: $M_{\text{BH}} \propto M_{\text{bul}}^{\alpha}$ relation and black hole mass function. 2021 , 503, 1940-1975		19
186	Lunar Gravitational-wave Antenna. <i>Astrophysical Journal</i> , 2021 , 910, 1	4-7	12
185	Synergies between low- and intermediate-redshift galaxy populations revealed with unsupervised machine learning. 2021 , 503, 3010-3031		0
184	Morphological evolution of supermassive black hole merger hosts and multimessenger signatures. 2021 , 503, 3629-3642		1
183	Black Hole and Galaxy Coevolution in Moderately Luminous Active Galactic Nuclei at $z \sim 1.4$ in SXDF. <i>Astrophysical Journal</i> , 2021 , 909, 188	4-7	1
182	Black hole mass measurement using ALMA observations of [CII] and CO emissions in the Seyfert 1 galaxy NGC 7469. 2021 , 504, 4123-4142		4
181	The Kinematics of $z \sim 6$ Quasar Host Galaxies. <i>Astrophysical Journal</i> , 2021 , 911, 141	4-7	21
180	Star formation quenching stages of active and non-active galaxies. 2021 , 648, A64		5
179	Compaction-driven black hole growth. 2021 , 505, 172-190		3
178	Discovery and origins of giant optical nebulae surrounding quasar PKS 0454-022. 2021 , 505, 5497-5513		2
177	A note on the interpretation of the statistical analysis of the $(M_{\text{bullet}}-M_{\text{G}})\sigma^2$ scaling relation. 2021 , 366, 1		
176	Observing the host galaxies of high-redshift quasars with JWST: predictions from the BlueTides simulation. 2021 , 506, 1209-1228		4
175	A new distant giant radio galaxy in the Boötes field serendipitously detected by Chandra. 2021 , 650, A51		1
174	The connection between star formation and supermassive black hole activity in the local Universe. 2021 , 506, 2619-2637		0
173	Kinematics and star formation of high-redshift hot dust-obscured quasars as seen by ALMA.		3
172	Which AGN jets quench star formation in massive galaxies?. 2021 , 507, 175-204		6

171	The radio loudness of SDSS quasars from the LOFAR Two-metre Sky Survey: ubiquitous jet activity and constraints on star formation. 2021 , 506, 5888-5907		5
170	Efficient exploration and calibration of a semi-analytical model of galaxy formation with deep learning. 2021 , 506, 4011-4030		1
169	X-ray obscuration from a variable ionized absorber in PG 1114+445.		0
168	Kiloparsec-scale AGN outflows and feedback in merger-free galaxies. 2021 , 507, 3985-3997		5
167	Capturing dual AGN activity and kiloparsec-scale outflows in IRAS 20210+1121.		1
166	LLAMA: Stellar populations in the nuclei of ultra-hard X-ray-selected AGN and matched inactive galaxies.		1
165	Strong Correlation between Fe ii/Mg ii Ratio and Eddington Ratio of Type 1 Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2021 , 917, 107	4-7	1
164	On the link between nuclear star cluster and globular cluster system mass, nucleation fraction and environment.		0
163	Cosmological Simulations of Quasar Fueling to Subparsec Scales Using Lagrangian Hyper-refinement. <i>Astrophysical Journal</i> , 2021 , 917, 53	4-7	12
162	HST grism spectroscopy of $z \sim 3$ massive quiescent galaxies. 2021 , 653, A32		3
161	OUP accepted manuscript.		5
160	The Co-Evolution of Galaxies and Black Holes: Current Status and Future Prospects. 2009 , 335-356		5
159	Large-Scale Structure Formation: From the First Non-linear Objects to Massive Galaxy Clusters. 2016 , 93-139		4
158	Galaxy Bulges and Their Massive Black Holes: A Review. 2016 , 263-313		81
157	Nuclear Star Clusters and Bulges. 2016 , 107-124		5
156	Active Galactic Nuclei at the Crossroads of Astrophysics. 2007 , 147-162		4
155	Evolution of Supermassive Black Holes. 2007 , 174-182		1
154	Evolution of Astrophysics: Stars, Galaxies, Dark Matter, and Particle Acceleration. 2012 , 71-102		1

153	Evolution of Active Galactic Nuclei. 2013 , 503-566	23
152	High Energy Astrophysics. 2011 ,	293
151	The mass function of nearby black hole candidates. 2010 , 521, A55	21
150	The scaling relation between the mass of supermassive black holes and the kinetic energy of random motions of the host galaxies. 2012 , 537, A48	16
149	Spectroastrometry of rotating gas disks for the detection of supermassive black holes in galactic nuclei. 2011 , 536, A86	7
148	New calibration and some predictions of the scaling relations between the mass of supermassive black holes and the properties of the host galaxies. 2013 , 558, A108	7
147	Far-UV to mid-IR properties of nearby radio galaxies. 2015 , 581, A33	4
146	Triggering active galactic nuclei in hierarchical galaxy formation: disk instability vs. interactions. 2014 , 569, A37	56
145	Physical properties of AGN host galaxies as a probe of supermassive black hole feeding mechanisms. 2015 , 576, A32	12
144	A low-luminosity type-1 QSO sample. 2015 , 575, A128	9
143	A low-luminosity type-1 QSO sample. 2016 , 587, A138	10
142	Relative growth of black holes and the stellar components of galaxies. 2016 , 594, A99	5
141	The ALMA view of the high-redshift relation between supermassive black holes and their host galaxies. 2020 , 637, A84	24
140	The WISSH quasars project. 2021 , 645, A33	17
139	NUclei of GALaxies. 2007 , 464, 553-563	36
138	The host galaxies of radio-quiet quasars at $z \sim 0.5$. 2007 , 462, 525-533	13
137	The host galaxy/AGN connection. 2007 , 469, 75-88	16
136	The Diffuse Emission and a Variable Ultraluminous X-Ray Point Source in the Elliptical Galaxy NGC 3379. <i>Astrophysical Journal</i> , 2005 , 635, 1053-1061	4-7 23

135	The Co-Formation of Spheroids and Quasars Traced in their Clustering. <i>Astrophysical Journal</i> , 2007 , 662, 110-130	4-7	85
134	Selection Bias in Observing the Cosmological Evolution of the M_{BH} and M_{EL} Relationships. <i>Astrophysical Journal</i> , 2007 , 670, 249-260	4-7	193
133	Toward a Comprehensive Fueling-controlled Theory of the Growth of Massive Black Holes and Host Spheroids. <i>Astrophysical Journal</i> , 2007 , 671, 1264-1271	4-7	30
132	Tidal Disruption of Stellar Objects by Hard Supermassive Black Hole Binaries. <i>Astrophysical Journal</i> , 2008 , 676, 54-69	4-7	31
131	The Host Galaxy and Central Engine of the Dwarf Active Galactic Nucleus POX 52. <i>Astrophysical Journal</i> , 2008 , 686, 892-910	4-7	73
130	DISK ASSEMBLY AND THE M_{BH} - σ RELATION OF SUPERMASSIVE BLACK HOLES. <i>Astrophysical Journal</i> , 2013 , 765, 23	4-7	20
129	Theoretical investigation for the relation (supermassive black hole mass) \propto (spiral arm pitch angle): a correlation for galaxies with classical bulges. 571, 012118		1
128	Testing the evolution of correlations between supermassive black holes and their host galaxies using eight strongly lensed quasars. 2020 , 501, 269-280		4
127	WISDOM project α VI. Exploring the relation between supermassive black hole mass and galaxy rotation with molecular gas. 2020 , 500, 1933-1952		9
126	Correlations between supermassive black holes and hot gas atmospheres in IllustrisTNG and X-ray observations. 2021 , 501, 2210-2230		8
125	From bright binaries to bumpy backgrounds: Mapping realistic gravitational wave skies with pulsar-timing arrays. 2020 , 102,		15
124	STELLAR AND BLACK HOLE MASS DENSITIES AS EMPIRICAL TRACERS OF CO-EVOLUTION SHOW LOCK-STEP GROWTH SINCE $z \sim 3$. <i>Astrophysical Journal</i> , 2016 , 826, 67	4-7	3
123	DISENTANGLING AGN AND STAR FORMATION ACTIVITY AT HIGH REDSHIFT USING HUBBLE SPACE TELESCOPE GRISM SPECTROSCOPY. <i>Astrophysical Journal</i> , 2016 , 826, 172	4-7	1
122	DO THE MOST MASSIVE BLACK HOLES AT $z = 2$ GROW VIA MAJOR MERGERS?. <i>Astrophysical Journal</i> , 2016 , 830, 156	4-7	58
121	The Ubiquity of AGN Winds in Seyfert 1 Galaxies at Low Redshift. 2020 , 160, 176		3
120	The MBHBM? Project. I. Measurement of the Central Black Hole Mass in Spiral Galaxy NGC 3504 Using Molecular Gas Kinematics. <i>Astrophysical Journal</i> , 2020 , 892, 68	4-7	14
119	The Evolving AGN Duty Cycle in Galaxies Since $z \sim 3$ as Encoded in the X-Ray Luminosity Function. <i>Astrophysical Journal</i> , 2020 , 892, 17	4-7	14
118	AGNs Are Not That Cool: Revisiting the Intrinsic AGN Far-infrared Spectral Energy Distribution. <i>Astrophysical Journal</i> , 2020 , 894, 21	4-7	6

117	Properties of AGN Multiband Optical Variability in the HSC SSP Transient Survey. <i>Astrophysical Journal</i> , 2020 , 894, 24	4-7	6
116	Star Formation in Massive Galaxies at Redshift $z \sim 0.5$. <i>Astrophysical Journal</i> , 2020 , 895, 100	4-7	4
115	Testing the Fidelity of Simulations of Black Hole-Galaxy Coevolution at $z \sim 1.5$ with Observations. <i>Astrophysical Journal</i> , 2020 , 896, 159	4-7	3
114	Radiation Hydrodynamics Models of Active Galactic Nuclei: Beyond the Central Parsec. <i>Astrophysical Journal</i> , 2020 , 897, 26	4-7	11
113	An Accreting, Anomalously Low-mass Black Hole at the Center of Low-mass Galaxy IC 750. <i>Astrophysical Journal</i> , 2020 , 897, 111	4-7	5
112	The Discovery of a Hidden Broad-line AGN in a Bulgeless Galaxy: Keck NIR Spectroscopic Observations of SDSS J085153.64+392611.76. <i>Astrophysical Journal</i> , 2020 , 899, 82	4-7	4
111	Unveiling Sub-pc Supermassive Black Hole Binary Candidates in Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2020 , 902, 10	4-7	8
110	Dying of the Light: An X-Ray Fading Cold Quasar at $z \sim 0.405$. <i>Astrophysical Journal</i> , 2020 , 903, 106	4-7	3
109	A Significant Excess in Major Merger Rate for AGNs with the Highest Eddington Ratios at z . <i>Astrophysical Journal</i> , 2020 , 904, 79	4-7	9
108	The Faint End of the Quasar Luminosity Function at $z \sim 5$ from the Subaru Hyper Suprime-Cam Survey. <i>Astrophysical Journal</i> , 2020 , 904, 89	4-7	11
107	Measuring Stellar and Black Hole Masses of Tidal Disruption Events. <i>Astrophysical Journal</i> , 2020 , 904, 73	4-7	12
106	The Chandra Deep Wide-field Survey: A New Chandra Legacy Survey in the Boötes Field. I. X-Ray Point Source Catalog, Number Counts, and Multiwavelength Counterparts. 2020 , 251, 2		8
105	The Role of Active Galactic Nuclei in the Quenching of Massive Galaxies in the SQUIGGLE Survey. 2020 , 899, L9		10
104	On the M_{BH} -Relationship and SMBH Mass Estimates of Selected Nearby Galaxies. 2013 , 03, 1-9		1
103	MISCLASSIFIED TYPE 1 AGNS IN THE LOCAL UNIVERSE. 2014 , 47, 167-178		10
102	The MBHBM? Project III. Molecular gas kinematics in the lenticular galaxy NGC 3593 reveal a supermassive black hole.		2
101	Bringing faint active galactic nuclei (AGNs) to light: a view from large-scale cosmological simulations. 2021 , 508, 4816-4843		1
100	The role of mergers and gas accretion in black hole growth and galaxy evolution. 2021 , 21, 212		1

- 99 The Galaxy Environment of Extremely Massive Quasars. I. An Overdensity of H α Emitters at $z = 1.47$. *Astrophysical Journal*, **2021**, 920, 74 4-7
- 98 Hardening in a Stellar Time-Evolving Background: Prospects for LISA. **2007**, 101-105
- 97 Radio Studies of Galaxy Formation: Dense Gas History of the Universe. 131-158
- 96 THE 3.3 μm PAH FEATURE AS A SFR INDICATOR: PROBING THE INTERPLAY BETWEEN SF AND AGN ACTIVITIES. **2012**, 27, 281-284
- 95 The Supermassive Black Hole-Galaxy Connection. **2013**, 427-451
- 94 Massive Binary Black Holes in Galactic Nuclei and Their Path to Coalescence. **2014**, 189-221
- 93 Introduction. **2016**, 1-27
- 92 Introduction. **2016**, 1-35
- 91 The Anatomy of Galaxies. **2016**, 243-379 1
- 90 Introduction. **2017**, 1-38
- 89 Black Holes Across Cosmic History: A Journey Through 13.8 Billion Years. **2019**, 159-212
- 88 Submillimeter Signatures from Growing Supermassive Black Holes before Reionization. *Astrophysical Journal*, **2019**, 887, 174 4-7 1
- 87 Ultradense Gas at the Dusty Torus Scale in a Partially Obscured Quasar. *Astrophysical Journal*, **2020**, 900, 47 4-7 1
- 86 A Wide and Deep Exploration of Radio Galaxies with Subaru HSC (WERGS). IV. Rapidly Growing (Super)Massive Black Holes in Extremely Radio-loud Galaxies. *Astrophysical Journal*, **2021**, 921, 51 4-7 1
- 85 Physical Models for the Clustering of Obscured and Unobscured Quasars. *Astrophysical Journal*, **2020**, 888, 71 4-7 1
- 84 Using angular momentum maps to detect kinematically distinct galactic components. **2021**, 501, 2182-2197 1
- 83 Active galactic nucleus feedback in an elliptical galaxy with the most updated AGN physics: Parameter explorations. **2020**, 501, 398-410 2
- 82 ALMA detects molecular gas in the halo of the powerful radio galaxy TXS 0828+193. **2021**, 501, 5973-5980 1

81	A Closer Look at Two of the Most Luminous Quasars in the Universe. <i>Astrophysical Journal</i> , 2021 , 906, 12	4-7	2
80	Introduction. 2021 , 1-43		
79	Tracing AGN feedback, from the SMBH horizon up to cluster scales. 2019 , 15, 218-222		
78	Determine the mass of supermassive black hole in the centre of M31 in different methods. 2020 ,		
77	OUP accepted manuscript.		3
76	Supermassive Black Hole feedback in early type galaxies. 2020 , 15, 119-125		1
75	Supermassive black holes in cosmological simulations II: The AGN population and predictions for upcoming X-ray missions.		4
74	A transition in the accretion properties of AGN. 2005 , 23-30		
73	Star Formation and Feedback in Cooling Flows. 2007 , 13-19		1
72	Orbit classification in a disk galaxy model with a pseudo-Newtonian central black hole. 2020 , 643, A33		0
71	Non-isotropic feedback from accreting spinning black holes. 2020 , 500, 4788-4800		0
70	Past, Present, and Future of the Scaling Relations of Galaxies and Active Galactic Nuclei. 2021 , 8,		2
69	Optical Spectroscopy of Dual Quasar Candidates from the Subaru HSC-SSP program. <i>Astrophysical Journal</i> , 2021 , 922, 83	4-7	1
68	Host galaxy properties of X-ray active galactic nuclei in the local Universe.		0
67	Synchronized Coevolution between Supermassive Black Holes and Galaxies over the Last Seven Billion Years as Revealed by Hyper Suprime-Cam. <i>Astrophysical Journal</i> , 2021 , 922, 142	4-7	3
66	A Systematic Search for Dual Active Galactic Nuclei in Merging Galaxies (ASTRO-DARING) II: First Results from Long-slit Spectroscopic Observations. 2021 , 162, 289		0
65	The quenching of galaxies, bulges, and disks since cosmic noon. A machine learning approach for identifying causality in astronomical data.		4
64	AGN in the ULIRG HE 0435-5304.		0

63	Co-evolution of massive black holes and their host galaxies at high redshift: discrepancies from six cosmological simulations and the key role of JWST.	2
62	Black hole-galaxy scaling relations in FIRE: the importance of black hole location and mergers. 2022 , 511, 506-535	4
61	Improved selection of extremely red quasars with boxy CIV lines in BOSS.	0
60	OUP accepted manuscript.	4
59	OUP accepted manuscript.	1
58	On the quenching of star formation in observed and simulated central galaxies: Evidence for the role of integrated AGN feedback.	5
57	Detections of inflowing gas from narrow absorption lines at parsec scales. 2022 , 659, A103	0
56	The Close AGN Reference Survey (CARS). 2022 , 659, A124	3
55	Radio and far-IR emission associated with a massive star-forming galaxy candidate at $z \approx 6.8$: a radio-loud AGN in the reionization era?. 2022 , 512, 4248-4261	1
54	The (Black Hole Mass)-(Spheroid Stellar Density) Relations: $M_{BH} \propto M_{Sph}^{\alpha}$ and $M_{BH} \propto M_{Sph}^{\beta}$ <i>Astrophysical Journal</i> , 2022 , 927, 67	4-7 1
53	The impact of black hole feedback on the UV luminosity and stellar mass assembly of high-redshift galaxies. 2022 , 510, 5661-5675	2
52	Chemical Abundance of $z \sim 6$ Quasar Broad-Line Regions in the XQR-30 Sample.	3
51	VLA detects CO(1-0) emission in the $z = 3.65$ quasar SDSS J160705+533558. 2022 , 660, A60	
50	On the detectability of massive black hole merger events by Laser Interferometry Space Antenna. 2022 , 512, 6007-6020	0
49	Properties of IR-selected active galactic nuclei.	0
48	Selecting and modelling remnant AGNs with limited spectral coverage.	1
47	On the Connection between Supermassive Black Holes and Galaxy Growth in the Reionization Epoch. 2022 , 931, L11	0
46	A Near-infrared Look at AGN Feedback in Bulgeless Galaxies. <i>Astrophysical Journal</i> , 2022 , 931, 69	4-7 0

45	Cosmological evolution of gas and supermassive black holes in idealized isolated haloes.			
44	Predicting Supermassive Black Hole Mass with Machine Learning Methods.			
43	BASS. XXX. Distribution Functions of DR2 Eddington Ratios, Black Hole Masses, and X-Ray Luminosities. 2022 , 261, 9			1
42	The bulge masses of TDE host galaxies and their scaling with black hole mass.			0
41	Concordance between Observations and Simulations in the Evolution of the Mass Relation between Supermassive Black Holes and Their Host Galaxies. <i>Astrophysical Journal</i> , 2022 , 933, 132	4-7		1
40	The VMC survey âXLIX. Discovery of a population of quasars dominated by nuclear dust emission behind the Magellanic Clouds. 2022 , 515, 6046-6065			1
39	Star formation and AGN feedback in the local Universe: Combining LOFAR and MaNGA.			
38	MIGHTEE: the nature of the radio-loud AGN population. 2022 , 516, 245-263			0
37	Dwarf AGNs from optical variability for the origins of seeds (DAVOS): Insights from the dark energy survey deep fields.			2
36	Reconstructing AGN X-ray spectral parameter distributions with Bayesian methods. II. Population inference.			0
35	Hubble Space Telescope Captures UGC 12591: bulge/disc properties, star formation and âissing baryonsâensus in a very massive and fast-spinning hybrid galaxy. 2022 , 517, 99-117			1
34	WISDOM Project âXIII. Feeding molecular gas to the supermassive black hole in the starburst AGN-host galaxy Fairall 49. 2022 , 516, 4066-4083			0
33	WISDOM Project âXIII > 6. 2022 , 65, 333-355			0
32	ULISSE: A tool for one-shot sky exploration and its application to active galactic nucleus detection.			0
31	Trinity I: Self-consistently modeling the dark matter haloâgalaxyâsupermassive black hole connection from $z = 0$ â0.			1
30	Quashing a suspected selection bias in galaxy samples having dynamically-measured supermassive black holes.			0
29	A Generative Model for Quasar Spectra. 2022 , 938, 17			0
28	BASS XXXVII: The Role of Radiative Feedback in the Growth and Obscuration Properties of Nearby Supermassive Black Holes. 2022 , 938, 67			2

- 27 Emission Spectra of Galaxies with Supermassive Black Holes at $z \geq 6$. ○
- 26 Chemical evolution of elliptical galaxies I: supernovae and AGN feedback. ○
- 25 Opening the Era of Quasar-host Studies at High Redshift with JWST. **2022**, 939, L28 ○
- 24 Cosmological Simulation of Galaxy Groups and Clusters. II. Studying Different Modes of Feedback through X-Ray Observations. **2022**, 940, 47 ○
- 23 Appreciating mergers for understanding the non-linear $M_{\text{bh}}-M^*$, spheroid and $M_{\text{bh}}-M^*$, galaxy relations, updated herein, and the implications for the (reduced) role of AGN feedback. **2022**, 518, 2177-2200 ○
- 22 Unveiling the hosts of parsec-scale massive black hole binaries: morphology and electromagnetic signatures. ○
- 21 The Relation between Globular Cluster Systems and Supermassive Black Holes in Spiral Galaxies. III. The Link to the $M_{\text{bh}}-M^*$ Correlation. **2022**, 941, 53 ○
- 20 The Origin of Stars in the Inner 500 Parsecs in TNG50 Galaxies. ○
- 19 The X-shooter/ALMA Sample of Quasars in the Epoch of Reionization. II. Black Hole Masses, Eddington Ratios, and the Formation of the First Quasars. **2022**, 941, 106 1
- 18 SDSS-FIRST-selected interacting galaxies. Optical long-slit spectroscopy study using MODS at the LBT. ○
- 17 Reading the tea leaves in the $M_{\text{bh}}-M^*$, sph and $M_{\text{bh}}-Re$, sph diagrams: dry and gaseous mergers with remnant angular momentum. ○
- 16 A Highly Magnified Gravitationally Lensed Red QSO at $z = 2.5$ with a Significant Flux Ratio Anomaly. **2023**, 943, 25 ○
- 15 A Preferential Growth Channel for Supermassive Black Holes in Elliptical Galaxies at $z \geq 2$. **2023**, 943, 133 ○
- 14 Jet Feedback in Star-Forming Galaxies. **2023**, 11, 29 ○
- 13 Black hole and galaxy co-evolution in radio-loud active galactic nuclei at $z \sim 0.3-1$. **2023**, 672, A164 ○
- 12 KDG 64: a large dwarf spheroidal or a small ultradiffuse satellite of Messier 81. **2023**, 520, 6312-6321 ○
- 11 ALMA confirmation of an obscured hyperluminous radio-loud AGN at $z = 6.853$ associated with a dusty starburst in the $1.5' \times 2'$ COSMOS field. **2023**, 520, 4609-4620 ○
- 10 The co-evolution of supermassive black holes and galaxies in luminous AGN over a wide range of redshift. **2023**, 672, A98 ○

- 9 Study of Central Intensity Ratio of Seyfert Galaxies in Nearby Universe. **2023**, 23, 045008 ○
- 8 Probing the rapid formation of black holes and their Galaxy hosts in QSOs. **2023**, 521, 3058-3076 ○
- 7 The Differential Assembly History of the Centers and Outskirts of Main-sequence Galaxies at $z \sim 2.3$. **2023**, 945, 97 ○
- 6 On the Fine-tuning and Physical Origin of Line-locked Absorption Systems in Active Galaxies. **2023**, 945, 110 ○
- 5 Spatially Resolved Stellar Populations of $0.3 < z < 6.0$ Galaxies in WHL 0137-08 and MACS 0647+70 Clusters as Revealed by JWST: How Do Galaxies Grow and Quench over Cosmic Time?. **2023**, 945, 117 ○
- 4 Morphological asymmetries of quasar host galaxies with Subaru Hyper Suprime-Cam. **2023**, 521, 5272-5297 ○
- 3 The most luminous, merger-free AGNs show only marginal correlation with bar presence. **2023**, 522, 211-225 ○
- 2 Compact Binary Merger Rate in Dark-matter Spikes. **2023**, 947, 46 ○
- 1 Overmassive central black holes in the cosmological simulations astrid and Illustris TNG50. **2023**, 522, 4963-4971 ○