

# Ecology and Management of Sage-Grouse and Sage-Gro

Journal of Range Management

57, 2

DOI: 10.2307/4003949

Citation Report

#	ARTICLE	IF	CITATIONS
1	Establishing Native Grasses in a Big Sagebrush-Dominated Site: An Intermediate Restoration Step. <i>Restoration Ecology</i> , 2005, 13, 292-301.	1.4	49
2	Spatial Distribution of Greater Sage-Grouse Nests in Relatively Contiguous Sagebrush Habitats. <i>Condor</i> , 2005, 107, 742-752.	0.7	85
3	SPATIAL DISTRIBUTION OF GREATER SAGE-GROUSE NESTS IN RELATIVELY CONTIGUOUS SAGEBRUSH HABITATS. <i>Condor</i> , 2005, 107, 742.	0.7	71
4	“Silver Sagebrush Community Associations in Southeastern Alberta, Canada.” <i>Rangeland Ecology &amp; Management</i> 58:400-405. <i>Rangeland Ecology and Management</i> , 2006, 59, 107-108.	1.1	1
5	Greater sage-grouse as an umbrella species for sagebrush-associated vertebrates. <i>Biological Conservation</i> , 2006, 129, 323-335.	1.9	171
6	Gunnison Sage-Grouse Use of Conservation Reserve Program Fields in Utah and Response to Emergency Grazing: A Preliminary Evaluation. <i>Wildlife Society Bulletin</i> , 2006, 34, 957-962.	1.6	5
7	“Silver Sagebrush Community Associations in Southeastern Alberta, Canada.” <i>Rangeland Ecology &amp; Management</i> 58:400-405. <i>Journal of Range Management</i> , 2006, 59, .	0.3	0
8	Movements and Survival of Juvenile Greater Sage-Grouse in Southeastern Idaho. <i>Wildlife Society Bulletin</i> , 2006, 34, 1070-1078.	1.6	60
9	Society for Range Management Issue Paper: Ecology and Management of Sage-Grouse and Sage-Grouse Habitat—A Reply. <i>Rangelands</i> , 2006, 28, 3-7.	0.9	6
10	EARLY BROOD-REARING HABITAT USE AND PRODUCTIVITY OF GREATER SAGE-GROUSE IN WYOMING. <i>Western North American Naturalist</i> , 2006, 66, 332-342.	0.2	32
11	Fire and Restoration of Sagebrush Ecosystems. <i>Wildlife Society Bulletin</i> , 2006, 34, 177-185.	1.6	183
12	Setting the Record Straight: A Response to “Sage-Grouse at the Crossroads” <i>Rangelands</i> , 2007, 29, 35-39.	0.9	0
13	Determinants of Threatened Sage Grouse in Northeastern Nevada. <i>Human Dimensions of Wildlife</i> , 2007, 12, 53-70.	1.0	4
14	LINKING OCCURRENCE AND FITNESS TO PERSISTENCE: HABITAT-BASED APPROACH FOR ENDANGERED GREATER SAGE-GROUSE. , 2007, 17, 508-526.		250
15	The Influence of Gap Size on Sagebrush Cover Estimates With the Use of Line Intercept Technique. <i>Rangeland Ecology and Management</i> , 2007, 60, 199-202.	1.1	15
16	Greater Sage-Grouse Population Response to Energy Development and Habitat Loss. <i>Journal of Wildlife Management</i> , 2007, 71, 2644-2654.	0.7	202
17	Supplemental energy and protein increase use of sagebrush by sheep. <i>Small Ruminant Research</i> , 2007, 69, 203-207.	0.6	28
18	Spatial patterns in leaf area and plant functional type cover across chronosequences of sagebrush ecosystems. <i>Plant Ecology</i> , 2007, 194, 67-83.	0.7	31

#	ARTICLE	IF	CITATIONS
19	Invasive species and coal bed methane development in the Powder River Basin, Wyoming. Environmental Monitoring and Assessment, 2007, 128, 381-394.	1.3	59
20	Range-wide patterns of greater sage-grouse persistence. Diversity and Distributions, 2008, 14, 983-994.	1.9	129
21	Greater Sage-Grouse Winter Habitat Selection and Energy Development. Journal of Wildlife Management, 2008, 72, 187-195.	0.7	177
22	Ecological effects of large fires on US landscapes: benefit or catastrophe?. International Journal of Wildland Fire, 2008, 17, 696.	1.0	195
23	Interspace/Undercanopy Foraging Patterns of Beef Cattle in Sagebrush Habitats. Rangeland Ecology and Management, 2008, 61, 389-393.	1.1	11
24	Temporal Variation in Diet and Nutrition of Preincubating Greater Sage-Grouse. Rangeland Ecology and Management, 2008, 61, 535-542.	1.1	38
26	Accounting for Fitness: Combining Survival and Selection when Assessing Wildlife-Habitat Relationships. Israel Journal of Ecology and Evolution, 2008, 54, 389-419.	0.2	53
27	Postfire Recovery of Sagebrush Communities: Assessment Using Spot-5 and Very Large-Scale Aerial Imagery. Rangeland Ecology and Management, 2008, 61, 598-604.	1.1	25
28	Evaluating Strategies for Ranching in the 21st Century: Successfully Managing Rangeland for Wildlife and Livestock. Rangelands, 2008, 30, 8-14.	0.9	6
29	Evaluating Strategies for Ranching in the 21st Century: Successfully Managing Rangeland for Wildlife and Livestock. Rangelands, 2008, 30, .	0.9	0
30	Variable Impacts of Imazapic Rate on Downy Brome ( <i>Bromus tectorum</i> ) and Seeded Species in Two Rangeland Communities. Invasive Plant Science and Management, 2009, 2, 110-119.	0.5	60
31	The Adrenocortical Response of Greater Sage Grouse ( <i>Centrocercus urophasianus</i> ) to Capture, ACTH Injection, and Confinement, as Measured in Fecal Samples. Physiological and Biochemical Zoology, 2009, 82, 190-201.	0.6	13
32	Survival of Greater Sage-Grouse Chicks and Broods in the Northern Great Basin. Journal of Wildlife Management, 2009, 73, 904-913.	0.7	72
33	Influence of Mowing <i>Artemisia tridentata</i> ssp. <i>wyomingensis</i> on Winter Habitat for Wildlife. Environmental Management, 2009, 44, 84-92.	1.2	27
34	Managing Complex Problems in Rangeland Ecosystems. Rangeland Ecology and Management, 2009, 62, 491-499.	1.1	95
35	Using Statistical Population Reconstruction to Estimate Demographic Trends in Small Game Populations. Journal of Wildlife Management, 2010, 74, 310-317.	0.7	33
36	Fire Effects on Cover and Dietary Resources of Sage-Grouse Habitat. Journal of Wildlife Management, 2010, 74, 755-764.	0.7	55
37	Sage-Grouse Habitat Selection During Winter in Alberta. Journal of Wildlife Management, 2010, 74, 1806-1814.	0.7	90

#	ARTICLE	IF	CITATIONS
38	Landscape-Level Assessment of Brood Rearing Habitat for Greater Sage-Grouse in Nevada. <i>Journal of Wildlife Management</i> , 2010, 74, 1533-1543.	0.7	55
39	Greater Sage-Grouse Nesting Habitat: The Importance of Managing at Multiple Scales. <i>Journal of Wildlife Management</i> , 2010, 74, 1544-1553.	0.7	99
40	Spatial Predictions of Cover Attributes of Rangeland Ecosystems Using Regression Kriging and Remote Sensing. <i>Rangeland Ecology and Management</i> , 2010, 63, 335-349.	1.1	40
41	Landscape-Level Assessment of Brood Rearing Habitat for Greater Sage-Grouse in Nevada. <i>Journal of Wildlife Management</i> , 2010, 74, 1533-1543.	0.7	31
42	Greater Sage-Grouse Nesting Habitat: The Importance of Managing at Multiple Scales. <i>Journal of Wildlife Management</i> , 2010, 74, 1544-1553.	0.7	91
43	Evaluation of Brood Detection Techniques: Recommendations for Estimating Greater Sage-Grouse Productivity. <i>Western North American Naturalist</i> , 2010, 70, 233-237.	0.2	28
44	Comparison of Unmanned Aerial Vehicle Platforms for Assessing Vegetation Cover in Sagebrush Steppe Ecosystems. <i>Rangeland Ecology and Management</i> , 2011, 64, 521-532.	1.1	29
45	Greater Sage-Grouse Movements and Habitat use during Winter in Central Oregon. <i>Western North American Naturalist</i> , 2011, 71, 418-424.	0.2	13
46	Burning and mowing as habitat management for capercaillie <i>Tetrao urogallus</i> : An experimental test. <i>Forest Ecology and Management</i> , 2011, 262, 509-521.	1.4	27
47	Quantifying relationships of burning, roughness, and potential dust emission with laser altimetry of soil surfaces at submeter scales. <i>Geomorphology</i> , 2011, 135, 181-190.	1.1	40
48	The influence of plant removal on succession in Wyoming big sagebrush. <i>Journal of Arid Environments</i> , 2011, 75, 734-741.	1.2	33
49	Effects of sagebrush treatments on multi-scale resource selection by pygmy rabbits. <i>Journal of Wildlife Management</i> , 2011, 75, 393-398.	0.7	15
50	Are There Benefits to Mowing Wyoming Big Sagebrush Plant Communities? An Evaluation in Southeastern Oregon. <i>Environmental Management</i> , 2011, 48, 539-546.	1.2	29
51	Long-Term Effects of Weed Control With Picloram Along a Gradient of Spotted Knapweed Invasion. <i>Rangeland Ecology and Management</i> , 2011, 64, 67-77.	1.1	30
52	Greater Sage-Grouse ( <i>Centrocercus urophasianus</i> ) select nest sites and brood sites away from avian predators. <i>Auk</i> , 2012, 129, 600-610.	0.7	39
53	Burning and mowing Wyoming big sagebrush: Do treated sites meet minimum guidelines for greater sage-grouse breeding habitats?. <i>Wildlife Society Bulletin</i> , 2012, 36, 85-93.	1.6	35
54	Mowing Wyoming Big Sagebrush Communities With Degraded Herbaceous Understories: Has a Threshold Been Crossed?. <i>Rangeland Ecology and Management</i> , 2012, 65, 498-505.	1.1	41
55	Vegetation Response to Mowing Dense Mountain Big Sagebrush Stands. <i>Rangeland Ecology and Management</i> , 2012, 65, 268-276.	1.1	21

#	ARTICLE	IF	CITATIONS
56	Using Unmanned Helicopters to Assess Vegetation Cover in Sagebrush Steppe Ecosystems. <i>Rangeland Ecology and Management</i> , 2012, 65, 362-370.	1.1	19
57	Survival of Translocated Greater Sage-Grouse Hens in Northeastern California. <i>Western North American Naturalist</i> , 2012, 72, 369-376.	0.2	7
58	Regional patterns of biological soil crust lichen species composition related to vegetation, soils, and climate in Oregon, USA. <i>Journal of Arid Environments</i> , 2012, 79, 93-100.	1.2	42
59	Disturbance factors influencing greater sage-grouse lek abandonment in north-central Wyoming. <i>Journal of Wildlife Management</i> , 2012, 76, 1625-1634.	0.7	42
60	Dust supply varies with sagebrush microsites and time since burning in experimental erosion events. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	18
61	Comparing Burned and Mowed Treatments in Mountain Big Sagebrush Steppe. <i>Environmental Management</i> , 2012, 50, 451-461.	1.2	24
62	Managing multiple vital rates to maximize greater sage-grouse population growth. <i>Journal of Wildlife Management</i> , 2012, 76, 336-347.	0.7	166
63	Crucial nesting habitat for gunnison sage-grouse: A spatially explicit hierarchical approach. <i>Journal of Wildlife Management</i> , 2012, 76, 391-406.	0.7	67
64	Interseasonal movements of greater sage-grouse, migratory behavior, and an assessment of the core regions concept in Wyoming. <i>Journal of Wildlife Management</i> , 2012, 76, 1062-1071.	0.7	74
65	Landscape features and weather influence nest survival of a ground-nesting bird of conservation concern, the greater sage-grouse, in human-altered environments. <i>Ecological Processes</i> , 2012, 1, .	1.6	55
66	Exotic Plant Colonization and Occupancy Within Riparian Areas of the Interior Columbia River and Upper Missouri River Basins, USA. <i>Wetlands</i> , 2013, 33, 409-420.	0.7	12
67	Site, Competition, and Plant Stock Influence Transplant Success of Wyoming Big Sagebrush. <i>Rangeland Ecology and Management</i> , 2013, 66, 305-312.	1.1	42
68	Models for Predicting Fuel Consumption in Sagebrush-Dominated Ecosystems. <i>Rangeland Ecology and Management</i> , 2013, 66, 254-266.	1.1	10
69	Herbicide-Assisted Restoration of Great Basin Sagebrush Steppe Infested With Medusahead and Downy Brome. <i>Rangeland Ecology and Management</i> , 2013, 66, 588-596.	1.1	48
70	Aboriginal Precedent for Active Management of Sagebrush-Perennial Grass Communities in the Great Basin. <i>Rangeland Ecology and Management</i> , 2013, 66, 241-253.	1.1	28
71	Introduced annual grass increases regional fire activity across the arid western <scp>USA</scp> (1980-2009). <i>Global Change Biology</i> , 2013, 19, 173-183.	4.2	521
72	Shrub characterization using terrestrial laser scanning and implications for airborne LiDAR assessment. <i>Canadian Journal of Remote Sensing</i> , 2013, 38, 709-722.	1.1	40
73	Freezing Stress Influences Emergence of Germinated Perennial Grass Seeds. <i>Rangeland Ecology and Management</i> , 2013, 66, 136-142.	1.1	33

#	ARTICLE	IF	CITATIONS
74	Greater sage-grouse winter habitat use on the eastern edge of their range. <i>Journal of Wildlife Management</i> , 2013, 77, 486-494.	0.7	11
75	Greater Sage-Grouse ( <i>Centrocercus urophasianus</i> ) select habitat based on avian predators, landscape composition, and anthropogenic features. <i>Condor</i> , 2014, 116, 629-642.	0.7	44
76	The Impact of Information Provision on Agglomeration Bonus Performance: An Experimental Study on Local Networks. <i>American Journal of Agricultural Economics</i> , 2014, 96, 1009-1029.	2.4	87
77	Effects of feral free-roaming horses on semi-arid rangeland ecosystems: an example from the sagebrush steppe. <i>Ecosphere</i> , 2014, 5, 1-14.	1.0	42
78	Greater sage-grouse juvenile survival in Utah. <i>Journal of Wildlife Management</i> , 2014, 78, 808-817.	0.7	12
79	Habitat prioritization across large landscapes, multiple seasons, and novel areas: An example using greater sage-grouse in Wyoming. <i>Wildlife Monographs</i> , 2014, 190, 1-39.	2.0	91
80	Linking conservation actions to demography: grass height explains variation in greater sage-grouse nest survival. <i>Wildlife Biology</i> , 2014, 20, 320-325.	0.6	31
81	Forb, Insect, and Soil Response to Burning and Mowing Wyoming Big Sagebrush in Greater Sage-Grouse Breeding Habitat. <i>Environmental Management</i> , 2014, 53, 813-822.	1.2	18
82	Restoration of Mountain Big Sagebrush Steppe Following Prescribed Burning to Control Western Juniper. <i>Environmental Management</i> , 2014, 53, 1015-1022.	1.2	36
83	Demography, reproductive ecology, and variation in survival of greater sage-grouse in northeastern California. <i>Journal of Wildlife Management</i> , 2014, 78, 1343-1355.	0.7	18
84	Of Grouse and Golden Eggs: Can Ecosystems Be Managed Within a Species-Based Regulatory Framework?. <i>Rangeland Ecology and Management</i> , 2014, 67, 358-368.	1.1	25
85	Cost/Benefit Analysis of Managing Invasive Annual Grasses in Partially Invaded Sagebrush Steppe Ecosystems. <i>Weed Science</i> , 2014, 62, 38-44.	0.8	7
86	A double-sampling approach to deriving training and validation data for remotely-sensed vegetation products. <i>International Journal of Remote Sensing</i> , 2014, 35, 1936-1955.	1.3	9
87	Quantifying restoration effectiveness using multi-scale habitat models: implications for sage-grouse in the Great Basin. <i>Ecosphere</i> , 2014, 5, 1-32.	1.0	96
88	Is Pile Seeding Wyoming Big Sagebrush ( <i>Artemisia tridentata</i> subsp. <i>wyomingensis</i> ) an Effective Alternative to Broadcast Seeding?. <i>Rangeland Ecology and Management</i> , 2014, 67, 292-297.	1.1	10
89	Rough Surface and High-Forb Seed Mix Promote Ecological Restoration of Simulated Well Pads. <i>Invasive Plant Science and Management</i> , 2014, 7, 408-424.	0.5	7
91	Projections of Contemporary and Future Climate Niche for Wyoming Big Sagebrush ( <i>Artemisia</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30-43.	0.2	42
92	Case study: Short-term response of greater sage-grouse habitats to wildfire in mountain big sagebrush communities. <i>Wildlife Society Bulletin</i> , 2015, 39, 129-137.	1.6	8

#	ARTICLE	IF	CITATIONS
93	Combining airborne hyperspectral and LiDAR data across local sites for upscaling shrubland structural information: Lessons for HypsIRI. <i>Remote Sensing of Environment</i> , 2015, 167, 98-110.	4.6	33
94	Daily nest survival rates of Gunnison Sage-Grouse ( <i>Centrocercus minimus</i> ): assessing local- and landscape-scale drivers. <i>Wilson Journal of Ornithology</i> , 2015, 127, 59-71.	0.1	7
95	Genetic structure of Greater Sage-Grouse ( <i>Centrocercus urophasianus</i> ) in a declining, peripheral population. <i>Condor</i> , 2015, 117, 530-544.	0.7	15
96	An accuracy assessment of the MTBS burned area product for shrub-steppe fires in the northern Great Basin, United States. <i>International Journal of Wildland Fire</i> , 2015, 24, 70.	1.0	47
97	Postfire shrub cover dynamics: A 70-year fire chronosequence in mountain big sagebrush communities. <i>Journal of Arid Environments</i> , 2015, 114, 116-123.	1.2	23
98	Identifying Greater Sage-Grouse source and sink habitats for conservation planning in an energy development landscape. <i>Ecological Applications</i> , 2015, 25, 968-990.	1.8	70
99	Restoring Crested Wheatgrass Stands to Big Sagebrush for Improved Sage-grouse Habitat: A Literature Review. <i>Environmental Management and Sustainable Development</i> , 2016, 5, 129.	0.1	0
100	Spatial Analysis of Greater Sage-grouse Habitat Use in Relation to Landscape Level Habitat Structure. <i>Journal of Ecosystem &amp; Ecography</i> , 2016, 6, .	0.2	3
101	Population vital rates of resident and translocated female greater sage-grouse. <i>Journal of Wildlife Management</i> , 2016, 80, 753-760.	0.7	9
102	Factors affecting seasonal movements of juvenile Greater Sage-Grouse: A reconceptualized nest survival model. <i>Condor</i> , 2016, 118, 139-147.	0.7	3
103	To what extent can and should revegetation serve as restoration?. <i>Restoration Ecology</i> , 2016, 24, 441-448.	1.4	7
104	Ecosystem resilience is evident 17 years after fire in Wyoming big sagebrush ecosystems. <i>Ecosphere</i> , 2016, 7, e01618.	1.0	43
105	Usable Science for Managing Animals and Rangeland Sustainability. <i>Rangelands</i> , 2016, 38, 79-84.	0.9	3
106	Synthesis Paper: Assessment of Research on Rangeland Fire as a Management Practice. <i>Rangeland Ecology and Management</i> , 2016, 69, 415-422.	1.1	30
107	Mowing Wyoming Big Sagebrush ( <i>Artemisia tridentata</i> ssp. <i>wyomingensis</i> ) Cover Effects Across Northern and Central Nevada. <i>Rangeland Ecology and Management</i> , 2016, 69, 360-372.	1.1	9
108	Postfire Drill-Seeding of Great Basin Plants: Effects of Contrasting Drills on Seeded and Nonseeded Species. <i>Rangeland Ecology and Management</i> , 2016, 69, 373-385.	1.1	13
109	Sagebrush, Greater Sage-Grouse, and the Occurrence and Importance of Forbs. <i>Western North American Naturalist</i> , 2016, 76, 298.	0.2	21
111	Declining recruitment of Gunnison Sage-Grouse highlights the need to monitor juvenile survival. <i>Condor</i> , 2016, 118, 477-488.	0.7	4

#	ARTICLE	IF	CITATIONS
112	Winter grazing can reduce wildfire size, intensity and behaviour in a shrub-grassland. <i>International Journal of Wildland Fire</i> , 2016, 25, 191.	1.0	60
113	Mapping and prioritizing seasonal habitats for greater sage-grouse in Northwestern Colorado. <i>Journal of Wildlife Management</i> , 2016, 80, 63-77.	0.7	22
114	Restoring big sagebrush after controlling encroaching western juniper with fire: aspect and subspecies effects. <i>Restoration Ecology</i> , 2017, 25, 33-41.	1.4	28
115	Attempting to restore mountain big sagebrush ( <i>Artemisia tridentata</i> ssp. <i>vaseyana</i> ) four years after fire. <i>Restoration Ecology</i> , 2017, 25, 717-722.	1.4	9
116	Greater sage-grouse nest survival in Northwestern Wyoming. <i>Journal of Wildlife Management</i> , 2017, 81, 1219-1227.	0.7	6
117	Resource Selection by Greater Sage-Grouse Reveals Preference for Mechanically-Altered Habitats. <i>Rangeland Ecology and Management</i> , 2017, 70, 493-503.	1.1	12
118	Using State and Transition Models to Show Economic Interdependence of Ecological Sites at the Ranch Level. <i>Rangeland Ecology and Management</i> , 2017, 70, 666-674.	1.1	3
119	Greater sage-grouse in Montana: Mapping archetype viewpoints across stakeholder groups using Q methodology. <i>Wildlife Society Bulletin</i> , 2017, 41, 34-41.	1.6	6
120	Contribution of translocated greater sage-grouse to population vital rates. <i>Journal of Wildlife Management</i> , 2017, 81, 1033-1041.	0.7	10
121	A comparison of cover calculation techniques for relating point-intercept vegetation sampling to remote sensing imagery. <i>Ecological Indicators</i> , 2017, 73, 156-165.	2.6	21
122	Fitness landscapes and life-table response experiments predict the importance of local areas to population dynamics. <i>Ecosphere</i> , 2017, 8, e01869.	1.0	8
123	Vegetative Characteristics of Sage-grouse Nesting and Brood Rearing Sites. <i>Environmental Management and Sustainable Development</i> , 2017, 6, 206.	0.1	0
124	The Utility of Animal Behavior Studies in Natural Resource Management. <i>Rangelands</i> , 2018, 40, 9-16.	0.9	5
125	A conservation planning tool for Greater Sage-grouse using indices of species distribution, resilience, and resistance. <i>Ecological Applications</i> , 2018, 28, 878-896.	1.8	28
126	Cheatgrass ( <i>Bromus tectorum</i> ) distribution in the intermountain Western United States and its relationship to fire frequency, seasonality, and ignitions. <i>Biological Invasions</i> , 2018, 20, 1493-1506.	1.2	189
127	Effects of rotational grazing management on nesting greater sage-grouse. <i>Journal of Wildlife Management</i> , 2018, 82, 103-112.	0.7	18
128	Wildlife Responses to Brush Management: A Contemporary Evaluation. <i>Rangeland Ecology and Management</i> , 2018, 71, 35-44.	1.1	20
129	Evaluating a Seed Technology for Sagebrush Restoration Across an Elevation Gradient: Support for Bet Hedging. <i>Rangeland Ecology and Management</i> , 2018, 71, 19-24.	1.1	47



#	ARTICLE	IF	CITATIONS
130	Phenology largely explains taller grass at successful nests in greater sage-grouse. <i>Ecology and Evolution</i> , 2018, 8, 356-364.	0.8	27
131	Greater sage-grouse population trends across Wyoming. <i>Journal of Wildlife Management</i> , 2018, 82, 397-412.	0.7	17
132	A Simulation Framework for Assessing Physical and Wildlife Impacts of Oil and Gas Development Scenarios in Southwestern Wyoming. <i>Environmental Modeling and Assessment</i> , 2018, 23, 39-56.	1.2	13
133	Influence of Land-Use Legacies Following Shrub Reduction and Seeding of Big Sagebrush Sites. <i>Rangeland Ecology and Management</i> , 2018, 71, 695-704.	1.1	5
134	Use of auto-germ to model germination timing in the sagebrush-steppe. <i>Ecology and Evolution</i> , 2018, 8, 11533-11542.	0.8	11
135	Livestock management, beaver, and climate influences on riparian vegetation in a semi-arid landscape. <i>PLoS ONE</i> , 2018, 13, e0208928.	1.1	26
136	Using State and Transition Models to Determine the Opportunity Cost of Providing Ecosystem Services. <i>Rangeland Ecology and Management</i> , 2018, 71, 737-752.	1.1	3
137	Effects of Mowing and Tebuthiuron on the Nutritional Quality of Wyoming Big Sagebrush. <i>Rangeland Ecology and Management</i> , 2018, 71, 417-423.	1.1	4
138	Comparison of 2 vegetation height methods for assessing greater sage-grouse seasonal habitat. <i>Wildlife Society Bulletin</i> , 2018, 42, 213-224.	1.6	4
139	Seed germination and dormancy traits of forbs and shrubs important for restoration of North American dryland ecosystems. <i>Plant Biology</i> , 2019, 21, 458-469.	1.8	29
140	Synthesis Paper: Targeted Livestock Grazing: Prescription for Healthy Rangelands. <i>Rangeland Ecology and Management</i> , 2019, 72, 865-877.	1.1	60
141	Influence of an abscisic acid (ABA) seed coating on seed germination rate and timing of Bluebunch Wheatgrass. <i>Ecology and Evolution</i> , 2019, 9, 7438-7447.	0.8	17
142	The potential importance of unburned islands as refugia for the persistence of wildlife species in fire-prone ecosystems. <i>Ecology and Evolution</i> , 2019, 9, 8800-8812.	0.8	23
143	Potential for post-fire recovery of Greater Sage-grouse habitat. <i>Ecosphere</i> , 2019, 10, e02870.	1.0	7
144	Disturbance Type and Sagebrush Community Type Affect Plant Community Structure After Shrub Reduction. <i>Rangeland Ecology and Management</i> , 2019, 72, 619-631.	1.1	7
145	Longer-Term Evaluation of Sagebrush Restoration After Juniper Control and Herbaceous Vegetation Trade-offs. <i>Rangeland Ecology and Management</i> , 2019, 72, 260-265.	1.1	13
146	Postwildfire seeding to restore native vegetation and limit exotic annuals: an evaluation in juniper-dominated sagebrush steppe. <i>Restoration Ecology</i> , 2019, 27, 120-127.	1.4	20
147	Optimising cattle grazing distribution on rangeland: a systematic review and network analysis. <i>Rangeland Journal</i> , 2019, 41, 441.	0.4	7

#	ARTICLE	IF	CITATIONS
148	Climate-Driven Shifts in Soil Temperature and Moisture Regimes Suggest Opportunities to Enhance Assessments of Dryland Resilience and Resistance. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, .	1.1	40
149	Sage-grouse breeding and late brood-rearing habitat guidelines in Utah. <i>Wildlife Society Bulletin</i> , 2019, 43, 576-589.	1.6	4
150	Restoration of Sagebrush in Crested Wheatgrass Communities: Longer-Term Evaluation in Northern Great Basin. <i>Rangeland Ecology and Management</i> , 2020, 73, 1-8.	1.1	8
151	Improving restoration success through microsite selection: an example with planting sagebrush seedlings after wildfire. <i>Restoration Ecology</i> , 2020, 28, 859-868.	1.4	19
152	Using satellite-derived estimates of plant phenological rhythms to predict sage-grouse nesting chronology. <i>Ecology and Evolution</i> , 2020, 10, 11169-11182.	0.8	4
153	Understory Vegetation Change Following Woodland Reduction Varies by Plant Community Type and Seeding Status: A Region-Wide Assessment of Ecological Benefits and Risks. <i>Plants</i> , 2020, 9, 1113.	1.6	6
154	Analyzing vegetation change in a sagebrush ecosystem using long-term field observations and Landsat imagery in Wyoming. <i>Ecosphere</i> , 2020, 11, e03311.	1.0	7
155	Response of Planted Sagebrush Seedlings to Cattle Grazing Applied to Decrease Fire Probability. <i>Rangeland Ecology and Management</i> , 2020, 73, 629-635.	1.1	7
156	Impacts of cattle, hunting, and natural gas development in a rangeland ecosystem. <i>Ecological Modelling</i> , 2020, 431, 109174.	1.2	2
157	Long-term evaluation of restoring understories in Wyoming big sagebrush communities with mowing and seeding native bunchgrasses. <i>Rangeland Ecology and Management</i> , 2021, 75, 81-90.	1.1	4
159	Seeding locally sourced native compared to introduced bunchgrasses post-wildfire in frigid Wyoming big sagebrush communities. <i>Restoration Ecology</i> , 2021, 29, e13397.	1.4	3
160	Living with exotic annual grasses in the sagebrush ecosystem. <i>Journal of Environmental Management</i> , 2021, 288, 112417.	3.8	35
161	Fall-Winter Grazing After Fire in Annual Grass-Invaded Sagebrush Steppe Reduced Annuals and Increased a Native Bunchgrass. <i>Rangeland Ecology and Management</i> , 2021, 77, 1-8.	1.1	28
162	Ecological correlates of fecal corticosterone metabolites in female Greater Sage-Grouse ( <i>Centrocercus urophasianus</i> ). <i>Canadian Journal of Zoology</i> , 2021, 99, 812-822.	0.4	3
163	Variation in sage-grouse habitat quality metrics across a gradient of feral horse use. <i>Journal of Arid Environments</i> , 2021, 192, 104550.	1.2	4
164	Does Reproductive Status Influence Habitat Selection by Female Greater Sage-grouse in a Sagebrush-Juniper Landscape?. <i>Rangeland Ecology and Management</i> , 2021, 79, 150-163.	1.1	2
166	Reptiles Under the Conservation Umbrella of the Greater Sage-Grouse. <i>Journal of Wildlife Management</i> , 2020, 84, 478-491.	0.7	23
167	Implementation of mid-scale fire regime condition class mapping. <i>International Journal of Wildland Fire</i> , 2008, 17, 390.	1.0	9

#	ARTICLE	IF	CITATIONS
168	Utah juniper and two-needle piñon reduction alters fuel loads. <i>International Journal of Wildland Fire</i> , 2015, 24, 236.	1.0	20
169	Contrasting Effects of Different Mammalian Herbivores on Sagebrush Plant Communities. <i>PLoS ONE</i> , 2015, 10, e0118016.	1.1	20
170	Assessing Greater Sage-Grouse Selection of Brood-Rearing Habitat Using Remotely-Sensed Imagery: Can Readily Available High-Resolution Imagery Be Used to Identify Brood-Rearing Habitat Across a Broad Landscape?. <i>PLoS ONE</i> , 2016, 11, e0156290.	1.1	7
171	Coyote removal: can the short-term application of a controversial management tool improve female greater sage-grouse survival or nest success?. <i>Wildlife Biology</i> , 2017, 2017, wlb.00345.	0.6	2
172	Observations of Territorial Breeding Common Ravens Caching Eggs of Greater Sage-Grouse. <i>Journal of Fish and Wildlife Management</i> , 2015, 6, 187-190.	0.4	5
173	Sage-Grouse and Cumulative Impacts of Energy Development. , 2011, , 55-70.		17
174	Nutrient loading <i>Artemisia cana</i> seedlings in greenhouse increases nitrogen tissue content and post-outplanting survival. <i>Restoration Ecology</i> , 2022, 30, .	1.4	2
175	The Cumulative Effects of Suburban and Exurban Influences on Wildlife. , 2011, , 149-206.		0
177	Managing for resilient sagebrush plant communities in the modern era: We're not in 1850 anymore. <i>Rangelands</i> , 2022, 44, 167-172.	0.9	12
178	Moderate Grazing During the Off-Season (Fall-Winter) Reduces Exotic Annual Grasses in Sagebrush-Bunchgrass Steppe. <i>Rangeland Ecology and Management</i> , 2022, 82, 51-57.	1.1	7
179	Plant community effects on soil moisture and nitrogen cycling in a semi-arid ecosystem. <i>Biogeochemistry</i> , 2022, 159, 215-232.	1.7	5
185	Fuel reduction treatments reduce modeled fire intensity in the sagebrush steppe. <i>Ecosphere</i> , 2022, 13, .	1.0	13
186	Resource selection by greater sage-grouse varies by season and infrastructure type in a Colorado oil and gas field. <i>Ecosphere</i> , 2022, 13, .	1.0	1
187	Relationship of greater sage-grouse to natural and assisted recovery of key vegetation types following wildfire: insights from scat. <i>Restoration Ecology</i> , 2023, 31, .	1.4	1
188	Habitat selection and space use overlap between feral horses, pronghorn, and greater sage-grouse in cold arid steppe. <i>Journal of Wildlife Management</i> , 0, , .	0.7	0
189	Invasive annual grasses—Reenvisioning approaches in a changing climate. <i>Journal of Soils and Water Conservation</i> , 2023, 78, 95-103.	0.8	4
190	Effects of Using Indaziflam and Activated Carbon Seed Technology in Efforts to Increase Perennials in <i>Ventena dubia</i> Invaded Rangelands. <i>Rangeland Ecology and Management</i> , 2023, 88, 70-76.	1.1	4
191	Native lagomorphs prolong legacy effects limiting restoration of imperiled shrub-steppe communities. <i>Restoration Ecology</i> , 0, , .	1.4	0

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------