

CITATION REPORT

List of articles citing

How can transforming growth factor beta be targeted usefully to combat liver fibrosis?

DOI: 10.1097/00042737-200402000-00001

European Journal of Gastroenterology and Hepatology
, 2004, 16, 123-6.

Source: <https://exaly.com/paper-pdf/37732176/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
116	Ginkgo biloba extract alleviates liver fibrosis induced by CCl in rats. 2005 , 25, 1224-32		29
115	Lymphotoxin-beta production following bile duct ligation: possible role for Kupffer cells. 2005 , 20, 1762-8		12
114	Therapeutic effects and molecular mechanisms of Ginkgo biloba extract on liver fibrosis in rats. 2006 , 34, 99-114		35
113	Proteases in Gastrointestinal Tissues. 2006 ,		
112	Mechanisms of liver fibrosis. 2006 , 364, 33-60		273
111	Effects of Ginkgo biloba extract on cell proliferation, cytokines and extracellular matrix of hepatic stellate cells. 2006 , 26, 1283-90		11
110	Inhibition of connective tissue growth factor by siRNA prevents liver fibrosis in rats. 2006 , 8, 889-900		140
109	Loss of TGF-beta dependent growth control during HSC transdifferentiation. 2007 , 353, 841-7		19
108	Effects and mechanisms of extract from Paeonia lactiflora and Astragalus membranaceus on liver fibrosis induced by carbon tetrachloride in rats. 2007 , 112, 514-23		48
107	Large hepatitis delta antigen modulates transforming growth factor-beta signaling cascades: implication of hepatitis delta virus-induced liver fibrosis. 2007 , 132, 343-57		47
106	Cytokines in Liver Diseases. 371-389		15
105	. 2007 ,		2
104	New insights from recurrent primary biliary cirrhosis in liver transplantation: the paradox of BEComing a fibroblast?. 2007 , 45, 837-40		6
103	Conséquences digestives de l'anorexie mentale. 2007 , 21, 166-171		8
102	Molecular mechanism of hepatic stellate cell activation and antifibrotic therapeutic strategies. 2008 , 43, 419-28		118
101	RNA interfering connective tissue growth factor prevents rat hepatic stellate cell activation and extracellular matrix production. 2008 , 10, 1039-47		25
100	Methyl palmitate prevents CCl(4)-induced liver fibrosis. 2008 , 28, 1021-6		17

99	[Basic mechanisms of hepatocellular injury. Role of inflammatory lipid mediators]. 2008 , 31, 682-92	1
98	Cytokines and renin-angiotensin system signaling in hepatic fibrosis. 2008 , 12, 825-52, ix	68
97	The therapeutic potential of bone marrow-derived mesenchymal stem cells on hepatic cirrhosis. 2009 , 2, 16-25	90
96	Chlorogenic acid against carbon tetrachloride-induced liver fibrosis in rats. 2009 , 623, 119-24	72
95	Effect of anluohuaxian tablet combined with gamma-IFN on schistosomal liver fibrosis. 2009 , 29, 53-8	6
94	Chromium attenuates hepatic damage in a rat model of chronic cholestasis. 2009 , 84, 606-14	29
93	TGF-beta1 gene silencing for treating liver fibrosis. 2009 , 6, 772-9	82
92	Antioxidants vitamin E and 1-aminobenzotriazole prevent experimental non-alcoholic steatohepatitis in mice. 2009 , 44, 1121-31	71
91	Rosiglitazone prevents nutritional fibrosis and steatohepatitis in mice. 2009 , 44, 358-65	57
90	Protective effects of total flavonoids of <i>Bidens bipinnata</i> L. against carbon tetrachloride-induced liver fibrosis in rats. 2010 , 60, 1393-1402	29
89	All-trans retinoic acid diminishes collagen production in a hepatic stellate cell line via suppression of active protein-1 and c-Jun N-terminal kinase signal. 2010 , 30, 726-33	21
88	Synthesis and biological evaluation of 2-pyridyl-substituted pyrazoles and imidazoles as transforming growth factor-beta type 1 receptor kinase inhibitors. 2010 , 20, 4228-32	24
87	Mesenchymal stem cells as therapeutic tools and gene carriers in liver fibrosis and hepatocellular carcinoma. 2010 , 17, 692-708	67
86	The antifibrotic effects of TGF- β siRNA on hepatic fibrosis in rats. 2011 , 409, 448-53	48
85	Ablation of the decorin gene enhances experimental hepatic fibrosis and impairs hepatic healing in mice. 2011 , 91, 439-51	69
84	Synthesis and biological evaluation of 1-substituted-3(5)-(6-methylpyridin-2-yl)-4-(quinoxalin-6-yl)pyrazoles as transforming growth factor- β type 1 receptor kinase inhibitors. 2011 , 46, 3917-25	24
83	Neferine inhibits cultured hepatic stellate cell activation and facilitates apoptosis: A possible molecular mechanism. 2011 , 650, 163-9	31
82	Synthesis and biological evaluation of 1-substituted-3-(6-methylpyridin-2-yl)-4-([1,2,4]triazolo[1,5-a]pyridin-6-yl)pyrazoles as transforming growth factor- β type 1 receptor kinase inhibitors. 2011 , 21, 6049-53	25

81	Synthesis and biological evaluation of 1-substituted-3(5)-(6-methylpyridin-2-yl)-4-(quinolin-6-yl)pyrazoles as transforming growth factor- β type 1 receptor kinase inhibitors. 2011 , 19, 2633-40		23
80	Non-invasive assessment of liver fibrosis: it is time for laboratory medicine. 2011 , 49, 13-32		16
79	Targeting transforming growth factor β II expression inhibits the activation of hepatic stellate cells and reduces collagen synthesis. 2011 , 236, 291-7		16
78	Decorin-TGF β axis in hepatic fibrosis and cirrhosis. 2012 , 60, 262-8		119
77	Fibrose h β atique. 2012 , 7, 1-9		
76	Combination therapy with taurine, epigallocatechin gallate and genistein for protection against hepatic fibrosis induced by alcohol in rats. 2012 , 35, 1802-10		14
75	Synthesis and biological evaluation of 2-benzylamino-4(5)-(6-methylpyridin-2-yl)-5(4)-([1,2,4]triazolo[1,5-a]-pyridin-6-yl)thiazoles as transforming growth factor- β type 1 receptor kinase inhibitors. 2012 , 57, 74-84		15
74	[Liver fibrogenesis: physiopathology]. 2012 , 35 Suppl 2, 3-9		3
73	Protective effect of Fufang-Liu-Yue-Qing, a traditional Chinese herbal formula, on CCl ₄ induced liver fibrosis in rats. 2012 , 142, 548-56		29
72	Protective effect of isoorientin-2'-O- β -arabinopyranosyl isolated from <i>Gypsophila elegans</i> on alcohol induced hepatic fibrosis in rats. 2012 , 50, 1992-2001		19
71	Effect and mechanism of methyl helicterate isolated from <i>Helicteres angustifolia</i> (Sterculiaceae) on hepatic fibrosis induced by carbon tetrachloride in rats. 2012 , 143, 889-95		17
70	Fuzheng Huayu recipe prevents nutritional fibrosing steatohepatitis in mice. 2012 , 11, 45		20
69	Role of cytokines and chemokines in non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2012 , 18, 727-35	5.6	216
68	Protective effect of genistein isolated from <i>Hydrocotyle sibthorpioides</i> on hepatic injury and fibrosis induced by chronic alcohol in rats. 2013 , 217, 102-10		46
67	Genetics of nonalcoholic Fatty liver disease: an overview. 2013 , 40, 15-22		18
66	Urethral reconstruction with tissue engineering and RNA interference techniques in rabbits. 2013 , 81, 1075-80		31
65	Antifibrotic effects of a recombinant adeno-associated virus carrying small interfering RNA targeting TIMP-1 in rat liver fibrosis. 2013 , 182, 1607-16		31
64	Combined taurine, epigallocatechin gallate and genistein therapy reduces HSC-T6 cell proliferation and modulates the expression of fibrogenic factors. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 20543-54	6.3	15

63	Corn peptides protect against thioacetamide-induced hepatic fibrosis in rats. 2013 , 16, 912-9		24
62	Hepatic stellate cell-targeted delivery of hepatocyte growth factor transgene via bile duct infusion enhances its expression at fibrotic foci to regress dimethylnitrosamine-induced liver fibrosis. 2013 , 24, 508-19		21
61	Recombinant human histidine triad nucleotide-binding protein 1 attenuates liver fibrosis induced by carbon tetrachloride in rats. <i>Molecular Medicine Reports</i> , 2013 , 8, 1023-8	2.9	6
60	Inhibitory effects of Japanese herbal medicines sho-saiko-to and juzen-taiho-to on nonalcoholic steatohepatitis in mice. <i>PLoS ONE</i> , 2014 , 9, e87279	3.7	23
59	Diethylcarbamazine reduces chronic inflammation and fibrosis in carbon tetrachloride- (CCl ₄) induced liver injury in mice. 2014 , 2014, 696383		20
58	Insulin-like growth factor binding protein-related protein 1 contributes to hepatic fibrogenesis. 2014 , 15, 202-10		25
57	4-([1,2,4]Triazolo[1,5-a]pyridin-6-yl)-5(3)-(6-methylpyridin-2-yl)imidazole and -pyrazole derivatives as potent and selective inhibitors of transforming growth factor- β type I receptor kinase. 2014 , 22, 2724-32		19
56	Ghrelin Attenuates Liver Fibrosis through Regulation of TGF- β Expression and Autophagy. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 21911-30	6.3	43
55	Fucoidan from <i>Fucus vesiculosus</i> protects against alcohol-induced liver damage by modulating inflammatory mediators in mice and HepG2 cells. 2015 , 13, 1051-67		41
54	Identification of ALK5 inhibitor via structure-based virtual screening and ADMET prediction. 2015 , 35, 559-64		11
53	Anti-Hepatitis B Virus Activity of Chlorogenic Acid and Its Related Compounds. 2015 , 607-613		4
52	A Targeted Multiple Antigenic Peptide Vaccine Augments the Immune Response to Self TGF- β and Suppresses Ongoing Hepatic Fibrosis. 2015 , 63, 305-15		12
51	Synthesis and biological evaluation of 5-(fluoro-substituted-6-methylpyridin-2-yl)-4-([1,2,4]triazolo[1,5-a]pyridin-6-yl)imidazoles as inhibitors of transforming growth factor- β type I receptor kinase. 2015 , 25, 5228-31		12
50	Shear-wave elasticity imaging of a liver fibrosis mouse model using high-frequency ultrasound. 2015 , 62, 1295-307		8
49	TGF- β 1 and TGF- β 2 abundance in liver diseases of mice and men. 2016 , 7, 19499-518		40
48	TGF- β signaling is activated in patients with chronic HBV infection and repressed by SMAD7 overexpression after successful antiviral treatment. 2016 , 65, 355-65		21
47	The vitamin D receptor agonist, calcipotriol, modulates fibrogenic pathways mitigating liver fibrosis in-vivo: An experimental study. 2016 , 789, 362-369		22
46	The Dimethylnitrosamine Induced Liver Fibrosis Model in the Rat. 2016 ,		2

45	TGF- β /SMAD Pathway and Its Regulation in Hepatic Fibrosis. 2016 , 64, 157-67	320
44	Biomarkers of liver fibrosis detecting with electrochemical immunosensor on clinical serum. 2016 , 222, 127-132	14
43	Enhanced antiviral and antifibrotic effects of short hairpin RNAs targeting HBV and TGF- β in HBV-persistent mice. 2017 , 7, 3860	4
42	Hepatic anti-inflammatory effect of hexane extracts of <i>Dioscorea batatas</i> Decne: Possible suppression of toll-like receptor 4-mediated signaling. 2017 , 92, 157-167	2
41	Docosahexaenoic acid attenuates carbon tetrachloride-induced hepatic fibrosis in rats. 2017 , 53, 56-62	17
40	Higher Anti-Liver Fibrosis Effect of <i>Cordyceps militaris</i> -Fermented Product Cultured with Deep Ocean Water via Inhibiting Proinflammatory Factors and Fibrosis-Related Factors Expressions. 2017 , 15,	12
39	Hepatoprotection of auraptene from peels of citrus fruits against thioacetamide-induced hepatic fibrosis in mice by activating farnesoid X receptor. 2018 , 9, 2684-2694	21
38	Melatonin mitigates thioacetamide-induced hepatic fibrosis via antioxidant activity and modulation of proinflammatory cytokines and fibrogenic genes. 2018 , 192, 136-143	33
37	Angiotensin II: a key mediator in the development of liver fibrosis and cancer. 2018 , 42,	18
36	Decorin is a pivotal effector in the extracellular matrix and tumour microenvironment. 2018 , 9, 5480-5491	65
35	Long Noncoding RNA HOTTIP Promotes Mouse Hepatic Stellate Cell Activation via Downregulating miR-148a. 2018 , 51, 2814-2828	20
34	Hyperoside protects against heart failure-induced liver fibrosis in rats. 2019 , 121, 804-811	7
33	Design, synthesis, and antifibrosis evaluation of 4-(benzo-[c][1,2,5]thiadiazol-5-yl)-3(5)-(6-methylpyridin-2-yl)pyrazole and 3(5)-(6-methylpyridin-2-yl)-4-(thieno-[3,2,-c]pyridin-2-yl)pyrazole derivatives. 2019 , 180, 15-27	8
32	Pirfenidone alleviates concanavalin A-induced liver fibrosis in mice. 2019 , 239, 116982	11
31	Inhibits Liver Fibrosis by Blocking TGF- β Signaling In Vivo and In Vitro. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3 5
30	The Impact of a Nitric Oxide Synthase Inhibitor (L-NAME) on Ischemia/Reperfusion Injury of Cholestatic Livers by Pringle Maneuver and Liver Resection after Bile Duct Ligation in Rats. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3 6
29	Fibrogenic Gene Expression in Hepatic Stellate Cells Induced by HCV and HIV Replication in a Three Cell Co-Culture Model System. 2019 , 9, 568	9
28	In vitro assessment of three different artemisia species for their antioxidant and anti-fibrotic activity. 2019 , 18, 101040	4

27	A comparative analysis of the molecular basis of fibrosis between tissues. 2019 , 28, 865-878		
26	Design, synthesis and biological activity evaluation of novel 4-((1-cyclopropyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl) oxy) pyridine-2-yl) amino derivatives as potent transforming growth factor- β (TGF- β) type I receptor inhibitors. 2020 , 30, 127339		3
25	Inhibitory effects of oxyresveratrol on ERK and Smad1/2 phosphorylation and HSC activation in preventing carbon tetrachloride-induced rat liver fibrosis. 2021 , 10, 6-12		6
24	Current treatment paradigms and emerging therapies for NAFLD/NASH. 2021 , 26, 206-237		21
23	Pantoprazole ameliorates liver fibrosis and suppresses hepatic stellate cell activation in bile duct ligation rats by promoting YAP degradation. 2021 , 42, 1808-1820		1
22	Pterostilbene is more efficacious than hydroxystilbenes in protecting liver fibrogenesis in a carbon tetrachloride-induced rat model. 2021 , 84, 104604		1
21	Discovery of 1,8-naphthalidine derivatives as potent anti-hepatic fibrosis agents via repressing PI3K/AKT/Smad and JAK2/STAT3 pathways. 2021 , 49, 116438		1
20	Preliminary experimental study of urethral reconstruction with tissue engineering and RNA interference techniques. 2013 , 15, 430-3		5
19	Liver fibrosis. 2005 , 115, 209-18		3497
18	B cells: no longer bystanders in liver fibrosis. 2005 , 115, 2962-5		35
17	Coexpression of Smad7 and UPA attenuates carbon tetrachloride-induced rat liver fibrosis. 2012 , 18, BR394-401		9
16	Activation of protein serine/threonine phosphatase PP2C β efficiently prevents liver fibrosis. <i>PLoS ONE</i> , 2010 , 5, e14230	3.7	13
15	Exacerbating effects of human parvovirus B19 NS1 on liver fibrosis in NZB/W F1 mice. <i>PLoS ONE</i> , 2013 , 8, e68393	3.7	7
14	Gene modulation for treating liver fibrosis. <i>Critical Reviews in Therapeutic Drug Carrier Systems</i> , 2007 , 24, 93-146	2.8	37
13	Tetrandrine inhibits activation of rat hepatic stellate cells in vitro via transforming growth factor-beta signaling. <i>World Journal of Gastroenterology</i> , 2005 , 11, 2922-6	5.6	6
12	IB kinase-beta inhibitor attenuates hepatic fibrosis in mice. <i>World Journal of Gastroenterology</i> , 2011 , 17, 5203-13	5.6	12
11	Role of BMSCs in liver regeneration and metastasis after hepatectomy. <i>World Journal of Gastroenterology</i> , 2014 , 20, 126-32	5.6	22
10	Hyperoxia accelerates progression of hepatic fibrosis by up-regulation of transforming growth factor- β expression. <i>World Journal of Gastroenterology</i> , 2014 , 20, 3011-7	5.6	8

9	Small RNA- and DNA-based gene therapy for the treatment of liver cirrhosis, where we are?. <i>World Journal of Gastroenterology</i> , 2014 , 20, 14696-705	5.6	7
8	State-of-the-Art Lecture: Mechanisms of liver fibrosis [Targets for therapy. 2009 , 141-156		
7	The Effect of Lecithins Coupled Decorin Nanoliposomes on Treatment of Carbon Tetrachloride-Induced Liver Fibrosis. <i>BioMed Research International</i> , 2020 , 2020, 8815904	3	1
6	Anti-fibrotic effects of the Masson pine pollen aqueous extract on hepatic fibrosis rat model. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 4651-61	1.4	1
5	Effects of Isorhamnetin on Diabetes and Its Associated Complications: A Review of In Vitro and In Vivo Studies and a Post Hoc Transcriptome Analysis of Involved Molecular Pathways.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	2
4	Aspirin attenuates liver fibrosis by suppressing TGF- β /Smad signaling.. <i>Molecular Medicine Reports</i> , 2022 , 25,	2.9	1
3	Phenolic composition, antioxidant and anti-fibrotic effects of <i>Sesbania grandiflora</i> L. (Agastya) [An edible medicinal plant. 2020 , 41, 242		0
2	Fibrosis in Liver and Pancreas: a Review on Pathogenic Significance, Diagnostic Options, and Current Management Strategies.		0
1	Improving Management of Portal Hypertension: The Potential Benefit of Non-Etiological Therapies in Cirrhosis. 2023 , 12, 934		0