

CITATION REPORT

List of articles citing

Diagnostic value of Doppler assessment of the hepatic and portal vessels and ultrasound of the spleen in liver diseases

DOI: 10.1097/00042737-200402000-00005

European Journal of Gastroenterology and Hepatology
, 2004, 16, 147-55.

Source: <https://exaly.com/paper-pdf/37744551/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
68	Value of Doppler sonography in assessing the progression of chronic viral hepatitis and in the diagnosis and grading of cirrhosis. <i>Journal of Ultrasound in Medicine</i> , 2005 , 24, 311-21	2.9	33
67	Noninvasive assessment of liver steatosis, fibrosis and inflammation in chronic hepatitis C virus infection. <i>Liver International</i> , 2005 , 25, 1150-5	7.9	26
66	Ultrasonography of splenic abnormalities. <i>World Journal of Gastroenterology</i> , 2005 , 11, 4061-6	5.6	23
65	Abnormal hepatic vein Doppler waveform in patients without liver disease. <i>British Journal of Radiology</i> , 2005 , 78, 242-4	3.4	21
64	Application of the platelet count/spleen diameter ratio to rule out the presence of oesophageal varices in patients with cirrhosis: a validation study based on follow-up. <i>Digestive and Liver Disease</i> , 2005 , 37, 779-85	3.3	64
63	Transgenic expression of Angiopietin 1 in the liver leads to changes in lymphatic and blood vessel architecture. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 345, 1299-307	3.4	8
62	Patient age is a strong independent predictor of ¹³ C-aminopyrine breath test results: a comparative study with histology, duplex-Doppler and a laboratory index in patients with chronic hepatitis C virus infection. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006 , 33, 300-4	3	13
61	Clinical evaluation of magnetic resonance imaging flowmetry of portal and hepatic veins in patients following hepatectomy. <i>Liver International</i> , 2006 , 26, 587-94	7.9	21
60	Platelet count/spleen diameter ratio for the noninvasive diagnosis of esophageal varices: results of a multicenter, prospective, validation study. <i>American Journal of Gastroenterology</i> , 2006 , 101, 2511-9	0.7	165
59	Right liver lobe/albumin ratio: contribution to non-invasive assessment of portal hypertension. <i>World Journal of Gastroenterology</i> , 2007 , 13, 5331-5	5.6	30
58	Evaluation of hepatic steatosis by ultrasound in patients with chronic hepatitis C virus infection. <i>Liver International</i> , 2007 , 27, 748-57	7.9	25
57	Performance of Doppler ultrasound in the prediction of severe portal hypertension in hepatitis C virus-related chronic liver disease. <i>Liver International</i> , 2007 , 27, 1379-88	7.9	27
56	Effects of diffuse fatty infiltration of the liver on portal vein flow hemodynamics. <i>Journal of Clinical Ultrasound</i> , 2008 , 36, 134-40	1	42
55	A Doppler waveform index to characterize hepatic vein velocity pattern and evaluate hepatic fibrosis. <i>Journal of Clinical Ultrasound</i> , 2008 , 36, 208-11	1	10
54	Model consisting of ultrasonographic and simple blood indexes accurately identify compensated hepatitis B cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 1228-34	4	20
53	Spleen enlargement on follow-up evaluation: a noninvasive predictor of complications of portal hypertension in cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2008 , 6, 1129-34	6.9	41
52	Statistical relevance of ultrasonographic criteria in the assessment of diffuse liver disease in dogs and cats. <i>American Journal of Veterinary Research</i> , 2008 , 69, 212-21	1.1	56

51	Quantificação do fluxo portal em indivíduos saudáveis: comparação entre ressonância magnética e ultra-som Doppler. <i>Radiologia Brasileira</i> , 2008 , 41, 219-224	1.7	5
50	Does spleen volume play a role in patients with HCV-related chronic hepatitis?. <i>International Journal of Immunopathology and Pharmacology</i> , 2009 , 22, 1009-17	3	6
49	Changes in hepatic venous morphology with cirrhosis on MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 29, 1085-92	5.6	20
48	Non-invasive evaluation of liver cirrhosis using ultrasound. <i>Clinical Radiology</i> , 2009 , 64, 1056-66	2.9	77
47	Could inflammatory markers help diagnose nonalcoholic steatohepatitis?. <i>European Journal of Gastroenterology and Hepatology</i> , 2009 , 21, 504-11	2.2	133
46	Derivation of a clinical prediction rule for the noninvasive diagnosis of varices in children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 188-93	2.8	55
45	MR-based visualization and quantification of three-dimensional flow characteristics in the portal venous system. <i>Journal of Magnetic Resonance Imaging</i> , 2010 , 32, 466-75	5.6	43
44	A novel liver stiffness measurement-based prediction model for cirrhosis in hepatitis B patients. <i>Liver International</i> , 2010 , 30, 1073-81	7.9	29
43	Do changes in gastro-intestinal blood flow explain high-altitude anorexia?. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 735-41	4.6	23
42	Interobserver variability of ultrasound parameters in portal hypertension. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2010 , 105, 409-13	2.6	3
41	A liver stiffness measurement-based, noninvasive prediction model for high-risk esophageal varices in B-viral liver cirrhosis. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1382-90	0.7	159
40	Noninvasive Alternatives to Liver Biopsy. 2011 ,		
39	Assessment of intrahepatic blood flow by Doppler ultrasonography: relationship between the hepatic vein, portal vein, hepatic artery and portal pressure measured intraoperatively in patients with portal hypertension. <i>BMC Gastroenterology</i> , 2011 , 11, 84	3	18
38	[Reference values in abdominal ultrasound - biliopancreatic system and spleen]. <i>Zeitschrift Fur Gastroenterologie</i> , 2011 , 49, 845-70	1.6	31
37	Risk assessment of esophageal variceal bleeding in B-viral liver cirrhosis by a liver stiffness measurement-based model. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1654-62, 1730	0.7	48
36	Use of the platelet count/spleen diameter ratio for the noninvasive diagnosis of esophageal varices in patients with schistosomiasis. <i>Saudi Journal of Gastroenterology</i> , 2011 , 17, 307-11	3	17
35	Doppler parameters of hepatic and renal hemodynamics in patients with liver cirrhosis. <i>International Journal of Nephrology</i> , 2012 , 2012, 961654	1.7	7
34	Non-invasive assessment of fibrosis using color Doppler ultrasound in patients with hepatitis C virus in the Amazon rainforest, Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012 , 86, 273-9 ³⁻²		2

33	A Case-Control Study to Compare the Likelihood of Detecting Liver Disorders Using Coincident Measures of Doppler-Derived Portal Vein Pressure Gradients, Hepatic Venous Waveforms, and the Echogenicity of Liver Parenchyma. <i>Journal of Diagnostic Medical Sonography</i> , 2012 , 28, 211-221	0.4	
32	The Prediction of Liver Disease Status Using a Combination of Sonographic and Doppler-Derived Observations of the Portal Venous System. <i>Journal of Diagnostic Medical Sonography</i> , 2012 , 28, 270-276	0.4	
31	Correlation between Doppler of the right hepatic vein with ultrasound transcutaneous guided biopsy in liver diseases. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2012 , 39, 489-95	0.5	1
30	Thrombocytopenia, splenomegaly, and portal blood flow in patients who have undergone liver transplantation for cirrhosis. <i>Liver Transplantation</i> , 2012 , 18, 340-6	4.5	14
29	Reply: To PMID 23022955. <i>Gastroenterology</i> , 2013 , 144, 1154-5	13.3	
28	Effect of anthropometrical measurements on portal vein and hepatosplenic span. <i>Pakistan Journal of Medical Sciences</i> , 2013 , 29, 1077-80	2	4
27	Hepatic vein waveform and splenomegaly predict improvement of prothrombin time after splenectomy in hepatitis C virus-related cirrhotic patients. <i>Hepatology Research</i> , 2013 , 43, 933-41	5.1	2
26	CCL2-dependent infiltrating macrophages promote angiogenesis in progressive liver fibrosis. <i>Gut</i> , 2014 , 63, 1960-1971	19.2	183
25	Color Doppler US and tri-phasic CT in differentiating benign from malignant portal vein thrombosis (PVT). <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2015 , 46, 847-857	1.4	1
24	Four-dimensional flow magnetic resonance imaging in cirrhosis. <i>World Journal of Gastroenterology</i> , 2016 , 22, 89-102	5.6	18
23	Normal main portal vein diameter measured on CT is larger than the widely referenced upper limit of 13 mm. <i>Abdominal Radiology</i> , 2016 , 41, 1931-6	3	10
22	Predictors of portal vein system thrombosis after laparoscopic splenectomy and azygoportal disconnection: A Retrospective Cohort Study of 75 Consecutive Patients with 3-months follow-up. <i>International Journal of Surgery</i> , 2016 , 30, 143-9	7.5	16
21	Portal Vein Dopplerflowmetry in healthy sheep according to age. <i>Pesquisa Veterinaria Brasileira</i> , 2017 , 37, 1172-1176	0.4	1
20	Imaging diagnosis of portal hypertension. <i>Radiologia</i> , 2018 , 60, 290-300	0.6	0
19	Vector Flow Imaging Compared with Pulse Wave Doppler for Estimation of Peak Velocity in the Portal Vein. <i>Ultrasound in Medicine and Biology</i> , 2018 , 44, 593-601	3.5	12
18	The sonographic measurement of the spleen: A clinical audit. <i>Sonography</i> , 2018 , 5, 187-194	0.3	
17	Imaging diagnosis of portal hypertension. <i>Radiologia</i> , 2018 , 60, 290-300	0.1	
16	The many faces of cirrhosis. <i>Abdominal Radiology</i> , 2020 , 45, 3065-3080	3	2

15	Recent developments in the field of vascular liver diseases. <i>Liver International</i> , 2020 , 40 Suppl 1, 142-148.	7.9	4
14	Conventional ultrasound for diagnosis of hepatic steatosis is better than believed. <i>Zeitschrift Fur Gastroenterologie</i> , 2021 ,	1.6	2
13	[Noninvasive assessment of oesophageal varices presence and size in patients with liver cirrhosis using right liver lobe/serum albumin concentration]. <i>Vojnosanitetski Pregled</i> , 2007 , 64, 453-7	0.1	1
12	Portalsystemic hemodynamic changes in chronic severe hepatitis B: An ultrasonographic study. <i>World Journal of Gastroenterology</i> , 2008 , 14, 795-9	5.6	7
11	Does protracted antiviral therapy impact on HCV-related liver cirrhosis progression?. <i>World Journal of Gastroenterology</i> , 2007 , 13, 4903-8	5.6	3
10	Hierarchical deep network with uncertainty-aware semi-supervised learning for vessel segmentation. <i>Neural Computing and Applications</i> , 1	4.8	1
9	Ultrasonography in differentiation between chronic viral hepatitis and compensated early stage cirrhosis. <i>World Journal of Gastroenterology</i> , 2008 , 14, 2072-9	5.6	1
8	Doppler ultrasonography of hepatic artery in malignant liver tumors. <i>Archive of Oncology</i> , 2008 , 16, 46-48.	2	
7	Avaliaço com Doppler colorido e espectral da veia porta de cas. <i>Ciencia Rural</i> , 2009 , 39, 595-603	1.3	
6	Comment on: the relationship between splenomegaly and hematologic findings in patients with hepatosplenic schistosomiasis. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2013 , 35, 305-6		
5	Platelet Count/Spleen Diameter Ratio and Shear-Wave Elastography for Non-Invasive Prediction of High-Risk Varices: Can We Delay Screening Endoscopy for Compensated Cirrhosis?. <i>Hepatitis Monthly</i> , 2017 , 17,	1.8	
4	Correlation between portal vein diameter and craniocaudal length of the spleen. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona SudoSzopka</i> , 2019 , 19, 276-281	1.1	4
3	Platelet count/bipolar spleen diameter ratio for the prediction of esophageal varices: The special Egyptian situation: Noninvasive prediction of esophageal varices. <i>Hepatitis Monthly</i> , 2011 , 11, 278-84	1.8	13
2	Nomogram for predicting the risk of gastroesophageal varices after primary endoscopic prophylaxis for variceal hemorrhage in patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 33,	2.2	
1	Hepatic function predictive value of hepatic venous waveform versus portal vein velocity in liver cirrhosis. <i>Journal of Medical Ultrasound</i> , 2022 , 30, 109	0.8	0