

# CITATION REPORT

List of articles citing

**Risk for malignancy of thyroid nodules as assessed by sonographic criteria: the need for biopsy**

**DOI: 10.7863/jum.2004.23.11.1455**

**Journal of Ultrasound in Medicine, 2004, 23, 1455-64.**

**Source:** <https://exaly.com/paper-pdf/37783729/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
252	Nodules du corps thyroïde. <b>2005</b> , 2, 1-20		
251	Rates of malignancy in incidentally discovered thyroid nodules evaluated with sonography and fine-needle aspiration. <i>Journal of Ultrasound in Medicine</i> , <b>2005</b> , 24, 629-34	2.9	66
250	Flow pattern and vascular resistive index as predictors of malignancy risk in thyroid follicular neoplasms. <i>Journal of Ultrasound in Medicine</i> , <b>2005</b> , 24, 897-904	2.9	86
249	Papillary Thyroid Cancer: A Classic Example. <b>2005</b> , 21, 262-266		1
248	Management of thyroid nodules detected at US: Society of Radiologists in Ultrasound consensus conference statement. <b>2005</b> , 237, 794-800		881
247	Les nodules thyroïdiens. <b>2006</b> , 46, 243-250		2
246	Initial clinical experience imaging scatterer size and strain in thyroid nodules. <i>Journal of Ultrasound in Medicine</i> , <b>2006</b> , 25, 1021-9	2.9	30
245	Partially thrombosed fusiform inferior thyroid artery true aneurysm mimicking a thyroid nodule. <i>Journal of Ultrasound in Medicine</i> , <b>2006</b> , 25, 805-8	2.9	4
244	Clinical Applications of Thyroid Ultrasonography. <b>2006</b> , 16, 319-322		2
243	Management of thyroid nodules detected at US: Society of Radiologists in Ultrasound consensus conference statement. <b>2006</b> , 22, 231-8; discussion 239-40		115
242	Gray-scale three-dimensional sonography of thyroid nodules: feasibility of the method and preliminary studies. <b>2006</b> , 16, 428-36		18
241	Gray-scale and color Doppler ultrasonographic manifestations of papillary thyroid carcinoma: analysis of 51 cases. <b>2006</b> , 30, 394-401		34
240	Prevalence and distribution of carcinoma in patients with solitary and multiple thyroid nodules on sonography. <b>2006</b> , 91, 3411-7		482
239	The association of colour flow Doppler sonography and conventional ultrasonography improves the diagnosis of thyroid carcinoma. <b>2006</b> , 66, 249-56		38
238	Comparison of palpation-guided fine-needle aspiration biopsy to ultrasound-guided fine-needle aspiration biopsy in the evaluation of thyroid nodules. <b>2006</b> , 16, 555-61		93
237	US Features of thyroid malignancy: pearls and pitfalls. <b>2007</b> , 27, 847-60; discussion 861-5		258
236	Ultrasonographic findings of papillary thyroid carcinoma with Hashimoto's thyroiditis. <b>2007</b> , 46, 547-50		46

235	Role of 99mTc-Tetrofosmin delayed scintigraphy and color Doppler sonography in characterization of solitary thyroid nodules. <b>2007</b> , 28, 847-51	11
234	Power Doppler US patterns of vascularity and spectral Doppler US parameters in predicting malignancy in thyroid nodules. <b>2007</b> , 62, 245-51	69
233	Evaluating the degree of conformity of papillary carcinoma and follicular carcinoma to the reported ultrasonographic findings of malignant thyroid tumor. <b>2007</b> , 8, 192-7	106
232	[Usefulness of ultrasound in the diagnosis and management of well-differentiated thyroid carcinoma]. <b>2007</b> , 51, 783-92	6
231	Sonographic diagnosis of thyroid nodules: correlation with the results of sonographically guided fine-needle aspiration biopsy. <b>2007</b> , 35, 63-7	28
230	Negative MIBI thyroid scans exclude differentiated and medullary thyroid cancer in 100% of patients with hypofunctioning thyroid nodules. <b>2007</b> , 34, 1701-3	25
229	US, colour-Doppler US and fine-needle aspiration biopsy in the diagnosis of thyroid nodules. <b>2007</b> , 112, 751-62	36
228	Evidence-based assessment of the role of ultrasonography in the management of benign thyroid nodules. <b>2008</b> , 32, 1253-63	57
227	Predictive value of sonographic features in preoperative evaluation of malignant thyroid nodules in a multinodular goiter. <b>2008</b> , 32, 1948-54	48
226	Papillary carcinoma of the thyroid gland in a child of thyrotoxicosis patient receiving radioactive iodine therapy: report of a case. <b>2008</b> , 24, 747-50	1
225	Ultrasound-guided biopsy of the thyroid: a comparison of technique with respect to diagnostic accuracy. <b>2008</b> , 36, 787-9	11
224	Predictive value for malignancy in the finding of microcalcifications on ultrasonography of thyroid nodules. <b>2008</b> , 30, 1206-10	20
223	Vascular pattern and spectral parameters of power Doppler ultrasound as predictors of malignancy risk in thyroid nodules. <b>2008</b> , 118, 2182-6	34
222	Ultrasound of thyroid nodules. <b>2008</b> , 18, 463-78, vii	36
221	Ultrasound examination using contrast agent and elastosonography in the evaluation of single thyroid nodules: Preliminary results. <b>2008</b> , 11, 47-54	19
220	Thyroid disorders: evaluation and management of thyroid nodules. <b>2008</b> , 20, 431-43	5
219	The value of fine-needle aspiration biopsy in subcentimeter thyroid nodules. <b>2008</b> , 18, 603-8	51
218	Does exposure to childhood radiation influence the development of thyroid nodular disease and thyroid cancer risk?. <b>2008</b> , 4, 590-1	

217	Thyroid nodules: is it time to turn off the US machines?. <b>2008</b> , 247, 602-4	75
216	Differences in sonographic conspicuity according to papillary thyroid cancer subtype: results of the Ukrainian-American cohort study after the Chernobyl accident. <b>2008</b> , 191, W293-8	5
215	Approach to the patient with a cytologically indeterminate thyroid nodule. <b>2008</b> , 93, 4175-82	89
214	Benign and malignant thyroid nodules: US differentiation--multicenter retrospective study. <b>2008</b> , 247, 762-70	779
213	The prevalence and significance of incidental thyroid nodules identified on computed tomography. <b>2008</b> , 32, 810-5	101
212	An unusual imaging and clinical presentation of papillary thyroid carcinoma. <i>Journal of Ultrasound in Medicine</i> , <b>2008</b> , 27, 1241-4	2.9
211	Error in the calculation of the correct use of positive and negative predictive values. <i>Journal of Ultrasound in Medicine</i> , <b>2008</b> , 27, 496	2.9
210	Imaging for staging and management of thyroid cancer. <i>Cancer Imaging</i> , <b>2008</b> , 8, 57-69	5.6 31
209	Ultrasonographic findings of medullary thyroid carcinoma: a comparison with papillary thyroid carcinoma. <b>2009</b> , 10, 101-5	54
208	[Comparison of color Doppler-evaluated thyroid nodule classifications as described by Lagalla and Chammas]. <b>2009</b> , 53, 811-7	6
207	Advances in ultrasound for the diagnosis and management of thyroid cancer. <b>2009</b> , 19, 1363-72	115
206	Can quantitative diffusion-weighted MR imaging differentiate benign and malignant cold thyroid nodules? Initial results in 25 patients. <b>2009</b> , 30, 417-22	50
205	Spectral power Doppler ultrasound parameters: are they really significant?. <b>2009</b> , 119, 1452; author reply 1453	1
204	Morphological and wavelet features towards sonographic thyroid nodules evaluation. <b>2009</b> , 33, 91-9	39
203	How to combine ultrasound and cytological information in decision making about thyroid nodules. <b>2009</b> , 19, 1923-31	75
202	Partially cystic thyroid nodules on ultrasound: probability of malignancy and sonographic differentiation. <b>2009</b> , 19, 341-6	87
201	Ultrasound of Thyroid Nodules. <b>2009</b> , 4, 87-103	1
200	The role of sonoelastography in the differential diagnosis of neck nodules. <b>2009</b> , 12, 93-100	14

199	Imaging for the diagnosis of thyroid cancer. <b>2009</b> , 3, 237-49	2
198	Ultrasonographic Features of Benign Nodules, Follicular Lesions and Malignant Nodules in the Thyroid Diagnosed Mainly by Fine Needle Aspiration Biopsy. <i>Journal of Medical Ultrasound</i> , <b>2009</b> , 17, 200-206	0.8
197	Role of ultrasound in the assessment of nodular thyroid disease. <b>2009</b> , 53, 177-87	48
196	Recent developments in predicting thyroid malignancy. <b>2009</b> , 21, 11-7	31
195	Systematic review: prevalence of malignant incidental thyroid nodules identified on fluorine-18 fluorodeoxyglucose positron emission tomography. <b>2009</b> , 30, 742-8	93
194	Surgeon-performed ultrasound in patients referred for thyroid disease improves patient care by minimizing performance of unnecessary procedures and optimizing surgical treatment. <b>2010</b> , 34, 1164-70	33
193	Utility of elastography for differential diagnosis of benign and malignant thyroid nodules. <b>2010</b> , 143, 230-4	75
192	Nomogram for predicting malignancy in thyroid nodules using clinical, biochemical, ultrasonographic, and cytologic features. <b>2010</b> , 148, 1120-7; discussion 1127-8	23
191	Papillary thyroid carcinoma on sonography. <b>2010</b> , 34, 121-6	24
190	Role of duplex power Doppler ultrasound in differentiation between malignant and benign thyroid nodules. <b>2010</b> , 11, 594-602	29
189	Observer variability and the performance between faculties and residents: US criteria for benign and malignant thyroid nodules. <b>2010</b> , 11, 149-55	51
188	Can vascularity at power Doppler US help predict thyroid malignancy?. <b>2010</b> , 255, 260-9	217
187	Enlarged benign-appearing cervical lymph nodes by ultrasonography are associated with increased likelihood of cancer somewhere within the thyroid in patients undergoing thyroid nodule evaluation. <b>2010</b> , 20, 857-62	5
186	Utility of contrast-enhanced ultrasound for evaluation of thyroid nodules. <b>2010</b> , 20, 51-7	121
185	Interobserver and intraobserver variations in ultrasound assessment of thyroid nodules. <b>2010</b> , 20, 167-72	158
184	Ex vivo imaging of human thyroid pathology using integrated optical coherence tomography and optical coherence microscopy. <b>2010</b> , 15, 016001	29
183	The pursuit of impalpable thyroid nodules: are we using scarce resources wisely?. <b>2010</b> , 61, 98-101	2
182	Role of ultrasound in thyroid disorders. <b>2010</b> , 43, 1209-27, vi	13

181	[Routine performance of thyroid ultrasound and fine-needle aspiration biopsy in the setting of a high-resolution endocrinology practice]. <b>2010</b> , 57, 43-8		28
180	Real-time elastography for the differentiation of benign and malignant thyroid nodules: a meta-analysis. <b>2010</b> , 20, 1145-50		228
179	Diagnostic value of sonography, ultrasound-guided fine-needle aspiration cytology, and diffusion-weighted MRI in the characterization of cold thyroid nodules. <i>European Journal of Radiology</i> , <b>2010</b> , 73, 538-44	4.7	31
178	Ultrasoundelastography: Can it provide valid information for differentiation of benign and malignant thyroid nodules?. <b>2011</b> , 14, 136-41		8
177	Nodule size and fine-needle aspiration biopsy: diagnostic challenges for thyroid malignancy. <b>2011</b> , 201, 525-30		10
176	Differentiation between benign and malignant solid thyroid nodules using an US classification system. <b>2011</b> , 12, 559-67		67
175	Clinical value of using ultrasound to assess calcification patterns in thyroid nodules. <b>2011</b> , 35, 122-7		39
174	Ultrasonography and the ultrasound-based management of thyroid nodules: consensus statement and recommendations. <b>2011</b> , 12, 1-14		349
173	Ultrasound-guided fine-needle aspiration biopsy in unselected consecutive patients with thyroid nodules. <b>2011</b> , 2011, 284837		1
172	Avoiding unnecessary fine-needle aspiration cytology by accurately predicting the benign nature of thyroid nodules using ultrasound. <b>2012</b> , 2, 23		14
171	Ultrasound-based diagnostic classification for solid and partially cystic thyroid nodules. <b>2012</b> , 33, 1144-9		42
170	To differentiate benign from malignant thyroid nodule comparison of sonography with FNAC findings. <i>Pakistan Journal of Medical Sciences</i> , <b>2013</b> , 29, 77-80	2	5
169	Collapsing benign cystic nodules of the thyroid gland: sonographic differentiation from papillary thyroid carcinoma. <b>2012</b> , 33, 124-7		18
168	Differentiating benign from malignant thyroid nodules: comparison of 2- and 3- dimensional sonography. <i>Journal of Ultrasound in Medicine</i> , <b>2012</b> , 31, 197-204	2.9	13
167	Differences in sonographic features of papillary thyroid carcinoma between neck lymph node metastatic and nonmetastatic groups. <i>Journal of Ultrasound in Medicine</i> , <b>2012</b> , 31, 915-20	2.9	18
166	Implementation of Evidence-Based Guidelines for Thyroid Nodule Biopsy: A Model for Establishment of Practice Standards. <b>2012</b> , 2012, 242-243		
165	Ultrasound findings of papillary thyroid microcarcinoma: a review of 113 consecutive cases with histopathologic correlation. <i>Ultrasound in Medicine and Biology</i> , <b>2012</b> , 38, 1681-8	3.5	31
164	Man to man training: can it help improve the diagnostic performances and interobserver variabilities of thyroid ultrasonography in residents?. <i>European Journal of Radiology</i> , <b>2012</b> , 81, e352-6	4.7	32

163	Prospective evaluation of multiparametric ultrasound and quantitative elastosonography in the differential diagnosis of benign and malignant thyroid nodules: preliminary experience. <i>European Journal of Radiology</i> , <b>2012</b> , 81, 2678-83	4.7	68
162	"Focal thyroid inferno" on color Doppler ultrasonography: a specific feature of focal Hashimoto's thyroiditis. <i>European Journal of Radiology</i> , <b>2012</b> , 81, 3319-25	4.7	11
161	Ultrasound guided fine-needle aspiration biopsy of thyroid nodules: Guidelines and recommendations vs clinical practice; a 12-month study of 89 patients. <b>2012</b> , 15, 102-7		6
160	Role of Ultrasound in Thyroid Disorders. <b>2012</b> , 7, 197-210		3
159	Acoustic radiation force impulse imaging for differentiation of thyroid nodules. <b>2012</b> , 7, e42735		83
158	Mixed echoic thyroid nodules on ultrasound: approach to management. <b>2012</b> , 53, 812-9		7
157	Prevalence of the B Type Raf Kinase V600E Mutation in Cytologically Indeterminate Thyroid Nodules: Correlation with Ultrasonographic and Pathologic Features. <b>2012</b> , 66, 17		
156	The role of proton MR spectroscopy and apparent diffusion coefficient values in the diagnosis of malignant thyroid nodules: preliminary results. <b>2012</b> , 36, 323-33		11
155	Acoustic Radiation Force Impulse-Imaging for the evaluation of the thyroid gland: a limited patient feasibility study. <b>2012</b> , 52, 69-74		102
154	Characterization of thyroid nodules using the proposed thyroid imaging reporting and data system (TI-RADS). <b>2013</b> , 35, 541-7		60
153	Nomogram for selecting thyroid nodules for ultrasound-guided fine-needle aspiration biopsy based on a quantification of risk of malignancy. <b>2013</b> , 35, 1022-5		11
152	Thyroid Nodules and Cancer: Evidence-Based Neuroimaging. <b>2013</b> , 679-692		
151	Prospective comparative evaluation of quantitative-elastosonography (Q-elastography) and contrast-enhanced ultrasound for the evaluation of thyroid nodules: preliminary experience. <i>European Journal of Radiology</i> , <b>2013</b> , 82, 1892-8	4.7	59
150	Solid and isoechoic thyroid nodules without malignant sonographic features: comparison of malignancy rate according to nodule size, shape and color Doppler pattern. <i>Ultrasound in Medicine and Biology</i> , <b>2013</b> , 39, 269-74	3.5	10
149	Comparison of strain ratio with elastography score system in differentiating malignant from benign thyroid nodules. <b>2013</b> , 37, 50-5		30
148	Characterization of thyroid cancer in mouse models using high-frequency quantitative ultrasound techniques. <i>Ultrasound in Medicine and Biology</i> , <b>2013</b> , 39, 2333-41	3.5	29
147	Quantitative analysis of dynamic power Doppler sonograms for patients with thyroid nodules. <i>Ultrasound in Medicine and Biology</i> , <b>2013</b> , 39, 1543-51	3.5	18
146	Elastographie de la thyroïde. <b>2013</b> , 94, 550-559		

145	Sonographic characteristics suggesting papillary thyroid carcinoma according to nodule size. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20, 906-13	3.1	29
144	Imaging of thyroid and parathyroid glands. <b>2013</b> , 48, 87-104		17
143	Elastography of the thyroid. <b>2013</b> , 94, 535-44		50
142	Thyroid nodules with initially nondiagnostic cytologic results: the role of core-needle biopsy. <b>2013</b> , 268, 274-80		98
141	Preoperative ultrasonographic features of papillary thyroid carcinoma predict biological behavior. <b>2013</b> , 98, 1476-82		56
140	Thyroid cancer is the most common cancer in women, based on the data from population-based cancer registries, South Korea. <b>2013</b> , 43, 1039-46		44
139	AIUM practice guideline for the performance of a thyroid and parathyroid ultrasound examination. <i>Journal of Ultrasound in Medicine</i> , <b>2013</b> , 32, 1319-29	2.9	32
138	Interobserver agreement of Thyroid Imaging Reporting and Data System (TIRADS) and strain elastography for the assessment of thyroid nodules. <b>2013</b> , 8, e77927		43
137	Diagnostic accuracy of the ultrasonographic features for subcentimeter thyroid nodules suggested by the revised American Thyroid Association guidelines. <b>2013</b> , 23, 1583-9		26
136	. <b>2013</b> ,		6
135	Color Doppler features of solid, round, isoechoic thyroid nodules without malignant sonographic features: a prospective cytopathological study. <b>2013</b> , 23, 472-6		18
134	Ultrasonographic guideline for thyroid nodules cytology: single institute experience. <b>2013</b> , 84, 73-9		6
133	Metastatic Signet Ring Cell Carcinoma Presenting as a Thyroid Diffuse Involvement: Report of a Case Studied with Q-elastographic and Acoustic Radiation Force Impulse Imaging Features. <b>2013</b> , 99, e84-e87		1
132	Benign and malignant nodular thyroid disease in acromegaly. Is a routine thyroid ultrasound evaluation advisable?. <b>2014</b> , 9, e104174		28
131	The Validity of Ultrasonography-Guided Fine Needle Aspiration Biopsy in Thyroid Nodules 4 cm or Larger Depends on Ultrasonography Characteristics. <b>2014</b> , 29, 545-52		12
130	A review on ultrasound-based thyroid cancer tissue characterization and automated classification. <b>2014</b> , 13, 289-301		69
129	Development of a logistic regression formula for evaluation of subcentimeter thyroid nodules. <i>Journal of Ultrasound in Medicine</i> , <b>2014</b> , 33, 1023-30	2.9	1
128	The predictive value of elastography in thyroid nodules and its comparison with fine-needle aspiration biopsy results. <b>2014</b> , 30, 147-52		



127	Prospective evaluation of acoustic radiation force impulse technology in the differentiation of thyroid nodules: accuracy and interobserver variability assessment. <b>2014</b> , 17, 13-20		30
126	Clasificaci3n TI-RADS de los n3bulos tiroideos en base a una escala de puntuaci3n modificada con respecto a los criterios ecogr3ficos de malignidad. <b>2014</b> , 78, 138-148		21
125	Can ultrasound be used to predict malignancy in patients with a thyroid nodule and an indeterminate fine-needle aspiration biopsy?. <b>2014</b> , 156, 967-70		18
124	Virtual touch tissue imaging on acoustic radiation force impulse elastography: a new technique for differential diagnosis between benign and malignant thyroid nodules. <i>Journal of Ultrasound in Medicine</i> , <b>2014</b> , 33, 585-95	2.9	36
123	Diagnostic value of elastosonography for thyroid microcarcinoma. <b>2014</b> , 54, 1945-9		13
122	Comparison of muscle-to-nodule and parenchyma-to-nodule strain ratios in the differentiation of benign and malignant thyroid nodules: which one should we use?. <i>European Journal of Radiology</i> , <b>2014</b> , 83, e131-6	4.7	15
121	The frequency of malignancy and the relationship between malignancy and ultrasonographic features of thyroid nodules with indeterminate cytology. <b>2014</b> , 45, 37-45		14
120	The role of elastosonography, gray-scale and colour flow Doppler sonography in prediction of malignancy in thyroid nodules. <b>2014</b> , 48, 348-53		16
119	Is Doppler ultrasound of additional value to gray-scale ultrasound in differentiating malignant and benign thyroid nodules?. <b>2015</b> , 59, 79-83		30
118	Strain US Elastography for the Characterization of Thyroid Nodules: Advantages and Limitation. <b>2015</b> , 2015, 908575		51
117	Differentiation of benign and malignant thyroid nodules based on the proportion of sponge-like areas on ultrasonography: imaging-pathologic correlation. <i>Ultrasonography</i> , <b>2015</b> , 34, 304-11	4.3	16
116	The natural history of the benign thyroid nodule: what is the appropriate follow-up strategy?. <b>2015</b> , 220, 987-92		32
115	Sonographic features of medullary thyroid carcinomas according to tumor size: comparison with papillary thyroid carcinomas. <i>Journal of Ultrasound in Medicine</i> , <b>2015</b> , 34, 1003-9	2.9	19
114	Elastography Has High Predictive Value for Determining That a Thyroid Nodule Is Benign. <b>2015</b> , 27, 97-99		
113	Qualitative elastography can replace thyroid nodule fine-needle aspiration in patients with soft thyroid nodules. A systematic review and meta-analysis. <i>European Journal of Radiology</i> , <b>2015</b> , 84, 652-61	4.7	40
112	Atypical thyroid cancers on sonography. <b>2015</b> , 31, 69-74		9
111	Sonographic features of thyroid nodules that may help distinguish clinically atypical subacute thyroiditis from thyroid malignancy. <i>Journal of Ultrasound in Medicine</i> , <b>2015</b> , 34, 689-96	2.9	12
110	Quantitative Evaluation of Vascularity Using 2-D Power Doppler Ultrasonography May Not Identify Malignancy of the Thyroid. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 2873-83	3.5	4

109	Thyroid Ultrasound Reporting Lexicon: White Paper of the ACR Thyroid Imaging, Reporting and Data System (TIRADS) Committee. <b>2015</b> , 12, 1272-9		248
108	Quantitative Shear Wave Velocity Measurement on Acoustic Radiation Force Impulse Elastography for Differential Diagnosis between Benign and Malignant Thyroid Nodules: A Meta-analysis. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 3035-43	3.5	30
107	Acoustic radiation force impulse imaging (ARFI) for differentiation of benign and malignant thyroid nodules--A meta-analysis. <i>European Journal of Radiology</i> , <b>2015</b> , 84, 2181-6	4.7	48
106	Sonographic criteria predictive of benign thyroid nodules useful in avoiding unnecessary ultrasound-guided fine needle aspiration. <b>2015</b> , 114, 590-7		9
105	Ultrasound-guided thyroid nodule biopsy: outcomes and correlation with imaging features. <b>2015</b> , 39, 200-6		3
104	Comparison of Clinical and Ultrasonographic Features of Poorly Differentiated Thyroid Carcinoma and Papillary Thyroid Carcinoma. <b>2016</b> , 129, 169-73		2
103	Role of Gray Scale, Color Doppler and Spectral Doppler in Differentiation Between Malignant and Benign Thyroid Nodules. <b>2016</b> , 10, TC01-6		8
102	CT-detected solitary thyroid calcification: an important imaging feature for papillary carcinoma. <b>2016</b> , 9, 6273-6279		8
101	Is vascular flow a predictor of malignant thyroid nodules? A meta-analysis. <b>2016</b> , 5, 576-582		19
100	AIUM Practice Parameter for the Performance of a Thyroid and Parathyroid Ultrasound Examination. <i>Journal of Ultrasound in Medicine</i> , <b>2016</b> , 35, 1-11	2.9	3
99	Usefulness of ultrasonography is the evaluation of thyroid nodules. <b>2016</b> , 58, 380-388		3
98	Can Nodular Hyperplasia of the Thyroid Gland be Differentiated From Follicular Adenoma and Follicular Carcinoma by Ultrasonography?. <b>2016</b> , 32, 349-355		3
97	The diagnostic value of combination of TI-RADS and ultrasound elastography in the differentiation of benign and malignant thyroid nodules. <b>2016</b> , 40, 913-6		13
96	Usefulness of ultrasonography is the evaluation of thyroid nodules. <b>2016</b> , 58, 380-8		5
95	Clinicopathological characteristics of thyroid cancer misdiagnosed by fine needle aspiration. <b>2016</b> , 12, 2766-2772		4
94	Contrast-enhanced ultrasound and real-time elastography in the differential diagnosis of malignant and benign thyroid nodules. <b>2016</b> , 12, 783-791		15
93	Quantitative analysis of echogenicity for patients with thyroid nodules. <b>2016</b> , 6, 35632		24
92	Ultrasonographic risk factors of malignancy in thyroid nodules. <b>2016</b> , 401, 839-49		6

91	Pediatric thyroid nodules: ultrasonographic characteristics and inter-observer variability in prediction of malignancy. <b>2016</b> , 29, 789-94		16
90	Diagnostic Criteria and Accuracy of Categorizing Malignant Thyroid Nodules by Ultrasonography and Ultrasound Elastography with Pathologic Correlation. <b>2016</b> , 38, 148-58		2
89	Computer-aided diagnosis of malignant or benign thyroid nodes based on ultrasound images. <b>2017</b> , 274, 2891-2897		28
88	Diagnostic Value of Acoustic Radiation Force Impulse Quantification in the Differentiation of Benign and Malignant Thyroid Nodules. <b>2017</b> , 39, 326-336		5
87	Elastography: Applications and Limitations of a New Technology. <b>2017</b> , 67-73		1
86	Ultrasonographic Assessment of Differential Diagnosis Between Degenerating Cystic Thyroid Nodules and Papillary Thyroid Microcarcinomas. <b>2017</b> , 41, 2538-2544		4
85	Aplicaci3n de la t3cnica de 3boles de clasificaci3n y regresi3n en la valoraci3n ecogr3fica de los n3dulos tiroideos. <b>2017</b> , 81, 17-27		1
84	Association between lifestyle and anthropometric parameters and thyroid nodule features. <b>2017</b> , 56, 560-567		17
83	Central echogenic areas in thyroid nodules: Diagnostic performance in prediction of papillary cancer. <i>European Journal of Radiology</i> , <b>2018</b> , 101, 45-49	4-7	2
82	Imaging Evaluation of the Head and Neck Oncology Patient. <b>2018</b> , 174, 59-86		4
81	Use of the Kwak Thyroid Image Reporting and Data System (K-TIRADS) in differential diagnosis of thyroid nodules: systematic review and meta-analysis. <b>2018</b> , 28, 2380-2388		26
80	Thyroid Nodules in Pediatric Patients: Sonographic Characteristics and Likelihood of Cancer. <b>2018</b> , 288, 591-599		25
79	Cytomorphology and sonographic features of ectopic thymic tissue diagnosed in paediatric FNA biopsies. <b>2018</b> , 29, 241-246		11
78	Predictive Factors of Malignancy in Cytology of Indeterminate Follicular and H3t3hle Cell Neoplasms of the Thyroid Gland. <b>2018</b> , 103, 9-14		1
77	Bayesian analysis of high-resolution ultrasonography and guided fine needle aspiration cytology in diagnosis of palpable thyroid nodules. <b>2016</b> ,		2
76	Sonographic Criteria Predictive of Malignant Thyroid Nodules: Which Lesions Should be Biopsied?. <b>2018</b> , 25, 213-218		2
75	Comparison of strain elastography, point shear wave elastography using acoustic radiation force impulse imaging and 2D-shear wave elastography for the differentiation of thyroid nodules. <b>2018</b> , 13, e0204095		16
74	The validity and reproducibility of the thyroid imaging reporting and data system (TI-RADS) in categorization of thyroid nodules: Multicentre prospective study. <i>European Journal of Radiology</i> , <b>2019</b> , 117, 184-192	4-7	16

73	Risk factor analysis for predicting cervical lymph node metastasis in papillary thyroid carcinoma: a study of 966 patients. <i>BMC Cancer</i> , <b>2019</b> , 19, 622	4.8	51
72	Degenerating Thyroid Nodules: Ultrasound Diagnosis, Clinical Significance, and Management. <b>2019</b> , 20, 947-955		13
71	The Sonographic Findings of Papillary Thyroid Microcarcinomas. <b>2019</b> , 35, 381-385		
70	Which Is the Best Reference Tissue for Strain Elastography in Predicting Malignancy in Thyroid Nodules, the Sternocleidomastoid Muscle or the Thyroid Parenchyma?. <i>Journal of Ultrasound in Medicine</i> , <b>2019</b> , 38, 3053-3064	2.9	1
69	Color Doppler ultrasonography diagnostic value in detection of malignant nodules in cysts with pathologically proven thyroid malignancy: a systematic review and meta-analysis. <b>2019</b> , 21, 1712-1729		3
68	Ultrasound Microvascular Blood Flow Evaluation: A New Tool for the Management of Thyroid Nodule?. <b>2019</b> , 2019, 7874890		10
67	Integration of Sonoelastography Into the TIRADS Lexicon Could Influence the Classification. <i>Frontiers in Endocrinology</i> , <b>2019</b> , 10, 127	5.7	3
66	Update on thyroid ultrasound: a narrative review from diagnostic criteria to artificial intelligence techniques. <b>2019</b> , 132, 1974-1982		9
65	Vascular flow on doppler sonography may not be a valid characteristic to distinguish colloid nodules from papillary thyroid carcinoma even when accounting for nodular size. <b>2019</b> , 8, 461-468		3
64	Application of whole-lesion intravoxel incoherent motion analysis using iZOOM DWI to differentiate malignant from benign thyroid nodules. <b>2019</b> , 60, 1127-1134		4
63	A predictive model to distinguish malignant and benign thyroid nodules based on age, gender and ultrasonographic features. <b>2019</b> , 85, 24-31		3
62	Ultrasonographic features for differentiating follicular thyroid carcinoma and follicular adenoma. <b>2020</b> , 43, 339-346		20
61	Comparison of Ultrasonography and CT for Determining the Preoperative Benign or Malignant Nature of Thyroid Nodules: Diagnostic Performance According to Calcification. <b>2020</b> , 19, 1533033820948183		1
60	2020 Chinese guidelines for ultrasound malignancy risk stratification of thyroid nodules: the C-TIRADS. <b>2020</b> , 70, 256-279		25
59	Clinical and ultrasonographic features of medullary thyroid microcarcinomas compared with papillary thyroid microcarcinomas: a retrospective analysis. <b>2020</b> , 20, 49		3
58	Superb microvascular imaging compared with contrast-enhanced ultrasound to assess microvessels in thyroid nodules. <b>2020</b> , 47, 287-297		7
57	Online Transfer Learning for Differential Diagnosis of Benign and Malignant Thyroid Nodules With Ultrasound Images. <b>2020</b> , 67, 2773-2780		12
56	Predictors of malignancy in high-risk indeterminate (TIR3B) cytopathology thyroid nodules. <b>2020</b> , 43, 1115-1123		4

55	Multi-Reader Multi-Case Study for Performance Evaluation of High-Risk Thyroid Ultrasound with Computer-Aided Detection. <b>2020</b> , 12,		8
54	A Bibliometric Analysis of Citation Classics in the Journal of Ultrasound in Medicine. <i>Journal of Ultrasound in Medicine</i> , <b>2020</b> , 39, 1289-1297	2.9	3
53	A Novel Interpretable Computer-Aided Diagnosis System of Thyroid Nodules on Ultrasound Based on Clinical Experience. <b>2020</b> , 8, 53223-53231		4
52	Differential Diagnosis of Benign and Malignant Thyroid Nodules Using Deep Learning Radiomics of Thyroid Ultrasound Images. <i>European Journal of Radiology</i> , <b>2020</b> , 127, 108992	4.7	14
51	Elastography for the diagnosis of high-suspicion thyroid nodules based on the 2015 American Thyroid Association guidelines: a multicenter study. <i>BMC Endocrine Disorders</i> , <b>2020</b> , 20, 43	3.3	2
50	Software-Based Analysis of the Taller-Than-Wide Feature of High-Risk Thyroid Nodules. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 4347-4357	3.1	2
49	A computational study on the role of parameters for identification of thyroid nodules by infrared images (and its comparison with real data).		
48	Thyroid nodules segmentation methods in clinical ultrasound images: A review. <i>Materials Today: Proceedings</i> , <b>2021</b> , 45, 2270-2276	1.4	1
47	Malignancy rates in thyroid nodules classified as Bethesda categories III and IV; a subcontinent perspective. <i>Journal of Clinical and Translational Endocrinology</i> , <b>2021</b> , 23, 100250	2.4	1
46	A Computational Study on the Role of Parameters for Identification of Thyroid Nodules by Infrared Images (and Comparison with Real Data). <i>Sensors</i> , <b>2021</b> , 21,	3.8	1
45	Thyroid Nodule Characterization: How to Assess the Malignancy Risk. Update of the Literature. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	7
44	Diagnostic performance of US-based FNAB criteria of the 2020 Chinese guideline for malignant thyroid nodules: comparison with the 2017 American College of Radiology guideline, the 2015 American Thyroid Association guideline, and the 2016 Korean Thyroid Association guideline. <i>Quantitative Imaging in Medicine and Biology</i> , <b>2021</b> , 11, 2604-2618	3.6	3
43	Strain Imaging in the Evaluation of Thyroid Nodules: The Associated Factors Leading to Misdiagnosis. <i>Ultrasound in Medicine and Biology</i> , <b>2021</b> , 47, 3372-3383	3.5	0
42	Ultrasound of the Thyroid and Parathyroid Glands. <b>2021</b> , 132-148.e4		
41	Reconfirmation of the accuracy of the taller-than-wide sign in multicenter collaborative research in Japan. <i>Endocrine Journal</i> , <b>2021</b> , 68, 897-904	2.9	2
40	Using Power Watersheds to Segment Benign Thyroid Nodules in Ultrasound Image Data. <i>Informatik Aktuell</i> , <b>2011</b> , 124-128	0.3	5
39	Thyroid nodules: risk stratification for malignancy with ultrasound and guided biopsy. <i>Cancer Imaging</i> , <b>2011</b> , 11, 209-23	5.6	49
38	Comparison of surgeon-performed ultrasound-guided fine needle aspiration cytology with histopathological diagnosis of thyroid nodules. <i>Pakistan Journal of Medical Sciences</i> , <b>2019</b> , 35, 1003-1007 <sup>2</sup>		2

37	A comparison of lymphocytic thyroiditis with papillary thyroid carcinoma showing suspicious ultrasonographic findings in a background of heterogeneous parenchyma. <i>Ultrasonography</i> , <b>2015</b> , 34, 45-50	4.3	4
36	The Relationship between the Feature of Thyroid Calcification and Thyroid Papillary Cancer. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , <b>2009</b> , 52, 893	0.2	1
35	Ultrasound Findings in Thyroid Nodules: A Radio-Cytopathologic Correlation. <i>Journal of Medical Ultrasound</i> , <b>2018</b> , 26, 90-93	0.8	1
34	Conventional ultrasonography and real time ultrasound elastography in the differential diagnosis of degenerating cystic thyroid nodules mimicking malignancy and papillary thyroid carcinomas. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2013</b> , 14, 935-40	1.7	5
33	Ultrasound score to select subcentimeter-sized thyroid nodules requiring ultrasound-guided fine needle aspiration biopsy in eastern China. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2013</b> , 14, 4689-92	1.7	11
32	Value of Thyroid Imaging Reporting and Data System in Initial Bethesda Category III Thyroid Nodules. <i>Scientific Programming</i> , <b>2021</b> , 2021, 1-7	1.4	
31	The Neck. <b>2009</b> , 113-144		
30	[Criteria for conducting sonographic FNA in thyroid nodules] Considera�es sobre a realiza� de PAAF em n�dulos de tire�de. <i>Experts in Ultrasound Reviews and Perspectives</i> , <b>2011</b> , 3, 58-63		
29	Imaging-Based Intervention. <b>2011</b> , 2915-2947		
28	Malignant Thyroid Conditions. <b>2012</b> , 107-149		
27	DIFFERENTIATION OF THYROID MALIGNANCIES- AN ULTRASONOGRAPHIC CRITERIA. <i>Journal of Evolution of Medical and Dental Sciences</i> , <b>2013</b> , 2, 8475-8482	0.1	
26	EVALUATION OF THYROID NODULES: AN ULTRASONOGRAPHIC STUDY. <i>Journal of Evolution of Medical and Dental Sciences</i> , <b>2013</b> , 2, 8156-8164	0.1	
25	Thyroid Gland. <b>2017</b> , 161-181		
24	MALIGNANCY IN THYROID NODULES- A RETROSPECTIVE ANALYSIS. <i>Journal of Evolution of Medical and Dental Sciences</i> , <b>2018</b> , 7, 4986-4989	0.1	
23	Update on Thyroid Nodule Management. <i>US Endocrinology</i> , <b>2019</b> , 15, 32	0.3	1
22	Elastography for the Diagnosis of High-Suspicion Thyroid Nodules Based on the 2015 American Thyroid Association Guidelines: A Multicenter Study.		
21	Diagnostic Performance of a Combination of Shear Wave Elastography and B-Mode Ultrasonography in Differentiating Benign From Malignant Thyroid Nodules. <i>Clinical and Experimental Otorhinolaryngology</i> , <b>2020</b> , 13, 186-193	3.4	2
20	Elastography for the Diagnosis of High-Suspicion Thyroid Nodules Based on the 2015 American Thyroid Association Guidelines: A Multicenter Study.		

19	Incidental findings in the thyroid gland on computed tomography images of the oral and maxillofacial region. <i>Oncology Letters</i> , <b>2020</b> , 19, 2005-2010	2.6	
18	Clinical and ultrasonographic features of medullary thyroid microcarcinomas compared with papillary thyroid microcarcinomas: a retrospective analysis.		
17	Elastography for the Diagnosis of High-Suspicion Thyroid Nodules Based on the 2015 American Thyroid Association Guidelines: A Multicenter Study.		
16	Elastography for the Diagnosis of High-Suspicion Thyroid Nodules Based on the 2015 American Thyroid Association Guidelines: A Multicenter Study.		
15	Clinical and ultrasonographic features of medullary thyroid microcarcinomas compared with papillary thyroid microcarcinomas: a retrospective analysis.		
14	Le problematiche cliniche. <b>2007</b> , 61-353		
13	Thyroid and Parathyroid Neoplasms. <i>Medical Radiology</i> , <b>2008</b> , 271-291	0.2	
12	A Controlled Vocabulary to Represent Sonographic Features of the Thyroid and its application in a Bayesian Network to Predict Thyroid Nodule Malignancy. <i>Summit on Translational Bioinformatics</i> , <b>2009</b> , 2009, 68-72		1
11	Prospective validation of an ultrasound-based thyroid imaging reporting and data system (TI-RADS) on 3980 thyroid nodules. <i>International Journal of Clinical and Experimental Medicine</i> , <b>2015</b> , 8, 5911-7		21
10	Clinical Study of Ultrasonographic Risk Factors for Central Lymph Node Metastasis of Papillary Thyroid Carcinoma.. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 791970	5.7	0
9	Preoperative and pathological predictive factors of central lymph node metastasis in papillary thyroid microcarcinoma.. <i>Auris Nasus Larynx</i> , <b>2022</b> ,	2.2	0
8	. <i>Praxis</i> , <b>2022</b> , 110, 102-108	0.1	
7	Integrating BRAF mutation, ultrasonic and clinicopathologic characteristics for predicting the risk of cervical central lymph node metastasis in papillary thyroid carcinoma.. <i>BMC Cancer</i> , <b>2022</b> , 22, 461	4.8	1
6	A Proposed Heterogeneous Ensemble Algorithm Model for Predicting Central Lymph Node Metastasis in Papillary Thyroid Cancer.. <i>International Journal of General Medicine</i> , <b>2022</b> , 15, 4717-4732	2.3	0
5	Diagnostic Value of Ultrasound-detected Calcification in Thyroid Nodules. <i>Annals of the Academy of Medicine, Singapore</i> , <b>2014</b> , 43, 102-106	2.8	6
4	The effect of serum 25-hydroxy vitamin D levels on malignancy in exophytic thyroid nodules. <b>2022</b> , 5, 1299-1302		0
3	A model based on clinical data and multi-modal ultrasound for predicting cervical lymph node metastasis in patients with thyroid papillary carcinoma. 13,		0
2	The use of modified TI-RADS using contrast-enhanced ultrasound features for classification purposes in the differential diagnosis of benign and malignant thyroid nodules: A prospective and multi-center study. 14,		0

- 1 Explore the diagnostic performance of 2020 Chinese Thyroid Imaging Reporting and Data Systems by comparing with the 2017 ACR-TIRADS guidelines: a single-center study. ○