

CITATION REPORT

List of articles citing

Harmonization of strategies for the validation of quantitative analytical procedures: A SFSTP proposalpart I

DOI: 10.1016/s0731-7085(04)00329-2
Journal of Pharmaceutical and Biomedical Analysis,
2004, 36, 579-586.

Source: <https://exaly.com/paper-pdf/37806087/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
323	A validated stability indicating ion-pair RP-LC method for zoledronic acid. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 39, 781-90	3.5	27
322	Analysis of cocaine and three of its metabolites in hair by gas chromatography-mass spectrometry using ion-trap detection for CI/MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 826, 17-25	3.2	48
321	Accuracy profiles from uncertainty measurements. 2006 , 70, 896-901		38
320	. 2006 ,		23
319	Electromigration Separation Techniques in Pharmaceutical Analysis. 351-371		
318	UV Spectrophotometric Determination of Bioflavonoids from a Semisolid Pharmaceutical Dosage Form Containing <i>Trichilia catigua</i> Adr. Juss and <i>Ptychopetalum olacoides</i> Benth Standardized Extract: Analytical Method Validation and Statistical Procedures. 2006 , 89, 1532-1537		14
317	Validation of a high-performance thin-layer chromatography/densitometry method for the quantitative determination of glucosamine in a herbal dietary supplement. 2006 , 1112, 156-64		26
316	Nonaqueous capillary electrophoresis method for the enantiomeric purity determination of S-timolol using heptakis(2,3-di-O-methyl-6-O-sulfo)-beta-cyclodextrin: validation using the accuracy profile strategy and estimation of uncertainty. 2006 , 1120, 102-11		45
315	A new validation approach applied to the GC determination of impurities in organic solvents. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 294-304	3.5	13
314	Direct determination of niflumic acid in a pharmaceutical gel by ATR/FTIR spectroscopy and PLS calibration. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 433-7	3.5	17
313	On-line coupling of cyclodextrin mediated nonaqueous capillary electrophoresis to mass spectrometry for the determination of salbutamol enantiomers in urine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 752-7	3.5	43
312	A new approach to evaluate regression models during validation of bioanalytical assays. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 219-27	3.5	46
311	The transfer of a LC-UV method for the determination of fenofibrate and fenofibric acid in Lidoses: use of total error as decision criterion. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 42, 64-70	3.5	22
310	Comparison of FT-NIR transmission and UV-vis spectrophotometry to follow the mixing kinetics and to assay low-dose tablets containing riboflavin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 783-90	3.5	41
309	Validation of a gas chromatography-ion trap tandem mass spectrometry for simultaneous analyse of cocaine and its metabolites in saliva. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 925-34	3.5	38
308	A fast LC-APCI/MS method for analyzing benzodiazepines in whole blood using monolithic support. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 832, 249-55	3.2	30
307	Performances of a multidimensional on-line SPE-LC-ECD method for the determination of three major catecholamines in native human urine: validation, risk and uncertainty assessments. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 844, 251-60	3.2	62

306	Pharmacokinetic study of a new synthetic MMP inhibitor (Ro 28-2653) after IV and oral administration of cyclodextrin solutions. <i>European Journal of Pharmaceutical Sciences</i> , 2006 , 28, 189-95	5.1	16
305	LE TRANSFERT D'UNE MTHODE DE DOSAGE AUTOMATISÉ DE LA NORADRÉNALINE DANS L'URINE HUMAINE: UTILISATION DE L'ERREUR TOTALE COMME CRITRE DE DÉCISION.. 2006 , 61, 55-57		1
304	HARMONISATION DES STRATÉGIES DE VALIDATION ET ESTIMATION DE L'INCERTITUDE ASSOCIÉE DANS LE CADRE DE L'ACCREDITATION DES LABORATOIRES D'ESSAIS. 2006 , 61, 52-54		2
303	A practical guide to analytical method validation, including measurement uncertainty and accuracy profiles. 2007 , 26, 227-238		378
302	Risk management for analytical methods based on the total error concept: Conciliating the objectives of the pre-study and in-study validation phases. 2007 , 86, 198-207		28
301	Using total error as decision criterion in analytical method transfer. 2007 , 85, 262-268		37
300	Bootstrap-based tolerance intervals for application to method validation. 2007 , 89, 69-81		12
299	Development of a mass spectrometry method for the determination of a melanoma biomarker, 5-S-cysteinyl dopa, in human plasma using solid phase extraction for sample clean-up. 2007 , 1156, 141-8		7
298	Validation of analytical methods based on accuracy profiles. 2007 , 1158, 174-83		120
297	Using tolerance intervals in pre-study validation of analytical methods to predict in-study results. The fit-for-future-purpose concept. 2007 , 1158, 126-37		59
296	Analysis of recent pharmaceutical regulatory documents on analytical method validation. 2007 , 1158, 111-25		201
295	Raman spectroscopic method for the determination of medroxyprogesterone acetate in a pharmaceutical suspension: validation of quantifying abilities, uncertainty assessment and comparison with the high performance liquid chromatography reference method. 2007 , 589, 192-9		23
294	Improvement of the decision efficiency of the accuracy profile by means of a desirability function for analytical methods validation. Application to a diacetyl-monoxime colorimetric assay used for the determination of urea in transdermal iontophoretic extracts. 2007 , 591, 239-47		69
293	Comparison of liquid chromatography and capillary electrophoresis methods for quantification of sodium residuals. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 615-22	3.5	4
292	Harmonization of strategies for the validation of quantitative analytical procedures. A SFSTP proposal--part II. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 70-81	3.5	265
291	Harmonization of strategies for the validation of quantitative analytical procedures. A SFSTP proposal--part III. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 82-96	3.5	273
290	Fast gas chromatography and negative-ion chemical ionization tandem mass spectrometry for forensic analysis of cannabinoids in whole blood. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 495-503	3.5	45
289	Liquid chromatography-electrospray tandem mass spectrometric method for quantification of monensin in plasma and edible tissues of chicken used in pharmacokinetic studies: applying a total error approach. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 850, 15-23	3.2	28

288	Partial within-animal calibration: a new calibration approach in lead optimisation high-throughput bioanalysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 854, 183-91	3.2	8
287	Species and epitope specificity of two 65 kDa glutamate decarboxylase time-resolved fluorometric immunoassays. 2007 , 319, 133-43		23
286	A Validated Stability Indicating RP-LC Method for Nitazoxanide, a New Antiparasitic Compound. 2007 , 66, 595-600		7
285	A diagnostic tool for determining the quality of accuracy validation. Assessing the method for determination of nitrate in drinking water. 2007 , 387, 619-25		5
284	A total error approach for the validation of quantitative analytical methods. 2007 , 24, 1157-64		43
283	Validation of the analytical procedure for the determination of polyaromatic hydrocarbons in smoke flavourings using high performance liquid chromatography coupled to an ultraviolet, diode array or fluorescence detector. 2007 , 12, 535-542		26
282	Validation of manufacturing process of Diltiazem HCl tablets by NIR spectrophotometry (NIRS). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 356-61	3.5	34
281	Development and validation of a chemical hydrolysis method for dextromethorphan and dextrophan determination in urine samples: application to the assessment of CYP2D6 activity in fibromyalgia patients. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 861, 56-63	3.2	22
280	Pre-study analytical method validation: comparison of four alternative approaches based on quality-level estimation and tolerance intervals. 2008 , 24, 667-680		11
279	Validation of chiral capillary electrophoresis-electrospray ionization-mass spectrometry methods for ecstasy and methadone in plasma. 2008 , 29, 2193-202		44
278	Harmonization of strategies for the validation of quantitative analytical procedures: a SFSTP proposal part IV. Examples of application. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 760-71	3.5	103
277	Validation of a method for the determination of sterols and triterpenes in the aerial part of <i>Justicia anselliana</i> (Nees) T. Anders by capillary gas chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 1127-35	3.5	26
276	Liquid chromatographic determination of enrofloxacin in nasal secretions and plasma of healthy pigs using restricted access material for on-line sample clean-up. 2008 , 1189, 456-66		28
275	Risk-based approach for the transfer of quantitative methods: bioanalytical applications. 2008 , 1189, 32-41		14
274	Heart-cutting two-dimensional liquid chromatography methods for quantification of 2-acetyl-4-(1,2,3,4-tetrahydroxybutyl)imidazole in Class III caramel colours. 2008 , 1198-1199, 73-9		22
273	Validation of a nonaqueous capillary electrophoretic method for the enantiomeric purity determination of R-flurbiprofen using a single-isomer amino cyclodextrin derivative. 2008 , 1204, 219-25		27
272	Development and validation of a method for fipronil residue determination in ovine plasma using 96-well plate solid-phase extraction and gas chromatography-tandem mass spectrometry. 2008 , 1201, 91-9		19
271	Validation of a reversed phase high performance thin layer chromatographic-densitometric method for secoisolariciresinol diglucoside determination in flaxseed. 2008 , 1207, 155-9		6

270	Development and validation of a method for quantitative determination of econazole nitrate in cream formulation by capillary zone electrophoresis. 2008 , 1192, 301-5		13
269	18 Coupling CE and microchip-based devices with mass spectrometry. 2008 , 9, 477-521		7
268	Performance of iohexol determination in serum and urine by HPLC: validation, risk and uncertainty assessment. 2008 , 396, 80-5		60
267	Validation of an Alternative Method for Counting Enterobacteriaceae in Foods Based on Accuracy Profile. 2009 , 92, 527-537		10
266	Moisture content determination of pharmaceutical pellets by near infrared spectroscopy: method development and validation. 2009 , 642, 186-92		71
265	Development and validation of a gas chromatography-negative chemical ionization tandem mass spectrometry method for the determination of ethyl glucuronide in hair and its application to forensic toxicology. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2297-303	3.2	71
264	Use of Total Error concept in the validation of viral activity in cell cultures. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2407-11	3.2	5
263	Using total error concept for the validation of a liquid chromatography-tandem mass spectrometry method for the determination of budesonide epimers in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2290-300	3.2	12
262	A risk-based analysis of the AAPS conference report on quantitative bioanalytical methods validation and implementation. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2235-43	3.2	34
261	Quantitative and qualitative profiling of endocannabinoids in human plasma using a triple quadrupole linear ion trap mass spectrometer with liquid chromatography. 2009 , 23, 629-38		47
260	Straightforward and rapid determination of sulfadoxine and sulfamethoxazole in capillary blood on sampling paper with liquid chromatography and UV detection. 2009 , 103, 371-6		11
259	The supercritical micronization of solid dispersions by Particles from Gas Saturated Solutions using experimental design. 2009 , 51, 50-56		20
258	Some important considerations for validation of ligand-binding assays. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2191-7	3.2	13
257	Analytical validation based on total error measurement and cut-off interpretation of a neonatal screening TSH-immunoassay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2412-7	3.2	11
256	Fatal intoxications by acenocoumarol, phenprocoumon and warfarin: method validation in blood using the total error approach. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2344-8	3.2	18
255	Methodologies for the transfer of analytical methods: a review. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2214-23	3.2	30
254	Pre-study and in-study validation of an ultra-high pressure LC method coupled to tandem mass spectrometry for off-line determination of oxytetracycline in nasal secretions of healthy pigs. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2349-57	3.2	12
253	An improved HPLC-UV method for the simultaneous quantification of triterpenic glycosides and aglycones in leaves of <i>Centella asiatica</i> (L.) Urb (APIACEAE). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2396-402	3.2	75

252	Innovative development and validation of an HPLC/DAD method for the qualitative and quantitative determination of major cannabinoids in cannabis plant material. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 4115-24	3.2	172
251	LC method for the therapeutic drug monitoring of lamotrigine: evaluation of the assay performance and validation of its application in the routine area. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 547-53	3.5	19
250	N,N'-Ethylenebisstearamide Additive in Intravaginal Drug Delivery Device Determined by NP-LC with ELSD. 2009 , 70, 1065-1071		1
249	Quality of Analytical Measurements: Statistical Methods for Internal Validation. 2009 , 17-76		1
248	Statistical Considerations in the Validation of Ligand-Binding Assays. 111-128		1
247	Evaluation of an optimum regression model for high-performance thin-layer chromatographic analysis of aceclofenac in plasma. 2009 , 22, 101-107		1
246	Limit of Quantitation in Atomic Spectrometry Concepts and Definitions. 2009 ,		1
245	QUANTITATIVE DETERMINATION OF EIGHT ORGANOCHLORINE PESTICIDES IN SERUM BY GC COUPLED TO TANDEM MASS SPECTROMETRY. 2010 , 65, 58-64		2
244	Accuracy Profile Theory for the Validation of an LC-MS-MS Method for the Determination of Risperidone and 9-Hydroxyrisperidone in Human Plasma. 2010 , 71, 1015-1023		8
243	Use of the dried blood spot sampling process coupled with fast gas chromatography and negative-ion chemical ionization tandem mass spectrometry: application to fluoxetine, norfluoxetine, reboxetine, and paroxetine analysis. 2010 , 396, 2523-32		43
242	Challenging near infrared spectroscopy discriminating ability for counterfeit pharmaceuticals detection. 2010 , 658, 163-74		57
241	Fit-for-purpose biomarker method validation in anticancer drug development. 2010 , 15, 816-25		38
240	Performance of tiloronoxim and tilorone determination in human blood by HPLC-MS/MS: method validation, uncertainty assessment and its application to a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 492-6	3.2	2
239	Biogenic amines and their metabolites in mouse brain tissue: development, optimization and validation of an analytical HPLC method. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 3003-14	3.2	28
238	Validation of a method for the quantitation of ghrelin and unacylated ghrelin by HPLC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 633-9	3.5	18
237	Acetaminophen determination in low-dose pharmaceutical syrup by NIR spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 510-6	3.5	58
236	Reliable low-cost capillary electrophoresis device for drug quality control and counterfeit medicines. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 1278-87	3.5	59
235	Critical analysis of several analytical method validation strategies in the framework of the fit for purpose concept. 2010 , 1217, 3180-92		55

234	Development and validation of a sensitive solid phase extraction/hydrophilic interaction liquid chromatography/mass spectrometry method for the accurate determination of glucosamine in dog plasma. 2010 , 1217, 3275-81	18
233	Multiple injection technique for the determination and quantitation of insulin formulations by capillary electrophoresis and time-of-flight mass spectrometry. 2010 , 1217, 8041-7	33
232	LC method for therapeutic drug monitoring of levetiracetam: evaluation of the assay performance and validation of its application in the routine area. 2010 , 43, 473-82	13
231	Quantification in postmortem blood and identification in urine of tramadol and its two main metabolites in two cases of lethal tramadol intoxication. 2010 , 34, 599-604	20
230	Validation of an LC Method for Therapeutic Drug Monitoring of Voriconazole in Patients. 2010 , 02,	1
229	Intra-laboratory assessment of method accuracy (trueness and precision) by using validation standards. 2010 , 82, 1995-8	65
228	Building the quality into pellet manufacturing environment--feasibility study and validation of an in-line quantitative near infrared (NIR) method. 2010 , 83, 305-11	31
227	Quantification of 4-methylimidazole in class III and IV caramel colors: validation of a new method based on heart-cutting two-dimensional liquid chromatography (LC-LC). 2011 , 59, 3544-50	48
226	Evaluating the reliability of analytical results using a probability criterion: a Bayesian perspective. 2011 , 705, 193-206	11
225	Models to estimate overall analytical measurements uncertainty: assumptions, comparisons and applications. 2011 , 702, 160-71	22
224	Mycotoxin management in the European cereal trading sector. 2011 , 22, 1145-1153	34
223	Skin penetration behaviour of liposomes as a function of their composition. 2011 , 79, 43-53	74
222	Three optimized and validated (using accuracy profiles) LC methods for the determination of pentamidine and new analogs in rat plasma. 2011 , 83, 832-9	9
221	Composition of structural carbohydrates in biomass: precision of a liquid chromatography method using a neutral detergent extraction and a charged aerosol detector. 2011 , 85, 2014-26	47
220	Development and validation of a ultra-high-performance liquid chromatography-UV method for the detection and quantification of erectile dysfunction drugs and some of their analogues found in counterfeit medicines. 2011 , 1218, 6439-47	43
219	Development of a nano-liquid chromatography on chip tandem mass spectrometry method for high-sensitivity hepcidin quantitation. 2011 , 1218, 9046-54	35
218	Determination of enantiomeric purity of S-amlodipine by chiral LC with emphasis on reversal of enantiomer elution order. <i>Journal of Separation Science</i> , 2011 , 34, 1772-80	3-4 41
217	Near infrared and Raman spectroscopy as Process Analytical Technology tools for the manufacturing of silicone-based drug reservoirs. 2011 , 699, 96-106	27

216	Liposome surface charge influence on skin penetration behaviour. 2011 , 411, 223-31		81
215	Development of an ion-pairing reversed-phase liquid chromatography method using a double detection analysis (UV and evaporative light scattering detection) to monitor the stability of Alimta(®)-pemetrexed preparations: identification and quantification of L-glutamic acid as a	3.5	16
214	Development and validation of a LC method for the enantiomeric purity determination of S-ropivacaine in a pharmaceutical formulation using a recently commercialized cellulose-based chiral stationary phase and polar non-aqueous mobile phase. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 687-93	3.5	23
213	Optimisation and validation of a fast HPLC method for the quantification of sulindac and its related impurities. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 694-700	3.5	22
212	Advances in validation, risk and uncertainty assessment of bioanalytical methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 848-58	3.5	103
211	Do placebo based validation standards mimic real batch products behaviour? Case studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 583-90	3.5	4
210	Validation, transfer and measurement uncertainty estimation of an HPLC-UV method for the quantification of artemisinin in hydro alcoholic extracts of <i>Artemisia annua</i> L. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 56, 7-15	3.5	32
209	Application of the Expectation tolerance interval to method validation of the M30 and M65 ELISA cell death biomarker assays. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 887-93	3.2	10
208	Total error and uncertainty: Friends or foes?. 2011 , 30, 797-806		26
207	Ensuring the quality of results from food control laboratories: laboratory accreditation, method validation and measurement uncertainty. 2011 , 194-222		1
206	High-Throughput NIR-Chemometric Method for Meloxicam Assay from Powder Blends for Tableting. 2011 , 79, 885-98		6
205	Validation of alternative methods for the analysis of drinking water and their application to <i>Escherichia coli</i> . 2011 , 77, 3360-7		19
204	Determination and analysis of ustiloxins A and B by LC-ESI-MS and HPLC in false smut balls of rice. 2012 , 13, 11275-87		35
203	A comparative study of a preservative-free latanoprost cationic emulsion (Catioprost) and a BAK-preserved latanoprost solution in animal models. 2012 , 28, 515-23		29
202	Method development and validation: Skills and tricks. 2012 , 3, 3		2
201	Validation of the quantitative determination of tetrahydrocannabinol and its two major metabolites in plasma by ultra-high-performance liquid chromatography-tandem mass spectrometry according to the total error approach. 2012 , 36, 25-9		16
200	Validation of analytical methods-update 2011. 2012 , 37, 439-65		4
199	Application of an innovative design space optimization strategy to the development of liquid chromatographic methods to combat potentially counterfeit nonsteroidal anti-inflammatory drugs. 2012 , 1263, 113-24		38

198	Understanding the interactions between artemisinin and cyclodextrins: spectroscopic studies and molecular modeling. 2012 , 74, 305-315		7
197	High-throughput NIR-chemometric methods for determination of drug content and pharmaceutical properties of indapamide powder blends for tableting. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 301-9	3.5	28
196	Comments on "uncertainty profiles for the validation of analytical methods" by Saffaj and Ihssane. 2012 , 88, 769-71		7
195	Usefulness of capability indices in the framework of analytical methods validation. 2012 , 714, 47-56		10
194	Development of NIRS method for quality control of drug combination artesunate-azithromycin for the treatment of severe malaria. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 67-68, 10-5	3.5	5
193	A rapid validated UHPLC-PDA method for anthocyanins quantification from Euterpe oleracea fruits. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 907, 108-116	3.2	34
192	A logical way through the limits of quantitation in inductively coupled plasma spectrochemistry. 2012 , 76, 221-225		19
191	Potential of accuracy profile for method validation in inductively coupled plasma spectrochemistry. 2012 , 76, 214-220		29
190	Validation of Gas Chromatographic Methods. 2012 , 435-449		1
189	Quantitative determination of diosgenin in <i>Dioscorea zingiberensis</i> cell cultures by microplate-spectrophotometry and high-performance liquid chromatography. 2012 , 6,		4
188	Crucial aspects of high performance thin layer chromatography quantitative validation. The case of determination of rosmarinic acid in different matrices. 2012 , 1220, 156-61		13
187	Quantification of rotenone in seeds of different species of yam bean (<i>Pachyrhizus</i> sp.) by a SPE HPLC-UV method. 2012 , 131, 1531-1538		17
186	Evolution of the content of THC and other major cannabinoids in drug-type cannabis cuttings and seedlings during growth of plants. 2012 , 57, 918-22		53
185	Comparison of the quantitative performances and measurement uncertainty estimates obtained during method validation versus routine applications of a novel hydrophilic interaction chromatography method for the determination of cidofovir in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 57, 153-157	3.5	16
184	Simultaneous quantification of L- α -phosphatidylcholine and cholesterol in liposomes using near infrared spectrometry and chemometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 63, 87-94	3.5	9
183	HPTLC methods to assay active ingredients in pharmaceutical formulations: a review of the method development and validation steps. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 66, 11-23	3.5	78
182	Targeted multidimensional gas chromatography using a heart-cutting device and cryogenic focusing for the determination of benzophenone derivatives in foodstuffs. 2013 , 405, 4177-85		11
181	A stability-indicating, ion-pairing, reversed-phase liquid chromatography method for studies of daunorubicin degradation in i.v. infusion fluids. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 83, 164-70	3.5	6

180	Fast method for the simultaneous quantification of toxic polyphenols applied to the selection of genotypes of yam bean (<i>Pachyrhizus</i> sp.) seeds. 2013 , 117, 94-101		16
179	Accuracy profiles assessing the validity for routine use of high-performance thin-layer chromatographic assays for drug formulations. 2013 , 1293, 159-69		16
178	PAT tools for the control of co-extrusion implants manufacturing process. 2013 , 458, 15-24		33
177	Determination of 4-aminophenol in a pharmaceutical formulation using surface enhanced Raman scattering: from development to method validation. 2013 , 116, 899-905		36
176	Development and validation of an UHPLC-LTQ-Orbitrap MS method for non-anthocyanin flavonoids quantification in <i>Euterpe oleracea</i> juice. 2013 , 405, 9235-49		38
175	Application of an innovative design space optimization strategy to the development of LC methods for the simultaneous screening of antibiotics to combat poor quality medicines. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 85, 83-92	3.5	12
174	Scientific Working Group for Forensic Toxicology (SWGTOX) standard practices for method validation in forensic toxicology. 2013 , 37, 452-74		513
173	Validation of the analytical procedure for the determination of the neurotoxin EN-methylamino-L-alanine in complex environmental samples. 2013 , 771, 42-9		34
172	[In search of the true dosage: statistics applied to the analysis of the cocaine]. <i>Annales Pharmaceutiques Francaises</i> , 2013 , 71, 193-200	1.3	1
171	A novel model selection strategy using total error concept. 2013 , 107, 248-54		18
170	High-throughput NIR-chemometric methods for determination of drug content and pharmaceutical properties of indapamide tablets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 84, 285-92	3.5	21
169	Quantification of clenbuterol at trace level in human urine by ultra-high pressure liquid chromatography-tandem mass spectrometry. 2013 , 1292, 142-50		36
168	Validation of Liquid Chromatographic Methods. 2013 , 57-73		
167	Hepcidin-25: Measurement by LC-MS/MS in serum and urine, reference ranges and urinary fractional excretion. 2013 , 423, 99-104		32
166	Highly sensitive capillary electrophoresis-mass spectrometry for rapid screening and accurate quantitation of drugs of abuse in urine. 2013 , 780, 101-9		49
165	In vitro pharmacokinetic profile of a benzopyridooxathiazepine derivative using rat microsomes and hepatocytes: identification of phases I and II metabolites. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 80, 69-78	3.5	9
164	Rapid quantification of six β -lactams to optimize dosage regimens in severely septic patients. 2013 , 103, 153-60		44
163	Determination of PAHs: a practical example of validation and uncertainty assessment. 2013 , 51, 845-55		4

162	A validated micellar electrokinetic chromatography method for the quantitation of dexamethasone, ondansetron and aprepitant, antiemetic drugs, in organogel. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 86, 40-8	3.5	6
161	Evaluation of physiological amino acids profiling by tandem mass spectrometry. 2014 , 13, 119-28		20
160	Guidelines for the statistical analysis of a collaborative study of a laboratory method for testing disinfectant product performance. 2013 , 96, 1138-51		20
159	A Simple HPLC-DAD Method for the Analysis of Melamine in Protein Supplements: Validation Using the Accuracy Profiles. 2013 , 2013, 1-7		4
158	Quantification of ascorbic acid and sodium ascorbate in powder blends for tableting and in vitamin C chewable tablets by NIR-chemometry. 2013 , 63, 373-84		3
157	HPLC Method for Quantification of Halofuginone in Human Ureter: Ex- Vivo Application. 2014 , 06,		
156	DETERMINATION OF DIETHYLSTILBESTROL IN HUMAN PLASMA WITH MEASUREMENT UNCERTAINTY ESTIMATION BY LIQUID CHROMATOGRAPHY-TANDEM MASS SPECTROMETRY. 2014 , 37, 353-366		4
155	Bioanalytical method validation and bioanalysis in regulated settings. 2014 , 325-363		1
154	Simultaneous determination of seven azole antifungal drugs in serum by ultra-high pressure liquid chromatography and diode array detection. 2014 , 69, 53-61		4
153	How to minimize toxic exposure to pyridine during continuous infusion of ceftazidime in patients with cystic fibrosis?. 2014 , 58, 2849-55		12
152	The contribution of Raman spectroscopy to the analytical quality control of cytotoxic drugs in a hospital environment: eliminating the exposure risks for staff members and their work environment. 2014 , 470, 70-6		16
151	Novel and sensitive reversed-phase high-pressure liquid chromatography method with electrochemical detection for the simultaneous and fast determination of eight biogenic amines and metabolites in human brain tissue. 2014 , 1353, 28-39		29
150	Application of near-infrared spectroscopy for monitoring the formulation process of low-dose tablets. 2014 , 6, 1905-1913		9
149	Development and validation of a high performance liquid chromatography assay for the determination of temocillin in serum of haemodialysis patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 90, 192-7	3.5	9
148	A Process Analytical Technology (PAT) approach to control a new API manufacturing process: development, validation and implementation. 2014 , 120, 114-25		33
147	Validation of a multipoint near-infrared spectroscopy method for in-line moisture content analysis during freeze-drying. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 95, 229-37	3.5	24
146	Evaluation of the quantitative performances of supercritical fluid chromatography: from method development to validation. 2014 , 1353, 78-88		37
145	Bioanalytical chromatographic method validation according to current regulations, with a special focus on the non-well defined parameters limit of quantification, robustness and matrix effect. 2014 , 1353, 10-27		143

144	Comparison of Raman spectroscopy vs. high performance liquid chromatography for quality control of complex therapeutic objects: model of elastomeric portable pumps filled with a fluorouracil solution. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 91, 176-84	3.5	23
143	Simultaneous determination of some phthalate metabolites, parabens and benzophenone-3 in urine by ultra high pressure liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 949-950, 37-47	3.2	66
142	Development of a liquid chromatographic method for the simultaneous quantification of curcumin, Earteether, tetrahydrocurcumin and dihydroartemisinin. Application to lipid-based formulations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 88, 447-56	3.5	7
141	Liquid chromatography-tandem mass spectrometry assay for therapeutic drug monitoring of the tyrosine kinase inhibitor, midostaurin, in plasma from patients with advanced systemic mastocytosis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 944, 175-81	3.2	10
140	Complementarity of UV-PLS and HPLC for the simultaneous evaluation of antiemetic drugs. 2014 , 120, 274-82		19
139	Routine application of Raman spectroscopy in the quality control of hospital compounded ganciclovir. 2014 , 474, 193-201		21
138	Quantification of five plasticizers used in PVC tubing through high performance liquid chromatographic-UV detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 965, 158-63	3.2	17
137	Development of an analytical procedure for quantifying the underivatized neurotoxin EN-methylamino-L-alanine in brain tissues. 2014 , 406, 4627-36		20
136	Ultra high performance liquid chromatography method for the determination of pentamidine and analog in rat biological fluids. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 95, 54-60	3.5	4
135	Derivation of uncertainty functions from validation studies in biological fluids: application to the analysis of caffeine and its major metabolites in human plasma samples. 2014 , 1353, 121-30		15
134	Development and validation of NIR-chemometric methods for chemical and pharmaceutical characterization of meloxicam tablets. 2014 , 40, 549-59		22
133	Good Clinical Practice. 2014 , 756-787		
132	Contribution and limits of a non-intrusive Raman spectroscopic method compared with HPLC for routine application to pre-delivery analytical control of two major camptothecin analogs: irinotecan and topotecan. 2015 , 46, 1283-1290		5
131	[Quantification of physiological aminoacids using aTRAQ(□) kit: evaluation and implementation of new markers]. 2015 , 73, 427-42		1
130	Assessment of isoflavone aglycones variability in soy food supplements using a validated HPLC-UV method. 2015 , 88, 373-80		6
129	Ultra High Performance Liquid Chromatography Method for the Determination of Two Recently FDA Approved TKIs in Human Plasma Using Diode Array Detection. <i>Journal of Analytical Methods in Chemistry</i> , 2015 , 2015, 215128	2	18
128	Method validation for the analysis of licorice acid in the blending process by near infrared diffuse reflectance spectroscopy. 2015 , 7, 5830-5837		7
127	A Generalized Pivotal Quantity Approach to Analytical Method Validation Based on Total Error. 2015 , 69, 725-35		1

126	Green analytical method development for statin analysis. 2015 , 1380, 104-11		24
125	Simultaneous quantification of simvastatin and excipients in liposomes using near infrared spectroscopy and chemometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 107, 40-9	3.5	13
124	Large-scale retrospective evaluation of regulated liquid chromatography-mass spectrometry bioanalysis projects using different total error approaches. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 983-984, 68-75	3.2	5
123	Incidence of the melting-degradation process of vitamin C on the determination of the phase diagram with acetaminophen enhanced by high performance liquid chromatography tools. 2015 , 39, 1938-1942		9
122	Thorough characterization of a Self-Emulsifying Drug Delivery System with Raman hyperspectral imaging: a case study. 2015 , 484, 85-94		4
121	Development, validation and comparison of NIR and Raman methods for the identification and assay of poor-quality oral quinine drops. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 111, 21-7	3.5	21
120	Validation of a liquid chromatography-high-resolution mass spectrometry method for the analysis of ceftiofur in poultry muscle, kidneys and plasma: A unique accuracy profile for each and every matrix. 2015 , 1407, 119-29		10
119	Rapid quantification of 2-hydroxypropyl-β-cyclodextrin in liquid pharmaceutical formulations by (1)H nuclear magnetic resonance spectroscopy. <i>European Journal of Pharmaceutical Sciences</i> , 2015 , 73, 20-8	5.1	15
118	Determination of the antitubercular drug PA-824 in rat plasma, lung and brain tissues by liquid chromatography tandem mass spectrometry: application to a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 988, 187-94	3.2	14
117	Le dosage du cobalt dans le sang par ICP-MS: application aux patients porteurs de prothèses de hanche en métal. 2015 , 27, 91-98		0
116	What a validation strategy means for the quantitation of cocaine and heroin?. 2015 , 251, 32-9		
115	Comparison of high-performance liquid chromatography and supercritical fluid chromatography using evaporative light scattering detection for the determination of plasticizers in medical devices. 2015 , 1417, 104-15		20
114	Surrogate matrix: opportunities and challenges for tissue sample analysis. 2015 , 7, 2419-2433		9
113	2D-Cosy NMR Spectroscopy as a Quantitative Tool in Biological Matrix: Application to Cyclodextrins. 2015 , 17, 1501-10		14
112	Active content determination of pharmaceutical tablets using near infrared spectroscopy as Process Analytical Technology tool. 2015 , 144, 1352-9		19
111	Trueness, precision and accuracy: a critical overview of the concepts as well as proposals for revision. 2015 , 20, 33-40		8
110	Validation of Thin Layer Chromatographic Methods. 2015 , 351-373		
109	Factors influencing the extraction of pharmaceuticals from sewage sludge and soil: an experimental design approach. 2016 , 408, 6153-68		30

108	A simple calibration approach based on film-casting for confocal Raman microscopy to support the development of a hot-melt extrusion process. 2016 , 154, 392-9		4
107	Screening study of SFC critical method parameters for the determination of pharmaceutical compounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 125, 339-54	3.5	29
106	Pre-study and in-study validation of a size-exclusion chromatography method with different detection modes for the analysis of monoclonal antibody aggregates. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1022, 206-212	3.2	5
105	Validation of a novel and rapid method for the simultaneous determination of some phenolic organohalogens in human serum by GC-MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1036-1037, 66-75	3.2	14
104	Capillary Electrophoresis of Proteins and Peptides. 2016 ,		1
103	Stereoselective determination of citalopram and desmethylcitalopram in human plasma and breast milk by liquid chromatography tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 131, 233-245	3.5	12
102	Capillary Electrophoresis-Ultraviolet-Mass Spectrometry (CE-UV-MS) for the Simultaneous Determination and Quantification of Insulin Formulations. 2016 , 1466, 185-95		1
101	Moisture content determination in an antibody-drug conjugate freeze-dried medicine by near-infrared spectroscopy: A case study for release testing. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 131, 380-390	3.5	9
100	Application of three-dimensional liquid chromatography for quantification of 2-acetyl-4-(1,2,3,4-tetrahydroxybutyl)imidazole (THI) in caramel colours. 2016 , 8, 6573-6579		3
99	A simple LC-MS method for the determination of iohexol and iothalamate in serum, using ioversol as an internal standard. 2016 , 463, 96-102		11
98	Comparison of the impact of the Tobacco Heating System 2.2 and a cigarette on indoor air quality. 2016 , 80, 91-101		46
97	An improved microbore UHPLC method with electrochemical detection for the simultaneous determination of low monoamine levels in in vivo brain microdialysis samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 127, 136-46	3.5	18
96	Nonclinical Statistics for Pharmaceutical and Biotechnology Industries. 2016 ,		6
95	Determination of Ribavirin and Moisture in Pharmaceuticals by Near-Infrared Spectroscopy. 2016 , 49, 2077-2091		4
94	Comparison of a triple-quadrupole and a quadrupole time-of-flight mass analyzer to quantify 16 opioids in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 127, 49-59	3.5	9
93	Assay Validation. 2016 , 415-432		2
92	Stability of 10 mg/mL cefuroxime solution for intracameral injection in commonly used polypropylene syringes and new ready-to-use cyclic olefin copolymer sterile vials using the LC-UV stability-indicating method. 2016 , 42, 166-174		5
91	Overall uncertainty measurement for near infrared analysis of cryptotanshinone in tanshinone extract. 2017 , 170, 39-47		2

90	High-throughput NIR-chemometric methods for chemical and pharmaceutical characterization of sustained release tablets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 138, 1-13	3.5	9
89	Application of design space optimization strategy to the development of LC methods for simultaneous analysis of 18 antiretroviral medicines and 4 major excipients used in various pharmaceutical formulations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 139, 8-21	3.5	9
88	Development, validation and comparison of near infrared and Raman spectroscopic methods for fast characterization of tablets with amlodipine and valsartan. 2017 , 167, 333-343		32
87	Optimization and validation of a fast supercritical fluid chromatography method for the quantitative determination of vitamin D3 and its related impurities. 2017 , 1491, 171-181		31
86	The present and future of withdrawal period calculations for milk in the European Union: dealing with data below the limit of quantification. 2017 , 40, 116-122		5
85	Simultaneous determination of selective serotonin reuptake inhibitors and their main metabolites in human breast milk by liquid chromatography-electrospray mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1057, 101-109	3.2	11
84	Global approach for the validation of an in-line Raman spectroscopic method to determine the API content in real-time during a hot-melt extrusion process. 2017 , 171, 45-52		10
83	Quantitative determination of salbutamol sulfate impurities using achiral supercritical fluid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 134, 170-180	3.5	39
82	Novel approach for the quantitative analysis of MEA degradation products present in gas effluent of CO2 capture process by thermal desorption gas chromatography mass spectrometry: Development and validation. 2017 , 60, 110-119		6
81	Liquid chromatography-tandem mass spectrometry multiresidue method for the analysis of quaternary ammonium compounds in cheese and milk products: Development and validation using the total error approach. 2017 , 1517, 86-96		15
80	Global regression model for moisture content determination using near-infrared spectroscopy. 2017 , 119, 343-352		22
79	Is supercritical fluid chromatography hyphenated to mass spectrometry suitable for the quality control of vitamin D3 oily formulations?. 2017 , 1515, 209-217		12
78	Application of an Accuracy Profile Strategy Based on the Expectation Tolerance Interval for the Validation of a Liquid Chromatography Analytical Method for the Quantification of Benzoic Acid and Its Salts in Different Foodstuffs. 2017 , 100, 241-244		1
77	Validation of liquid chromatographic methods. 2017 , 533-552		
76	State of the art in the validation of screening methods for the control of antibiotic residues: is there a need for further development?. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2017 , 34, 1528-1552	3.2	3
75	Analysis of plasticizers in PVC medical devices: Performance comparison of eight analytical methods. 2017 , 162, 604-611		8
74	How to solve the problem of co-elution between two compounds in liquid chromatography through the first UV derivative spectrum. A trial on alternative plasticizers to di(2-ethylhexyl) phthalate. 2017 , 162, 187-192		5
73	Azithromycin assay in drug formulations: Validation of a HPTLC method with a quadratic polynomial calibration model using the accuracy profile approach. <i>Annales Pharmaceutiques Francaises</i> , 2017 , 75, 112-120	1.3	5

72	Simultaneous Quantification of Paracetamol and Caffeine in Powder Blends for Tableting by NIR-Chemometry. 2017 , 2017, 1-8			7
71	Validation of Supercritical Fluid Chromatography Methods. 2017 , 317-344			4
70	Stability of busulfan solutions in polypropylene syringes and infusion bags as determined with an original assay. 2017 , 74, 1887-1894			1
69	Comparison of wavelength-dispersive X-ray fluorescence spectrometry and inductively coupled plasma optical emission spectrometry for the elementary determination in plants through the accuracy profile method. 2018 , 47, 287-293			
68	The discrimination threshold: A selection criterion for analytical methods based on measurement uncertainty - Application to animal stress studies. 2018 , 1020, 9-16			2
67	Review on Physicochemical, Chemical, and Biological Processes for Pharmaceutical Wastewater. 2018 , 113, 012185			23
66	Comparaison de deux techniques du d'istage urinaire du 11-nor-9-carboxy-delta 9-tetrahydrocannabinol. 2018 , 2018, 74-80			
65	Development and validation of an in-line NIR spectroscopic method for continuous blend potency determination in the feed frame of a tablet press. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 151, 274-283	3.5		55
64	FFcalibration - Making optimal use of time and space in quantitative high performance thin layer chromatography. 2018 , 1533, 193-198			10
63	From method validation to result assessment: Established facts and pending questions. 2018 , 105, 68-74			17
62	Stability of prostaglandin E solutions stored in polypropylene syringes for continuous intravenous administration to newborns. 2018 , 25, e109-e114			
61	Application of analytical quality by design principles for the determination of alkyl p-toluenesulfonates impurities in Aprepitant by HPLC. Validation using total-error concept. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 150, 152-161	3.5		21
60	Physicochemical stability of oxycodone-ketamine solutions in polypropylene syringe and polyvinyl chloride bag for patient-controlled analgesia use. 2018 , 25, 214-217			2
59	Quality by Design approach for the analysis of impurities in pharmaceutical drug products and drug substances. 2018 , 101, 24-33			51
58	Validation and Measurement Uncertainty Assessment of a Microbiological Method Using Generalized Pivotal Quantity Procedure and Monte-Carlo Simulation. 2018 , 101, 1205-1211			1
57	In vitro assessment of the influence of intravenous extension set materials on insulin aspart drug delivery. 2018 , 13, e0201623			10
56	Physicochemical and Microbiological Stability of a New Oral Clonidine Solution for Paediatric Use. 2018 , 3, 79-90			1
55	Development and validation of ultra-high performance supercritical fluid chromatography method for quantitative determination of nine sunscreens in cosmetic samples. 2018 , 1034, 184-194			18

54	Determination of nucleosidic/tidic reverse transcriptase inhibitors in plasma and cerebrospinal fluid by ultra-high-pressure liquid chromatography coupled with tandem mass spectrometry. 2018 , 8, 8-20		7
53	Reproducibility of antimicrobial test methods. 2018 , 8, 12531		17
52	Validation of Chromatographic Methods of Analysis: Application for Drugs That Derived From Herbs. 2018 , 43, 359-392		16
51	Development and validation of an UHPLC-MS/MS method for simultaneous quantification of ibrutinib and its dihydrodiol-metabolite in human cerebrospinal fluid. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1093-1094, 158-166	3.2	18
50	Implementation of a generic SFC-MS method for the quality control of potentially counterfeited medicinal cannabis with synthetic cannabinoids. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1092, 332-342	3.2	13
49	UHPLC-MS/MS assay for simultaneous determination of amlodipine, metoprolol, pravastatin, rosuvastatin, atorvastatin with its active metabolites in human plasma, for population-scale drug-drug interactions studies in people living with HIV. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1125-1217	3.2	7
48	Determination of acetaminophen and its main metabolites in urine by capillary electrophoresis hyphenated to mass spectrometry. 2019 , 205, 120108		11
47	Data fusion strategies for performance improvement of a Process Analytical Technology platform consisting of four instruments: An electrospinning case study. 2019 , 567, 118473		9
46	Validation of a Size-Exclusion Chromatography Method for Bevacizumab Quantitation in Pharmaceutical Preparations: Application in a Biosimilar Study. 2019 , 6, 43		3
45	Real-Time Release Testing of Herbal Extract Powder by Near-Infrared Spectroscopy considering the Uncertainty around Specification Limits. 2019 , 2019, 1-10		2
44	Development and validation of a multiplex UHPLC-MS/MS method for the determination of the investigational antibiotic against multi-resistant tuberculosis macozinone (PBTZ169) and five active metabolites in human plasma. 2019 , 14, e0217139		10
43	Simultaneous Extraction and Determination of Preservatives and Antioxidants in Juice Samples by an Optimized Microextraction Method Using Central Composite Design and Validated with Accuracy Profile. 2018 ,		1
42	Phytochemical and biological activities of <i>Silene viridiflora</i> extractives. Development and validation of a HPTLC method for quantification of 20-hydroxyecdysone. 2019 , 129, 542-548		13
41	Quality control and stability of ketamine, remifentanyl, and sufentanyl syringes in a pediatric operating theater. 2019 , 29, 193-199		1
40	Optimization and validation of extraction and quantification methods of antimalarial triterpenic esters in <i>Keetia leucantha</i> plant and plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1104, 109-118	3.2	1
39	Response surface and tolerance analysis approach for optimizing HPLC method. <i>Microchemical Journal</i> , 2019 , 146, 220-226	4.8	1
38	Six Sigma quality approach for HPLC-UV method optimization. <i>Microchemical Journal</i> , 2019 , 144, 303-308	4.8	5
37	Evaluation of Specific Administering Devices for Antineoplastic Drugs Compounded in Syringes in Paediatrics: Methodology Proposal. 2017 , 1078155217733323		

36	Quantitation of active pharmaceutical ingredient through the packaging using Raman handheld spectrophotometers: A comparison study. 2020 , 207, 120306		16
35	Validation of bioanalytical chromatographic methods for the quantification of drugs in biological fluids. 2020 , 115-134		3
34	Stability of frozen 1% voriconazole eye-drops in both glass and innovative containers. <i>European Journal of Pharmaceutical Sciences</i> , 2020 , 141, 105102	5.1	6
33	Freeze-dried meningococcal vaccine: Total error assessment of a near-infrared method for water content determination. 2020 , 211, 120659		3
32	Robust and fast absolute quantification of a colored wood surface coating by scanning densitometry. 2020 , 505, 144568		2
31	Performance evaluation of a MIP for the MISPE-LC determination of p-[F]MPPF and a potential metabolite in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 180, 113015	3.5	1
30	Direct Quantification of Lignin in Liquors by High Performance Thin Layer Chromatography-Densitometry and Multivariate Calibration. 2020 , 8, 16766-16774		2
29	Applying Statistics Appropriately for Your Biomarker Application. 2020 , 177-218		
28	Homogeneous liquid liquid extraction using salt as mass separating agent for the ultra high pressure liquid chromatographic determination of doxorubicin in human urine. <i>Microchemical Journal</i> , 2020 , 158, 105260	4.8	5
27	Development of a green HPLC method for the analysis of artesunate and amodiaquine impurities using Quality by Design. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 190, 113507	3.5	8
26	Evaluation of the stability of vancomycin solutions at concentrations used in clinical services. 2020 , 27, e87-e92		5
25	Do Ophthalmic Solutions of Amphotericin B Solubilised in 2-Hydroxypropyl-β-Cyclodextrins Possess an Extended Physicochemical Stability?. <i>Pharmaceutics</i> , 2020 , 12,	6.4	1
24	Green Analytical Methods of Antimalarial Artemether-Lumefantrine Analysis for Falsification Detection Using a Low-Cost Handled NIR Spectrometer with DD-SIMCA and Drug Quantification by HPLC. 2020 , 25,		5
23	Stability of Ophthalmic Atropine Solutions for Child Myopia Control. <i>Pharmaceutics</i> , 2020 , 12,	6.4	5
22	Development and validation of an original magneto-chromatography device for the whole blood determination of hemozoin, the paramagnetic malaria pigment. <i>Microchemical Journal</i> , 2020 , 157, 105043	4.8	3
21	Development and Validation of an In-Line API Quantification Method Using AQbD Principles Based on UV-Vis Spectroscopy to Monitor and Optimise Continuous Hot Melt Extrusion Process. <i>Pharmaceutics</i> , 2020 , 12,	6.4	5
20	Development and validation of a multiplex UHPLC-MS/MS assay with stable isotopic internal standards for the monitoring of the plasma concentrations of the antiretroviral drugs bictegravir, cabotegravir, doravirine, and rilpivirine in people living with HIV. <i>Journal of Mass Spectrometry</i> , 2020 , 55, e4506	2.2	7
19	Linear calibrations in chromatography: The incorrect use of ordinary least squares for determinations at low levels, and the need to redefine the limit of quantification with this regression model. <i>Journal of Separation Science</i> , 2020 , 43, 2708-2717	3.4	4

18	Validation of two laboratory methods for beef intramuscular fat quantification. <i>Methods</i> , 2021 , 186, 90-96	4.6	0
17	Application of prediction intervals to the interpretation of analytical methods robustness studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 193, 113706	3.5	1
16	Quality Control of Tramadol in Kisangani: Development, Validation, and Application of a UV-Vis Spectroscopic Method. <i>American Journal of Analytical Chemistry</i> , 2021 , 12, 295-309	0.7	0
15	Validation of routine analytical method for injectable cyclosporine preparation control using HPLC-FIA assay. <i>Annales Pharmaceutiques Francaises</i> , 2021 , 79, 266-274	1.3	
14	Stability study of a compounded oral solution of nifedipine for the treatment of hypertension in children. <i>European Journal of Pharmaceutical Sciences</i> , 2021 , 160, 105738	5.1	3
13	An overview of sample preparation in forensic toxicology. <i>Wiley Interdisciplinary Reviews Forensic Science</i> ,	2.6	3
12	Comparative study of three fingerprint analytical approaches based on spectroscopic sensors and chemometrics for the detection and quantification of argan oil adulteration. <i>Journal of the Science of Food and Agriculture</i> , 2022 , 102, 95-104	4.3	4
11	Multi-class analysis of 30 antimicrobial residues in poultry feathers by liquid chromatography tandem mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2021 , 38, 1701-1716	3.2	0
10	Application of NIR handheld transmission spectroscopy and chemometrics to assess the quality of locally produced antimalarial medicines in the Democratic Republic of Congo. <i>Talanta Open</i> , 2021 , 3, 100025	5.6	5
9	Chromatographic bioanalytical assays for targeted covalent kinase inhibitors and their metabolites. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1162, 122466	3.2	1
8	Electroanalytical Method Validation in Pharmaceutical Analysis and Their Applications. <i>Monographs in Electrochemistry</i> , 2015 , 235-266	0.8	3
7	Contribution to the Detection of Poor Quality Sildenafil Drugs in Burkina Faso Using High-Performance Thin-Layer Chromatography. <i>Journal of Analytical Methods in Chemistry</i> , 2021 , 2021, 4093859	2	2
6	Importance of Statistics in the Qualification and Application of Biomarkers. 1		
5	Homogeneous liquid phase microextraction using hydrophilic media for the determination of fluoroquinolones in human urine using HPLC-FLD. <i>Microchemical Journal</i> , 2022 , 172, 106906	4.8	1
4	A liquid chromatography coupled to tandem mass spectrometry method for the quantification of spiramycin and its active metabolite neospiramycin in milk of major and minor species: Validation using the accuracy profile. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1187, 123013	3.2	
3	Towards real time release testing of Shuxuening injection based on near infrared spectroscopy and accuracy profile. <i>Journal of Near Infrared Spectroscopy</i> , 096703352110618	1.5	
2	In situ synthesis of monolithic sol-gel polyethylene glycol-based sorbent encapsulated in porous polypropylene microextraction capsules and its application for selective extraction of antifungal and anthelmintic drugs from human urine. <i>Microchemical Journal</i> , 2022 , 107594	4.8	0
1	Development and validation of global prediction models for monitoring the manufacturing process of herbal medicine by ultraviolet spectroscopy. Publish Ahead of Print,		

