

CITATION REPORT

List of articles citing

Immunologic mechanisms in the pathogenesis of rheumatoid arthritis

DOI: 10.1097/01.rhu.0000166673.34461.33

Journal of Clinical Rheumatology, 2005, 11, S39-44.

Source: <https://exaly.com/paper-pdf/37898796/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
183	Biologic therapies in clinical development for the treatment of rheumatoid arthritis. <i>Journal of Clinical Rheumatology</i> , 2005 , 11, S45-54	1.1	29
182	Selective costimulation modulators: a novel approach for the treatment of rheumatoid arthritis. <i>Journal of Clinical Rheumatology</i> , 2005 , 11, S55-62	1.1	28
181	The -786C/T single-nucleotide polymorphism in the promoter of the gene for endothelial nitric oxide synthase: insensitivity to physiologic stimuli as a risk factor for rheumatoid arthritis. 2006 , 54, 3144-51		21
180	Soluble TNF-like cytokine (TL1A) production by immune complexes stimulated monocytes in rheumatoid arthritis. <i>Journal of Immunology</i> , 2007 , 178, 7325-33	5.3	98
179	Platelet P-selectin is significantly involved in leukocyte-endothelial cell interaction in murine antigen-induced arthritis. 2007 , 18, 365-72		26
178	Growth hormone, VEGF and FGF: involvement in rheumatoid arthritis. 2007 , 375, 10-9		78
177	Distinctive gene expression signatures in rheumatoid arthritis synovial tissue fibroblast cells: correlates with disease activity. 2007 , 8, 480-91		68
176	Celastrus aculeatus Merr. suppresses the induction and progression of autoimmune arthritis by modulating immune response to heat-shock protein 65. <i>Arthritis Research and Therapy</i> , 2007 , 9, R70	5.7	31
175	Immunodiagnosics: evaluation of functional T-cell immunocompetence in whole blood independent of circulating cell numbers. 2007 , 4, 225-32		14
174	Curcumin and autoimmune disease. 2007 , 595, 425-51		88
173	Up-regulation of metastasis-promoting S100A4 (Mts-1) in rheumatoid arthritis: putative involvement in the pathogenesis of rheumatoid arthritis. 2007 , 56, 779-89		74
172	Association of a haplotype in the promoter region of the interferon regulatory factor 5 gene with rheumatoid arthritis. 2007 , 56, 2202-10		153
171	Increased macrophage activation mediated through toll-like receptors in rheumatoid arthritis. 2007 , 56, 2192-201		150
170	Mutation and citrullination modifies vimentin to a novel autoantigen for rheumatoid arthritis. 2007 , 56, 2503-11		207
169	Intra-articular electrotransfer of plasmid encoding soluble TNF receptor variants in normal and arthritic mice. <i>Journal of Gene Medicine</i> , 2007 , 9, 986-93	3.5	19
168	Analyses of immunosenescent markers in patients with autoimmune disease. <i>Clinical Immunology</i> , 2007 , 123, 209-18	9	109
167	Immune complexes induce monocyte survival through defined intracellular pathways. 2007 , 1095, 209-19		8

166	The -844 G/A PAI-1 polymorphism is associated with mRNA expression in rheumatoid arthritis. <i>Rheumatology International</i> , 2008 , 28, 355-60	3.6	12
165	Alterations of the CD4(+), CD8 (+) T cell subsets, interleukins-1beta, IL-10, IL-17, tumor necrosis factor-alpha and soluble intercellular adhesion molecule-1 in rheumatoid arthritis and osteoarthritis: preliminary observations. 2008 , 14, 321-8		81
164	The chemokine receptors CXCR1/CXCR2 modulate antigen-induced arthritis by regulating adhesion of neutrophils to the synovial microvasculature. 2008 , 58, 2329-37		126
163	Immunity to citrullinated proteins in rheumatoid arthritis. 2008 , 26, 651-75		342
162	Effects of Yunke (technetium-99 conjugated with methylene diphosphonate; (99)Tc-MDP) and/or colloidal chromic phosphate phosphonium-32, alone and in combination, in rats with adjuvant arthritis. 2008 , 35, 23-8		9
161	Regulation of autoimmune arthritis by the pro-inflammatory cytokine interferon-gamma. <i>Clinical Immunology</i> , 2008 , 127, 98-106	9	30
160	Role of GADD45 beta in the regulation of synovial fluid T cell apoptosis in rheumatoid arthritis. <i>Clinical Immunology</i> , 2008 , 128, 238-47	9	20
159	Pro-inflammatory cytokine-induced SAPK/MAPK and JAK/STAT in rheumatoid arthritis and the new anti-depression drugs. 2008 , 12, 171-83		44
158	Identification of intra-group, inter-individual, and gene-specific variances in mRNA expression profiles in the rheumatoid arthritis synovial membrane. <i>Arthritis Research and Therapy</i> , 2008 , 10, R98	5.7	55
157	Modulation of adjuvant arthritis in the rat by 2-methoxyestradiol: an effect independent of an anti-angiogenic action. 2008 , 8, 708-16		39
156	Tumor necrosis factor (TNF) inhibitor therapy for rheumatoid arthritis. 2008 , 106, 778-87		25
155	Immunoregulatory properties of vasoactive intestinal peptide in human T cell subsets: implications for rheumatoid arthritis. 2008 , 22, 312-7		28
154	Positional cloning of the Igl genes controlling rheumatoid factor production and allergic bronchitis in rats. 2008 , 105, 14005-10		16
153	Suppression of proteoglycan-induced arthritis by anti-CD20 B Cell depletion therapy is mediated by reduction in autoantibodies and CD4+ T cell reactivity. <i>Journal of Immunology</i> , 2008 , 180, 4994-5003	5.3	75
152	Chapter 10 Gastrointestinal Manifestations of Rheumatoid Arthritis. <i>Handbook of Systemic Autoimmune Diseases</i> , 2008 , 109-117	0.3	2
151	Kallikreins, kininogens and kinin receptors on circulating and synovial fluid neutrophils: role in kinin generation in rheumatoid arthritis. 2009 , 48, 490-6		27
150	Multiparameter phospho-flow analysis of lymphocytes in early rheumatoid arthritis: implications for diagnosis and monitoring drug therapy. <i>PLoS ONE</i> , 2009 , 4, e6703	3.7	27
149	Arthritis in pregnancy: the role and safety of biological agents. 2009 , 2, 134-7		5

148	TREM-1 expression is increased in the synovium of rheumatoid arthritis patients and induces the expression of pro-inflammatory cytokines. 2009 , 48, 1352-8		64
147	Madecassoside attenuates inflammatory response on collagen-induced arthritis in DBA/1 mice. <i>Phytomedicine</i> , 2009 , 16, 538-46	6.5	57
146	Low level light effects on inflammatory cytokine production by rheumatoid arthritis synoviocytes. 2009 , 41, 282-90		88
145	Detection of arthritis-susceptibility loci, including Ncf1, and variable effects of the major histocompatibility complex region depending on genetic background in rats. 2009 , 60, 419-27		8
144	Plasminogen activator inhibitor-1 C/G polymorphism in relation to plasma levels in rheumatoid arthritis. <i>Clinical and Experimental Medicine</i> , 2009 , 9, 223-8	4.9	5
143	Targeted Synovial Fluid Proteomics for Biomarker Discovery in Rheumatoid Arthritis. 2009 , 5, 75-102		4
142	Neutrophil apoptosis and the resolution of infection. 2009 , 43, 25-61		267
141	Th17 cells in rheumatoid arthritis and systemic lupus erythematosus. 2009 , 265, 644-52		91
140	Selectively induced death of macrophages in the synovial lining of murine knee joints using 10B-liposomes and boron neutron capture synovectomy. 2009 , 85, 860-71		9
139	[Role of Th17 cells in rheumatoid arthritis]. 2010 , 151, 1003-10		3
138	[The importance of biologicals in the treatment of SoJIA]. 2010 , 69, 505-15		1
137	Norisoboldine inhibits the production of pro-inflammatory cytokines in lipopolysaccharide-stimulated RAW 264.7 cells by down-regulating the activation of MAPKs but not NF- κ B. 2010 , 33, 389-97		32
136	B7-H1 expression on non-B and non-T cells promotes distinct effects on T- and B-cell responses in autoimmune arthritis. 2010 , 40, 3117-27		54
135	Early activation of invariant natural killer T cells in a rheumatoid arthritis model and application to disease treatment. 2010 , 130, 296-306		24
134	Finemapping of the arthritis QTL Pia7 reveals co-localization with Oia2 and the APLEC locus. 2010 , 11, 239-45		12
133	The Incidence of Serious Infection among Rheumatoid Arthritis Patients Exposed to Tumor Necrosis Factor Antagonists. 2010 , 17, 246		3
132	Suppression of Autoimmune Arthritis by Small Molecule Inhibitors of the JAK/STAT Pathway. 2010 , 3, 1446-1455		14
131	Effect of Low-Level Laser Irradiation on CXCL13 Gene Expression in Rheumatoid Arthritis Rat Joints. <i>Journal of Hard Tissue Biology</i> , 2010 , 19, 89-94	0.4	3

130	Rheumatoid arthritis therapy: advances from bench to bedside. 2010 , 43, 478-92		24
129	Monocyte dysfunction in Sydenham's chorea patients. 2010 , 71, 351-4		3
128	Fluorescence imaging with multifunctional polyglycerol sulfates: novel polymeric near-IR probes targeting inflammation. 2011 , 22, 2453-60		65
127	Biomedical differences between human and nonhuman hominids: potential roles for uniquely human aspects of sialic acid biology. 2011 , 6, 365-93		87
126	Effects of adalimumab therapy on disease activity and interferon- γ -mediated biochemical pathways in patients with rheumatoid arthritis. 2011 , 44, 235-42		11
125	The gene expression profile of preclinical autoimmune arthritis and its modulation by a tolerogenic disease-protective antigenic challenge. <i>Arthritis Research and Therapy</i> , 2011 , 13, R143	5-7	5
124	La polyarthrite rhumatoïde: un vieux système dans un nouveau concept. 2011 , 2011, 51-58		
123	Reduction of interleukin-6 expression in human synoviocytes and rheumatoid arthritis rat joints by linear polarized near infrared light (Superlizer) irradiation. <i>Laser Therapy</i> , 2011 , 20, 293-300	0.8	9
122	Cooperative role of tumour necrosis factor- α /interleukin-1 β and neutrophils in a novel behavioural model that concomitantly demonstrates articular inflammation and hypernociception in mice. 2011 , 162, 72-83		41
121	Targeting interferon regulatory factors to inhibit activation of the type I IFN response: implications for treatment of autoimmune disorders. 2011 , 271, 342-9		15
120	Assessing immune function by profiling cytokine release from stimulated blood leukocytes and the risk of infection in rheumatoid arthritis. <i>Clinical Immunology</i> , 2011 , 141, 67-72	9	8
119	Rheuma bei Kindern und Jugendlichen. 2011 , 159, 25-33		1
118	The Emerging Relevance of the Cysteine Protease Cathepsin S in Disease. 2011 , 9, 122-132		18
117	Emerging therapies in the treatment of rheumatoid arthritis. 2011 , 72, 805-816		1
116	Resolution of neutrophilic inflammation by H ₂ O ₂ in antigen-induced arthritis. 2011 , 63, 2651-60		38
115	Distinct effects of anti-tumor necrosis factor combined therapy on TH1/TH2 balance in rheumatoid arthritis patients. 2011 , 18, 1077-82		15
114	The Role of Vitamin D in Osteoarthritis and Rheumatic Disease. 2011 , 1955-1972		
113	Synoviocyte innate immune responses: TANK-binding kinase-1 as a potential therapeutic target in rheumatoid arthritis. 2012 , 51, 610-8		36

112	Immunomodulation Mechanism of Antidepressants: Interactions between Serotonin/Norepinephrine Balance and Th1/Th2 Balance. 2012 , 10, 97-123		73
111	Analysis of the interferon gamma (rs2430561, +874T/A) functional gene variant in relation to the presence of cardiovascular events in rheumatoid arthritis. <i>PLoS ONE</i> , 2012 , 7, e47166	3-7	11
110	Therapeutic potential of mesenchymal stem cells for oral and systemic diseases. 2012 , 56, 651-75		19
109	[Blockade of Triggering receptor expressed on myeloid cells-1 as a new therapy of arthritis]. 2012 , 35, 81-6		3
108	Experimental arthritis exacerbates <i>Aggregatibacter actinomycetemcomitans</i> -induced periodontitis in mice. 2012 , 39, 608-16		26
107	The functional class evaluated in rheumatoid arthritis is associated with soluble TGF- β serum levels but not with G915C (Arg25Pro) TGF- β polymorphism. <i>Rheumatology International</i> , 2012 , 32, 367-72 ^{3,6}		13
106	p53 contributes to quercetin-induced apoptosis in human rheumatoid arthritis fibroblast-like synoviocytes. 2013 , 36, 272-8		9
105	High frequencies of activated B cells and T follicular helper cells are correlated with disease activity in patients with new-onset rheumatoid arthritis. 2013 , 174, 212-20		135
104	Plasma level of neopterin as a marker of disease activity in treated rheumatoid arthritis patients: association with gender, disease activity and anti-CCP antibody. 2013 , 17, 763-7		25
103	Can rheumatoid arthritis be prevented?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013 , 27, 467-85	5-3	35
102	Therapeutic effect of emodin on collagen-induced arthritis in mice. 2013 , 36, 1253-9		27
101	Prolonged ingestion of ovalbumin diet by Ova sensitized mice suppresses mBSA-induced arthritis. 2013 , 284, 20-8		7
100	Loss of methylation at the IFNG promoter and CNS-1 is associated with the development of functional IFN- γ memory in human CD4(+) T lymphocytes. 2013 , 43, 793-804		34
99	Aryl hydrocarbon receptor and experimental autoimmune arthritis. 2013 , 35, 637-44		42
98	In vivo imaging of cell proliferation enables the detection of the extent of experimental rheumatoid arthritis by 3Pdeoxy-3P18f-fluorothymidine and small-animal PET. <i>Journal of Nuclear Medicine</i> , 2013 , 54, 151-8	8.9	20
97	Lessons to be learned from periodontitis. 2013 , 25, 241-7		28
96	Suppression of PU.1-linked TLR4 expression by cilostazol with decrease of cytokine production in macrophages from patients with rheumatoid arthritis. 2013 , 168, 1401-11		31
95	Deregulation of apoptosis in arthritis by altered signal transduction. 2013 , 8, 483-490		3

94	CP-690550 Treatment Ameliorates Established Disease and Provides Long-Term Therapeutic Effects in an SKG Arthritis Model. 2013 , 13, 257-63		4
93	Genetic control of spontaneous arthritis in a four-way advanced intercross line. <i>PLoS ONE</i> , 2013 , 8, e75617		2
92	Paradoxical effects of human adipose tissue-derived mesenchymal stem cells on progression of experimental arthritis in SKG mice. 2014 , 292, 94-101		9
91	Treatment of rheumatoid arthritis with marine and botanical oils: an 18-month, randomized, and double-blind trial. 2014 , 2014, 857456		22
90	Reduced numbers of regulatory B cells are negatively correlated with disease activity in patients with new-onset rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2014 , 33, 187-95	3.9	58
89	Simvastatin inhibits cytokines in a dose response in patients with rheumatoid arthritis. 2014 , 63, 309-15		18
88	Morning melatonin serum values do not correlate with disease activity in rheumatoid arthritis: a cross-sectional study. <i>Rheumatology International</i> , 2014 , 34, 1145-51	3.6	17
87	A phase-specific neuroimmune model of clinical depression. 2014 , 54, 265-74		48
86	Anti-arthritic activity of <i>Xanthium strumarium</i> L. extract on complete Freund's adjuvant induced arthritis in rats. <i>Journal of Ethnopharmacology</i> , 2014 , 155, 248-55	5	66
85	Suppression of collagen-induced arthritis with a serine proteinase inhibitor (serpin) derived from myxoma virus. <i>Clinical Immunology</i> , 2014 , 153, 254-63	9	11
84	Cathepsin S: therapeutic, diagnostic, and prognostic potential. 2015 , 396, 867-82		113
83	Inflammatory signaling induced bone loss. <i>Bone</i> , 2015 , 80, 143-149	4.7	24
82	Combined inhibition of tumor necrosis factor α and interleukin-17 as a therapeutic opportunity in rheumatoid arthritis: development and characterization of a novel bispecific antibody. <i>Arthritis and Rheumatology</i> , 2015 , 67, 51-62	9.5	115
81	A novel modified electrode as GC/PPy-AuNPs-rGO/L-Cys/Ag@MUA nanostructure configuration for determination of CCP and CRP antibodies in human blood serum samples. <i>Biosensors and Bioelectronics</i> , 2015 , 63, 490-498	11.8	2
80	K/BxN Serum-Transfer Arthritis as a Model for Human Inflammatory Arthritis. <i>Frontiers in Immunology</i> , 2016 , 7, 213	8.4	78
79	Artemisinin analogue SM934 attenuate collagen-induced arthritis by suppressing T follicular helper cells and T helper 17 cells. <i>Scientific Reports</i> , 2016 , 6, 38115	4.9	28
78	Association of Interleukin-2, but not Interferon-Gamma, single nucleotide polymorphisms with juvenile idiopathic arthritis. <i>Allergologia Et Immunopathologia</i> , 2016 , 44, 303-6	1.9	6
77	Inhibitory effects of <i>Saussurea involucreata</i> (Kar. et Kir.) Sch. -Bip. on adjuvant arthritis in rats. <i>Journal of Ethnopharmacology</i> , 2016 , 194, 228-235	5	21

76	Involvement of P2X7 receptor signaling on regulating the differentiation of Th17 cells and type II collagen-induced arthritis in mice. <i>Scientific Reports</i> , 2016 , 6, 35804	4.9	23
75	Implications for eicosapentaenoic acid- and docosahexaenoic acid-derived resolvins as therapeutics for arthritis. <i>European Journal of Pharmacology</i> , 2016 , 785, 165-173	5.3	17
74	Diminished soluble levels of growth arrest specific protein 6 and tyrosine kinase receptor Axl in patients with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 53-59	2.3	13
73	Does exercise impact on sleep for people who have rheumatoid arthritis? A systematic review. <i>Rheumatology International</i> , 2017 , 37, 963-974	3.6	8
72	In Vivo Hypoxia PET Imaging Quantifies the Severity of Arthritic Joint Inflammation in Line with Overexpression of Hypoxia-Inducible Factor and Enhanced Reactive Oxygen Species Generation. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 853-860	8.9	13
71	Regulatory B cells in rheumatoid arthritis: Alterations in patients receiving anti-TNF therapy. <i>Clinical Immunology</i> , 2017 , 184, 63-69	9	19
70	Aryl hydrocarbon receptor suppresses the osteogenesis of mesenchymal stem cells in collagen-induced arthritic mice through the inhibition of E-catenin. <i>Experimental Cell Research</i> , 2017 , 350, 349-357	4.2	21
69	Ultrasound resistive index, power Doppler, and clinical parameters in established rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2017 , 36, 947-951	3.9	2
68	Non-invasive In Vivo Fluorescence Optical Imaging of Inflammatory MMP Activity Using an Activatable Fluorescent Imaging Agent. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	3
67	Identification of key genes associated with rheumatoid arthritis with bioinformatics approach. <i>Medicine (United States)</i> , 2017 , 96, e7673	1.8	12
66	Serum level of neopterin is not a marker of disease activity in treated rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2017 , 36, 1975-1979	3.9	7
65	Unbalanced expression of aryl hydrocarbon receptor in peripheral blood CCR6CD4 and CD4CD25T cells of rheumatoid arthritis. <i>Revista Brasileira De Reumatologia</i> , 2017 , 57, 190-196		3
64	Expressão não equilibrada do receptor de hidrocarboneto arílico nos linfócitos T CCR6+ CD4+ e CD4+ CD25+ do sangue periférico na artrite reumatoide. <i>Revista Brasileira De Reumatologia</i> , 2017 , 57, 190-196		3
63	Matrix Metalloproteinases and Synovial Joint Pathology. <i>Progress in Molecular Biology and Translational Science</i> , 2017 , 148, 305-325	4	59
62	Neutrophils in Rheumatoid Arthritis: A Target for Discovering New Therapies Based on Natural Products. 2017 ,		9
61	Negative Regulators of JAK/STAT Signaling in Rheumatoid Arthritis and Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	60
60	Gastrointestinal Manifestations of Rheumatoid Arthritis. <i>Handbook of Systemic Autoimmune Diseases</i> , 2017 , 333-348	0.3	
59	A time-course microarray data analysis reveals consistent dysregulated genes and upstream microRNAs in autoantibody-mediated arthritis. <i>Journal of Orthopaedic Surgery and Research</i> , 2017 , 12, 186	2.8	1

58	VISTA deficiency attenuates antibody-induced arthritis and alters macrophage gene expression in response to simulated immune complexes. <i>Arthritis Research and Therapy</i> , 2017 , 19, 270	5.7	20
57	Anti-arthritic properties of crude extract from <i>Chenopodium ambrosioides</i> L. leaves. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 1078-1091	4.8	6
56	Sleep and physical activity: a cross-sectional objective profile of people with rheumatoid arthritis. <i>Rheumatology International</i> , 2018 , 38, 845-853	3.6	10
55	Hecogenin exhibits anti-arthritic activity in rats through suppression of pro-inflammatory cytokines in Complete Freund's adjuvant-induced arthritis. <i>Immunopharmacology and Immunotoxicology</i> , 2018 , 40, 59-71	3.2	12
54	RNA-seq analysis reveals different gene ontologies and pathways in rheumatoid arthritis and Kashin-Beck disease. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1686-1694	2.3	6
53	Defective JAK-STAT Pathway Signaling Contributes to Autoimmune Diseases. <i>Current Pharmacology Reports</i> , 2018 , 4, 358-366	5.5	0
52	Efficacy and safety of interleukin-1 antagonists in rheumatoid arthritis: a systematic review and meta-analysis. <i>Rheumatology International</i> , 2018 , 38, 1363-1383	3.6	24
51	The role of the JAK/STAT signal pathway in rheumatoid arthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2018 , 10, 117-127	3.8	117
50	The Abnormal CD4+T Lymphocyte Subset Distribution and Vbeta Repertoire in New-onset Rheumatoid Arthritis Can Be Modulated by Methotrexate Treatment. <i>Cells</i> , 2019 , 8,	7.9	8
49	Sleep and rheumatic diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 101434	5.3	3
48	Total Glucosides of Paeony protects against collagen-induced mouse arthritis via inhibiting follicular helper T cell differentiation. <i>Phytomedicine</i> , 2019 , 65, 153091	6.5	9
47	Detection of Cell Surface Ligands for Human Synovial T Cells. <i>Journal of Immunology</i> , 2019 , 203, 2369-2376	3.7	4
46	Delivery of siRNA using folate receptor-targeted pH-sensitive polymeric nanoparticles for rheumatoid arthritis therapy. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2019 , 20, 102017	6	32
45	Combinatorial, Microparticle-Based Delivery of Immune Modulators Reprograms the Dendritic Cell Phenotype and Promotes Remission of Collagen-Induced Arthritis in Mice.. <i>ACS Applied Bio Materials</i> , 2019 , 2, 2388-2404	4.1	15
44	Imbalance of circulating Tfr/Tfh ratio in patients with rheumatoid arthritis. <i>Clinical and Experimental Medicine</i> , 2019 , 19, 55-64	4.9	38
43	A survey of physiotherapists' current management and the promotion of physical activity, in people with rheumatoid arthritis. <i>Disability and Rehabilitation</i> , 2019 , 41, 2183-2191	2.4	2
42	How the redox state regulates immunity. <i>Free Radical Biology and Medicine</i> , 2020 , 157, 3-14	7.8	21
41	Inhibition of the IL-18 Receptor Signaling Pathway Ameliorates Disease in a Murine Model of Rheumatoid Arthritis. <i>Cells</i> , 2019 , 9,	7.9	10

40	The and anti-inflammatory activities of triterpene saponins from. <i>Natural Product Research</i> , 2021 , 35, 6180-6183	2.3	0
39	Methotrexate Treatment Immunomodulates Abnormal Cytokine Expression by T CD4 Lymphocytes Present in DMARD-Naïve Rheumatoid Arthritis Patients. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
38	Interleukin-29 regulates T follicular helper cells by repressing BCL6 in rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2020 , 39, 3797-3804	3.9	4
37	Immunomodulatory therapeutic effects of curcumin in rheumatoid arthritis. <i>Autoimmunity Reviews</i> , 2020 , 19, 102593	13.6	8
36	CXC chemokine receptor 3 antagonist AMG487 shows potent anti-arthritic effects on collagen-induced arthritis by modifying B cell inflammatory profile. <i>Immunology Letters</i> , 2020 , 225, 74-81	4.1	16
35	Regulation of autoimmune arthritis by the SHP-1 tyrosine phosphatase. <i>Arthritis Research and Therapy</i> , 2020 , 22, 160	5.7	2
34	Production of a bispecific antibody targeting TNF- α and C5a in <i>Pichia pastoris</i> and its therapeutic potential in rheumatoid arthritis. <i>Biotechnology Letters</i> , 2020 , 42, 557-569	3	
33	PTPN22 gene polymorphism and susceptibility to rheumatoid arthritis (RA): Updated systematic review and meta-analysis. <i>Journal of Gene Medicine</i> , 2020 , 22, e3204	3.5	7
32	A Systems Biology Approach for miRNA-mRNA Expression Patterns Analysis in Rheumatoid Arthritis. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2021 , 24, 195-212	1.3	5
31	Associations between childhood family emotional health, fronto-limbic grey matter volume, and saliva 5mC in young adulthood. <i>Clinical Epigenetics</i> , 2021 , 13, 68	7.7	
30	Bioactive fractions and compound of <i>Ardisia crissa</i> roots exhibit anti-arthritic properties mediated via angiogenesis inhibition in vitro. <i>BMC Complementary Medicine and Therapies</i> , 2021 , 21, 176	2.9	1
29	Association of Gene with Its Protein: Cystatin C in Health and Severe Periodontal Disease. <i>Genetic Testing and Molecular Biomarkers</i> , 2021 , 25, 405-410	1.6	0
28	Anti-inflammatory and Pro-apoptotic Effects of 18beta-Glycyrrhetic Acid and Models of Rheumatoid Arthritis. <i>Frontiers in Pharmacology</i> , 2021 , 12, 681525	5.6	5
27	Hyperbilirubinemia Maintained by Chronic Supplementation of Unconjugated Bilirubin Improves the Clinical Course of Experimental Autoimmune Arthritis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
26	Therapy of antigen-induced arthritis of the temporomandibular joint via platelet-rich plasma injections in domestic pigs. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2021 , 49, 726-731	3.6	2
25	Potential of ephedrine to suppress the gene expression of TNF- α , IL-1, IL-6 and PGE2: A novel approach towards management of rheumatoid arthritis. <i>Life Sciences</i> , 2021 , 282, 119825	6.8	2
24	The feasibility of an exercise intervention to improve sleep (time, quality and disturbance) in people with rheumatoid arthritis: a pilot RCT. <i>Rheumatology International</i> , 2021 , 41, 297-310	3.6	1
23	Immunomodulatory Effects of Curcumin in Rheumatoid Arthritis: Evidence from Molecular Mechanisms to Clinical Outcomes. <i>Reviews of Physiology, Biochemistry and Pharmacology</i> , 2021 , 179, 1-29	2.9	5

22	Rat models of arthritis: Similarities, differences, advantages, and disadvantages in the identification of novel therapeutics. 2006 , 1-34		6
21	Neuronal FcRI mediates acute and chronic joint pain. <i>Journal of Clinical Investigation</i> , 2019 , 129, 3754-3769	3.9	12
20	CD4+CXCR5+PD-1+ T Follicular Helper Cells Play a Pivotal Role in the Development of Rheumatoid Arthritis. <i>Medical Science Monitor</i> , 2019 , 25, 3032-3040	3.2	20
19	Periodontitis increases rheumatic factor serum levels and citrullinated proteins in gingival tissues and alter cytokine balance in arthritic rats. <i>PLoS ONE</i> , 2017 , 12, e0174442	3.7	15
18	U0126, an Inhibitor of MEK1/2, Increases Tumor Necrosis Factor- α -Induced Apoptosis, but not Interleukin-6 Induced Apoptosis in C-28/I2 Human Chondrocytes. 2015 , 1,		5
17	Effect of Low Level Laser Irradiation on CXCR3 Gene Expression in Rheumatoid Arthritis Joint. <i>Journal of Hard Tissue Biology</i> , 2010 , 19, 141-146	0.4	3
16	Advances in the treatment of cervical rheumatoid: Less surgery and less morbidity. <i>World Journal of Orthopedics</i> , 2014 , 5, 292-303	2.2	31
15	Pulmonary Manifestations of Immunosuppressive Diseases Other than Human Immunodeficiency Virus Infection. 2009 , 49-78		
14	REDUCTION OF INTERLEUKIN-1.BETA. EXPRESSION IN RHEUMATOID ARTHRITIS BY LINEAR POLARIZED NEAR INFRARED LIGHT IRRADIATION. <i>Laser Therapy</i> , 2010 , 19, 263-269	0.8	2
13	Acquired Abnormalities of the Craniocervical Junction. 2011 , 2961-2972		2
12	Reduction of Matrix Metalloproteinase-3 Expression in Rheumatoid Arthritis Rat Joints by Light-emitting Diode. <i>International Journal of Oral-Medical Sciences</i> , 2012 , 11, 22-29	0.2	
11	Reduction of Matrix Metalloprotease 3 in Rheumatoid Arthritis Rat by Low Level Diode Laser Irradiation. <i>International Journal of Oral-Medical Sciences</i> , 2012 , 10, 266-275	0.2	1
10	Prevalence of silent nontraumatic vertebral fracture in rheumatoid arthritis: relation with disease duration, disease activity, corticosteroid, and hip buckling ratio. <i>Egyptian Rheumatology and Rehabilitation</i> , 2014 , 41, 116-121	0.5	
9	Serum cytokine profile in early and established rheumatoid arthritis. <i>Almanah Kliničkoj Mediciny</i> , 2019 , 47, 393-399	0.2	0
8	Date seed extract-loaded oil-in-water nanoemulsion: Development, characterization, and antioxidant activity as a delivery model for rheumatoid arthritis. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2020 , 12, 308-316	1.1	0
7	Reduction of monocyte chemoattractant protein-1 expression in rheumatoid arthritis rat joints with light-emitting diode phototherapy. <i>Laser Therapy</i> , 2012 , 21, 177-81	0.8	4
6	Chondrocyte Apoptosis in Rheumatoid Arthritis: Is Preventive Therapy Possible?. <i>Immunotherapy (Los Angeles, Calif)</i> , 2015 , 1,		6
5	The JAK/STAT signaling pathway: from bench to clinic. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 402	21	47

4	Integrin Regulated Autoimmune Disorders: Understanding the Role of Mechanical Force in Autoimmunity.. <i>Frontiers in Cell and Developmental Biology</i> , 2022 , 10, 852878	5.7	1
3	JAK2 mutation may predict response and guide first line treatment in rheumatoid arthritis. <i>The Egyptian Journal of Internal Medicine</i> , 2021 , 33,	0.5	
2	Host and bacterial factors linking periodontitis and rheumatoid arthritis. 13,		3
1	Frñe rheumatoide Arthritis. 2022 , 164, 24-31		0