

# CITATION REPORT

List of articles citing

## Serum cholesterol and cognitive performance in the Framingham Heart Study

DOI: 10.1097/01.psy.0000151745.67285.c2  
Psychosomatic Medicine, 2005, 67, 24-30.

**Source:** <https://exaly.com/paper-pdf/37913461/citation-report.pdf>

**Version:** 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
133	The Cholesterol Controversy. <b>2005</b> , 11, 126-130		
132	Circulating biomarkers of cognitive decline and dementia. <b>2006</b> , 364, 91-112		106
131	Homocysteine, folate, and vitamins B6 and B12 blood levels in relation to cognitive performance: the Maine-Syracuse study. <i>Psychosomatic Medicine</i> , <b>2006</b> , 68, 547-54	3.7	67
130	Lipid metabolism in cognitive decline and dementia. <b>2006</b> , 51, 275-92		132
129	High dietary cholesterol facilitates classical conditioning of the rabbit's nictitating membrane response. <b>2007</b> , 10, 31-43		17
128	Adverse birth outcome among mothers with low serum cholesterol. <b>2007</b> , 120, 723-33		156
127	Cerebrovascular risk factors, vascular disease, and neuropsychological outcomes in adults with major depression. <i>Psychosomatic Medicine</i> , <b>2007</b> , 69, 578-86	3.7	46
126	Cerebrovascular disease and dementia: a primate model of hypertension and cognition. <b>2007</b> , 3, S6-15		23
125	Evolutionary origins of insulin resistance: a behavioral switch hypothesis. <b>2007</b> , 7, 61		61
124	Homocysteine and cognitive performance: modification by the ApoE genotype. <b>2008</b> , 430, 64-9		41
123	Behavioral changes with paranoia in an elderly woman taking atorvastatin. <b>2008</b> , 6, 28-32		19
122	Baseline serum cholesterol is selectively associated with motor speed and not rates of cognitive decline: the Women's Health and Aging Study II. <b>2008</b> , 63, 619-24		19
121	Functional relationships between serum total cholesterol levels, executive control, and sustained attention. <b>2008</b> , 11, 84-94		9
120	Low HDL cholesterol is a risk factor for deficit and decline in memory in midlife: the Whitehall II study. <b>2008</b> , 28, 1556-62		93
119	Effects of a saturated fat and high cholesterol diet on memory and hippocampal morphology in the middle-aged rat. <b>2008</b> , 14, 133-45		210
118	Body mass index over the adult life course and cognition in late midlife: the Whitehall II Cohort Study. <b>2009</b> , 89, 601-7		195
117	Health behaviors from early to late midlife as predictors of cognitive function: The Whitehall II study. <b>2009</b> , 170, 428-37		113

116	A comparison of egg consumption with other modifiable coronary heart disease lifestyle risk factors: a relative risk apportionment study. <b>2009</b> , 29, 401-15		23
115	Serum total cholesterol, statins and cognition in non-demented elderly. <b>2009</b> , 30, 1006-9		95
114	Statins for the prevention of dementia. <b>2009</b> , CD003160		115
113	Worldwide allele frequencies of the human apolipoprotein E gene: climate, local adaptations, and evolutionary history. <b>2010</b> , 143, 100-11		128
112	The effects of cholesterol on learning and memory. <b>2010</b> , 34, 1366-79		77
111	The impact of vascular comorbidities on qualitative error analysis of executive impairment in Alzheimer's disease. <b>2010</b> , 16, 77-83		8
110	[Insulin resistance as a mechanism of adaptation during human evolution]. <b>2010</b> , 57, 381-90		2
109	Metabolic syndrome: aggression control mechanisms gone out of control. <b>2010</b> , 74, 578-89		18
108	A systems biology model studying the role of cholesterol in Alzheimer's disease progression. <b>2011</b> ,		1
107	Cholesterol and cognition in schizophrenia: a double-blind study of patients randomized to clozapine, olanzapine and haloperidol. <b>2011</b> , 130, 27-33		35
106	Vascular Dementia and Vascular Cognitive Decline. <b>2011</b> , 252-267		
105	Sex differences in the association of Framingham Cardiac Risk Score with cognitive decline in community-dwelling elders without clinical heart disease. <i>Psychosomatic Medicine</i> , <b>2011</b> , 73, 683-9	3-7	30
104	Impact of cardiovascular risk factors on cognitive function: the Tromsø study. <b>2011</b> , 18, 737-43		68
103	Plasma cholesterol and risk for late-onset Alzheimer's disease. <b>2011</b> , 11, 495-8		15
102	Statins and serum cholesterol's associations with incident dementia and mild cognitive impairment. <b>2011</b> , 65, 949-57		79
101	A graph theoretic mathematical model for Alzheimer's disease: Using a systems biology approach. <b>2012</b> ,		1
100	Of Hawks and Doves. <b>2012</b> , 95-112		
99	Physical Health and Cognition. 238-270		0

98	Cardio-metabolic risk factors and cortical thickness in a neurologically healthy male population: Results from the psychological, social and biological determinants of ill health (pSoBid) study. <b>2013</b> , 2, 646-57	21
97	Body mass index across midlife and cognitive change in late life. <b>2013</b> , 37, 296-302	65
96	Cardiovascular risk score, cognitive decline, and dementia in older Mexican Americans: the role of sex and education. <b>2013</b> , 2, e004978	41
95	Dietary sialic acid and cholesterol influence cortical composition in developing rats. <b>2013</b> , 143, 132-5	13
94	Cholesterol and copper affect learning and memory in the rabbit. <b>2013</b> , 2013, 518780	11
93	Enhancing Diagnostic Accuracy of aMCI in the Elderly: Combination of Olfactory Test, Pupillary Response Test, BDNF Plasma Level, and APOE Genotype. <b>2014</b> , 2014, 912586	10
92	A comparative study on the effect of high cholesterol diet on the hippocampal CA1 area of adult and aged rats. <b>2014</b> , 47, 117-26	17
91	Cognitive decline and depressive symptoms in late-life are associated with statin use: evidence from a population-based study of Sardinian old people living in their own home. <b>2014</b> , 36, 247-54	22
90	Higher HDL cholesterol is associated with better cognitive function: the Maine-Syracuse study. <b>2014</b> , 20, 961-70	26
89	Fetuin-A, a new vascular biomarker of cognitive decline in older adults. <b>2014</b> , 81, 134-40	18
88	Neurodevelopment, nutrition, and growth until 12 mo of age in infants fed a low-energy, low-protein formula supplemented with bovine milk fat globule membranes: a randomized controlled trial. <b>2014</b> , 99, 860-8	212
87	Characterization of a normal control group: are they healthy?. <b>2014</b> , 84, 796-809	13
86	Serum cholesterol and variant in cholesterol-related gene CETP predict white matter microstructure. <b>2014</b> , 35, 2504-2513	18
85	Nonlinear longitudinal trajectories of cholesterol and neuropsychological function. <i>Neuropsychology</i> , <b>2014</b> , 28, 106-12	3.8 16
84	Cholesterol and cognitive performance among community volunteers from the Czech Republic. <b>2015</b> , 27, 2087-95	8
83	Impacts of High Serum Total Cholesterol Level on Brain Functional Connectivity in Non-Demented Elderly. <b>2016</b> , 50, 455-63	8
82	Association between APOE $\epsilon$ Genotype and Memory Impairment in Elderly with Normal Global Cognitive Assessment. <b>2015</b> , 5, 615-23	3
81	An Exploratory Analysis of the Relationship between Cardiometabolic Risk Factors and Cognitive/Academic Performance among Adolescents. <b>2015</b> , 2015, 520619	5

80	Serum cholesterol and cognitive functions: the Lothian Birth Cohort 1936. <b>2015</b> , 27, 439-53		16
79	Statins and cognitive function: an updated review. <b>2015</b> , 17, 4		15
78	Composite cardiovascular risk scores and neuropsychological functioning: a meta-analytic review. <b>2015</b> , 49, 344-57		19
77	Intima-Media Thickness and Cognitive Function in Stroke-Free Middle-Aged Adults: Findings From the Coronary Artery Risk Development in Young Adults Study. <b>2015</b> , 46, 2190-6		28
76	The potential behavioral and economic impacts of widespread HMG-CoA reductase inhibitor (statin) use. <b>2016</b> , 97, 54-58		2
75	Dyslipidemia and the Risk of Developing Hypertension in a Working-Age Male Population. <b>2016</b> , 5, e003053		56
74	Randomized placebo-controlled study of lovastatin in children with neurofibromatosis type 1. <b>2016</b> , 87, 2575-2584		53
73	Clinical Benefits of Milk Fat Globule Membranes for Infants and Children. <b>2016</b> , 173 Suppl, S60-5		106
72	Serum cholesterol levels within the high normal range are associated with better cognitive performance among Chinese elderly. <i>Journal of Nutrition, Health and Aging</i> , <b>2016</b> , 20, 280-287	5-2	34
71	Elevated levels of serum cholesterol are associated with better performance on tasks of episodic memory. <b>2016</b> , 31, 465-73		28
70	Vascular Dementia and Cognitive Impairment. <b>2016</b> , 253-267.e7		
69	Design and rationale of the EBBINGHAUS trial: A phase 3, double-blind, placebo-controlled, multicenter study to assess the effect of evolocumab on cognitive function in patients with clinically evident cardiovascular disease and receiving statin background lipid-lowering therapy-A cognitive study of patients enrolled in the FOURIER trial. <b>2017</b> , 19, 58-65		38
68	Sex-specific nonlinear associations between serum lipids and different domains of cognitive function in middle to older age individuals. <b>2017</b> , 32, 1089-1097		13
67	Effects of the duration of hyperlipidemia on cerebral lipids, vessels and neurons in rats. <b>2017</b> , 16, 26		25
66	The association of total cholesterol with processing speed is moderated by age in mid- to late-age healthy adults. <b>2018</b> , 44, 179-186		3
65	Adverse effects of statin therapy: perception vs. the evidence - focus on glucose homeostasis, cognitive, renal and hepatic function, haemorrhagic stroke and cataract. <b>2018</b> , 39, 2526-2539		156
64	Neurological effects of proprotein convertase subtilisin/kexin type 9 inhibitors: direct comparisons. <b>2018</b> , 4, 132-141		10
63	The Role of Immune Defects and Colonization of in the Pathogenesis of Atopic Dermatitis. <b>2018</b> , 2018, 1956403		17

62	Serum, plasma and erythrocyte membrane lipidomes in infants fed formula supplemented with bovine milk fat globule membranes. <b>2018</b> , 84, 726-732	25
61	High fat diet deteriorates the memory impairment induced by arsenic in mice: a sub chronic in vivo study. <b>2019</b> , 34, 1595-1606	8
60	Emerging roles for high-density lipoproteins in neurodegenerative disorders. <b>2019</b> , 45, 725-739	14
59	Physical performance is more strongly associated with cognition in schizophrenia than psychiatric symptoms. <b>2019</b> , 61, 72-78	3
58	24S-Hydroxycholesterol Is Associated with Agitation Severity in Patients with Moderate-to-Severe Alzheimer's Disease: Analyses from a Clinical Trial with Nabilone. <b>2019</b> , 71, 21-31	7
57	Pharmacoepidemiology of statins. <b>2019</b> , 74, 261-269	3
56	Relationship between changes in metabolic syndrome constituent components over 12 months of treatment and cognitive performance in first-episode schizophrenia. <b>2019</b> , 34, 469-476	4
55	Associations of Lipid Levels and Cognition: Findings from the Hispanic Community Health Study/Study of Latinos. <b>2020</b> , 26, 251-262	4
54	Changes of fat-mass and obesity-associated protein expression in the hippocampus in animal models of high-fat diet-induced obesity and D-galactose-induced aging. <b>2020</b> , 36, 20	1
53	Hyperlipidemia Downregulate Brain Antioxidant Defense Enzymes and Neurotrophins in Rats: Assessment of the Modulatory Potential of EPA+DHA and Zerumbone. <b>2020</b> , 64, e2000381	5
52	Sex-specific associations between lipids and cognitive decline in the middle-aged and elderly: a cohort study of Chinese adults. <b>2020</b> , 12, 164	4
51	Cognition After Lowering LDL-Cholesterol With Evolocumab. <b>2020</b> , 75, 2283-2293	28
50	Low LDL-C Levels: Likely No Short-Term Cognitive Harm. <b>2020</b> , 75, 2294-2296	2
49	Association of High-Density Lipoprotein Cholesterol With Cognitive Function: Findings From the PROspective Study of Pravastatin in the Elderly at Risk. <b>2020</b> , 32, 1267-1274	2
48	Low-Density Lipoprotein Cholesterol and Alzheimer's Disease: A Systematic Review and Meta-Analysis. <b>2020</b> , 12, 5	17
47	The case for statin use to reduce perioperative adverse cardiovascular and cerebrovascular events. <b>2020</b> , 124, 525-534	0
46	The importance of stroke as a risk factor of cognitive decline in community dwelling older and oldest peoples: the SONIC study. <b>2020</b> , 20, 24	3
45	Low Cholesterol Level Linked to Reduced Semantic Fluency Performance and Reduced Gray Matter Volume in the Medial Temporal Lobe. <b>2020</b> , 12, 57	6

44	The Associations between Liver Enzymes and Cardiovascular Risk Factors in Adults with Mild Dyslipidemia. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	7
43	The Apolipoprotein E $\epsilon$ Allele-Dependent Relationship Between Serum Lipid Levels and Cognitive Function: A Population-Based Cross-sectional Study. <b>2020</b> , 12, 44		6
42	Cardiovascular Risk Factors, Cognitive Dysfunction, and Mild Cognitive Impairment. <b>2020</b> , 10, 154-162		3
41	Simvastatin impairs hippocampal synaptic plasticity and cognitive function in mice. <b>2021</b> , 14, 41		2
40	Human milk cholesterol is associated with lactation stage and maternal plasma cholesterol in Chinese populations. <b>2021</b> ,		0
39	Associations between 20-year lipid variability throughout young adulthood and midlife cognitive function and brain integrity. <b>2021</b> ,		
38	Health eBrain: Proof of Concept for Remote Assessment of Cardiovascular Risk Factors and Cognition in Middle Aged and Older Adults (Preprint).		
37	The Effect and Mechanism of Cholesterol and Vitamin B on Multi-Domain Cognitive Function: A Prospective Study on Chinese Middle-Aged and Older Adults. <b>2021</b> , 13, 707958		0
36	Vascular Dementia and Cognitive Impairment. <b>2022</b> , 221-236.e8		1
35	Cardiovascular Disease and Neurocognitive Function. <b>2010</b> , 69-99		4
34	Behavior Genetics and Aging. <b>2006</b> , 41-55		2
33	Nonlinear associations between plasma cholesterol levels and neuropsychological function. <i>Neuropsychology</i> , <b>2016</b> , 30, 980-987	3.8	11
32	Cardiovascular health and cognitive function: the Maine-Syracuse Longitudinal Study. <i>PLoS ONE</i> , <b>2014</b> , 9, e89317	3.7	64
31	Association of Circulating Cholesterol Level with Cognitive Function and Mild Cognitive Impairment in the Elderly: A Community-based Population Study. <i>Current Alzheimer Research</i> , <b>2020</b> , 17, 556-565	3	4
30	Relationships Between Total Cholesterol Levels and Specific Alterations in Impulsivity and Attention. <i>Journal of the North Carolina Academy of Science</i> , <b>2011</b> , 127, 13-17	0	
29	Nonlinear Relations of Cardiovascular Risk Factors to Neuropsychological Function and Dementia. <b>2013</b> , 379-396		
28	The role of glia and astrocytes in brain functioning. <b>2015</b> , 76-83		
27	Low Total Cholesterol Levels and Performance on the Iowa Gambling Task. <i>Journal of the North Carolina Academy of Science</i> , <b>2015</b> , 131, 19-24	0	

26	2. Cholesterol and cognitive functioning in persons free from stroke and dementia. <i>Human Health Handbooks</i> , <b>2016</b> , 37-52		
25	Cardiovascular Disease and Neurocognitive Function. <b>2019</b> , 99-134		
24	The Importance of Stroke as a Risk Factor of Cognitive Decline in Community Dwelling Older and Oldest peoples : The SONIC Study.		
23	The Importance of Stroke as a Risk Factor of Cognitive Decline in Community Dwelling Older and Oldest peoples : The SONIC Study.		
22	Hypertension and Hypercholesterolemia: is it Time for Anti- $\beta$ Lipitensive $\beta$ Therapy?. <i>Rational Pharmacotherapy in Cardiology</i> , <b>2020</b> , 16, 842-851	0.5	
21	Serum Cholesterol Levels within the High Normal Range Are Associated with Better Cognitive Performance among Chinese Elderly. <i>Journal of Nutrition, Health and Aging</i> , <b>2016</b> , 20, 280-7	5.2	26
20	Fit for School Study protocol: early child growth, health behaviours, nutrition, cardiometabolic risk and developmental determinants of a child's school readiness, a prospective cohort. <i>BMJ Open</i> , <b>2019</b> , 9, e030709	3	1
19	Association between Serum Lipid Parameters and Cognitive Performance in Older Adults. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	0
18	Genetic Predisposition to Low-Density Lipoprotein Cholesterol May Increase Risks of Both Individual and Familial Alzheimer's Disease.. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 798334	4.9	0
17	Host-Microbe Interaction on the Skin and Its Role in the Pathogenesis and Treatment of Atopic Dermatitis.. <i>Pathogens</i> , <b>2022</b> , 11,	4.5	2
16	Remote Assessment of Cardiovascular Risk Factors and Cognition in Middle-Aged and Older Adults: Proof-of-Concept Study.. <i>JMIR Formative Research</i> , <b>2022</b> , 6, e30410	2.5	
15	Molecular targets of statins and their potential side effects: Not all the glitter is gold.. <i>European Journal of Pharmacology</i> , <b>2022</b> , 922, 174906	5.3	3
14	Fit for School Study protocol: early child growth, health behaviours, nutrition, cardiometabolic risk and developmental determinants of a child's school readiness, a prospective cohort. <b>2019</b> , 9, e030709		1
13	Image_1.TIF. <b>2020</b> ,		
12	Image_2.tif. <b>2020</b> ,		
11	Table_1.doc. <b>2020</b> ,		
10	Table_2.doc. <b>2020</b> ,		
9	Data_Sheet_1.PDF. <b>2020</b> ,		



8	Lower serum BDNF as a predictor of post-stroke cognitive impairment in acute ischemic stroke patients. <i>F1000Research</i> , 11, 749	3.6
7	Cholesterol as a key player in amyloid $\beta$ -mediated toxicity in Alzheimer's disease. 15,	0
6	Comorbidity-driven multi-modal subtype analysis in mild cognitive impairment of Alzheimer's disease.	1
5	Cardiovascular Disease and Cognitive Function. <b>2022</b> , 1363-1391	0
4	Prediction abilities of SCORE2 risk algorithms for incident dementia and all-cause mortality: results from the UK Biobank cohort study.	0
3	Rice Intake Is Associated with Longer Reaction Time and Interacts with Blood Lipids and Hypertension among Qatari Adults. <b>2023</b> , 13, 251	0
2	Serum total cholesterol levels associated with immediate memory performance in patients with chronic schizophrenia. <b>2023</b> , 255, 256-260	0
1	Integrating Nutrient Biomarkers, Cognitive Function, and Structural MRI Data to Build Multivariate Phenotypes of Healthy Aging. <b>2023</b> ,	0