

# CITATION REPORT

List of articles citing

Effects of kinesthesia and balance exercises in knee osteoarth

DOI: 10.1097/01.rhu.0000191213.37853.3d

Journal of Clinical Rheumatology, 2005, 11, 303-10.

**Source:** <https://exaly.com/paper-pdf/37926599/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
105	Sensory-specific balance training in older adults: effect on position, movement, and velocity sense at the ankle. <b>2007</b> , 87, 560-8		41
104	Intérêt des programmes d'exercices physiques dirigés par un kinésithérapeute ou non dirigés dans l'arthrose des membres inférieurs. Laboration de recommandations françaises pour la pratique clinique. <b>2007</b> , 50, 747-758		4
103	Supervised or unsupervised exercise for the treatment of hip and knee osteoarthritis. Clinical practice recommendations. <b>2007</b> , 50, 759-68, 747-58		14
102	Intérêt des programmes d'exercices en groupe ou en individuel dans l'arthrose des membres inférieurs. Laboration de recommandations françaises pour la pratique clinique. <b>2007</b> , 50, 734-740		2
101	The value of individual or collective group exercise programs for knee or hip osteoarthritis. Clinical practice recommendations. <b>2007</b> , 50, 741-6, 734-40		18
100	Velocity discrimination: reliability and construct validity in older adults. <b>2007</b> , 26, 443-56		8
99	Evaluation of knee proprioception and effects of proprioception exercise in patients with benign joint hypermobility syndrome. <b>2008</b> , 28, 995-1000		92
98	Effects of functional exercise training on performance and muscle strength after meniscectomy: a randomized trial. <b>2009</b> , 19, 156-65		37
97	Exercise for osteoarthritis of the knee. <b>2008</b> , CD004376		194
96	Role of muscle in the genesis and management of knee osteoarthritis. <b>2008</b> , 34, 731-54		113
95	Associations between physical examination and self-reported physical function in older community-dwelling adults with knee pain. <b>2008</b> , 88, 33-42		26
94	Working memory and postural control: adult age differences in potential for improvement, task priority, and dual tasking. <b>2009</b> , 64, 193-201		89
93	Effect of whole body vibration exercise on muscle strength and proprioception in females with knee osteoarthritis. <b>2009</b> , 16, 256-61		122
92	Muscle and exercise in the prevention and management of knee osteoarthritis: an internal medicine specialist's guide. <b>2009</b> , 93, 161-77, xii		26
91	Beta2-adrenergic agonist-induced hypertrophy of the quadriceps skeletal muscle does not modulate disease severity in the rodent meniscectomy model of osteoarthritis. <b>2010</b> , 18, 555-62		11
90	Feasibility of neuromuscular training in patients with severe hip or knee OA: the individualized goal-based NEMEX-TJR training program. <b>2010</b> , 11, 126		109
89	Rehabilitation in osteoarthritis. <b>2010</b> , 7, 669-674		3

88	Feasibility and outcomes of a home-based exercise program on improving balance and gait stability in women with lower-limb osteoarthritis or rheumatoid arthritis: a pilot study. <b>2010</b> , 91, 106-14	66
87	Proprioception in knee osteoarthritis: a narrative review. <b>2011</b> , 19, 381-8	140
86	Validation of the comprehensive ICF core set for osteoarthritis: the perspective of physical therapists. <b>2011</b> , 97, 3-16	16
85	Effect of sensorimotor training on balance in elderly patients with knee osteoarthritis. <b>2011</b> , 2, 305-311	15
84	Proprioceptive acuity in the frontal and sagittal planes of the knee: a preliminary study. <b>2011</b> , 111, 1313-20	12
83	Comparison of neuromuscular and quadriceps strengthening exercise in the treatment of varus malaligned knees with medial knee osteoarthritis: a randomised controlled trial protocol. <b>2011</b> , 12, 276	35
82	Strength training alone, exercise therapy alone, and exercise therapy with passive manual mobilisation each reduce pain and disability in people with knee osteoarthritis: a systematic review. <b>2011</b> , 57, 11-20	142
81	Does knee osteoarthritis differentially modulate proprioceptive acuity in the frontal and sagittal planes of the knee?. <b>2011</b> , 63, 2681-9	15
80	Relationships between measures of muscular performance, proprioceptive acuity, and aging in elderly women with knee osteoarthritis. <b>2011</b> , 53, e253-7	14
79	Effects of impairment-based exercise on performance of specific self-reported functional tasks in individuals with knee osteoarthritis. <b>2011</b> , 91, 1752-65	12
78	Agility and perturbation training techniques in exercise therapy for reducing pain and improving function in people with knee osteoarthritis: a randomized clinical trial. <b>2011</b> , 91, 452-69	89
77	Exercise and osteoarthritis: cause and effects. <b>2011</b> , 1, 1943-2008	30
76	A comprehensive review of the effectiveness of different exercise programs for patients with osteoarthritis. <b>2012</b> , 40, 52-65	48
75	Arm movement effect on balance. <b>2012</b> , 2012, 4549-52	5
74	The effectiveness of proprioceptive-based exercise for osteoarthritis of the knee: a systematic review and meta-analysis. <b>2012</b> , 32, 3339-51	36
73	Physical therapy in persons with osteoarthritis. <b>2012</b> , 4, S53-8	17
72	Assessment of the impact of proprioceptive exercises on balance and proprioception in patients with advanced knee osteoarthritis. <b>2012</b> , 32, 3793-8	22
71	Meniscus suture provides better clinical and biomechanical results at 1-year follow-up than meniscectomy. <b>2013</b> , 133, 541-9	6

70	Update on the role of muscle in the genesis and management of knee osteoarthritis. <b>2013</b> , 39, 145-76	127
69	Knee joint stabilization therapy in patients with osteoarthritis of the knee: a randomized, controlled trial. <b>2013</b> , 21, 1025-34	72
68	Manual physical therapy and perturbation exercises in knee osteoarthritis. <b>2013</b> , 21, 220-8	3
67	PROPRIOCEPTIVE TRAINING AS AN ADJUNCT IN OSTEOARTHRITIS OF KNEE. <b>2013</b> , 16, 1350002	4
66	Balance 1 year after TKA: correlation with clinical variables. <b>2013</b> , 36, e6-12	24
65	Individuals with medial knee osteoarthritis show neuromuscular adaptation when perturbed during walking despite functional and structural impairments. <b>2014</b> , 116, 13-23	18
64	Effectiveness of balance exercises in the acute post-operative phase following total hip and knee arthroplasty: A randomized clinical trial. <b>2015</b> , 3, 2050312115570769	23
63	The effect of knee osteoarthritis on ankle proprioception and concentric torque of dorsiflexor and plantar-flexor muscles. <b>2015</b> , 36, 121-126	2
62	Managing Knee Osteoarthritis: The Effects of Body Weight Supported Physical Activity on Joint Pain, Function, and Thigh Muscle Strength. <b>2015</b> , 25, 518-23	24
61	High-intensity versus low-intensity physical activity or exercise in people with hip or knee osteoarthritis. <b>2015</b> , CD010203	56
60	The effectiveness of proprioceptive training for improving motor function: a systematic review. <b>2014</b> , 8, 1075	151
59	Therapeutic modalities and postural balance of patients with knee osteoarthritis: systematic review. <b>2015</b> , 28, 605-616	
58	Principles of rehabilitation: Physical and occupational therapy. <b>2015</b> , 375-381	0
57	Exercise for osteoarthritis of the knee. <b>2015</b> , 1, CD004376	258
56	Identifying potential working mechanisms behind the positive effects of exercise therapy on pain and function in osteoarthritis; a systematic review. <b>2015</b> , 23, 1071-82	60
55	Diurnal variation on balance control in patients with symptomatic knee osteoarthritis. <b>2015</b> , 61, 109-14	14
54	Management of Osteoarthritis and Rheumatoid Arthritis. <b>2016</b> , 1072-1100	1
53	Applying the Evidence for Exercise Prescription in Older Adults with Knee Osteoarthritis. <b>2016</b> , 5, 179-190	1

52	Symptoms of Knee Instability as Risk Factors for Recurrent Falls. <b>2016</b> , 68, 1089-97	18
51	The effectiveness of an exercise programme on dynamic balance in patients with medial knee osteoarthritis: A pilot study. <b>2016</b> , 23, 849-56	11
50	Dynamic Balance Training Improves Physical Function in Individuals With Knee Osteoarthritis: A Pilot Randomized Controlled Trial. <b>2017</b> , 98, 1586-1593	18
49	The Association of Vibratory Perception and Muscle Strength With the Incidence and Worsening of Knee Instability: The Multicenter Osteoarthritis Study. <b>2017</b> , 69, 94-102	9
48	Impacto do agachamento em superfície estável e instável sobre o equilíbrio estático e dinâmico de idosos. <b>2017</b> , 10, 176-180	2
47	Comparison of quadriceps, hamstring, and gastrocnemius muscle co-activation in balance exercises. <b>2017</b> , 25, 309-316	
46	The effects of progressive neuromuscular training on postural balance and functionality in elderly patients with knee osteoarthritis: a pilot study. <b>2017</b> , 29, 1229-1235	2
45	Effects of whole body vibration exercise on neuromuscular function for individuals with knee osteoarthritis: study protocol for a randomized controlled trial. <b>2017</b> , 18, 437	13
44	Methodological Characteristics and Future Directions for Plyometric Jump Training Research: A Scoping Review. <b>2018</b> , 48, 1059-1081	74
43	The effect of low-load exercise on joint pain, function, and activities of daily living in patients with knee osteoarthritis. <b>2018</b> , 25, 135-145	17
42	Effect of Body Weight-Supported Exercise on Symptoms of Knee Osteoarthritis: A Follow-up Investigation. <b>2020</b> , 30, e178-e185	3
41	Sensory-motor training versus resistance training among patients with knee osteoarthritis: randomized single-blind controlled trial. <b>2018</b> , 136, 44-50	15
40	Perceived Instability Is Associated With Strength and Pain, Not Frontal Knee Laxity, in Patients With Advanced Knee Osteoarthritis. <b>2019</b> , 49, 513-517	5
39	Proprioceptive Training and Outcomes of Patients With Knee Osteoarthritis: A Meta-Analysis of Randomized Controlled Trials. <b>2019</b> , 54, 418-428	19
38	Relative Efficacy of Different Exercises for Pain, Function, Performance and Quality of Life in Knee and Hip Osteoarthritis: Systematic Review and Network Meta-Analysis. <b>2019</b> , 49, 743-761	52
37	Fall Risk and Utilization of Balance Training for Adults With Symptomatic Knee Osteoarthritis: Secondary Analysis From a Randomized Clinical Trial. <b>2019</b> , 42, E39-E44	8
36	Free Energy Principle in Human Postural Control System: Skin Stretch Feedback Reduces the Entropy. <b>2019</b> , 9, 16870	4
35	Poor replicability of recommended exercise interventions for knee osteoarthritis: a descriptive analysis of evidence informing current guidelines and recommendations. <b>2019</b> , 27, 3-22	24

34	The Effects of Physical Exercise on Pain Management in Patients with Knee Osteoarthritis: A Systematic Review with Metanalysis. <b>2020</b> , 55, 509-517	1
33	Four Weeks of Neuromuscular Training Improve Static and Dynamic Postural Control in Overweight and Obese Children: A Randomized Controlled Trial. <b>2020</b> , 52, 761-769	3
32	Isokinetic testing of muscle strength in older adults with knee osteoarthritis: An integrative review. <b>2020</b> , 1-22	0
31	Methodological characteristics and future directions for plyometric jump training research: A scoping review update. <b>2020</b> , 30, 983-997	25
30	Effects of neuromuscular training on psychomotor development and active joint position sense in school children. <b>2021</b> , 1-10	1
29	Effects of variable frequencies of kinesthesia, balance and agility exercise program in adults with knee osteoarthritis: study protocol for a randomized controlled trial. <b>2021</b> , 22, 470	0
28	The effects of proprioceptive exercise programme given to female footballers their on balance, proprioceptive sense and functional performance. <b>2019</b> , 16, 1051-1070	2
27	Self-reported Instability in Knee Osteoarthritis: A Scoping Review of Literature. <b>2019</b> , 15, 110-115	2
26	Effect of an integrated approach of yoga therapy on quality of life in osteoarthritis of the knee joint: A randomized control study. <b>2011</b> , 4, 55-63	37
25	Effect of retro walking versus balance training on pain and disability in patients with osteoarthritis of the knee: a randomized controlled trial. <b>2021</b> , 26,	
24	Proprioceptive Neuromuscular Facilitation Improves Symptoms among Older Adults with Knee Osteoarthritis during Stair Ascending-A Randomized Controlled Trial. <b>2021</b> ,	1
23	Principles of rehabilitation. <b>2011</b> , 441-448.e2	
22	Conservative Management of Osteoarthritis. <b>2012</b> , 1-36	
21	Exercise Therapy Targeting Neuromuscular Mechanisms. <b>2014</b> , 95-107	
20	The Hip. <b>2014</b> , 1-21	
19	Arthrose. <b>2016</b> , 49-80	1
18	Free Energy Principle in Human Postural Control System: Skin Stretch Feedback Reduces the Entropy.	
17	Proprioceptive Training for Knee Osteoarthritis: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <b>2021</b> , 8, 699921	

16	Efficacy of home-based kinesthesia, balance & agility exercise training among persons with symptomatic knee osteoarthritis. <b>2012</b> , 11, 751-8	11
15	Knee Osteoarthritis and the Efficacy of Kinesthesia, Balance & Agility Exercise Training: A Pilot Study. <b>2011</b> , 4, 124-132	9
14	Importance of Rehabilitation in Primary Knee Osteoarthritis. <b>2019</b> , 45, 148-155	1
13	Effectiveness of Combined Kinetic Chain Exercises In the Treatment of Knee Osteoarthritis in Peri-Menopausal and Post-Menopausal Women in Guwahati, Assam, India. <b>2022</b> , 12, 38-46	
12	Towards Tailored Rehabilitation by Implementation of a Novel Musculoskeletal Finite Element Analysis Pipeline.. <b>2022</b> , PP,	0
11	Effects of progressive neuromuscular training on pain, function, and balance in patients with knee osteoarthritis: a randomised controlled trial. 1-8	
10	AAOS Clinical Practice Guideline Summary: Management of Osteoarthritis of the Knee (Nonarthroplasty), Third Edition.. <b>2022</b> ,	7
9	A Pilot Randomized Trial of Different Weekly Applications of Kinesthesia, Balance, and Agility Exercise Program for Individuals with Knee Osteoarthritis. <b>2022</b> , In Press,	
8	Benefits and Mechanisms of Exercise Training for Knee Osteoarthritis.. <b>2021</b> , 12, 794062	6
7	Progress of Proprioceptive Training in the Treatment of Traumatic Shoulder Instability.. <b>2022</b> , 2022, 1429375	0
6	Effet d'un programme de facilitation proprioceptive neuromusculaire (concept PNF) sur la marche et sur la force musculaire chez des patients hémipariques : essai contrôlé randomisé. <i>Kinesithérapie</i> , <b>2022</b> , 22, 3-11	0.1
5	Effect of a programme of muscular endurance, balance and gait exercises with and without the use of flexible and minimalist shoes in older women with medial knee osteoarthritis: study protocol for a randomised controlled trial. <b>2022</b> , 12, e061267	0
4	A recommended exercise program appropriate for patients with knee osteoarthritis: A systematic review and meta-analysis. 13,	0
3	Muscle strength, level of pain and balance in women with knee osteoarthritis after a sensory-motor exercise program associated to photobiomodulation therapy via cluster: a single-blinded randomized with placebo control trial. <b>2023</b> , 10, 003-010	0
2	Effects of backward walking exercise using lower body positive pressure treadmill on knee symptoms and physical function in individuals with knee osteoarthritis: a protocol for RCT. <b>2023</b> , 18,	0
1	Knee stability training exercise versus Biodex balance training on dynamic balance indices in individuals with knee osteoarthritis: A Randomized clinical trial. <b>2023</b> , 23, 164-169	0