

# Polycarboxylate superplasticiser admixtures: effect on rheological behaviour in cement pastes

Advances in Cement Research

17, 77-89

DOI: [10.1680/adcr.2005.17.2.77](https://doi.org/10.1680/adcr.2005.17.2.77)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Effects of the molecular architecture of comb-shaped superplasticizers on their performance in cementitious systems. <i>Cement and Concrete Composites</i> , 2007, 29, 251-262.	4.6	409
2	Influence of thermally treated phosphogypsum on the properties of Portland slag cement. <i>Resources, Conservation and Recycling</i> , 2007, 52, 28-38.	5.3	114
3	Experimental study of the flow behaviour of superplasticized cement paste. <i>Materials and Structures/Materiaux Et Constructions</i> , 2008, 41, 1581-1593.	1.3	72
4	Advances in Research on Influence of Raw Materials on Workability of Fresh Concrete: A Review. <i>Key Engineering Materials</i> , 2009, 405-406, 83-88.	0.4	2
5	Effect of PCs superplasticizers on the rheological properties and hydration process of slag-blended cement pastes. <i>Journal of Materials Science</i> , 2009, 44, 2714-2723.	1.7	68
6	Synthesis of copolymers of methoxy polyethylene glycol acrylate and 2-acrylamido-2-methyl-1-propanesulfonic acid: Its characterization and application as superplasticizer in concrete. <i>Cement and Concrete Research</i> , 2009, 39, 629-635.	4.6	38
7	Adsorption of superplasticizer admixtures on alkali-activated slag pastes. <i>Cement and Concrete Research</i> , 2009, 39, 670-677.	4.6	161
8	Microstructural, thermal, physical and mechanical behavior of the self compacting concrete containing SiO <sub>2</sub> nanoparticles. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 7663-7672.	2.6	111
9	ZrO <sub>2</sub> nanoparticles' effects on split tensile strength of self compacting concrete. <i>Materials Research</i> , 2010, 13, 485-495.	0.6	17
10	Action Mechanism of Sulfate Compatible Polycarboxylate Type Admixture. <i>Advanced Materials Research</i> , 2010, 168-170, 1875-1880.	0.3	0
11	Separation of Crude Phenols from Bamboo Tar and Modification of Aminobenzenesulfonic-Based Superplasticizer. <i>Advanced Materials Research</i> , 2010, 168-170, 2214-2218.	0.3	1
12	Effects of Surfactants on the Properties of Styrene/Methacrylate Type Superplasticizer in Cement Paste. <i>Polymer-Plastics Technology and Engineering</i> , 2011, 50, 941-946.	1.9	7
13	Setting Time and Flowability of Accelerated Portland Cement Mixed with Polycarboxylate Superplasticizer. <i>Journal of Endodontics</i> , 2011, 37, 387-389.	1.4	57
14	Effects of CuO Nanoparticles on Microstructure, Physical, Mechanical and Thermal Properties of Self-Compacting Cementitious Composites. <i>Journal of Materials Science and Technology</i> , 2011, 27, 81-92.	5.6	46
15	The effects of CuO nanoparticles on properties of self compacting concrete with GGBFS as binder. <i>Materials Research</i> , 2011, 14, 307-316.	0.6	29
16	Physical and mechanical behavior of high strength self-compacting concrete containing ZrO <sub>2</sub> nanoparticles. <i>International Journal of Materials Research</i> , 2011, 102, 560-571.	0.1	6
20	Effect of fly ash on the kinetics of Portland cement hydration at different curing temperatures. <i>Cement and Concrete Research</i> , 2011, 41, 579-589.	4.6	160
22	Splitting tensile strength and modulus of elasticity of self-compacting concrete. <i>Construction and Building Materials</i> , 2011, 25, 201-207.	3.2	112

#	ARTICLE	IF	CITATIONS
24	The effects of TiO <sub>2</sub> nanoparticles on physical, thermal and mechanical properties of concrete using ground granulated blast furnace slag as binder. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 2085-2092.	2.6	85
27	The effect of aluminium oxide nanoparticles on the compressive strength and structure of self-compacting concrete. <i>Magazine of Concrete Research</i> , 2012, 64, 71-82.	0.9	5
29	Synthesis of Polycarboxylate: Its Characterization and Application as a Superplasticizer in Concrete. <i>Applied Mechanics and Materials</i> , 0, 204-208, 4181-4186.	0.2	0
30	Research Progress of Adsorption Characteristics of Polycarboxylate Superplasticizers and Effect on Cement Dispersion, Hydration. <i>Advanced Materials Research</i> , 0, 557-559, 1099-1102.	0.3	0
32	Adsorption of Naphthalene-Based Water Reducer on Alkali-Activated Slag Cement. <i>Applied Mechanics and Materials</i> , 0, 226-228, 1747-1750.	0.2	2
33	Structural characterization of a third-generation commercial cement superplasticizer by Raman spectroscopy and DFT calculations. <i>Journal of Raman Spectroscopy</i> , 2012, 43, 1623-1629.	1.2	5
34	Compatibility between superplasticizer admixtures and cements with mineral additions. <i>Construction and Building Materials</i> , 2012, 31, 300-309.	3.2	177
35	Rheological and hydration characterization of calcium sulfoaluminate cement pastes. <i>Cement and Concrete Composites</i> , 2012, 34, 684-691.	4.6	96
36	Effect of superplasticizers on the hydration kinetic and mechanical properties of Portland cement pastes. <i>Journal of Advanced Research</i> , 2012, 3, 119-124.	4.4	35
37	Effect of nano-SiO <sub>2</sub> and nano-TiO <sub>2</sub> addition on the rheological behavior and the hardened properties of cement mortars. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 532, 354-361.	2.6	210
38	Viscosity and water demand of limestone- and fly ash-blended cement pastes in the presence of superplasticisers. <i>Construction and Building Materials</i> , 2013, 48, 417-423.	3.2	42
39	Disposing used engine oils in concrete – Optimum dosage and compatibility with water reducers. <i>Construction and Building Materials</i> , 2013, 44, 734-742.	3.2	14
40	Effect of polycarboxylate superplasticizers on large amounts of fly ash cements. <i>Construction and Building Materials</i> , 2013, 48, 628-635.	3.2	35
41	Concrete with polymers. , 2013, , 386-436.		10
42	Compatibility between polycarboxylate-based admixtures and blended-cement pastes. <i>Cement and Concrete Composites</i> , 2013, 35, 151-162.	4.6	139
43	Current understanding of comb-like copolymer dispersants impact on the hydration characteristics of C3A-gypsum suspension. <i>Journal of Thermal Analysis and Calorimetry</i> , 2013, 111, 437-444.	2.0	15
44	Rheological and calorimetric behaviour of cements blended with containing ceramic sanitary ware and construction/demolition waste. <i>Construction and Building Materials</i> , 2013, 40, 822-831.	3.2	91
45	Durability of expanded polystyrene mortars. <i>Construction and Building Materials</i> , 2013, 46, 175-182.	3.2	73

#	ARTICLE	IF	CITATIONS
47	Combined Effect of Amorphous Nanosilica and Temperature on White Portland Cement Hydration. Industrial & Engineering Chemistry Research, 2013, 52, 11866-11874.	1.8	11
48	Effect of Polycarboxylate Ether Admixtures on Calcium Aluminate Cement Pastes. Part 2: Hydration Studies. Industrial & Engineering Chemistry Research, 2013, 52, 17330-17340.	1.8	14
49	Comb-Shaped Polymers as Nanostructure Modifiers of Calcium Silicate Hydrate: A <sup>29</sup> Si Solid-State NMR Investigation. Journal of Physical Chemistry C, 2013, 117, 22947-22953.	1.5	21
50	Effect of Polycarboxylate Ether Admixtures on Calcium Aluminate Cement Pastes. Part 1: Compatibility Studies. Industrial & Engineering Chemistry Research, 2013, 52, 17323-17329.	1.8	20
51	Effect of Aminosulphonate Based Superplasticizer on the Properties of Slag Pastes. Advanced Materials Research, 2013, 864-867, 755-758.	0.3	1
52	Adsorption of Calcium Lignosulphonate Water Reducer on Alkali-Activated Slag Cement Pastes. Advanced Materials Research, 2013, 681, 7-10.	0.3	4
53	Synthesis of ethylene glycol phenyl ether acrylate by direct ethoxylation of phenyl acrylate. Designed Monomers and Polymers, 2013, 16, 498-501.	0.7	0
54	Open Access and the Changing Landscape of Research Impact Indicators: New Roles for Repositories. Publications, 2013, 1, 56-77.	1.9	3
55	Influences of PCE Superplasticizer on the Pore Structure and the Impermeability of Hardened Cementitious Materials. Journal of Advanced Concrete Technology, 2014, 12, 443-455.	0.8	9
56	The influence of root-end filling materials on bone healing – an experimental study. Medicine and Pharmacy Reports, 2014, 87, 263-268.	0.2	1
57	The methodology for assessing the impact of new generation superplasticizers on air content in self-compacting concrete. Construction and Building Materials, 2014, 53, 488-502.	3.2	49
58	Synthesis, characterization and performance of a polycarboxylate superplasticizer with amide structure. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2014, 448, 119-129.	2.3	91
59	Compatibility between a polycarboxylate superplasticizer and the belite-rich sulfoaluminate cement: Setting time and the hydration properties. Construction and Building Materials, 2014, 51, 47-54.	3.2	94
60	INFLUENCE OF CEMENT TYPE AND ADMIXTURES ON RHEOLOGICAL PROPERTIES OF CEMENT PASTE / CHEMINIÁ <sup>2</sup> Á@MAIÁ <sup>2</sup> POVEIKIS REOLOGINÁ–MS CEMENTO TEÁLOS SAVYBÁ–MS. Engineering Structures and Technologies, 2014, 5, 175-181.	0.2	3
61	Synthesis of novel polymer nano-particles and their interaction with cement. Construction and Building Materials, 2014, 68, 434-443.	3.2	42
62	Assessment of the interaction of polycarboxylate superplasticizers in hydrated lime pastes modified with nanosilica or metakaolin as pozzolanic reactives. Construction and Building Materials, 2014, 73, 1-12.	3.2	58
63	Effect of different superplasticisers on the physical and mechanical properties of cement grouts. Construction and Building Materials, 2014, 50, 162-168.	3.2	124
64	Influence of superplasticizers on the long-term properties of cement pastes and possible impact on radionuclide uptake in a cement-based repository for radioactive waste. Applied Geochemistry, 2014, 49, 126-142.	1.4	22

#	ARTICLE	IF	CITATIONS
66	Effect of superplasticiser type on the properties of cement grouts. <i>Advances in Cement Research</i> , 2015, 27, 297-307.	0.7	12
67	Superplasticizer for High Strength Concrete. <i>Materials Research Society Symposia Proceedings</i> , 2015, 1768, 44.	0.1	0
68	Effect of Polycarboxylate Ether (PCE) Addition to Physical and Mechanical Characteristics of High Performance Concrete. <i>Advanced Materials Research</i> , 0, 1115, 146-149.	0.3	0
69	Effect of ultrasonication energy on engineering properties of carbon nanotube reinforced cement pastes. <i>Carbon</i> , 2015, 85, 212-220.	5.4	233
70	Adsorption of PCE and PNS superplasticisers on cubic and orthorhombic C3A. Effect of sulfate. <i>Construction and Building Materials</i> , 2015, 78, 324-332.	3.2	43
71	Effects of the addition of nanosilica on the rheology, hydration and development of the compressive strength of cement mortars. <i>Composites Part B: Engineering</i> , 2015, 81, 120-129.	5.9	99
72	Effect of mixing method on microstructure and rheology of cement paste. <i>Construction and Building Materials</i> , 2015, 93, 278-288.	3.2	85
73	Applying Multiwall Carbon Nanotubes for Soil Stabilization. <i>Procedia Engineering</i> , 2015, 102, 1766-1775.	1.2	26
74	Degradation mechanisms of natural fiber in the matrix of cement composites. <i>Cement and Concrete Research</i> , 2015, 73, 1-16.	4.6	253
75	Effect of pre-soaked superabsorbent polymer on shrinkage of high-strength concrete. <i>Materials and Structures/Materiaux Et Constructions</i> , 2015, 48, 2741-2758.	1.3	122
76	Effect of superplasticiser on workability enhancement of Class F and Class C fly ash-based geopolymers. <i>Construction and Building Materials</i> , 2016, 122, 36-42.	3.2	93
77	Influence of high mixing intensity on rheology, hydration, and microstructure of fresh state cement paste. <i>Cement and Concrete Research</i> , 2016, 84, 95-106.	4.6	96
78	Influence of a Superplasticizer on Cement Grinding and Its Activity Reduction During Storage. <i>Procedia Engineering</i> , 2016, 150, 1600-1604.	1.2	6
79	Hydrophobic associated polymer grafted onto nanosilica as a multi-functional fluid loss agent for oil well cement under ultrahigh temperature. <i>RSC Advances</i> , 2016, 6, 91728-91740.	1.7	20
80	Effects of functionality and stereochemistry of small organic molecules on the hydration of tricalcium silicate. <i>Cement and Concrete Research</i> , 2016, 87, 97-104.	4.6	37
81	Applications of sulfonate-carboxylate copolymers in cement. <i>Advances in Cement Research</i> , 2016, 28, 630-642.	0.7	7
82	Tailored setting times with high compressive strengths in bassanite calcium sulfoaluminate eco-cements. <i>Cement and Concrete Composites</i> , 2016, 72, 39-47.	4.6	29
83	Oil swellable polymer modified cement paste: Expansion and crack healing upon oil absorption. <i>Construction and Building Materials</i> , 2016, 114, 98-108.	3.2	29

#	ARTICLE	IF	CITATIONS
84	Kinetic Model of Calcium-Silicate Hydrate Nucleation and Growth in the Presence of PCE Superplasticizers. <i>Crystal Growth and Design</i> , 2016, 16, 646-654.	1.4	33
85	Improvement on microstructure of concrete by polycarboxylate superplasticizer (PCE) and its influence on durability of concrete. <i>Construction and Building Materials</i> , 2016, 110, 293-299.	3.2	82
86	Investigation of viscous behaviour and strength of microfine-cement-based grout mixed with microfine fly ash and superplasticiser. <i>Advances in Cement Research</i> , 2017, 29, 206-215.	0.7	24
87	Rapid determination of complex oil well cement properties using mathematical models. <i>RSC Advances</i> , 2017, 7, 5148-5157.	1.7	5
88	Optimum carbon nanotubesâ€™ content for improving flexural and compressive strength of cement paste. <i>Construction and Building Materials</i> , 2017, 150, 395-403.	3.2	85
89	Hydrophobic associated copolymer as a wide temperature range synthetic cement retarder and its effect on cement hydration. <i>Journal of Applied Polymer Science</i> , 2017, 134, e45242.	1.3	17
90	Effect of fly ash and grading agent on the properties of mortar using response surface methodology. <i>Journal of Building Engineering</i> , 2017, 9, 109-116.	1.6	31
91	Influence of packing density and water film thickness on early-age properties of cement pastes with limestone filler and metakaolin. <i>Materials and Structures/Materiaux Et Constructions</i> , 2017, 50, 1.	1.3	37
92	Properties of Cement-Based Grouts with High Amounts of Ground Granulated Blast-Furnace Slag and Fly Ash. <i>Journal of Materials in Civil Engineering</i> , 2017, 29, .	1.3	34
93	Investigation on fundamental properties of microfine cement and cement-slag grouts. <i>Construction and Building Materials</i> , 2017, 153, 965-974.	3.2	58
94	Impact of the molecular architecture of polycarboxylate superplasticizers on the dispersion of multi-walled carbon nanotubes in aqueous phase. <i>Journal of Materials Science</i> , 2017, 52, 2296-2307.	1.7	49
95	Characterization of Comb-Shaped Copolymers by Multidetector SEC, DLS and SANS. <i>Polymers</i> , 2017, 9, 61.	2.0	22
96	Effect of Methyl Cellulose/Poly(Acrylic Acid) Blends on Physico-Mechanical Properties of Portland Cement Pastes. <i>Oriental Journal of Chemistry</i> , 2017, 33, 450-457.	0.1	5
97	Mixture design and early age investigations of more sustainable UHPC. <i>Construction and Building Materials</i> , 2018, 163, 235-246.	3.2	80
98	Experimental study on performance of cement-based grouts admixed with fly ash, bentonite, superplasticizer and water glass. <i>Construction and Building Materials</i> , 2018, 161, 282-291.	3.2	116
99	Effects of fineness on viscoelasticity of microfine cement-based grouts with fly ash, silica fume and superplasticiser. <i>Advances in Cement Research</i> , 2018, 30, 469-481.	0.7	14
100	Effect of fly ash microsphere on the rheology and microstructure of alkali-activated fly ash/slag pastes. <i>Cement and Concrete Research</i> , 2018, 109, 198-207.	4.6	217
101	Processing and product characteristics of a blended cement grout incorporating polycarboxylate ether superplasticiser. <i>Advances in Cement Research</i> , 2018, 30, 148-158.	0.7	2

#	ARTICLE	IF	CITATIONS
102	Factors influencing the structure build-up of fresh cement asphalt emulsion paste. Road Materials and Pavement Design, 2018, 19, 87-103.	2.0	10
103	Pore Structure and Impermeability of Hardened Cement Pastes. Springer Theses, 2018, , 207-231.	0.0	0
104	Study of the Rheological Behavior of Mortar with Silica Fume and Superplasticizer Admixtures According to the Water Film Thickness. KSCE Journal of Civil Engineering, 2018, 22, 2480-2491.	0.9	13
105	Investigations on compatibility of cement-superplasticizer interaction and its influence on mortar workability incorporating copper slag as fine aggregate. IOP Conference Series: Materials Science and Engineering, 2018, 431, 082009.	0.3	4
106	Crack remediation in mortar via biomineralization: Effects of chemical admixtures on biogenic calcium carbonate. Construction and Building Materials, 2018, 190, 317-325.	3.2	31
107	Effect of cement fineness and polycarboxylate dosage on the rheological and mechanical behavior of a mortar. MATEC Web of Conferences, 2018, 149, 01037.	0.1	0
108	Investigation of Waste Paper Cellulosic Fibers Utilization into Cement Based Building Materials. Buildings, 2018, 8, 43.	1.4	46
109	Effect of chemical admixtures on concrete's electrical resistivity. International Journal of Building Pathology and Adaptation, 2018, 36, 174-187.	0.7	28
110	The influences of quartz content and water-to-binder ratio on the microstructure and hardness of autoclaved Portland cement pastes. Cement and Concrete Composites, 2018, 91, 138-147.	4.6	18
111	Variability in rheology of cemented paste backfill with hydration age, binder and superplasticizer dosages. Advanced Powder Technology, 2018, 29, 2211-2220.	2.0	71
112	Influence of Polycarboxylate Superplasticizer on Rheological Behavior in Cement Paste. Journal Wuhan University of Technology, Materials Science Edition, 2018, 33, 932-937.	0.4	29
113	Characterization of ferrocement slab panels containing lightweight expanded clay aggregate using digital image correlation technique. Construction and Building Materials, 2018, 180, 464-476.	3.2	24
114	Influence of superplasticiser on cement-stabilised self-compacting earth. Proceedings of the Institution of Civil Engineers: Ground Improvement, 2019, 172, 85-95.	0.7	3
115	Reinforcement simulation of water-rich and broken rock with Portland cement-based grout. Construction and Building Materials, 2019, 221, 292-300.	3.2	43
116	Efficient complex activation of Portland cement through processing it in the vortex layer machine. Structural Concrete, 2019, 20, 851-859.	1.5	19
117	Mechanical property and toughening mechanism of water reducing agents modified graphene nanoplatelets reinforced cement composites. Construction and Building Materials, 2019, 226, 699-711.	3.2	56
118	Fresh and hardened state behaviour of aerial lime mortars with superplasticizer. Construction and Building Materials, 2019, 225, 1127-1139.	3.2	24
119	Examining the effects of microencapsulated phase change materials on early-age temperature evolutions in realistic pavement geometries. Cement and Concrete Composites, 2019, 103, 149-159.	4.6	22



#	ARTICLE	IF	CITATIONS
120	Effects of Polycarboxylate Superplasticizers with Different Functional Units on Early Hydration Behavior of Cement Paste. <i>Journal of Materials in Civil Engineering</i> , 2019, 31, 04019041.	1.3	10
121	Synthesis of poly (2-acrylamido-2-methyl propane sulfonic acid) with high water absorbency and absorption under load (AUL) as concrete grade superabsorbent and its performance. <i>Construction and Building Materials</i> , 2019, 206, 540-551.	3.2	35
122	Effect of retarding superplasticizers on the properties of cement paste, mortar and concrete. <i>Asian Journal of Civil Engineering</i> , 2019, 20, 591-601.	0.8	6
123	Fine aggregate substitution with acidified granular activated carbon influences fresh-state and mechanical properties of ordinary Portland cement mortars. <i>Construction and Building Materials</i> , 2019, 207, 59-69.	3.2	11
124	Novel concrete superplasticizers based on phosphate esters. <i>Cement and Concrete Research</i> , 2019, 119, 36-43.	4.6	67
125	Analytical strategies to identify and quantify organic admixtures in functionalized mineral model systems. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 1111-1119.	1.1	0
126	Effect of FC3R on the properties of ultra-high-performance concrete with recycled glass. <i>DYNA (Colombia)</i> , 2019, 86, 84-93.	0.2	34
127	Innovation in Construction Materials-A Review. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 640, 012070.	0.3	14
128	Efficiency of Different Superplasticizers and Retarders on Properties of "One-Part" Fly Ash-Slag Blended Geopolymers with Different Activators. <i>Materials</i> , 2019, 12, 3410.	1.3	44
129	The effectiveness of different superplasticizers in ambient cured one-part alkali activated pastes. <i>Cement and Concrete Composites</i> , 2019, 97, 166-174.	4.6	104
130	Synergistic effect of branched polymer/nano silica on the microstructures of cement paste and their rheological behaviors. <i>Construction and Building Materials</i> , 2019, 201, 159-170.	3.2	23
132	Performance of cement asphalt mortar with nanomaterials. <i>Advances in Cement Research</i> , 2020, 32, 332-341.	0.7	3
133	Absorption conformations in the intercalation process of polycarboxylate ether based superplasticizers into montmorillonite clay. <i>Construction and Building Materials</i> , 2020, 236, 116657.	3.2	19
134	Effect of superplasticizers on properties of one-part Ca(OH) <sub>2</sub> /Na <sub>2</sub> SO <sub>4</sub> activated geopolymer pastes. <i>Construction and Building Materials</i> , 2020, 241, 117990.	3.2	53
135	Processing and characterisation of standard and doped alite-belite-ye'elinite ecocement pastes and mortars. <i>Cement and Concrete Research</i> , 2020, 127, 105911.	4.6	24
136	Rheology control of ultra-high-performance concrete made with different fiber contents. <i>Cement and Concrete Research</i> , 2020, 138, 106222.	4.6	88
137	Development of effective microfine cement-based grouts (EMCG) for porous and fissured strata. <i>Construction and Building Materials</i> , 2020, 262, 120775.	3.2	11
138	Revisiting the concept of characteristic compressive strength of concrete. <i>Construction and Building Materials</i> , 2020, 263, 120126.	3.2	22



#	ARTICLE	IF	CITATIONS
139	Determination of the plastic viscosity of superplasticized cement pastes through capillary viscometers. <i>Construction and Building Materials</i> , 2020, 260, 119715.	3.2	8
140	Factorial design of reactive concrete powder containing electric arc slag furnace and recycled glass powder. <i>DYNÁ (Colombia)</i> , 2020, 87, 42-51.	0.2	27
141	Effective Absorption Capacity Examined by Isothermal Calorimetry: Effect of Pore Structure and Water-to-Cement Ratio. <i>Advances in Materials Science and Engineering</i> , 2020, 2020, 1-8.	1.0	1
142	Properties prediction of environmentally friendly ultra-high-performance concrete using artificial neural networks. <i>European Journal of Environmental and Civil Engineering</i> , 2022, 26, 2319-2343.	1.0	49
143	Influence of high-charge and low-charge PCE-based superplasticizers on Portland cement pastes containing particle-size designed recycled mineral admixtures. <i>Journal of Building Engineering</i> , 2020, 32, 101515.	1.6	4
144	Effect of Functional Superplasticizers on Concrete Strength and Pore Structure. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 3496.	1.3	14
145	Enhancing the eco-efficiency of concrete using engineered recycled mineral admixtures and recycled aggregates. <i>Journal of Cleaner Production</i> , 2020, 257, 120530.	4.6	35
146	The influence of main and side chain densities of PCE superplasticizer on engineering properties and microstructure development of slag and fly ash ternary blended cement concrete. <i>Construction and Building Materials</i> , 2020, 242, 118103.	3.2	19
147	Effects of accelerator and water reducer admixture on performance of cemented paste backfill. <i>Construction and Building Materials</i> , 2020, 242, 118187.	3.2	31
148	High Performance Self-Compacting Concrete with Electric Arc Furnace Slag Aggregate and Cupola Slag Powder. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 773.	1.3	46
149	Combination of Polymeric Superplasticizers, Water Repellents and Pozzolanic Agents to Improve Air Lime-Based Grouts for Historic Masonry Repair. <i>Polymers</i> , 2020, 12, 887.	2.0	13
150	Strength development of cemented tailings materials containing polycarboxylate ether-based superplasticizer: experimental results on the effect of time and temperature. <i>Canadian Journal of Civil Engineering</i> , 2021, 48, 429-442.	0.7	19
151	Effects of adding sugarcane bagasse ash on the properties and durability of concrete. <i>Construction and Building Materials</i> , 2021, 266, 120959.	3.2	53
152	The effect of melted-spherical and crushed CRT funnel glass waste as coarse aggregates on concrete performance. <i>Journal of Building Engineering</i> , 2021, 35, 102035.	1.6	9
153	Mix Design of High-Strength Concrete Incorporating Spherical and Crushed CRT Funnel Glass Waste. <i>IOP Conference Series: Materials Science and Engineering</i> , 2021, 1051, 012061.	0.3	0
154	Improvement of the depolluting and self-cleaning abilities of air lime mortars with dispersing admixtures. <i>Journal of Cleaner Production</i> , 2021, 292, 126069.	4.6	12
155	Effect of bacterial nanocellulose on the fresh and hardened states of oil well cement. <i>Journal of Petroleum Science and Engineering</i> , 2021, 199, 108259.	2.1	10
156	Resting time effect on the rheological behavior of cement paste in presence of superplasticizer. <i>Cement and Concrete Research</i> , 2021, 142, 106347.	4.6	16

#	ARTICLE	IF	CITATIONS
157	<i>K</i>-fold Validation Neural Network Approach for Predicting the One-Day Compressive Strength of UHPC. <i>Advances in Civil Engineering Materials</i> , 2021, 10, 223-243.	0.2	12
158	Impact of selected cement additives and model compounds on the solubility of Nd(III), Th(IV) and U(VI): screening experiments in alkaline NaCl, MgCl <sub>2</sub> and CaCl <sub>2</sub> solutions at elevated ionic strength. <i>Radiochimica Acta</i> , 2021, 109, 431-443.	0.5	4
159	Effects of PCE on the Dispersion of Cement Particles and Initial Hydration. <i>Materials</i> , 2021, 14, 3195.	1.3	14
160	Effect of polycarboxylate ether-based superplasticizer dosage on fresh and hardened properties of cement concrete. <i>IOP Conference Series: Materials Science and Engineering</i> , 2021, 1166, 012013.	0.3	1
161	Stress-strain behavior, elastic modulus, and toughness of the soilcrete modified with powder polymers. <i>Construction and Building Materials</i> , 2021, 295, 123621.	3.2	14
162	Improvement of Quality of Concrete and Reducing Corrosion of Steel Reinforcement by Using Polypropylene Fibers, Styrene-Butadiene Rubber, and Integral Waterproofing Admixture. <i>Key Engineering Materials</i> , 0, 895, 68-76.	0.4	2
163	Rheology of alkali-activated materials: A review. <i>Cement and Concrete Composites</i> , 2021, 121, 104061.	4.6	106
164	Multivariable models to forecast the mechanical properties of polymerized cement paste. <i>Journal of Materials Research and Technology</i> , 2021, 14, 2677-2699.	2.6	10
165	Development of High-Performance Microfine Cementitious Grout with High Amount of Fly Ash, Silica Fume, and Slag. <i>Journal of Materials in Civil Engineering</i> , 2021, 33, .	1.3	6
166	Experimental study using ASTM and BS standards and model evaluations to predict the compressive strength of the cement grouted sands modified with polymer. <i>Case Studies in Construction Materials</i> , 2021, 15, e00600.	0.8	9
167	Effects of Al <sub>2</sub> O <sub>3</sub> nanoparticles on properties of self compacting concrete with ground granulated blast furnace slag (GGBFS) as binder. , 2011, 54, 2327.		1
168	Statistical Optimization of Ultra-High-Performance Glass Concrete. <i>ACI Materials Journal</i> , 2020, 117, .	0.3	26
169	Analysis of Metakaolin as Partial Substitution of Ordinary Portland Cement in Reactive Powder Concrete. <i>Advances in Civil Engineering Materials</i> , 2020, 9, 368-386.	0.2	12
170	Comparison of the effect of superplasticizing admixtures on the processes of cement hydration during mechanochemical activation. <i>Eastern-European Journal of Enterprise Technologies</i> , 2016, 4, 56.	0.3	4
171	A Review of Rheological Modeling of Cement Slurry in Oil Well Applications. <i>Energies</i> , 2020, 13, 570.	1.6	52
174	Modified non-explosive expansive cement for preconditioning deep host rocks: A review. <i>Geomechanics and Geophysics for Geo-Energy and Geo-Resources</i> , 2021, 7, 1.	1.3	10
175	Evaluation of Dispersion of Activated Carbon Fiber in Mortar Using Electrical Resistivity Method. <i>Journal of the Korea Concrete Institute</i> , 2017, 29, 283-290.	0.1	0
177	Preparation and properties of rubberised geopolymer concrete: A review. <i>Construction and Building Materials</i> , 2021, 313, 125504.	3.2	29

#	ARTICLE	IF	CITATIONS
178	Effect of cement fineness and polycarboxylate dosage on the rheological and mechanical behavior of a mortar. MATEC Web of Conferences, 2018, 149, 01037.	0.1	0
180	Towards green concrete: Study the role of waste glass powder on cement/superplasticizer compatibility. Journal of Building Engineering, 2022, 47, 103751.	1.6	13
181	Durability of high-performance self-compacted concrete using electric arc furnace slag aggregate and cupola slag powder. Cement and Concrete Composites, 2022, 127, 104399.	4.6	32
182	A Study of the Replacement of Natural Coarse Aggregate by Spherically-Shaped and Crushed Waste Cathode Ray Tube Glass in Concrete. Journal of Construction Materials, 2020, 2, .	0.4	0
183	Predicción basada en redes neuronales de la resistencia a compresión a los 7 días de los UHPC incorporando SCM. Revista Materia, 2021, 26, .	0.1	0
184	Insight into Saturated Hydraulic Conductivity of Cemented Paste Backfill Containing Polycarboxylate Ether-Based Superplasticizer. Minerals (Basel, Switzerland), 2022, 12, 93.	0.8	1
185	Modeling Flexural and Compressive Strengths Behaviour of Cement-Grouted Sands Modified with Water Reducer Polymer. Applied Sciences (Switzerland), 2022, 12, 1016.	1.3	31
186	Effect of alkoxysilane on early age hydration in portland cement pastes. Journal of Building Engineering, 2022, 50, 104127.	1.6	0
187	Development and Research on Ultra-High-Performance Concrete Dosages in Colombia: A Review. ACI Materials Journal, 2022, 119, .	0.3	3
188	A review on the effects of chemical admixtures on alkali activated concrete. Materials Today: Proceedings, 2022, 65, 846-851.	0.9	4
189	Improving workability and mechanical properties of one-part waste brick power based-binders with superplasticizers. Construction and Building Materials, 2022, 335, 127535.	3.2	6
191	Compatibility of superplasticizers with cement paste and concrete mixes containing Type I and Type V cement, and volcanic ash. Innovative Infrastructure Solutions, 2022, 7, .	1.1	1
192	Effect of Water-Reducing Admixtures Having Hybrid Silicon Air-Entraining Surfactants on Some Properties of Concrete Mixtures. Journal of Materials in Civil Engineering, 2022, 34, .	1.3	1
193	Microstructure tests, flow, and mechanical behavior of polymerized cement mortar. Ain Shams Engineering Journal, 2023, 14, 101922.	3.5	6
194	Retardation mechanism of cement hydration by a comb polyphosphate superplasticizer. Construction and Building Materials, 2022, 352, 128698.	3.2	4
195	Influence of superplasticizer on workability and strength of ambient cured alkali activated mortar. Cleaner Materials, 2022, 6, 100152.	1.9	4
196	Influence of Superplasticizers on the Workability and Mechanical Development of Binary and Ternary Blended Cement and Alkali-Activated Cement. SSRN Electronic Journal, 0, , .	0.4	0
197	Influence of Activators and Admixtures on Rheology of Geopolymer Slurries for Well Cementing Applications. , 2022, , .		5

#	ARTICLE	IF	CITATIONS
198	The Effect of Structural Stability of Chemical Admixtures on the NaOH Alkali-Activated Slag Properties. <i>Journal of Materials in Civil Engineering</i> , 2023, 35, .	1.3	16
199	Influence of superplasticizers on the workability and mechanical development of binary and ternary blended cement and alkali-activated cement. <i>Construction and Building Materials</i> , 2023, 366, 130272.	3.2	7
200	Development of high-volume recycled glass ultra-high-performance concrete with high C3A cement. <i>Case Studies in Construction Materials</i> , 2023, 18, e01906.	0.8	5
201	Effect of Polycarboxylate Superplasticizer in Ordinary Portland Cement and Sulfate Resistant Cement. <i>Journal of Materials in Civil Engineering</i> , 2023, 35, .	1.3	1
202	A review on properties of cement-based composites doped with graphene. <i>Journal of Building Engineering</i> , 2023, 70, 106367.	1.6	11
203	Multi-criterion optimization of Low-Cost, Self-compacted and Eco-Friendly Micro-calcium-carbonate- and Waste-glass-flour-based Ultrahigh-Performance concrete. <i>Construction and Building Materials</i> , 2023, 371, 130793.	3.2	12
204	Bottling Liquidâ€­Like Minerals for Advanced Materials Synthesis. <i>Advanced Materials</i> , 2023, 35, .	11.1	3