

An overview on the degradability of polymer nanocomp

Polymer Degradation and Stability

88, 234-250

DOI: [10.1016/j.polymdegradstab.2004.09.013](https://doi.org/10.1016/j.polymdegradstab.2004.09.013)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Protecting conductive polymer wire from oxidation using an air-impermeable polyisobutylene coating. Thin Solid Films, 2005, 488, 149-152. | 1.8 | 0 |
| 2 | Biodegradable polymers and their layered silicate nanocomposites: In greening the 21st century materials world. Progress in Materials Science, 2005, 50, 962-1079. | 32.8 | 1,417 |
| 3 | Synthesis, polymerization, and effects on the flame retardancy of boron-containing styrenic monomers. Journal of Polymer Science Part A, 2005, 43, 6419-6430. | 2.3 | 19 |
| 4 | The Potential Use of Polymer-Clay Nanocomposites in Food Packaging. International Journal of Food Engineering, 2006, 2, . | 1.5 | 124 |
| 5 | Photo-oxidation of Polyolefin/Clay Composites. Studies in Surface Science and Catalysis, 2006, , 233-236. | 1.5 | 3 |
| 6 | Thermooxidation effects on the structuring of molten polypropylene-clay nanocomposites. Polymer International, 2006, 55, 681-687. | 3.1 | 4 |
| 7 | The influence of silicate-based nano-filler on the fracture toughness of epoxy resin. Engineering Fracture Mechanics, 2006, 73, 2336-2345. | 4.3 | 64 |
| 8 | Study on the antioxidant activities of benzofuranones in melt processing of polypropylene. Polymer Degradation and Stability, 2006, 91, 2888-2893. | 5.8 | 18 |
| 9 | A study on the photo-degradation of zinc oxide (ZnO) filled polypropylene nanocomposites. Polymer, 2006, 47, 3207-3217. | 3.8 | 236 |
| 10 | Nanoindentation behaviour of layered silicate reinforced unsaturated polyester nanocomposites. Polymer Testing, 2006, 25, 846-852. | 4.8 | 85 |
| 11 | Polymers from triglyceride oils. Progress in Polymer Science, 2006, 31, 633-670. | 24.7 | 667 |
| 12 | Silica filled poly(1-trimethylsilyl-1-propyne) nanocomposite membranes: Relation between the transport of gases and structural characteristics. Journal of Membrane Science, 2006, 278, 83-91. | 8.2 | 95 |
| 13 | Synthesis, crosslinking and flame retardance of polymers of boron-containing difunctional styrenic monomers. Reactive and Functional Polymers, 2006, 66, 1047-1054. | 4.1 | 45 |
| 14 | Flame retardancy of polycarbonate-polydimethylsiloxane block copolymer/silica nanocomposites. Journal of Applied Polymer Science, 2006, 101, 3862-3868. | 2.6 | 28 |
| 15 | Biodegradation and the dynamic mechanical properties of starch gelatinization in poly(E-caprolactone)/corn starch blends. Journal of Applied Polymer Science, 2006, 102, 825-832. | 2.6 | 20 |
| 16 | Progressive Deterioration of Thermal Stability of Nanofilled Polypropylene. International Journal of Polymer Analysis and Characterization, 2006, 11, 455-468. | 1.9 | 4 |
| 17 | Preparation and Performance Evaluation of EPDM Nanocomposites under Accelerated Weathering. Journal of Thermoplastic Composite Materials, 2006, 19, 461-474. | 4.2 | 7 |
| 18 | Potential perspectives of bio-nanocomposites for food packaging applications. Trends in Food Science and Technology, 2007, 18, 84-95. | 15.1 | 885 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Behaviour of poly(ethylene:vinyl acetate) and polyether urethane-urea during thermal decomposition. , 2007, , . | | 3 |
| 20 | Synergistic effect of carbon nanotube and clay for improving the flame retardancy of ABS resin. Nanotechnology, 2007, 18, 375602. | 2.6 | 144 |
| 21 | Functional behaviour of polypropylene/ZnOâ€soluble starch nanocomposites. Nanotechnology, 2007, 18, 385702. | 2.6 | 87 |
| 22 | Non-Isothermal Crystallisation Kinetics of In Situ Prepared Poly(É-caprolactone)/Surface-Treated SiO2 Nanocomposites. Macromolecular Chemistry and Physics, 2007, 208, 364-376. | 2.2 | 67 |
| 23 | Thermo-Mechanical Degradation of LDPE-Based Nanocomposites. Macromolecular Materials and Engineering, 2007, 292, 855-862. | 3.6 | 9 |
| 24 | The Effect of <i>Î³</i>-irradiation on the Structure and Properties of Poly(propylene)/Clay Nanocomposites. Macromolecular Materials and Engineering, 2007, 292, 1271-1279. | 3.6 | 20 |
| 25 | Polymer/montmorillonite nanocomposites with improved thermal properties. Thermochimica Acta, 2007, 453, 75-96. | 2.7 | 544 |
| 26 | Comparative study of the effect of different nanoparticles on the mechanical properties and thermal degradation mechanism of in situ prepared poly(Îµ-caprolactone) nanocomposites. Composites Science and Technology, 2007, 67, 2165-2174. | 7.8 | 182 |
| 27 | In situ radical polymerization of methyl methacrylate in a solution of surface modified TiO2 and nanoparticles. European Polymer Journal, 2007, 43, 3719-3726. | 5.4 | 78 |
| 28 | Intrinsically flame retardant epoxy resin â€ Fire performance and background â€ Part I. Polymer Degradation and Stability, 2007, 92, 2223-2230. | 5.8 | 93 |
| 29 | Photodegradation studies of novel biodegradable blends based on poly(ethylene oxide) and pectin. Polymer Degradation and Stability, 2007, 92, 2058-2069. | 5.8 | 43 |
| 30 | Thermal degradation and (nano)mechanical behavior of layered silicate reinforced poly(3-hydroxybutyrate-co-3-hydroxyvalerate) nanocomposites. Polymer Testing, 2007, 26, 652-659. | 4.8 | 87 |
| 31 | Influence of the curing temperature on the structure of epoxy/rectorite nanocomposites studied by positrons. Physica Status Solidi C: Current Topics in Solid State Physics, 2007, 4, 3700-3705. | 0.8 | 2 |
| 32 | Photo-stabilization of EPDMâ€clay nanocomposites: effect of antioxidant on the preparation and durability. Polymers for Advanced Technologies, 2007, 18, 891-900. | 3.2 | 21 |
| 33 | Grafting of polymers from clay nanoparticles via high-dose gamma-ray irradiation. Materials Letters, 2007, 61, 3723-3727. | 2.6 | 13 |
| 34 | Effect of nanoclays on high and low temperature degradation of fluoroelastomers. Polymer Degradation and Stability, 2008, 93, 188-200. | 5.8 | 57 |
| 35 | Natural photo-aging degradation of polypropylene nanocomposites. Polymer Degradation and Stability, 2008, 93, 84-89. | 5.8 | 56 |
| 36 | Application of thermal analysis methods for characterization of polymer/montmorillonite nanocomposites. Journal of Thermal Analysis and Calorimetry, 2008, 93, 677-687. | 3.6 | 120 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Processing and Properties of Mixtures of PHB-V with Post-consumer LDPE. Journal of Polymers and the Environment, 2008, 16, 230-240. | 5.0 | 4 |
| 38 | Emerging biodegradable materials: starch- and protein-based bio-nanocomposites. Journal of Materials Science, 2008, 43, 3058-3071. | 3.7 | 292 |
| 39 | Preparation and characterization of poly(methyl methacrylate) nanocomposites containing octavinyl polyhedral oligomeric silsesquioxane. Polymer Bulletin, 2008, 60, 495-505. | 3.3 | 44 |
| 40 | Photooxidative behavior of polystyrene-montmorillonite nanocomposites. Polymer Engineering and Science, 2008, 48, 1511-1517. | 3.1 | 18 |
| 41 | Highly exfoliated poly(ϵ -caprolactone)/organomontmorillonite nanocomposites prepared by <i>in situ</i> polymerization. Journal of Applied Polymer Science, 2008, 107, 976-984. | 2.6 | 17 |
| 42 | Evaluation of degradation on Nylon-6 and Nylon-6/montmorillonite nanocomposite by color measurement. Journal of Applied Polymer Science, 2008, 108, 3487-3494. | 2.6 | 13 |
| 43 | Changes in crystalline morphology, thermal, and mechanical properties with hydrolytic degradation of immiscible biodegradable PPDx/PCL blends. Journal of Applied Polymer Science, 2008, 110, 3848-3858. | 2.6 | 9 |
| 44 | Influence of γ -Fe ₂ O ₃ nanorods on the thermal stability of poly(methyl methacrylate) synthesized by <i>in situ</i> bulk polymerisation of methyl methacrylate. Polymer Degradation and Stability, 2008, 93, 77-83. | 5.8 | 12 |
| 45 | Processing technologies for poly(lactic acid). Progress in Polymer Science, 2008, 33, 820-852. | 24.7 | 2,233 |
| 46 | A review on polymer-layered silicate nanocomposites. Progress in Polymer Science, 2008, 33, 1119-1198. | 24.7 | 2,225 |
| 47 | High temperature ablation of kaolinite layered silicate/phenolic resin/asbestos cloth nanocomposite. Journal of Hazardous Materials, 2008, 150, 136-145. | 12.4 | 59 |
| 48 | In situ Radical Copolymerization in Presence of Surface-Modified TiO ₂ Nanoparticles: Influence of a Double Modification on Properties of Unsaturated Polyester (UP) Nanocomposites. Journal of Macromolecular Science - Physics, 2008, 47, 472-484. | 1.0 | 10 |
| 49 | Intumescent Flame Retardation of EVA Using Microencapsulated Ammonium Polyphosphate and Pentaerythritols. Polymer-Plastics Technology and Engineering, 2008, 47, 247-254. | 1.9 | 35 |
| 50 | EthyleneVinyl Acetate/Natural Rubber/ Organoclay Nanocomposites: Effect of Sulfur and Peroxide Vulcanization. Journal of Reinforced Plastics and Composites, 2008, 27, 1925-1945. | 3.1 | 22 |
| 51 | Effects of Natural Weathering on Properties of Recycled Newspaper-filled Polypropylene (PP)/Natural Rubber (NR) Composites. Polymer-Plastics Technology and Engineering, 2008, 47, 697-707. | 1.9 | 10 |
| 52 | C ₆₀ reduces the flammability of polypropylene nanocomposites by <i>in situ</i> forming a gelled-ball network. Nanotechnology, 2008, 19, 225707. | 2.6 | 77 |
| 53 | Preparation of poly(methyl methacrylate) grafted titanate nanotubes by <i>in situ</i> atom transfer radical polymerization. Nanotechnology, 2008, 19, 495604. | 2.6 | 12 |
| 54 | Preparation and Characterization of Ethylene Vinyl Acetate (EVA)/Natural Rubber (SMR L)/Organoclay Nanocomposites: Effect of Blending Sequences and Organoclay Loading. Polymer-Plastics Technology and Engineering, 2008, 47, 752-761. | 1.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Preparation of Natural Rubber/Cassava Starch/Organo-montmorillonite Biodegradable Nanocomposite Elastomers. <i>Polymers and Polymer Composites</i> , 2009, 17, 173-179. | 1.9 | 1 |
| 56 | Nanocomposites: synthesis, structure, properties and new application opportunities. <i>Materials Research</i> , 2009, 12, 1-39. | 1.3 | 1,035 |
| 57 | Effects of different preparation methods on the properties of poly[ethylene- <i>co</i> -(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 Additive Technology, 2009, 15, 244-251. | 3.4 | 6 |
| 58 | Novel Applications and Non-Food Uses of Potato. , 2009, , 425-445. | | 2 |
| 59 | Thermal properties of PS/TiO ₂ nanocomposites obtained by in situ bulk radical polymerization of styrene. <i>Materials Letters</i> , 2009, 63, 908-910. | 2.6 | 16 |
| 60 | Supercritical carbon dioxide interpolymer complexes improve survival of <i>B. longum</i> Bb-46 in simulated gastrointestinal fluids. <i>International Journal of Food Microbiology</i> , 2009, 129, 88-92. | 4.7 | 29 |
| 61 | Influence of nanoclay and coupling agent on the physical and mechanical properties of polypropylene/bagasse nanocomposite. <i>Journal of Applied Polymer Science</i> , 2009, 112, 1386-1390. | 2.6 | 41 |
| 62 | Photo-oxidation of polystyrene/clay nanocomposites under accelerated UV exposure: Effect on the structure and molecular weight. <i>Journal of Applied Polymer Science</i> , 2009, 112, 2868-2875. | 2.6 | 17 |
| 63 | Degradation behavior of nanoreinforced epoxy systems under pulse laser. <i>Journal of Applied Polymer Science</i> , 2009, 113, 3156-3164. | 2.6 | 6 |
| 64 | Thermoforming starch- <i>graft</i> -polycaprolactone biocomposites via one-pot microwave assisted ring opening polymerization. <i>Journal of Applied Polymer Science</i> , 2009, 113, 2973-2979. | 2.6 | 27 |
| 65 | Influence of accelerated aging on clay-reinforced polyamide 6. <i>Polymer Degradation and Stability</i> , 2009, 94, 389-396. | 5.8 | 68 |
| 66 | Influence of montmorillonite nano-dispersion on polystyrene photo-oxidation. <i>Polymer Degradation and Stability</i> , 2009, 94, 369-374. | 5.8 | 34 |
| 67 | Study on Biodegradable Starch/OMMT Nanocomposites for Packaging Applications. <i>Journal of Polymers and the Environment</i> , 2009, 17, 203-207. | 5.0 | 46 |
| 68 | Functionalised multi-walled carbon nanotubes for epoxy nanocomposites with improved performance. <i>Polymer International</i> , 2009, 58, 1002-1009. | 3.1 | 20 |
| 69 | Thermal and morphological properties of high-density polyethylene/ethylene-vinyl acetate copolymer composites with polyhedral oligomeric silsesquioxane nanostructure. <i>Polymer International</i> , 2010, 59, 175-180. | 3.1 | 15 |
| 70 | Deterioration in mechanical properties of glass fiber-reinforced nylon 6,6 composites by aqueous calcium chloride mixture solutions. <i>Polymer Composites</i> , 2009, 30, 481-489. | 4.6 | 9 |
| 71 | Photodegradation of EPDM/MWCNT nanocomposites: Effect of singlet oxygen. <i>Polymer Composites</i> , 2009, 30, 855-860. | 4.6 | 8 |
| 72 | Thermal and thermo-oxidative degradation study of a model LDPE/EVA based TPE system: Effect of nano silica and electron beam irradiation. <i>Polymer Composites</i> , 2010, 31, 1387-1397. | 4.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Poly(cyclohexene oxide)/clay nanocomposites by photoinitiated cationic polymerization via activated monomer mechanism. Journal of Polymer Science Part A, 2009, 47, 5328-5335. | 2.3 | 54 |
| 74 | Ablation mechanism of polymer layered silicate nanocomposite heat shield. Journal of Hazardous Materials, 2009, 166, 445-454. | 12.4 | 96 |
| 75 | Comparing the effect of nanofillers as thermal stabilizers in low density polyethylene. Polymer Degradation and Stability, 2009, 94, 39-48. | 5.8 | 86 |
| 76 | Influence of cubic γ -Fe ₂ O ₃ particles on the thermal stability of poly(methyl methacrylate) synthesized by in situ bulk polymerization. Polymer Degradation and Stability, 2009, 94, 701-704. | 5.8 | 11 |
| 77 | The release of TiO ₂ and SiO ₂ nanoparticles from nanocomposites. Polymer Degradation and Stability, 2009, 94, 873-876. | 5.8 | 134 |
| 78 | Biodegradation of poly(lactic acid) and its nanocomposites. Polymer Degradation and Stability, 2009, 94, 1646-1655. | 5.8 | 299 |
| 79 | Mesua ferrea L. seed oil based highly thermostable and biodegradable polyester/clay nanocomposites. Polymer Degradation and Stability, 2009, 94, 2221-2230. | 5.8 | 46 |
| 80 | The influence of CB loading on thermal aging resistance of SBR and NBR rubber compounds under different aging temperature. Materials & Design, 2009, 30, 791-795. | 5.1 | 62 |
| 81 | Nanoscale particles for polymer degradation and stabilization—Trends and future perspectives. Progress in Polymer Science, 2009, 34, 479-515. | 24.7 | 560 |
| 82 | Mechanical properties of NBR/clay nanocomposites by using a novel testing system. Composites Science and Technology, 2009, 69, 2566-2572. | 7.8 | 25 |
| 83 | Preparation and characterization of PVC/montmorillonite nanocomposites—A review. Journal of Vinyl and Additive Technology, 2009, 15, 61-76. | 3.4 | 25 |
| 84 | Tailored Polyethylene Nanocomposite Sealants: Broad-Range Peelable Heat-Seals Through Designed Filler/Polymer Interfaces. Journal of Adhesion Science and Technology, 2009, 23, 709-737. | 2.6 | 18 |
| 85 | Fabrication and characterization of in situ synthesized nano-CaCo ₃ -reinforced polypropylene composite materials. Journal of Vinyl and Additive Technology, 2009, 15, 178-183. | 3.4 | 5 |
| 86 | Polymer Nanocomposite Flammability and Flame Retardancy. , 2009, , 107-136. | | 1 |
| 87 | Polypropylene nanocomposites using metallocene catalysts supported on commercial organophilic clays. Polymer Bulletin, 2010, 64, 221-231. | 3.3 | 11 |
| 88 | Structure effect of benzofuranone on the antioxidant activity in polypropylene. Polymer Degradation and Stability, 2010, 95, 2076-2081. | 5.8 | 10 |
| 89 | Environmental and resource aspects of sustainable biocomposites. Polymer Degradation and Stability, 2010, 95, 2147-2161. | 5.8 | 147 |
| 90 | Rheological and morphological properties of PA6/ECO nanocomposites. Rheologica Acta, 2010, 49, 1015-1027. | 2.4 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Effect of hydrogen donating ability of benzofuranone on the antioxidant activity. Science Bulletin, 2010, 55, 27-31. | 1.7 | 2 |
| 92 | Polychloroprene Degradation by Photo-Fenton. Conductivity Measures as New Approach for Detecting/Evaluation of Degradation Products. Journal of Polymers and the Environment, 2010, 18, 668-673. | 5.0 | 13 |
| 93 | Environmentally Friendly Methodology for Preparation of Amino Acid Containing Polyamides. Journal of Polymers and the Environment, 2010, 18, 705-713. | 5.0 | 15 |
| 94 | Effects of carbon nanotubes and its functionalization on the thermal and flammability properties of polypropylene/wood flour composites. Journal of Materials Science, 2010, 45, 3520-3528. | 3.7 | 56 |
| 95 | Prolonging the combustion duration of wood by TiO ₂ coating synthesized using cosolvent-controlled hydrothermal method. Journal of Materials Science, 2010, 45, 6661-6667. | 3.7 | 36 |
| 96 | Effect of ultrasonication medium on the properties of copper nanoparticle-filled epoxy composite for electrical conductive adhesive (ECA) application. Journal of Materials Science: Materials in Electronics, 2010, 21, 772-778. | 2.2 | 22 |
| 97 | The effect of trimethylol propane tetraacrylate (TMPTA) and organoclay loading on the properties of electron beam irradiated ethylene vinyl acetate (EVA)/natural rubber (SMR L)/organoclay nanocomposites. Journal of Applied Polymer Science, 2010, 117, 865-874. | 2.6 | 6 |
| 98 | Effect of nanoTiO ₂ addition on poly(methyl methacrylate): An exciting nanocomposite. Journal of Applied Polymer Science, 2010, 116, 3396-3407. | 2.6 | 18 |
| 99 | Starch esters with improved mechanical properties through melt compounding with nanoclays. Journal of Applied Polymer Science, 2010, 118, 503-510. | 2.6 | 18 |
| 100 | Properties improvement of PMMA using nano TiO ₂ . Journal of Applied Polymer Science, 2010, 118, 2890-2897. | 2.6 | 84 |
| 101 | Effect of the Hierarchical Structure in Poly(propylene)/Clay Composites on their Thermal Stability: From Single- to Multi-Step Degradation Processes. Macromolecular Materials and Engineering, 2010, 295, 48-57. | 3.6 | 11 |
| 102 | Improving the Thermal Behavior of Poly(propylene) by Addition of Spherical Silica Nanoparticles. Macromolecular Materials and Engineering, 2010, 295, 899-905. | 3.6 | 37 |
| 103 | Polymer/layered silicate (clay) nanocomposites: An overview of flame retardancy. Progress in Polymer Science, 2010, 35, 902-958. | 24.7 | 956 |
| 104 | Nanocomposites: Industrial opportunity or challenge?. Polymer Degradation and Stability, 2010, 95, 369-373. | 5.8 | 81 |
| 105 | Accelerating effect of montmorillonite on oxidative degradation of polyethylene nanocomposites. Polymer Degradation and Stability, 2010, 95, 672-676. | 5.8 | 75 |
| 106 | Effects of melt processing conditions on photo-oxidation of PP/PPgMA/OMMT composites. Polymer Degradation and Stability, 2010, 95, 1800-1809. | 5.8 | 13 |
| 107 | Effect of natural weather on the structure and properties of polylactide/Cloisite 30B nanocomposites. Polymer Degradation and Stability, 2010, 95, 1751-1758. | 5.8 | 127 |
| 108 | Biodegradable polymer matrix nanocomposites for tissue engineering: A review. Polymer Degradation and Stability, 2010, 95, 2126-2146. | 5.8 | 823 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Effect of sepiolite on the biodegradation of poly(lactic acid) and polycaprolactone. Polymer Degradation and Stability, 2010, 95, 2049-2056. | 5.8 | 99 |
| 110 | Investigating the role of transreactions on degradation behavior of phenoxy/poly(trimethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 59-66. | 2.7 | 16 |
| 111 | Fabrication and properties of nano-ZnO/glass-fiber-reinforced polypropylene composites. Journal of Vinyl and Additive Technology, 2010, 16, 189-194. | 3.4 | 7 |
| 112 | New Nanocomposites Based on Epoxy Resins Reinforced with Modified Montmorillonite. International Journal of Polymer Analysis and Characterization, 2010, 15, 497-508. | 1.9 | 12 |
| 113 | A Facile Method for Preparation of Thermoplastic Starch/Urea Modified Montmorillonite Nanocomposites. Journal of Composite Materials, 2010, 44, 27-39. | 2.4 | 16 |
| 115 | Biodegradable Bovine Gelatin/Na ⁺ -Montmorillonite Nanocomposite Films. Structure, Barrier and Dynamic Mechanical Properties. Polymer-Plastics Technology and Engineering, 2010, 49, 581-588. | 1.9 | 59 |
| 117 | Photo-Oxidative Degradation of Poly(vinyl Chloride) Based Nanocomposites Under Ultraviolet Irradiation. Journal of Dispersion Science and Technology, 2010, 31, 1167-1172. | 2.4 | 8 |
| 118 | Montmorillonite Clay-Based Polyurethane Nanocomposite As Local Triamcinolone Acetonide Delivery System. Journal of Nanomaterials, 2011, 2011, 1-11. | 2.7 | 25 |
| 119 | Curing Characteristics, Mechanical, Thermal, and Morphological Properties of Halloysite Nanotubes (HNTs)-Filled Natural Rubber Nanocomposites. Polymer-Plastics Technology and Engineering, 2011, 50, 681-688. | 1.9 | 27 |
| 121 | Natural Fibre-Reinforced Polymer Composites and Nanocomposites for Automotive Applications. , 2011, , 661-700. | | 37 |
| 124 | Cellulose Fibers: Bio- and Nano-Polymer Composites. , 2011, , . | | 223 |
| 125 | Synthesis of polylactide/clay composites using structurally different kaolinites and kaolinite nanotubes. Applied Clay Science, 2011, 51, 102-109. | 5.2 | 96 |
| 126 | High-performance hybrid materials prepared by the thermo-reversible Diels-Alder polymerization of furfuryl ester-terminated butylene succinate oligomers and maleimide compounds. Polymer Journal, 2011, 43, 455-463. | 2.7 | 15 |
| 127 | Morphology of Penicillium funiculosum During Biodegradation of Poly (l ² -hydroxybutyrate-co-l ² -hydroxyvalerate) [PHBV] with Poly (l ² -Caprolactone) [PCL] Blends. Journal of Polymers and the Environment, 2011, 19, 834-840. | 5.0 | 3 |
| 128 | Nanocomposites for Vehicle Structural Applications. , 2011, , . | | 7 |
| 129 | Flame retardant polymer nanocomposites with fullerenes as filler. , 0, , 276-313. | | 1 |
| 131 | Evaluation of physico-chemical properties of plasma treated PS-TiO ₂ nanocomposite film. Surface and Coatings Technology, 2011, 206, 947-950. | 4.8 | 10 |
| 132 | Influence of cellulose nanowhiskers on the hydrolytic degradation behavior of poly(d,l-lactide). Polymer Degradation and Stability, 2011, 96, 1631-1638. | 5.8 | 78 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 133 | Mesua ferrea L. seed oil based acrylate-modified thermostable and biodegradable highly branched polyester resin/clay nanocomposites. Progress in Organic Coatings, 2011, 72, 676-685. | 3.9 | 7 |
| 134 | Ethylene Vinyl Acetate and Polycaprolactoneâ€“Organoclay Nanocomposite: Thermal, Mechanical and Morphological Properties. Journal of Inorganic and Organometallic Polymers and Materials, 2011, 21, 229-236. | 3.7 | 19 |
| 135 | Synthesis of a novel intumescent flame retardant and its flame retardancy in polypropylene. Journal of Polymer Research, 2011, 18, 425-433. | 2.4 | 36 |
| 136 | Study of the thermal stabilization mechanism of biodegradable poly(L-lactide)/silica nanocomposites. Polymer International, 2011, 60, 202-210. | 3.1 | 65 |
| 137 | Synthesis and characterization of thermoplastic composites filled with Î³-FeOOH-boehmite for fire resistance. Fire and Materials, 2011, 35, 491-504. | 2.0 | 10 |
| 138 | UV-curable nanocomposites containing zirconium vinylphosphonate or zirconia. Journal of Applied Polymer Science, 2011, 119, 1820-1826. | 2.6 | 4 |
| 139 | Effect of the extensional flow on the properties of oriented nanocomposite films for twist wrapping. Journal of Applied Polymer Science, 2011, 120, 2772-2779. | 2.6 | 4 |
| 140 | Composites of polypropylene melt blended with synthesized silica nanoparticles. Composites Science and Technology, 2011, 71, 535-540. | 7.8 | 69 |
| 141 | Thermophysical and rheological behavior of polystyrene/silica nanocomposites: Investigation of nanoparticle content. Materials & Design, 2011, 32, 4537-4542. | 5.1 | 54 |
| 142 | Structureâ€“property relationships in polyamide 12/halloysite nanotube nanocomposites. Polymer Degradation and Stability, 2011, 96, 226-235. | 5.8 | 129 |
| 143 | Characterisation of roof tile coating degradation using nano-indentation test and surface profilometry. Polymer Degradation and Stability, 2011, 96, 833-838. | 5.8 | 9 |
| 144 | The effects of reprocessing cycles on the structure and properties of isotactic polypropylene/cloisite 15A nanocomposites. Polymer Degradation and Stability, 2011, 96, 1064-1073. | 5.8 | 74 |
| 145 | Polychloroprene nanocomposites filled with different organically modified clays: Morphology, thermal degradation and stress relaxation behaviour. Polymer Testing, 2011, 30, 585-593. | 4.8 | 20 |
| 146 | Preparation and thermal properties of polystyrene/silica nanocomposites. Thermochimica Acta, 2011, 515, 1-5. | 2.7 | 61 |
| 147 | Can nanoparticles really enhance thermal stability of polymers? Part I: An overview on thermal decomposition of addition polymers. Thermochimica Acta, 2011, 523, 1-24. | 2.7 | 380 |
| 148 | Can nanoparticles really enhance thermal stability of polymers? Part II: An overview on thermal decomposition of polycondensation polymers. Thermochimica Acta, 2011, 523, 25-45. | 2.7 | 214 |
| 149 | Electrospun nanofibers for food packaging applications. , 2011, , 108-125. | | 29 |
| 150 | Synthesis and Properties of Diphenylquinoxaline as Electron-Transporting Materials. Materials Science Forum, 0, 687, 183-188. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 152 | Preparation and foaming extrusion behavior of polylactide acid/polybutylene succinate/montmorillonoid nanocomposite. Journal of Cellular Plastics, 2012, 48, 191-205. | 2.4 | 36 |
| 153 | Thermal Properties and Combustion Behaviors of Polystyrene/Surface-Modified TiO ₂ Nanotubes Nanocomposites. Polymer-Plastics Technology and Engineering, 2012, 51, 647-653. | 1.9 | 16 |
| 154 | A Study on Luminescence Enhancement in Ion Irradiated TiO ₂ /Poly(methyl) Tj ETQqO 0 0 rgBT./Overlock 10 Tf 50 | 0.3 | 2 |
| 155 | Kinetics of the thermal and thermo-oxidative degradation of polypropylene/halloysite nanocomposites. Polymer Degradation and Stability, 2012, 97, 1745-1754. | 5.8 | 33 |
| 156 | Abiotic degradation of poly(dl-lactide), poly(É-caprolactone) and their blends. Polymer Degradation and Stability, 2012, 97, 2347-2355. | 5.8 | 23 |
| 157 | New Biopolymer Nanocomposite of Starch-Graft Polystyrene/Montmorillonite Clay Prepared Through Emulsion Polymerization Method. Journal of Polymers and the Environment, 2012, 20, 794-800. | 5.0 | 31 |
| 158 | Thermal stability of styreneâ€“(ethylene butylene)â€“styrene-based elastomer composites modified by liquid crystalline polymer, clay, and carbon nanotube. Journal of Thermal Analysis and Calorimetry, 2012, 110, 1395-1406. | 3.6 | 20 |
| 159 | Synthesis and structural reactivity of inorganicâ€“organic hybrid nanocomposites â€“ A review. Journal of Saudi Chemical Society, 2012, 16, 339-352. | 5.2 | 39 |
| 160 | Polymer nanocomposites for aerospace applications. , 2012, , 472-539. | | 39 |
| 161 | Biotic degradation of poly(dl-lactide) based nanocomposites. Polymer Degradation and Stability, 2012, 97, 1278-1284. | 5.8 | 27 |
| 162 | The comparative kinetic analysis of non-isothermal degradation process of acrylonitrileâ€“butadiene/ethyleneâ€“propyleneâ€“diene rubber blends reinforced with carbon black/silica fillers. Part II. Thermochimica Acta, 2012, 543, 304-312. | 2.7 | 24 |
| 163 | Effects of poss nanoparticles on ABSâ€“i>g</i>â€“Ma thermo oxidation resistance. Polymer Composites, 2012, 33, 1707-1718. | 4.6 | 7 |
| 164 | Molecular-level modeling and experimental investigation into the high performance nature and low hysteresis of thermoplastic polyurethane/multi-walled carbon nanotube nanocomposites. Polymer, 2012, 53, 5788-5797. | 3.8 | 31 |
| 165 | Critical Role of Spherulite Structure on Behavior of Stabilizers in Poly(propylene) Stabilization. Macromolecular Symposia, 2012, 312, 146-156. | 0.7 | 5 |
| 166 | New Composite Materials in the Technology for Drinking Water Purification from Ionic and Colloidal Pollutants. , 2012, , . | | 4 |
| 167 | Application of Acrylonitrile Butadiene Rubber for Management of Industrial Waste Silica. Journal of Material Science & Engineering, 2012, 01, . | 0.2 | 0 |
| 168 | Investigation of photoâ€“oxidative effect on morphology and degradation of mechanical and physical properties of nano CaCO ₃ silicone rubber composites. Polymers for Advanced Technologies, 2012, 23, 236-246. | 3.2 | 38 |
| 169 | The role of nanofillers on the degradation behavior of polylactic acid. Polymer Composites, 2012, 33, 282-294. | 4.6 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 170 | Kinetic analysis of nonisothermal degradation of acrylonitrile-butadiene/ethylene-propylene diene rubber blends reinforced with carbon black filler. <i>Polymer Composites</i> , 2012, 33, 1233-1243. | 4.6 | 4 |
| 171 | Preparation and properties of cellulose-based nano composites of clay and polypropylene. <i>Journal of Applied Polymer Science</i> , 2012, 125, E651. | 2.6 | 18 |
| 172 | On the swelling of polychloroprene/MMT nanocomposite films. <i>Journal of Applied Polymer Science</i> , 2012, 125, 2986-2992. | 2.6 | 3 |
| 173 | Effect of surface modification with 3-aminopropyltriethoxy silane on mechanical and crystallization performances of ZnO/poly(butylene succinate) composites. <i>Composites Part B: Engineering</i> , 2012, 43, 2209-2216. | 12.0 | 23 |
| 174 | Effect of titanium dioxide on the thermal ageing of polypropylene. <i>Polymer Degradation and Stability</i> , 2012, 97, 615-620. | 5.8 | 53 |
| 175 | Influence of nanoclays on the photochemical behaviour of poly(vinyl alcohol). <i>Polymer Degradation and Stability</i> , 2012, 97, 488-495. | 5.8 | 31 |
| 176 | Thermal degradation kinetics of PP/OMMT nanocomposites with mPE and EVA. <i>Polymer Degradation and Stability</i> , 2012, 97, 729-737. | 5.8 | 18 |
| 177 | Antioxidant activity in aluminium oxide-poly(ethylene-co-butyl acrylate) nanocomposites. <i>Polymer Degradation and Stability</i> , 2012, 97, 1017-1025. | 5.8 | 15 |
| 178 | Multifunctional TiO ₂ coatings for Cultural Heritage. <i>Progress in Organic Coatings</i> , 2012, 74, 186-191. | 3.9 | 188 |
| 179 | Biodegradable poly(L-lactic acid)/TiO ₂ nanocomposites: Thermal properties and degradation. <i>Journal of Applied Polymer Science</i> , 2012, 123, 2187-2193. | 2.6 | 84 |
| 180 | Biodegradable supramolecular composites of poly(ϵ -caprolactone) and low molecular weight organic gelators. <i>Journal of Applied Polymer Science</i> , 2012, 124, 4165-4173. | 2.6 | 3 |
| 181 | Preparation and properties of a novel electrically conductive adhesive using a composite of silver nanorods, silver nanoparticles, and modified epoxy resin. <i>Journal of Materials Science: Materials in Electronics</i> , 2012, 23, 108-114. | 2.2 | 34 |
| 182 | Construction, Characterization and Biological Activity of Chiral and Thermally Stable Nanostructured Poly(Ester-Imide)s as Tyrosine-Containing Pseudo-Poly(Amino Acid)s. <i>Journal of Polymers and the Environment</i> , 2012, 20, 117-123. | 5.0 | 9 |
| 183 | The photodegradation and biodegradation of rEPS/curaua fiber composites. <i>Polymer Composites</i> , 2013, 34, 967-977. | 4.6 | 13 |
| 184 | Incorporation of TiO ₂ nanoparticles in PVC/ENR blends. , 2013, , . | | 5 |
| 185 | Kinetic effects of silica nanoparticles on thermal and radiation stability of polyolefins. <i>Polymer Bulletin</i> , 2013, 70, 2981-2994. | 3.3 | 12 |
| 187 | Effect of Stabilization Condition on PEI/PVP-Based Carbon Hollow Fiber Membranes Properties. <i>Separation Science and Technology</i> , 2013, 48, 1030-1039. | 2.5 | 25 |
| 188 | Effects of gamma irradiation on resistivity and absorption currents in nanocomposites based on thermoplastic polymers. , 2013, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 189 | Mechanical, thermal, and electrical conducting properties of CNTs/bioâ€degradable polymer thin films. Journal of Applied Polymer Science, 2013, 129, 1249-1255. | 2.6 | 10 |
| 190 | Biocorrosion and osteoconductivity of PCL/nHAp composite porous film-based coating of magnesium alloy. Solid State Sciences, 2013, 18, 131-140. | 3.2 | 63 |
| 191 | The effects of gamma irradiation on the morphology and properties of polylactide/Cloisite 30B nanocomposites. Polymer Degradation and Stability, 2013, 98, 348-355. | 5.8 | 43 |
| 192 | Preparation, characterization, and thermal properties of organoclay hybrids based on trifunctional natural amino acids. Journal of Thermal Analysis and Calorimetry, 2013, 111, 611-618. | 3.6 | 15 |
| 193 | Effect of clay type and loading on thermal, mechanical properties and biodegradation of poly(lactic) Tj ETQq0 0 0 rgBT /Overlook 10 Tf 5 | 4.1 | 92 |
| 194 | Non-Gaussian behavior of self-assembled thermoplastic polyurethane elastomers synthesized using two-step polymerization and investigated using constant-strain stress relaxation and molecular modeling techniques. European Polymer Journal, 2013, 49, 439-451. | 5.4 | 21 |
| 195 | Thermal and flammability properties of polyethersulfone/halloysite nanocomposites prepared by melt compounding. Polymer Degradation and Stability, 2013, 98, 1993-2004. | 5.8 | 53 |
| 196 | Polymer degradation during the melt processing of clay reinforced polycarbonate nanocomposites. Polymer Degradation and Stability, 2013, 98, 1110-1117. | 5.8 | 18 |
| 197 | Thermal stability and degradation of diglycidyl ether of bisphenol A epoxy modified with different nanoclays exposed to UV radiation. Polymer Degradation and Stability, 2013, 98, 759-770. | 5.8 | 53 |
| 198 | Microencapsulation of APPâ€ and influence of microencapsulated APPâ€ on microstructure and flame retardancy of PP/APPâ€/PER composites. Journal of Applied Polymer Science, 2013, 129, 36-46. | 2.6 | 21 |
| 200 | Influence of Aminosilane Coupling Agent on Aromatic Polyamide/Intercalated Clay Nanocomposites. Industrial & Engineering Chemistry Research, 2013, 52, 6908-6915. | 3.7 | 28 |
| 201 | Change in the Properties of Linear Low-Density Polyethylene (LLDPE)/Montmorillonite Clay Nanocomposites after a Fuel-Aging Process. Industrial & Engineering Chemistry Research, 2013, 52, 7382-7390. | 3.7 | 3 |
| 202 | Comparison of abiotic and biotic degradation of PDLLA, PCL and partially miscible PDLLA/PCL blend. European Polymer Journal, 2013, 49, 706-717. | 5.4 | 61 |
| 203 | Influence of Keratin on Polylactic Acid/Chitosan Composite Properties. Behavior upon Accelerated Weathering. Industrial & Engineering Chemistry Research, 2013, 52, 9822-9833. | 3.7 | 48 |
| 204 | Soft ionization mass spectroscopy: Insights into the polymerization mechanism. Journal of Polymer Science Part A, 2013, 51, 1475-1505. | 2.3 | 25 |
| 205 | Bio-nanocomposites for food packaging applications. Progress in Polymer Science, 2013, 38, 1629-1652. | 24.7 | 1,490 |
| 206 | Effect of C16TMA contents on the thermal stability of organo-bentonites: In situ X-ray diffraction analysis. Thermochimica Acta, 2013, 551, 7-13. | 2.7 | 17 |
| 207 | Preparation and Characterization of Polystyrene/TiO₂ Core-Shell Nanospheres via Suspension Technique. Advanced Materials Research, 2013, 829, 120-125. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 208 | Degradation of polymer films. <i>Soft Matter</i> , 2013, 9, 344-358. | 2.7 | 39 |
| 209 | Molecular dynamics simulation on interacting and mechanical properties of polylactic acid and attapulgite(100) surface. <i>Journal of Applied Polymer Science</i> , 2013, 128, 3043-3049. | 2.6 | 15 |
| 210 | Electrospinning fabrication of polyvinyl alcohol and polyvinyl pyrrolidone/Sm(NO ₃) ₃ -Sm ₂ O ₃ composites nanofibers. <i>Journal of Composite Materials</i> , 2013, 47, 1575-1581. | 2.4 | 5 |
| 211 | Surface Modification and Characterization of Photodegradable Polystyrene-TiO ₂ Nanocomposites. <i>Applied Mechanics and Materials</i> , 2013, 372, 128-131. | 0.2 | 0 |
| 212 | Heterocyclic and aromatic based polyurethane scaffolds: morphology and crystallinity studied by X-ray diffraction, small-angle X-ray scattering and differential scanning calorimetry. <i>Journal of Applied Crystallography</i> , 2013, 46, 980-992. | 4.5 | 6 |
| 213 | Studies in Finishing Effects of Clay Mineral in Polymers and Synthetic Fibers. <i>Advances in Materials Science and Engineering</i> , 2013, 2013, 1-13. | 1.8 | 14 |
| 214 | Synergistic effect of DOPO immobilized silica nanoparticles in the intumescent flame retarded polypropylene composites. <i>Polymers for Advanced Technologies</i> , 2013, 24, 732-739. | 3.2 | 52 |
| 215 | Characterization of in situ prepared nanocomposites of PS and TiO ₂ nanoparticles surface modified with alkyl gallates: Effect of alkyl chain length. <i>Polymer Composites</i> , 2013, 34, 399-407. | 4.6 | 12 |
| 216 | Anticorrosion epoxy coating enriched with hybrid nanozinc dust and halloysite nanotubes. <i>Journal of Applied Polymer Science</i> , 2013, 130, 955-960. | 2.6 | 26 |
| 217 | Clay dispersion effects on excimer laser ablation of polymer-clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2013, 130, 2336-2344. | 2.6 | 4 |
| 218 | Effect of Environmental Conditions on the Mechanical Properties and Fungal Degradation of Polycaprolactone/ Microcrystalline Cellulose/Wood Flour Composites. <i>BioResources</i> , 2013, 8, . | 1.0 | 27 |
| 219 | Degradation Behaviour of Natural Rubber Layered Silicate Nanocomposites. <i>Progress in Rubber, Plastics and Recycling Technology</i> , 2013, 29, 1-20. | 1.8 | 4 |
| 220 | Degradation Behavior and Accelerated Weathering of Composite Boards Produced from Waste Tetra Pak® Packaging Materials. <i>BioResources</i> , 2014, 9, . | 1.0 | 17 |
| 221 | Hybrid Effect of Nanosilicates and MWNT on Mechanical, Thermal, and Dynamic Mechanical Properties of Polypropylene. <i>Chinese Journal of Engineering</i> , 2014, 2014, 1-8. | 1.0 | 3 |
| 222 | Photostabilization of polypropylene by surface modified rutile-type TiO ₂ nanorods. <i>Journal of Applied Polymer Science</i> , 2014, 131, . | 2.6 | 20 |
| 223 | The Development and Commercialization of Biobased, Biodegradable Plastics in China. <i>Industrial Biotechnology</i> , 2014, 10, 73-78. | 0.8 | 1 |
| 224 | Thermooxidative degradation of injection-moulded sepiolite/polyamide 66 nanocomposites. <i>Mineralogical Magazine</i> , 2014, 78, 1227-1239. | 1.4 | 6 |
| 225 | Carbon Nanofibers-Poly-3-hydroxyalkanoates Nanocomposite: Ultrasound-Assisted Dispersion and Thermostructural Properties. <i>Journal of Nanomaterials</i> , 2014, 2014, 1-10. | 2.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 226 | A Review on the Study of the Generation of (Nano)particles Aerosols during the Mechanical Solicitation of Materials. Journal of Nanomaterials, 2014, 2014, 1-16. | 2.7 | 19 |
| 227 | Effect of organomodified montmorillonite concentration on tensile and flow properties of low-density polyethylene/thermoplastic corn starch blends. Journal of Thermoplastic Composite Materials, 2014, 27, 1022-1036. | 4.2 | 13 |
| 228 | Clay-induced degradation during the melt reprocessing of waste polycarbonate. Journal of Applied Polymer Science, 2014, 131, . | 2.6 | 2 |
| 229 | Structural and thermal properties of HDPE/n-AlN polymer nanocomposites. Journal of Thermal Analysis and Calorimetry, 2014, 118, 1513-1530. | 3.6 | 18 |
| 230 | Polymer-Montmorillonite Nanocomposites Through Controlled Radical Polymerization Using (4-Vinylbenzyl) Triethylammonium Anchored Organo-Montmorillonite. Journal of Macromolecular Science - Pure and Applied Chemistry, 2014, 51, 931-940. | 2.2 | 3 |
| 231 | Nanocomposites films based on soy proteins and montmorillonite processed by casting. Journal of Membrane Science, 2014, 449, 15-26. | 8.2 | 121 |
| 232 | Aliphatic polycarbonate-based polyurethane nanostructured materials. The influence of the composition on thermal stability and degradation. Composites Part B: Engineering, 2014, 58, 496-501. | 12.0 | 23 |
| 233 | Thermal performance of poly(ethylene disulfide)/expanded graphite nanocomposites. Journal of Thermal Analysis and Calorimetry, 2014, 117, 525-535. | 3.6 | 32 |
| 234 | Photostability of organic materials used in polymer solar cells. Polymer International, 2014, 63, 1335-1345. | 3.1 | 93 |
| 235 | Furan resin as a replacement of phenolics: influence of the clay addition on its thermal degradation and fire behaviour. Fire and Materials, 2014, 38, 683-694. | 2.0 | 9 |
| 236 | Biopolymer and biosurfactant-graft-calcium sulfate/polystyrene nanocomposites: Thermophysical, mechanical and biodegradation studies. Polymer Degradation and Stability, 2014, 107, 37-52. | 5.8 | 16 |
| 237 | Biodegradation assessment of PLA and its nanocomposites. Environmental Science and Pollution Research, 2014, 21, 9477-9486. | 5.3 | 23 |
| 238 | Enhancement of thermal stability and degradation kinetics study of poly(vinyl alcohol)/zinc oxide nanoparticles composite. Journal of Thermoplastic Composite Materials, 2014, 27, 160-166. | 4.2 | 10 |
| 240 | Degradation Behavior of Nanocomposite Polymer Blends. , 2014, , 423-447. | | 1 |
| 241 | Effect of dendrimer-like PAMAM grafted attapulgite on the microstructure and morphology of Nylon. Polymer Composites, 2014, 35, 627-635. | 4.6 | 9 |
| 242 | Characterization and improved electrical conductivity of partially biodegradable polyaniline/poly(1,4-butylene succinate) polymer composite films. Polymer Composites, 2014, 35, 2010-2017. | 4.6 | 9 |
| 243 | Effects of ethylene octene copolymer and ultrafine wollastonite on the properties and morphology of polypropylene-based composites. Journal of Elastomers and Plastics, 2014, 46, 175-186. | 1.5 | 10 |
| 244 | Versatile strategy for fabrication of polypropylene nanocomposites with inorganic network structures based on catalyzed in-situ sol-gel reaction during melt mixing. Composites Science and Technology, 2014, 102, 120-125. | 7.8 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 245 | Effect of concentration of ATH on mechanical properties of polypropylene/aluminium trihydrate (PP/ATH) composite. Transactions of Nonferrous Metals Society of China, 2014, 24, s81-s89. | 4.2 | 17 |
| 246 | Mechanical and rheological properties of calcium carbonate-filled ethylene propylene diene elastomer reinforced by metallic acrylate salt. Fibers and Polymers, 2014, 15, 1694-1700. | 2.1 | 14 |
| 247 | Accelerating role of clay in photo-oxidation of polypropylene/clay multifilament yarns. Chinese Journal of Polymer Science (English Edition), 2014, 32, 609-619. | 3.8 | 6 |
| 248 | Fabrication and characterization of silver nanostructures conformal coating layer onto electrospun N6 nanofibers with improved physical properties. Journal of Sol-Gel Science and Technology, 2014, 71, 184-191. | 2.4 | 6 |
| 249 | Biodeterioration of plasticized PVC/montmorillonite nanocomposites in aerobic soil environment. Iranian Polymer Journal (English Edition), 2014, 23, 547-557. | 2.4 | 5 |
| 250 | Can clay nanoparticles accelerate environmental biodegradation of polyolefins?. Materials Science and Technology, 2014, 30, 593-602. | 1.6 | 16 |
| 251 | Substantial enhancement of PP random copolymer's thermal stability due to the addition of MWCNTs and nanodiamonds: Decomposition kinetics and mechanism study. Journal of Analytical and Applied Pyrolysis, 2014, 106, 71-80. | 5.5 | 10 |
| 252 | Viscoelastic and thermal properties of full and partially cured DGEBA epoxy resin composites modified with montmorillonite nanoclay exposed to UV radiation. Polymer Degradation and Stability, 2014, 101, 81-91. | 5.8 | 36 |
| 253 | Optical properties and structural characteristics of zinc oxide/cerium oxide doped polyvinyl alcohol films. Journal of Alloys and Compounds, 2014, 586, 333-342. | 5.5 | 53 |
| 254 | Fabrication of a Flexible UV Band-Pass Filter Using Surface Plasmon Metal-Polymer Nanocomposite Films for Promising Laser Applications. ACS Applied Materials & Interfaces, 2014, 6, 8407-8414. | 8.0 | 19 |
| 255 | Effects of microencapsulated APP-II on the microstructure and flame retardancy of PP/APP-II/PER composites. Polymer Degradation and Stability, 2014, 105, 150-159. | 5.8 | 35 |
| 256 | Modified polyaniline and its effects on the microstructure and antistatic properties of PP/PANI-APP/PPP composites. Journal of Applied Polymer Science, 2014, 131, . | 2.6 | 1 |
| 257 | Synthesis of Oligo(butylene succinate)-based Polyurethanes. Journal of Renewable Materials, 2014, 2, 13-22. | 2.2 | 6 |
| 258 | Photoprotective effect of starch/montmorillonite composites on ultraviolet-induced degradation of herbicides. Reactive and Functional Polymers, 2015, 93, 156-162. | 4.1 | 14 |
| 259 | The role of microcrystalline muscovite to enhance thermal stability of boron-modified phenolic resin, structural and elemental studies in boron-modified phenolic resin/microcrystalline muscovite composite. Materials Research Innovations, 2015, 19, S8-605-S8-610. | 2.3 | 5 |
| 260 | Calcium Phosphate-Reinforced Polyester Nanocomposites for Bone Regeneration Applications. , 2015, , 1-34. | | 2 |
| 261 | Optical Properties of Polymer Nanocomposites. , 2015, , 550-565. | | 3 |
| 262 | Synthesis, Characterization and Photoinduced Cross-linking of Functionalized Poly(cyclohexyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2015, 28, 769-774. | 0.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 264 | Thermal and mechanical properties of <sc>PA</sc>12/<sc>C</sc>30<sc>B</sc> nanocomposites in relationship with nanostructure. Journal of Applied Polymer Science, 2015, 132, . | 2.6 | 10 |
| 265 | Wavelength Sensitivity in Polypropylene/Clay Composite Photo-Oxidation. Polymers and Polymer Composites, 2015, 23, 93-102. | 1.9 | 0 |
| 266 | Cin tica de degradaci n t rmica de poli cido l ctico en m ltiples extrusiones. Ingenieria Y Universidad, 2015, 19, 189. | 0.5 | 12 |
| 267 | Radiation Effects on Polymer-Based Systems. Engineering Materials, 2015, , 121-155. | 0.6 | 1 |
| 268 | Preparation and thermal stability of boron-containing phenolic resin/microcrystalline muscovite composites. Materials Research Innovations, 2015, 19, S8-440-S8-444. | 2.3 | 2 |
| 269 | Polymer/clay nanocomposites through multiple hydrogen bonding interactions. Journal of Polymer Science Part A, 2015, 53, 650-658. | 2.3 | 23 |
| 270 | Dispersion of Nanocellulose (NC) in Polypropylene (PP) and Polyethylene (PE) Matrix. , 2015, , 179-189. | | 3 |
| 271 | Mechanical and barrier properties of guar gum based nano-composite films. Carbohydrate Polymers, 2015, 124, 77-84. | 10.2 | 80 |
| 272 | Ultraviolet Resistance and Antimicrobial Properties of ZnO in the Polypropylene Materials: A Review. Journal of Materials Science and Technology, 2015, 31, 331-339. | 10.7 | 47 |
| 273 | Dependence of the photodegradation rate on the crystalline portion of PE films obtained through in situ polymerization in the presence of TiO2 nanospheres, nanoribbons and microspheres. Polymer Degradation and Stability, 2015, 112, 78-85. | 5.8 | 18 |
| 274 | Properties and applications of nanoclay composites. , 2015, , 127-155. | | 14 |
| 275 | Enhanced thermal and mechanical properties of epoxy composites by mixing noncovalently functionalized graphene sheets. Polymer Bulletin, 2015, 72, 453-472. | 3.3 | 50 |
| 276 | Effect of processing conditions and lignin content on thermal, mechanical and degradative behavior of lignin nanoparticles/polylactic (acid) bionanocomposites prepared by melt extrusion and solvent casting. European Polymer Journal, 2015, 71, 126-139. | 5.4 | 150 |
| 277 | A facile strategy for functionalizing silica nanoparticles by polycarbonate degradation and its application in polymer nanocomposites. Polymer Degradation and Stability, 2015, 119, 295-298. | 5.8 | 16 |
| 278 | Time-resolved rheology as a tool to monitor the progress of polymer degradation in the melt state    Part II: Thermal and thermo-oxidative degradation of polyamide 11/organo-clay nanocomposites. Polymer, 2015, 73, 102-110. | 3.8 | 38 |
| 279 | A Kinetic Study of the Thermal Degradation of Nylon-6/Attapulgite Nanocomposites. Journal of Macromolecular Science - Physics, 2015, 54, 851-861. | 1.0 | 6 |
| 280 | Preparation and properties of polylactic acid/N-(2-hydroxyl) propyl-3-trimethyl ammonium chitosan chloride-intercalated saponite nanocomposites. Iranian Polymer Journal (English Edition), 2015, 24, 243-252. | 2.4 | 10 |
| 281 | Kinetics and mechanism of the biodegradation of PLA/clay nanocomposites during thermophilic phase of composting process. Waste Management, 2015, 42, 31-40. | 7.4 | 81 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 282 | Thermal Degradation of Bio-nanocomposites. Engineering Materials, 2015, , 221-245. | 0.6 | 3 |
| 283 | Green preparation and characterization of a novel heat stabilizer for poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50,702 Td (ch | 3.6 | 20 |
| 284 | A biodegradation study of poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/organoclay nanocomposites in various environmental conditions. Polymer Degradation and Stability, 2015, 119, 77-86. | 5.8 | 31 |
| 285 | Transparent epoxyâ€ZnO/CdS nanocomposites with tunable UV and blue light-shielding capabilities. Journal of Materials Chemistry C, 2015, 3, 5065-5072. | 5.5 | 50 |
| 286 | Thermal Degradation of Polymer Blends, Composites and Nanocomposites. Engineering Materials, 2015, , 1-16. | 0.6 | 8 |
| 287 | Effect of carbon black on improving thermal stability, flame retardancy and electrical conductivity of polypropylene/carbon fiber composites. Composites Science and Technology, 2015, 113, 31-37. | 7.8 | 113 |
| 288 | Thermal Degradation of Polymer Blends, Composites and Nanocomposites. Engineering Materials, 2015, , . | 0.6 | 17 |
| 289 | Novel organo-modifier for thermally-stable polymer-layered silicate nanocomposites. Polymer Degradation and Stability, 2015, 122, 88-101. | 5.8 | 35 |
| 290 | Accelerated environmental degradation and residual flexural analysis of carbon nanofiber reinforced composites. Polymer Degradation and Stability, 2015, 121, 348-358. | 5.8 | 8 |
| 291 | Evaluation of intumescent fire retardants and synergistic agents for use in wood flour/recycled polypropylene composites. Construction and Building Materials, 2015, 76, 273-278. | 7.2 | 49 |
| 292 | <scp>PMMA</scp>/oâ€<scp>MMT</scp> nanocomposites obtained using thermally stable surfactants. Journal of Applied Polymer Science, 2015, 132, . | 2.6 | 6 |
| 293 | The influence of a hydrolysis-inhibiting additive on the degradation and biodegradation of PLA and its nanocomposites. Polymer Testing, 2015, 41, 124-132. | 4.8 | 78 |
| 294 | Comparative performance of carbon nanotube and organo montmorillonite as a thermo-oxidative-stabilizing modifier for polypropylene- and polyethylene-based thermoplastic composites. Journal of Thermoplastic Composite Materials, 2015, 28, 1423-1444. | 4.2 | 4 |
| 295 | Thermal stability and structural characteristics of PTHFâ€Mmt organophile nanocomposite. Arabian Journal of Chemistry, 2015, 8, 285-292. | 4.9 | 13 |
| 296 | Structure of Clays and Polymerâ€Clay Composites Studied by X-ray Absorption Spectroscopies. , 0, , . | | 6 |
| 297 | Recent trends in active packaging in fruits and vegetables. , 2016, , 77-125. | | 28 |
| 298 | Biopolymers for superhydrophobic photocatalytic coatings. , 2016, , 421-447. | | 3 |
| 299 | Novel Applications of Potatoes. , 2016, , 627-649. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 300 | Poly-Lactide/Exfoliated C30B Interactions and Influence on Thermo-Mechanical Properties Due to Artificial Weathering. <i>Polymers</i> , 2016, 8, 154. | 4.5 | 6 |
| 301 | UV degradation of clay-reinforced polypropylene nanocomposites. <i>Polymer Engineering and Science</i> , 2016, 56, 469-478. | 3.1 | 8 |
| 302 | Additives for ultraviolet-induced oxidative degradation of low-density polyethylene. <i>Journal of Applied Polymer Science</i> , 2016, 133, . | 2.6 | 5 |
| 303 | Factors Influencing the Photochemical Behavior of Multicomponent Polymeric Materials. <i>Advanced Structured Materials</i> , 2016, , 21-65. | 0.5 | 9 |
| 305 | Thermal decomposition kinetics and characterization of poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 587 Td (2,5-furandicarboxy 3267-3272. | 2.7 | 3 |
| 306 | Degradation of poly(lactic acid) powder and microparticles. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016, 126, 1349-1361. | 3.6 | 1 |
| 307 | Transparent poly(lactic acid)/halloysite nanotube nanocomposites with improved oxygen barrier and antioxidant properties. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016, 126, 1331-1337. | 3.6 | 19 |
| 308 | Antimicrobial food packaging prepared from poly(butylene succinate) and zinc oxide. <i>Measurement: Journal of the International Measurement Confederation</i> , 2016, 93, 442-448. | 5.0 | 79 |
| 309 | Biodegradability of poly(lactic acid) (PLA)/lactic acid (LA) blends using anaerobic digester sludge. <i>Macromolecular Research</i> , 2016, 24, 741-747. | 2.4 | 30 |
| 311 | Preparation and thermal stability of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/poly(acrylonitrile-co-butadiene) nanocomposites application to the separation of oil and water. <i>Colloid and Polymer Science</i> , 2016, 294, 1529-1539. | 2.1 | 3 |
| 312 | Degradation Study of High Melt Strength Polypropylene/Clay Nanocomposites in Environmental and Accelerated Conditions. , 0, , 59-67. | | 0 |
| 313 | Thermal processing influence on mechanical, thermal, and biodegradation behavior in poly(l-lactide)/poly(ε-caprolactone) blends: A descriptive model. <i>Journal of Applied Polymer Science</i> , 2016, 133, . | 2.6 | 16 |
| 314 | Effect of addition of nanoclay, beeswax, tween-80 and glycerol on physicochemical properties of guar gum films. <i>Industrial Crops and Products</i> , 2016, 89, 109-118. | 5.2 | 57 |
| 315 | Physical and mechanical properties of PLA, and their functions in widespread applications A comprehensive review. <i>Advanced Drug Delivery Reviews</i> , 2016, 107, 367-392. | 13.7 | 1,957 |
| 316 | Structure, properties and rheological behavior of thermoplastic poly(lactic acid)/quaternary fulvic acid-intercalated saponite nanocomposites. <i>Polymer Bulletin</i> , 2016, 73, 1015-1035. | 3.3 | 14 |
| 317 | Synthesis, characterization, and thermal stability of poly (lactic acid)/zinc oxide pillared organic saponite nanocomposites via ring-opening polymerization of d,l-lactide. <i>Polymers for Advanced Technologies</i> , 2016, 27, 606-614. | 3.2 | 11 |
| 318 | Controlled biodegradation of polymers using nanoparticles and its application. <i>RSC Advances</i> , 2016, 6, 67449-67480. | 3.6 | 62 |
| 319 | The degradation of mechanical properties in polymer nano-composites exposed to liquid media a review. <i>RSC Advances</i> , 2016, 6, 1076-1089. | 3.6 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 320 | Spectroscopyâ€”introducing the advantages and application areas in polymer nanocomposites. , 2016, , 1-14. | | 1 |
| 321 | A facile and green preparation of nanosilica-supported antioxidant and its reinforcement and antioxidation effect on styrene-butadiene rubber. International Journal of Polymer Analysis and Characterization, 2016, 21, 185-197. | 1.9 | 13 |
| 322 | Kinetic analysis of the non-isothermal degradation of high-density polyethylene filled with multi-wall carbon nanotubes. Journal of Thermal Analysis and Calorimetry, 2016, 123, 1523-1544. | 3.6 | 34 |
| 323 | The effect of ZnO on aerobic biodegradation of a novel polyacrylate tannage in activated sludge system. Desalination and Water Treatment, 2016, 57, 4982-4993. | 1.0 | 3 |
| 324 | Materials for food packaging applications based on bio-based polymer nanocomposites. Journal of Thermoplastic Composite Materials, 2017, 30, 143-173. | 4.2 | 123 |
| 325 | Stability of SPEEK/Cloisite Â® /TAP nanocomposite membrane under Fenton reagent condition for direct methanol fuel cell application. Polymer Degradation and Stability, 2017, 137, 83-99. | 5.8 | 33 |
| 326 | Status and prospects of polymer electrolytes for solid-state Liâ€”O ₂ (air) batteries. Energy and Environmental Science, 2017, 10, 860-884. | 30.8 | 211 |
| 327 | Intercalated hydrotalciteâ€”like materials and their application as thermal stabilizers in poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Qverlock 13 | 2.6 | 13 |
| 328 | Effect of gamma radiation on the physicomechanical characters of EPDM rubber/modified additives nanocomposites. Journal of Vinyl and Additive Technology, 2017, 23, E188. | 3.4 | 4 |
| 329 | Ethyleneâ€”Propyleneâ€”Diene Rubber-Based Nanoblends: Preparation, Characterization and Applications. Springer Series on Polymer and Composite Materials, 2017, , 281-349. | 0.7 | 1 |
| 330 | Modification of oil palm wood using acetylation and impregnation process. , 2017, , . | | 0 |
| 331 | Effect of CloisiteÂ® 30B on the Diffusion of Irganox 1076 in HDPE. Packaging Technology and Science, 2017, 30, 723-733. | 2.8 | 2 |
| 332 | New nitrogenâ€”rich heterocycles for organoâ€”modified bentonites as flame retardant fillers in epoxy resin nanocomposites. Polymer Engineering and Science, 2017, 57, 621-630. | 3.1 | 31 |
| 333 | Polymer and ceramic nanocomposites for aerospace applications. Applied Nanoscience (Switzerland), 2017, 7, 519-548. | 3.1 | 160 |
| 334 | The challenges in lifetime prediction of oxodegradable polyolefin and biodegradable polymer films. Polymer Degradation and Stability, 2017, 145, 102-119. | 5.8 | 43 |
| 335 | Biodegradation of graphene oxide-polymer nanocomposite films in wastewater. Environmental Science: Nano, 2017, 4, 1808-1816. | 4.3 | 46 |
| 337 | Methodology for quantifying engineered nanomaterial release from diverse product matrices under outdoor weathering conditions and implications for life cycle assessment. Environmental Science: Nano, 2017, 4, 1784-1797. | 4.3 | 22 |
| 338 | Poly(Î±-hydroxy acid) based polymers: A review on material and degradation aspects. Polymer Degradation and Stability, 2017, 144, 520-535. | 5.8 | 71 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 339 | 3D Printed Hierarchical Gyroid Structure with Embedded Photocatalyst TiO ₂ Nanoparticles. 3D Printing and Additive Manufacturing, 2017, 4, 222-230. | 2.9 | 24 |
| 340 | Chemico-physical and antifungal properties of poly(butylene succinate)/cavoxin blend: Study of a novel bioactive polymeric based system. European Polymer Journal, 2017, 94, 230-247. | 5.4 | 33 |
| 341 | Fire-retardant carbon-fiber-reinforced thermoset composites. , 2017, , 271-293. | | 12 |
| 342 | Development of silane grafted halloysite nanotube reinforced polylactide nanocomposites for the enhancement of mechanical, thermal and dynamic-mechanical properties. Applied Clay Science, 2017, 135, 583-595. | 5.2 | 97 |
| 343 | Fire-retardant high-performance epoxy-based materials. , 2017, , 3-51. | | 25 |
| 344 | Morphological and mechanical properties of styrene butadiene rubber/nano copper nanocomposites. Results in Physics, 2017, 7, 338-344. | 4.1 | 21 |
| 345 | Rubber Nano Blends. Springer Series on Polymer and Composite Materials, 2017, , . | 0.7 | 4 |
| 346 | Kinetic study on the thermal degradation of ethylene/norbornene copolymers under the effect of Fe and Mn stearates. Reaction Kinetics, Mechanisms and Catalysis, 2017, 122, 995-1010. | 1.7 | 1 |
| 347 | Fabrication of thermoplastic composites using fly-ash a coal and hollow glass beads to study their mechanical, thermal, rheological, morphological and flame retradency properties. Russian Journal of Applied Chemistry, 2017, 90, 1494-1503. | 0.5 | 3 |
| 348 | Kinetics of Thermal Degradation of Polystyrene/Silica Film Composites. Protection of Metals and Physical Chemistry of Surfaces, 2017, 53, 1070-1074. | 1.1 | 2 |
| 349 | Improving the thermal and flame resistance properties of polyolefins. , 2017, , 421-448. | | 3 |
| 350 | Halloysite Nanotubes Noncovalently Functionalised with SDS Anionic Surfactant and PS-b-P4VP Block Copolymer for Their Effective Dispersion in Polystyrene as UV-Blocking Nanocomposite Films. Journal of Nanomaterials, 2017, 2017, 1-11. | 2.7 | 18 |
| 351 | The structural mechanics of polyolefin fibrous materials and nanocomposites. , 2017, , 59-88. | | 0 |
| 352 | Flow-induced crystallization of polylactide stereocomplex under pressure. Journal of Applied Polymer Science, 2018, 135, 46378. | 2.6 | 9 |
| 353 | A review on the role of interface in mechanical, thermal, and electrical properties of polymer composites. Advanced Composites and Hybrid Materials, 2018, 1, 415-439. | 21.1 | 139 |
| 354 | Recycled polyethylene terephthalate-based boards for thermal-acoustic insulation. Journal of Cleaner Production, 2018, 189, 251-262. | 9.3 | 33 |
| 355 | UV-curable urethane acrylate zirconium oxide nanocomposites: Synthesis, study on viscoelastic properties and thermal behavior. Journal of Composite Materials, 2018, 52, 2973-2982. | 2.4 | 26 |
| 356 | Biological Degradation and Biostability of Nanocomposites Based on Polysulfone with Different Concentrations of Reduced Graphene Oxide. Macromolecular Materials and Engineering, 2018, 303, 1700359. | 3.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 357 | Characterization of composite produced from waste PET and marble dust. Construction and Building Materials, 2018, 163, 734-741. | 7.2 | 73 |
| 358 | Enhancing mechanical properties of epoxy resin using waste lignin and salicylate alumoxane nanoparticles. Korean Journal of Chemical Engineering, 2018, 35, 602-612. | 2.7 | 20 |
| 359 | The influence of thermal oxidative ageing on flame retardancy, thermal and mechanical properties of LGFPP/IFR composites. Journal of Thermal Analysis and Calorimetry, 2018, 131, 1017-1024. | 3.6 | 8 |
| 360 | Photocatalytic Degradation of Rhodamine B Using Zinc Oxide Activated Charcoal Polyaniline Nanocomposite and Its Survival Assessment Using Aquatic Animal Model. ACS Sustainable Chemistry and Engineering, 2018, 6, 258-267. | 6.7 | 77 |
| 361 | The Effects of Additives on the Biodegradation of Polycaprolactone Composites. Journal of Polymers and the Environment, 2018, 26, 1425-1444. | 5.0 | 12 |
| 362 | Environmental-friendly recycled Polyester/Mg(OH) ₂ nanocomposite: Fire-retardancy and thermal stability. Polymer Testing, 2018, 72, 308-314. | 4.8 | 26 |
| 363 | Suitability of 3D-Printed devices for low-temperature geochemical experiments. Applied Geochemistry, 2018, 98, 121-126. | 3.0 | 7 |
| 364 | Use of Infrared Spectroscopy and Near Infrared Hyperspectral Images to Evaluate Effects of Different Chemical Agents on PET Bottle Surface. Materials Research, 2018, 21, . | 1.3 | 3 |
| 365 | Effects of Halloysite Nanotube Reinforcement in Expandable Graphite Based Intumescent Fire Retardant Coatings Developed Using Hybrid Epoxy Binder System. Chinese Journal of Polymer Science (English Edition), 2018, 36, 1286-1296. | 3.8 | 19 |
| 366 | The effect of clay dispersion on polypropylene nanocomposites: Physico-mechanical, thermal, morphological, and optical properties. , 2018, , 201-257. | | 3 |
| 367 | Characterization of a green nanocomposite prepared from soluble soy bean polysaccharide/Cloisite 30B and evaluation of its toxicity. International Journal of Biological Macromolecules, 2018, 120, 109-118. | 7.5 | 17 |
| 368 | Influence of Surface modified Graphene Oxide on Mechanical and Thermal Properties of Epoxy Resin. Oriental Journal of Chemistry, 2018, 34, 1597-1603. | 0.3 | 13 |
| 369 | Electrochemical performance of binder-free NiO-PANI on etched carbon cloth as active electrode material for supercapacitor. Materials and Design, 2018, 153, 24-35. | 7.0 | 41 |
| 371 | Comparative study of thermal degradation and flame retardancy between straw flour and wood flour on woodâ€™polypropylene composites. Journal of Thermoplastic Composite Materials, 2021, 34, 1366-1379. | 4.2 | 2 |
| 372 | Mechanical and Biodegradation Properties of Nanostructured Polymer Composites Under Degradation Behavior. , 2019, , 69-86. | | 3 |
| 373 | Nanomaterials From Mixed-Layer Clay Minerals: Structure, Properties, and Functional Applications. , 2019, , 365-413. | | 2 |
| 374 | Synthesis, characterization and gas permeability properties of a novel nanocomposite based on poly(ethylene-co-vinyl acetate)/polyurethane acrylate/clay. Journal of Materials Research and Technology, 2019, 8, 4173-4181. | 5.8 | 9 |
| 375 | Synergistic effects of polyethylene glycol and organic montmorillonite on the plasticization and enhancement of poly(lactic acid). Journal of Applied Polymer Science, 2019, 136, 47576. | 2.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 376 | Behavior of PMMA Denture Base Materials Containing Titanium Dioxide Nanoparticles: A Literature Review. International Journal of Biomaterials, 2019, 2019, 1-14. | 2.4 | 66 |
| 378 | A degradation study of polyamide 11/vermiculite nanocomposites under accelerated UV test. Polymer Engineering and Science, 2019, 59, 2449-2457. | 3.1 | 11 |
| 379 | Physical assessment, spectroscopic and chemometric analysis of starch-based foils with selected functional additives. PLoS ONE, 2019, 14, e0212070. | 2.5 | 10 |
| 380 | Multifunctional Performance of a Nano-Modified Fiber Reinforced Composite Aeronautical Panel. Materials, 2019, 12, 869. | 2.9 | 19 |
| 381 | Degradation and Recycling of Films Based on Biodegradable Polymers: A Short Review. Polymers, 2019, 11, 651. | 4.5 | 156 |
| 382 | Effects of thermo-oxidative aging on structure and low temperature impact performance of rotationally molded products. Polymer Degradation and Stability, 2019, 161, 150-156. | 5.8 | 12 |
| 383 | Development of a gelatinâ€“poly(acrylic acidâ€“coâ€“acrylamide)â€“montmorillonite superabsorbent hydrogels for <i>in vitro</i> controlled release of vitamin B₁₂. Journal of Applied Polymer Science, 2019, 136, 47596. | 2.6 | 34 |
| 384 | Nanocomposites for Environmental Pollution Remediation. , 2019, , 1407-1440. | | 4 |
| 385 | Enhancing fire and mechanical strengths of epoxy nanocomposites for metal/metal bonding of aircraft aluminum alloys. Polymer Composites, 2019, 40, 3691-3702. | 4.6 | 16 |
| 386 | Accelerating Effect of Poly(vinylpyrrolidone) Matrix on Thermal Decomposition of Malonic Acid. Industrial & Engineering Chemistry Research, 2019, 58, 2891-2898. | 3.7 | 7 |
| 387 | Comparative Study of Multi-walled Carbon Nanotube Reinforced Natural Rubber Nanocomposite and Multiflex Dynamic Response â€“ 2 Artificial Foot. Journal of Physics: Conference Series, 2019, 1378, 022054. | 0.4 | 0 |
| 388 | Modification, hybridization and applications of saponite: An overview. Applied Clay Science, 2019, 168, 136-154. | 5.2 | 46 |
| 389 | Synthesis and Bioconjugation of Hybrid Nanostructures for Biomedical Applications. , 2019, , 17-41. | | 16 |
| 390 | Thermal decomposition kinetics of dynamically vulcanized polyamide 6â€“acrylonitrile butadiene rubberâ€“halloysite nanotube nanocomposites. Journal of Applied Polymer Science, 2019, 136, 47483. | 2.6 | 44 |
| 391 | Environmentally benign bio-based waterborne polyesters: Synthesis, thermal- and bio-degradation studies. Progress in Organic Coatings, 2019, 127, 419-428. | 3.9 | 22 |
| 392 | Lignin peroxidase isoenzyme: a novel approach to biodegrade the toxic synthetic polymer waste. Environmental Technology (United Kingdom), 2019, 40, 1366-1375. | 2.2 | 49 |
| 393 | Recent advances in protein derived bionanocomposites for food packaging applications. Critical Reviews in Food Science and Nutrition, 2020, 60, 406-434. | 10.3 | 143 |
| 394 | Electrolytes for Rechargeable Lithiumâ€“Air Batteries. Angewandte Chemie - International Edition, 2020, 59, 2974-2997. | 13.8 | 187 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 395 | Elektrolyte für wiederaufladbare Lithium-Luft-Batterien. Angewandte Chemie, 2020, 132, 2994-3019. | 2.0 | 18 |
| 396 | Preparation and characterization of poly(ethylene-vinyl acetate) based nanocomposites using radiation-modified montmorillonite. Radiation Physics and Chemistry, 2020, 169, 107844. | 2.8 | 6 |
| 397 | Effect of nanoparticle type and content on morphology, rheology, and crystallinity of poly(lactic acid) Composites, 2020, 41, 1551-1560. | 4.6 | 11 |
| 398 | Experimental and numerical investigation into mechanical degradation of polymers. Composites Part B: Engineering, 2020, 201, 108369. | 12.0 | 12 |
| 399 | Photo-stabilization of biopolymers-based nanocomposites with UV-modified layered silicates. Polymer Degradation and Stability, 2020, 179, 109252. | 5.8 | 6 |
| 400 | What Has Been Trending in the Research of Polyhydroxyalkanoates? A Systematic Review. Frontiers in Bioengineering and Biotechnology, 2020, 8, 959. | 4.1 | 26 |
| 401 | Bionanocomposites: uses in applied sciences and their benefits. , 2020, , 535-545. | | 1 |
| 402 | Injection-Molded Parts of Partially Biobased Polyamide 610 and Biobased Halloysite Nanotubes. Polymers, 2020, 12, 1503. | 4.5 | 13 |
| 403 | Effects of ultraviolet solar radiation on the properties of particulate-filled epoxy based polymer coating. Polymer Degradation and Stability, 2020, 181, 109352. | 5.8 | 44 |
| 404 | In situ functionalization of poly(butylene adipate-co-terephthalate) polyester with a multi-functional macromolecular additive. Iranian Polymer Journal (English Edition), 2020, 29, 1045-1055. | 2.4 | 4 |
| 405 | Degradation and stability of polymer: A mini review. IOP Conference Series: Materials Science and Engineering, 2020, 788, 012048. | 0.6 | 9 |
| 406 | Synthesis, Raman spectroscopy and mechanical properties of SBR-aluminum oxide nanocomposites. Materials Today: Proceedings, 2020, 29, 981-986. | 1.8 | 3 |
| 407 | Three-Dimensional Visualization for Early-Stage Evolution of Polymer Aging. ACS Central Science, 2020, 6, 771-778. | 11.3 | 19 |
| 408 | Photo-oxidative degradation of injection molded sepiolite/polyamide66 nanocomposites. Applied Clay Science, 2020, 189, 105545. | 5.2 | 3 |
| 409 | Evaluation of water repellency in bentonite filled polypropylene composites via physical and mechanical methods. IOP SciNotes, 2020, 1, 024804. | 0.8 | 4 |
| 410 | Membranes for hydrogen separation: a significant review. International Journal of Advanced Manufacturing Technology, 2020, 107, 1859-1881. | 3.0 | 38 |
| 412 | Thermal-ageing characteristics of dry-type transformer epoxy composite insulation. High Performance Polymers, 2020, 32, 741-752. | 1.8 | 26 |
| 413 | Polymer degradation and stability. , 2020, , 125-148. | | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 414 | Band-gap engineering using metal-semiconductor interfaces for photocatalysis and supercapacitor application. , 2020, , 391-451. | | 0 |
| 415 | Ocimum basilicum seed mucilage reinforced with montmorillonite for preparation of bionanocomposite film for food packaging applications. Polymer Testing, 2020, 87, 106465. | 4.8 | 22 |
| 416 | Optimization and Assessment of the Protective Shed of the Eastern Wu Tomb. Energies, 2020, 13, 1652. | 3.1 | 2 |
| 417 | Experimental investigation of thermal and physical properties of nanocomposites for power cable insulations. Materials Today: Proceedings, 2021, 38, 823-829. | 1.8 | 1 |
| 418 | Environmental impact of using nanomaterials in textiles. , 2021, , 321-342. | | 4 |
| 419 | Bright and persistent green and red light-emitting fine fibers: A potential candidate for smart textiles. Journal of Luminescence, 2021, 231, 117760. | 3.1 | 11 |
| 420 | A review featuring the fundamentals and advancements of polymer/CNT nanocomposite application in aerospace industry. Polymer Bulletin, 2021, 78, 539-557. | 3.3 | 52 |
| 421 | Rare earth free bright and persistent white light emitting zinc gallate nanosheets: technological advancement to fibers with enhanced quantum efficiency. Materials Advances, 2021, 2, 4058-4067. | 5.4 | 13 |
| 422 | The Soil Biodegradability of Structured Composites Based on Cellulose Cardboard and Blends of Polylactic Acid and Polyhydroxybutyrate. Journal of Polymers and the Environment, 2021, 29, 2310-2320. | 5.0 | 18 |
| 423 | Fillers in Wood Adhesives. , 0, , . | | 0 |
| 424 | Polylactic acid/Gemini surfactant modified clay bio-nanocomposites: Morphological, thermal, mechanical and barrier properties. International Journal of Biological Macromolecules, 2021, 177, 505-516. | 7.5 | 10 |
| 425 | Degradation Behavior of Polymers Used as Coating Materials for Drug Delivery—A Basic Review. Polymers, 2021, 13, 1272. | 4.5 | 47 |
| 426 | Recent Advances in Polymer-Based Nanocomposites: A Brief Review. Micro and Nanosystems, 2021, 13, . | 0.6 | 1 |
| 427 | Mechanochemical Synthesis of Rosin-Modified Montmorillonite: A Breakthrough Approach to the Next Generation of OMMT/Rubber Nanocomposites. Nanomaterials, 2021, 11, 1974. | 4.1 | 7 |
| 428 | Genetic variation among biofortified and late blight tolerant potato (Solanum tuberosum L.) (mini) Tj ETQq0 0 0 rgBT ₁ /Overlock 10 Tf 50 | 0.7 | 1 |
| 429 | Polymer/Carbon Nanocomposites for Biomedical Applications. Advances in Material Research and Technology, 2022, , 109-150. | 0.6 | 2 |
| 430 | Development of Marble Dust/Waste PET Based Polymer Composite Material for Environmental Sustainability: Fabrication and Characterizations. Materials Performance and Characterization, 2021, 10, 20210034. | 0.3 | 7 |
| 431 | Biomaterials Printing for Sustainability. Springer Tracts in Additive Manufacturing, 2022, , 15-28. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 432 | Effects of nanocrystalline calcium oxide particles on mechanical, thermal, and electrical properties of EPDM rubber. Colloid and Polymer Science, 2021, 299, 1669-1682. | 2.1 | 8 |
| 433 | Effects of preparation parameters on the properties of the crosslinked pectin nanofiber mats. Carbohydrate Polymers, 2021, 269, 118314. | 10.2 | 5 |
| 434 | Recent advances in thermoplastic starches for food packaging: A review. Food Packaging and Shelf Life, 2021, 30, 100743. | 7.5 | 84 |
| 435 | Effects of hygrothermal aging on chemical, physical, and mechanical properties of poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/Cloisite 30B bionanocomposite. Polymer Composites, 2021, 42, 1878-1890. | 4.6 | 3 |
| 436 | (Bio)degradable Polymer Nanocomposites for Environmental Protection. , 2021, , 1435-1461. | | 0 |
| 437 | Effect of Silane Functionalization on Properties of Poly(Lactic Acid)/Palygorskite Nanocomposites. Inorganics, 2021, 9, 3. | 2.7 | 11 |
| 439 | Thermal Degradation of Thermosetting Nanocomposites. Engineering Materials, 2015, , 51-79. | 0.6 | 3 |
| 440 | Nonlinear Viscoelasticity in Three Dimensional Filler Reinforced Rubber Composites and Nanocomposites. Advances in Polymer Science, 2014, , 59-83. | 0.8 | 1 |
| 441 | Polyhydroxyalkanoates-Based Nanocomposites: An Efficient and Promising Way of Finely Controlling Functional Material Properties. , 2014, , 1-20. | | 1 |
| 442 | UV Aging Behavior of Functionalized Mullite Nanofiber-Reinforced Polypropylene. ACS Omega, 2020, 5, 27083-27093. | 3.5 | 6 |
| 443 | Nanocomposites of Polyhydroxyalkanoates (PHAs). RSC Green Chemistry, 2014, , 98-118. | 0.1 | 4 |
| 444 | Biodegradation of starch blends. , 2009, , 253-270. | | 1 |
| 445 | Thermal Stability of High Density Polyethylene-Clay Nanocomposites Produced by in situ Solvent Polymerization. Materials Research, 2019, 22, . | 1.3 | 2 |
| 446 | UV Stability of Poly(Lactic Acid) Nanocomposites. Journal of Materials Science and Engineering B, 2013, 3, . | 0.3 | 9 |
| 447 | The influence of bentonite and montmorillonite addition on thermal decomposition of novel polyurethane/organoclay nanocomposites. Macedonian Journal of Chemistry and Chemical Engineering, 2013, 32, 319. | 0.6 | 4 |
| 448 | Experimental Investigation on Mechanical and Thermo-Mechanical Properties of Alumina Filled Polypropylene Composites Using Injection Molding Process. International Polymer Processing, 2017, 32, 316-325. | 0.5 | 1 |
| 449 | Photo-oxidation of EPDM/layered double hydroxides composites: Influence of layered hydroxides and stabilizers. EXPRESS Polymer Letters, 2007, 1, 748-754. | 2.1 | 21 |
| 450 | Nanotechnology and its applications in lignocellulosic composites, a mini review. EXPRESS Polymer Letters, 2007, 1, 546-575. | 2.1 | 227 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Implicating Nanoparticles as Potential Biodegradation Enhancers: A Review. Journal of Nanomedicine & Nanotechnology, 2013, 04, . | 1.1 | 27 |
| 452 | Studies on Properties of Bio-Composites from Ecoflex/Ramie Fabric-Mechanical and Barrier Properties. Journal of Biomaterials and Nanobiotechnology, 2012, 03, 396-404. | 0.5 | 21 |
| 453 | Polymer/Clay Nanocomposites. , 0, , . | | 14 |
| 454 | Durability of Biodegradable Polymer Nanocomposites. Polymers, 2021, 13, 3375. | 4.5 | 28 |
| 455 | Efficacy of Biopolymer/Starch Based Antimicrobial Packaging for Chicken Breast Fillets. Foods, 2021, 10, 2379. | 4.3 | 10 |
| 456 | Photo-Degradation Studies of Zinc Oxide Filled Polypropylene Nanocomposites. , 2006, , . | | 0 |
| 457 | Effect of Thermoplastic Incorporation on the Performance of Thermosetting Matrix. Materials Sciences and Applications, 2012, 03, 442-447. | 0.4 | 3 |
| 458 | 2.1 Degradation of Polymers. , 2013, , 234-278. | | 0 |
| 459 | Estabilidad de procesamiento de polÁmeros: Ándice de degradaciÁ³n en proceso. Mutis, 2015, 5, 37-45. | 0.1 | 1 |
| 460 | Degradation Study of High Melt Strength Polypropylene/Clay Nanocomposites in Environmental and Accelerated Conditions. , 2016, , 61-67. | | 0 |
| 461 | Thermal Properties of Epoxy/Rubber Blends. , 2016, , 1-29. | | 1 |
| 462 | Thermal Properties of Epoxy/Rubber Blends. , 2017, , 249-277. | | 1 |
| 463 | ADVANCES IN POLYPROPYLENE BASED MATERIALS. Prilozi: Makedonska Akdemija Na Naukite I Umetnostite Oddelenie Za Prirodno-matematiÁki I BiotehniÁki Nauki, 2017, 35, . | 0.3 | 1 |
| 464 | (Bio)degradable Polymer Nanocomposites for Environmental Protection. , 2019, , 1-27. | | 0 |
| 465 | Effect of both Modified & Unmodified Nanosilica on Morphological and Thermal Properties of Model TPE Blend Systems. International Journal of Chemical and Environmental Sciences, 2019, 1, 20-26. | 0.2 | 0 |
| 466 | Investigating Mechanical Properties of PGLA Fibres as a Function of Degradation Time. Procedia Structural Integrity, 2020, 28, 2218-2227. | 0.8 | 0 |
| 467 | Functionalization of Graphene Based Biopolymer Nanocomposites for Packaging and Building Applications. Composites Science and Technology, 2021, , 251-271. | 0.6 | 0 |
| 468 | Synthesis and Characterization of Carbon Nanotube Hydroxypropyl Methylcellulose Composites. IOP Conference Series: Materials Science and Engineering, 2020, 988, 012066. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 469 | Use of nanoparticles to improve thermochemical resistance of synthetic polymer to enhanced oil recovery applications: a review. CTyF - Ciencia, Tecnologia Y Futuro, 2020, 10, 85-97. | 0.5 | 7 |
| 470 | Nano-biodegradation of polymers. , 2022, , 213-238. | | 8 |
| 471 | Preparation and characterization of methylated guar gum based nano-composite films. Food Hydrocolloids, 2022, 124, 107312. | 10.7 | 14 |
| 472 | In-situ synthesis of metal oxide and polymer decorated activated carbon-based photocatalyst for organic pollutants degradation. Separation and Purification Technology, 2022, 286, 120380. | 7.9 | 25 |
| 473 | In-Situ Synthesis of Metal Oxide and Polymer Decorated Activated Carbon-Based Photocatalyst for Organic Pollutants Degradation. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 474 | Role of Nanoparticles in Biodegradation and Their Importance in Environmental and Biomedical Applications. Journal of Nanomaterials, 2022, 2022, 1-15. | 2.7 | 15 |
| 475 | The effect of end group and graphene on dielectric properties and thermal degradation of poly(benzyl) Tj ETQq0 0 0 rgBT /Overlock 10 T | 3.3 | 2 |
| 476 | Bright, noniridescent structural coloration from clay mineral nanosheet suspensions. Science Advances, 2022, 8, eabl8147. | 10.3 | 13 |
| 477 | Introductory Chapter: Polymers and Clays - A Fruitful Combination. , 0, , . | | 0 |
| 478 | Dependence of Crystallization Behavior of Interacting Telechelic Poly(butylene succinate) Oligomer on Molecular Weight. Crystals, 2021, 11, 1530. | 2.2 | 4 |
| 479 | High Barrier Nanocomposite Film with Accelerated Biodegradation by Clay Swelling Induced Fragmentation. Macromolecular Materials and Engineering, 2022, 307, . | 3.6 | 11 |
| 480 | Impact of nano-filler WC on the fracture strength of epoxy resin. Materials Today: Proceedings, 2022, 59, 1420-1424. | 1.8 | 4 |
| 481 | Fundamental Understanding and Construction of Solidâ€State Liâ€Air Batteries. Small Science, 2022, 2, . | 9.9 | 17 |
| 483 | Methods of fabrication of bionanocomposites. , 2022, , 7-29. | | 1 |
| 484 | Current synthesis and characterization techniques for clay-based polymer nano-composites and its biomedical applications: A review. Environmental Research, 2022, 212, 113534. | 7.5 | 20 |
| 485 | Polymer Nanocomposites: Preparation, Characterisation and Applications. Nanomaterials, 2022, 12, 1900. | 4.1 | 1 |
| 487 | Comparative Study of Durability Behaviors of Thermoplastic Polypropylene and Thermosetting Epoxy Exposed to Elevated Temperature, Water Immersion and Sustained Bending Loading. Polymers, 2022, 14, 2953. | 4.5 | 5 |
| 488 | Recent Trends in Magnetic Polymer Nanocomposites for Aerospace Applications: A Review. Polymers, 2022, 14, 4084. | 4.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 489 | Microbial Polyhydroxyalkanoates (PHAs): A Review on Biosynthesis, Properties, Fermentation Strategies and Its Prospective Applications for Sustainable Future. Journal of Polymers and the Environment, 2022, 30, 4903-4935. | 5.0 | 10 |
| 490 | Thermo-mechanical and opto-electrical study of Cr-doped-ZnO-based polyvinyl chloride nanocomposites. Journal of Materials Science: Materials in Electronics, 2023, 34, . | 2.2 | 6 |
| 491 | A brief introduction to polymers and concepts of polymer modification of bentonite for barrier applications. Civil Engineering Design, 2023, 5, 25-35. | 1.9 | 0 |
| 492 | Electronics, optical, and thermal management applications of nanocomposites in aeronautics. , 2023, , 187-209. | | 0 |
| 493 | Biodegradability of polyolefins. , 2023, , 121-154. | | 1 |
| 494 | Thermal degradation of polymer (nano)composites. , 2023, , 251-286. | | 0 |
| 495 | Commercialization and economic issues of nanocomposites. , 2023, , 615-624. | | 0 |
| 496 | Vegetable oils based precursors: modifications and scope for futuristic bio-based polymeric materials. Journal of Polymer Research, 2023, 30, . | 2.4 | 3 |
| 497 | Aging studies of nanoscale polymer-based coatings. , 2023, , 409-433. | | 1 |
| 498 | Thermo-Mechanical Recyclability of Additively Manufactured Polypropylene and Polylactic Acid Parts and Polypropylene Support Structures. Polymers, 2023, 15, 2291. | 4.5 | 2 |
| 499 | The Contribution of BaTiO ₃ to the Stability Improvement of Ethylene-Propylene-Diene Rubber: Part II-“Doped Filler. Polymers, 2023, 15, 3441. | 4.5 | 2 |
| 500 | Revealing factors influencing polymer degradation with rank-based machine learning. Patterns, 2023, , 100846. | 5.9 | 0 |
| 501 | Exploring the Biointerfaces: Ab Initio Investigation of Nano-Montmorillonite Clay, and its Interaction with Unnatural Amino Acids. Physical Chemistry Chemical Physics, 0, , . | 2.8 | 0 |
| 502 | Carbon Based Polymer Composites in Water Treatment and Filtration. , 2023, , 141-149. | | 0 |
| 503 | Biomechanically tunable scaffolds for bone tissue regeneration and testbeds of cancer bone metastasis. Materialia, 2024, 33, 102024. | 2.7 | 0 |
| 504 | Polymer nanocomposite films and coatings in aerospace applications. , 2024, , 591-629. | | 0 |
| 505 | The contribution of BaTiO ₃ to the stability improvement of ethylene-propylene-diene rubber. Part III. -“Comparative assay: EPDM vs EPR. Radiation Physics and Chemistry, 2024, 218, 111595. | 2.8 | 0 |
| 506 | Strategies to Cope with Inferior Long-Term Photostability of Bentonite Polyolefin Nanocomposites. Polymers, 2024, 16, 535. | 4.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 507 | Inclusion complex-based multifunctional polyurethane antibacterial coatings with excellent mechanical and thermal properties. Journal of Coatings Technology Research, 0, , . | 2.5 | 0 |
| 508 | Degradability of chitosan nanostructures in the natural environment. , 2024, , 107-122. | | 0 |
| 509 | An overview on metal oxide incorporated bionanocomposites and their potential applications. Nano Structures Nano Objects, 2024, 38, 101126. | 3.5 | 0 |