

CITATION REPORT

List of articles citing

Oral fluid collection: the neglected variable in oral fluid testing

DOI: 10.1016/j.forsciint.2005.02.028

Forensic Science International, 2005, 150, 165-73.

Source: <https://exaly.com/paper-pdf/38058593/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
193	Stability of Delta(9)-tetrahydrocannabinol (THC) in oral fluid using the Quantisal collection device. <i>Forensic Science International</i> , 2006 , 164, 126-30	2.6	51
192	A validated gas chromatographic-electron impact ionization mass spectrometric method for methylenedioxymethamphetamine (MDMA), methamphetamine and metabolites in oral fluid. 2006 , 835, 90-9		38
191	Detection of THCA in oral fluid by GC-MS-MS. <i>Journal of Analytical Toxicology</i> , 2006 , 30, 645-50	2.9	48
190	Comparison of urine and oral fluid as matrices for screening of thirty-three benzodiazepines and benzodiazepine-like substances using immunoassay and LC-MS(-MS). <i>Journal of Analytical Toxicology</i> , 2006 , 30, 478-85	2.9	38
189	Recovery of drugs of abuse from the Immunalysis Quantisal oral fluid collection device. <i>Journal of Analytical Toxicology</i> , 2006 , 30, 614-6	2.9	51
188	Achieving proposed federal concentrations using reduced specimen volume for the extraction of amphetamines from oral fluid. <i>Journal of Analytical Toxicology</i> , 2007 , 31, 442-6	2.9	6
187	Stability studies of principal illicit drugs in oral fluid: preparation of reference materials for external quality assessment schemes. <i>Therapeutic Drug Monitoring</i> , 2007 , 29, 662-5	3.2	17
186	Oral fluid as an alternative matrix to monitor opiate and cocaine use in substance-abuse treatment patients. <i>Drug and Alcohol Dependence</i> , 2007 , 87, 258-67	4.9	67
185	Drug screening of preserved oral fluid by liquid chromatography-tandem mass spectrometry. 2007 , 53, 300-9		130
184	Human cannabinoid pharmacokinetics. 2007 , 4, 1770-804		588
183	The recovery of illicit drugs from oral fluid sampling devices. <i>Forensic Science International</i> , 2007 , 165, 78-84	2.6	39
182	Development and validation of the Cozart DDS oral fluid collection device. <i>Forensic Science International</i> , 2007 , 170, 117-20	2.6	21
181	Methods for samples preparation in proteomic research. 2007 , 849, 1-31		172
180	Bioanalytical procedures for determination of drugs of abuse in oral fluid. 2007 , 388, 1437-53		53
179	Simultaneous enantioselective quantification of methadone and of 2-ethylidene-1,5-dimethyl-3,3-diphenyl-pyrrolidine in oral fluid using capillary electrophoresis. 2008 , 862, 79-85		22
178	The role of alternative specimens in toxicological analysis. 2008 , 22, 795-821		139
177	Prevalence of alcohol and drugs among Norwegian motor vehicle drivers: a roadside survey. 2008 , 40, 1765-72		80

176	Roadside oral fluid testing: comparison of the results of drugwipe 5 and drugwipe benzodiazepines on-site tests with laboratory confirmation results of oral fluid and whole blood. <i>Forensic Science International</i> , 2008 , 175, 140-8	2.6	61
175	Chapter 20 Unconventional samples and alternative matrices. 2008 , 653-697		
174	Drug Testing in Alternate Biological Specimens. 2008 ,		13
173	Evaluation of a novel standardized system for collection and quantification of oral fluid. 2008 , 46, 287-91		14
172	Drug testing in oral fluid-evaluation of sample collection devices. <i>Journal of Analytical Toxicology</i> , 2008 , 32, 393-401	2.9	140
171	Chapter 19 Drugs and driving. 2008 , 611-651		2
170	Chapter 6 Sedatives and hypnotics. 2008 , 6, 243-286		2
169	Salivary Analysis of Drugs Potential and Difficulties. <i>Analytical Letters</i> , 2008 , 41, 925-948	2.2	10
168	Analytical techniques for drug detection in oral fluid. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 181-7	3.2	35
167	Current developments in drug testing in oral fluid. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 196-202	3.2	54
166	Laboratory evaluation and field application of roadside oral fluid collectors and drug testing devices. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 188-95	3.2	38
165	[Measurement of amylase in saliva collected by salivette]. 2008 , 28, 438-43		4
164	Current technologies and considerations for drug bioanalysis in oral fluid. <i>Bioanalysis</i> , 2009 , 1, 637-67	2.1	34
163	Forensic Science: Roadside Drug Testing. 2009 , 42, 306-309		2
162	Sample preparation and separation techniques for bioanalysis of morphine and related substances. 2009 , 32, 825-34		8
161	Multiclass analysis of illicit drugs in plasma and oral fluids by LC-MS/MS. 2009 , 393, 709-18		76
160	Rapid drug detection in oral samples by porous silicon assisted laser desorption/ionization mass spectrometry. 2009 , 23, 3543-8		32
159	Pre-analytical stability of selected benzodiazepines on a polymeric oral fluid sampling device. <i>Forensic Science International</i> , 2009 , 186, 81-5	2.6	13

158	The toxicological challenges in the European research project DRUID. 2009 , 1, 29-32		15
157	Oral fluid testing for drugs of abuse. 2009 , 55, 1910-31		298
156	Stability of drugs of abuse in oral fluid collection devices with purpose of external quality assessment schemes. <i>Therapeutic Drug Monitoring</i> , 2009 , 31, 277-80	3.2	28
155	Relationship between oral fluid and blood concentrations of drugs of abuse in drivers suspected of driving under the influence of drugs. <i>Therapeutic Drug Monitoring</i> , 2009 , 31, 511-9	3.2	118
154	Oral Fluid Toxicology. 2009 ,		
153	Pharmacokinetics of cocaine and metabolites in human oral fluid and correlation with plasma concentrations after controlled administration. <i>Therapeutic Drug Monitoring</i> , 2010 , 32, 628-37	3.2	60
152	Micro-solid phase extraction coupled with high-performance liquid chromatography-tandem mass spectrometry for the determination of stimulants, hallucinogens, ketamine and phencyclidine in oral fluids. <i>Analytica Chimica Acta</i> , 2010 , 675, 132-7	6.6	47
151	Can the prevalence of high blood drug concentrations in a population be estimated by analysing oral fluid? A study of tetrahydrocannabinol and amphetamine. <i>Forensic Science International</i> , 2010 , 195, 153-9	2.6	26
150	Comparison of zopiclone concentrations in oral fluid sampled with Intercept(®) oral specimen collection device and StatSure Saliva Sampler and concentrations in blood. <i>Journal of Analytical Toxicology</i> , 2010 , 34, 590-3	2.9	22
149	Comparison of drug concentrations in blood and oral fluid collected with the Intercept sampling device. <i>Journal of Analytical Toxicology</i> , 2010 , 34, 204-9	2.9	52
148	Collection of biological samples in forensic toxicology. 2010 , 20, 363-414		102
147	External quality assessment of multi-analyte chromatographic methods in oral fluid. <i>Clinica Chimica Acta</i> , 2010 , 411, 1041-5	6.2	9
146	Molecular, Clinical and Environmental Toxicology. <i>Exs</i> , 2010 ,		8
145	Screening for drugs of abuse: which matrix, oral fluid or urine?. 2011 , 48, 531-41		50
144	Reference intervals for saliva analytes collected by a standardized method in a physically active population. 2011 , 44, 1440-4		38
143	Effect of rinsing with ethanol-containing mouthrinses on the production of salivary acetaldehyde. 2011 , 119, 441-6		13
142	Cannabinoids and metabolites in expectorated oral fluid after 8 days of controlled around-the-clock oral THC administration. 2011 , 401, 599-607		24
141	Prevalence of driving with blood drug concentrations above proposed new legal limits in Norway: estimations based on drug concentrations in oral fluid. <i>Forensic Science International</i> , 2011 , 210, 221-7	2.6	11

140	Methadone disposition in oral fluid during pharmacotherapy for opioid-dependence. <i>Forensic Science International</i> , 2011 , 206, 98-102	2.6	6
139	Whole-saliva proteolysis and its impact on salivary diagnostics. 2011 , 90, 1325-30		68
138	Oral fluid is a viable alternative for monitoring drug abuse: detection of drugs in oral fluid by liquid chromatography-tandem mass spectrometry and comparison to the results from urine samples from patients treated with Methadone or Buprenorphine. <i>Journal of Analytical Toxicology</i> , 2011 , 35, 32-9	2.9	54
137	Oral fluid and plasma cannabinoid ratios after around-the-clock controlled oral (D)-tetrahydrocannabinol administration. 2011 , 57, 1597-606		27
136	Cannabinoid stability in authentic oral fluid after controlled cannabis smoking. 2012 , 58, 1101-9		51
135	Sjögren's Syndrome. 2012 ,		7
134	Fenproporex and amphetamine pharmacokinetics in oral fluid after controlled oral administration of fenproporex. <i>Therapeutic Drug Monitoring</i> , 2012 , 34, 545-53	3.2	11
133	Prevalence of psychoactive substances in dutch and belgian traffic. 2012 , 73, 951-60		8
132	Conducci3 bajo los efectos de sustancias psicoactivas: correlaci3 de las concentraciones en fluido oral y sangre. 2012 , 38, 91-99		
131	Repeatability of oral fluid collection methods for THC measurement. <i>Forensic Science International</i> , 2012 , 223, 266-72	2.6	12
130	Potential and limitations of alternative specimens in doping control. <i>Bioanalysis</i> , 2012 , 4, 1613-22	2.1	26
129	Cannabinoids and metabolites in expectorated oral fluid following controlled smoked cannabis. <i>Clinica Chimica Acta</i> , 2012 , 413, 765-70	6.2	42
128	The impact of saliva collection and processing methods on CRP, IgE, and Myoglobin immunoassays. 2012 , 1, 19		96
127	Toxicology testing in alternative specimen matrices. <i>Clinics in Laboratory Medicine</i> , 2012 , 32, 467-92	2.1	19
126	A rapid and sensitive method for the identification of delta-9-tetrahydrocannabinol in oral fluid by liquid chromatography-tandem mass spectrometry. <i>Forensic Science International</i> , 2012 , 215, 92-6	2.6	28
125	Melamine modified gold nanoprobe for "on-spot" colorimetric recognition of clonazepam from biological specimens. <i>Analyst</i> , 2013 , 138, 5411-6	5	25
124	Quantitative study of non-stimulated human whole saliva using NAA. 2013 , 296, 573-577		3
123	Methadone concentrations in blood, plasma, and oral fluid determined by isotope-dilution gas chromatography-mass spectrometry. 2013 , 405, 3921-8		19

122	Micro extraction by packed sorbent coupled to liquid chromatography tandem mass spectrometry for the rapid and sensitive determination of cannabinoids in oral fluids. 2013 , 1301, 139-46		50
121	Comparison of drug concentrations between whole blood and oral fluid. <i>Drug Testing and Analysis</i> , 2014 , 6, 461-71	3.5	72
120	Comparison of cannabinoid concentrations in oral fluid and whole blood between occasional and regular cannabis smokers prior to and after smoking a cannabis joint. 2013 , 405, 9791-803		45
119	Oral fluid for the detection of drugs of abuse using immunoassay and LC-MS/MS. <i>Bioanalysis</i> , 2013 , 5, 1555-69	2.1	32
118	Development of an LC-MS/MS method for the simultaneous determination of 25 benzodiazepines and zolpidem in oral fluid and its application to authentic samples from regular drug users. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 74, 213-22	3.5	35
117	A review of suspected cases of driving under the influence of drugs (DUID) involved in traffic accidents in Istanbul (Turkey). 2013 , 20, 626-31		12
116	LC/ESI-MS/MS method for quantification of 28 synthetic cannabinoids in neat oral fluid and its application to preliminary studies on their detection windows. 2013 , 405, 4691-706		56
115	Stability of 11 prevalent synthetic cannabinoids in authentic neat oral fluid samples: glass versus polypropylene containers at different temperatures. <i>Drug Testing and Analysis</i> , 2013 , 5, 602-6	3.5	17
114	Oral Fluids and Teeth in Toxicology. 2013 , 189-199		1
113	Drivers under the influence of drugs of abuse: quantification of cocaine and impaired driving. 2013 , 81, 135-43		8
112	Screening of synthetic cannabinoids in preserved oral fluid by UPLC-MS/MS. <i>Bioanalysis</i> , 2013 , 5, 2257-68.1		35
111	Therapeutic drug monitoring of antiepileptic drugs by use of saliva. <i>Therapeutic Drug Monitoring</i> , 2013 , 35, 4-29	3.2	126
110	Challenges in specificity and collection efficiency for integrated optical biosensors. 2013 ,		
109	Cariogram Model in Assessment of Dental Caries among Mentally Challenged and Visually Impaired Individuals of Udaipur, India. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014 , 8, 206-10	0	3
108	Hydrogen cyanide in the headspace of oral fluid and in mouth-exhaled breath. 2014 , 8, 027108		7
107	Detection of 4 benzodiazepines in oral fluid as biomarker for presence in blood. <i>Therapeutic Drug Monitoring</i> , 2014 , 36, 252-6	3.2	7
106	Detection time for THC in oral fluid after frequent cannabis smoking. <i>Therapeutic Drug Monitoring</i> , 2014 , 36, 808-14	3.2	10
105	Current knowledge on cannabinoids in oral fluid. <i>Drug Testing and Analysis</i> , 2014 , 6, 88-111	3.5	61

104	Role of oral fluids in DNA investigations. 2014 , 22, 45-50		10
103	Trends in drug testing in oral fluid and hair as alternative matrices. <i>Bioanalysis</i> , 2014 , 6, 2193-209	2.1	34
102	The relationship between observed signs of impairment and THC concentration in oral fluid. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 231-8	4.9	11
101	Detection and prevalence of drug use in arrested drivers using the Dräger Drug Test 5000 and Affiniton DrugWipe oral fluid drug screening devices. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 444-50	2.9	34
100	A smart and rapid colorimetric method for the detection of codeine sulphate, using unmodified gold nanoprobe. 2014 , 4, 50443-50448		27
99	Determination of some biochemical parameters in oral fluid and evaluation of their stability under different storage conditions. <i>Toxicologie Analytique Et Clinique</i> , 2015 , 27, 195-202	0.4	1
98	Impact of oral fluid collection device on cannabinoid stability following smoked cannabis. <i>Drug Testing and Analysis</i> , 2015 , 7, 114-20	3.5	18
97	Prescription opioids. III. Disposition of oxycodone in oral fluid and blood following controlled single-dose administration. <i>Journal of Analytical Toxicology</i> , 2015 , 39, 192-202	2.9	17
96	Spectroscopic Trends for the Determination of Illicit Drugs in Oral Fluid. 2015 , 50, 775-796		20
95	Determination of illicit drugs and metabolites in oral fluid by microextraction on packed sorbent coupled with LC-MS/MS. 2015 , 407, 3647-58		47
94	Recovery and Stability of Δ -Tetrahydrocannabinol Using the Oral-Eze [®] Oral Fluid Collection System and Intercept [®] Oral Specimen Collection Device. <i>Journal of Analytical Toxicology</i> , 2015 , 39, 648-54	2.9	5
93	Saliva as a matrix for human biomonitoring in occupational and environmental medicine. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 1-44	3.2	45
92	Recovery of drugs of abuse from Dräger DCD5000 oral fluid collection device in Australia. <i>Journal of Analytical Toxicology</i> , 2015 , 39, 140-3	2.9	2
91	Speichel als Matrix für das Humanbiomonitoring in der Arbeits- und Umweltmedizin [Biomonitoring Methods in German Language, 2015]. 2016 , 1, 2818-2895		
90	Analytical Samples. 2016 , 113-142		1
89	A Study on the Reliability of an On-Site Oral Fluid Drug Test in a Recreational Context. <i>Journal of Analytical Methods in Chemistry</i> , 2016 , 2016, 1234581	2	23
88	Alternative Sampling Strategies for Therapeutic Drug Monitoring. 2016 , 279-336		11
87	Detection of Nitrobenzodiazepines and Their 7-Amino Metabolites in Oral Fluid. <i>Journal of Analytical Toxicology</i> , 2016 , 40, 310-2	2.9	9

86	Isolation and Characterization of Drugs of Abuse in Oral Fluid by a Novel Preconcentration Protocol. <i>Analytical Letters</i> , 2016 , 49, 2822-2832	2.2	7
85	Problems and optimization of sampling, storage, and sample preparation in the determination of the trace element composition of human saliva. <i>Journal of Analytical Chemistry</i> , 2016 , 71, 1016-1021	1.1	7
84	Cocaine and benzoylecgonine oral fluid on-site screening and confirmation. <i>Drug Testing and Analysis</i> , 2016 , 8, 296-303	3.5	10
83	Saliva as an alternative specimen to plasma for drug bioanalysis: A review. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 83, 70-79	14.6	53
82	Toxicology in Pain Management. <i>Clinics in Laboratory Medicine</i> , 2016 , 36, 673-684	2.1	7
81	Saliva as a matrix for human biomonitoring in occupational and environmental medicine [Biomonitoring Methods, 2015]. 2016 , 1, 1399-1479		2
80	Oral fluid drug analysis in the age of new psychoactive substances. <i>Bioanalysis</i> , 2016 , 8, 691-710	2.1	25
79	Influence of Sampling Procedure on Codeine Concentrations in Oral Fluid. <i>Journal of Analytical Toxicology</i> , 2016 , 40, 148-52	2.9	10
78	Simultaneous determination of cocaine/crack and its metabolites in oral fluid, urine and plasma by liquid chromatography-mass spectrometry and its application in drug users. <i>Journal of Pharmacological and Toxicological Methods</i> , 2017 , 86, 60-66	1.7	18
77	Les analyses médico-légales de salives: expertise vis-à-vis l'analyse des drogues. <i>Journal of the Canadian Society of Forensic Science</i> , 2017 , 50, 90-102	0.5	3
76	Toxicology in clinical laboratories: challenging times. <i>British Journal of Biomedical Science</i> , 2017 , 74, 110-120		1
75	Alternative sampling strategies for the assessment of biomarkers of exposure. <i>Current Opinion in Toxicology</i> , 2017 , 4, 43-51	4.4	6
74	Appropriate Use of Drug Testing in Clinical Addiction Medicine. <i>Journal of Addiction Medicine</i> , 2017 , 11 Suppl 3, 1-56	3.8	3
73	[Substance abuse detection in substitution therapy : Oral fluid versus urine screening]. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , 2017 , 60, 1261-1268	7.5	
72	Saliva: a reliable sample matrix in bioanalytics. <i>Bioanalysis</i> , 2017 , 9, 655-668	2.1	33
71	Fluorescence-based lateral flow assays for rapid oral fluid roadside detection of cannabis use. <i>Electrophoresis</i> , 2017 , 38, 501-506	3.6	12
70	Long-term stability of cannabinoids in oral fluid after controlled cannabis administration. <i>Drug Testing and Analysis</i> , 2017 , 9, 143-147	3.5	23
69	Determination of 21 drugs in oral fluid using fully automated supported liquid extraction and UHPLC-MS/MS. <i>Drug Testing and Analysis</i> , 2017 , 9, 808-823	3.5	36

68	Illicit Drugs in Oral Fluid: Evaluation of Two Collection Devices. <i>Journal of Analytical Toxicology</i> , 2017 , 41, 71-76	2.9	17
67	Cannabinoids in Oral Fluid: Identification and Interpretation of Analytical Results. 2017 , 1007-1017		1
66	Evaluation of Correlation between Salivary Calcium, Alkaline Phosphatase and Osteoporosis- A Prospective, Comparative and Observational Study. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017 , 11, ZC63-ZC66	0	4
65	Eating Capability Assessments in Elderly Populations. 2017 , 83-98		4
64	Monitoring opioid and benzodiazepine use and abuse: Is oral fluid or urine the preferred specimen type?. <i>Clinica Chimica Acta</i> , 2018 , 481, 75-82	6.2	12
63	Development and application of molecularly imprinted polymer - Mn-doped ZnS quantum dot fluorescent optosensing for cocaine screening in oral fluid and serum. <i>Talanta</i> , 2018 , 181, 232-238	6.2	27
62	Driving under the influence of cocaine: Quantitative determination of basic drugs in oral fluid obtained during roadside controls and a controlled study with cocaine users. <i>Drug Testing and Analysis</i> , 2018 , 10, 1285	3.5	6
61	Potential of Oral Fluid as a Clinical Specimen for Compliance Monitoring of Psychopharmacotherapy. <i>Therapeutic Drug Monitoring</i> , 2018 , 40, 245-251	3.2	13
60	Therapeutic Drug Monitoring of Antiepileptic Drugs in Epilepsy: A 2018 Update. <i>Therapeutic Drug Monitoring</i> , 2018 , 40, 526-548	3.2	167
59	Oral Fluid Drug Testing in Pain Management Practice: Factors to Consider Before Choosing the Alternative Biological Matrix. <i>Journal of applied laboratory medicine, The</i> , 2018 , 2, 598-609	2	3
58	Collection of Oral Fluid. 2018 , 41-49		
57	Urine is superior to oral fluid for detecting buprenorphine compliance in patients undergoing treatment for opioid addiction. <i>Drug and Alcohol Dependence</i> , 2019 , 203, 8-12	4.9	5
56	Investigating oral fluid and exhaled breath as alternative matrices for anti-doping testing: Analysis of 521 matched samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 176, 112810	3.5	3
55	Methodological issues in point of care testing devices. 2019 , 451-458		
54	Oral Fluid Drug Testing: Analytical Approaches, Issues and Interpretation of Results. <i>Journal of Analytical Toxicology</i> , 2019 , 43, 415-443	2.9	39
53	Oral Cavity Fluid as an Investigative Approach for Qualitative and Quantitative Evaluations of Drugs in Postmortem Subjects. <i>Journal of Analytical Toxicology</i> , 2019 , 43, 444-451	2.9	2
52	Development and application of a LC-HRMS/MS method for analyzing antihypertensive drugs in oral fluid for monitoring drug adherence. <i>Analytica Chimica Acta</i> , 2019 , 1070, 69-79	6.6	9
51	Recent Progress in Electrochemical pH-Sensing Materials and Configurations for Biomedical Applications. <i>Chemical Reviews</i> , 2019 , 119, 5248-5297	68.1	86

50	Point of Care Devices for Drugs of Abuse Testing: Limitations and Pitfalls. 2019 , 141-148		1
49	Micro Solid Phase Extraction Surface-Enhanced Raman Spectroscopy (ESPE/SERS) Screening Test for the Detection of the Synthetic Cannabinoid JWH-018 in Oral Fluid. <i>Analytical Chemistry</i> , 2019 , 91, 4780-4789	7.8	24
48	LC-MS in Drug Analysis. <i>Methods in Molecular Biology</i> , 2019 ,	1.4	2
47	Analysis of Drugs in Oral Fluid Using LC-MS/MS. <i>Methods in Molecular Biology</i> , 2019 , 1872, 237-259	1.4	7
46	Drug abuse screening with exhaled breath and oral fluid in adults with substance use disorder. <i>Drug Testing and Analysis</i> , 2019 , 11, 27-32	3.5	11
45	. 2020 ,		1
44	A threshold LC-MS/MS method for 92 analytes in oral fluid collected with the Quantisal [®] device. <i>Forensic Science International</i> , 2020 , 317, 110506	2.6	5
43	Cannabis legalisation and testing for cannabis use in safety- and risk-sensitive environments. <i>South African Medical Journal</i> , 2020 , 110, 995-998	1.5	
42	Evaluation of swabs from 15 commercially available oral fluid sample collection devices for the analysis of commonly abused substances: doping agents and drugs of abuse. <i>Analyst, The</i> , 2020 , 145, 7279-7288	5	6
41	Effect of Conditions for Sampling of Human Saliva on the Results of Determination of Macro- and Micronutrients. <i>Journal of Analytical Chemistry</i> , 2020 , 75, 453-458	1.1	6
40	Laboratory Testing for Substance Misuse. 2020 , 422-451		
39	Extraction of dried oral fluid spots (DOFS) for the identification of drugs of abuse using liquid chromatography tandem mass spectrometry (LC-MS/MS). <i>Forensic Chemistry</i> , 2020 , 19, 100254	2.8	6
38	A Case Study Evaluating the Efficacy of an Ad Hoc Hospital Collection Device for Fentanyl in Infant Oral Fluid. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 741-746	2.9	2
37	Adherence to Antihypertensive Drugs Assessed by Hyphenated High-Resolution Mass Spectrometry Analysis of Oral Fluids. <i>Journal of the American Heart Association</i> , 2020 , 9, e014180	6	5
36	Developing and Validating a Fast and Accurate Method to Quantify 18 Antidepressants in Oral Fluid Samples Using SPE and LC-MS-MS. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 610-617	2.9	10
35	An Experimental Pharmacokinetics Study of Diazepam and Its Metabolites in Oral Fluid of Chinese Population. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 348-353	2.9	3
34	Stability and Degradation Pathways of Different Psychoactive Drugs in Neat and in Buffered Oral Fluid. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 570-579	2.9	7
33	Semiquantitative Activity-Based Detection of JWH-018, a Synthetic Cannabinoid Receptor Agonist, in Oral Fluid after Vaping. <i>Analytical Chemistry</i> , 2020 , 92, 6065-6071	7.8	4

32	Review of the Current State of Urine Drug Testing in Chronic Pain: Still Effective as a Clinical Tool and Curbing Abuse, or an Arcane Test?. <i>Current Pain and Headache Reports</i> , 2021 , 25, 12	4.2	3
31	An overview of sample preparation in forensic toxicology. <i>Wiley Interdisciplinary Reviews Forensic Science</i> ,	2.6	3
30	An automated assay for salivary amylase: A validity marker for oral fluid. <i>Drug Testing and Analysis</i> , 2021 , 13, 1452-1456	3.5	1
29	Recommendations for Toxicological Investigation of Drug-Impaired Driving and Motor Vehicle Fatalities-2021 Update. <i>Journal of Analytical Toxicology</i> , 2021 , 45, 529-536	2.9	4
28	Impact of Quantisal Oral Fluid Collection Device on Drug Stability.. <i>Frontiers in Toxicology</i> , 2021 , 3, 6706566		
27	Study of Δ -tetrahydrocannabinol (THC) and cannabidiol (CBD) extraction FROM dried oral fluid spots (DOFS) and LC-MS/MS detection. <i>Journal of Cannabis Research</i> , 2021 , 3, 30	2.5	2
26	Pilot study of oral fluid and plasma meropenem and piperacillin concentrations in the intensive care unit. <i>Clinica Chimica Acta</i> , 2021 , 523, 72-76	6.2	
25	Oral and Dental Manifestations of Sjögren's Syndrome: Current Approaches to Diagnostics and Therapy. 2011 , 221-242		3
24	Biological testing for drugs of abuse. <i>Exs</i> , 2010 , 100, 489-517		19
23	La salive dans les investigations toxicologiques: considérations pratiques et analytiques. 2012 , 219-255		2
22	Utilisation des tests rapides de détection de drogues dans la salive au bord de la route et en santé au travail. <i>Toxicologie Analytique Et Clinique</i> , 2009 , 21, 3-8	0.4	10
21	Comparison of the drug concentrations in oral fluid collected by two sampling methods (Varian OraLab and StatSure SalivaSampler). <i>Toxicologie Analytique Et Clinique</i> , 2011 , 23, 133-138	0.4	6
20	Oral fluid nicotine markers to assess smoking status and recency of use. <i>Therapeutic Drug Monitoring</i> , 2011 , 33, 609-18	3.2	12
19	Drugs of Addiction in the Domestic, Occupational and Sports Environment.		
18	Toxicology of Substances of Abuse. 99-121		
17	Analytical Samples. 2022 , 199-226		
16	Saliva as a Non-invasive Sample: Pros and Cons. 2020 , 49-65		0
15	Oral Fluid Testing. 2020 , 629-656		

14	Place de la salive dans les analyses toxicologiques. <i>Revue Francophone Des Laboratoires</i> , 2021 , 2021, 65-73		
13	Drugs-of-Abuse Testing in Saliva or Oral Fluid. 2008 , 83-99		
12	Drug testing in oral fluid. <i>Clinical Biochemist Reviews</i> , 2006 , 27, 147-59	7.3	155
11	Optimum methadone compliance testing: an evidence-based analysis. <i>Ontario Health Technology Assessment Series</i> , 2006 , 6, 1-54	3.1	1
10	Three cases of naloxone interference with an oxycodone immunoassay in oral fluid.. <i>Drug Testing and Analysis</i> , 2022 ,	3.5	
9	Cross-Reactivity of Commercial Immunoassays for Screening of New Amphetamine Designer Drugs. A Review. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 114868	3.5	
8	pH Measurement of Mixed Saliva using a Flow-injection Sensor with a Tubular Carbon Electrode. <i>Asian Journal of Chemistry</i> , 2022 , 34, 2081-2085	0.4	
7	Effects of the Storage Conditions on the Stability of Natural and Synthetic Cannabis in Biological Matrices for Forensic Toxicology Analysis: An Update from the Literature. 2022 , 12, 801		0
6	Analysis of 2,5-dimethoxy-amphetamines and 2,5-dimethoxy-phenethylamines aiming their determination in biological matrices: a review.		0
5	Target Analysis of NPS in Oral Fluid. 2023 , 145-197		0
4	Internal reference genes with the potential for normalizing quantitative PCR results for oral fluid specimens. 1-10		0
3	A Human Oral Fluid Assay for D- and L- Isomer Detection of Amphetamine and Methamphetamine Using Liquid-Liquid Extraction. 2022 , 2022, 1-9		1
2	Drugs in Oral Fluid. 2016 , 426-437		0
1	Electrochemical sensing of analytes in saliva: Challenges, progress, and perspectives. 2023 , 160, 116965		0