## Development and application of a new on-line SPE systed detection for high throughput direct analysis of pharma

Journal of Chromatography A 1080, 99-106 DOI: 10.1016/j.chroma.2005.04.056

**Citation Report** 

#	Article	IF	CITATIONS
1	Automated On-Line Renewable Solid-Phase Extraction-Liquid Chromatography Exploiting Multisyringe Flow Injection-Bead Injection Lab-on-Valve Analysis. Analytical Chemistry, 2006, 78, 2832-2840.	6.5	98
2	Comparison of LC/MS and SFC/MS for Screening of a Large and Diverse Library of Pharmaceutically Relevant Compounds. Analytical Chemistry, 2006, 78, 7467-7472.	6.5	90
3	Method for Internal Standard Introduction for Quantitative Analysis Using On-Line Solid-Phase Extraction LCâ^'MS/MS. Analytical Chemistry, 2006, 78, 1331-1336.	6.5	17
4	On-line preconcentration of pharmaceutical residues from large volume water samples using short reversed-phase monolithic cartridges coupled to LC-UV-ESI-MS. Talanta, 2006, 70, 1117-1128.	5.5	91
5	A Fully Automated Turbulent-Flow Liquid Chromatography-Tandem Mass Spectrometry Technique for Monitoring Antidepressants in Human Serum. Therapeutic Drug Monitoring, 2006, 28, 123-130.	2.0	97
6	Determination of Nonsteroidal Anti-inflammatory Drugs in Serum by Microchip Capillary Electrophoresis with Electrochemical Detection. Electroanalysis, 2006, 18, 2202-2209.	2.9	31
7	Direct determination of non-steroidal anti-inflammatory drugs by column-switching LC–MS. Journal of Separation Science, 2006, 29, 2725-2732.	2.5	16
9	The Role of Liquid Chromatography-Mass Spectrometry in Pharmacokinetics and Drug Metabolism. , 2006, , 605-640.		1
10	The beadwhacker for maintaining even dispersion of micron-sized beads. Measurement Science and Technology, 2007, 18, N1-N4.	2.6	0
11	Determination of andrographolide and dehydroandrographolide in rabbit plasma by on-line solid phase extraction of high-performance liquid chromatography. Talanta, 2007, 74, 146-152.	5.5	30
12	Historical review of sample preparation for chromatographic bioanalysis: pros and cons. Drug Development Research, 2007, 68, 107-133.	2.9	105
13	Principles, developments and applications of on-line coupling of extraction with chromatography. Journal of Chromatography A, 2007, 1153, 14-28.	3.7	80
14	Advantages and limitations of on-line solid phase extraction coupled to liquid chromatography–mass spectrometry technologies versus biosensors for monitoring of emerging contaminants in water. Journal of Chromatography A, 2007, 1152, 97-115.	3.7	287
15	Recent advances in high-throughput quantitative bioanalysis by LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2007, 44, 342-355.	2.8	468
16	A rapid and sensitive method for the quantitation of montelukast in sheep plasma using liquid chromatography/tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 858, 282-286.	2.3	29
17	Finding key impurities in different manufacturing routes of a drug substance using liquid chromatography/mass spectrometry followed by principal components analysis. Rapid Communications in Mass Spectrometry, 2007, 21, 3946-3948.	1.5	5
18	Determination of drugs in biological fluids by direct injection of samples for liquid-chromatographic analysis. Journal of Proteomics, 2007, 70, 263-273.	2.4	107
19	Sample preparation for liquid chromatography-tandem mass spectrometry using functionalized ferromagnetic micro-particles. Clinical Biochemistry, 2008, 41, 1417-1419.	1.9	13

#	ARTICLE	IF	CITATIONS
20	high-throughput analysis: Comparison of HPLC with ultraviolet and trimethoprim in biological fluids for detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 863, 46-54	2.3	59
21	Direct injection of whole blood for liquid chromatography/tandem mass spectrometry analysis to support single-rodent pharmacokinetic studies. Rapid Communications in Mass Spectrometry, 2008, 22, 834-840.	1.5	6
22	Sample preparation. Journal of Chromatography A, 2008, 1184, 191-219.	3.7	291
23	On-line liquid chromatography–mass spectrometry with dilution line to achieve large volume urine injection for the improvement of sensitivity. Journal of Chromatography A, 2008, 1198-1199, 87-94.	3.7	23
24	Current Applications of Liquid Chromatography/Mass Spectrometry in Pharmaceutical Discovery After a Decade of Innovation. Annual Review of Analytical Chemistry, 2008, 1, 357-396.	5.4	62
25	Chapter 8 Non-opioid analgesics. Handbook of Analytical Separations, 2008, , 319-356.	0.8	1
26	Chapter 9 Other therapeutic drugs of forensic relevance. Handbook of Analytical Separations, 2008, 6, 357-389.	0.8	0
27	Complete Automation of Solid-Phase Extraction with Subsequent Liquid Chromatography-Tandem Mass Spectrometry for the Quantification of Benzoylecgonine, m-Hydroxybenzoylecgonine, p-Hydroxybenzoylecgonine, and Norbenzoylecgonine in UrineApplication to a High-Throughput Urine Analysis Laboratory, Journal of Analytical Toxicology, 2008, 32, 577-585	2.8	27
30	High-Throughput Analysis of Amphetamines in Blood and Urine with Online Solid-Phase Extraction-Liquid Chromatography—Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2009, 33, 578-587.	2.8	23
31	Two new techniques for sample preparation in bioanalysis: Microextraction in packed sorbent (MEPS) and use of a bonded monolith as sorbent for sample preparation in polypropylene tips for 96-well plates. Analytical and Bioanalytical Chemistry, 2009, 393, 797-807.	3.7	84
32	Determination of basic drugs of abuse in human serum by online extraction and LC–MS/MS. Analytical and Bioanalytical Chemistry, 2009, 395, 2499-2507.	3.7	51
33	Direct analysis of valsartan or candesartan in human plasma and urines by on-line solid phase extraction coupled to electrospray tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 919-926.	2.3	36
34	Separation and sample pre-treatment in bioanalysis using monolithic phases: A review. Analytica Chimica Acta, 2009, 652, 22-31.	5.4	98
35	Extraction and Determination of Cefazolin Sodium and Cefotaxime Sodium in Human Urine with a Weak Ion Exchange Monolithic Column. Journal of Liquid Chromatography and Related Technologies, 2009, 32, 1423-1433.	1.0	14
36	On-line solid phase extraction LC–MS/MS analysis of pharmaceutical indicators in water: A green alternative to conventional methods. Talanta, 2009, 79, 1425-1432.	5.5	88
37	Bioanalytical solutions to acetonitrile shortages. Bioanalysis, 2010, 2, 1627-1640.	1.5	15
39	Critical topics in ensuring data quality in bioanalytical LC–MS method development. Bioanalysis, 2010, 2, 1051-1072.	1.5	48
40	Development of an ultra fast online-solid phase extraction (SPE) liquid chromatography electrospray tandem mass spectrometry (LC-ESI-MS/MS) based approach for the determination of drugs in	2.7	28

CITATION REPORT

#	Article	IF	CITATIONS
41	UHPLC Method for the Simultaneous Determination of Â-Blockers, Isoflavones, and Flavonoids in Human Urine. Journal of Chromatographic Science, 2011, 49, 764-773.	1.4	18
42	Monolithic silica with HPLC separation and solid phase extraction materials for determination of drugs in biological materials. Analytical Methods, 2011, 3, 2189.	2.7	20
43	Online extraction LC–MS/MS method for the simultaneous quantitative confirmation of urine drugs of abuse and metabolites: Amphetamines, opiates, cocaine, cannabis, benzodiazepines and methadone. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2642-2652.	2.3	44
44	Development of a Novel High-Throughput Analytical Methodology, Multiple Injection Method, for Quantitative Analysis in Drug Metabolism and Pharmacokinetic Studies Using Liquid Chromatography with Tandem Mass Spectrometry. Biological and Pharmaceutical Bulletin, 2011, 34, 1187-1193.	1.4	5
45	Generic approach for the sensitive absolute quantification of large undigested peptides in plasma using a particular liquid chromatography–mass spectrometry setup. Journal of Chromatography A, 2011, 1218, 8536-8543.	3.7	14
46	UHPLC method for the simultaneous determination of Î <sup>2</sup> -blockers, isoflavones and their metabolites in human urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 615-626.	2.3	43
47	The pivotal role of mass spectrometry in determining the presence of chemical contaminants in food raw materials. Mass Spectrometry Reviews, 2011, 30, 1073-1095.	5.4	23
48	Progress in automation of LC-MS in laboratory medicine. Clinical Biochemistry, 2011, 44, 4-13.	1.9	85
49	GC–MS method for the simultaneous determination of β-blockers, flavonoids, isoflavones and their metabolites in human urine. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 93-102.	2.8	61
50	Direct-injection HPLC method of measuring micafungin in human plasma using a novel hydrophobic/hydrophilic hybrid ODS column. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1029-1032.	2.3	15
51	Regulated bioanalytical laboratory automation: where we came from, where we are and where we are going. Bioanalysis, 2011, 3, 1415-1418.	1.5	7
52	Automated micropipette tip-based SPE in quantitative bioanalysis. Bioanalysis, 2011, 3, 1227-1239.	1.5	13
53	Recent development in software and automation tools for high-throughput discovery bioanalysis. Bioanalysis, 2012, 4, 1097-1109.	1.5	27
56	Development of an improved single-drop microextraction method and its application for the analysis of carbamate and organophosphorus pesticides in water samples. Analyst, The, 2012, 137, 5339.	3.5	18
57	Validation of a Fully Automated Robotic Setup for Preparation of Whole Blood Samples for LC-MS Toxicology Analysis. Journal of Analytical Toxicology, 2012, 36, 280-287.	2.8	37
58	On-line liquid chromatography/tandem mass spectrometry simultaneous determination of opiates, cocainics and amphetamines in dried blood spots. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 885-886, 1-7.	2.3	63
59	LC Automation. , 2012, , 613-648.		1
60	Column-Switching Sample Preparation. , 2012, , 649-676.		3

**CITATION REPORT** 

#	Article	IF	CITATIONS
61	Principles and Applications of LC-MS/MS for the Quantitative Bioanalysis of Analytes in Various Biological Samples. , 0, , .		17
63	Development and validation of a rapid HPLC method for the determination of cefdinir in beagle dog plasma integrated with an automatic on-line solid-phase extraction following protein precipitation in the 96-well plate format. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 895-896, 83-88.	2.3	13
64	Membrane-assisted solvent extraction coupled to large volume injection–gas chromatography–mass spectrometry for the determination of a variety of endocrine disrupting compounds in environmental water samples. Analytical and Bioanalytical Chemistry, 2012, 402, 2897-2907.	3.7	16
65	Development and validation of two LC-MS/MS methods for the detection and quantification of amphetamines, designer amphetamines, benzoylecgonine, benzodiazepines, opiates, and opioids in urine using turbulent flow chromatography. Analytical and Bioanalytical Chemistry, 2013, 405, 247-258.	3.7	34
66	Application of statistical experimental design to the optimisation of microextraction by packed sorbent for the analysis of nonsteroidal anti-inflammatory drugs in human urine by ultra-high pressure liquid chromatography. Journal of Chromatography A, 2013, 1304, 1-9.	3.7	43
67	Clinical applications of fast liquid chromatography: A review on the analysis of cardiovascular drugs and their metabolites. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 927, 54-79.	2.3	26
68	Recent Developments in HPLC Analysis of β-Blockers in Biological Samples. Journal of Chromatographic Science, 2013, 51, 807-818.	1.4	32
69	Online microchannel preconcentrator for carbofuran detection. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2013, 48, 893-905.	1.5	1
71	Current advances and strategies towards fully automated sample preparation for regulated LC–MS/MS bioanalysis. Bioanalysis, 2014, 6, 2441-2459.	1.5	36
72	Porous membrane ultrafiltration—A novel method for enrichment of the active compounds from micro-plasma samples. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 131, 22-29.	3.9	4
73	High-throughput determination of nonsteroidal anti-inflammatory drugs in human plasma by HILIC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2014, 88, 71-80.	2.8	31
74	Simultaneous determination of ten steroid hormones in animal origin food by matrix solid-phase dispersion and liquid chromatography–electrospray tandem mass spectrometry. Food Chemistry, 2014, 142, 170-177.	8.2	40
78	Development of On-Line Solid-Phase Extraction-Liquid Chromatography Coupled with Tandem Mass Spectrometry Method to Quantify Pharmaceutical, Glucuronide Conjugates and Metabolites in Water. Journal of Chromatography & Separation Techniques, 2016, 7, .	0.2	0
79	Online solid phase extraction and liquid chromatography-mass spectrometric determination of nucleoside drugs in plasma. Talanta, 2016, 161, 278-287.	5.5	20
80	From low- to high-throughput analysis. Bioanalysis, 2016, 8, 135-141.	1.5	1
81	Fast quantitation of opioid isomers in human plasma by differential mobility spectrometry/mass spectrometry via SPME/open-port probe sampling interface. Analytica Chimica Acta, 2017, 991, 89-94.	5.4	46
82	Bioanalytical method development and validation: Critical concepts and strategies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1043, 3-11.	2.3	97
83	Development and validation of a highâ€performance liquid chromatography method for determination of lisinopril in human plasma by magnetic solidâ€phase extraction and preâ€column derivatization. Biomedical Chromatography, 2018, 32, e4120.	1.7	6

#	Article	IF	CITATIONS
84	Comparison of the Detection Windows of Heroin Metabolites in Human Urine Using Online SPE and LC–MS/MS: Importance of Morphine-3-Glucuronide. Journal of Analytical Toxicology, 2019, 44, 22-28.	2.8	3
86	Rapid determination of sulfonamides in chicken using two-dimensional online cleanup mode with three columns coupled to liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1114-1115, 110-118.	2.3	8
87	Preparation and characterization of magnetic metal–organic framework nanocomposite as solid-phase microextraction fibers coupled with high-performance liquid chromatography for determination of non-steroidal anti-inflammatory drugs in biological fluids and tablet formulation samples. Microchemical Journal, 2019, 144, 270-284.	4.5	55
88	Automated and high-throughput extraction approaches. , 2020, , 573-588.		4
89	High performance liquid chromatography – Mass spectrometric bioanalytical method for the determination of dapoxetine in human plasma: Application for bioequivalence study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1149, 122154.	2.3	6
90	Solid-phase extraction of non-steroidal anti-inflammatory drugs in human plasma and water samples using sol–gel-based metal-organic framework coating. Journal of Chromatography A, 2021, 1648, 462168.	3.7	29
91	Luminescence methods for study and determination of pollutants in the environment. Macedonian Journal of Chemistry and Chemical Engineering, 2013, 29, 1.	0.6	17
92	and the sample preparation group was spun off as ITSP Solutions, Inc.; Merck KGaA acquired Millipore to become EMD Millipore. The source of the BioTrap 500 LC column was updated to Chrom Tech, USA ,		0
93	Determination of trace organic contaminants by a novel mixed-mode online solid-phase extraction coupled to liquid chromatography–tandem mass spectrometry. Environmental Pollution, 2022, 303, 119112.	7.5	12
94	Extension of the Temporal Window for the Determination of Alpha-Methylthiofentanyl and Thiofentanyl in Rat Urine by Monitoring the Metabolite Norfentanyl Using Online Solid-Phase Extraction (SPE) Coupled with Ultra-High Performance Liquid Chromatography–Tandem Mass Spectrometry (LIHPL C–MS/MS) Analytical Letters 0 1-16	1.8	0
95	Performance critical comparison of offline SPE, online SPE, and direct injection for the determination of CECs in complex liquid environmental matrices. Microchemical Journal, 2023, 187, 108395.	4.5	8
96	Rapid online solid phase extraction liquid chromatography for the analysis of selected pharmaceuticals in water. AIP Conference Proceedings, 2023, , .	0.4	0
97	Opportunities for process intensification using non-thermal plasmas. Current Opinion in Chemical Engineering, 2023, 41, 100930.	7.8	3
99	Solid phase extraction for the determination of vitamins in food and beverages. , 2023, , .		0

CITATION REPORT