

CITATION REPORT

List of articles citing

1-Allyl-3-methylimidazolium Chloride Room Temperature Ionic Liquid: A New and Powerful Nonderivatizing Solvent for Cellulose

DOI: 10.1021/ma0505676

Macromolecules, 2005, 38, 8272-8277.

Source: <https://exaly.com/paper-pdf/38137987/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1195	Thermoplastic All-Cellulose Composites with Covalently Attached Carbonized Cellulose.		
1194	A Novel Cellulose/Ionic Liquid Complex Crystal.		
1193	Converting Waste Papers to Fluorescent Carbon Dots in the Recycling Process without Loss of Ionic Liquids and Bioimaging Applications.		
1192	Dissolution of cellulose with ionic liquids and its application: a mini-review. <i>Green Chemistry</i> , 2006 , 8, 325	10	1004
1191	Synthesis of mesoporous TiO ₂ films in ionic liquid dissolving cellulose. 2006 , 95, 26-30		35
1190	Cellulose--model films and the fundamental approach. 2006 , 35, 1287-304		183
1189	Chitin and chitosan dissolved in ionic liquids as reversible sorbents of CO ₂ . <i>Green Chemistry</i> , 2006 , 8, 630	10	341
1188	Enhancement of cellulose saccharification kinetics using an ionic liquid pretreatment step. 2006 , 95, 904-10		489
1187	Efficient Homogeneous Chemical Modification of Bacterial Cellulose in the Ionic Liquid 1-N-Butyl-3-methylimidazolium Chloride. 2006 , 27, 1670-1676		142
1186	Mitigation of Cellulose Recalcitrance to Enzymatic Hydrolysis by Ionic Liquid Pretreatment. 2007 , 407-421		4
1185	Effects of different head groups and functionalised side chains on the cytotoxicity of ionic liquids. <i>Green Chemistry</i> , 2007 , 9, 760-767	10	193
1184	Thorough chemical modification of wood-based lignocellulosic materials in ionic liquids. <i>Biomacromolecules</i> , 2007 , 8, 3740-8	6.9	167
1183	Ultrasound enhancement of cellulose processing in ionic liquids: from dissolution towards functionalization. <i>Green Chemistry</i> , 2007 , 9, 1229	10	116
1182	Sulfonium-based Ionic Liquids Incorporating the Allyl Functionality. 2007 , 8, 304-315		27
1181	Sensor technologies based on a cellulose supported platform. 2007 , 2025-7		46
1180	Green synthesis of titania nanowire composites on natural cellulose fibers. <i>Green Chemistry</i> , 2007 , 9, 18-19	10	49
1179	Revealing long-range density fluctuations in dialkylimidazolium chloride ionic liquids by dynamic light scattering. 2007 , 111, 9858-63		41

1178	Bio ionic liquids: room temperature ionic liquids composed wholly of biomaterials. <i>Green Chemistry</i> , 2007 , 9, 1155	10	334
1177	Antimicrobial Polymeric Materials; Cellulose and m-Aramid Composite Fibers. 2007 , 2, 155892500700200		4
1176	Regenerated-Cellulose/Multiwalled- Carbon-Nanotube Composite Fibers with Enhanced Mechanical Properties Prepared with the Ionic Liquid 1-Allyl-3-methylimidazolium Chloride. 2007 , 19, 698-704		235
1175	Inclusion Complex Formation of Cellulose in NaOH/Thiourea Aqueous System at Low Temperature. 2007 , 208, 2359-2366		57
1174	Changes in structure and properties of starch of four botanical sources dispersed in the ionic liquid, 1-butyl-3-methylimidazolium chloride?. <i>Carbohydrate Polymers</i> , 2007 , 67, 21-31	10.3	85
1173	Preparation of cellulose-polymerized ionic liquid composite by in-situ polymerization of polymerizable ionic liquid in cellulose-dissolving solution. <i>Carbohydrate Polymers</i> , 2007 , 69, 378-381	10.3	82
1172	Acetone-soluble cellulose acetates prepared by one-step homogeneous acetylation of cornhusk cellulose in an ionic liquid 1-allyl-3-methylimidazolium chloride (AmimCl). <i>Carbohydrate Polymers</i> , 2007 , 69, 665-672	10.3	131
1171	Alkene- and Alkyne-substituted Methylimidazolium Bromides: Structural Effects and Physical Properties. 2007 , 633, 1701-1707		21
1170	Dissolution of wood in ionic liquids. 2007 , 55, 9142-8		781
1169	Nuclear magnetic relaxation of water in ionic-liquid solutions: determining the kosmotropicity of ionic liquids and its relationship with the enzyme enantioselectivity. 2007 , 82, 304-312		24
1168	Mitigation of cellulose recalcitrance to enzymatic hydrolysis by ionic liquid pretreatment. 2007 , 137-140, 407-21		100
1167	Homogeneous modification of sugarcane bagasse cellulose with succinic anhydride using a ionic liquid as reaction medium. <i>Carbohydrate Research</i> , 2007 , 342, 919-26	2.9	97
1166	A novel biomass-ionic liquid platform for the utilization of native chitin. 2008 , 49, 2321-2327		280
1165	Tosylation and acylation of cellulose in 1-allyl-3-methylimidazolium chloride. <i>Cellulose</i> , 2008 , 15, 481-488	5.5	73
1164	Effects of temperature and molecular weight on dissolution of cellulose in NaOH/urea aqueous solution. <i>Cellulose</i> , 2008 , 15, 779-787	5.5	172
1163	Diffusion dynamics of ionic liquids during the coagulation of solution spinning for acrylic fibers. 2008 , 48, 184-190		11
1162	Use of ionic liquids for the efficient utilization of lignocellulosic materials. 2008 , 83, 777-779		79
1161	Separation of ternary systems of hydrophilic ionic liquid with miscible organic compounds by RPLC with refractive index detection. 2008 , 31, 1060-6		14

1160	Capturing the portrait of isolated individual natural cellulose molecules. 2008 , 89, 1170-3		22
1159	Electrospinning of native cellulose from nonvolatile solvent system. 2008 , 49, 2911-2917		154
1158	A facile method for preparation of composites composed of cellulose and a polystyrene-type polymeric ionic liquid using a polymerizable ionic liquid. 2008 , 68, 493-498		56
1157	Homogenous modification of cellulose with acrylamide in NaOH/urea aqueous solutions. <i>Carbohydrate Polymers</i> , 2008 , 73, 18-25	10.3	64
1156	A facile preparation of gel materials from a solution of cellulose in ionic liquid. <i>Carbohydrate Research</i> , 2008 , 343, 769-72	2.9	149
1155	Preparation of cellulose-nanohydroxyapatite composite scaffolds from ionic liquid solutions. <i>Carbohydrate Polymers</i> , 2008 , 74, 99-105	10.3	68
1154	Acid in ionic liquid: An efficient system for hydrolysis of lignocellulose. <i>Green Chemistry</i> , 2008 , 10, 177-182	10	382
1153	E factors, green chemistry and catalysis: an odyssey. 2008 , 3352-65		674
1152	Solvation of carbohydrates in n,n'-dialkylimidazolium ionic liquids: a multinuclear NMR spectroscopy study. 2008 , 112, 11071-8		171
1151	Aqueous Biphasic Systems of Hydrophilic Ionic Liquids + Sucrose for Separation. 2008 , 53, 983-985		108
1150	Celluloses in an ionic liquid: the rheological properties of the solutions spanning the dilute and semidilute regimes. 2008 , 112, 10234-40		124
1149	Selective extraction of neutral nitrogen compounds found in diesel feed by 1-butyl-3-methyl-imidazolium chloride. <i>Green Chemistry</i> , 2008 , 10, 524	10	77
1148	Development of micro- and nano-porous composite materials by processing cellulose with ionic liquids and supercritical CO ₂ . <i>Green Chemistry</i> , 2008 , 10, 965	10	137
1147	Separation of Ethyl Acetate/Ethanol Azeotropic Mixture Using Hydrophilic Ionic Liquids. 2008 , 47, 1995-2001		53
1146	Magnetite-embedded cellulose fibers prepared from ionic liquid. 2008 , 18, 283-290		116
1145	First study on the thermo-solvatochromism in aqueous 1-(1-Butyl)-3-methylimidazolium tetrafluoroborate: a comparison between the solvation by an ionic liquid and by aqueous alcohols. 2008 , 112, 8330-9		46
1144	A solventless route to 1-ethyl-3-methylimidazolium fluoride hydrofluoride, [C ₂ mim][F] x xHF. 2008 , 73, 5582-4		33
1143	Synthesis of cellulose-graft-poly(N,N-dimethylamino-2-ethyl methacrylate) copolymers via homogeneous ATRP and their aggregates in aqueous media. <i>Biomacromolecules</i> , 2008 , 9, 2615-20	6.9	176

1142	Qualitative and quantitative structure activity relationships for the inhibitory effects of cationic head groups, functionalised side chains and anions of ionic liquids on acetylcholinesterase. <i>Green Chemistry</i> , 2008 , 10, 47-58	10	163
1141	Cellulose dissolution with polar ionic liquids under mild conditions: required factors for anions. <i>Green Chemistry</i> , 2008 , 10, 44-46	10	646
1140	Designing enzyme-compatible ionic liquids that can dissolve carbohydrates. <i>Green Chemistry</i> , 2008 , 10, 696	10	400
1139	Glucose production from saccharides using layered transition metal oxide and exfoliated nanosheets as a water-tolerant solid acid catalyst. 2008 , 5363-5		203
1138	Preparation of Cellulose Nanofibers/Nanoparticles via Electrospray. 2008 , 37, 114-115		25
1137	. 2008 ,		22
1136	Blends and Composites Based on Cellulose and Natural Polymers. 2009 , 129-161		4
1135	Ionic Liquids in the Preparation of Biopolymer Composite Materials. 2009 , 16, 129-139		4
1134	Chitosan(chitin)/cellulose composite biosorbents prepared using ionic liquid for heavy metal ions adsorption. 2009 , 55, 2062-2069		170
1133	Probing intermolecular interactions in ionic liquid-water mixtures by near-infrared spectroscopy. 2009 , 15, 6889-93		40
1132	An efficient and environmentally friendly method for the synthesis of cellulose carbamate by microwave heating. 2009 , 30, 1504-8		53
1131	Novel gelling systems of kappa-, iota- and lambda-carrageenans and their composite gels with cellulose using ionic liquid. 2009 , 9, 376-82		100
1130	Trimethylsilylation of cellulose in ionic liquids. 2009 , 9, 369-75		26
1129	Application of 1-allyl-3-(1-butyl)imidazolium chloride in the synthesis of cellulose esters: properties of the ionic liquid, and comparison with other solvents. 2009 , 9, 813-21		32
1128	The integration of green chemistry into future biorefineries. 2009 , 3, 72-90		185
1127	An ionic liquid as reaction media for radiation-induced grafting of thermosensitive poly (N-isopropylacrylamide) onto microcrystalline cellulose. <i>Carbohydrate Polymers</i> , 2009 , 77, 779-784	10.3	45
1126	Natural wool/cellulose acetate blends regenerated from the ionic liquid 1-butyl-3-methylimidazolium chloride. <i>Carbohydrate Polymers</i> , 2009 , 78, 999-1004	10.3	37
1125	Room temperature ionic liquids (RTILs): A new and versatile platform for cellulose processing and derivatization. <i>Chemical Engineering Journal</i> , 2009 , 147, 13-21	14.7	246

1124	Sol/gel transition and liquid crystal transition of HPC in ionic liquid. <i>Cellulose</i> , 2009 , 16, 9-17	5.5	19
1123	Novel all-cellulose eco-composites prepared in ionic liquids. <i>Cellulose</i> , 2009 , 16, 217-226	5.5	74
1122	Influence of water on the dissolution of cellulose in selected ionic liquids. <i>Cellulose</i> , 2009 , 16, 207-215	5.5	159
1121	Synthesis of cellulose benzoates under homogeneous conditions in an ionic liquid. <i>Cellulose</i> , 2009 , 16, 299-308	5.5	72
1120	A novel cellulose hydrogel prepared from its ionic liquid solution. 2009 , 54, 1622-1625		26
1119	Acrylic fibers processing with ionic liquid as solvent. 2009 , 20, 857-862		18
1118	Preparation and characterization of cellulose and konjac glucomannan blend film from ionic liquid. 2009 , 47, 1686-1694		22
1117	Cellulose-based solid-solid phase change materials synthesized in ionic liquid. 2009 , 93, 1321-1328		74
1116	Regenerating cellulose from ionic liquids for an accelerated enzymatic hydrolysis. 2009 , 139, 47-54		386
1115	Graft copolymers prepared by atom transfer radical polymerization (ATRP) from cellulose. 2009 , 50, 447-454		160
1114	Solution spinning of cellulose carbon nanotube composites using room temperature ionic liquids. 2009 , 50, 4577-4583		102
1113	Ionic liquids as superior solvents for headspace gas chromatography of residual solvents with very low vapor pressure, relevant for pharmaceutical final dosage forms. <i>Journal of Chromatography A</i> , 2009 , 1216, 6020-3	4.5	42
1112	Dissolution and regeneration of polybenzimidazoles using ionic liquids. 2009 , 45, 2962-2965		17
1111	Green composite films prepared from cellulose, starch and lignin in room-temperature ionic liquid. 2009 , 100, 2569-74		199
1110	High-throughput screening for ionic liquids dissolving (ligno-)cellulose. 2009 , 100, 2580-7		574
1109	Heterogeneous preparation of cellulose-polyaniline conductive composites with cellulose activated by acids and its electrical properties. <i>Carbohydrate Polymers</i> , 2009 , 75, 660-664	10.3	107
1108	Green synthesis of a novel biodegradable copolymer based on cellulose and poly(p-dioxanone) in ionic liquid. <i>Carbohydrate Polymers</i> , 2009 , 76, 139-144	10.3	40
1107	Efficient hydrolysis of chitosan in ionic liquids. <i>Carbohydrate Polymers</i> , 2009 , 78, 685-689	10.3	51

1106	Enhanced Ionic Conduction in Organoboron Ion Gels Facilely Designed via Condensation of Cellulose with Boric Acids in Ionic Liquids. 2009 , 41, 437-441		40
1105	Molecular solutions of cellulose in mixtures of ionic liquids with pyridine. 2009 , 82, 666-672		15
1104	Hydrophobic interactions determining functionalized lignocellulose solubility in dialkylimidazolium chlorides, as probed by ³¹ P NMR. <i>Biomacromolecules</i> , 2009 , 10, 458-63	6.9	34
1103	Phase Diagram of [Amim]Cl + Salt Aqueous Biphasic Systems and Its Application for [Amim]Cl Recovery 2009 , 54, 2470-2473		82
1102	The solubility and recrystallization of 1,3,5-triamino-2,4,6-trinitrobenzene in a 3-ethyl-1-methylimidazolium acetate/DMSO co-solvent system. 2009 , 33, 50-56		22
1101	Properties and applications of biodegradable transparent and photoluminescent cellulose films prepared via a green process. <i>Green Chemistry</i> , 2009 , 11, 177-184	10	193
1100	Ionic liquids in biomass processing. 2010 , 290, 311-39		89
1099	Rheological properties of cellulose/ionic liquid solutions: from dilute to concentrated states. <i>Biomacromolecules</i> , 2009 , 10, 1188-94	6.9	212
1098	Extraction of lignin from lignocellulose at atmospheric pressure using alkylbenzenesulfonate ionic liquid. <i>Green Chemistry</i> , 2009 , 11, 339	10	355
1097	Thermoplastic cellulose-graft-poly(L-lactide) copolymers homogeneously synthesized in an ionic liquid with 4-dimethylaminopyridine catalyst. <i>Biomacromolecules</i> , 2009 , 10, 2013-8	6.9	129
1096	Hydrolysis and Decomposition of Cellulose in Brønsted Acidic Ionic Liquids Under Mild Conditions. 2009 , 48, 10152-10155		154
1095	Complete dissolution and partial delignification of wood in the ionic liquid 1-ethyl-3-methylimidazolium acetate. <i>Green Chemistry</i> , 2009 , 11, 646	10	817
1094	Extended dissolution studies of cellulose in imidazolium based ionic liquids. <i>Green Chemistry</i> , 2009 , 11, 417	10	367
1093	Degradation of poly(ethylene terephthalate) using ionic liquids. <i>Green Chemistry</i> , 2009 , 11, 1568	10	119
1092	Cellulose/Soy Protein Isolate Blend Films Prepared via Room-Temperature Ionic Liquid. 2009 , 48, 7132-7136		71
1091	Isobaric Vapor-Liquid Equilibrium for Ethyl Acetate + Ethanol + 1-Ethyl-3-methylimidazolium Tetrafluoroborate. 2009 , 54, 193-197		56
1090	Preparation of temperature-induced shapeable film material from guar gum-based gel with an ionic liquid. 2009 , 19, 4088		37
1089	Ionic liquids and their interaction with cellulose. 2009 , 109, 6712-28		1125

1088	Task Specific Ionic Liquids for Cellulose Technology. 2009 , 38, 2-7		272
1087	Stable dispersions of reduced graphene oxide in ionic liquids. 2010 , 20, 5401		103
1086	Hydrogen Bond Acceptor Properties of Ionic Liquids and Their Effect on Cellulose Solubility. 2010 , 121-135		14
1085	Cellulose Solvents [Remarkable History, Bright Future. 2010 , 3-54		128
1084	Properties of Cellulose/TiO ₂ Fibers Processed from Ionic Liquids. 2010 , 261-274		7
1083	Non-Halide Ionic Liquids for Solvation, Extraction, and Processing of Cellulosic Materials. 2010 , 229-259		5
1082	NMR spectroscopic studies of cellobiose solvation in EmimAc aimed to understand the dissolution mechanism of cellulose in ionic liquids. 2010 , 12, 1941-7		233
1081	Preparation of cellulose-based ionic porous material compatibilized with polymeric ionic liquid. <i>Polymer Bulletin</i> , 2010 , 64, 341-349	2.4	19
1080	Probing anion-cellulose interactions in imidazolium-based room temperature ionic liquids: a density functional study. <i>Carbohydrate Research</i> , 2010 , 345, 2201-5	2.9	45
1079	Studies on the Thermal Degradation Behavior of Ionic Liquid Regenerated Cellulose. <i>Waste and Biomass Valorization</i> , 2010 , 1, 315-321	3.2	15
1078	Characterization of cellulose fibers electrospun using ionic liquid. <i>Cellulose</i> , 2010 , 17, 223-230	5.5	136
1077	Solution states of cellulose in selected direct dissolution agents. <i>Cellulose</i> , 2010 , 17, 495-506	5.5	36
1076	Blend films of natural wool and cellulose prepared from an ionic liquid. <i>Cellulose</i> , 2010 , 17, 803-813	5.5	80
1075	Homogeneous Acetylation of Cellulose at Relatively High Concentrations in an Ionic Liquid. 2010 , 18, 515-522		30
1074	Succinylation of cellulose catalyzed with iodine in ionic liquid. <i>Industrial Crops and Products</i> , 2010 , 31, 363-369	5.9	52
1073	Dissolution of lignocellulosic materials and its constituents using ionic liquids—a review. <i>Industrial Crops and Products</i> , 2010 , 32, 175-201	5.9	449
1072	Reductive splitting of cellulose in the ionic liquid 1-butyl-3-methylimidazolium chloride. 2010 , 3, 91-6		55
1071	Structure and properties of cellulose fibers from ionic liquids. 2010 , 115, 1047-1053		60

1070	Structure and properties of novel regenerated cellulose films prepared from cornhusk cellulose in room temperature ionic liquids. 2010 , 116, 547-554		116
1069	Preparation and properties of the single-walled carbon nanotube/cellulose nanocomposites using N-methylmorpholine-N-oxide monohydrate. 2010 , 117, n/a-n/a		5
1068	Natural Fiber Welding. 2010 , 295, 425-430		31
1067	Preparation and Subsequent Shaping of Cellulose Acetates Using Ionic Liquids. 2010 , 295, 676-681		37
1066	Allyl-functionalized ionic liquids as electrolytes for electric double-layer capacitors. 2010 , 195, 7471-7479		62
1065	Characterization of waterlogged wood by NMR and GPC techniques. <i>Microchemical Journal</i> , 2010 , 95, 345-352	4.8	38
1064	Synthesis of cellulose/nanohydroxyapatite composite in 1-n-butyl-3-methylimidazolium chloride. 2010 , 36, 2375-2381		25
1063	Thermal decomposition of allyl-imidazolium-based ionic liquid studied by TG/MS analysis and DFT calculations. 2010 , 501, 78-83		103
1062	Hydrogels prepared from pineapple peel cellulose using ionic liquid and their characterization and primary sodium salicylate release study. <i>Carbohydrate Polymers</i> , 2010 , 82, 62-68	10.3	52
1061	Thermoplastic starch plasticized by an ionic liquid. <i>Carbohydrate Polymers</i> , 2010 , 82, 256-263	10.3	108
1060	Microwave-assisted derivatization of cellulose in an ionic liquid: An efficient, expedient synthesis of simple and mixed carboxylic esters. 2010 , 48, 134-143		53
1059	Addition effects of imidazolium salts on mesophase structure and optical properties of concentrated hydroxypropyl cellulose aqueous solutions. 2010 , 42, 232-241		16
1058	The Application of Ionic Liquids in Dissolution and Separation of Lignocellulose. 2010 ,		2
1057	Phase Transformation Conditions on the Structures and Properties of Cellulose Packaging Films in LiCl/DMAc. 2010 , 174, 502-505		
1056	Preparation of Cellulose/Ag ⁺ Antibacterial Composites Films by NMMO-Technology. 2010 , 174, 458-461		
1055	Multiwalled Carbon Nanotubes-Embedded Electrospun Bacterial Cellulose Nanofibers. 2010 , 519, 169-178		29
1054	Effects of anionic structure and lithium salts addition on the dissolution of cellulose in 1-butyl-3-methylimidazolium-based ionic liquid solvent systems. <i>Green Chemistry</i> , 2010 , 12, 268-275	10	316
1053	Salting-Out Effect of Ionic Liquids on Poly(propylene glycol) (PPG): Formation of PPG + Ionic Liquid Aqueous Two-Phase Systems. 2010 , 55, 5004-5008		52

1052	A THEORETICAL INVESTIGATION OF THE INTERACTIONS BETWEEN CELLULOSE AND 1-BUTYL-3-METHYLIMIDAZOLIUM CHLORIDE. 2010 , 09, 611-624		24
1051	Viscosity of cellulose-imidazolium-based ionic liquid solutions. 2010 , 114, 7222-8		139
1050	Enzyme-catalyzed hydrolysis of cellulose in ionic liquids: a green approach toward the production of biofuels. 2010 , 114, 8221-7		113
1049	Alkanolamine Ionic Liquids and Their Inability To Dissolve Crystalline Cellulose. 2010 , 49, 11809-11813		32
1048	The enhanced dissolution of beta-cyclodextrin in some hydrophilic ionic liquids. 2010 , 114, 3926-31		22
1047	A facile method for the homogeneous synthesis of cyanoethyl cellulose in NaOH/urea aqueous solutions. 2010 , 1, 1662		33
1046	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures. 2010 , 55, 1750-1754		30
1045	Dissolution Behavior of Chitin in Ionic Liquids. 2010 , 49, 528-541		109
1044	Homogeneous esterification of xylan-rich hemicelluloses with maleic anhydride in ionic liquid. <i>Biomacromolecules</i> , 2010 , 11, 3519-24	6.9	74
1043	Phase transition and rheological behaviors of concentrated cellulose/ionic liquid solutions. 2010 , 114, 6006-13		56
1042	Nonsolvent annealing polymer films with ionic liquids. 2010 , 26, 15486-93		2
1041	Density, Viscosity, Refractive Index and Conductivity of 1-Allyl-3-methylimidazolium Chloride + Water Mixture 2010 , 55, 621-624		33
1040	Influence of cellulose on ion diffusivity in 1-ethyl-3-methyl-imidazolium acetate cellulose solutions. <i>Biomacromolecules</i> , 2010 , 11, 2927-35	6.9	56
1039	Comparative Studies on Synthesis of Imidazole Ionic Liquids and Their Solubility for Wood by Microwave. 2010 , 113-116, 1744-1748		2
1038	Solubility of Carbohydrates in Ionic Liquids. 2010 , 24, 737-745		422
1037	Isolation of cellulolytic enzyme lignin from wood preswollen/dissolved in dimethyl sulfoxide/n-methylimidazole. 2010 , 58, 3446-50		48
1036	Understanding the interactions of cellulose with ionic liquids: a molecular dynamics study. 2010 , 114, 4293-301		269
1035	Advances in Aqueous Cellulose Solvents. 2010 , 67-89		9

1034	Dissolution of Cellulose in Ionic Liquids and Its Application for Cellulose Processing and Modification. 2010 , 287-297		8
1033	Cellulose. 2010 , 131-167		12
1032	Design of Polar Ionic Liquids To Solubilize Cellulose without Heating. 2010 , 55-66		5
1031	Imidazolium Based Ionic Liquids as Solvents for Cellulose Chemistry. 2010 , 299-317		11
1030	High-flux thin-film nanofibrous composite ultrafiltration membranes containing cellulose barrier layer. 2010 , 20, 4692		112
1029	Formation of Cellulose Acetate Membranes via Phase Inversion Using Ionic Liquid, [BMIM]SCN, As the Solvent. 2010 , 49, 8761-8769		68
1028	The Effect of Residual Ionic Liquid for Cellulose Based Electro-Active Paper Actuator. 2010 , 8, 254-262		8
1027	Dissolution, regeneration and ion-gel formation of agarose in room-temperature ionic liquids. <i>Green Chemistry</i> , 2010 , 12, 1029	10	70
1026	Cellulose Dissolution and Processing with Ionic Liquids. 2010 , 123		
1025	Cellulose conversion into alkylglycosides in the ionic liquid 1-butyl-3-methylimidazolium chloride. <i>Green Chemistry</i> , 2010 , 12, 1790	10	44
1024	A highly efficient approach for dehydrochlorinating polyvinyl chloride: catalysis by 1-butyl-3-methylimidazolium chloride. <i>Green Chemistry</i> , 2010 , 12, 1062	10	27
1023	Dialkoxy functionalized quaternary ammonium ionic liquids as potential electrolytes and cellulose solvents. 2011 , 35, 1596		48
1022	Liquid crystalline phase and gel-sol transitions for concentrated microcrystalline cellulose (MCC)/1-ethyl-3-methylimidazolium acetate (EMIMAc) solutions. <i>Biomacromolecules</i> , 2011 , 12, 1087-96	6.9	85
1021	Homogeneous Synthesis and Characterization of Cellulose Acetate Butyrate (CAB) in 1-Allyl-3-Methylimidazolium Chloride (AmimCl) Ionic Liquid. 2011 , 50, 7808-7814		46
1020	Lignocellulose aerogel from wood-ionic liquid solution (1-allyl-3-methylimidazolium chloride) under freezing and thawing conditions. <i>Biomacromolecules</i> , 2011 , 12, 1860-7	6.9	111
1019	Improved classical united-atom force field for imidazolium-based ionic liquids: tetrafluoroborate, hexafluorophosphate, methylsulfate, trifluoromethylsulfonate, acetate, trifluoroacetate, and bis(trifluoromethylsulfonyl)amide. 2011 , 115, 10027-40		121
1018	Dimethyl phosphorothioate and phosphoroselenoate ionic liquids as solvent media for cellulosic materials. <i>Green Chemistry</i> , 2011 , 13, 2507	10	20
1017	Advances on biomass pretreatment using ionic liquids: An overview. 2011 , 4, 3913		343

998	Isolation of cellulose with ionic liquid from steam exploded rice straw. <i>Industrial Crops and Products</i> , 2011 , 33, 734-738	5.9	73
997	Cellulose extraction from wood chip in an ionic liquid 1-allyl-3-methylimidazolium chloride (AmimCl). 2011 , 102, 7959-65		144
996	The effects of acetate anion on cellulose dissolution and reaction in imidazolium ionic liquids. <i>Carbohydrate Research</i> , 2011 , 346, 1985-90	2.9	50
995	Synthesis of cellulose dehydroabietate in ionic liquid [bmim]Br. <i>Carbohydrate Research</i> , 2011 , 346, 2024-7.9		5
994	Green microwave-assisted synthesis of cellulose/calcium silicate nanocomposites in ionic liquids and recycled ionic liquids. <i>Carbohydrate Research</i> , 2011 , 346, 2970-4	2.9	26
993	Influence of anionic structure on the dissolution of chitosan in 1-butyl-3-methylimidazolium-based ionic liquids. <i>Green Chemistry</i> , 2011 , 13, 3446	10	133
992	Where are ionic liquid strategies most suited in the pursuit of chemicals and energy from lignocellulosic biomass?. 2011 , 47, 1405-21		362
991	The solvation structures of cellulose microfibrils in ionic liquids. 2011 , 3, 308-20		15
990	Ionic Liquids as Environmentally Friendly Solvents in Macromolecules Chemistry and Technology, Part II. 2011 , 19, 485-517		19
989	The dissolution of cellulose in NaOH-based aqueous system by two-step process. <i>Cellulose</i> , 2011 , 18, 237-245	5.5	64
988	Diffusion dynamics of 1-Butyl-3-methylimidazolium chloride from cellulose filament during coagulation process. <i>Cellulose</i> , 2011 , 18, 921-928	5.5	11
987	Dissolution of fir powder and its graft copolymer in ionic liquid. 2011 , 69, 383-389		6
986	Alkyl-methylimidazolium ionic liquids affect the growth and fermentative metabolism of <i>Clostridium</i> sp. 2011 , 102, 6573-8		41
985	Aerocellulose from cellulose in ionic liquid solutions: Preparation, properties and comparison with cellulose-NaOH and cellulose-NMMO routes. <i>Carbohydrate Polymers</i> , 2011 , 83, 1766-1774	10.3	211
984	Ultrasound-assisted dissolution of cellulose in ionic liquid. <i>Carbohydrate Polymers</i> , 2011 , 86, 672-677	10.3	129
983	Dissolution of konjac glucomannan with room temperature ionic liquids. 2011 , 26, 703-709		6
982	Graft copolymerization of cellulose and 2-hydroxyethyl methacrylate in an ionic liquid. 2011 , 13, 245-251		1
981	Microwave-Assisted Derivatization of Cellulose, 2 The Surprising Effect of the Structure of Ionic Liquids on the Dissolution and Acylation of the Biopolymer. 2011 , 212, 2541-2550		22

980	Understanding the dissolution of polyols by ionic liquids using the example of a well-defined model compound. 2011 , 12, 2400-4		20
979	Preparation of cellulosic ion exchange fiber using an ionic liquid as reaction reagent and medium. 2011 , 122, 2287-2294		2
978	Ionic liquid pretreatment of cellulosic biomass: enzymatic hydrolysis and ionic liquid recycle. 2011 , 108, 511-20		261
977	Compatible ionic liquid-cellulases system for hydrolysis of lignocellulosic biomass. 2011 , 108, 1042-8		101
976	Room temperature ionic liquids as emerging solvents for the pretreatment of lignocellulosic biomass. 2011 , 108, 1229-45		312
975	Facile pretreatment of lignocellulosic biomass at high loadings in room temperature ionic liquids. 2011 , 108, 2865-75		116
974	Analyzing cellulose degree of polymerization and its relevancy to cellulosic ethanol. 2011 , 5, 215-225		168
973	Separation and recovery of the constituents from lignocellulosic biomass by using ionic liquids and acetic acid as co-solvents for mild hydrolysis. 2011 , 50, 196-199		55
972	Catalytic hydrolysis of lignocellulosic biomass into 5-hydroxymethylfurfural in ionic liquid. 2011 , 102, 4179-83		146
971	Reversible swelling of the cell wall of poplar biomass by ionic liquid at room temperature. 2011 , 102, 4518-23		46
970	Structural comparison and enhanced enzymatic hydrolysis of the cellulosic preparation from <i>Populus tomentosa</i> Carr., by different cellulose-soluble solvent systems. 2011 , 102, 4524-9		39
969	Dissolution and blending of chitosan using 1,3-dimethylimidazolium chloride and 1-H-3-methylimidazolium chloride binary ionic liquid solvent. <i>Carbohydrate Polymers</i> , 2011 , 83, 233-238	10.3	56
968	Synthesis, self-assembly and drug release behaviors of pH-responsive copolymers ethyl cellulose-graft-PDEAEMA through ATRP. <i>Carbohydrate Polymers</i> , 2011 , 84, 195-202	10.3	102
967	Cellulose-based hydrogels: Present status and application prospects. <i>Carbohydrate Polymers</i> , 2011 , 84, 40-53	10.3	690
966	Blends of cellulose and poly(3-hydroxybutyrate-co-3-hydroxyvalerate) prepared from the ionic liquid 1-butyl-3-methylimidazolium chloride. <i>Carbohydrate Polymers</i> , 2011 , 86, 94-104	10.3	45
965	Ionic liquids: Media for starch dissolution, plasticization and modification. <i>Carbohydrate Polymers</i> , 2011 , 86, 424-428	10.3	126
964	Synthesis and biocompatibility evaluation of cellulose/hydroxyapatite nanocomposite scaffold in 1-n-allyl-3-methylimidazolium chloride. 2011 , 31, 954-961		40
963	Theoretical study on cation-anion interaction and vibrational spectra of 1-allyl-3-methylimidazolium-based ionic liquids. 2011 , 78, 1492-9		40

- 962 Solubility of neutral and charged polymers in ionic liquids studied by laser light scattering. **2011**, 52, 481-488 54
- 961 Pretreatment of Fir Powder and Its Dissolution in Ionic Liquid of 1-(2-Hydroxyethyl)-3-Ethylene Imidazolium Chloride. **2011**, 236-238, 87-90
- 960 Study on Microwave-Assisted Synthesis of Ionic Liquids Based on Dialkylimidazolium. **2011**, 393-395, 1471-1474 1
- 959 Preparation and Characterization of Cellulose/Modified Nano-SiO₂ Composites Packaging Films by NMMO Technology. **2011**, 233-235, 1162-1166 2
- 958 Influence of Dope Concentration on Morphology And Properties of Cellulose Hollow Fiber Membranes Prepared from Cellulose/[Amim]Cl Dope Solution. **2011**, 194-196, 2245-2248
- 957 Rheological Properties of Concentrated 1-Allyl-3-Methylimidazolium Chloride Cellulose Solutions. **2011**, 199-200, 3-6
- 956 Preparation and Thermal Properties of Cellulose/Layered Silicate Montmorillonite Nanocomposites Prepared via Ionic Liquids. **2011**, 471-472, 786-791 1
- 955 Ionic liquids--an overview. **2011**, 94, 265-97 19
- 954 Physicochemical Characteristics of Pineapple (Ananas mill.) Peel Cellulose Prepared by Different Methods. **2012**, 554-556, 1038-1041 5
- 953 Thermophysical Properties of Ionic Liquid with Thiocyanate Anion: Effect of Cations. **2012**, 626, 686-690 2
- 952 Ionic Liquids as (Co-)Solvents for Hydrolytic Enzymes. **2012**, 151-227 5
- 951 Dissolution of Cellulose in [Amim]Cl/Lithium Salts Solvents System. **2012**, 535-537, 1100-1103 2
- 950 Kinetics of Thermal Degradation of Ionic Liquid Regenerated Cellulose. **2012**, 488-489, 923-927
- 949 Preparation of Porous Cellulose Packaging Films in Alcohol Coagulation. **2012**, 262, 557-560
- 948 Dissolution of Cellulose in Ionic Liquids Assisted with Ethanol Pretreatment. **2012**, 538-541, 2429-2433
- 947 Liquefaction of Woody Biomass by Ionic Liquid. **2012**, 48, 211-215
- 946 Cradle to grave: How green are ionic liquids?. **2012**, 1, 193-206 11
- 945 Reinforced magnetic cellulose fiber from ionic liquid solution. **2012**, 1, 225-236 13

944	Functionalization of Carbon Nanotubes with Ionic Liquids. 2012 , 399-434		2
943	Effect of ionic liquid pretreatment on the structure of hemicelluloses from corncob. 2012 , 60, 11120-7		28
942	Novel compatible system of [C2OHmim][OAc]-cellulases for the in situ hydrolysis of lignocellulosic biomass. <i>RSC Advances</i> , 2012 , 2, 11712	3.7	13
941	Lignocellulose Pretreatment by Ionic Liquids: A Promising Start Point for Bio-energy Production. 2012 , 123-144		4
940	Self-assembly and paclitaxel loading capacity of cellulose-graft-poly(lactide) nanomicelles. 2012 , 60, 3900-8		73
939	Pretreatment of fibre sludge in ionic liquids followed by enzyme and acid catalysed hydrolysis. 2012 , 196, 11-15		10
938	Capillary electrophoretic monitoring of hydrothermal pre-treatment and enzymatic hydrolysis of willow: Comparison with HPLC and NMR. 2012 , 196, 34-41		11
937	Fabrication of mesoporous lignocellulose aerogels from wood via cyclic liquid nitrogen freezing/thawing in ionic liquid solution. 2012 , 22, 13548		95
936	Rheological Behavior of Gelatin/1-Allyl-3-Methylimidazolium Chloride Solutions. 2012 , 51, 747-755		4
935	Shear and extensional rheology of cellulose/ionic liquid solutions. <i>Biomacromolecules</i> , 2012 , 13, 1688-996.9		132
934	Effect of Alkyl Chain Length in Anions on Thermodynamic and Surface Properties of 1-Butyl-3-methylimidazolium Carboxylate Ionic Liquids. 2012 , 51, 3458-3465		72
933	Synthesis and Properties of Cellulose Graft Copolymers with Well-Defined Architecture. 2012 , 109-131		5
932	Simulations reveal conformational changes of methylhydroxyl groups during dissolution of cellulose in ionic liquid 1-ethyl-3-methylimidazolium acetate. 2012 , 116, 8131-8		50
931	PEG-functionalized ionic liquids for cellulose dissolution and saccharification. <i>Green Chemistry</i> , 2012 , 14, 2922	10	99
930	Ionic liquids: Efficient solvent and medium for the transformation of renewable lignocellulose. 2012 , 55, 1500-1508		19
929	Cellulose/polycaprolactone blends regenerated from ionic liquid 1-butyl-3-methylimidazolium chloride. <i>Carbohydrate Polymers</i> , 2012 , 90, 575-82	10.3	29
928	Catalytic conversion of cellulose to 5-hydroxymethyl furfural using acidic ionic liquids and co-catalyst. <i>Carbohydrate Polymers</i> , 2012 , 90, 792-8	10.3	61
927	Radiation effects on microcrystalline cellulose in 1-butyl-3-methylimidazolium chloride ionic liquid. <i>Carbohydrate Polymers</i> , 2012 , 90, 1629-33	10.3	8

926	Adsorption of imidazolium and pyridinium ionic liquids onto montmorillonite: Characterisation and thermodynamic calculations. <i>Chemical Engineering Journal</i> , 2012 , 209, 13-19	14.7	73
925	Preparation and Properties of Cellulose Solutions. 2012 , 91-152		5
924	The Chemistry of Acid Catalyzed Delignification of Sugarcane Bagasse in the Ionic Liquid Trihexyl Tetradecyl Phosphonium Chloride. 2012 , 32, 71-81		12
923	Agarose processing in protic and mixed protic-protic ionic liquids: dissolution, regeneration and high conductivity, high strength ionogels. <i>Green Chemistry</i> , 2012 , 14, 2831	10	48
922	Preparation and characterization of cellulose/curcumin composite films. <i>RSC Advances</i> , 2012 , 2, 8483	3.7	67
921	Cellulose: Chemistry of Cellulose Derivatization. 2012 , 283-327		3
920	Enhancement of enzymatic digestibility of oil palm empty fruit bunch by ionic-liquid pretreatment. 2012 , 47, 11-16		26
919	Structural and thermal characterization of lauroylated hemicelluloses synthesized in an ionic liquid. 2012 , 97, 2323-2330		16
918	Ionic liquid: A powerful solvent for homogeneous starch-cellulose mixing and making films with tuned morphology. 2012 , 53, 5779-5787		27
917	Simultaneous Reduction and Surface Functionalization of Graphene Oxide by Natural Cellulose with the Assistance of the Ionic Liquid. 2012 , 116, 16294-16299		65
916	Dissolution and Application of Cellulose in NaOH/Urea Aqueous Solution. 2012 , 205-240		1
915	Thermophysical Properties of Dual Functionalized Imidazolium-Based Ionic Liquids. 2012 , 57, 737-743		34
914	Electrodeposition of zinc coatings from the solutions of zinc oxide in imidazolium chloride/urea mixtures. 2012 , 55, 1587-1597		32
913	The effect of hydrogen bond acceptor properties of ionic liquids on their cellulose solubility. 2012 , 55, 1663-1670		33
912	Fractionation of sugarcane bagasse using a combined process of dilute acid and ionic liquid treatments. 2012 , 167, 1921-37		17
911	Investigation of rheological properties and conformation of silk fibroin in the solution of AmimCl. <i>Biomacromolecules</i> , 2012 , 13, 1875-81	6.9	72
910	Physicochemical and Electrochemical Properties of 1-Ethyl-3-Methylimidazolium Tris(pentafluoroethyl)trifluorophosphate and 1-Ethyl-3-Methylimidazolium Tetracyanoborate. 2012 , 159, A967-A971		36
909	Mechanism of Lignin Dissolution and Regeneration in Ionic Liquid. 2012 , 26, 6393-6403		78

908	Pretreatment of softwood dissolving pulp with ionic liquids. 2012 , 66, 935-943	13
907	Green Solvents II. 2012 ,	26
906	Preparation of water-soluble starch oligomers from variable starch species in 1-allyl-3-methylimidazolium chloride. 2012 , 64, 263-271	13
905	Understanding the mechanism of cellulose dissolution in 1-butyl-3-methylimidazolium chloride ionic liquid via quantum chemistry calculations and molecular dynamics simulations. 2012 , 26, 329-37	44
904	The anion dependence of the interaction strength between ions in imidazolium-based ionic liquids probed by far-infrared spectroscopy. 2012 , 116, 9507-11	48
903	Regenerated cellulose membrane prepared with ionic liquid 1-butyl-3-methylimidazolium chloride as solvent using wheat straw. 2012 , 87, 1634-1640	42
902	A new process for dissolution of cellulose in ionic liquids. 2012 , 52, 1708-1714	12
901	Synthesis of glucose esters from cellulose in ionic liquids. 2012 , 66,	8
900	Relationship between dispersion state and reinforcement effect of graphene oxide in microcrystalline cellulose/graphene oxide composite films. 2012 , 22, 12859	51
899	Cellulose solubilities in carboxylate-based ionic liquids. <i>RSC Advances</i> , 2012 , 2, 2476	3-7 59
898	Effects of plasticization conditions on the structures and properties of cellulose packaging films from ionic liquid [BMIM]Cl. 2012 , 125, 704-709	8
897	Electrospinning of cellulose nanofibers from ionic liquids: The effect of different cosolvents. 2012 , 125, 1901-1909	67
896	Effect of stirring conditions on cellulose dissolution in NaOH/urea aqueous solution at low temperature. 2012 , 126, E470-E477	13
895	Conversion of biomass to sugars via ionic liquid hydrolysis: process synthesis and economic evaluation. 2012 , 6, 444-452	58
894	Biomass recalcitrance. Part II: Fundamentals of different pre-treatments to increase the enzymatic digestibility of lignocellulose. 2012 , 6, 561-579	177
893	Application of optical microscopy as a screening technique for cellulose and lignin solvent systems. 2012 , 90, 1142-1152	6
892	Glycine in 1-butyl-3-methylimidazolium acetate and trifluoroacetate ionic liquids: effect of fluorination and hydrogen bonding. 2012 , 13, 1753-63	17
891	Effects of cationic structure on cellulose dissolution in ionic liquids: a molecular dynamics study. 2012 , 13, 3126-33	82

890	Design of cellulose dissolving ionic liquids inspired by nature. 2012 , 5, 388-91		76
889	Comment on Instantaneous Dissolution of Cellulose in Organic Electrolyte Solutions 2012 , 57, 1338-1340		12
888	Ionic liquid processing of cellulose. 2012 , 41, 1519-37		988
887	The changes of crystalline structure of cellulose during dissolution in 1-butyl-3-methylimidazolium chloride. <i>Cellulose</i> , 2012 , 19, 679-685	5.5	25
886	Cellulose/silver nanoparticles composite microspheres: eco-friendly synthesis and catalytic application. <i>Cellulose</i> , 2012 , 19, 1239-1249	5.5	100
885	Solid biopolymer electrolytes based on all-cellulose composites prepared by partially dissolving cellulosic fibers in the ionic liquid 1-butyl-3-methylimidazolium chloride. <i>Journal of Materials Science</i> , 2012 , 47, 5978-5986	4.3	23
884	Clean Preparation Process of Chitosan Oligomers in Gly Series Ionic Liquids Homogeneous System. 2012 , 20, 388-394		6
883	Synthesis of cyanoethyl konjac glucomannan and its liquid crystalline behavior in an ionic liquid. <i>Journal of Polymer Research</i> , 2012 , 19, 1	2.7	8
882	Influence of residual ionic liquid on the thermal stability and electromechanical behavior of cellulose regenerated from 1-ethyl-3-methylimidazolium acetate. 2012 , 13, 289-294		17
881	Preparation of cellulose films from solution of bacterial cellulose in NMMO. <i>Carbohydrate Polymers</i> , 2012 , 87, 1020-1025	10.3	41
880	Biocomposite films prepared from ionic liquid solutions of chitosan and cellulose. <i>Carbohydrate Polymers</i> , 2012 , 87, 435-443	10.3	95
879	Investigations about dissolution of cellulose in the 1-allyl-3-alkylimidazolium chloride ionic liquids. <i>Carbohydrate Polymers</i> , 2012 , 87, 1058-1064	10.3	37
878	Dissolution of cellulose in phosphate-based ionic liquids. <i>Carbohydrate Polymers</i> , 2012 , 87, 1490-1494	10.3	65
877	The study of factors affecting the enzymatic hydrolysis of cellulose after ionic liquid pretreatment. <i>Carbohydrate Polymers</i> , 2012 , 87, 2019-2023	10.3	83
876	Structure and properties of regenerated cellulose fibers from different technology processes. <i>Carbohydrate Polymers</i> , 2012 , 87, 2012-2018	10.3	87
875	Theoretical and experimental investigation on dissolution and regeneration of cellulose in ionic liquid. <i>Carbohydrate Polymers</i> , 2012 , 89, 7-16	10.3	82
874	Preparation of regenerated cellulose/montmorillonite nanocomposite films via ionic liquids. <i>Carbohydrate Polymers</i> , 2012 , 88, 1251-1257	10.3	99
873	Ionic liquids for biofuel production: Opportunities and challenges. 2012 , 92, 406-414		171

872	Spray-dried nanofibrillar cellulose microparticles for sustained drug release. 2012 , 430, 47-55		120
871	High-intensity ultrasound irradiated modification of sugarcane bagasse cellulose in an ionic liquid. <i>Industrial Crops and Products</i> , 2012 , 35, 135-139	5.9	25
870	Dissolving lignocellulosic biomass in a 1-butyl-3-methylimidazolium chloride/water mixture. <i>Industrial Crops and Products</i> , 2012 , 37, 227-234	5.9	41
869	Short time ionic liquids pretreatment on lignocellulosic biomass to enhance enzymatic saccharification. 2012 , 103, 446-52		62
868	Bacterial cellulose production from cotton-based waste textiles: enzymatic saccharification enhanced by ionic liquid pretreatment. 2012 , 104, 503-8		156
867	Pretreatment of rice hulls by ionic liquid dissolution. 2012 , 114, 629-36		65
866	Enhanced production of glucose and xylose with partial dissolution of corn stover in ionic liquid, 1-Ethyl-3-methylimidazolium acetate. 2012 , 114, 720-4		39
865	Low-temperature Electrodeposition of Aluminium from Lewis Acidic 1-Allyl-3-methylimidazolium Chloroaluminate Ionic Liquids. 2012 , 20, 130-139		22
864	The role of hydrogen bonding in water-mediated glucose solubility in ionic liquids. <i>Journal of Molecular Liquids</i> , 2012 , 166, 25-30	6	14
863	Rheological properties of cellulose/ionic liquid/dimethylsulfoxide (DMSO) solutions. 2012 , 53, 2524-2531		87
862	Rheological characterization of concentrated cellulose solutions in 1-allyl-3-methylimidazolium chloride. 2012 , 124, 3419-3425		36
861	Enhanced stability and activity of cellulase in an ionic liquid and the effect of pretreatment on cellulose hydrolysis. 2012 , 109, 434-43		61
860	Ionic liquid—future solvent for the enhanced uses of wood biomass. 2012 , 70, 125-133		58
859	The effect of subcritical carbon dioxide on the dissolution of cellulose in the ionic liquid 1-ethyl-3-methylimidazolium acetate. <i>Cellulose</i> , 2012 , 19, 37-44	5.5	13
858	Structure and solution properties of cyanoethyl celluloses synthesized in LiOH/urea aqueous solution. <i>Cellulose</i> , 2012 , 19, 161-169	5.5	15
857	Influence of water on cellulose-EMIMAc solution properties: a viscometric study. <i>Cellulose</i> , 2012 , 19, 45-54	5.5	56
856	All-wood biocomposites by partial dissolution of wood flour in 1-butyl-3-methylimidazolium chloride. 2013 , 127, 4802-4808		12
855	Enzyme-catalyzed hydrolysis of fibre sludge into reducing sugars. <i>Biomass Conversion and Biorefinery</i> , 2013 , 3, 353-359	2.3	

854	Preparation and characterization of cellulose-ZnO nanocomposite based on ionic liquid ([C4mim]Cl). <i>Cellulose</i> , 2013 , 20, 699-705	5.5	45
853	Preparation and characterization of bionanocomposite fiber based on cellulose and nano-SiO ₂ using ionic liquid. <i>Carbohydrate Polymers</i> , 2013 , 98, 161-7	10.3	42
852	The European Polysaccharide Network of Excellence (EPNOE). 2013 ,		10
851	The dissolution of polyols in salt solutions and ionic liquids at molecular level: ions, counter ions, and hofmeister effects. 2013 , 14, 3667-71		26
850	Cellulose derivatives and graft copolymers as blocks for functional materials. 2013 , 62, 338-344		53
849	Dissolution of cellulose from AFEX-pretreated <i>Zoysia japonica</i> in AMIMCl with ultrasonic vibration. <i>Carbohydrate Polymers</i> , 2013 , 98, 412-20	10.3	24
848	On the solubility of wood in non-derivatising ionic liquids. <i>Green Chemistry</i> , 2013 , 15, 2374	10	32
847	Dynamic Segment Size of the Cellulose Chain in an Ionic Liquid. <i>Macromolecules</i> , 2013 , 46, 7118-7124	5.5	22
846	Preparative optimization of cellulose microspheres applied as supports for high-performance liquid chromatography. 2013 , 28, 460-466		2
845	Effect of degree of polymerization on the mechanical properties of regenerated cellulose fibers using synthesized 1-allyl-3-methylimidazolium chloride. 2013 , 14, 909-914		27
844	Synthesis and photosensitivity of azobenzene functionalized hydroxypropylcellulose. <i>RSC Advances</i> , 2013 , 3, 15909	3.7	20
843	Catalytic conversion of fructose and sucrose to 5-hydroxymethylfurfural using simple ionic liquid/DMF binary reaction media. 2013 , 42, 89-92		17
842	Physicochemical properties of starch dispersed in 1-allyl-3-methylimidazolium chloride. <i>Industrial Crops and Products</i> , 2013 , 46, 197-204	5.9	6
841	Effects of dissolution of some lignocellulosic materials with ionic liquids as green solvents on mechanical and physical properties of composite films. <i>Carbohydrate Polymers</i> , 2013 , 95, 57-63	10.3	41
840	Modification of cellulose as a promising direction in the design of new materials. 2013 , 55, 409-429		25
839	The effect of molecular solvents on the viscosity, conductivity and ionicity of mixtures containing chloride anion-based ionic liquid. 2013 , 19, 1708-1714		28
838	Hydrogen bond detachment in polymer complexes. 2013 , 54, 5382-5390		24
837	Highly efficient propionylation and butyralation of cellulose in an ionic liquid catalyzed by 4-dimethyliminopyridine. <i>Carbohydrate Polymers</i> , 2013 , 92, 307-11	10.3	32

836	Ultrathin cellulose film coating of porous alumina membranes for adsorption of superoxide dismutase. 2013 , 1, 5636-5643		10
835	Task-specific ionic liquid [SBMIM]Cl in one-step dissolution and hydrolysis of fibre sludge. 2013 , 56, 432-436		7
834	Biotransformation of wheat straw to bacterial cellulose and its mechanism. 2013 , 135, 464-8		111
833	Impacts of some macromolecules on the characteristics of hydrogels prepared from pineapple peel cellulose using ionic liquid. <i>Cellulose</i> , 2013 , 20, 2923-2933	5.5	28
832	Effects of nitren extraction on a dissolving pulp and influence on cellulose dissolution in NaOH/water. <i>Cellulose</i> , 2013 , 20, 2013-2026	5.5	7
831	Viscoelasticity and rheology in the regimes from dilute to concentrated in cellulose 1-ethyl-3-methylimidazolium acetate solutions. <i>Cellulose</i> , 2013 , 20, 1343-1352	5.5	40
830	Air-gap spinning of cellulose/ionic liquid solution and its characterization. 2013 , 14, 2015-2019		10
829	Functionalizing cellulose scaffold prepared by ionic liquid with bovine serum albumin for biomedical application. 2013 , 14, 1965-1969		3
828	Cosolvent or antisolvent? A molecular view of the interface between ionic liquids and cellulose upon addition of another molecular solvent. 2013 , 117, 11780-92		71
827	Cellulose regeneration from a cellulose/ionic liquid mixture: the role of anti-solvents. <i>RSC Advances</i> , 2013 , 3, 12794	3.7	52
826	The direct and one-pot transformation of xylan into the biodegradable surfactants, alkyl xylosides, is aided by an ionic liquid. <i>RSC Advances</i> , 2013 , 3, 19756	3.7	15
825	Light-harvesting nanorods based on pheophorbide-appending cellulose. <i>Biomacromolecules</i> , 2013 , 14, 3223-30	6.9	12
824	Improved refining properties of pulps pretreated with ionic liquids under mild conditions. 2013 , 128, 813-7		5
823	Separation and recovery of cellulose from <i>Zoysia japonica</i> by 1-allyl-3-methylimidazolium chloride. <i>Carbohydrate Polymers</i> , 2013 , 92, 228-35	10.3	24
822	Cellulose dissolution at ambient temperature: role of preferential solvation of cations of ionic liquids by a cosolvent. <i>Carbohydrate Polymers</i> , 2013 , 92, 540-4	10.3	158
821	Studies on the structural characterization of lignin, hemicelluloses and cellulose fractionated by ionic liquid followed by alkaline extraction from bamboo. <i>Industrial Crops and Products</i> , 2013 , 43, 141-149	5.9	93
820	Dissolution and recovery of cellulose from 1-butyl-3-methylimidazolium chloride in presence of water. <i>Carbohydrate Polymers</i> , 2013 , 92, 651-8	10.3	34
819	Flame-retarded hydrophobic cellulose through impregnation with aqueous solutions and supercritical CO ₂ . <i>Journal of Thermal Analysis and Calorimetry</i> , 2013 , 111, 475-482	4.1	14

818	Moisture induced plasticity of amorphous cellulose films from ionic liquid. 2013 , 54, 6555-6560		25
817	Preparation and characterization of transparent silk fibroin/cellulose blend films. 2013 , 54, 5035-5042		57
816	Water Sorption in Functionalized Ionic Liquids: Kinetics and Intermolecular Interactions. 2013 , 52, 2073-2083		47
815	Recycling and Reuse of Ionic Liquid in Homogeneous Cellulose Acetylation. 2013 , 21, 577-584		31
814	Regenerated cellulose/halloysite nanotube nanocomposite films prepared with an ionic liquid. 2013 , 141, 936-943		44
813	Hollow fiber carbon membranes: From material to application. <i>Chemical Engineering Journal</i> , 2013 , 215-216, 440-448	14.7	45
812	Wheat straw cellulose dissolution and isolation by tetra-n-butylammonium hydroxide. <i>Carbohydrate Polymers</i> , 2013 , 94, 38-45	10.3	52
811	Studies on the dissolution of glucose in ionic liquids and extraction using the antisolvent method. 2013 , 47, 2809-16		37
810	Microwave-assisted ionic liquids treatment followed by hydro-distillation for the efficient isolation of essential oil from <i>Fructus forsythiae</i> seed. 2013 , 107, 228-237		53
809	Synthesis of amidoxime functionalized cellulose derivatives as a reducing agent and stabilizer for preparing gold nanoparticles. 2013 , 4, 2556		35
808	Peracetic acid-ionic liquid pretreatment to enhance enzymatic saccharification of lignocellulosic biomass. 2013 , 138, 87-94		22
807	Influence of acidic and alkaline aqueous regeneration on enzymatic digestibility of the cellulose fraction recovered from [amim]Cl-treated rice husk. 2013 , 128, 330-6		6
806	1-Allyl-3-methylimidazolium halometallate ionic liquids as efficient catalysts for the glycolysis of poly(ethylene terephthalate). 2013 , 129, 3574-3581		32
805	Stability of inclusion complex formed by cellulose in NaOH/urea aqueous solution at low temperature. <i>Carbohydrate Polymers</i> , 2013 , 92, 1315-20	10.3	39
804	Directing chondrogenesis of stem cells with specific blends of cellulose and silk. <i>Biomacromolecules</i> , 2013 , 14, 1287-98	6.9	48
803	Status and Perspective of Organic Solvent Based Pretreatment of Lignocellulosic Biomass for Enzymatic Saccharification. 2013 , 309-337		
802	Supramolecular composite materials from cellulose, chitosan, and cyclodextrin: facile preparation and their selective inclusion complex formation with endocrine disruptors. 2013 , 29, 5037-49		32
801	Functional ionic liquids for hydrolysis of lignocellulose. <i>Carbohydrate Polymers</i> , 2013 , 97, 172-6	10.3	46

800	N-terminal PEGylated cellulase: a high stability enzyme in 1-butyl-3-methylimidazolium chloride. <i>Green Chemistry</i> , 2013 , 15, 1624	10	18
799	Homogeneous acetylation of chitosan in ionic liquids. 2013 , 129, 28-35		17
798	Nanocomposite films based on cellulose reinforced with nano-SiO ₂ : microstructure, hydrophilicity, thermal stability, and mechanical properties. <i>Cellulose</i> , 2013 , 20, 1737-1746	5.5	31
797	Low melting point pyridinium ionic liquid pretreatment for enhancing enzymatic saccharification of cellulosic biomass. 2013 , 135, 103-8		26
796	Isobaric Vapor-Liquid Equilibrium for the Acetonitrile + Water System Containing Different Ionic Liquids at Atmospheric Pressure. 2013 , 58, 1483-1489		23
795	Pervaporation recovery of [AMIM]Cl during wood dissolution; effect of [AMIM]Cl properties on the membrane performance. 2013 , 444, 9-15		3
794	Dissolution and depolymerization of barley starch in selected ionic liquids. <i>Carbohydrate Polymers</i> , 2013 , 93, 89-94	10.3	34
793	Regenerated cellulose film with enhanced tensile strength prepared with ionic liquid 1-ethyl-3-methylimidazolium acetate (EMIMAc). <i>Cellulose</i> , 2013 , 20, 1391-1399	5.5	36
792	High tensile strength and high ionic conductivity bionanocomposite ionogels prepared by gelation of cellulose/ionic liquid solutions with nano-silica. <i>RSC Advances</i> , 2013 , 3, 11665	3.7	32
791	Reaction behavior of cellulose in an ionic liquid, 1-ethyl-3-methylimidazolium chloride. 2013 , 59, 221-228		29
790	Determination of the solubility parameter of ionic liquid 1-allyl-3-methylimidazolium chloride by inverse gas chromatography. <i>Journal of Molecular Liquids</i> , 2013 , 180, 135-138	6	19
789	Molecular insight into cellulose regeneration from a cellulose/ionic liquid mixture: effects of water concentration and temperature. <i>RSC Advances</i> , 2013 , 3, 4425	3.7	34
788	Efficient process for the direct transformation of cellulose and carbohydrates to 5-(hydroxymethyl)furfural with dual-core sulfonic acid ionic liquids and co-catalysts. <i>RSC Advances</i> , 2013 , 3, 7782	3.7	33
787	InCl ₃ -ionic liquid catalytic system for efficient and selective conversion of cellulose into 5-hydroxymethylfurfural. <i>RSC Advances</i> , 2013 , 3, 3648	3.7	57
786	On the reactivity of the <i>Melanocarpus albomyces</i> laccase and formation of coniferyl alcohol dehydropolymer (DHP) in the presence of ionic liquid 1-allyl-3-methylimidazolium chloride. 2013 , 85-86, 169-177		12
785	Modification of ramie with 1-butyl-3-methylimidazolium chloride ionic liquid. 2013 , 14, 1254-1260		19
784	Effects of water concentration on the structural and diffusion properties of imidazolium-based ionic liquid-water mixtures. 2013 , 117, 1378-88		95
783	Ionic liquid pretreatment allows utilization of high substrate loadings in enzymatic hydrolysis of biomass to produce ethanol from cotton stalks. <i>Industrial Crops and Products</i> , 2013 , 51, 408-414	5.9	38

782	Fabrication and characterization of transparent and biodegradable cellulose/poly (vinyl alcohol) blend films using an ionic liquid. <i>Cellulose</i> , 2013 , 20, 2517-2527	5.5	18
781	Effects of pretreatments on crystalline properties and morphology of cellulose nanocrystals. <i>Cellulose</i> , 2013 , 20, 2427-2437	5.5	36
780	Preparation and morphology of different types of cellulose spherulites from concentrated cellulose ionic liquid solutions. 2013 , 9, 3013		25
779	Acid Hydrolysis of Cellulose and Hemicellulose. 2013 , 247-281		2
778	Fabrication of Cellulose Film with Enhanced Mechanical Properties in Ionic Liquid 1-Allyl-3-methylimidazolium Chloride (AmimCl). <i>Materials</i> , 2013 , 6, 1270-1284	3.5	91
777	1-allyl-3-methylimidazolium chloride pretreatment of seaweed industrial waste for bioethanol conversion. 2013 , 5, 063111		3
776	Homogeneous Isolation of Nanocellulose from Cotton Cellulose by High Pressure Homogenization. 2013 , 01, 49-52		17
775	Synthesis and Characterization of Cellulose/Quaternary Phosphonium Salt. 2013 , 842, 138-141		3
774	Dissolution and acetylation of ball-milled lignocellulosic biomass in ionic liquids at room temperature: application to nuclear magnetic resonance analysis of cell-wall components. 2013 , 67, 25-32		22
773	Pretreatments of Lignocellulosic Biomass. 2013 , 299-350		
772	Effects of Solvent Systems on Its Structure, Properties and Electromechanical Behavior of Cellulose Electro-Active Paper. 2013 , 17, 83-88		7
771	Direct Dissolution of Cellulose: Background, Means and Applications. 2013 ,		28
770	Catalytic Role of Ionic Liquids for Dissolution and Degradation of Biomacromolecules. 2013 , 9,		10
769	. 2013 ,		25
768	Intrinsic Viscosity of Pullulan in Ionic Liquid Solutions Studied by Rheometry. 2014 , 42, 191-196		5
767	Fabrication and Characterization of Regenerated Cellulose Films Using Different Ionic Liquids. 2014 , 2014, 1-8		32
766	Finally Dissolved! Activation Procedures to Dissolve Cellulose in DMAc/LiCl Prior to Size Exclusion Chromatography Analysis [A Review]. 2014 , 1, 52-68		19
765	Transparent and Printable Regenerated Kenaf Cellulose/PVA Film. 2014 , 9,		12

764	Synthesis, characterization, and gas permeabilities of cellulose derivatives containing adamantane groups. 2014 , 469, 507-514		22
763	Cellulosic Nanomaterials for Sensing Applications. 2014 , 197-212		3
762	Decomposition of cellulose in an ionic liquid, 1-ethyl-3-methylimidazolium chloride. 2014 , 60, 428-437		13
761	Dissolution and regeneration of biopolymers in ionic liquids. 2014 , 63, 555-559		10
760	Development, application and commercialization of transparent paper. 2014 , 1, 015004		42
759	Structures and Interactions of Ionic Liquids. 2014 ,		30
758	Ionic liquids and cellulose: dissolution, chemical modification and preparation of new cellulosic materials. 2014 , 15, 11922-40		276
757	Polyelectrolytes. 2014 ,		2
756	Highly Efficient and Reversible SO ₂ Capture by Surfactant-Derived Dual Functionalized Ionic Liquids with Metal Chelate Cations. 2014 , 53, 18568-18574		38
755	Synthesis of Imidazole Ionic Liquid and its Intercalation for Sodium Montmorillonite. 2014 , 528, 181-184		1
754	Dissolution of Biomass Using Ionic Liquids. 2014 , 79-105		17
753	Reaction behavior of cellulose in various pyridinium-based ionic liquids. 2014 , 60, 438-445		17
752	Tunable mixed amorphous/crystalline cellulose substrates (MACS) for dynamic degradation studies by atomic force microscopy in liquid environments. <i>Cellulose</i> , 2014 , 21, 3927-3939	5-5	7
751	Preparation and characterization of cellulose diacetate-graft-poly(butylene glycol adipate) copolymers. 2014 , 87, 1763-1772		2
750	Blend films of human hair and cellulose prepared from an ionic liquid. 2014 , 84, 1315-1324		18
749	Plasticization of Cellulose Diacetate by Ionic Liquid. 2014 , 936, 1002-1006		1
748	Effect of fibre spinning conditions on the electrical properties of cellulose and carbon nanotube composite fibres spun using ionic liquid as a benign solvent. 2014 , 8, 154-163		24
747	Cellulose-Based Ionogels for Paper Electronics. 2014 , 24, 625-634		137

746	Fiber Spinning of Polyacrylonitrile Grafted Soy Protein in an Ionic Liquid/DMSO Mixture Solvent. 2014 , 22, 17-26		16
745	Analyzing the interaction energies between cation and anion in ionic liquids: The subtle balance between Coulomb forces and hydrogen bonding. <i>Journal of Molecular Liquids</i> , 2014 , 192, 94-102	6	123
744	Kinetic studies on chromium-catalyzed conversion of glucose into 5-hydroxymethylfurfural in alkylimidazolium chloride ionic liquid. <i>Chemical Engineering Journal</i> , 2014 , 237, 55-61	14.7	38
743	Melt blowing of ionic liquid-based cellulose solutions. 2014 , 15, 291-296		7
742	Production of 5-Hydroxymethylfurfural from Mono- and Disaccharides in the Presence of Ionic Liquids. 2014 , 144, 252-260		16
741	Study on Enzymatic Degradation of Cornstalk in Ionic Liquid. 2014 , 144, 229-234		4
740	Phase diagram, solubility limit and hydrodynamic properties of cellulose in binary solvents with ionic liquid. <i>Carbohydrate Polymers</i> , 2014 , 105, 237-43	10.3	54
739	Plasticizing effect of ionic liquid on cellulose acetate obtained by melt processing. <i>Carbohydrate Polymers</i> , 2014 , 108, 75-82	10.3	23
738	Ionic liquid-based green processes for energy production. 2014 , 43, 7838-69		326
737	Rheological behaviors of cellulose in 1-ethyl-3-methylimidazolium chloride/dimethylsulfoxide. <i>Carbohydrate Polymers</i> , 2014 , 110, 292-7	10.3	32
736	Hydrogen bonding interaction between acetate-based ionic liquid 1-ethyl-3-methylimidazolium acetate and common solvents. <i>Journal of Molecular Liquids</i> , 2014 , 190, 151-158	6	49
735	Comprehensive Investigation on the Thermal Stability of 66 Ionic Liquids by Thermogravimetric Analysis. 2014 , 53, 8651-8664		414
734	Impact of regeneration process on the crystalline structure and enzymatic hydrolysis of cellulose obtained from ionic liquid. <i>Carbohydrate Polymers</i> , 2014 , 111, 400-3	10.3	21
733	Task-specific ionic liquid for the depolymerisation of starch-based industrial waste into high reducing sugars. 2014 , 223, 11-17		22
732	Cation does matter: how cationic structure affects the dissolution of cellulose in ionic liquids. <i>Green Chemistry</i> , 2014 , 16, 1326-1335	10	164
731	Production of Biofuels and Chemicals with Ionic Liquids. 2014 ,		26
730	Competing forces during cellulose dissolution: From solvents to mechanisms. 2014 , 19, 32-40		201
729	Characterization of bio regenerated cellulose/sepiolite nanocomposite films prepared via ionic liquid. 2014 , 33, 121-130		48

728	Plants and BioEnergy. 2014,		5
727	Recent trends in (ligno)cellulose dissolution using neoteric solvents: switchable, distillable and bio-based ionic liquids. 2014, 89, 11-18		99
726	Structure and Properties of Regenerated Cellulose Filaments Prepared from Cellulose Carbamate/NaOH/ZnO Aqueous Solution. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 2604-2612 ^{8.3}		41
725	Probing molecular interaction in ionic liquids by low frequency spectroscopy: Coulomb energy, hydrogen bonding and dispersion forces. 2014, 16, 21903-29		172
724	A green and facile approach for the synthesis of water-dispersible reduced graphene oxide based on ionic liquids. 2014, 50, 2889-92		24
723	Liquid crystalline phase behavior and fiber spinning of cellulose/ionic liquid/halloysite nanotubes dispersions. 2014, 2, 7327		50
722	Research on the formation mechanism of composites from lignocelluloses and CaCO ₃ 2014, 44, 216-24		8
721	Solubility of the Corn Protein Zein in Imidazolium-based Ionic Liquids. 2014, 53, 2293-2298		22
720	The dynamic process of atmospheric water sorption in [EMIM][Ac] and mixtures of [EMIM][Ac] with biopolymers and CO ₂ capture in these systems. 2014, 118, 11523-36		25
719	Recycling textiles: the use of ionic liquids in the separation of cotton polyester blends. <i>RSC Advances</i> , 2014, 4, 29094-29098	3-7	47
718	Ultrathin cellulose nanosheet membranes for superfast separation of oil-in-water nanoemulsions. 2014, 6, 10363-9		73
717	Studies on staged precipitation of cellulose from an ionic liquid by compressed carbon dioxide. <i>Green Chemistry</i> , 2014, 16, 2736-2744	10	66
716	Strong highly anisotropic magnetocellulose nanocomposite films made by chemical peeling and in situ welding at the interface using an ionic liquid. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 8165-72 ^{8.5}		19
715	Dissolution mechanism of cellulose in N,N-dimethylacetamide/lithium chloride: revisiting through molecular interactions. 2014, 118, 9507-14		161
714	Contribution of the Individual Ions to the Heat Capacity of Ionic Liquids. 2014, 53, 10343-10346		14
713	The unexpected flexibility of natural cellulose at a single-chain level and its implications to the design of nano materials. 2014, 6, 13421-4		18
712	Charge engineering of cellulases improves ionic liquid tolerance and reduces lignin inhibition. 2014, 111, 1541-9		72
711	Green Method for Production of Cellulose Multifilament from Cellulose Carbamate on a Pilot Scale. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 2363-2370	8.3	34

710	Ionic liquid binary mixtures: Promising reaction media for carbohydrate conversion into 5-hydroxymethylfurfural. 2014 , 482, 287-293		37
709	Cellulose extraction from <i>Zoysia japonica</i> pretreated by alumina-doped MgO in AMIMCl. <i>Carbohydrate Polymers</i> , 2014 , 113, 1-8	10.3	14
708	Acidic ionic liquid as "quasi-homogeneous" catalyst for controllable synthesis of cellulose acetate. <i>Carbohydrate Polymers</i> , 2014 , 113, 83-90	10.3	32
707	Quaternary ammonium acetate: an efficient ionic liquid for the dissolution and regeneration of cellulose. <i>RSC Advances</i> , 2014 , 4, 36721	3.7	33
706	Quantitative ³¹ P NMR analysis of solid wood offers an insight into the acetylation of its components. <i>Carbohydrate Polymers</i> , 2014 , 113, 552-60	10.3	19
705	Homogeneous isolation of nanocelluloses by controlling the shearing force and pressure in microenvironment. <i>Carbohydrate Polymers</i> , 2014 , 113, 388-93	10.3	38
704	Inhibitory Effect of Phosphonium-Based Ionic Liquids on Coal Oxidation. 2014 , 28, 4333-4341		29
703	Preparation and properties of self-reinforced cellulose composite films from Agave microfibrils using an ionic liquid. <i>Carbohydrate Polymers</i> , 2014 , 114, 537-545	10.3	63
702	Effect of molecular structure on the gas permeability of cellulose aliphatic esters. 2014 , 32, 1-8		15
701	Fabrication of cellulose-based scaffold with microarchitecture using a leaching technique for biomedical applications. <i>Cellulose</i> , 2014 , 21, 3515-3525	5.5	30
700	Complete chemical hydrolysis of cellulose into fermentable sugars through ionic liquids and antisolvent pretreatments. 2014 , 7, 3467-75		22
699	Phase assembly-induced transition of three dimensional nanofibril- to sheet-networks in porous cellulose with tunable properties. <i>Cellulose</i> , 2014 , 21, 383-394	5.5	30
698	Enhanced toughness and strength of conductive cellulose-poly(butylene succinate) films filled with multiwalled carbon nanotubes. <i>Cellulose</i> , 2014 , 21, 1803-1812	5.5	8
697	Synthesis, characterization and properties of novel cellulose derivatives containing phosphorus: cellulose diphenyl phosphate and its mixed esters. <i>Cellulose</i> , 2014 , 21, 2369-2378	5.5	28
696	Rheological behaviors of cellulose/[BMIM]Cl solutions varied with the dissolving process. <i>Journal of Polymer Research</i> , 2014 , 21, 1	2.7	12
695	Recyclability of an ionic liquid for biomass pretreatment. 2014 , 169, 336-343		66
694	Polycaprolactone grafting of cellulose nanocrystals in ionic liquid [BMIM]Cl. 2014 , 19, 117-122		3
693	Formation of "quasi" contact or solvent-separated ion pairs in the local environment of probe molecules dissolved in ionic liquids. 2014 , 15, 265-70		14

- 692 Ionization dynamics in ionic liquids probed via self-diffusion coefficient measurements. **2014**, 440, 87-93 16
- 691 Intermolecular interactions and 3D structure in cellulose-NaOH-urea aqueous system. **2014**, 118, 10250-7 64
- 690 Flow behavior and linear viscoelasticity of cellulose 1-allyl-3-methylimidazolium formate solutions. *Carbohydrate Polymers*, **2014**, 99, 132-9 10.3 15
- 689 Solubility of a New Cardioactive Prototype Drug in Ionic Liquids. **2014**, 59, 1766-1773 26
- 688 Are ionic liquids a proper solution to current environmental challenges?. *Green Chemistry*, **2014**, 16, 2375-10 209
- 687 Thermal effects of ionic liquid dissolution on the structures and properties of regenerated wool keratin. **2014**, 108, 108-115 54
- 686 Multifunctional comb copolymer ethyl cellulose-g-poly(ϵ -caprolactone)-rhodamine B/folate: Synthesis, characterization and targeted bonding application. **2014**, 55, 235-244 18
- 685 Regenerated cellulose nanocomposites reinforced with exfoliated graphite nanosheets using BMIMCL ionic liquid. **2014**, 55, 3130-3138 28
- 684 Structure and Properties of Polysaccharide Nanocrystals. **2014**, 15-62 1
- 683 Cellulose fibers from cellulose/1-ethyl-3-methylimidazolium acetate solution by wet spinning with increasing spinning speeds. **2014**, 131, n/a-n/a 10
- 682 Investigating the Structure of Ionic Liquids and Ionic Liquid. **2015**, 55-82
- 681 Versatile Molding Process for Tough Cellulose Hydrogel Materials. **2015**, 5, 16266 24
- 680 Anatomical and Topochemical Aspects of Japanese beech (*Fagus crenata*) Cell Walls After Treatment with the Ionic Liquid, 1-Ethylpyridinium Bromide. **2015**, 21, 1562-1572 3
- 679 Conversion of Holocellulose-Derived Polyols to Valuable Chemicals Using High-Temperature Liquid Water and High-Pressure Carbon Dioxide. **2015**, 136-143
- 678 Green approach for cellulose conversion to sugars using ionic liquids. **2015**, 68-80
- 677 Hydroxypropyl Methyl Cellulose Grafted with Poly(Acrylamide): Application as Novel Polymeric Material as Flocculant as well as Adsorbent. **2015**, 322-355
- 676 Ionic Liquid-Based Nonaqueous Microemulsion. **2015**, 343-358
- 675 Chiral separation abilities of homogeneously synthesized cellulose 3,5-dimethylphenylcarbamates: Influences of degree of substitution and molecular weight. **2015**, 33, 1633-1639 13

674	Dissolution of wheat straw with aqueous NaOH/Urea solution. 2015 , 16, 2368-2374	8
673	Feasibility of recycled newspaper as cellulose source for regenerated cellulose membrane fabrication. 2015 , 132, n/a-n/a	36
672	Dissolution and Separation of Wood Biopolymers Using Ionic Liquids. 2015 , 2, 257-278	36
671	Regenerated Cellulose Fibers Prepared from Wheat Straw with Different Solvents. 2015 , 300, 793-801	8
670	Directly Coating Hydrogel on Filter Paper for Effective Oil/Water Separation in Highly Acidic, Alkaline, and Salty Environment. 2015 , 25, 5368-5375	263
669	Effect of dimethyl sulfoxide on synthesis of thermoplastic cellulose-Graft-poly(l-lactide) copolymer using ionic liquid as reaction media. 2015 , 132, n/a-n/a	4
668	Preparation and Characteristics of Paper-based Biodegradable Plastics. 2015 , 10,	3
667	Dissolution and Hydrolysis of Lignocellulosic Biomass using Tailored Ionic Liquids. 2015 ,	
666	Solubility of Bioactive, Inorganic and Polymeric Solids in Ionic Liquids [Experimental and Prediction Perspectives. 2015 ,	1
665	Porous Cellulose Aerogels with High Mechanical Performance and their Absorption Behaviors. 2015 , 11, 8-20	13
664	Two-Dimensional FTIR as a Tool to Study the Chemical Interactions within Cellulose-Ionic Liquid Solutions. 2015 , 2015, 1-9	13
663	Raman microscopic analysis of wood after treatment with the ionic liquid, 1-ethyl-3-methylimidazolium chloride. 2015 , 69, 273-279	16
662	Synthesis and application of functionalized ionic liquids as solvent to corn stalk for phenolic resin modification. 2015 , 15, 195-201	2
661	An unusual spherulite morphology induced by nano-fillers from a concentrated cellulose/ionic liquid solution. <i>RSC Advances</i> , 2015 , 5, 44648-44651	3-7 10
660	Hydrolytic degradation of cellulose-graft-poly(l-lactide) copolymers. 2015 , 118, 130-136	14
659	Fluorine-based surface decorated cellulose nanocrystals as potential hydrophobic and oleophobic materials. <i>Cellulose</i> , 2015 , 22, 397-406	5-5 32
658	Novel fibres prepared by cellulose diacetate using ionic liquid as plasticiser. 2015 , 19, S9-295-S9-298	1
657	Effect of a TiO ₂ additive on the morphology and permeability of cellulose ultrafiltration membranes prepared via immersion precipitation with ionic liquid as a solvent. <i>Cellulose</i> , 2015 , 22, 3865-3876	5-5 27

656	Synthesis and characterization of temperature-sensitive cellulose-graft-poly(N-isopropylacrylamide) copolymers. 2015 , 33, 1640-1649		26
655	Effects of polarity, hydrophobicity, and density of ionic liquids on cellulose solubility. 2015 , 17, 32276-82		42
654	Topochemical and morphological characterization of wood cell wall treated with the ionic liquid, 1-ethylpyridinium bromide. 2015 , 242, 509-18		18
653	Controlled synthesis of cellulose-graft-poly[2-(diethylamino)-ethyl methacrylate] by ATRP in ionic liquid [AMIM]Cl and its pH-responsive property. 2015 , 66, 228-235		23
652	Homogeneous tritylation of cellulose in 1-allyl-3-methylimidazolium chloride and subsequent acetylation: the influence of base. <i>Carbohydrate Polymers</i> , 2015 , 117, 818-824	10.3	7
651	Bifunctional cellulose derivatives for the removal of heavy-metal ions and phenols: Synthesis and adsorption studies. 2015 , 132,		35
650	Porous cellulose facilitated by ionic liquid [BMIM]Cl: fabrication, characterization, and modification. <i>Cellulose</i> , 2015 , 22, 709-715	5.5	26
649	Comparison of three ionic liquid-tolerant cellulases by molecular dynamics. 2015 , 108, 880-892		53
648	Densities at Pressures up to 200 MPa and Atmospheric Pressure Viscosities of Ionic Liquids 1-Ethyl-3-methylimidazolium Methylphosphate, 1-Ethyl-3-methylimidazolium Diethylphosphate, 1-Butyl-3-methylimidazolium Acetate, and 1-Butyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide. 2015 , 60, 876-885		46
647	Dissolution of cellulose in room temperature ionic liquids: anion dependence. 2015 , 119, 1654-9		34
646	Influence of LiTFSI Addition on Conductivity, Diffusion Coefficient, Spin Lattice Relaxation Times, and Chemical Shift of One-Dimensional NMR Spectroscopy in LiTFSI-Doped Dual-Functionalized Imidazolium-Based Ionic Liquids. 2015 , 60, 471-483		10
645	Fabrication of cellulose-based aerogels from waste newspaper without any pretreatment and their use for absorbents. <i>Carbohydrate Polymers</i> , 2015 , 123, 150-6	10.3	107
644	Water-soluble complexes of an acrylamide copolymer and ionic liquids for inhibiting shale hydration. 2015 , 39, 2155-2161		14
643	Dissolution of cellulose with a novel solvent and formation of regenerated cellulose fiber. 2015 , 119, 539-546		36
642	Characteristics of starch-based films with different amylose contents plasticised by 1-ethyl-3-methylimidazolium acetate. <i>Carbohydrate Polymers</i> , 2015 , 122, 160-8	10.3	39
641	Macroscopic and microscopic study of 1-ethyl-3-methyl-imidazolium acetate-DMSO mixtures. 2015 , 119, 1633-40		50
640	Dissolution of cellulose in 1-allyl-3-methylimidazolium carboxylates at room temperature: a structure-property relationship study. <i>Carbohydrate Polymers</i> , 2015 , 117, 666-672	10.3	58
639	Homogeneous acetylation of hemicelluloses from soy sauce residue in imidazolium-based ionic liquid. 2015 , 17, 574-582		6

638	In-situ preparation and characterization of highly oriented graphene oxide/cellulose-poly(butylene succinate) ternary composite films. <i>Cellulose</i> , 2015 , 22, 1243-1251	5.5	9
637	Isolation and recovery of cellulose from waste nylon/cotton blended fabrics by 1-allyl-3-methylimidazolium chloride. <i>Carbohydrate Polymers</i> , 2015 , 123, 424-31	10.3	23
636	Activating cellulose via its reversible reaction with CO ₂ in the presence of 1,8-diazabicyclo[5.4.0]undec-7-ene for the efficient synthesis of cellulose acetate. <i>Green Chemistry</i> , 2015 , 17, 2758-2763	10	53
635	Hydrolysis of cellulose catalyzed by quaternary ammonium perchlorates in 1-allyl-3-methylimidazolium chloride. 2015 , 197, 42-7		18
634	Modern Room Temperature Ionic Liquids, a Simple Guide to Understanding Their Structure and How It May Relate to Dynamics. 2015 , 119, 12727-40		205
633	Influence of solid alkali application on corn stalk dissolution and degradation in solvent systems. 2015 , 120, 98-106		1
632	Facile Synthesis of Well-Dispersed Superparamagnetic Fe ₂ O ₃ Nanoparticles Encapsulated in Three-Dimensional Architectures of Cellulose Aerogels and Their Applications for Cr(VI) Removal from Contaminated Water. <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 2142-2152	8.3	90
631	Effect of water and methanol on the dissolution and gelatinization of corn starch in [MMIM][[MeO]HPO ₂]. <i>RSC Advances</i> , 2015 , 5, 60330-60338	3.7	11
630	Fractionation of lignin from eucalyptus bark using amine-sulfonate functionalized ionic liquids. <i>Green Chemistry</i> , 2015 , 17, 4913-4920	10	40
629	Maintenance-Free Cellulose Solvents Based on Onium Hydroxides. <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 1771-1776	8.3	46
628	Homogeneous benzylation of cellulose in 1-allyl-3-methylimidazolium chloride: Hammett correlation, mechanism and regioselectivity. <i>RSC Advances</i> , 2015 , 5, 58536-58542	3.7	9
627	Application of ionic liquids for effective use of woody biomass. 2015 , 61, 343-350		30
626	Effects of additives on dissolution of cellobiose in aqueous solvents. <i>Cellulose</i> , 2015 , 22, 1641-1652	5.5	11
625	Theoretical studies on the dissolution of chitosan in 1-butyl-3-methylimidazolium acetate ionic liquid. <i>Carbohydrate Research</i> , 2015 , 408, 107-13	2.9	21
624	Combined effects of raw materials and solvent systems on the preparation and properties of regenerated cellulose fibers. <i>Carbohydrate Polymers</i> , 2015 , 128, 147-53	10.3	35
623	Corn starch-based graft copolymers prepared via ATRP at the molecular level. 2015 , 6, 3480-3488		45
622	Thermally induced gel from cellulose/NaOH/PEG solution: preparation, characterization and mechanical properties. 2015 , 119, 45-48		2
621	Effect of xylan content on mechanical properties in regenerated cellulose/xylan blend films from ionic liquid. <i>Cellulose</i> , 2015 , 22, 1943-1953	5.5	25

620	Preparation, characterization and oil adsorption properties of cellulose aerogels from four kinds of plant materials via a NaOH/PEG aqueous solution. 2015 , 16, 302-307		33
619	Study on nanocellulose by high pressure homogenization in homogeneous isolation. 2015 , 16, 572-578		47
618	Cellulose Gels and Microgels: Synthesis, Service, and Supramolecular Interactions. 2015 , 209-251		5
617	Supramolecular Polymer Networks and Gels. 2015 ,		22
616	Revealing the Hydrophobicity of Natural Cellulose by Single-Molecule Experiments. <i>Macromolecules</i> , 2015 , 48, 3685-3690	5.5	30
615	Thermal behavior of cellulose diacetate melt using ionic liquids as plasticizers. <i>RSC Advances</i> , 2015 , 5, 901-907	3.7	19
614	Electrospun Cellulose Composite Nanofibers. 2015 , 191-227		4
613	Ionic Liquid and Cellulose Technologies: Dissolution, Modification and Composite Preparation. 2015 , 135-152		
612	A morpholinium ionic liquid for cellulose dissolution. <i>Carbohydrate Polymers</i> , 2015 , 130, 18-25	10.3	56
611	Ionic liquid-stabilized nanoparticles as catalysts for the conversion of biomass. <i>Green Chemistry</i> , 2015 , 17, 3195-3206	10	109
610	Chemocatalytic hydrolysis of cellulose into glucose over solid acid catalysts. 2015 , 174-175, 225-243		167
609	Supramolecular Chemistry and Mechanochemistry of Macromolecules: Recent Advances by Single-Molecule Force Spectroscopy. 2015 , 369, 97-134		15
608	Theoretical Insights into the Role of Water in the Dissolution of Cellulose Using IL/Water Mixed Solvent Systems. 2015 , 119, 14339-49		38
607	Influence of temperature on the solution rheology of cellulose in 1-ethyl-3-methylimidazolium chloride/dimethyl sulfoxide. <i>Cellulose</i> , 2015 , 22, 3077-3087	5.5	21
606	Gelation and decrystallization of cellulose by TAAHs/DMSO treatment and the role of anions and cations. <i>Cellulose</i> , 2015 , 22, 3013-3025	5.5	6
605	Cellulose regeneration in ionic liquids: factors controlling the degree of polymerisation. <i>Cellulose</i> , 2015 , 22, 2845-2849	5.5	21
604	Preparation and Properties of Cellulose/Waste Leather Buff Biocomposites. 2015 , 20, 693-703		16
603	Organo-montmorillonite supported titania nanocomposite synthesized by using poly(methyl methacrylate) grafted cellulose as template and its application in photodegradation. <i>Cellulose</i> , 2015 , 22, 3189-3198	5.5	12

- 602 Mechanistic study on the cellulose dissolution in ionic liquids by density functional theory. **2015**, 23, 1894-190626
- 601 Adhesive and Reinforcing Properties of Soluble Cellulose: A Repulpable Adhesive for Wet and Dry Cellulosic Substrates. *ACS Applied Materials & Interfaces*, **2015**, 7, 18750-8 9.5 29
- 600 Effect of Dimethyl Sulfoxide (DMSO) on Cellulose Solution with High Concentration. **2015**, 1095, 329-332 1
- 599 Synthesis of a montmorillonite-supported titania nanocomposite with grafted cellulose as a template and its application in photocatalytic degradation. **2015**, 132, n/a-n/a 17
- 598 Effect of cellulose solubility on the thermal and mechanical properties of regenerated cellulose/graphene nanocomposites based on ionic liquid 1-allyl-3-methylimidazolium chloride. *RSC Advances*, **2015**, 5, 76302-76308 3.7 12
- 597 Density and excess molar volume of binary mixture of thiocyanate-based ionic liquids and methanol at temperatures 293.15B23.15 K. *Journal of Molecular Liquids*, **2015**, 211, 734-741 6 24
- 596 Effect of dielectric constant on estimation of properties of ionic liquids: an analysis of 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide. *RSC Advances*, **2015**, 5, 72709-72715 3.7 6
- 595 Thermal-sensitive Starch-g-PNIPAM prepared by Cu(0) catalyzed SET-LRP at molecular level. *RSC Advances*, **2015**, 5, 70758-70765 3.7 19
- 594 Utilization of Ionic Liquids in Lignocellulose Biorefineries as Agents for Separation, Derivatization, Fractionation, or Pretreatment. **2015**, 63, 8093-102 53
- 593 Separation factors for [amim]ClCO₂ biphasic systems from high pressure density and partition coefficient measurements. **2015**, 155, 139-148 8
- 592 Bamboo (*Neosinocalamus affinis*)-based thin film, a novel biomass material with high performances. *Carbohydrate Polymers*, **2015**, 119, 167-72 10.3 9
- 591 Effect of dimethylsulfoxide on the viscoelastic properties and sol-gel transition of cellulose/ionic liquid solutions. *RSC Advances*, **2015**, 5, 8318-8322 3.7 12
- 590 Cellulose dissolution and regeneration in ionic liquids: A computational perspective. **2015**, 121, 180-189 83
- 589 Factors governing dissolution process of lignocellulosic biomass in ionic liquid: current status, overview and challenges. **2015**, 178, 2-18 168
- 588 Preparation of cellulose-based conductive hydrogels with ionic liquid. **2015**, 86, 1-6 53
- 587 Enzymatic hydrolysis of lignocellulosic polysaccharides in the presence of ionic liquids. *Green Chemistry*, **2015**, 17, 694-714 10 176
- 586 Bacterial cellulose membrane produced by *Acetobacter* sp. A10 for burn wound dressing applications. *Carbohydrate Polymers*, **2015**, 122, 387-98 10.3 83
- 585 Electroactive behavior of graphene nanoplatelets loaded cellulose composite actuators. **2015**, 69, 369-377 38

584	Enhanced saccharification of lignocellulosic biomass by pretreatment with quaternary ammonium hydroxide. 2015 , 90, 2186-2194		3
583	Effect of protic ionic liquid on the volumetric properties and taste behaviour of sucrose. 2015 , 169, 478-83		50
582	An effective two-step ionic liquids method for cornstalk pretreatment. 2015 , 90, 2057-2065		5
581	Preparation and characterization of regenerated cellulose from ionic liquid using different methods. <i>Carbohydrate Polymers</i> , 2015 , 117, 99-105	10.3	79
580	Microscopic Investigations on Woody Biomass as Treated with Ionic Liquids. 2016 ,		0
579	Investigations on Green Blends Comprising Biodegradable Polymer and Ionic Liquid. <i>Polymers</i> , 2016 , 8,	4.5	5
578	Treated <i>Nypa fruticans</i> Husk-filled Regenerated Cellulose Biocomposite Films. 2016 , 11,		1
577	Pyrrolidinium Ionic Liquids as Effective Solvents for Lignin Extraction and Enzymatic Hydrolysis of Lignocelluloses. 2016 , 11,		3
576	Biocomposites Composed of Polyamide 11 and Cellulose Nanofibers Pretreated with a Cationic Reagents. 2016 , 45, 39-47		8
575	Ammonium Sorption onto Polymeric Adsorbing Material from Corn Stalks Oxidized and Loaded with Magnesium. 2016 , 12,		
574	Homogeneous Esterification of Cellulose in the Mixture N-Butylpyridinium Chloride/Dimethylsulfoxide. 2016 , 2016, 1-7		12
573	Synthesis of a Novel Allyl-Functionalized Deep Eutectic Solvent to Promote Dissolution of Cellulose. 2016 , 11,		20
572	Macromolecular Interactions Control Structural and Thermal Properties of Regenerated Tri-Component Blended Films. 2016 , 17,		8
571	Microstructure Properties and Cellulase Hydrolysis Efficiency of Hybrid Pennisetum with [Amim]Cl Pretreatment. 2016 , 12,		5
570	Determination of intrinsic viscosity-molecular weight relationship for cellulose in BmimAc/DMSO solutions. <i>Cellulose</i> , 2016 , 23, 2341-2348	5.5	15
569	Cellulose-Based Gels. 2016 , 217, 1322-1334		30
568	Self-Healing Polysaccharide Hydrogel Based on Dynamic Covalent Enamine Bonds. 2016 , 301, 725-732		70
567	In Situ Carbonic Acid from CO ₂ : A Green Acid for Highly Effective Conversion of Cellulose in the Presence of Lewis acid. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 4146-4155	8.3	28

566	Communication: Nanoscale structure of tetradecyltrihexylphosphonium based ionic liquids. 2016 , 144, 121102		36
565	Solvation behavior of monosaccharides in aqueous protic ionic liquid solutions: Volumetric, calorimetric and NMR spectroscopic studies. 2016 , 421, 24-32		9
564	Ionic Liquids in the Synthesis of Sugar/Carbohydrate and Lipid Conjugates. 2016 , 347-371		3
563	Different characteristic effects of ageing on starch-based films plasticised by 1-ethyl-3-methylimidazolium acetate and by glycerol. <i>Carbohydrate Polymers</i> , 2016 , 146, 67-79	10.3	33
562	Transparent cellulose/polyhedral oligomeric silsesquioxane nanocomposites with enhanced UV-shielding properties. <i>Carbohydrate Polymers</i> , 2016 , 147, 171-177	10.3	25
561	Concentration of ionic liquids by nanofiltration for recycling: Filtration behavior and modeling. 2016 , 165, 18-26		24
560	Effect of lithium chloride on cellulose/1-allyl-3-methylimidazolium chloride solutions. 2016 , 55, 423-430		4
559	Cellobiose as a model system to reveal cellulose dissolution mechanism in acetate-based ionic liquids: Density functional theory study substantiated by NMR spectra. <i>Carbohydrate Polymers</i> , 2016 , 149, 348-56	10.3	26
558	Solubility of starch and microcrystalline cellulose in 1-ethyl-3-methylimidazolium acetate ionic liquid and solution rheological properties. 2016 , 18, 27584-27593		39
557	A high performance co-precipitation CdAl ₂ O ₄ catalyst for the isomerization of dipotassium 1,8-naphthalenedicarboxylate. 2016 , 119, 523-535		1
556	Cellulose/microalgae composite films prepared in ionic liquids. 2016 , 20, 135-141		19
555	Phase Behavior of Aqueous Two-Phase Systems Composed by 1-Allyl-3-methylimidazolium Chloride and Aqueous Potassium Salts at Various Temperatures. 2016 , 61, 3698-3703		2
554	Directed Discovery of Greener Cosolvents: New Cosolvents for Use in Ionic Liquid Based Organic Electrolyte Solutions for Cellulose Dissolution. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 6200-6207	8.3	31
553	Effect of Protic and Aprotic Solvents on the Mechanism of Cellulose Dissolution in Ionic Liquids: A Combined Molecular Dynamics and Experimental Insight. 2016 , 1, 4823-4832		14
552	A plasma modified cellulose-chitosan porous membrane allows efficient DNA binding and provides antibacterial properties: A step towards developing a new DNA collecting card. 2016 , 25, 19-25		1
551	Comparing the influence of acetate and chloride anions on the structure of ionic liquid pretreated lignocellulosic biomass. 2016 , 93, 243-253		41
550	Graphene oxide/cellulose composite films with enhanced UV-shielding and mechanical properties prepared in NaOH/urea aqueous solution. <i>RSC Advances</i> , 2016 , 6, 73358-73364	3.7	31
549	Development of a novel cellulose/duck feather composite fibre regenerated in ionic liquid. <i>Carbohydrate Polymers</i> , 2016 , 153, 115-123	10.3	11

548	Rapid dissolution of spruce cellulose in H ₂ SO ₄ aqueous solution at low temperature. <i>Cellulose</i> , 2016 , 23, 3463-3473	5.5	16
547	Cellulose-Based Solid Fluorescent Materials. 2016 , 4, 2044-2050		52
546	Fine regulation of cellulose dissolution and regeneration by low pressure CO in DMSO/organic base: dissolution behavior and mechanism. 2016 , 18, 32772-32779		20
545	Advances in Eco-Friendly Pre-Treatment Methods and Utilization of Agro-Based Lignocelluloses. 2016 , 371-420		2
544	1D nanocrystals with precisely controlled dimensions, compositions, and architectures. 2016 , 353, 1268-72		259
543	Extensional rheology of cellulose/NaOH/urea/H ₂ O solutions. <i>Cellulose</i> , 2016 , 23, 2877-2885	5.5	6
542	Extraction of Polysaccharides from Japanese Cedar Using Phosphonate-Derived Polar Ionic Liquids Having Functional Groups. 2016 , 89, 879-886		10
541	Transparent and flame retardant cellulose/aluminum hydroxide nanocomposite aerogels. 2016 , 59, 1335-1341		27
540	Wood-Derived Materials for Green Electronics, Biological Devices, and Energy Applications. 2016 , 116, 9305-74		802
539	Paper reinforced with regenerated cellulose: a sustainable and fascinating material with good mechanical performance, barrier properties and shape retention in water. 2016 , 4, 17483-17490		27
538	Understanding cellulose dissolution: effect of the cation and anion structure of ionic liquids on the solubility of cellulose. 2016 , 59, 1421-1429		38
537	Molecular characterization of thermoreversibility and temperature dependent physical properties of cellulose solution in N,N-dimethylacetamide and lithium chloride. 2016 , 24, 547-555		5
536	Effect of ionic liquid treatment on the ultrastructural and topochemical features of compression wood in Japanese cedar (<i>Cryptomeria japonica</i>). 2016 , 6, 30147		12
535	Does 1-Allyl-3-methylimidazolium chloride Act as a Biocompatible Solvent for Stem Bromelain?. 2016 , 120, 5625-33		16
534	High performance ionic liquid chromatography. 2016 , 83-103		
533	Zinc Electrodeposition from Zinc Oxide in the Urea/1-ethyl-3-methylimidazolium Chloride at 353 K. 2016 , 84, 872-877		9
532	Synthesis and characterization of cellulose-g-polyoxyethylene (2) hexadecyl ether solid-solid phase change materials. <i>Cellulose</i> , 2016 , 23, 1663-1674	5.5	17
531	Molecular Characterization on the Anomalous Viscosity Behavior of Cellulose Solutions in N,N-Dimethyl Acetamide and Lithium Chloride. 2016 , 24, 463-470		3

530	Chitosan Containing Supported Ionic Liquid Phase Materials for CO ₂ Absorption. 2016 , 55, 7052-7059		22
529	All-Cellulose Nanocomposites Reinforced with in Situ Retained Cellulose Nanocrystals during Selective Dissolution of Cellulose in an Ionic Liquid. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 4417-4423	8.3	75
528	Effects of Different Ionic Liquids as Green Solvents on the Formation and Ultrafiltration Performance of CA Hollow Fiber Membranes. 2016 , 55, 7505-7513		33
527	Cellulose-based films prepared directly from waste newspapers via an ionic liquid. <i>Carbohydrate Polymers</i> , 2016 , 151, 223-229	10.3	49
526	Processing, microstructure and thermoluminescence response of biomorphic yttrium oxide ceramics. 2016 , 42, 13291-13295		11
525	Binding of some heavy metal ions in aqueous solution with cationized or sulphonylated starch or waste starch. 2016 , 68, 900-908		6
524	Biomass into chemicals: green chemical conversion of carbohydrates into 5-hydroxymethylfurfural in ionic liquids. <i>RSC Advances</i> , 2016 , 6, 63991-64002	3.7	49
523	Chitin Nanofiber Transparent Paper for Flexible Green Electronics. 2016 , 28, 5169-75		171
522	Characterization of adsorbent microspheres of cellulose and acrylic acid and its adsorption behaviors for metal ions. 2016 , 57, 5821-5827		4
521	Transparent cellulose/Laponite nanocomposite films. <i>Journal of Materials Science</i> , 2016 , 51, 4125-4133	4.3	23
520	Effects of Pressure and Temperature on the Dissolution of Cellulose in Ionic Liquids. 2016 , 1133, 588-592		2
519	Simultaneously reinforcing and toughening plasticized starch film via regenerated cellulose as reinforcing phase. <i>Journal of Polymer Research</i> , 2016 , 23, 1	2.7	3
518	One-pot preparation of hydrophobic cellulose nanocrystals in an ionic liquid. <i>Cellulose</i> , 2016 , 23, 1209-1219	5.19	66
517	Cellulose in NaOH/water based solvents: a review. <i>Cellulose</i> , 2016 , 23, 5-55	5.5	177
516	Diffusion coefficients, spin-lattice relaxation times, and chemical shift variations of NMR spectra in LiTFSI-doped ether- and allyl-functionalized dicationic ionic liquids. 2016 , 60, 138-150		20
515	Improved in situ saccharification of cellulose pretreated by dimethyl sulfoxide/ionic liquid using cellulase from a newly isolated <i>Paenibacillus</i> sp. LLZ1. 2016 , 201, 8-14		34
514	Progress in the production of biomass-to-liquid biofuels to decarbonize the transport sector □ prospects and challenges. <i>RSC Advances</i> , 2016 , 6, 32140-32170	3.7	42
513	Regeneration of cello-oligomers via selective depolymerization of cellulose fibers derived from printed paper wastes. <i>Carbohydrate Polymers</i> , 2016 , 142, 31-7	10.3	14

512	Incorporation of graphene nanosheets into cellulose aerogels: enhanced mechanical, thermal, and oil adsorption properties. 2016 , 122, 1		13
511	Research on the structure of amino acid ILs and its solubility for chitosan with chemical software. 2016 , 126, 17-21		4
510	Dissolution and resourcfulization of biopolymers in ionic liquids. 2016 , 100, 181-190		27
509	Solvent Pretreatments of Lignocellulosic Materials to Enhance Biogas Production: A Review. 2016 , 30, 1892-1903		50
508	Fabrication, hydrolysis and cell cultivation of microspheres from cellulose-graft-poly(L-lactide) copolymers. <i>RSC Advances</i> , 2016 , 6, 17617-17623	3.7	12
507	Room-Temperature Dissolution and Mechanistic Investigation of Cellulose in a Tetra-Butylammonium Acetate/Dimethyl Sulfoxide System. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 2286-2294	8.3	41
506	Pretreatment of Lignocellulosic Biomass. 2016 , 17-70		28
505	Improving the mechanical properties of cellulose diacetate fibers via using an ionic liquid as processing solvent. <i>RSC Advances</i> , 2016 , 6, 1-7	3.7	79
504	Preparation of cellulose-graft-poly(lactic acid) via melt copolycondensation for use in poly(lactic acid) based composites: synthesis, characterization and properties. <i>RSC Advances</i> , 2016 , 6, 1973-1983	3.7	23
503	Ionic liquids-lithium salts pretreatment followed by ultrasound-assisted extraction of vitexin-4?-O-glucoside, vitexin-2?-O-rhamnoside and vitexin from <i>Phyllostachys edulis</i> leaves. <i>Journal of Chromatography A</i> , 2016 , 1431, 17-26	4.5	10
502	Study on oil absorbency of succinic anhydride modified banana cellulose in ionic liquid. <i>Carbohydrate Polymers</i> , 2016 , 141, 135-42	10.3	25
501	Utilization of Green Chemical Techniques in Enzymolysis of Cellulose. 2016 , 139-154		
500	The influence of cations on lithium ion coordination and transport in ionic liquid electrolytes: a MD simulation study. 2016 , 18, 382-92		49
499	Reinforced alkali-pretreatment for enhancing enzymatic hydrolysis of sugarcane bagasse. 2016 , 143, 1-6		30
498	(1)H NMR-based DS determination of barley starch sulfates prepared in 1-allyl-3-methylimidazolium chloride. <i>Carbohydrate Polymers</i> , 2016 , 136, 721-7	10.3	7
497	Highly porous cellulose beads of controllable sizes derived from regenerated cellulose of printed paper wastes. 2016 , 164, 264-266		24
496	Melting point depression effect with CO ₂ in high melting temperature cellulose dissolving ionic liquids. Modeling with group contribution equation of state. 2016 , 107, 590-604		15
495	Unprecedented Improvement in the Stability of Hemoglobin in the Presence of Promising Green Solvent 1-Allyl-3-methylimidazolium Chloride. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 413-421	8.3	30

494	Ionic liquid mediated technology for synthesis of cellulose acetates using different co-solvents. <i>Carbohydrate Polymers</i> , 2016 , 135, 341-8	10.3	41
493	Superior cellulose-protective effects of cosolvent during enhanced dissolution in imidazolium ionic liquid. 2016 , 70, 519-525		9
492	Deep eutectic solvents as efficient solvent system for the extraction of Carrageenan from <i>Kappaphycus alvarezii</i> . <i>Carbohydrate Polymers</i> , 2016 , 136, 930-5	10.3	95
491	Recent advances in regenerated cellulose materials. 2016 , 53, 169-206		564
490	Electromechanical characterization of multilayer graphene-reinforced cellulose composite containing 1-ethyl-3-methylimidazolium diethylphosphonate ionic liquid. 2017 , 24, 289-295		7
489	Characteristics of starch-based films produced using glycerol and 1-butyl-3-methylimidazolium chloride as combined plasticizers. 2017 , 69, 1600161		10
488	Application of ionic liquids for dissolving cellulose and fabricating cellulose-based materials: state of the art and future trends. 2017 , 1, 1273-1290		227
487	A mechanistic insight into the organocatalytic properties of imidazolium-based ionic liquids and a positive co-solvent effect on cellulose modification reactions in an ionic liquid. <i>RSC Advances</i> , 2017 , 7, 9423-9430	3.7	31
486	Structure-property relationships of blended polysaccharide and protein biomaterials in ionic liquid. <i>Cellulose</i> , 2017 , 24, 1775-1789	5.5	12
485	Modifying Mechanical, Optical Properties and Thermal Processability of Iridescent Cellulose Nanocrystal Films Using Ionic Liquid. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 3085-3092	9.5	74
484	Ultrasonic-assisted ionic liquid treatment of chemithermomechanical pulp fibers. <i>Cellulose</i> , 2017 , 24, 1483-1491	5.5	7
483	Cellulose/SnS ₂ composite with enhanced visible-light photocatalytic activity prepared by microwave-assisted ionic liquid method. <i>RSC Advances</i> , 2017 , 7, 12255-12264	3.7	20
482	Solvent-based delignification and decrystallization of wheat straw for efficient enzymatic hydrolysis of cellulose and ethanol production with low cellulase loadings. <i>RSC Advances</i> , 2017 , 7, 10609-10617	3.7	22
481	Cellobiose as a model compound for cellulose to study the interactions in cellulose/lithium chloride/N-methyl-2-pyrrolidone systems. <i>Cellulose</i> , 2017 , 24, 1621-1629	5.5	11
480	Enhancing cellulose dissolution in ionic liquid by solid acid addition. <i>Carbohydrate Polymers</i> , 2017 , 163, 317-323	10.3	21
479	Dissolution and Metastable Solution of Cellulose in NaOH/Thiourea at 8 °C for Construction of Nanofibers. 2017 , 121, 1793-1801		32
478	The integration of different pretreatments and ionic liquid processing of eucalyptus: Hemicellulosic products and regenerated cellulose fibers. <i>Industrial Crops and Products</i> , 2017 , 101, 11-20	5.9	13
477	Recovery and Reuse of 1-Allyl-3-methylimidazolium Chloride in the Fractionation of <i>Pinus radiata</i> Wood. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 2384-2392	8.3	14

476	Ionic liquids assisted processing of renewable resources for the fabrication of biodegradable composite materials. <i>Green Chemistry</i> , 2017 , 19, 2051-2075	10	92
475	Polarization Effects on the Cellulose Dissolution in Ionic Liquids: Molecular Dynamics Simulations with Polarization Model and Integrated Tempering Enhanced Sampling Method. 2017 , 121, 4319-4332		7
474	Experimental Insights into the Thermal Dehydrogenation of Ethylene Diamine Bisborane Using Allyl-Based Ionic Liquids. 2017 , 31, 5428-5440		13
473	The role and potential of morpholinium-based ionic liquids in dissolution of cellulose. 2017 , 92, 204-212		9
472	Facile Preparation of Starch-Based Electroconductive Films with Ionic Liquid. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 5457-5467	8.3	41
471	Homogeneous isolation of nanocellulose from eucalyptus pulp by high pressure homogenization. <i>Industrial Crops and Products</i> , 2017 , 104, 237-241	5.9	54
470	Chain Dimensions and Stiffness of Cellulosic and Amylosic Chains in an Ionic Liquid: Cellulose, Amylose, and an Amylose Carbamate in BmimCl. <i>Macromolecules</i> , 2017 , 50, 3979-3984	5.5	18
469	Antistatic effects and mechanism of ionic liquids for methyl vinyl silicone rubber. 2017 , 134, 45180		4
468	Modeling interactions between a β -O-4 type lignin model compound and 1-allyl-3-methylimidazolium chloride ionic liquid. 2017 , 107, e23022		15
467	Directly Converting Agricultural Straw into All-Biomass Nanocomposite Films Reinforced with Additional in Situ-Retained Cellulose Nanocrystals. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 5127-5133	8.3	25
466	Ultrasonic-assisted extraction of sinomenine from <i>Sinomenium acutum</i> using magnetic ionic liquids coupled with further purification by reversed micellar extraction. 2017 , 58, 282-288		27
465	Effect of surface modification of cellulose nanocrystal on nonisothermal crystallization of poly(β -hydroxybutyrate) composites. <i>Carbohydrate Polymers</i> , 2017 , 157, 1821-1829	10.3	53
464	Rapid fabrication of transparent film directly from wood fibers with microwave-assisted ionic liquids technology. <i>Carbohydrate Polymers</i> , 2017 , 174, 330-336	10.3	8
463	Study of the plasticising effect on polymer and its development in fuel cell application. 2017 , 79, 794-805		17
462	The relevance of structural features of cellulose and its interactions to dissolution, regeneration, gelation and plasticization phenomena. 2017 , 19, 23704-23718		123
461	Utilization of cotton waste for regenerated cellulose fibres: Influence of degree of polymerization on mechanical properties. <i>Carbohydrate Polymers</i> , 2017 , 174, 89-94	10.3	50
460	C2-Functionalized 1,3-dialkylimidazolium ionic liquids for efficient cellulose dissolution. <i>Journal of Molecular Liquids</i> , 2017 , 234, 111-116	6	4
459	Cellulose derivative-lanthanide complex film by hierarchical assembly process. <i>Carbohydrate Polymers</i> , 2017 , 168, 240-246	10.3	7

458	Understanding the effect of synthesis parameters on the catalytic ionic liquid hydrolysis process of cellulose nanocrystals. <i>Cellulose</i> , 2017 , 24, 2469-2481	5.5	24
457	Facile preparation of regenerated cellulose film from cotton linter using organic electrolyte solution (OES). <i>Cellulose</i> , 2017 , 24, 1631-1639	5.5	11
456	Influence of cellulose gel matrix on BMIMCl ionic liquid dynamics and conductivity. <i>Cellulose</i> , 2017 , 24, 1641-1655	5.5	23
455	Dissolution and fractionation of nut shells in ionic liquids. 2017 , 227, 188-196		26
454	Ionic liquids and deep eutectic solvents for lignocellulosic biomass fractionation. 2017 , 19, 2636-2665		153
453	Biocompatibility of ionic liquids towards protein stability: A comprehensive overview on the current understanding and their implications. <i>International Journal of Biological Macromolecules</i> , 2017 , 96, 611-651	7.9	63
452	Preparation and characterization of regenerated cellulose films using borassus fruit fibers and an ionic liquid. <i>Carbohydrate Polymers</i> , 2017 , 160, 203-211	10.3	42
451	Influence of water on phase transition and rheological behavior of cellulose/ionic liquid/water ternary systems. 2017 , 134,		7
450	Regenerated cellulose micro-nano fiber matrices for transdermal drug release. 2017 , 74, 485-492		35
449	An insight into the influence of hydrogen bond acceptors on cellulose/1-allyl-3-methyl imidazolium chloride solution. <i>Carbohydrate Polymers</i> , 2017 , 178, 295-301	10.3	13
448	Activation promoted ionic liquid modification of reverse osmosis membrane towards enhanced permeability for desalination. 2017 , 80, 25-33		19
447	Mixtures of ionic liquids as more efficient media for cellulose dissolution. <i>Carbohydrate Polymers</i> , 2017 , 178, 277-285	10.3	42
446	NMR and Rheological Study of Anion Size Influence on the Properties of Two Imidazolium-based Ionic Liquids. 2017 , 7, 8968		18
445	Research on the quick and efficient recovery of 1-allyl-3-methylimidazolium chloride after biomass pretreatment with ionic liquid-aqueous alcohol system. 2017 , 245, 760-767		15
444	Facile synthesis of Cu ₃ (BTC) ₂ /cellulose acetate mixed matrix membranes and their catalytic applications in continuous flow process. 2017 , 41, 9123-9129		13
443	Determination of density and excess molar volume of dimethyl sulfoxide + 1-allyl-3-methylimidazolium chloride mixtures at high pressure. 2017 , 130, 76-83		3
442	High-strength regenerated cellulose fibers spun from 1-butyl-3-methylimidazolium chloride solutions. 2017 , 134, 45551		7
441	Ionic Liquids for the Synthesis and Design of Hybrid Biomaterials and Interfaces. 2017 , 581-636		1

440	The evolution behavior and dissolution mechanism of cellulose in aqueous solvent. <i>Journal of Molecular Liquids</i> , 2017 , 241, 959-966	6	22
439	Keratin: dissolution, extraction and biomedical application. 2017 , 5, 1699-1735		213
438	Precisely controlled two-step synthesis of cellulose- graft -poly(l -lactide) copolymers: Effects of graft chain length on thermal behavior. 2017 , 142, 226-233		13
437	Ionic liquid mediated technology for fabrication of cellulose film using gutta percha as an additive. <i>Industrial Crops and Products</i> , 2017 , 108, 140-148	5-9	12
436	Cellulose Aerogel Membranes with a Tunable Nanoporous Network as a Matrix of Gel Polymer Electrolytes for Safer Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 24591-24598	5	72
435	Antibacterial blend films of cellulose and chitosan prepared from binary ionic liquid system. 2017 , 18, 852-858		15
434	Fabrication of composite nanofiltration membranes from cellulose solutions in an [Emim]OAc/DMSO mixture. 2017 , 57, 477-482		20
433	High stability and low competitive inhibition of thermophilic <i>Thermopolyspora flexuosa</i> GH10 xylanase in biomass-dissolving ionic liquids. 2017 , 101, 1487-1498		11
432	Coupling of ionic liquid treatment and membrane filtration for recovery of lignin from lignocellulosic biomass. 2017 , 173, 113-120		31
431	Enzymatic synthesis of methyl β -glucoside directly from cellulose pretreated with biocompatible amino acid ionic liquid/cosolvent. 2017 , 71, 21-26		6
430	Crystallinity of regenerated cellulose from [Bmim]Cl dependent on the hydrogen bond acidity/basicity of anti-solvents. <i>RSC Advances</i> , 2017 , 7, 41004-41010	3-7	12
429	Fabrication and characterization of regenerated cellulose films obtained from oil palm empty fruit bunch. 2017 ,		
428	Study on epoxy resin modified by polyether ionic liquid. 2017 , 213, 012037		3
427	Ionic Liquid-Mediated Homogeneous Esterification of Cinnamic Anhydride to Xylans. 2017 , 18,		1
426	Facile Cellulose Dissolution and Characterization in the Newly Synthesized 1,3-Diallyl-2-ethylimidazolium Acetate Ionic Liquid. <i>Polymers</i> , 2017 , 9,	4-5	21
425	Ionic Liquid as Reaction Media for the Production of Cellulose-Derived Polymers from Cellulosic Biomass. 2017 , 1, 10		18
424	Bioplastics from agro-wastes for food packaging applications. 2017 , 223-263		16
423	Optimization of Deacetylation Process for Regenerated Cellulose Hollow Fiber Membranes. 2017 , 2017, 1-8		12

422	Production of Nanocellulose. 2017 , 41-67		1
421	Cellulose-based graft copolymers prepared by simplified electrochemically mediated ATRP. 2017 , 11, 140-151		30
420	Fabrication of Defect-Free Cellulose Acetate Hollow Fibers by Optimization of Spinning Parameters. 2017 , 7,		8
419	Cellulose Isolation from Corn Stalk Treated by Alkaline Biochars in Solvent Systems. 2017 , 13,		1
418	Biomass Utilization. 2017 , 203-220		1
417	Recent progress in ionic liquid processing of wood. 2017 , 43, 308-321		
416	Conceptually Novel Black Phosphorus/Cellulose Hydrogels as Promising Photothermal Agents for Effective Cancer Therapy. 2018 , 7, e1701510		139
415	Converting Waste Papers to Fluorescent Carbon Dots in the Recycling Process without Loss of Ionic Liquids and Bioimaging Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 4510-4515	8.3	56
414	Uniformly Grafting SnO ₂ Nanoparticles on Ionic Liquid Reduced Graphene Oxide Sheets for High Lithium Storage. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1701685	4.6	11
413	Influence of Ionic Liquids on the Morphology of Corn Flour/Polyester Mixtures. 2018 , 70, 1700233		2
412	Nature of phase transitions of waxy maize starch in water-ionic liquid mixtures. <i>International Journal of Biological Macromolecules</i> , 2018 , 112, 315-325	7.9	9
411	Dissolution of Cellulosic Fibers: Impact of Crystallinity and Fiber Diameter. <i>Biomacromolecules</i> , 2018 , 19, 640-651	6.9	23
410	Preparation of lignocellulose aerogels from cotton stalks in the ionic liquid-based co-solvent system. <i>Industrial Crops and Products</i> , 2018 , 113, 225-233	5.9	17
409	Structure and Properties of Cellulose and Its Derivatives. 2018 , 39-172		2
408	Hydrolysis of cellulose promoted by silicalite-1 modified HY zeolite in 1-ethyl-3-methylimidazolium chloride. <i>Cellulose</i> , 2018 , 25, 1607-1615	5.5	10
407	Nanocrystals of cellulose allomorphs have different adsorption of cellulase and subsequent degradation. <i>Industrial Crops and Products</i> , 2018 , 112, 541-549	5.9	28
406	Novel Thermoplastic Cellulose Esters Containing Bulky Moieties and Soft Segments. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 4931-4939	8.3	47
405	Cellulose Dissolution in a Mixed Solvent of Tetra(n-butyl)ammonium Hydroxide/Dimethyl Sulfoxide via Radical Reactions. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 2898-2904	8.3	27

404	Cellulose Activation and Dissolution. 2018 , 173-257		3
403	Phase transition and rheological behaviors of a novel cellulose solution with 4-(E(methylimidazole)alkoxy)-4'-(cyano)-biphenyls as a mesogenic unit. <i>Cellulose</i> , 2018 , 25, 941-951	5.5	
402	Influences of Coagulation Conditions on the Structure and Properties of Regenerated Cellulose Filaments via Wet-Spinning in LiOH/Urea Solvent. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 4056-4067	8.3	30
401	A molecular dynamics study of cellulose inclusion complexes in NaOH/urea aqueous solution. <i>Carbohydrate Polymers</i> , 2018 , 185, 12-18	10.3	10
400	Fabrication of Cellulose Aerogels Using a Green/Clean Procedure. 2018 , 57, 1-7		7
399	Cellulose Crystal Dissolution in Imidazolium-Based Ionic Liquids: A Theoretical Study. 2018 , 122, 258-266		37
398	Globular, Sponge-like to Layer-like Morphological Transition in 1-n-Alkyl-3-methylimidazolium Octylsulfate Ionic Liquid Homologous Series. 2018 , 122, 213-228		19
397	Relationship between lignocellulosic biomass dissolution and physicochemical properties of ionic liquids composed of 3-methylimidazolium cations and carboxylate anions. 2018 , 20, 2508-2516		35
396	Corn stover pretreatment by metal oxides for improving lignin removal and reducing sugar degradation and water usage. 2018 , 263, 232-241		26
395	Deep eutectic solvent as an efficient molecular liquid for lignin solubilization and wood delignification. <i>Journal of Molecular Liquids</i> , 2018 , 263, 193-199	6	81
394	Towards a molecular understanding of cellulose dissolution in ionic liquids: anion/cation effect, synergistic mechanism and physicochemical aspects. 2018 , 9, 4027-4043		116
393	Ionic Liquid Modified Poly(vinyl alcohol) with Improved Thermal Processability and Excellent Electrical Conductivity. 2018 , 57, 5472-5481		25
392	A Review of Cellulose and Cellulose Blends for Preparation of Bio-derived and Conventional Membranes, Nanostructured Thin Films, and Composites. 2018 , 58, 102-163		50
391	Comparison of rheological properties of kraft and microcrystalline cellulose dissolved in lithium chloride/N,N-dimethylacetamide. <i>Polymer Bulletin</i> , 2018 , 75, 769-779	2.4	5
390	Self-assembled cellulose materials for biomedicine: A review. <i>Carbohydrate Polymers</i> , 2018 , 181, 264-274	10.3	66
389	Polysaccharide-based Fibers and Composites. 2018 ,		6
388	Interactions of mixing and reaction kinetics of depolymerization of cellulose to renewable fuels. 2018 , 205, 47-81		2
387	Formation of Cellulose and Protein Blend Biofibers. 2018 , 77-117		7

386	Green Fabrication of Regenerated Cellulose/Graphene Films with Simultaneous Improvement of Strength and Toughness by Tailoring the Nanofiber Diameter. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 1271-1278	8.3	31
385	Impact of ionic liquid type on the structure, morphology and properties of silk-cellulose biocomposite materials. <i>International Journal of Biological Macromolecules</i> , 2018 , 108, 333-341	7.9	44
384	Cellulose transformation into methyl glucosides catalyzed by H3PW12O40: Enhancement of ionic liquid pretreatment. 2018 , 96, 1250-1255		6
383	Mild condition dissolution of high molecular weight cotton cellulose in 1-butyl-3-methylimidazolium acetate/N,N-dimethylacetamide solvent system. 2018 , 135, 45928		12
382	Impact of 1-butyl-3-methylimidazolium chloride on the electrospinning of cellulose acetate nanofibers. 2018 , 55, 142-147		4
381	Ionic Liquid- Mediated Pretreatment and Saccharification. 2018 , 1-21		
380	Hydroxyapatite extracted by animal bone image analysis in ionic liquid choline chloride-glycerol. 2018 , 2018,		3
379	. 2018 ,		5
378	The Role of Reduced Graphene Oxide toward the Self-Assembly of Lignin-Based Biocomposites Fabricated from Ionic Liquids. 2018 , 19,		2
377	Screening of Ionic Liquids for Keratin Dissolution by Means of COSMO-RS and Experimental Verification. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 17314-17322	8.3	28
376	High Strength Cellulosic Fibers from Liquid Crystalline Solutions. 2018 , 57-66		
375	Imidazolium Based Ionic Liquids: A Promising Green Solvent for Water Hyacinth Biomass Deconstruction. 2018 , 6, 548		20
374	Controlled Depolymerization of Cellulose Fibres Isolated from Lignocellulosic Biomass Wastes. 2018 , 2018, 1-11		2
373	Localized Liquefaction Coupled with Rapid Solidification for Miniaturizing/Nanotexturizing Microfibrillar Bioassemblies into Robust, Liquid-Resistant Sheet. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 15697-15707	8.3	3
372	Pyridinium based ionic liquid: A pretreatment solvent and reaction medium for catalytic conversion of cellulose to total reducing sugars (TRS). <i>Journal of Molecular Liquids</i> , 2018 , 272, 330-336	6	20
371	Fabrication of cellulose-based composite membranes for organic solvent nanofiltration. 2018 , 1099, 012039		2
370	Review of Cellulose Smart Material: Biomass Conversion Process and Progress on Cellulose-Based Electroactive Paper. 2018 , 6, 1-25		17
369	Preparation and Properties of Cross-Linked Regenerated Cellulose Fibers. 2018 , 08,		1

368	Efficient Extraction of a Docosaehaenoic Acid (DHA)-Rich Lipid Fraction from sp. Using Ionic Liquids. <i>Materials</i> , 2018 , 11,	3.5	14
367	Sodium Carboxymethylcellulose: A Low-Cost and Renewable Catalyst for Solvent-Free Knoevenagel Condensation Reaction at Room Temperature. 2018 , 3, 11110-11117		1
366	Substituent effects on cellulose dissolution in imidazolium-based ionic liquids. <i>Cellulose</i> , 2018 , 25, 6887-6900	9.9	16
365	Three Way Comparison of Hydrophilic Ionic Liquid, Hydrophobic Ionic Liquid, and Dilute Acid for the Pretreatment of Herbaceous and Woody Biomass. 2018 , 6,		10
364	Effect of Precipitation Temperature on the Properties of Cellulose Ultrafiltration Membranes Prepared via Immersion Precipitation with Ionic Liquid as Solvent. 2018 , 8,		7
363	Ionic liquids-a novel material for planar photonics. 2018 , 29, 475202		7
362	Functionalized Imidazolium Carboxylates for Enhancing Practical Applicability in Cellulose Processing. <i>Macromolecules</i> , 2018 , 51, 4158-4166	5.5	45
361	Solvent processing of cellulose for effective bioresource utilization. 2018 , 14, 40-52		20
360	Preparation and characterization of cellulose/N,N'-methylene bisacrylamide/graphene oxide hybrid hydrogels and aerogels. <i>Carbohydrate Polymers</i> , 2018 , 196, 289-298	10.3	33
359	Synthesis of Bioethanol From Invasive Weeds: Process Design, Optimization, and Intensification With Ultrasound. 2018 , 445-485		3
358	Cotton Cellulose-Derived Hydrogels with Tunable Absorbability: Research Advances and Prospects. 2018 , 1-27		
357	Synthesis of Fe ₃ O ₄ /Pr-BiOCl/Luffa composites with enhanced visible light photoactivity for organic dyes degradation. 2018 , 106, 409-417		7
356	High strength cellulose/ATT composite films with good oxygen barrier property for sustainable packaging applications. <i>Cellulose</i> , 2018 , 25, 4145-4154	5.5	12
355	A synergetic effect of ionic liquid and microwave irradiation on the acid-catalyzed direct conversion of cellulose into methyl glucopyranoside. 2018 , 72, 1025-1030		2
354	Understanding dissolution process of chitin crystal in ionic liquids: theoretical study. 2018 , 20, 20669-20677		25
353	Polymer Gels. 2018 ,		2
352	Ionic liquids for the preparation of biopolymer materials for drug/gene delivery: a review. <i>Green Chemistry</i> , 2018 , 20, 4169-4200	10	69
351	Effects of Fatty Acid Anhydride on the Structure and Thermal Properties of Cellulose-g-Polyoxyethylene (2) Hexadecyl Ether. <i>Polymers</i> , 2018 , 10,	4.5	2

350	A Novel Cellulose/Ionic Liquid Complex Crystal. 2018 , 18, 4260-4264		8
349	Ionic Liquid and Sulfuric Acid-Based Pretreatment of Bamboo: Biomass Delignification and Enzymatic Hydrolysis for the Production of Reducing Sugars. 2018 , 57, 10105-10117		33
348	The effect of lignin on processing and the properties of lignocellulose material recovered by ionic liquid. 2018 , 368, 012029		1
347	Tinker-HP: a massively parallel molecular dynamics package for multiscale simulations of large complex systems with advanced point dipole polarizable force fields. 2018 , 9, 956-972		122
346	High Stiffness Cellulose Fibers from Low Molecular Weight Microcrystalline Cellulose Solutions Using DMSO as Co-Solvent with Ionic Liquid. 2018 , 303, 1800029		23
345	Determination of density, viscosity and vapor pressures of mixtures of dimethyl sulfoxide + 1-allyl-3-methylimidazolium chloride at atmospheric pressure. 2018 , 123, 185-194		9
344	Effects of temperature on cellulose hydrogen bonds during dissolution in ionic liquid. <i>Carbohydrate Polymers</i> , 2018 , 201, 387-391	10.3	27
343	Effect of ionic liquids on the kinetics and quantum efficiency of peroxyoxalate chemiluminescence in aqueous media. 2018 , 367, 471-478		11
342	Adaptation of bacteria Escherichia coli in presence of quaternary ammonium ionic liquids. 2018 , 164, 370-378		8
341	Chemocatalytic Conversion of Cellulose into Key Platform Chemicals. 2018 , 2018, 1-21		17
340	Rheology and microstructure of concentrated microcrystalline cellulose (MCC)/1-allyl-3-methylimidazolium chloride (AmimCl)/water mixtures. 2018 , 14, 7615-7624		9
339	Regeneration of cellulose dissolved in ionic liquid using laser-heated melt-electrospinning. <i>Carbohydrate Polymers</i> , 2018 , 201, 182-188	10.3	19
338	Preparation, Characterization, and Antibacterial Effects of Chitosan Nanoparticles Embedded with Essential Oils Synthesized in an Ionic Liquid Containing System. 2018 , 66, 7006-7014		26
337	Controllable synthesis of cellulose benzoates for understanding of chiral recognition mechanism and fabrication of highly efficient chiral stationary phases. 2018 , 10, 2844-2853		10
336	Unconventional synthesis, characterization and theoretical study (HF and DFT computations) of new cellulosic copper complex: benzyloxyethyl cellulose copper (CuBEC). <i>Cellulose</i> , 2018 , 25, 4375-4388 ^{5.5}		4
335	Anti-solvents tuning cellulose nanoparticles through two competitive regeneration routes. <i>Cellulose</i> , 2018 , 25, 4513-4523	5.5	11
334	Chitin Nanopapers. 2018 , 175-200		3
333	Preparation and properties of shape-stabilized phase change material cellulose benzoate-g-polyoxyethylene (2) hexadecyl ether with potential for thermal energy storage. 2019 , 89, 1512-1521		0

332	A facile and efficient method to fabricate high-resolution immobilized cellulose-based chiral stationary phases via thiol-ene click chemistry. 2019 , 210, 175-181		17
331	Fabrication of regenerated cellulose membranes with high tensile strength and antibacterial property via surface amination. <i>Industrial Crops and Products</i> , 2019 , 140, 111603	5.9	13
330	Dissolution performance of cellulose in [Aim][MOA]/MIM solvents.. <i>RSC Advances</i> , 2019 , 9, 20976-20981	3.7	3
329	Thermophysical and electrochemical properties of 1-alkyl-3-butylimidazolium bromide ionic liquids. 2019 , 139, 105871		8
328	Effects of graft architecture on cellulose-based ordered porous film prepared by breath figures. <i>Cellulose</i> , 2019 , 26, 6201-6213	5.5	6
327	Fabrication of polysaccharide-based materials using ionic liquids and scope for biomedical use. 2019 , 131-171		2
326	Aqueous enzymatic pretreatment ionic liquid-lithium salt based microwave-assisted extraction of essential oil and procyanidins from pinecones of <i>Pinus koraiensis</i> . <i>Journal of Cleaner Production</i> , 2019 , 236, 117581	10.3	15
325	Insights into the levulinate-based ionic liquid class: synthesis, cellulose dissolution evaluation and ecotoxicity assessment. 2019 , 43, 13010-13019		18
324	Atomic-scale investigation of the heterogeneous structure and ionic distribution in an ionic liquid using scanning transmission electron microscopy.. <i>RSC Advances</i> , 2019 , 9, 10520-10527	3.7	3
323	Dissolution of cellulose in ionic liquids and their mixed cosolvents: A review. 2019 , 13, 100162		46
322	Morphology and ionic conductivity relationship in silk/cellulose biocomposites. 2019 , 68, 1580-1590		7
321	Degradable cellulose-based polymer brushes with controlled grafting densities. 2019 , 57, 2426-2435		8
320	Characterization of Cellulose/Silver Nanocomposites Prepared by Vegetable Oil-Based Microemulsion Method and Their Catalytic Performance to 4-Nitrophenol Reduction. 2019 , 27, 2943-2955		5
319	Recent progress in theoretical and computational studies on the utilization of lignocellulosic materials. <i>Green Chemistry</i> , 2019 , 21, 9-35	10	67
318	Confinement effect on spatio-temporal growth of spherulites from cellulose/ionic liquid solutions. 2019 , 185, 121927		1
317	Enhanced Dissolution of Cotton Cellulose in 1-Allyl-3-methylimidazolium Chloride by the Addition of Metal Chlorides. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 19176-19184	8.3	18
316	Esterification optimization of cellulose with p-Iodobenzoyl chloride using experimental design method. <i>Journal of Polymer Research</i> , 2019 , 26, 1	2.7	6
315	Scaling analysis on the linear viscoelasticity of cellulose 1-ethyl-3-methyl imidazolium acetate solutions. 2019 , 31, 123-139		3

314	Pretreatment of corn stalk by low concentration tetrabutylammonium hydroxide aqueous solution at low temperature (2080 °C). <i>Industrial Crops and Products</i> , 2019 , 139, 111574	5.9	3
313	Proton Conductivity Improvement Effect of Cellulose on SPEEK Based PEM. 2019 , 35, 916-923		1
312	Cellulose dissolution in diallylimidazolium methoxyacetate + N-methylpyrrolidinone mixture. 2019 , 9, 11518		2
311	Solvent-Free Acetylation of Cellulose by 1-Ethyl-3-methylimidazolium Acetate-Catalyzed Transesterification. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 16971-16978	8.3	7
310	Enhanced hydrolysis of cellulose by catalytic polyethersulfone membranes with straight-through catalytic channels. 2019 , 294, 122119		8
309	Profiling the molecular interactions between a promising thermoresponsive polymer and ionic liquid: A biophysical outlook. <i>Journal of Molecular Liquids</i> , 2019 , 278, 716-721	6	7
308	Fast prediction of the replacement process of oil vapor in horizontal tank and its improved safety evaluation method. 2019 , 122, 298-306		3
307	Lutidinium-based ionic liquids for efficient dissolution of cellulose. 2019 , 43, 2299-2306		4
306	Dissolution of cellulose in 1-allyl-3-methylimidazolium methyl phosphonate ionic liquid and its composite system with NaPHO. <i>Carbohydrate Polymers</i> , 2019 , 209, 382-388	10.3	11
305	Temperature-dependent structure and transport of ionic liquids with short-and intermediate-chain length pyrrolidinium cations. <i>Journal of Molecular Liquids</i> , 2019 , 279, 23-31	6	11
304	Functional Design of Ionic Liquids: Unprecedented Liquids that Contribute to Energy Technology, Bioscience, and Materials Sciences. 2019 , 92, 852-868		54
303	Dissolution of cellulose in novel carboxylate-based ionic liquids and dimethyl sulfoxide mixed solvents. 2019 , 113, 89-97		25
302	Cellulose-starch Hybrid Films Plasticized by Aqueous ZnCl ₂ Solution. 2019 , 20,		7
301	The solubility of cellulose in binary mixtures of ionic liquids and dimethyl sulfoxide: Influence of the anion. <i>Journal of Molecular Liquids</i> , 2019 , 279, 120-126	6	26
300	Solvation structure of poly-m-phenyleneisophthalamide (PMIA) in ionic liquids. 2019 , 21, 4053-4062		12
299	Cellulose solvent-based pretreatment for enhanced second-generation biofuel production: a review. 2019 , 3, 11-62		114
298	Fabrication of regenerated cellulose nanoparticles by mechanical disintegration of cellulose after dissolution and regeneration from a deep eutectic solvent. 2019 , 7, 755-763		42
297	Single-Molecule Studies Reveal That Water Is a Special Solvent for Amylose and Natural Cellulose. <i>Macromolecules</i> , 2019 , 52, 5006-5013	5.5	8

296	Functional cellulose-based hydrogels as extracellular matrices for tissue engineering. 2019 , 13, 55		66
295	Preparation of high-performance cellulose composite membranes from LiOH/urea solvent system. 2019 , 5, 49-60		6
294	Structuring dense three-dimensional sheet-like skeleton networks in biomass-derived carbon aerogels for efficient electromagnetic interference shielding. 2019 , 152, 316-324		46
293	Dissolution of cotton cellulose in 1:1 mixtures of 1-butyl-3-methylimidazolium methylphosphonate and 1-alkylimidazole co-solvents. <i>Carbohydrate Polymers</i> , 2019 , 221, 63-72	10.3	12
292	pH and thermo dual-responsive starch-g-P(DEAEMA-co-PEGMA): Synthesis via SET-LRP, self-assembly and drug release behaviors. 2019 , 141, 165-171		12
291	The Effect of Additives on the Viscosity and Dissolution of Cellulose in Tetrabutylphosphonium Hydroxide. 2019 , 12, 3458-3462		7
290	Status and future scope of plant-based green hydrogels in biomedical engineering. 2019 , 16, 213-246		100
289	Development of Diallylimidazolium Methoxyacetate/DMSO (DMF/DMA) Solvents for Improving Cellulose Dissolution and Fabricating Porous Material. <i>Polymers</i> , 2019 , 11,	4.5	11
288	Cellulose hollow fibers for organic resistant nanofiltration. 2019 , 586, 151-161		31
287	Synthesis of Quaternary Ammonium Room-Temperature Ionic Liquids and their Application in the Dissolution of Cellulose. 2019 , 9, 1750		5
286	Preparation of starch-graft-poly(methyl methacrylate) via SET-LRP at molecular level and its self-assembly. 2019 , 173, 11-19		15
285	Structure and Mechanical Properties of Regenerated Cellulose Fibers Wet-Spun from Ionic Liquid/Cosolvent Systems. 2019 , 20, 501-511		2
284	Dissolution capacity and rheology of cellulose in ionic liquids composed of imidazolium cation and phosphate anions. 2019 , 30, 1751-1758		7
283	A review of nanocellulose in the drug-delivery system. 2019 , 131-164		13
282	Viscoelastic properties of physical cellulosic bionogels of cholinium lysinate. <i>International Journal of Biological Macromolecules</i> , 2019 , 133, 262-269	7.9	8
281	Polysaccharide-Based Ionic Polymer Metal Composite Actuators. 2019 , 19-34		1
280	From high oleic vegetable oils to hydrophobic starch derivatives: I. Development and structural studies. <i>Carbohydrate Polymers</i> , 2019 , 214, 124-130	10.3	15
279	A bio-based multi-functional composite film based on graphene and lotus fiber. <i>Cellulose</i> , 2019 , 26, 1811-1823	15.8	4

278	Preparation of epoxy resins derived from lignin solubilized in tetrabutylphosphonium hydroxide aqueous solutions. <i>International Journal of Biological Macromolecules</i> , 2019 , 132, 585-591	7.9	12
277	Amphiphilic carboxylated cellulose-g-poly(L-lactide) copolymer nanoparticles for oleanolic acid delivery. <i>Carbohydrate Polymers</i> , 2019 , 214, 100-109	10.3	12
276	The Polarity of Ionic Liquids: Relationship between Relative Permittivity and Spectroscopic Parameters of Probe. 2019 , 58, 7352-7361		12
275	Structure and Properties of Cellulose Nanocrystals. 2019 , 21-52		0
274	Photocatalytic and magnetic porous cellulose microspheres for water purification. <i>Cellulose</i> , 2019 , 26, 4563-4578	5.5	4
273	Facile fabrication of Sc BiOBr photocatalyst immobilized on palm bark with enhanced visible light photocatalytic performance for estradiol degradation. 2019 , 130, 127-135		7
272	Mechanical and Water-Resistant Properties of Eco-Friendly Chitosan Membrane Reinforced with Cellulose Nanocrystals. <i>Polymers</i> , 2019 , 11,	4.5	34
271	Progress on the pre-treatment of lignocellulosic biomass employing ionic liquids. 2019 , 105, 268-292		91
270	Levulinate amidinium protic ionic liquids (PILs) as suitable media for the dissolution and levulination of cellulose. 2019 , 43, 4554-4561		25
269	Influences of diffusion coefficient of 1-allyl-3-methylimidazolium chloride on structure and properties of regenerated cellulose fiber obtained via dry-jet-wet spinning. 2019 , 136, 47609		4
268	New Insights on the Characterization of the Ionic Liquid Crystal 1-Ethyl-3-Methylimidazolium Decylsulfate. 2019 , 123, 31196-31211		2
267	Study on thermal behavior of regenerated micro-crystalline cellulose containing slight amount of water induced by hydrogen-bonds transformation. 2019 , 185, 121989		4
266	Relationship between dissolution temperature and properties of oil palm biomass based-regenerated cellulose films prepared via ionic liquid. 2019 , 221, 382-389		10
265	Critical Review on Sustainable Homogeneous Cellulose Modification: Why Renewability Is Not Enough. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 1826-1840	8.3	68
264	Cellulose an ageless renewable green nanomaterial for medical applications: An overview of ionic liquids in extraction, separation and dissolution of cellulose. <i>International Journal of Biological Macromolecules</i> , 2019 , 129, 750-777	7.9	61
263	Dissolution of Collagen Fibers from Tannery Solid Wastes in 1-Allyl-3-methylimidazolium Chloride and Modulation of Regenerative Morphology. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 2530-2537	8.3	11
262	Microcellular foamed aromatic polyamides (aramids). Structure, thermal and mechanical properties. 2019 , 110, 9-13		14
261	NMR Study on the Roles of Li ⁺ in the Cellulose Dissolution Process. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 618-624	8.3	6

260	Functional nanocomposites from sustainable regenerated cellulose aerogels: A review. <i>Chemical Engineering Journal</i> , 2019 , 359, 459-475	14.7	116
259	Processing of Cellulose Using Ionic Liquids. 2019 , 304, 1800450		47
258	Effect of anti-solvents on the characteristics of regenerated cellulose from 1-ethyl-3-methylimidazolium acetate ionic liquid. <i>International Journal of Biological Macromolecules</i> , 2019 , 124, 314-320	7.9	23
257	Cotton Cellulose-Derived Hydrogels with Tunable Absorbability: Research Advances and Prospects. 2019 , 331-356		
256	Green pH/magnetic sensitive hydrogels based on pineapple peel cellulose and polyvinyl alcohol: synthesis, characterization and naringin prolonged release. <i>Carbohydrate Polymers</i> , 2019 , 209, 51-61	10.3	53
255	Preparation, Structure and Performances of Cross-Linked Regenerated Cellulose Fibers. 2019 , 24, 1-7		2
254	Effect of xylanase-assisted pretreatment on the properties of cellulose and regenerated cellulose films from sugarcane bagasse. <i>International Journal of Biological Macromolecules</i> , 2019 , 122, 503-516	7.9	46
253	Eco-friendly post-consumer cotton waste recycling for regenerated cellulose fibers. <i>Carbohydrate Polymers</i> , 2019 , 206, 141-148	10.3	54
252	Dry-jet wet electrospinning of native cellulose microfibers with macroporous structures from ionic liquids. 2019 , 136, 47153		10
251	Preparation of transparent film via cellulose regeneration: Correlations between ionic liquid and film properties. <i>Carbohydrate Polymers</i> , 2019 , 203, 214-218	10.3	31
250	Preparation, Properties, and Applications of Natural Cellulosic Aerogels: A Review. 2020 , 1, 60-76		55
249	Highly efficient cellulose dissolution by alkaline ionic liquids. <i>Carbohydrate Polymers</i> , 2020 , 229, 115594	10.3	24
248	Direct fabrication of hierarchically processed pineapple peel hydrogels for efficient Congo red adsorption. <i>Carbohydrate Polymers</i> , 2020 , 230, 115599	10.3	37
247	Microwave-assisted lipid extraction from <i>Chlorella vulgaris</i> in water with 0.5% 0.5% of imidazolium based ionic liquid as additive. 2020 , 149, 244-252		25
246	Free-standing cellulose film containing manganese dioxide nanoparticles and its use in discoloration of indigo carmine dye. <i>Carbohydrate Polymers</i> , 2020 , 230, 115621	10.3	14
245	Bacterial cellulose synthesized with apple pomace enhanced by ionic liquid pretreatment. 2020 , 50, 330-340		4
244	Conductive Regenerated Cellulose Film and Its Electronic Devices - A Review. <i>Carbohydrate Polymers</i> , 2020 , 250, 116969	10.3	15
243	The potential use of curcumin- β -cyclodextrin inclusion complex/chitosan-loaded cellulose sponges for the treatment of chronic wound. <i>International Journal of Biological Macromolecules</i> , 2020 , 164, 3250-3258	7.9	9

242	Ionic liquid-modified cellulosic hydrogels for loading and sustained release of selenourea: an ensuing inhibition of tyrosinase activity. 2020 , 18, 100365		1
241	Ionothermal carbonization in [Bmim][FeCl ₄]: an opportunity for the valorization of raw lignocellulosic agrowastes into advanced porous carbons for CO ₂ capture. <i>Green Chemistry</i> , 2020 , 22, 5423-5436	10	7
240	Neoteric Solvent Systems as Sustainable Media for Dissolution and Film Preparation of Poly-[(R)-3-hydroxybutyrate]. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 12005-12013	8.3	8
239	Reforming paper structure using an ionic liquid treatment to improve the specific surface area, moisture retention, and hydrophobicity. <i>Cellulose</i> , 2020 , 27, 8317-8327	5.5	1
238	Methyl Methacrylate (MMA) Treatment of Empty Fruit Bunch (EFB) to Improve the Properties of Regenerated Cellulose Biocomposite Films. <i>Polymers</i> , 2020 , 12,	4.5	3
237	Highly Transparent All-Polysaccharide Composite Films with Tailored Transmission Haze for Light Manipulation. 2020 , 5, 2000378		4
236	Carbonization of polysaccharides in FeCl ₃ /BmimCl ionic liquids: Breaking the capacity barrier of carbon negative electrodes in lithium ion batteries. 2020 , 474, 228575		1
235	Enhancement of Hydrogen Peroxide Reduction Current by an Electrode Modified with Hybrid Polymer/Silica Particles and N,N-diethyl-N-(2-methoxy-ethyl)-N-methylammonium bis(trifluoromethylsulfonyl)imide. 2020 , 32, 2113-2117		
234	Chemical and thermochemical methods on lignocellulosic biorefinery. 2020 , 101-132		2
233	Thermal behaviors and kinetics for fast pyrolysis of chemical pretreated waste cassava residues. 2020 , 208, 118192		3
232	Carboxylate ionic liquid solvent systems from 2006 to 2020: thermal properties and application in cellulose processing. <i>Green Chemistry</i> , 2020 , 22, 7622-7664	10	44
231	Effect of the cation structure on cellulose dissolution in aqueous solutions of organic onium hydroxides. 2020 , 22, 22602-22608		2
230	Preparation and Properties of Cellulose-Based Films Regenerated from Waste Corrugated Cardboards Using [Amim]Cl/CaCl. 2020 , 5, 23743-23754		8
229	Using ionic liquid (EmimAc)-water mixture in selective removal of hemicelluloses from a paper-grade bleached hardwood kraft pulp. <i>Cellulose</i> , 2020 , 27, 9653-9661	5.5	7
228	Use of Ionic Liquids and Deep Eutectic Solvents in Polysaccharides Dissolution and Extraction Processes towards Sustainable Biomass Valorization. 2020 , 25,		38
227	Ionic liquid-assisted cellulose coating of chitosan hydrogel beads and their application as drug carriers. 2020 , 10, 13905		10
226	Screening Ionic Liquids for Dissolving a Melamine Formaldehyde Resin Prepolymer to Fabricate Flame-Retardant Fibers. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 18314-18323	8.3	5
225	The Importance of Ionic Liquids in the Modification of Starch and Processing of Starch-Based Materials. <i>Materials</i> , 2020 , 13,	3.5	6

224	In operando monitoring of wood transformation during pretreatment with ionic liquids. <i>Cellulose</i> , 2020 , 27, 4889-4907	5.5	5
223	Study on the regularity of cellulose degradation in ionic liquids. <i>Journal of Molecular Liquids</i> , 2020 , 308, 113153	6	12
222	Ionic liquid aided solution-precipitation method to prepare polymer blends from cellulose with polyesters or polyamide. 2020 , 133, 109743		4
221	Highly efficient dissolution of xylan in ionic liquid-based deep eutectic solvents. <i>Cellulose</i> , 2020 , 27, 6175-6188	5.5	5
220	Twisted pseudo-tetragonal orthorhombic lamellar crystal in cellulose/ionic liquid spherulite. <i>Cellulose</i> , 2020 , 27, 5449-5455	5.5	5
219	Catalytic Production of Oxygenated and Hydrocarbon Chemicals From Cellulose Hydrogenolysis in Aqueous Phase. 2020 , 8, 333		9
218	Ionic Liquid-Assisted Anchoring SnO ₂ Nanoparticles on Carbon Nanotubes as Highly Cyclable Anode of Lithium Ion Batteries. <i>Advanced Materials Interfaces</i> , 2020 , 7, 1901916	4.6	11
217	Simple and environmentally friendly preparation of cellulose hydrogels using an ionic liquid. <i>Carbohydrate Research</i> , 2020 , 494, 108054	2.9	7
216	Hollow polypyrrole/cellulose hydrogels for high-performance flexible supercapacitors. 2020 , 31, 135-145		39
215	Functional Polymer Solutions and Gels-Physics and Novel Applications. <i>Polymers</i> , 2020 , 12,	4.5	0
214	Environmentally Benign Nanoantibiotics with a Built-in Deactivation Switch Responsive to Natural Habitats. <i>Biomacromolecules</i> , 2020 , 21, 2187-2198	6.9	8
213	Environment-dependent single-chain mechanics of synthetic polymers and biomacromolecules by atomic force microscopy-based single-molecule force spectroscopy and the implications for advanced polymer materials. 2020 , 49, 2799-2827		40
212	Ionic Liquids as Environmental Benign Solvents for Cellulose Chemistry: A Review. 2020 ,		1
211	The Impact of Composition and Morphology on Ionic Conductivity of Silk/Cellulose Bio-Composites Fabricated from Ionic Liquid and Varying Percentages of Coagulation Agents. 2020 , 21,		11
210	Cellulose-based, highly porous polyurethanes templated within non-aqueous high internal phase emulsions. <i>Cellulose</i> , 2020 , 27, 4007-4018	5.5	8
209	Preparation and characterization of cellulose/flaxseed gum composite hydrogel and its hemostatic and wound healing functions evaluation. <i>Cellulose</i> , 2020 , 27, 3971-3988	5.5	8
208	Dynamics in Cellulose-Based Hydrogels with Reversible Cross-Links. 2020 , 319-354		1
207	Thermoplastic "All-Cellulose" Composites with Covalently Attached Carbonized Cellulose. <i>Biomacromolecules</i> , 2020 , 21, 1752-1761	6.9	10

206	Biopolymeric photonic structures: design, fabrication, and emerging applications. 2020 , 49, 983-1031		65
205	Use of Ionic Liquids in Chitin Biorefinery: A Systematic Review. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 11	5.8	15
204	Thermomechanical-induced polyelectrolyte complexation between chitosan and carboxymethyl cellulose enabling unexpected hydrolytic stability. 2020 , 189, 108031		17
203	X-ray scattering investigation of ion aggregation in imidazolium-based ionic liquids upon doping with lithium, sodium, potassium, rubidium and cesium salts. <i>Journal of Molecular Liquids</i> , 2020 , 302, 112540	6	1
202	High-strength cellulose films obtained by the combined action of shear force and surface selective dissolution. <i>Carbohydrate Polymers</i> , 2020 , 233, 115883	10.3	6
201	Facile treatment to fine-tune cellulose crystals in cellulose-silk biocomposites through hydrogen peroxide. <i>International Journal of Biological Macromolecules</i> , 2020 , 147, 569-575	7.9	9
200	Room-Temperature Superbase-Derived Ionic Liquids with Facile Synthesis and Low Viscosity: Powerful Solvents for Cellulose Dissolution by Destroying the Cellulose Aggregate Structure. <i>Macromolecules</i> , 2020 , 53, 3284-3295	5.5	14
199	Fast and Efficient Method to Evaluate the Potential of Eutectic Solvents to Dissolve Lignocellulosic Components. 2020 , 12, 3358		6
198	Keratin - Based materials for biomedical applications. 2020 , 5, 496-509		88
197	Development of a novel cellulose solvent based on pyrrolidinium hydroxide and reliable solubility analysis.. <i>RSC Advances</i> , 2020 , 10, 11475-11480	3.7	6
196	A novel method to prepare chemical fibers by plasticizing cotton with 1-allyl-3-methylimidazolium chloride. <i>International Journal of Biological Macromolecules</i> , 2021 , 166, 1508-1512	7.9	4
195	Permeabilization of <i>Chlorella sorokiniana</i> and extraction of lutein by distillable CO ₂ -based alkyl carbamate ionic liquids. 2021 , 256, 117471		15
194	Bio-ionic liquid promoted selective coagulation of Carrageenan from <i>Kappaphycus alvarezii</i> extract. 2021 , 111, 106382		10
193	Effect of temperature on the interaction of cellulose/1-allyl-3-methyl imidazolium chloride solution. <i>Journal of Molecular Liquids</i> , 2021 , 324, 114670	6	1
192	Cellulose conversion to biofuel precursors using conjugated ionic liquid catalyst: An experimental and DFT study 2021 , 610, 117951		5
191	Sustainable Fatty Acid Modification of Cellulose in a CO-Based Switchable Solvent and Subsequent Thiol-Ene Modification. <i>Biomacromolecules</i> , 2021 , 22, 586-593	6.9	5
190	Advances in the use of microgels as emulsion stabilisers and as a strategy for cellulose functionalisation. <i>Cellulose</i> , 2021 , 28, 647-670	5.5	9
189	Molecular weight characterization of cellulose using ionic liquids. 2021 , 93, 106985		4

188	Catalytic methods for chemical recycling or upcycling of commercial polymers. 2021 , 8, 1084-1129		49
187	Structural characteristics of alkaline treated fibers from date-pits: Residual and precipitated fibers at different pH. <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2021 , 25, 100251	3-4	2
186	How does ionic liquid play a role in sustainability of biomass processing?. <i>Journal of Cleaner Production</i> , 2021 , 284, 124772	10-3	24
185	Transparent regenerated cellulose bionanocomposite film reinforced by exfoliated montmorillonite with polyhedral oligomeric silsesquioxane bearing amino groups. 2021 , 28, 653-669		2
184	Converting bleached hardwood kraft pulp to dissolving pulp by using organic electrolyte solutions. <i>Cellulose</i> , 2021 , 28, 1311-1320	5-5	2
183	Preparation of chemical staple fibers by plasticizing bleached coniferous pulps with 1-allyl-3-methylimidazolium chloride.. <i>RSC Advances</i> , 2021 , 11, 8019-8024	3-7	
182	Impact of NaOH Concentration on Deweaving of Cotton Fabric in Aqueous Solutions. 2021 , 13, 2015		2
181	Regeneration and carboxymethylation of cellulose and its derivatives: application assessment for brewery wastewater treatment. 1		
180	Nanocellulose-Graphene Hybrids: Advanced Functional Materials as Multifunctional Sensing Platform. 2021 , 13, 94		7
179	Cellulose Dissolved in Ionic Liquids for Modification of the Shape of Keratin Fibers. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 4102-4110	8-3	5
178	Dissolution and Interaction of Cellulose Carbamate in NaOH/ZnO Aqueous Solutions. <i>Polymers</i> , 2021 , 13,	4-5	1
177	Understanding the role of Dimethylformamide as co-solvents in the dissolution of cellulose in ionic liquids: Experimental and theoretical approach. <i>Journal of Molecular Liquids</i> , 2021 , 328, 115392	6	8
176	Soft Materials by Design: Unconventional Polymer Networks Give Extreme Properties. 2021 , 121, 4309-4372		145
175	Improving the enzymatic digestibility of alkaline-pretreated lignocellulosic biomass using polyDADMAC. <i>Industrial Crops and Products</i> , 2021 , 162, 113244	5-9	7
174	Cellulose-based polymers. 2021 ,		0
173	Enhancement of elastic modulus in North American southern yellow pine via reactive electrokinetic treatment. 2021 , 279, 122351		
172	Bottlebrush polymers: From controlled synthesis, self-assembly, properties to applications. 2021 , 116, 101387		38
171	Cellulose and its Derivatives: Properties and Applications. 2021 , 221-252		1

170	A biaxially stretched cellulose film prepared from ionic liquid solution. <i>Carbohydrate Polymers</i> , 2021 , 260, 117816	10.3	4
169	Super and Selective Adsorption of Cationic Dyes onto Carboxylate-Modified Passion Fruit Peel Biosorbent. 2021 , 9, 646492		3
168	Efficient direct conversion of lignocellulosic biomass into biobased platform chemicals in ionic liquid-water medium. 2021 , 169, 1051-1057		7
167	NaOH-urea pretreatment for biogas enhancement from algal biomass anaerobic digestion. 2021 , 13, 033102		1
166	Non-additive electronic polarizabilities of ionic liquids: Charge delocalization effects. <i>Journal of Molecular Liquids</i> , 2021 , 346, 117099	6	2
165	Curing of Cellulose Hydrogels by UV Radiation for Mechanical Reinforcement. <i>Polymers</i> , 2021 , 13,	4.5	1
164	Self-Standing, Robust Membranes Made of Cellulose Nanocrystals (CNCs) and a Protic Ionic Liquid: Toward Sustainable Electrolytes for Fuel Cells. <i>ACS Applied Energy Materials</i> , 2021 , 4, 6474-6485	6.1	3
163	Study on the mechanism of hydrogen bonding interactions between poly(vinyl alcohol) and ionic liquid.		1
162	Electrospun cellulose fibers from ionic liquid: Practical implications toward robust morphology. 2022 , 139, 51525		3
161	Development, processing and characterization of Polycaprolactone/Nano-Hydroxyapatite/Chitin-Nano-Whisker nanocomposite filaments for additive manufacturing of bone tissue scaffolds. 2021 , 120, 104583		2
160	Essential Requirements of Biocompatible Cellulose Solvents. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 11825-11836	8.3	2
159	Study on ionic liquid treatment and enzymatic hydrolysis of corn stover after activation of zinc chloride solution. 2021 , 2011, 012079		
158	Preparation of cellulose-based fluorescent materials as coating pigment by use of DMSO/DBU/CO ₂ system. <i>Cellulose</i> , 2021 , 28, 10373	5.5	1
157	Progress on Ionic Liquid Pre-Treatment for Lignocellulosic Biomass Valorization into Biofuels and Bio-Products. 2021 , 343-374		
156	Polar zwitterion/saccharide-based deep eutectic solvents for cellulose processing. <i>Carbohydrate Polymers</i> , 2021 , 267, 118171	10.3	4
155	Recent studies on cellulose-based fluorescent smart materials and their applications: A comprehensive review. <i>Carbohydrate Polymers</i> , 2021 , 267, 118135	10.3	23
154	Cylindrical polymer brushes-anisotropic unimolecular micelle drug delivery system for enhancing the effectiveness of chemotherapy. 2021 , 6, 2894-2904		23
153	Textile Waste Fiber Regeneration via a Green Chemistry Approach: A Molecular Strategy for Sustainable Fashion. 2021 , 33, e2105174		5

152	Complete recycling and valorization of waste textiles for value-added transparent films via an ionic liquid. 2021 , 9, 106182		9
151	Investigation of the aggregation behaviour of the anionic surfactant sodium dodecyl sulfate in ionic liquids 1-allyl-3-methylimidazolium chloride and 1-Ethyl-3-methylimidazolium diethyl phosphate. <i>Journal of Molecular Liquids</i> , 2021 , 343, 117610	6	1
150	A selective cellulose/hemicellulose green solvents extraction from buckwheat chaff. 2021 , 2, 100094		0
149	Transparent cellulose/aramid nanofibers films with improved mechanical and ultraviolet shielding performance from waste cotton textiles by in-situ fabrication. <i>Carbohydrate Polymers</i> , 2021 , 273, 118569 ^{10.3}		8
148	Low-Viscosity Ether-Functionalized Ionic Liquids as Solvents for the Enhancement of Lignocellulosic Biomass Dissolution. 2021 , 9, 261		3
147	Unique CO ₂ -switched cellulose solution properties in the CO ₂ /DBU/DMSO solvent system and the preparation of regenerated materials. <i>Green Chemistry</i> , 2021 , 23, 5856-5865	10	3
146	Linking Plant Biology and Pretreatment: Understanding the Structure and Organization of the Plant Cell Wall and Interactions with Cellulosic Biofuel Production. 2014 , 231-253		20
145	Development of New Cellulosic Fibers and Composites Using Ionic Liquid Technology. 2020 , 227-259		3
144	Fundamentals of Ionic Liquids. 2014 , 3-28		2
143	Solubilization of Biomass Components with Ionic Liquids Toward Biomass Energy Conversions. 2014 , 29-59		2
142	Fractionation of Lignocellulosic Materials with Ionic Liquids. 2014 , 145-168		7
141	Self-Climbed Amorphous Carbon Nanotubes Filled with Transition Metal Oxide Nanoparticles for Large Rate and Long Lifespan Anode Materials in Lithium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 26818-26825	9.5	15
140	Factors Affecting the Nonsolvent-Induced Phase Separation of Cellulose from Ionic Liquid-Based Solutions. 2020 , 5, 27314-27322		10
139	Chapter 1: Conversion of Biomass into Sugars. 1-53		14
138	Chapter 13: Conversion of Cellulose to Sugars. 2010 , 344-364		2
137	Biodegradable Polymer-Loaded Nanoparticles: An Overview of Synthesis and Biomedical Applications. 2016 , 653-712		3
136	Properties and Structure of Cellulosic Membranes Obtained from Solutions in Ionic Liquids Coagulated in Primary Alcohols. 2018 , 18, 232-242		4
135	Effect of antisolvents on the structure of regenerated cellulose: development of an efficient regeneration process. 2020 , 74, 881-890		1

134	Facile Preparation of Flame Retardant Cotton Fabric via Adhesion of Mg(OH) by the Assistance of Ionic Liquid. <i>Polymers</i> , 2020 , 12,	4-5	5
133	HOMOGENEOUS SYNTHESIS OF HIGH-AMYLOSE STARCH ACETATES AND THEIR ULTRAFINE FIBERS PREPARED BY ELECTROSPINNING. 2009 , 007, 685-688		2
132	ADVANCE IN SOLVENTS OF CELLULOSE. 2009 , 007, 937-944		2
131	ADVANCED FUNCTIONAL MATERIALS BASED ON CELLULOSE. 2010 , 00, 1376-1398		21
130	STUDY ON DISSOLUBILITY OF CHITOSAN IN FOUR KINDS OF IMIDAZOLE-BASED IONIC LIQUIDS. 2011 , 011, 1173-1179		4
129	FORMATION MECHANISM OF IONIC LIQUID-RECONSTITUTED CELLULOSE HYDROGELS AND THEIR APPLICATION IN GEL ELECTROPHORESIS. 2011 , 011, 1026-1032		3
128	HOMOGENEOUS SYNTHESIS OF CELLULOSE NAPHTHOATE IN AN IONIC LIQUID. 2013 , 013, 1235-1240		1
127	Plant Cell Wall, a Challenge for Its Characterisation. 2016 , 06, 70-105		13
126	An Alternative Path for the Preparation of Triacetylcellulose from Unrefined Biomass. 2015 , 05, 33-42		3
125	Imidazolium Chloride-LiCl Melts as Efficient Solvents for Cellulose. 2013 , 34, 3771-3776		7
124	Therapeutic Effect of Hydrocolloid Membrane Containing Liriope platyphylla Extracts on the Burn Wounds of SD Rats. 2015 , 25, 523-532		1
123	Study on Pretreatment of Giant Miscanthus Using Ionic Liquid and Structural Change of Lignin. 2015 , 43, 344-354		2
122	Preparation and Characterization of High Absorptive Cellulose Film Derived from Styela Clava Tunic for Wound Dressing. 2015 , 27, 70-79		6
121	Cellulose-Based Films with Ultraviolet Shielding Performance Prepared Directly from Waste Corrugated Pulp. <i>Polymers</i> , 2021 , 13,	4-5	3
120	High-Strength Regenerated Cellulose Fiber Reinforced with Cellulose Nanofibril and Nanosilica. 2021 , 11,		3
119	Fiber-Based Biopolymer Processing as a Route toward Sustainability. 2021 , e2105196		10
118	Syntheses and characterization of few bio-ionic liquids comprising of cholinium cation and plant derived carboxylic acids as anions. 2021 , 98, 100205		1
117	Carboxylate functionalized imidazolium-based zwitterions as benign and sustainable solvent for cellulose dissolution: Synthesis and characterization. <i>Journal of Molecular Liquids</i> , 2021 , 344, 117724	6	0

- 116 Recent Developments in Soft Materials Containing Ionic Liquids. **2006**, 33, 41-49
- 115 Ionic Liquids - Pages 471-477. **2009**, 471-477
- 114 Improvement in Dissolution of Cellulose with Ionic liquid by the Electron Beam Treatment. **2013**, 45, 56-65 1
- 113 Biological Polyelectrolytes: Solutions, Gels, Intermolecular Complexes and Nanoparticles. **2014**, 113-182
- 112 Production of Cellulose Fibers Using Ionic Liquids. **2015**, 73-77
- 111 Extraction of 5-hydroxymethylfurfural Produced after the Treatment of Sucrose in the Ionic Liquid, 1-ethyl-3-methylimidazolium Chloride, Using Various Organic Solvents. **2017**, 96, 68-72
- 110 Performance of Regenerated Cellulose Nanocomposites Fabricated via Ionic Liquid Based on Halloysites and Vermiculite. 249-273 1
- 109 Polysaccharide-Based Polymer Gels. **2018**, 147-229 0
- 108 Encyclopedia of Sustainability Science and Technology. **2018**, 1-33
- 107 Encyclopedia of Sustainability Science and Technology. **2018**, 1-34 1
- 106 Encyclopedia of Ionic Liquids. **2019**, 1-12
- 105 Chemical Modification of Cellulose in Solvents for Functional Materials. **2019**, 427-460
- 104 Use of Ionic Liquids for the Biorefinery. **2019**, 223-255
- 103 Encyclopedia of Ionic Liquids. **2019**, 1-7
- 102 Task-specific Ionic Liquids: Present and Future.. **2019**, 55, 323-329
- 101 Pretreatment and Conversion of Shrimp/Crab Shells into High-Value Products with Ionic Liquids. **2020**, 1-14
- 100 Ionic Liquids for Enhanced Enzymatic Saccharification of Cellulose-Based Materials. **2020**, 113-135
- 99 The latest achievements in plant cellulose-based biomaterials for tissue engineering focusing on skin repair. **2021**, 288, 132529 6

98	Engineering cellulose into water soluble poly(protic ionic liquid) electrolytes in the DBU/CO ₂ /DMSO solvent system as an organocatalyst for the Knoevenagel condensation reaction. <i>Green Chemistry</i> ,	10	1
97	Screening Ionic Liquids by the COSMO-RS Method for the Preparation of Antibacterial Cellulose Fibers. <i>ACS Sustainable Chemistry and Engineering</i> ,	8.3	1
96	Reactivity and Viscosity Properties of Macromolecules from Wood in Ionic Liquids. 2020 , 99, 173-181		
95	Extraction of high-value compounds from marine biomass via ionic liquid-based techniques. 2022 , 417-439		
94	Preparation and Characterization of Chinese Leek Extract Incorporated Cellulose Composite Films. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 731749	5.8	
93	Transparent Cellulose-Based Films Prepared from Used Disposable Paper Cups via an Ionic Liquid. <i>Polymers</i> , 2021 , 13,	4.5	2
92	Room temperature preparation of cellulose nanocrystals with high yield via a new ZnCl solvent system.. <i>Carbohydrate Polymers</i> , 2022 , 278, 118946	10.3	0
91	Development of cellulose-based polymeric structures using dual functional ionic liquids.. <i>RSC Advances</i> , 2021 , 11, 39278-39286	3.7	0
90	Novel ionic bioartificial muscles based on ionically crosslinked multi-walled carbon nanotubes-mediated bacterial cellulose membranes and PEDOT:PSS electrodes. <i>Smart Materials and Structures</i> , 2022 , 31, 025023	3.4	0
89	Rapid dissolution of cellulose in an AlCl ₃ /ZnCl ₂ aqueous system at room temperature and its versatile adaptability in functional materials. <i>Green Chemistry</i> ,	10	3
88	Preparation and evaluation of an ionic liquid embedded C18 and cellulose co-functionalized stationary phase with mixed-mode and chiral separation abilities. <i>Microchemical Journal</i> , 2022 , 175, 107123	4.8	0
87	Nanocelluloses as a Novel Vehicle for Controlled Drug Delivery. 2021 , 1-37		1
86	Rheological study of microcrystalline cellulose/pyridinium-based ionic liquids solutions. <i>Polymer Bulletin</i> , 1	2.4	1
85	Biobased Protic Ionic Liquids as Sustainable Solvents for Wool Keratin/Cellulose Simultaneous Dissolution: Solution Properties and Compositied Membrane Preparation. <i>ACS Sustainable Chemistry and Engineering</i> ,	8.3	1
84	Enhancement of biofilm formation and microalgae growth by preparing cellulose film with rough surface. <i>Journal of Polymer Research</i> , 2022 , 29, 1	2.7	0
83	Catalytic Performance of Pd Nanoparticles Obtained by Direct Reduction in CellulosePoly(ferrocenylsilane) Hybrid Sponges. <i>Advanced Materials Interfaces</i> , 2101664	4.6	0
82	Crosslinked chitosan/poly(vinyl alcohol) nanofibers functionalized by ionic liquid for heavy metal ions removal.. <i>International Journal of Biological Macromolecules</i> , 2021 , 195, 132-141	7.9	4
81	Electromagnetic Shielding and Flame Retardancy of Composite Films Constructed with Cellulose and Graphene Nanoplates.. <i>Materials</i> , 2022 , 15,	3.5	0

80	Extraction of keratin from sheep wool fibres using aqueous ionic liquids assisted probe sonication technology. <i>Journal of Molecular Liquids</i> , 2022 , 350, 118595	6	1
79	Toward continuous high-performance bacterial cellulose macrofibers by implementing grading-stretching in spinning.. <i>Carbohydrate Polymers</i> , 2022 , 282, 119133	10.3	1
78	Ultrasound in cellulose-based hydrogel for biomedical use: From extraction to preparation.. <i>Colloids and Surfaces B: Biointerfaces</i> , 2022 , 212, 112368	6	2
77	Sustainable, superfast deconstruction of natural cellulosic aggregates toward intrinsically green, multifunctional gel. <i>Chemical Engineering Journal</i> , 2022 , 435, 134856	14.7	1
76	Sustainable approaches to selective hydrolysis of cellulose with robust crystalline structure into glucose promoted by heterogeneous acid catalysts. 2022 , 309-338		0
75	Theoretical Mechanism on the Cellulose Regeneration from a Cellulose/EmimOAc Mixture in Anti-Solvents.. <i>Materials</i> , 2022 , 15,	3.5	0
74	Choline hydroxide based deep eutectic solvent for dissolving cellulose. <i>Green Chemistry</i> , 2022 , 24, 2464-2475	2475	1
73	Characterization of Chitin-Glucan Complex of Ganoderma lucidum Extract and Its Application as Hemostatic Hydrogel. <i>Waste and Biomass Valorization</i> , 1	3.2	1
72	Extraction and characterization of residue fibers from defatted date-pits after alkaline-acid digestion: effects of different pretreatments. <i>Journal of Thermal Analysis and Calorimetry</i> , 1	4.1	
71	Cellulose-based fiber spinning processes using ionic liquids. <i>Cellulose</i> , 2022 , 29, 3079	5.5	6
70	Irreversible Humidity-Responsive Phosphorescence Materials from Cellulose for Advanced Anti-Counterfeiting and Environmental Monitoring.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5	2
69	Fabrication and Characterization of Transparent and Uniform Cellulose/Polyethylene Composite Films from Used Disposable Paper Cups by the "One-Pot Method" .. <i>Polymers</i> , 2022 , 14,	4.5	2
68	Stretch-Induced Crystallization of Cellulose Spun from Ionic Liquid Solution.. <i>Biomacromolecules</i> , 2022 ,	6.9	1
67	Surface-microstructured cellulose films toward sensitive pressure sensors and efficient triboelectric nanogenerators.. <i>International Journal of Biological Macromolecules</i> , 2022 , 208, 324-332	7.9	1
66	Effect of supramolecular structural changes during the crystalline transformation of cellulose on its enzymatic hydrolysis. <i>Industrial Crops and Products</i> , 2022 , 180, 114687	5.9	3
65	Fiber-welded polyionic biocomposites using 1-alkyl-3-vinylimidazolium alkylphosphonate ionic liquids. <i>Journal of Ionic Liquids</i> , 2022 , 2, 100024		
64	Recent Progress on Starch Maleate/Polylactic Acid Blends for Compostable Food Packaging Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2022 , 10, 3-15	8.3	1
63	Sustainability in Heritage Wood Conservation: Challenges and Directions for Future Research. <i>Forests</i> , 2022 , 13, 18	2.8	3

62	Utilization of Cellulose to Its Full Potential: A Review on Cellulose Dissolution, Regeneration, and Applications.. <i>Polymers</i> , 2021 , 13,	4.5	5
61	Eco-Friendly and Complete Recycling of Waste Bamboo-Based Disposable Paper Cups for Value-Added Transparent Cellulose-Based Films and Paper Plastic Composites.. <i>Polymers</i> , 2022 , 14,	4.5	1
60	Preparation of Degradable Wood Cellulose Films Using Ionic Liquids. <i>ACS Applied Polymer Materials</i> , 2022 , 4, 3598-3607	4.3	0
59	Strategies of Recovery and Organic Recycling Used in Textile Waste Management. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 5859	4.6	3
58	Green preparation of silk fibroin/bamboo-derived cellulose nanofibril nanocomposite films with high mechanical strength. <i>Journal of Materials Science</i> , 1	4.3	0
57	A strong, hydrophobic, transparent and biodegradable nano-lignocellulosic membrane from wheat straw by novel strategy. <i>Journal of Cleaner Production</i> , 2022 , 356, 131879	10.3	0
56	Efficient and ecological leather processing: replacement of lime and sulphide with dispase assisted by 1-allyl-3-methylimidazolium chloride. <i>Journal of Leather Science and Engineering</i> , 2022 , 4,	3.6	0
55	Strength Enhancement of Regenerated Cellulose Fibers by Adjustment of Hydrogen Bond Distribution in Ionic Liquid. <i>Polymers</i> , 2022 , 14, 2030	4.5	0
54	Ordered porous films of biomass-based polymers by breath figure: a review. <i>Cellulose</i> ,	5.5	0
53	Enhanced dissolution of cellulose in CO ₂ switchable system by solvent with low Henry's constants as CO ₂ absorbent. <i>Cellulose</i> ,	5.5	
52	Tuning the Molecular Structure and Transport Property of [bmim][Tf ₂ N] Using Electric Field. <i>Journal of Thermal Science</i> ,	1.9	0
51	Use of interleaved films to enhance the properties of all-cellulose composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022 , 160, 107062	8.4	0
50	Ionic liquids, the mixture of ionic liquids and their co-solvent with N, N-dimethylformamide as solvents for cellulose using experimental and COSMO study. <i>Results in Engineering</i> , 2022 , 15, 100484	3.3	0
49	Nanocelluloses as a Novel Vehicle for Controlled Drug Delivery. 2022 , 507-542		
48	Characteristics of crystalline and amorphous fractions of date-pits as treated by alcohol-water pressure cooking. <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2022 , 100331	3.4	0
47	Preparation of cellulose-based chromatographic medium for biological separation: A review. <i>Journal of Chromatography A</i> , 2022 , 1677, 463297	4.5	0
46	Dual modification of cellulose with esterification and carbonation in DMSO/DBU/CO ₂ system as fluorescent additive for pH detection. <i>Carbohydrate Research</i> , 2022 , 520, 108630	2.9	1
45	Preliminary Findings of the High Quantity of Microplastics in Faeces of Hong Kong Residents. <i>Toxics</i> , 2022 , 10, 414	4.7	0

44	Arbitrary-Shaped, Ultrastrong, and Highly Conductive Monoliths Directly Annealed by Graphene Oxide Ionic Putties for Corrosion-Resistant Joule Heating. <i>ACS Applied Energy Materials</i> ,	6.1
43	Pretreatment of agricultural lignocellulosic biomass for fermentable sugar: opportunities, challenges, and future trends. <i>Biomass Conversion and Biorefinery</i> ,	2.3 1
42	Production and characteristics of nanocellulose obtained with using of ionic liquid and ultrasonication. 2022 , 24,	
41	Choline chloride-based deep eutectic solvent system as a pretreatment for microcrystalline cellulose.	0
40	Comparative study of the hydrogen bonding properties between allyl-functionalized/non-functionalized ionic liquids and DMSO. 2022 , 122, 103412	0
39	A novel approach to efficient degradation of pesticide intermediate 2,4,5-trichlorophenol by co-immobilized laccase-acetosyringone biocatalyst. 2022 , 187, 108607	0
38	Structural, rheological, and mechanical properties of polyvinyl alcohol composites reinforced with cellulose nanofiber treated by ultrahigh-pressure homogenizer. 2022 , 33, 104316	1
37	Transparent cellulose-based bio-hybrid films with enhanced anti-ultraviolet, antioxidant and antibacterial performance. 2022 , 298, 120118	1
36	Imidazolium based ionic liquids modified polysaccharides for adsorption and solid-phase extraction applications: A review. 2022 , 298, 120138	0
35	Effects of water/ionic liquid ratios on the physicochemical properties of high amylose maize starch-lauric acid complex. 2023 , 135, 108134	0
34	Intensification of Bioethanol Production from Different Lignocellulosic Biomasses, Induced by Various Pretreatment Methods: An Updated Review. 2022 , 15, 6912	1
33	Zero pollution protocol for the recovery of cellulose from municipal sewage sludge. 2022 , 20, 101222	0
32	Compatibility of Filter Materials Used with Ionic Liquids' Uses in Hydraulic Drive Control Systems and a Filterability Test.	0
31	Synthesis of N-oxyethylene substituted imidazolium-based zwitterions as a recyclable solvent for cellulose dissolution.	0
30	Cellulose/Poly(meta-phenylene isophthalamide) Light-Management Films with High Antiultraviolet and Tunable Haze Performances.	1
29	Synthesis, Characterization, and Application of Glyoxylate Starch-Amide for Enhancing Wet and Dry Paper Strength. 2022 , 10, 14262-14270	0
28	Ab-initio study on the covalent nature of hydrogen bonding in cellobiose.	0
27	Molecule(s) of Interest: I. Ionic Liquids Gateway to Newer Nanotechnology Applications: Advanced Nanobiotechnical Uses Current Status, Emerging Trends, Challenges, and Prospects. 2022 , 23, 14346	0

- 26 Synthesis and application of functionalized ionic liquids-based imidazolium as solvent for cotton fibre cellulose dissolution. ○
- 25 Removal of non-magnetic impurities on the surface of NdFeB magnets. **2022**, 2383, 012120 ○
- 24 Cellulose-Based Photothermal Microspheres: A Sustainable Solution to Harvesting Freshwater Outdoor. ○
- 23 Adhesive Interfaces toward a Zero-Waste Industry. **2022**, 38, 15476-15493 ○
- 22 Cellulose-Based Light-Management Films with Improved Properties Directly Fabricated from Green Tea. **2022**, 3, 776-791 ○
- 21 Biomass and Cellulose Dissolution—the Important Issue in Renewable Materials Treatment. **2023**, 13, 1055 ○
- 20 Effects of coagulating conditions on the crystallinity, orientation and mechanical properties of regenerated cellulose fibers. **2023**, 225, 1374-1383 1
- 19 Synthesis of Cellulose Nanoparticles from Ionic Liquid Solutions for Biomedical Applications. **2023**, 15, 382 ○
- 18 Dissolution behaviour of corn starch with different amylose content in ionic liquids. **2023**, 228, 207-215 ○
- 17 The effect of different mordants on natural dyeing of cotton, viscose and lyocell fabrics with pomegranate bark extracts. **2022**, 8, 185-189 ○
- 16 Scavenging of DPPH by Persistent Free Radicals in Carbonized Particles. 2200425 ○
- 15 Ionic liquids with microwave-assisted extraction of natural products. **2023**, 35-52 ○
- 14 Ionic Liquid Efficiency on Wood Dissolution and Polysaccharide Identification. **2022**, 12, 254-273 ○
- 13 Continuous production of cellulose mixed esters via homogeneous reactive twin-screw extrusion catalyzed by ionic liquid. **2023**, 30, 2873-2882 ○
- 12 Design of Functional Imidazolium-Based Ionic Liquids for Biomass Processing. **2022**, 274-280 ○
- 11 Pretreatment and Conversion of Shrimp/Crab Shells into High-Value Products with Ionic Liquids. **2022**, 1090-1103 ○
- 10 Selective Dissolution of Biomass with Ionic Liquids. **2022**, 1191-1202 ○
- 9 Applications of ionic liquids for the biochemical transformation of lignocellulosic biomass into biofuels and biochemicals: A critical review. **2023**, 193, 108850 ○

- 8 Influence of gelation temperature on physicochemical properties of cellulose hydrogels prepared from ionic liquid/DMSO solution. **2023**, 376, 121465
- 7 Cu²⁺-Induced On/Off Switching Luminescence of Cellulose-Based Luminescent Hydrogels. **2023**, 11, 4509-4516
- 6 Cellulose/Grape-Seed-Extract Composite Films with High Transparency and Ultraviolet Shielding Performance Fabricated from Old Cotton Textiles. **2023**, 15, 1451
- 5 A comprehensive review on how ionic liquids enhance the pyrolysis of cellulose, lignin, and lignocellulose toward a circular economy.
- 4 Preparation of Cellulose Nanocrystals by Synergistic Action of Ionic Liquid and Recyclable Solid Acid under Mild Conditions. **2023**, 28, 3070
- 3 Naturally sourced hydrogels: emerging fundamental materials for next-generation healthcare sensing.
- 2 Influence of hydrostatic pressure during gelation on physicochemical properties of cellulose hydrogels prepared from ionic liquid/DMSO solution. **2023**, 381, 121810
- 1 Functionalized nanofibers for antimicrobial applications. **2023**, 167-209