

Short forms of two condition-specific quality-of-life questionnaires for
pelvic floor disorders (PFDI-20 and PFIQ-7)

American Journal of Obstetrics and Gynecology

193, 103-113

DOI: [10.1016/j.ajog.2004.12.025](https://doi.org/10.1016/j.ajog.2004.12.025)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Critical Assessment of Pelvic Floor Surgical Reconstruction Outcome. EAU-EBU Update Series, 2006, 4, 202-213. | 0.7 | 5 |
| 2 | Bowel Symptoms and POP-Q Stage Are Poorly Correlated. Journal of Pelvic Medicine & Surgery, 2006, 12, 263-266. | 0.1 | 3 |
| 3 | Current diagnosis and treatment algorithms for anal incontinence. BJU International, 2006, 98, 97-106. | 1.3 | 13 |
| 4 | Women seeking treatment for advanced pelvic organ prolapse have decreased body image and quality of life. American Journal of Obstetrics and Gynecology, 2006, 194, 1455-1461. | 0.7 | 356 |
| 5 | Responsiveness of the Pelvic Floor Distress Inventory (PFDI) and Pelvic Floor Impact Questionnaire (PFIQ) in women undergoing vaginal surgery and pessary treatment for pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2006, 194, 1492-1498. | 0.7 | 152 |
| 6 | Rectocele repair: A randomized trial of three surgical techniques including graft augmentation. American Journal of Obstetrics and Gynecology, 2006, 195, 1762-1771. | 0.7 | 334 |
| 7 | Sexual function, quality of life, and severity of anal incontinence after anal sphincteroplasty. American Journal of Obstetrics and Gynecology, 2006, 195, 1753-1757. | 0.7 | 52 |
| 8 | Pelvic Organ Prolapse in Postmenopausal Women. , 2007, , 739-764. | | 2 |
| 10 | Abdominovaginal Sacral Colpoperineopexy. Journal of Pelvic Medicine & Surgery, 2007, 13, 181-190. | 0.1 | 5 |
| 12 | Female urinary incontinence: A review. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2007, 49, 34-39. | 0.2 | 2 |
| 13 | A randomised partially controlled trial to assess the impact of self-help vs. structured help from a continence nurse specialist in women with undiagnosed urinary problems in primary care. International Journal of Clinical Practice, 2007, 61, 1863-1873. | 0.8 | 6 |
| 14 | Bowel symptoms 1 year after surgery for prolapse: further analysis of a randomized trial of rectocele repair. American Journal of Obstetrics and Gynecology, 2007, 197, 76.e1-76.e5. | 0.7 | 71 |
| 15 | Pelvic floor symptom changes in pessary users. American Journal of Obstetrics and Gynecology, 2007, 197, 620.e1-620.e6. | 0.7 | 65 |
| 16 | Validation of telephone administration of 2 condition-specific quality-of-life questionnaires. American Journal of Obstetrics and Gynecology, 2007, 197, 632.e1-632.e4. | 0.7 | 26 |
| 17 | Patient preparedness: an important predictor of surgical outcome. American Journal of Obstetrics and Gynecology, 2007, 197, 654.e1-654.e6. | 0.7 | 105 |
| 18 | Variability of current symptoms in women with pelvic organ prolapse. International Urogynecology Journal, 2007, 18, 787-798. | 0.7 | 7 |
| 19 | Questionnaires for women with pelvic floor disorders. International Urogynecology Journal, 2007, 18, 461-465. | 0.7 | 63 |
| 20 | Evaluation and outcome measures in the treatment of female urinary stress incontinence: International Urogynecological Association (IUGA) guidelines for research and clinical practice. International Urogynecology Journal, 2008, 19, 5-33. | 0.7 | 153 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 21 | Surgical Management of Pelvic Organ Prolapse in Females: Functional Outcome of Mesh Sacrocolpopexy and Rectopexy as a Combined Procedure. <i>Diseases of the Colon and Rectum</i> , 2007, 50, 1412-1421. | 0.7 | 54 |
| 22 | Morbid Obesity Adversely Impacts Pelvic Floor Function in Females Seeking Attention for Weight Loss Surgery. <i>Diseases of the Colon and Rectum</i> , 2007, 50, 2096-2103. | 0.7 | 47 |
| 23 | Obstructive voiding symptoms are not predictive of elevated postvoid residual urine volumes. <i>International Urogynecology Journal</i> , 2008, 19, 801-804. | 0.7 | 28 |
| 24 | Correlation between vaginal stiffness index and pelvic floor disorder quality-of-life scales. <i>International Urogynecology Journal</i> , 2008, 19, 1013-1018. | 0.7 | 18 |
| 25 | Leak point pressure does not correlate with incontinence severity or bother in women undergoing surgery for urodynamic stress incontinence. <i>International Urogynecology Journal</i> , 2008, 19, 1193-1198. | 0.7 | 16 |
| 26 | Mixed incontinence is more bothersome than pure incontinence subtypes. <i>International Urogynecology Journal</i> , 2008, 19, 1359-1362. | 0.7 | 64 |
| 27 | The Portuguese validation of the International Consultation on Incontinence Questionnaire "Vaginal Symptoms (ICIQ-VS) for Brazilian women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2008, 19, 1385-1391. | 0.7 | 51 |
| 28 | Long-term patient satisfaction with prolapse surgery in general gynecology. <i>International Urogynecology Journal</i> , 2008, 19, 1441-1448. | 0.7 | 6 |
| 29 | Paper versus web-based administration of the Pelvic Floor Distress Inventory 20 and Pelvic Floor Impact Questionnaire 7. <i>International Urogynecology Journal</i> , 2008, 19, 1331-1335. | 0.7 | 23 |
| 31 | A Patient-Centered Approach to Developing a Comprehensive Symptom and Quality of Life Assessment of Anal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 82-87. | 0.7 | 77 |
| 32 | Feasibility and Functional Outcome of Laparoscopic Sacrocolporectomy for Combined Vaginal and Rectal Prolapse. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 1414-1420. | 0.7 | 25 |
| 33 | Patient-selected goal attainment for pessary wearers: what is the clinical relevance?. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 577.e1-577.e5. | 0.7 | 21 |
| 34 | Validation of decision-making outcomes for female pelvic floor disorders. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 575.e1-575.e6. | 0.7 | 48 |
| 35 | Effect of body mass index on the risk of anal incontinence and defecatory dysfunction in women. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 596.e1-596.e4. | 0.7 | 42 |
| 36 | Is there a pelvic organ prolapse threshold that predicts pelvic floor symptoms?. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 683.e1-683.e7. | 0.7 | 125 |
| 37 | Risk factors associated with failure 1 year after retropubic or transobturator midurethral slings. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 666.e1-666.e7. | 0.7 | 88 |
| 38 | Impact of sacral colpopexy on in vivo vaginal biomechanical properties. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 664.e1-664.e6. | 0.7 | 17 |
| 39 | A systematic review of psychometric evidence and expert opinion regarding the assessment of faecal incontinence in older community-dwelling adults. <i>International Journal of Evidence-Based Healthcare</i> , 2008, 6, 225-259. | 0.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 40 | Safe manual handling: pelvic floor considerations. <i>Physiotherapy</i> , 2008, 94, 314-316. | 0.2 | 3 |
| 42 | A Phase III Randomized Clinical Trial Comparing Laparoscopic or Robotic Radical Hysterectomy with Abdominal Radical Hysterectomy in Patients with Early Stage Cervical Cancer. <i>Journal of Minimally Invasive Gynecology</i> , 2008, 15, 584-588. | 0.3 | 144 |
| 43 | Pelvic organ prolapse in rural Ghana. <i>International Journal of Gynecology and Obstetrics</i> , 2008, 103, 121-124. | 1.0 | 38 |
| 44 | Infracoccygeal sacropexy improves the quality of life of women with uterine prolapse. <i>Maturitas</i> , 2008, 59, 158-162. | 1.0 | 7 |
| 46 | Quality of Life Tools and Their Relevance for Females with Genital Lymphedema. <i>Journal of Women's Health Physical Therapy</i> , 2008, 32, 13-19. | 0.5 | 2 |
| 47 | Female Sexual Function and Pelvic Floor Disorders. <i>Obstetrics and Gynecology</i> , 2008, 111, 1045-1052. | 1.2 | 169 |
| 48 | Transobturator Tape Compared With Tension-Free Vaginal Tape for the Treatment of Stress Urinary Incontinence. <i>Obstetrics and Gynecology</i> , 2008, 111, 611-621. | 1.2 | 197 |
| 49 | A systematic review of psychometric evidence and expert opinion regarding the assessment of faecal incontinence in older community-dwelling adults. <i>International Journal of Evidence-Based Healthcare</i> , 2008, 6, 225-259. | 0.1 | 0 |
| 50 | Outcome After Anterior Vaginal Prolapse Repair. <i>Obstetrics and Gynecology</i> , 2008, 111, 891-898. | 1.2 | 339 |
| 51 | A systematic review of psychometric evidence and expert opinion regarding the assessment of faecal incontinence in older community-dwelling adults. <i>JBI Library of Systematic Reviews</i> , 2008, 6, 367-431. | 0.1 | 7 |
| 52 | Challenges in designing a pragmatic clinical trial: the mixed incontinence "medical or surgical approach (MIMOSA) trial experience. <i>Clinical Trials</i> , 2009, 6, 355-364. | 0.7 | 28 |
| 53 | Defining Success After Surgery for Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2009, 114, 600-609. | 1.2 | 413 |
| 54 | Sexual Function is Related to Body Image Perception in Women with Pelvic Organ Prolapse. <i>Journal of Sexual Medicine</i> , 2009, 6, 2286-2291. | 0.3 | 99 |
| 55 | Patient-centered treatment goals for pelvic floor disorders: association with quality-of-life and patient satisfaction. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 200, 568.e1-568.e6. | 0.7 | 37 |
| 56 | Long-term efficacy of the pubovaginal Mersilene mesh sling. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 516.e1-516.e7. | 0.7 | 1 |
| 57 | Patient-reported outcomes after combined surgery for pelvic floor disorders in older compared to younger women. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 534.e1-534.e5. | 0.7 | 18 |
| 58 | The impact of flatal incontinence on quality of life. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 539.e1-539.e3. | 0.7 | 9 |
| 59 | Patient reported and anatomical outcomes after surgery for pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2009, 28, 219-224. | 0.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 61 | Urinary retention is uncommon after colpocleisis with concomitant mid-urethral sling. <i>International Urogynecology Journal</i> , 2009, 20, 213-216. | 0.7 | 28 |
| 62 | Validation of Spanish versions of the Pelvic Floor Distress Inventory (PFDI) and Pelvic Floor Impact Questionnaire (PFIQ): a multicenter validation randomized study. <i>International Urogynecology Journal</i> , 2009, 20, 623-639. | 0.7 | 24 |
| 63 | Complications from vaginally placed mesh in pelvic reconstructive surgery. <i>International Urogynecology Journal</i> , 2009, 20, 523-531. | 0.7 | 38 |
| 64 | Difference in quality of life in women with urge urinary incontinence compared to women with stress urinary incontinence. <i>International Urogynecology Journal</i> , 2009, 20, 781-786. | 0.7 | 33 |
| 65 | Self-perceived natural history of pelvic organ prolapse described by women presenting for treatment. <i>International Urogynecology Journal</i> , 2009, 20, 927-931. | 0.7 | 11 |
| 66 | Portuguese validation of the Urinary Incontinence-Specific Quality-of-Life Instrument: I-QOL. <i>International Urogynecology Journal</i> , 2009, 20, 1183-1189. | 0.7 | 18 |
| 67 | Evaluating patient learning after an educational program for women with incontinence and pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2009, 20, 1243-1252. | 0.7 | 39 |
| 68 | Synthetic graft use in vaginal prolapse surgery: objective and subjective outcomes. <i>International Urogynecology Journal</i> , 2009, 20, 1307-12. | 0.7 | 27 |
| 69 | Long-term quality-of-life outcome after mesh sacrocolpopexy for vaginal vault prolapse. <i>BJU International</i> , 2009, 104, 1676-1679. | 1.3 | 4 |
| 70 | Psychometric properties of the pelvic organ prolapse symptom score. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 25-31. | 1.1 | 66 |
| 71 | New pelvic symptoms are common after reconstructive pelvic surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 200, 88.e1-88.e5. | 0.7 | 29 |
| 73 | Evaluation and Treatment of Anal Incontinence, Constipation, and Defecatory Dysfunction. <i>Obstetrics and Gynecology Clinics of North America</i> , 2009, 36, 673-697. | 0.7 | 9 |
| 74 | Obesity is associated with increased prevalence and severity of pelvic floor disorders in women considering bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2009, 5, 411-415. | 1.0 | 69 |
| 75 | Effect of Surgically Induced Weight Loss on Pelvic Floor Disorders in Morbidly Obese Women. <i>Annals of Surgery</i> , 2009, 249, 72-76. | 2.1 | 42 |
| 76 | Urinary incontinence is associated with lower psychological general well-being in community-dwelling women. <i>Menopause</i> , 2010, 17, 332-337. | 0.8 | 37 |
| 77 | Vaginal Mesh for Prolapse. <i>Obstetrics and Gynecology</i> , 2010, 116, 293-303. | 1.2 | 138 |
| 78 | A Valid Form of the PISQ-12, the PISQ-9, for Use in Comparative Studies of Women With and Without Pelvic Organ Prolapse and/or Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 218-223. | 0.6 | 8 |
| 79 | Normative Data for Commonly Used Validated Pelvic Floor Disorder Questionnaires in Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 296-298. | 0.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 80 | A Comparison of Transobturator Versus Retropubic Midurethral Slings for Mixed Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 113-120. | 0.6 | 4 |
| 81 | Long-Term Impact of Abdominal Sacral Colpoperineopexy on Symptoms of Obstructed Defecation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 234-237. | 0.6 | 8 |
| 82 | Association Between Obesity, Sexual Activity and Sexual Function in Women With Pelvic Floor Disorders. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 331-335. | 0.6 | 4 |
| 83 | The Association Between Stage II or Greater Posterior Prolapse and Bothersome Obstructive Bowel Symptoms. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 59-64. | 0.6 | 13 |
| 84 | Functional Bowel Disorders and Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 209-214. | 0.6 | 8 |
| 85 | Additive effect of interferential therapy over pelvic floor exercises. <i>International Journal of Therapy and Rehabilitation</i> , 2010, 17, 596-602. | 0.1 | 5 |
| 86 | Pelvic floor dysfunction: causes and assessment. <i>Practice Nursing</i> , 2010, 21, 340-346. | 0.1 | 6 |
| 87 | A validated self-administered female pelvic floor questionnaire. <i>International Urogynecology Journal</i> , 2010, 21, 163-172. | 0.7 | 108 |
| 88 | Colorectal and anal symptoms in women with urinary incontinence and pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2010, 21, 187-191. | 0.7 | 7 |
| 89 | Risk factors of treatment failure of midurethral sling procedures for women with urinary stress incontinence. <i>International Urogynecology Journal</i> , 2010, 21, 149-155. | 0.7 | 113 |
| 90 | A randomized clinical trial comparing pelvic floor muscle training to a Pilates exercise program for improving pelvic muscle strength. <i>International Urogynecology Journal</i> , 2010, 21, 401-408. | 0.7 | 99 |
| 91 | Prospective multicenter trial assessing type I, polypropylene mesh placed via transobturator route for the treatment of anterior vaginal prolapse with 2-year follow-up. <i>International Urogynecology Journal</i> , 2010, 21, 545-552. | 0.7 | 48 |
| 92 | Factors associated with PISQ-12 completion in an academic urogynecology population. <i>International Urogynecology Journal</i> , 2010, 21, 579-582. | 0.7 | 4 |
| 93 | The prevalence of anal incontinence in post-partum women following obstetrical anal sphincter injury. <i>International Urogynecology Journal</i> , 2010, 21, 927-932. | 0.7 | 31 |
| 94 | Prevalence of bowel symptoms in women with pelvic floor disorders. <i>International Urogynecology Journal</i> , 2010, 21, 933-938. | 0.7 | 19 |
| 95 | Validation of a global pelvic floor symptom bother questionnaire. <i>International Urogynecology Journal</i> , 2010, 21, 1129-1135. | 0.7 | 48 |
| 96 | Treatment decision-making and information-seeking preferences in women with pelvic floor disorders. <i>International Urogynecology Journal</i> , 2010, 21, 1071-1078. | 0.7 | 34 |
| 97 | Do the Advantage slings work as well as the tension-free vaginal tapes?. <i>International Urogynecology Journal</i> , 2010, 21, 1157-1162. | 0.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 98 | The association between obesity and stage II or greater prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 503.e1-503.e4. | 0.7 | 34 |
| 99 | Evaluation of a transvaginal mesh delivery system for the correction of pelvic organ prolapse: subjective and objective findings at least 1 year after surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 506.e1-506.e6. | 0.7 | 26 |
| 100 | One-year clinical outcomes after prolapse surgery with nonanchored mesh and vaginal support device. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 587.e1-587.e8. | 0.7 | 28 |
| 101 | Midurethral sling procedures for stress urinary incontinence in women over 80 years. <i>Neurourology and Urodynamics</i> , 2010, 29, 1262-1266. | 0.8 | 36 |
| 102 | Development of a short version of the Neck Pain and Disability Scale. <i>European Journal of Pain</i> , 2010, 14, 864.e1-7. | 1.4 | 12 |
| 103 | A multicenter prospective trial evaluating fetal bovine dermal graft (Xenform® Matrix) for pelvic reconstructive surgery. <i>BMC Urology</i> , 2010, 10, 21. | 0.6 | 7 |
| 104 | Long-term outcomes of patients who failed to attend following midurethral sling surgery – A comparative study and analysis of risk factors for non-attendance. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2010, 50, 173-178. | 0.4 | 11 |
| 105 | Pelvic floor dysfunction: management strategies. <i>Practice Nursing</i> , 2010, 21, 409-415. | 0.1 | 2 |
| 106 | Development of a Pelvic Floor Muscle Coordination Scale. <i>Journal of Women's Health Physical Therapy</i> , 2010, 34, 81-88. | 0.5 | 1 |
| 107 | Repeat Synthetic Mid Urethral Sling Procedure for Women With Recurrent Stress Urinary Incontinence. <i>Journal of Urology</i> , 2010, 183, 241-246. | 0.2 | 114 |
| 108 | Comparison of Responsiveness of Validated Outcome Measures After Surgery for Stress Urinary Incontinence. <i>Journal of Urology</i> , 2010, 184, 2013-2017. | 0.2 | 15 |
| 109 | Laparoscopic Extraperitoneal Uterine Suspension to Anterior Abdominal Wall Bilaterally Using Synthetic Mesh to Treat Uterovaginal Prolapse. <i>Journal of Minimally Invasive Gynecology</i> , 2010, 17, 631-636. | 0.3 | 9 |
| 110 | Characterization of pelvic floor symptoms in community-dwelling women of northeastern Liberia. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 109, 251-253. | 1.0 | 8 |
| 111 | Urodynamic findings in women with pelvic organ prolapse and obstructive voiding symptoms. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 111, 119-121. | 1.0 | 15 |
| 112 | Clinical significance of obstructive defecatory symptoms in women with pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 111, 237-240. | 1.0 | 26 |
| 113 | Pelvic Floor Consequences of Cesarean Delivery on Maternal Request in Women with a Single Birth: A Cost-effectiveness Analysis. <i>Journal of Women's Health</i> , 2010, 19, 147-160. | 1.5 | 27 |
| 114 | Pelvic Floor Function Before and After Robotic Sacrocolpopexy: One-Year Outcomes. <i>Journal of Minimally Invasive Gynecology</i> , 2011, 18, 322-327. | 0.3 | 42 |
| 115 | Laparoscopic Sacrocolpopexy for Management of Pelvic Organ Prolapse Enhances Quality of Life at One Year: A Prospective Observational Study. <i>Journal of Minimally Invasive Gynecology</i> , 2011, 18, 747-754. | 0.3 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 116 | Neuromuscular Characterization of the Urethra in Continent Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 226-230. | 0.6 | 9 |
| 117 | Vaginal Paravaginal Repair With Porcine Small Intestine Submucosa. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 174-179. | 0.6 | 8 |
| 118 | Laparoscopic Compared With Robotic Sacrocolpopexy for Vaginal Prolapse. <i>Obstetrics and Gynecology</i> , 2011, 118, 1005-1013. | 1.2 | 355 |
| 119 | Pelvic reconstruction with mesh for advanced pelvic organ prolapse. <i>Menopause</i> , 2011, 18, 328-332. | 0.8 | 22 |
| 120 | Chinese validation of the Pelvic Floor Impact Questionnaire Short Form. <i>Menopause</i> , 2011, 18, 1030-1033. | 0.8 | 45 |
| 121 | Patients' Perspectives on Fecal Incontinence After Brachytherapy for Localized Prostate Cancer. <i>Diseases of the Colon and Rectum</i> , 2011, 54, 615-621. | 0.7 | 5 |
| 122 | Colporrhaphy Compared With Mesh or Graft-Reinforced Vaginal Paravaginal Repair for Anterior Vaginal Wall Prolapse. <i>Obstetrics and Gynecology</i> , 2011, 118, 1337-1344. | 1.2 | 89 |
| 123 | Effect of Flatal Incontinence on Sexual Function. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 70-73. | 0.6 | 2 |
| 124 | Persistence of urgency and urge urinary incontinence in women with mixed urinary symptoms after midurethral slings: a multivariate analysis*. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 798-805. | 1.1 | 66 |
| 125 | Improved Sexual and Urinary Function in Women with Sacral Nerve Stimulation. <i>Neuromodulation</i> , 2011, 14, 436-443. | 0.4 | 27 |
| 126 | Validation of the Swedish short forms of the Pelvic Floor Impact Questionnaire (PFIQ-7), Pelvic Floor Distress Inventory (PFDI-20) and Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire (PISQ-12). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 483-487. | 1.3 | 60 |
| 127 | Utility preference score measurement in women with fecal incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 72.e1-72.e6. | 0.7 | 12 |
| 128 | Trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh: 1 year outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 74.e1-74.e8. | 0.7 | 39 |
| 129 | Lower abdominal and pelvic pain with advanced pelvic organ prolapse: a case-control study. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 537.e1-537.e5. | 0.7 | 7 |
| 130 | Association between metabolic syndrome and pelvic floor dysfunction in middle-aged to older Korean women. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 71.e1-71.e8. | 0.7 | 16 |
| 131 | Barriers to pelvic floor physical therapy utilization for treatment of female urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 152.e1-152.e9. | 0.7 | 10 |
| 132 | Levator avulsion using a tomographic ultrasound and magnetic resonanceâ€‘based model. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 232.e1-232.e8. | 0.7 | 92 |
| 133 | Do patient goals vary with stage of prolapse?. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 502.e1-502.e6. | 0.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 134 | Combined anterior trans-obturator mesh and sacrospinous ligament fixation in women with severe prolapse—a case series of 30 months follow-up. <i>International Urogynecology Journal</i> , 2011, 22, 299-306. | 0.7 | 39 |
| 135 | Trocarless system for mesh attachment in pelvic organ prolapse repair—1-year evaluation. <i>International Urogynecology Journal</i> , 2011, 22, 551-556. | 0.7 | 15 |
| 136 | Posterior intravaginal slingplasty: efficacy and complications in a continuous series of 118 cases. <i>International Urogynecology Journal</i> , 2011, 22, 611-619. | 0.7 | 15 |
| 137 | A novel technique for the management of advanced uterine/vault prolapse: extraperitoneal sacrocolpopexy. <i>International Urogynecology Journal</i> , 2011, 22, 855-861. | 0.7 | 8 |
| 138 | Continent women have better urethral neuromuscular function than those with stress incontinence. <i>International Urogynecology Journal</i> , 2011, 22, 1479-1484. | 0.7 | 19 |
| 139 | Chinese validation of Pelvic Floor Distress Inventory and Pelvic Floor Impact Questionnaire. <i>International Urogynecology Journal</i> , 2011, 22, 1305-1312. | 0.7 | 35 |
| 141 | Further validation of the short form versions of the pelvic floor Distress Inventory (PFDI) and pelvic floor impact questionnaire (PFIQ). <i>Neurourology and Urodynamics</i> , 2011, 30, 541-546. | 0.8 | 108 |
| 142 | Is pelvic pain associated with defecatory symptoms in women with pelvic organ prolapse?. <i>Neurourology and Urodynamics</i> , 2011, 30, 1305-1308. | 0.8 | 5 |
| 143 | Sexual function and health-related quality of life following anterior vaginal wall surgery for stress urinary incontinence and pelvic organ prolapse. <i>International Journal of Impotence Research</i> , 2011, 23, 151-157. | 1.0 | 9 |
| 145 | Incidence of Extrusion Following Type I Polypropylene Mesh “Kit” Repairs in the Correction of Pelvic Organ Prolapse. <i>Obstetrics and Gynecology International</i> , 2012, 2012, 1-8. | 0.5 | 6 |
| 146 | Sexual Function After Vaginal Versus Nonvaginal Prolapse Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 239-242. | 0.6 | 13 |
| 147 | Psychometric Evaluation of Health-Related Quality-of-Life Measures After Pelvic Organ Prolapse Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 221-226. | 0.6 | 20 |
| 148 | Assessing Physical Therapy Outcomes for Women With Urinary Incontinence. <i>Journal of Women's Health Physical Therapy</i> , 2012, 36, 78-89. | 0.5 | 1 |
| 149 | The Importance of Monitoring a Woman's Response to Physical Therapy Intervention in a Patient With Tension-Free Vaginal Tape-Obturator Sling Failure. <i>Journal of Women's Health Physical Therapy</i> , 2012, 36, 4-18. | 0.5 | 0 |
| 150 | Predictive value of obstructive voiding symptoms and objective bladder emptying tests for urinary retention. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 770-772. | 0.4 | 11 |
| 151 | Beliefs About Medications as a Predictor of Treatment Adherence in Women with Urinary Incontinence. <i>Journal of Women's Health</i> , 2012, 21, 440-446. | 1.5 | 15 |
| 152 | Abdominal Sacral Hysteropexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 286-290. | 0.6 | 18 |
| 153 | Porcine Subintestinal Submucosal Graft Augmentation for Rectocele Repair. <i>Obstetrics and Gynecology</i> , 2012, 119, 125-133. | 1.2 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 154 | Nonsurgical Management of Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2012, 119, 852-860. | 1.2 | 62 |
| 155 | Improvements in Physical Activity and Functioning After Undergoing Midurethral Sling Procedure for Urinary Incontinence. <i>Obstetrics and Gynecology</i> , 2012, 120, 573-580. | 1.2 | 11 |
| 156 | Single-Incision Mini-Sling Compared With Tension-Free Vaginal Tape for the Treatment of Stress Urinary Incontinence. <i>Obstetrics and Gynecology</i> , 2012, 119, 328-337. | 1.2 | 67 |
| 157 | Effect of Anticholinergic Use for the Treatment of Overactive Bladder on Cognitive Function in Postmenopausal Women. <i>Clinical Drug Investigation</i> , 2012, 32, 697-705. | 1.1 | 23 |
| 158 | Single-incision apical and posterior mesh repair: 1-year prospective outcomes. <i>International Urogynecology Journal</i> , 2012, 23, 1413-1419. | 0.7 | 33 |
| 159 | Sexual function in women following transvaginal mesh procedures for the treatment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 1455-1460. | 0.7 | 15 |
| 160 | Patient goal attainment in vaginal prolapse repair with and without mesh. <i>International Urogynecology Journal</i> , 2012, 23, 1541-1546. | 0.7 | 6 |
| 161 | Complex Repetitive Discharges—A Feature of the Urethral Continence Mechanism or a Pathological Finding?. <i>Journal of Urology</i> , 2012, 187, 2140-2143. | 0.2 | 19 |
| 162 | Symptoms of Pelvic Floor Disorders and Quality of Life Measures in Postoperative Patients With Endometrial Cancer. <i>Clinical Ovarian and Other Gynecologic Cancer</i> , 2012, 5, 27-30. | 0.1 | 11 |
| 163 | Robotic Vs Abdominal Sacrocolpopexy: 44-Month Pelvic Floor Outcomes. <i>Urology</i> , 2012, 79, 532-536. | 0.5 | 91 |
| 164 | Colpocleisis for Advanced Pelvic Organ Prolapse. <i>Urology</i> , 2012, 80, 542-546. | 0.5 | 30 |
| 165 | Anticholinergic Therapy vs. OnabotulinumtoxinA for Urgency Urinary Incontinence. <i>New England Journal of Medicine</i> , 2012, 367, 1803-1813. | 13.9 | 199 |
| 166 | Management of urinary incontinence in women and men. , 2012, , 382-394. | | 0 |
| 167 | Characterization of colorectal symptoms in women with vesicovaginal fistulas. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 116, 64-66. | 1.0 | 3 |
| 168 | Effects of transvaginal repair of symptomatic rectocele on symptom-specific distress and impact on quality of life. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 117, 224-227. | 1.0 | 6 |
| 169 | Anticholinergic versus botulinum toxin A comparison trial for the treatment of bothersome urge urinary incontinence: ABC trial. <i>Contemporary Clinical Trials</i> , 2012, 33, 184-196. | 0.8 | 30 |
| 170 | Validation, cultural adaptation and responsiveness of two pelvic-floor-specific quality-of-life questionnaires, PFDI-20 and PFIQ-7, in a Turkish population. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 162, 229-233. | 0.5 | 45 |
| 171 | Potential relevance of pre-operative quality of life questionnaires to identify candidates for surgical treatment of genital prolapse: a pilot study. <i>BMC Urology</i> , 2012, 12, 9. | 0.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 172 | Quality of life impact in women with accidental bowel leakage. <i>International Journal of Clinical Practice</i> , 2012, 66, 1109-1116. | 0.8 | 73 |
| 173 | Changes in bowel symptoms 1 year after rectocele repair. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 423.e1-423.e5. | 0.7 | 30 |
| 174 | Obstetrical anal sphincter laceration and anal incontinence 5-10 years after childbirth. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 425.e1-425.e6. | 0.7 | 85 |
| 175 | Interest in cosmetic vulvar surgery and perception of vulvar appearance. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 428.e1-428.e7. | 0.7 | 42 |
| 176 | Implementation of laparoscopic sacrocolpopexy: establishment of a learning curve and short-term outcomes. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 983-988. | 0.8 | 40 |
| 177 | Combined Burch urethropexy and anterior rectopexy in pelvic organ prolapse: skip the mesh. <i>Langenbeck's Archives of Surgery</i> , 2012, 397, 1157-1165. | 0.8 | 1 |
| 178 | Vitamin D status in women with pelvic floor disorder symptoms. <i>International Urogynecology Journal</i> , 2012, 23, 1699-1705. | 0.7 | 34 |
| 179 | Randomized trial comparing office flexible to rigid cystoscopy in women. <i>International Urogynecology Journal</i> , 2012, 23, 1625-1630. | 0.7 | 15 |
| 180 | Idiopathic scoliosis and pelvic floor dysfunction. <i>International Journal of Therapy and Rehabilitation</i> , 2012, 19, 106-110. | 0.1 | 0 |
| 181 | Receptiveness to medical treatment for urinary incontinence among hospital nurses. <i>International Journal of Urological Nursing</i> , 2012, 6, 72-75. | 0.1 | 1 |
| 182 | Three-dimensional Ultrasound Appearance of Pelvic Floor in Nulliparous Women and Pelvic Organ Prolapse Women. <i>International Journal of Medical Sciences</i> , 2012, 9, 894-900. | 1.1 | 23 |
| 183 | Calidad de vida en mujeres con alteraciones del piso p lvico: revisi n de la literatura. <i>Revista Chilena De Obstetricia Y Ginecologia</i> , 2012, 77, 175-182. | 0.1 | 1 |
| 184 | Overview of pelvic floor failure and associated problems. <i>Urogynaecologia International Journal</i> , 2012, 26, 2. | 0.2 | 0 |
| 185 | Enhanced interpretability of the PFDI 20 with establishment of reference scores among women in the general population. <i>Neurourology and Urodynamics</i> , 2012, 31, 1252-1257. | 0.8 | 12 |
| 186 | Female Pelvic Floor Symptoms Before and After Bariatric Surgery. <i>Obesity Surgery</i> , 2012, 22, 1244-1250. | 1.1 | 19 |
| 187 | Improvement of bowel dysfunction with sacral neuromodulation for refractory urge urinary incontinence. <i>International Urogynecology Journal</i> , 2012, 23, 735-741. | 0.7 | 12 |
| 188 | Medium-term clinical outcomes following surgical repair for vaginal prolapse with tension-free mesh and vaginal support device. <i>International Urogynecology Journal</i> , 2012, 23, 487-493. | 0.7 | 20 |
| 189 | Posterior vaginal compartment prolapse and defecatory dysfunction: are they related?. <i>International Urogynecology Journal</i> , 2012, 23, 537-551. | 0.7 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 190 | Correlation of POP-Q posterior compartment measures with defecatory dysfunction. <i>International Urogynecology Journal</i> , 2012, 23, 743-747. | 0.7 | 14 |
| 191 | Modified laparoscopic extraperitoneal uterine suspension to anterior abdominal wall: the easier way to treat uterine prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 887-891. | 0.7 | 6 |
| 192 | Subjective and objective results of anterior vaginal wall repair in an outpatient clinic: a 5-year follow-up. <i>International Urogynecology Journal</i> , 2012, 23, 883-886. | 0.7 | 8 |
| 193 | Validity and reliability of the Turkish version of the Pelvic Floor Distress Inventory-20. <i>International Urogynecology Journal</i> , 2012, 23, 1123-1127. | 0.7 | 36 |
| 194 | One-year objective and functional outcomes of a randomized clinical trial of vaginal mesh for prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 86.e1-86.e9. | 0.7 | 69 |
| 195 | Symptomatic and anatomic 1-year outcomes after robotic and abdominal sacrocolpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 435.e1-435.e5. | 0.7 | 82 |
| 196 | Assessment of the Psychometric Properties of the Short-Form Prolapse/Urinary Incontinence Sexual Questionnaire (PISQ-12) following Surgical Placement of Prolift+M: A Transvaginal Partially Absorbable Mesh System for the Treatment of Pelvic Organ Prolapse. <i>Journal of Sexual Medicine</i> , 2012, 9, 1190-1199. | 0.3 | 7 |
| 197 | Pelvic organ prolapse transvaginal repair by the Prolift system: Evaluation of efficacy and complications after a 4.5-year follow up. <i>International Journal of Urology</i> , 2012, 19, 1010-1016. | 0.5 | 11 |
| 198 | Comparisons of pelvic floor muscle performance, anxiety, quality of life and life stress in women with dry overactive bladder compared with asymptomatic women. <i>BJU International</i> , 2012, 109, 1685-1689. | 1.3 | 28 |
| 199 | Doppler ureteric jet in urogenital prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 49-56. | 0.7 | 1 |
| 200 | Translation and psychometric evaluation of the Greek short forms of two condition-specific quality of life questionnaires for women with pelvic floor disorders: PFDI-20 and PFIQ-7. <i>International Urogynecology Journal</i> , 2013, 24, 2131-2144. | 0.7 | 22 |
| 201 | Laparoscopic sacropexy and obstructed defecation syndrome: an anatomoclinical study. <i>International Urogynecology Journal</i> , 2013, 24, 1623-1630. | 0.7 | 16 |
| 202 | Pelvic floor symptoms and bone mineral density in women undergoing osteoporosis evaluation. <i>International Urogynecology Journal</i> , 2013, 24, 1663-1669. | 0.7 | 11 |
| 203 | The association between fecal incontinence and sexual activity and function in women attending a tertiary referral center. <i>International Urogynecology Journal</i> , 2013, 24, 1489-1494. | 0.7 | 36 |
| 204 | The effect of uterine fibroid embolization on lower urinary tract symptoms. <i>International Urogynecology Journal</i> , 2013, 24, 1341-1345. | 0.7 | 11 |
| 205 | Prospective study of an ultra-lightweight polypropylene Y mesh for robotic sacrocolpopexy. <i>International Urogynecology Journal</i> , 2013, 24, 1371-1375. | 0.7 | 36 |
| 206 | A new measure of sexual function in women with pelvic floor disorders (PFD): the Pelvic Organ Prolapse/Incontinence Sexual Questionnaire, IUGA-Revised (PISQ-IR). <i>International Urogynecology Journal</i> , 2013, 24, 1091-1103. | 0.7 | 139 |
| 207 | Reliability and validity of the Japanese version of the pelvic floor distress inventory-short form 20. <i>International Urogynecology Journal</i> , 2013, 24, 1039-1046. | 0.7 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 208 | Surgical outcomes of anterior trans-obturator mesh and vaginal sacrospinous ligament fixation for severe pelvic organ prolapse in overweight and obese Asian women. <i>International Urogynecology Journal</i> , 2013, 24, 809-816. | 0.7 | 20 |
| 209 | Predictors of postoperative antimuscarinics in women with mixed urinary incontinence after transobturator surgery. <i>International Urogynecology Journal</i> , 2013, 24, 401-406. | 0.7 | 8 |
| 210 | A Systematic Review of Quality of Life Measures in Pregnant and Postpartum Mothers. <i>Applied Research in Quality of Life</i> , 2013, 8, 219-250. | 1.4 | 80 |
| 211 | Bariatric Surgery Improves Urinary Incontinence but Not Anorectal Function in Obese Women. <i>Obesity Surgery</i> , 2013, 23, 931-938. | 1.1 | 24 |
| 212 | Body image, regret, and satisfaction following colpocleisis. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 473.e1-473.e7. | 0.7 | 45 |
| 213 | Patient preferences for uterine preservation and hysterectomy in women with pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 470.e1-470.e6. | 0.7 | 134 |
| 214 | Cultural adaptation and validation of the Pelvic Floor Distress Inventory Short Form (PFDI-20) and Pelvic Floor Impact Questionnaire Short Form (PFIQ-7) Spanish versions. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 170, 281-285. | 0.5 | 55 |
| 215 | Epidemiology and outcome assessment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2013, 24, 1783-1790. | 0.7 | 477 |
| 216 | Patient recall 6 weeks after surgical consent for midurethral sling using mesh. <i>International Urogynecology Journal</i> , 2013, 24, 2099-2104. | 0.7 | 20 |
| 217 | Does the impact of urinary incontinence on quality of life differ based on age?. <i>International Urogynecology Journal</i> , 2013, 24, 2077-2080. | 0.7 | 11 |
| 219 | The effect of pelvic organ prolapse severity on improvement in overactive bladder symptoms after pelvic reconstructive surgery. <i>International Urogynecology Journal</i> , 2013, 24, 1303-1308. | 0.7 | 41 |
| 220 | Measuring outcomes in urogynecological surgery: "perspective is everything". <i>International Urogynecology Journal</i> , 2013, 24, 15-25. | 0.7 | 29 |
| 221 | Pelvic floor disorders clinical trials: participant recruitment and retention. <i>International Urogynecology Journal</i> , 2013, 24, 73-79. | 0.7 | 4 |
| 222 | Caffeine and urinary incontinence in US women. <i>International Urogynecology Journal</i> , 2013, 24, 295-302. | 0.7 | 73 |
| 223 | Which women develop urgency or urgency urinary incontinence following midurethral slings?. <i>International Urogynecology Journal</i> , 2013, 24, 47-54. | 0.7 | 32 |
| 224 | A cross-sectional survey of the relationship between fecal incontinence and constipation. <i>International Urogynecology Journal</i> , 2013, 24, 61-65. | 0.7 | 15 |
| 225 | Clinical and instrumental evaluation of pelvic floor disorders before and after bariatric surgery in obese women. <i>Surgery for Obesity and Related Diseases</i> , 2013, 9, 69-75. | 1.0 | 45 |
| 226 | Can the PFDI or PFIQ be used to predict outcome in pelvic reconstructive surgery?. <i>Progres En Urologie</i> , 2013, 23, 940-945. | 0.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 227 | Phenotyping clinical disorders: lessons learned from pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, 360-365. | 0.7 | 10 |
| 228 | Validation of the Pelvic Floor Distress Inventory [®] and the Pelvic Floor Impact Questionnaire [®] in Danish women with pelvic organ prolapse. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 1041-1048. | 1.3 | 20 |
| 229 | Subjective and objective outcomes 1Âyear after robotic-assisted laparoscopic sacrocolpopexy. <i>Journal of Robotic Surgery</i> , 2013, 7, 35-38. | 1.0 | 7 |
| 230 | Spanish translation and validation of four short pelvic floor disorders questionnaires. <i>International Urogynecology Journal</i> , 2013, 24, 655-670. | 0.7 | 27 |
| 231 | Pelvic Floor Functional and Impairment Limitations in a Female With Hip Osteoarthritis. <i>Topics in Geriatric Rehabilitation</i> , 2013, 29, 239-245. | 0.2 | 0 |
| 232 | The Vulvovaginal Symptoms Questionnaire. <i>Menopause</i> , 2013, 20, 973-979. | 0.8 | 70 |
| 233 | Clinical Characteristics Associated With Unsuccessful Pessary Fitting Outcomes. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 339-345. | 0.6 | 33 |
| 234 | Evaluation of Pelvic Floor Symptoms and Sexual Function in Primiparous Women Who Underwent Operative Vaginal Delivery Versus Cesarean Delivery for Second-Stage Arrest. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 13-16. | 0.6 | 20 |
| 235 | Increased Fluid Intake Is Associated With Bothersome Bowel Symptoms Among Women With Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 152-156. | 0.6 | 2 |
| 236 | Impact of Physical Therapy on Quality of Life and Function After Vaginal Reconstructive Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 271-277. | 0.6 | 23 |
| 237 | Elevate Anterior/Apical. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 79-83. | 0.6 | 45 |
| 238 | Effect of Intrinsic Sphincter Deficiency on Midurethral Sling Outcomes in Women With Mixed Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 132-136. | 0.6 | 6 |
| 239 | Attitudes Toward Hysterectomy in Women Undergoing Evaluation for Uterovaginal Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 103-109. | 0.6 | 117 |
| 240 | Variables Impacting Care-Seeking for Pelvic Floor Disorders Among African American Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 98-102. | 0.6 | 18 |
| 241 | Pelvic organ prolapse after subtotal and total hysterectomy: a longâ€term followâ€up of an open randomised controlled multicentre study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1556-1565. | 1.1 | 28 |
| 242 | Quality of Life Questionnaires for the Assessment of Pelvic Organ Prolapse: Use in Clinical Practice. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2013, 5, 121-128. | 0.6 | 9 |
| 243 | Three-Year Outcomes of Vaginal Mesh for Prolapse. <i>Obstetrics and Gynecology</i> , 2013, 122, 770-777. | 1.2 | 44 |
| 244 | Porcine Dermis Compared With Polypropylene Mesh for Laparoscopic Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2013, 121, 143-151. | 1.2 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 245 | Use of ultrasound in the clinical evaluation of women following colpocleisis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 447-451. | 0.9 | 4 |
| 246 | Translation and linguistic validation of Korean version of short form of pelvic floor distress inventory-20, pelvic floor impact questionnaire-7. <i>Obstetrics and Gynecology Science</i> , 2013, 56, 330. | 0.6 | 24 |
| 247 | Pelvic Floor Rehabilitation in Anal Incontinence. , 2014, , . | | 2 |
| 248 | Electronic pelvic floor assessment questionnaire: a systematic review. <i>British Journal of Nursing</i> , 2014, 23, S32-S37. | 0.3 | 5 |
| 249 | A comparative study of laparoscopic sacrocolpopexy and total vaginal mesh procedure using lightweight polypropylene meshes for prolapse repair. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2014, 53, 552-558. | 0.5 | 17 |
| 250 | Surgical outcomes and quality of life postâ€œsynthetic meshâ€œaugmented repair for pelvic organ prolapse in the <sc>C</sc>hinese population. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 509-514. | 0.6 | 3 |
| 251 | Examining mechanisms of brain control of bladder function with resting state functional connectivity MRI. <i>Neurourology and Urodynamics</i> , 2014, 33, 493-501. | 0.8 | 30 |
| 252 | The Three Axial Perineal Evaluation (<sc>TAPE</sc>) score: a new scoring system for comprehensive evaluation of pelvic floor function. <i>Colorectal Disease</i> , 2014, 16, 459-468. | 0.7 | 21 |
| 253 | Contribution of the second stage of labour to pelvic floor dysfunction: a prospective cohort comparison of nulliparous women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1145-1154. | 1.1 | 82 |
| 254 | Anterior colporrhaphy compared with collagenâ€œcoated transvaginal mesh for anterior vaginal wall prolapse: a randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 102-111. | 1.1 | 43 |
| 255 | Association of Depression and Anxiety in Underserved Women With and Without Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014, 20, 349-353. | 0.6 | 14 |
| 256 | Prospective Cohort Study of Bowel Function After Robotic Sacrocolpopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014, 20, 87-89. | 0.6 | 8 |
| 257 | Patient Beliefs Regarding Hysterectomy in Women Seeking Surgery for Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014, 20, 267-271. | 0.6 | 10 |
| 258 | Pelvic Floor Physical Therapy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014, 20, 334-341. | 0.6 | 15 |
| 259 | Pelvic Floor Muscle Evaluation Findings in Patients With Urinary Incontinence. <i>Journal of Women's Health Physical Therapy</i> , 2014, 38, 90-94. | 0.5 | 5 |
| 260 | How Does Site of Pelvic Organ Prolapse Repair Affect Overactive Bladder Symptoms?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014, 20, 203-207. | 0.6 | 15 |
| 261 | An Automatic Female Pelvic Medicine and Reconstructive Surgery Registry and Complications Manager Developed in an Electronic Medical Record. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014, 20, 302-304. | 0.6 | 3 |
| 262 | What Happens to the Posterior Compartment and Bowel Symptoms After Sacrocolpopexy? Evaluation of 5-Year Outcomes From E-CARE. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014, 20, 261-266. | 0.6 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 263 | Is Postoperative Bowel Function Related to Posterior Compartment Prolapse Repair?. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 90-94. | 0.6 | 4 |
| 264 | Robotic Sacrocolpopexy for the Management of Pelvic Organ Prolapse. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 38-43. | 0.6 | 18 |
| 266 | Long-Term Follow-up of Treatment for Synthetic Mesh Complications. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 126-130. | 0.6 | 27 |
| 267 | Effect of pelvic floor muscle training compared with watchful waiting in older women with symptomatic mild pelvic organ prolapse: randomised controlled trial in primary care. BMJ, The, 2014, 349, g7378-g7378. | 3.0 | 70 |
| 268 | Commentary on "Maternal and child health after assisted vaginal delivery: five-year follow up of a randomised controlled study comparing forceps and ventouse". BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 29-34. | 1.1 | 2 |
| 269 | Cancer-Related Impairments Influence Physical Activity in Uterine Cancer Survivors. Medicine and Science in Sports and Exercise, 2014, 46, 2195-2201. | 0.2 | 24 |
| 270 | Absorbable Mesh Augmentation Compared With No Mesh for Anterior Prolapse. Obstetrics and Gynecology, 2014, 123, 288-294. | 1.2 | 20 |
| 271 | Ethnicity and variations of pelvic organ prolapse bother. International Urogynecology Journal, 2014, 25, 53-59. | 0.7 | 37 |
| 272 | Validation of the Pelvic Floor Distress Inventory (PFDI-20) and Pelvic Floor Impact Questionnaire (PFIQ-7) in a Dutch population. International Urogynecology Journal, 2014, 25, 531-544. | 0.7 | 66 |
| 273 | Perineal body length as a risk factor for ultrasound-diagnosed anal sphincter tear at first delivery. International Urogynecology Journal, 2014, 25, 631-636. | 0.7 | 31 |
| 274 | 3D pelvic floor ultrasound findings and severity of anal incontinence. International Urogynecology Journal, 2014, 25, 623-629. | 0.7 | 16 |
| 275 | Subjective and objective results 1 year after robotic sacrocolpopexy using a lightweight Y-mesh. International Urogynecology Journal, 2014, 25, 731-735. | 0.7 | 44 |
| 276 | Utility of dipstick urinalysis in peri- and postmenopausal women with irritative bladder symptoms. International Urogynecology Journal, 2014, 25, 493-497. | 0.7 | 7 |
| 277 | Three-dimensional transperineal ultrasound for imaging mesh implants following sacrocolpopexy. Ultrasound in Obstetrics and Gynecology, 2014, 43, 459-465. | 0.9 | 17 |
| 278 | Anchor placement and subsequent movement in a mesh kit with self-fixating tips: 6-month follow-up of a prospective cohort. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 634-640. | 1.1 | 8 |
| 279 | Validity of utility measures for women with urge, stress, and mixed urinary incontinence. American Journal of Obstetrics and Gynecology, 2014, 210, 85.e1-85.e6. | 0.7 | 16 |
| 280 | Long-term outcomes of synthetic transobturator nonabsorbable anterior mesh versus anterior colporrhaphy in symptomatic, advanced pelvic organ prolapse surgery. International Urogynecology Journal, 2014, 25, 257-264. | 0.7 | 30 |
| 281 | Evaluation of confounding factors interfering with sexual function in women with minimal pelvic organ prolapse. International Journal of Gynecology and Obstetrics, 2014, 127, 73-76. | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 282 | Comparison of outcomes after vaginal reconstruction surgery between elderly and younger women. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2014, 53, 348-354. | 0.5 | 11 |
| 283 | Improving treatment for obese women with early stage cancer of the uterus: Rationale and design of the levonorgestrel intrauterine device±Metformin±weight loss in endometrial cancer (feMME) trial. <i>Contemporary Clinical Trials</i> , 2014, 39, 14-21. | 0.8 | 58 |
| 285 | Nine-year objective and subjective follow-up of the ultra-lateral anterior repair for cystocele. <i>International Urogynecology Journal</i> , 2014, 25, 387-392. | 0.7 | 13 |
| 286 | Outcome measures to assess anatomy and function of the posterior vaginal compartment. <i>International Urogynecology Journal</i> , 2014, 25, 893-899. | 0.7 | 10 |
| 287 | Does concomitant anterior/apical repair during midurethral sling improve the overactive bladder component of mixed incontinence?. <i>International Urogynecology Journal</i> , 2014, 25, 1269-1275. | 0.7 | 5 |
| 288 | Two-year urinary outcomes of sacrocolpopexy with or without transobturator tape: results of a prolapse-reduction stress test-based approach. <i>International Urogynecology Journal</i> , 2014, 25, 1517-1522. | 0.7 | 14 |
| 289 | The Integral Theory System Questionnaire: an anatomically directed questionnaire to determine pelvic floor dysfunctions in women. <i>World Journal of Urology</i> , 2014, 32, 769-781. | 1.2 | 14 |
| 290 | Pelvic floor muscle training versus watchful waiting or pessary treatment for pelvic organ prolapse (POPSS): Design and participant baseline characteristics of two parallel pragmatic randomized controlled trials in primary care. <i>Maturitas</i> , 2014, 77, 168-173. | 1.0 | 27 |
| 291 | Advanced utero-vaginal prolapse and vaginal vault suspension: synthetic mesh vs native tissue repair. <i>Archives of Gynecology and Obstetrics</i> , 2014, 289, 1053-1060. | 0.8 | 4 |
| 292 | Body Image in the Pelvic Organ Prolapse Questionnaire: development and validation. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 174.e1-174.e9. | 0.7 | 19 |
| 293 | Assessment of Collagen-Coated Anterior Mesh Through Morphology and Clinical Outcomes in Pelvic Reconstructive Surgery for Pelvic Organ Prolapse. <i>Journal of Minimally Invasive Gynecology</i> , 2014, 21, 753-761. | 0.3 | 18 |
| 294 | A pilot randomized control trial to evaluate pelvic floor muscle training for urinary incontinence among gynecologic cancer survivors. <i>Gynecologic Oncology</i> , 2014, 132, 154-158. | 0.6 | 46 |
| 295 | Sexual function in older women with pelvic floor symptoms: a cross-sectional study in general practice. <i>British Journal of General Practice</i> , 2014, 64, e144-e150. | 0.7 | 22 |
| 296 | Impact of Fecal Incontinence and Its Treatment on Quality of Life in Women. <i>Women's Health</i> , 2015, 11, 225-238. | 0.7 | 95 |
| 297 | Cost Utility of the Treatment of Stress Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015, 21, 150-153. | 0.6 | 27 |
| 298 | Validation of a self-administered instrument to measure adherence to anticholinergic drugs in women with overactive bladder. <i>Neurourology and Urodynamics</i> , 2015, 34, 424-428. | 0.8 | 11 |
| 299 | Health-Related Quality of Life and Outcomes After Surgical Treatment of Complications From Vaginally Placed Mesh. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015, 21, 176-180. | 0.6 | 20 |
| 300 | Long-term outcome of native tissue reconstructive vaginal surgery for advanced pelvic organ prolapse at 86 months: Hysterectomy versus hysteropexy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 1099-1107. | 0.6 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 301 | Prevalence and Resolution of Auditory Passage of Vaginal Air in Women With Pelvic Floor Disorders. <i>Obstetrics and Gynecology</i> , 2015, 126, 136-143. | 1.2 | 10 |
| 302 | Obliterative Surgery for the Treatment of Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015, 21, 325-331. | 0.6 | 10 |
| 303 | Long-term quality of life outcomes and retreatment rates after robotic sacrocolpopexy. <i>International Journal of Urology</i> , 2015, 22, 1155-1158. | 0.5 | 22 |
| 304 | Elevate and Uterine Preservation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015, 21, 205-210. | 0.6 | 14 |
| 305 | Postoperative voiding difficulty and mesh-related complications after Total Prolift System surgical repair for pelvic organ prolapse and predisposing factors. <i>Menopause</i> , 2015, 22, 885-892. | 0.8 | 7 |
| 306 | Short-term effects on voiding function after mesh-related surgical repair of advanced pelvic organ prolapse. <i>Menopause</i> , 2015, 22, 993-999. | 0.8 | 11 |
| 307 | Differences in Symptom Severity and Quality of Life in Patients With Obstructive Defecation and Colonic Inertia. <i>Diseases of the Colon and Rectum</i> , 2015, 58, 994-998. | 0.7 | 7 |
| 308 | Effect of Coexisting Pelvic Floor Disorders on Fecal Incontinence Quality of Life Scores. <i>Diseases of the Colon and Rectum</i> , 2015, 58, 1091-1097. | 0.7 | 22 |
| 309 | Positional pelvic organ prolapse (POP) evaluation using open, weight-bearing magnetic resonance imaging (MRI). <i>Canadian Urological Association Journal</i> , 2015, 9, 197. | 0.3 | 9 |
| 310 | Pelvic organ prolapse and incontinence 15-23 years after first delivery: a cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 964-971. | 1.1 | 56 |
| 311 | High uterosacral vault suspension vs Sacrocolpopexy for treating apical defects: a randomized controlled trial with twelve months follow-up. <i>International Urogynecology Journal</i> , 2015, 26, 1131-1138. | 0.7 | 38 |
| 312 | Bilateral Sacrospinous Vault Fixation With Tailored Synthetic Mesh Arms: Clinical Outcomes at One Year. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2015, 37, 129-137. | 0.3 | 16 |
| 313 | Female pelvic floor dysfunctions and evidence-based physical therapy. , 2015, , 131-270. | | 2 |
| 314 | Evidence-based physical therapy for pelvic floor dysfunctions affecting both women and men. , 2015, , 311-353. | | 0 |
| 315 | Effect of increasing awareness of pelvic floor muscle function on pelvic floor dysfunction: a randomized controlled trial. <i>International Urogynecology Journal</i> , 2015, 26, 837-844. | 0.7 | 51 |
| 316 | Sexual Activity and Vaginal Topography in Women with Symptomatic Pelvic Floor Disorders. <i>Journal of Sexual Medicine</i> , 2015, 12, 416-423. | 0.3 | 10 |
| 317 | Frailty, cognitive impairment, and functional disability in older women with female pelvic floor dysfunction. <i>International Urogynecology Journal</i> , 2015, 26, 823-830. | 0.7 | 37 |
| 318 | Outcomes of midurethral sling procedures in women with mixed urinary incontinence. <i>International Urogynecology Journal</i> , 2015, 26, 715-720. | 0.7 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 319 | Implementation of a standardized digital rectal exam to improve the accuracy of rectocele diagnosis. <i>International Urogynecology Journal</i> , 2015, 26, 107-111. | 0.7 | 3 |
| 320 | The development and first validation of the Manchester Early Morning Symptoms Index (MEMSI) for patients with COPD. <i>Thorax</i> , 2015, 70, 757-763. | 2.7 | 11 |
| 321 | Objective and subjective outcome 3 years after synthetic transobturator nonabsorbable anterior mesh use in symptomatic advanced pelvic organ prolapse surgery. <i>Gynecology and Minimally Invasive Therapy</i> , 2015, 4, 37-40. | 0.2 | 0 |
| 322 | Voiding diaries: adherence in the clinical setting. <i>International Urogynecology Journal</i> , 2015, 26, 91-97. | 0.7 | 18 |
| 323 | Sexual function in women with anal incontinence using a new instrument: the PISQ-IR. <i>International Urogynecology Journal</i> , 2015, 26, 657-663. | 0.7 | 13 |
| 324 | How large does a rectocele have to be to cause symptoms? A 3D/4D ultrasound study. <i>International Urogynecology Journal</i> , 2015, 26, 1355-1359. | 0.7 | 29 |
| 325 | One-Year Functional and Anatomic Outcomes of Robotic Sacrocolpopexy Versus Vaginal Extraperitoneal Colpopexy With Mesh. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015, 21, 87-92. | 0.6 | 11 |
| 326 | Pain With Vaginal Dilation in a Patient Following Sexual Reassignment Surgery. <i>Journal of Women's Health Physical Therapy</i> , 2015, 39, 10-16. | 0.5 | 5 |
| 327 | Clinical characteristics of women with familial pelvic floor disorders. <i>International Urogynecology Journal</i> , 2015, 26, 401-406. | 0.7 | 5 |
| 328 | Efficacy of biofeedback-assisted pelvic floor muscle training in females with pelvic floor dysfunction. <i>Alexandria Journal of Medicine</i> , 2015, 51, 137-142. | 0.4 | 10 |
| 329 | A strong pelvic floor is associated with higher rates of sexual activity in women with pelvic floor disorders. <i>International Urogynecology Journal</i> , 2015, 26, 991-996. | 0.7 | 23 |
| 330 | Pelvic Floor and Urinary Distress in Women with Fibromyalgia. <i>Pain Management Nursing</i> , 2015, 16, 834-840. | 0.4 | 16 |
| 331 | Controlling anal incontinence in women by performing anal exercises with biofeedback or loperamide (CAPABLE) trial: Design and methods. <i>Contemporary Clinical Trials</i> , 2015, 44, 164-174. | 0.8 | 17 |
| 332 | Bangladesh Midlife Women's Health Study (BMWHS): Methods, challenges and experiences. <i>Maturitas</i> , 2015, 80, 89-94. | 1.0 | 10 |
| 333 | The effect of sacral neuromodulation on pudendal nerve function and female sexual function. <i>Neurourology and Urodynamics</i> , 2015, 34, 456-460. | 0.8 | 33 |
| 334 | Sonographic predictors of obstructive defecatory dysfunction. <i>International Urogynecology Journal</i> , 2015, 26, 415-420. | 0.7 | 7 |
| 335 | Anterior-Apical Single-Incision Mesh Surgery (SIMS): Surgical and Functional Outcomes at 1 Year. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, 50-56. | 0.3 | 19 |
| 336 | Comparison between Elevate Anterior/Apical system and Perigee system in pelvic organ prolapse surgery: clinical and sonographic outcomes. <i>International Urogynecology Journal</i> , 2015, 26, 391-400. | 0.7 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 337 | Relationship between the Pelvic Organ Prolapse Quantification system (POP-Q), the Pelvic Floor Impact Questionnaire (PFIQ-7), and the Pelvic Floor Distress Inventory (PFDI-20) before and after anterior vaginal wall prolapse surgery. <i>International Urogynecology Journal</i> , 2015, 26, 195-200. | 0.7 | 21 |
| 338 | Prevalence and Risk Factors of Urinary Incontinence and its Impact on the Quality of Life and Treatment Seeking Behavior among Malaysian Women: A Review. <i>Journal of Women's Health Care</i> , 2016, 05, . | 0.2 | 2 |
| 339 | Optimizing Urine Processing Protocols for Protein and Metabolite Detection. <i>Journal of Proteomics and Bioinformatics</i> , 2016, s14, . | 0.4 | 3 |
| 340 | The association of pelvic organ prolapse severity and improvement in overactive bladder symptoms after surgery for pelvic organ prolapse. <i>Obstetrics and Gynecology Science</i> , 2016, 59, 214. | 0.6 | 23 |
| 341 | Evaluation and management of overactive bladder: strategies for optimizing care. <i>Research and Reports in Urology</i> , 2016, Volume 8, 113-122. | 0.6 | 39 |
| 342 | Does the Urinary Microbiome Play a Role in Urgency Urinary Incontinence and Its Severity?. <i>Frontiers in Cellular and Infection Microbiology</i> , 2016, 6, 78. | 1.8 | 224 |
| 343 | Predictive modeling and threshold scores for care seeking among women with urinary incontinence: The short forms of the Pelvic Floor Distress Inventory and Urogenital Distress Inventory. <i>Neurourology and Urodynamics</i> , 2016, 35, 949-954. | 0.8 | 17 |
| 344 | Impact of Rising Grades of Internal Rectal Intussusception on Fecal Continence and Symptoms of Constipation. <i>Diseases of the Colon and Rectum</i> , 2016, 59, 54-61. | 0.7 | 52 |
| 345 | Abnormal functional connectivity in women with urgency urinary incontinence: Can we predict disease presence and severity in individual women using Rsâ€¦MRI/. <i>Neurourology and Urodynamics</i> , 2016, 35, 564-573. | 0.8 | 28 |
| 346 | Analysis of changes in sexual function in women undergoing pelvic organ prolapse repair with abdominal or vaginal approaches. <i>International Urogynecology Journal</i> , 2016, 27, 1919-1924. | 0.7 | 21 |
| 347 | Association between pelvic floor disorder symptoms and QoL scores with depressive symptoms among pelvic organ prolapse patients. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016, 56, 391-397. | 0.4 | 17 |
| 348 | Obstetric anal sphincter injury and incontinence 15â€¦23 years after vaginal delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 941-947. | 1.3 | 35 |
| 349 | A 3â€¦year followâ€¦up after anterior colporrhaphy compared with collagenâ€¦coated transvaginal mesh for anterior vaginal wall prolapse: a randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 136-142. | 1.1 | 42 |
| 350 | The 12â€¦month effects of structured lifestyle advice and pelvic floor muscle training for pelvic organ prolapse. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 811-819. | 1.3 | 7 |
| 351 | Long-term follow-up after LeFort colpocleisis: patient satisfaction, regret rate, and pelvic symptoms. <i>Menopause</i> , 2016, 23, 621-625. | 0.8 | 22 |
| 352 | Graft and Mesh Use in Transvaginal Prolapse Repair. <i>Obstetrics and Gynecology</i> , 2016, 128, 81-91. | 1.2 | 58 |
| 353 | Effectiveness and cost-effectiveness of pessary treatment compared with pelvic floor muscle training in older women with pelvic organ prolapse: 2-year follow-up of a randomized controlled trial in primary care. <i>Menopause</i> , 2016, 23, 1307-1318. | 0.8 | 34 |
| 354 | Management of patients with rectocele. <i>Seminars in Colon and Rectal Surgery</i> , 2016, 27, 51-58. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 356 | Measuring the impact of a posterior compartment procedure on symptoms of obstructed defecation and posterior vaginal compartment anatomy. <i>International Urogynecology Journal</i> , 2016, 27, 1817-1823. | 0.7 | 12 |
| 357 | Bariatric surgery improves female pelvic floor disorders. <i>Journal of Visceral Surgery</i> , 2016, 153, 95-99. | 0.4 | 21 |
| 358 | Symptomatic pelvic floor disorders in community-dwelling older Australian women. <i>Maturitas</i> , 2016, 85, 34-41. | 1.0 | 41 |
| 359 | Comments to: surgical management of pelvic organ prolapse in women. <i>Techniques in Coloproctology</i> , 2016, 20, 327-330. | 0.8 | 0 |
| 360 | Patient-reported goal attainment and comprehensive functioning outcomes after surgery compared with pessary for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 659.e1-659.e7. | 0.7 | 33 |
| 363 | Mesh Surgery for Anterior Vaginal Wall Prolapse: A Meta-analysis. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016, 38, 356-364. | 0.3 | 14 |
| 364 | Pelvic Floor Symptoms and Spinal Curvature in Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 219-223. | 0.6 | 11 |
| 365 | Body Image, Regret, and Satisfaction 24 Weeks After Colpocleisis. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 132-135. | 0.6 | 22 |
| 366 | Combined sacrospinous hysteropexy and cystopexy using a single anterior incision. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 135, 101-106. | 1.0 | 9 |
| 367 | Ultrasound Evaluation of the Urethra and Bladder Neck Before and After Transurethral Bulking. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 118-122. | 0.6 | 9 |
| 368 | Age-stratified analysis of long-term outcomes of transvaginal mesh repair for treatment of pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 135, 112-116. | 1.0 | 1 |
| 370 | The Effect of Perineal Lacerations on Pelvic Floor Function and Anatomy at 6 Months Postpartum in a Prospective Cohort of Nulliparous Women. <i>Birth</i> , 2016, 43, 293-302. | 1.1 | 58 |
| 371 | The prevalence of symptomatic pelvic floor disorders in women in Bangladesh. <i>Climacteric</i> , 2016, 19, 558-564. | 1.1 | 28 |
| 372 | Analysis of Physical Therapy Intervention Outcomes for Urinary Incontinence in Women Older Than 65 Years in Outpatient Clinical Settings. <i>Topics in Geriatric Rehabilitation</i> , 2016, 32, 251-257. | 0.2 | 3 |
| 373 | The usability of a WeChat-based electronic questionnaire for collecting participant-reported data in female pelvic floor disorders: a comparison with the traditional paper-administered format. <i>Menopause</i> , 2016, 23, 856-862. | 0.8 | 37 |
| 374 | Vulvovaginal symptoms prevalence in postmenopausal women and relationship to other menopausal symptoms and pelvic floor disorders. <i>Menopause</i> , 2016, 23, 368-375. | 0.8 | 44 |
| 375 | Patient Satisfaction With Nurse-Led Telephone Follow-up in an Ambulatory Setting. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 430-432. | 0.6 | 6 |
| 376 | Quality Measures for Prolapse Management. <i>Current Obstetrics and Gynecology Reports</i> , 2016, 5, 152-157. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 377 | Anatomical and functional changes to the pelvic floor after robotic versus laparoscopic ventral rectopexy: a randomised study. <i>International Urogynecology Journal</i> , 2016, 27, 1837-1845. | 0.7 | 18 |
| 378 | The Design of a Randomized Trial of Vaginal Surgery for Uterovaginal Prolapse: Vaginal Hysterectomy With Native Tissue Vault Suspension Versus Mesh Hysteropexy Suspension (The Study of Uterine) <i>Tj ETQq1 1 0.784314 rgBT/Overlo</i> 182-189. | 0.6 | 24 |
| 379 | Is self-reported adherence associated with clinical outcomes in women treated with anticholinergic medication for overactive bladder?. <i>Neurourology and Urodynamics</i> , 2016, 35, 738-742. | 0.8 | 13 |
| 380 | The value of the preoperative 1-h pad test with pessary insertion for predicting the need for a mid-urethral sling following pelvic prolapse surgery: a cohort study. <i>World Journal of Urology</i> , 2016, 34, 361-367. | 1.2 | 7 |
| 381 | Validation and cultural translation for Brazilian Portuguese version of the Pelvic Floor Impact Questionnaire (PFIQ-7) and Pelvic Floor Distress Inventory (PFDI-20). <i>International Urogynecology Journal</i> , 2016, 27, 1097-1106. | 0.7 | 43 |
| 382 | Assessment of collagen versus non collagen coated anterior vaginal mesh in pelvic reconstructive surgery: prospective study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 198, 138-144. | 0.5 | 9 |
| 383 | Native Tissue Prolapse Repairs. <i>Obstetrics and Gynecology Clinics of North America</i> , 2016, 43, 69-81. | 0.7 | 15 |
| 384 | Synthetic Graft Augmentation in Vaginal Prolapse Surgery: Long-Term Objective and Subjective Outcomes. <i>Journal of Minimally Invasive Gynecology</i> , 2016, 23, 614-621. | 0.3 | 14 |
| 385 | Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2016, 27, 1069-1074. | 0.7 | 30 |
| 386 | Prevalence and trends of pelvic floor disorders in late pregnancy and after delivery in a cohort of Israeli women using the PFDI-20. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 200, 35-39. | 0.5 | 32 |
| 387 | Cultural adaptation and validation of the Wexner scale in patients with anal incontinence in a Brazilian population. <i>International Urogynecology Journal</i> , 2016, 27, 959-963. | 0.7 | 11 |
| 388 | Laparoscopic sacral hysteropexy versus laparoscopic sacrocolpopexy with hysterectomy for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2016, 27, 93-101. | 0.7 | 50 |
| 389 | Lifestyle advice with or without pelvic floor muscle training for pelvic organ prolapse: a randomized controlled trial. <i>International Urogynecology Journal</i> , 2016, 27, 555-563. | 0.7 | 26 |
| 390 | Impact of pelvic floor muscle training in the postpartum period. <i>International Urogynecology Journal</i> , 2016, 27, 255-260. | 0.7 | 17 |
| 391 | Association between pelvic floor muscle trauma and pelvic organ prolapse 20 years after delivery. <i>International Urogynecology Journal</i> , 2016, 27, 39-45. | 0.7 | 39 |
| 392 | Is bariatric surgery the answer to urinary incontinence in obese women?. <i>Neurourology and Urodynamics</i> , 2017, 36, 184-187. | 0.8 | 22 |
| 393 | The relationship between fecal incontinence, constipation and defecatory symptoms in women with pelvic floor disorders. <i>Neurourology and Urodynamics</i> , 2017, 36, 495-498. | 0.8 | 8 |
| 394 | Two-year effects and cost-effectiveness of pelvic floor muscle training in mild pelvic organ prolapse: a randomised controlled trial in primary care. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 511-520. | 1.1 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 395 | Cultural adaptation of the female pelvic floor questionnaire (FPFQ) into French. <i>Neurourology and Urodynamics</i> , 2017, 36, 253-258. | 0.8 | 13 |
| 396 | Long-term follow-up of sacrocolpopexy mesh implants at two time intervals at least 1 year apart using 4D transperineal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 398-403. | 0.9 | 5 |
| 397 | The "bother"™ of obstructed defecation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 394-397. | 0.9 | 4 |
| 398 | Urinary neurotrophic peptides in postmenopausal women with and without overactive bladder. <i>Neurourology and Urodynamics</i> , 2017, 36, 740-744. | 0.8 | 17 |
| 399 | Is Pelvic Floor Dysfunction an Independent Threat to Sexual Function? A Cross-Sectional Study in Women with Pelvic Floor Dysfunction. <i>Journal of Sexual Medicine</i> , 2017, 14, 226-237. | 0.3 | 26 |
| 400 | Norwegian translation, and validation, of the Pelvic Floor Distress Inventory (PFDI-20) and the Pelvic Floor Impact Questionnaire (PFIQ-7). <i>International Urogynecology Journal</i> , 2017, 28, 1005-1017. | 0.7 | 16 |
| 401 | Pelvic floor dysfunction and polycystic ovary syndrome. <i>Human Fertility</i> , 2017, 20, 262-267. | 0.7 | 8 |
| 403 | The impact of genital self-image on sexual function in women with pelvic floor disorders. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 211, 164-168. | 0.5 | 20 |
| 404 | Activity Restriction Recommendations and Outcomes After Reconstructive Pelvic Surgery. <i>Obstetrics and Gynecology</i> , 2017, 129, 608-614. | 1.2 | 28 |
| 405 | Symptom Relief and Retreatment After Vaginal, Open, or Robotic Surgery for Apical Vaginal Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 297-309. | 0.6 | 12 |
| 406 | Gender differences in chronic constipation on anorectal motility. <i>Neurogastroenterology and Motility</i> , 2017, 29, e12980. | 1.6 | 18 |
| 407 | Validation of the PFDI-20 and PFIQ-7 quality of life questionnaires in two African languages. <i>International Urogynecology Journal</i> , 2017, 28, 1883-1890. | 0.7 | 15 |
| 408 | A meta-analysis of pelvic floor muscle training for the treatment of urinary incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 138, 250-255. | 1.0 | 30 |
| 409 | Is the hymen a suitable cut-off point for clinically relevant pelvic organ prolapse?. <i>Maturitas</i> , 2017, 99, 86-91. | 1.0 | 3 |
| 410 | Urinary incontinence and other pelvic floor disorders after radiation therapy in endometrial cancer survivors. <i>Maturitas</i> , 2017, 105, 83-88. | 1.0 | 23 |
| 411 | The quality of life of HIV-infected and non-infected women post-caesarean section delivery. <i>Health SA Gesondheid</i> , 2017, 22, 87-92. | 0.3 | 2 |
| 412 | Effects of Bariatric Surgery on Female Pelvic Floor Disorders. <i>Urology</i> , 2017, 105, 42-47. | 0.5 | 23 |
| 413 | Pelvic Symptoms, Body Image, and Regret after LeFort Colpocleisis: A Long-Term Follow-Up. <i>Journal of Minimally Invasive Gynecology</i> , 2017, 24, 415-419. | 0.3 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 414 | Posterior Transvaginal Mesh without Concurrent Surgery: How Does It have an Effect on the Untreated Vaginal Compartment?. <i>Gynecologic and Obstetric Investigation</i> , 2017, 82, 66-71. | 0.7 | 5 |
| 415 | Updates on the diagnostic tools for evaluation of pelvic floor disorders. <i>Current Opinion in Obstetrics and Gynecology</i> , 2017, 29, 458-464. | 0.9 | 9 |
| 416 | Avoidance of the vaginal incision site for mesh placement in vaginal wall prolapse surgery: A prospective study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 217, 131-136. | 0.5 | 5 |
| 417 | Changes in voiding function after laparoscopic sacrocolpopexy for advanced pelvic organ prolapse: a cohort study of 76 cases. <i>International Urogynecology Journal</i> , 2017, 29, 505-512. | 0.7 | 6 |
| 419 | Preoperative quality of life questionnaires are an adequate tool to select women with genital prolapse for laparoscopic sacrocolpopexy. <i>International Urogynecology Journal</i> , 2017, 28, 1833-1839. | 0.7 | 5 |
| 420 | Direct and Indirect Effects of Personality Traits on Psychological Distress in Women With Pelvic Floor Disorders. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 412-416. | 0.6 | 9 |
| 421 | Aromatase Inhibitors Are Associated with Low Sexual Desire Causing Distress and Fecal Incontinence in Women: An Observational Study. <i>Journal of Sexual Medicine</i> , 2017, 14, 1566-1574. | 0.3 | 23 |
| 422 | Vasomotor symptoms are associated with depressive symptoms in community-dwelling older women. <i>Menopause</i> , 2017, 24, 1365-1371. | 0.8 | 3 |
| 423 | Is levator hiatus distension associated with peripheral ligamentous laxity during pregnancy?. <i>International Urogynecology Journal</i> , 2017, 28, 1223-1231. | 0.7 | 8 |
| 424 | Prevalence of cognitive impairment in older women with pelvic floor disorders. <i>International Urogynecology Journal</i> , 2017, 28, 1645-1650. | 0.7 | 4 |
| 425 | Chronic joint pain and handgrip strength correlates with osteoporosis in mid-life women: a Singaporean cohort. <i>Osteoporosis International</i> , 2017, 28, 2633-2643. | 1.3 | 18 |
| 426 | Urinary incontinence in women. <i>Nature Reviews Disease Primers</i> , 2017, 3, 17042. | 18.1 | 234 |
| 428 | Validation of the short forms of the Pelvic Floor Distress Inventory (PFDI-20), Pelvic Floor Impact Questionnaire (PFIQ-7), and Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire (PISQ-12) in Finnish. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 88. | 1.0 | 29 |
| 429 | Validation of the International Urogynecology Association's Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire in Arabic. <i>International Urogynecology Journal</i> , 2017, 28, 437-445. | 0.7 | 9 |
| 430 | Do patient characteristics impact the relationship between anatomic prolapse and vaginal bulge symptoms?. <i>International Urogynecology Journal</i> , 2017, 28, 391-396. | 0.7 | 5 |
| 431 | Methodology for a trial of brain-centered versus anticholinergic therapy in women with urgency urinary incontinence. <i>International Urogynecology Journal</i> , 2017, 28, 865-874. | 0.7 | 6 |
| 432 | The relationship between age and pelvic organ prolapse bother. <i>International Urogynecology Journal</i> , 2017, 28, 751-755. | 0.7 | 18 |
| 433 | Minimal important change in the pelvic floor distress inventory-20 among women opting for conservative prolapse treatment. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 397.e1-397.e7. | 0.7 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 434 | Predictors of unsuccessful pessary fitting in women with prolapse: a cross-sectional study in general practice. <i>International Urogynecology Journal</i> , 2017, 28, 307-313. | 0.7 | 31 |
| 435 | Validation of an obstetric fistula screening questionnaire in rural Nepal: a community-based cross-sectional and nested case-control study with clinical examination. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 955-964. | 1.1 | 8 |
| 436 | Movement System Impairment-Guided Approach to the Physical Therapist Treatment of a Patient With Postpartum Pelvic Organ Prolapse and Mixed Urinary Incontinence: Case Report. <i>Physical Therapy</i> , 2017, 97, 464-477. | 1.1 | 11 |
| 437 | Vaginal and laparoscopic mesh hysteropexy for uterovaginal prolapse: a parallel cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 38.e1-38.e11. | 0.7 | 76 |
| 438 | Perspective on Physical Therapist Management of Functional Constipation. <i>Physical Therapy</i> , 2017, 97, 478-493. | 1.1 | 10 |
| 439 | If you could see what we see, would it bother you?. <i>International Urogynecology Journal</i> , 2017, 28, 59-64. | 0.7 | 2 |
| 440 | Effect of a New Risk Calculator on Patient Satisfaction With the Decision for Concomitant Midurethral Sling During Prolapse Surgery: A Randomized Controlled Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 17-22. | 0.6 | 6 |
| 441 | Single incision anterior apical mesh and sacrospinous ligament fixation in pelvic prolapse surgery at 36 months follow-up. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 793-800. | 0.5 | 18 |
| 442 | Hypoxia Induces Apoptosis through HIF-1 Signaling Pathway in Human Uterosacral Ligaments of Pelvic Organ Prolapse. <i>BioMed Research International</i> , 2017, 2017, 1-8. | 0.9 | 13 |
| 443 | Pelvic Organ Prolapse (POP) Working Group (SICCR): Doubts and Evidence for a Practical Guide. <i>Journal of Inflammatory Bowel Diseases & Disorders</i> , 2017, 02, . | 0.1 | 1 |
| 444 | Oncology Section EDGE Task Force on Urogenital Cancer: A Systematic Review of Clinical Measures for Incontinence. <i>Rehabilitation Oncology</i> , 2017, 35, 130-136. | 0.2 | 1 |
| 445 | A generic health-related quality of life instrument for assessing pelvic organ prolapse surgery: correlation with condition-specific outcome measures. <i>International Urogynecology Journal</i> , 2018, 29, 1093-1099. | 0.7 | 12 |
| 446 | Posterior Compartment Surgery Provides No Differential Benefit for Defecatory Symptoms Before or After Concomitant Mesh-Augmented Apical Suspension. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 183-187. | 0.6 | 5 |
| 447 | Effect of generalized anxiety disorders on the success of pessary treatment for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2018, 29, 1147-1153. | 0.7 | 8 |
| 448 | Trans-vaginal mesh surgery for management of recurrent pelvic organ prolapse following abdominal sacrocolpopexy. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2018, 57, 311-314. | 0.5 | 1 |
| 450 | Long term Follow-up of Transvaginal Anatomical Implant of Mesh in Pelvic organ prolapse. <i>Scientific Reports</i> , 2018, 8, 2829. | 1.6 | 7 |
| 451 | Current management of pelvic organ prolapse in aging women: EMAS clinical guide. <i>Maturitas</i> , 2018, 110, 118-123. | 1.0 | 21 |
| 452 | Uterine preservation vs hysterectomy in pelvic organ prolapse surgery: a systematic review with meta-analysis and clinical practice guidelines. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 129-146.e2. | 0.7 | 159 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 453 | Depressive symptoms affect outcomes of pessary use in postmenopausal women with uterine prolapse. <i>Climacteric</i> , 2018, 21, 184-188. | 1.1 | 7 |
| 454 | Is There a Difference in the Outcome of Mid-Urethral Sling Operations Performed by Urogynecologists Compared with Supervised Residents?. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 878-883. | 0.3 | 0 |
| 455 | Relationship Between Interrectus Distance and Symptom Severity in Women With Diastasis Recti Abdominis in the Early Postpartum Period. <i>Physical Therapy</i> , 2018, 98, 182-190. | 1.1 | 53 |
| 456 | Pelvic floor functional outcomes after total abdominal vs total laparoscopic hysterectomy for endometrial cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 419.e1-419.e14. | 0.7 | 7 |
| 458 | Prolapse Surgery and Outcome Measures. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , 2018, , 153-166. | 0.0 | 0 |
| 459 | Pelvic Organ Prolapse: Pathophysiology and Epidemiology. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , 2018, , 19-30. | 0.0 | 1 |
| 460 | Noninvasive Treatment of Postpartum Diastasis Recti Abdominis: A Pilot Study. <i>Journal of Women's Health Physical Therapy</i> , 2018, 42, 65-75. | 0.5 | 20 |
| 461 | Urogenital symptoms: prevalence, bother, associations and impact in 22-year-old women of the Raine Study. <i>International Urogynecology Journal</i> , 2018, 29, 1807-1815. | 0.7 | 9 |
| 462 | Surgically induced weight loss results in a rapid and consistent improvement of female pelvic floor symptoms. <i>Scandinavian Journal of Urology</i> , 2018, 52, 219-224. | 0.6 | 12 |
| 463 | The Manchester procedure: anatomical, subjective and sexual outcomes. <i>International Urogynecology Journal</i> , 2018, 29, 1193-1201. | 0.7 | 18 |
| 464 | Urinary symptoms after bladder flap at the time of primary cesarean delivery: a randomized controlled trial (RTC). <i>International Urogynecology Journal</i> , 2018, 29, 223-228. | 0.7 | 5 |
| 465 | Comparison of single- versus multicenter outcomes for pelvic organ prolapse repair using a mesh-capturing device. <i>International Urogynecology Journal</i> , 2018, 29, 91-97. | 0.7 | 7 |
| 466 | Outcomes and Characteristics of Patients Undergoing Surgical Management for Mesh Related Complications. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 32-38. | 0.6 | 3 |
| 467 | Vaginal Sacral Colpopexy: A Natural Orifice Approach to a Gold Standard Procedure. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 47-52. | 0.3 | 10 |
| 468 | Depressive symptoms screening in postmenopausal women with symptomatic pelvic organ prolapse. <i>Menopause</i> , 2018, 25, 314-319. | 0.8 | 16 |
| 469 | Dynamic 3T pelvic floor magnetic resonance imaging in women progressing from the nulligravid to the primiparous state. <i>International Urogynecology Journal</i> , 2018, 29, 735-744. | 0.7 | 9 |
| 470 | No episiotomy versus selective lateral/mediolateral episiotomy (EPITRIAL): an interim analysis. <i>International Urogynecology Journal</i> , 2018, 29, 415-423. | 0.7 | 17 |
| 471 | Sacrospinous ligament fixation for hysteropexy: does concomitant anterior and posterior fixation improve surgical outcome?. <i>International Urogynecology Journal</i> , 2018, 29, 811-819. | 0.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 472 | Validity of utility measures for women with pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2018, 218, 119.e1-119.e8. | 0.7 | 9 |
| 473 | Pre-operative guided imagery in female pelvic medicine and reconstructive surgery: a randomized trial. International Urogynecology Journal, 2018, 29, 1117-1122. | 0.7 | 14 |
| 474 | Screening for general anxiety disorders in postmenopausal women with symptomatic pelvic organ prolapse. Climacteric, 2018, 21, 35-39. | 1.1 | 7 |
| 475 | Vaginal Native Tissue Repair for Posterior Compartment Prolapse: Long-Term Analysis of Sexual Function and Quality of Life in 151 Patients. Female Pelvic Medicine and Reconstructive Surgery, 2018, 24, 419-423. | 0.6 | 19 |
| 476 | Clinical and manometric characteristics of women with paradoxical puborectalis syndrome. United European Gastroenterology Journal, 2018, 6, 1578-1585. | 1.6 | 1 |
| 477 | Changes in the symptoms and quality of life of women with symptomatic pelvic organ prolapse fitted with a ring with support pessary. Maturitas, 2018, 117, 51-56. | 1.0 | 19 |
| 478 | Pelvic floor disorders in postpartum adolescents in the Western Amazon: a cross-sectional study. International Journal of Women's Health, 2018, Volume 10, 477-486. | 1.1 | 8 |
| 479 | Are there any preventable risk factors for women who had surgery for Pelvic Organ Prolapse and stress Urinary Incontinence?. Pakistan Journal of Medical Sciences, 2018, 34, 874-878. | 0.3 | 7 |
| 480 | Circulating matrix metalloproteinases and their tissue inhibitors as markers for ethnic variation in pelvic floor tissue integrity. Biomedical Reports, 2018, 9, 233-240. | 0.9 | 0 |
| 481 | Impact of age on mid- to long-term outcomes of transvaginal native tissue repair for apical vaginal prolapse. Neurourology and Urodynamics, 2018, 37, 2860-2866. | 0.8 | 5 |
| 482 | Pregnancy-Associated Pelvic Floor Health Knowledge and Reduction of Symptoms: The PREPARED Randomized Controlled Trial. Journal of Obstetrics and Gynaecology Canada, 2018, 40, 418-425. | 0.3 | 12 |
| 483 | Simplified laparoscopic sacropexy avoiding deep vaginal dissection. International Journal of Gynecology and Obstetrics, 2018, 143, 239-245. | 1.0 | 8 |
| 484 | One in five women suffer from pelvic floor disorders in Kersa district Eastern Ethiopia: a community-based study. BMC Women's Health, 2018, 18, 95. | 0.8 | 38 |
| 485 | Prevalence and risk factors for pelvic organ prolapse in Kilimanjaro, Tanzania: A population based study in Tanzanian rural community. PLoS ONE, 2018, 13, e0195910. | 1.1 | 55 |
| 486 | Pelvic floor dysfunction in women with fibromyalgia and control subjects: Prevalence and impact on overall symptomatology and psychosocial function. Neurourology and Urodynamics, 2018, 37, 2702-2709. | 0.8 | 7 |
| 487 | Ring and Gellhorn pessaries used in patients with pelvic organ prolapse: a retrospective study of 8 years. Archives of Gynecology and Obstetrics, 2018, 298, 623-629. | 0.8 | 17 |
| 488 | Cohort Profile: The Integrated Women's Health Programme (IWHP): a study of key health issues of midlife Singaporean women. International Journal of Epidemiology, 2018, 47, 389-390f. | 0.9 | 18 |
| 489 | Design and Early Experience With a Real-World Surgical Registry. Female Pelvic Medicine and Reconstructive Surgery, 2018, 24, 341-346. | 0.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 490 | Recurrent Pelvic Organ Prolapse. , 2018, , . | | 1 |
| 491 | Questionnaires to evaluate pelvic floor dysfunction in the postpartum period: a systematic review. International Journal of Women's Health, 2018, Volume 10, 409-424. | 1.1 | 36 |
| 492 | Clinical and MRI changes of puborectalis and iliococcygeus after a short period of intensive pelvic floor muscles training with or without instrumentation. European Journal of Applied Physiology, 2018, 118, 1661-1671. | 1.2 | 7 |
| 493 | Anterior Colporrhaphy With and Without Dermal Allograft: A Randomized Control Trial With Long-Term Follow-Up. Female Pelvic Medicine and Reconstructive Surgery, 2019, 25, 206-212. | 0.6 | 6 |
| 494 | Comparison of transperineal ultrasound with POP-Q for assessing symptoms of prolapse. International Urogynecology Journal, 2019, 30, 595-602. | 0.7 | 9 |
| 495 | Do anxiety traits predict subjective short-term outcomes following prolapse repair surgery?. International Urogynecology Journal, 2019, 30, 417-421. | 0.7 | 3 |
| 496 | Vaginal pessaries in the management of symptomatic pelvic organ prolapse in rural Kilimanjaro, Tanzania: a pre-post interventional study. International Urogynecology Journal, 2019, 30, 1313-1321. | 0.7 | 4 |
| 497 | Anterior-apical single-incision mesh surgery (uphold): 1-year outcomes on lower urinary tract symptoms, anatomy and ultrasonography. International Urogynecology Journal, 2019, 30, 1163-1172. | 0.7 | 21 |
| 498 | Controlling faecal incontinence in women by performing anal exercises with biofeedback or loperamide: a randomised clinical trial. The Lancet Gastroenterology and Hepatology, 2019, 4, 698-710. | 3.7 | 44 |
| 499 | Levator ani muscle injury and risk for urinary and fecal incontinence in parous women from a normal population, a cross-sectional study. Neurourology and Urodynamics, 2019, 38, 2296-2302. | 0.8 | 18 |
| 500 | Transvaginal high uterosacral ligament suspension: An alternative to McCall culdoplasty in the treatment of pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 240, 278-281. | 0.5 | 4 |
| 501 | The Effect of Fractional CO ₂ Laser Treatment on the Symptoms of Pelvic Floor Dysfunctions: Pelvic Floor Distress Inventory-20 Questionnaire. Lasers in Surgery and Medicine, 2019, 51, 882-886. | 1.1 | 21 |
| 502 | Surgical interventions for posterior compartment prolapse and obstructed defecation symptoms: a systematic review with clinical practice recommendations. International Urogynecology Journal, 2019, 30, 1433-1454. | 0.7 | 22 |
| 503 | The impact of exercise therapy and abdominal binding in the management of diastasis recti abdominis in the early post-partum period: a pilot randomized controlled trial. Physiotherapy Theory and Practice, 2021, 37, 1018-1033. | 0.6 | 20 |
| 505 | Late suture site complications of sacrospinous ligament fixation. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 242, 126-130. | 0.5 | 7 |
| 506 | Robotic sacrocolpopexy for the management of pelvic organ prolapse: quality of life outcomes. Therapeutic Advances in Urology, 2019, 11, 175628721986859. | 0.9 | 2 |
| 507 | Pelvic floor myofascial pain severity and pelvic floor disorder symptom bother: is there a correlation?. American Journal of Obstetrics and Gynecology, 2019, 221, 235.e1-235.e15. | 0.7 | 49 |
| 509 | Considering Low Health Literacy. Female Pelvic Medicine and Reconstructive Surgery, 2019, 25, 145-148. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 510 | Effect of Pelvic Floor Muscle Training on Improving Prolapse-related Symptoms After Surgery. <i>Journal for Nurse Practitioners</i> , 2019, 15, 600-605. | 0.4 | 1 |
| 511 | Integrated Rehabilitation Approach with Manual and Mechanic-Acoustic Vibration Therapies for Urinary Incontinence. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1211, 41-50. | 0.8 | 11 |
| 512 | Questions surrounding the optimal time for surgical treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 234, 120-125. | 0.5 | 1 |
| 513 | Pelvic Floor Symptom Related Distress in Chronic Constipation Correlates With a Diagnosis of Irritable Bowel Syndrome With Constipation and Constipation Severity but Not Pelvic Floor Dyssynergia. <i>Journal of Neurogastroenterology and Motility</i> , 2019, 25, 129-136. | 0.8 | 7 |
| 514 | A new outcome measure for LUTS: Symptoms of Lower Urinary Tract Dysfunction Research Network Symptom Index (LURN SI) questionnaire. <i>Neurourology and Urodynamics</i> , 2019, 38, 1751-1759. | 0.8 | 22 |
| 515 | Prevalence of symptomatic pelvic floor disorders in community-dwelling women in low and middle-income countries: a systematic review and meta-analysis. <i>International Urogynecology Journal</i> , 2019, 30, 2001-2011. | 0.7 | 44 |
| 516 | Urinary incontinence and quality of life in endometrial cancer patients after robotic-assisted laparoscopic hysterectomy with lymph node dissection. <i>Journal of Obstetrics and Gynaecology</i> , 2019, 39, 986-990. | 0.4 | 8 |
| 517 | Cost-analysis and quality of life after laparoscopic and robotic ventral mesh rectopexy for posterior compartment prolapse: a randomized trial. <i>Techniques in Coloproctology</i> , 2019, 23, 461-470. | 0.8 | 29 |
| 518 | Recovery from pelvic floor dysfunction symptoms in the postpartum is associated with the duration of the second stage of labor. <i>Archives of Gynecology and Obstetrics</i> , 2019, 300, 127-133. | 0.8 | 12 |
| 519 | Turkish translation of the Prolapse and Incontinence Knowledge Questionnaire: validity and reliability. <i>International Urogynecology Journal</i> , 2019, 30, 2183-2190. | 0.7 | 7 |
| 520 | Role of β_3 adrenergic receptor polymorphism in overactive bladder. <i>Neurourology and Urodynamics</i> , 2019, 38, 1261-1265. | 0.8 | 6 |
| 521 | Effects of an 8-week pelvic core stability and nutrition community programme on maternal health outcomes. <i>Physiotherapy Research International</i> , 2019, 24, e1780. | 0.7 | 2 |
| 522 | Factors associated with long-term pessary use in women with symptomatic pelvic organ prolapse. <i>Climacteric</i> , 2019, 22, 478-482. | 1.1 | 11 |
| 523 | Are fibroid and bony pelvis characteristics associated with urinary and pelvic symptom severity?. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 471.e1-471.e11. | 0.7 | 6 |
| 524 | Pelvic floor dysfunction in midlife women. <i>Climacteric</i> , 2019, 22, 270-276. | 1.1 | 25 |
| 525 | Impact of levator muscle avulsions on Manchester procedure outcomes in pelvic organ prolapse surgery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1046-1054. | 1.3 | 9 |
| 526 | Ultrasonographic age-related changes of the pelvic floor muscles in nulliparous women and their association with pelvic floor symptoms: A pilot study. <i>Neurourology and Urodynamics</i> , 2019, 38, 1305-1312. | 0.8 | 11 |
| 527 | Outpatient visits versus telephone interviews for postoperative care: a randomized controlled trial. <i>International Urogynecology Journal</i> , 2019, 30, 1639-1646. | 0.7 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 528 | Effect of Er:YAG Laser for Women with Stress Urinary Incontinence. <i>BioMed Research International</i> , 2019, 2019, 1-7. | 0.9 | 28 |
| 529 | Validation of the Chinese version of the Pelvic Floor Distress Inventory-20 (PFDI-20) according to the COSMIN checklist. <i>International Urogynecology Journal</i> , 2019, 30, 1127-1139. | 0.7 | 36 |
| 530 | The influence of antiresorptive bone medication on the effect of high-intensity resistance and impact training on osteoporotic fracture risk in postmenopausal women with low bone mass: protocol for the MEDEX-OP randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e029895. | 0.8 | 3 |
| 531 | Characterizing anxiety at the first encounter in women presenting to the clinic: the CAFÅ% study. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 509.e1-509.e7. | 0.7 | 8 |
| 532 | Sexual Activity After Bariatric Surgery: A Prospective Monocentric Study Using the PISQ-IR Questionnaire. <i>Journal of Sexual Medicine</i> , 2019, 16, 1930-1937. | 0.3 | 4 |
| 533 | Un vent de changementÂ: Le passÃ©, le prÃ©sent et l'avenir de l'urogynÃ©cologie au Canada. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2019, 41, S241-S243. | 0.3 | 0 |
| 534 | Winds of Change: Past, Present, and Future of Urogynaecology in Canada. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2019, 41, S238-S240. | 0.3 | 0 |
| 535 | A Novel Rehabilitative Protocol in the Treatment of Mixed Urinary Incontinence in Women: The Effects of Focused Mechano-Acoustic Vibration. <i>BioResearch Open Access</i> , 2019, 8, 219-228. | 2.6 | 3 |
| 536 | Labiolysis, Corrective Surgery for Iatrogenic Labium Minus Fusion. <i>Annals of Plastic Surgery</i> , 2019, 83, 558-567. | 0.5 | 2 |
| 537 | Scientific Salons. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, S80-S166. | 0.6 | 2 |
| 538 | Small-Group, Community-Member Intervention for Urinary and Bowel Incontinence. <i>Obstetrics and Gynecology</i> , 2019, 134, 600-610. | 1.2 | 14 |
| 539 | Knowledge of Pelvic Floor Disorders in Obstetrics. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 419-425. | 0.6 | 11 |
| 540 | Racial Differences in Pelvic Organ Prolapse Symptoms Among Women Undergoing Pelvic Reconstructive Surgery for Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 130-133. | 0.6 | 9 |
| 541 | The Promise of PROMIS in Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 426-429. | 0.6 | 8 |
| 542 | Perioperative Adverse Events in Women Undergoing Concurrent Hemorrhoidectomy at the Time of Urogynecologic Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 88-92. | 0.6 | 3 |
| 543 | Blood Flow Restriction and Its Potential Use in Women With Pelvic Organ Prolapse and Stress Incontinence: A Case Report. <i>Journal of Women's Health Physical Therapy</i> , 2019, 43, 194-201. | 0.5 | 0 |
| 544 | Successful long-term use of Gellhorn pessary and the effect on symptoms and quality of life in women with symptomatic pelvic organ prolapse. <i>Menopause</i> , 2019, 26, 145-151. | 0.8 | 17 |
| 545 | A Cross-sectional Pilot Cohort Study Comparing Standard Urine Collection to the Peezy Midstream Device for Research Studies Involving Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, e28-e33. | 0.6 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 547 | Lower Urinary Tract Symptoms in Women With Female Genital Mutilation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 157-160. | 0.6 | 8 |
| 548 | Transvaginal Natural Orifice Transluminal Endoscopic Surgery for Sacrocolpopexy: A Pilot Study of 26 Cases. <i>Journal of Minimally Invasive Gynecology</i> , 2019, 26, 748-753. | 0.3 | 38 |
| 549 | Methods of surgery for pelvic organ prolapse in a nationwide cohort (<scp>FINPOP</scp> 2015). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 451-459. | 1.3 | 13 |
| 550 | Pelvic Floor Distress Inventory Scores Improve After Prolapse Surgery Regardless of Surgical Approach but Not After Observation Alone. <i>Urology</i> , 2019, 124, 62-71. | 0.5 | 0 |
| 551 | Uterosacral vault suspension (USLS) at the time of hysterectomy: laparoscopic versus vaginal approach. <i>International Urogynecology Journal</i> , 2019, 30, 611-621. | 0.7 | 22 |
| 552 | Laparoscopic Roux-En-Y Gastric Bypass Versus Sleeve Gastrectomy on Pelvic Floor Disorders in Morbidly Obese Women: a Prospective Monocentric Pilot Study. <i>Obesity Surgery</i> , 2019, 29, 609-616. | 1.1 | 6 |
| 553 | Top-cited articles in the Journal: a bibliometric analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 12-25. | 0.7 | 30 |
| 554 | Clinical relevance and treatment outcomes of vesicovaginal fistula (VVF) after obstetric and gynecologic surgery. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019, 58, 111-116. | 0.5 | 9 |
| 555 | Route of hysterectomy during minimally invasive sacrocolpopexy does not affect postoperative outcomes. <i>International Urogynecology Journal</i> , 2019, 30, 649-655. | 0.7 | 19 |
| 556 | Defecatory dysfunction and other clinical variables are predictors of pessary discontinuation. <i>International Urogynecology Journal</i> , 2019, 30, 1111-1116. | 0.7 | 6 |
| 557 | Transvaginal Mesh Surgery for Pelvic Organ Prolapse: One-Year Outcome Analysis. <i>Journal of Gynecologic Surgery</i> , 2019, 35, 12-18. | 0.0 | 3 |
| 558 | Predictors of Success for Pelvic Floor Muscle Training in Pelvic Organ Prolapse. <i>Physical Therapy</i> , 2019, 99, 109-117. | 1.1 | 10 |
| 559 | Pelvic Organ Prolapse Repair Using the Uphold Vaginal Support System: 5-Year Follow-Up. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 200-205. | 0.6 | 24 |
| 560 | Reliability and validity of the Tigrigna version of the Pelvic Floor Distress Inventoryâ€“Short Form 20 (PFDI-20) and Pelvic Floor Impact Questionnaire-7 (PFIQ-7). <i>International Urogynecology Journal</i> , 2019, 30, 65-70. | 0.7 | 16 |
| 561 | Patientsâ€™ Knowledge of and Attitude Toward Robotic Surgery for Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 279-283. | 0.6 | 8 |
| 562 | Sexual Satisfaction Changes Reported by Men After Their Partners' Robotic-Assisted Laparoscopic Sacrocolpopexies. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 365-368. | 0.6 | 7 |
| 563 | Ultrasound Indicators of Rectal Support Defect in Women With Obstructive Defecatory Symptoms. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 222-225. | 0.6 | 12 |
| 564 | Polish translation and validation of the Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire, IUGA-Revised (PISQ-IR). <i>International Urogynecology Journal</i> , 2019, 30, 55-64. | 0.7 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 565 | Anal Sphincter Anatomy Prepregnancy to Postdelivery Among the Same Primiparous Women on Dynamic Magnetic Resonance Imaging. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 8-14. | 0.6 | 9 |
| 566 | Depression, Anxiety, and Pelvic Floor Symptoms Before and After Surgery for Pelvic Floor Dysfunction. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 67-72. | 0.6 | 13 |
| 567 | A Scoping Study of Psychosocial Factors in Women Diagnosed With and/or Treated for Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 327-348. | 0.6 | 5 |
| 568 | Do Pelvic Organ Prolapse Quantification Examination Ba and D Guide the Selection of Operation for Severe Pelvic Organ Prolapse?. <i>Journal of Investigative Surgery</i> , 2020, 33, 438-445. | 0.6 | 0 |
| 569 | Laparoscopic Uterosacral Ligament Hysteropexy vs Total Vaginal Hysterectomy with Uterosacral Ligament Suspension for Anterior and Apical Prolapse: Surgical Outcome and Patient Satisfaction. <i>Journal of Minimally Invasive Gynecology</i> , 2020, 27, 88-93. | 0.3 | 35 |
| 570 | LeFort colpocleisis for recurrent pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2020, 31, 381-384. | 0.7 | 5 |
| 571 | Are women with cervical incompetence at a higher risk of experiencing urinary and pelvic organ prolapse symptoms?. <i>International Urogynecology Journal</i> , 2020, 31, 385-389. | 0.7 | 2 |
| 572 | Long-term Pelvic Floor Symptoms, Recurrence, Satisfaction, and Regret Following Colpocleisis. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 558-562. | 0.6 | 7 |
| 573 | Development of a biotensegrity focused therapy for the treatment of pelvic organ prolapse: A retrospective case series. <i>Journal of Bodywork and Movement Therapies</i> , 2020, 24, 115-125. | 0.5 | 5 |
| 574 | Robotic laparoendoscopic single-site compared with robotic multi-port sacrocolpopexy for apical compartment prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 358.e1-358.e11. | 0.7 | 23 |
| 575 | Ageing effects on pelvic floor support: a pilot study comparing young versus older nulliparous women. <i>International Urogynecology Journal</i> , 2020, 31, 535-543. | 0.7 | 27 |
| 576 | Management of stress urinary incontinence using vaginal incontinence pessaries in rural Kilimanjaro, Tanzania. <i>International Urogynecology Journal</i> , 2020, 31, 1091-1097. | 0.7 | 3 |
| 577 | Laparoscopic sacral colpopexy with polyester fiber suture: Ozerkan modification. <i>International Urogynecology Journal</i> , 2020, 31, 1601-1607. | 0.7 | 5 |
| 578 | Appropriateness of referrals to a urogynecology practice. <i>International Urogynecology Journal</i> , 2020, 31, 1675-1682. | 0.7 | 1 |
| 579 | A directional preference approach for chronic pelvic pain, bladder dysfunction and concurrent musculoskeletal symptoms: a case series. <i>Journal of Manual and Manipulative Therapy</i> , 2020, 28, 170-180. | 0.7 | 4 |
| 580 | Consideration of pelvic floor myofascial release for overactive bladder. <i>Journal of Bodywork and Movement Therapies</i> , 2020, 24, 144-150. | 0.5 | 3 |
| 581 | Enhancing behavioral treatment for women with pelvic floor disorders: Study protocol for a pilot randomized controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2020, 17, 100514. | 0.5 | 3 |
| 582 | Urinary Incontinence and Pelvic Organ Prolapse Knowledge, Care-Seeking, and Embarrassment in Women Planning Bariatric Surgery: A Cross-sectional Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 276-280. | 0.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 583 | Measuring pelvic floor disorder symptoms using patient-reported instruments: proceedings of the consensus meeting of the pelvic floor consortium of the American Society of Colon and Rectal Surgeons, the International Continence Society, the American Urogynecologic Society, and the Society of Urodynamics, Female Pelvic Medicine and Urogenital Reconstruction. Techniques in Coloproctology, 2020, 24, 5-22. | 0.8 | 11 |
| 584 | Characteristics Associated With Clinically Important Treatment Responses in Women Undergoing Nonsurgical Therapy for Fecal Incontinence. American Journal of Gastroenterology, 2020, 115, 115-127. | 0.2 | 12 |
| 585 | Repair of cystocele and apical genital prolapse using 6-strap mesh implant. Urologia, 2020, 87, 130-136. | 0.3 | 0 |
| 586 | Symptoms of pelvic organ prolapse in women who lift heavy weights for exercise: a cross-sectional survey. International Urogynecology Journal, 2020, 31, 1551-1558. | 0.7 | 21 |
| 587 | Pelvic organ prolapse recurrence in young women undergoing vaginal and abdominal colpopexy. International Urogynecology Journal, 2020, 31, 2661-2667. | 0.7 | 4 |
| 588 | Delay in Seeking Care for Pelvic Floor Disorders Among Caregivers. Female Pelvic Medicine and Reconstructive Surgery, 2020, 26, 458-463. | 0.6 | 0 |
| 589 | Risk factors and prevalence of urinary incontinence in mid-life Singaporean women: the Integrated Women's Health Program. International Urogynecology Journal, 2020, 31, 1829-1837. | 0.7 | 14 |
| 590 | Measuring Pelvic Floor Disorder Symptoms Using Patient-Reported Instruments. Diseases of the Colon and Rectum, 2020, 63, 6-23. | 0.7 | 23 |
| 591 | Pelvic Organ Prolapse Recurrence and Patient-Centered Outcomes Following Minimally Invasive Abdominal Uterosacral Ligament and Mesh-Augmented Sacrohysteropexy. Female Pelvic Medicine and Reconstructive Surgery, 2020, 26, 763-768. | 0.6 | 5 |
| 592 | Correlation of Electronic (Web-Based and Smartphone) Administration of Measures of Pelvic Floor Dysfunction: A Randomized Controlled Trial. Female Pelvic Medicine and Reconstructive Surgery, 2020, 26, 396-400. | 0.6 | 2 |
| 593 | Long-Term Outcomes of Robotic-Assisted Laparoscopic Sacrocolpopexy Using Lightweight Y-Mesh. Female Pelvic Medicine and Reconstructive Surgery, 2020, 26, 202-206. | 0.6 | 28 |
| 594 | Management of the Pelvic Floor in Older Men and Women. , 2020, , 502-526. | | 0 |
| 595 | Patients' Perceptions on Surgical Care Suspension for Pelvic Floor Disorders During the COVID-19 Pandemic. Female Pelvic Medicine and Reconstructive Surgery, 2020, 26, 477-482. | 0.6 | 4 |
| 596 | Safety and efficacy of a self-developed Chinese pelvic repair system and Avaulta repair system for the treatment of pelvic organ prolapse in women. Medicine (United States), 2020, 99, e22332. | 0.4 | 2 |
| 597 | Predictors of voiding dysfunction following Uphold mesh repair for the treatment of pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 255, 34-39. | 0.5 | 0 |
| 598 | The TOPSY pessary self-management intervention for pelvic organ prolapse: a study protocol for the process evaluation. Trials, 2020, 21, 836. | 0.7 | 3 |
| 599 | Laparoscopic Ventral Mesh Rectopexy Versus Transvaginal Posterior Colporrhaphy in Management of Anterior Rectocele. Journal of Gastrointestinal Surgery, 2021, 25, 2035-2046. | 0.9 | 4 |
| 600 | Subjective and Objective Evaluation of Total Pelvic Floor Reconstruction with Six-Arm Mesh in Patients with Severe Pelvic Organ Prolapse: A 1-Year Retrospective Study. Therapeutics and Clinical Risk Management, 2020, Volume 16, 861-870. | 0.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 601 | Validation of the Wexner scale in a Hebrew-speaking population. <i>International Urogynecology Journal</i> , 2020, 31, 2583-2587. | 0.7 | 2 |
| 602 | Responsiveness of Pelvic Floor Distress Inventory (PFDI-20) and Pelvic Floor Impact Questionnaire (PFIQ-7) after pelvic floor muscle training in women with stress and mixed urinary incontinence. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 255, 129-133. | 0.5 | 4 |
| 603 | Prospective analysis of transvaginal mesh hysteropexy in the treatment of uterine prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 2241-2247. | 0.7 | 3 |
| 604 | A prospective quasi-experimental controlled study evaluating the use of dynamic elastomeric fabric orthoses to manage common postpartum ailments during postnatal care. <i>Women's Health</i> , 2020, 16, 174550652092719. | 0.7 | 1 |
| 605 | Agreement between patient global impression scale of improvement, pelvic floor distress inventory and 15D in measuring the outcome of pelvic organ prolapse surgery. <i>Neurourology and Urodynamics</i> , 2020, 39, 2171-2178. | 0.8 | 0 |
| 606 | Pelvic floor changes in the first term pregnancy and postpartum period. <i>International Urogynecology Journal</i> , 2020, 32, 1897-1905. | 0.7 | 7 |
| 607 | Permanent Compared With Absorbable Suture for Vaginal Mesh Fixation During Total Hysterectomy and Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2020, 136, 355-364. | 1.2 | 27 |
| 608 | Candy Cane Compared With Boot Stirrups in Vaginal Surgery. <i>Obstetrics and Gynecology</i> , 2020, 136, 333-341. | 1.2 | 11 |
| 609 | Traditional McCall culdoplasty compared to a modified McCall technique with double ligament suspension: anatomical and clinical outcomes. <i>International Urogynecology Journal</i> , 2020, 31, 2147-2153. | 0.7 | 4 |
| 610 | Translation and validation of the Polish version of the Pelvic Floor Impact Questionnaire short form 7. <i>International Urogynecology Journal</i> , 2021, 32, 3177-3181. | 0.7 | 4 |
| 611 | Vaginal pessary continuation in symptomatic pelvic organ prolapse patients with prior hysterectomy. <i>Menopause</i> , 2020, 27, 1148-1154. | 0.8 | 4 |
| 612 | Defining cutoffs for uterine prolapse using transperineal ultrasound in Chinese women: a prospective multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 58, 127-132. | 0.9 | 1 |
| 613 | Subspecialty care for peripartum pelvic floor disorders. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 709-714. | 0.7 | 16 |
| 614 | Factors associated with pessary fitting in women with symptomatic pelvic organ prolapse: A large prospective cohort study. <i>Neurourology and Urodynamics</i> , 2020, 39, 2238-2245. | 0.8 | 4 |
| 615 | Minimal important difference and patient acceptable symptom state for PFDI-20 and POPDI-6 in POP surgery. <i>International Urogynecology Journal</i> , 2021, 32, 3169-3176. | 0.7 | 18 |
| 616 | Randomised controlled trial to investigate the effectiveness of local oestrogen treatment in postmenopausal women undergoing pelvic organ prolapse surgery (LOTUS): a pilot study to assess feasibility of a large multicentre trial. <i>BMJ Open</i> , 2020, 10, e025141. | 0.8 | 7 |
| 617 | Pessaries (mechanical devices) for managing pelvic organ prolapse in women. <i>The Cochrane Library</i> , 2021, 2021, CD004010. | 1.5 | 25 |
| 618 | Clinical and cost-effectiveness of vaginal pessary self-management compared to clinic-based care for pelvic organ prolapse: protocol for the TOPSY randomised controlled trial. <i>Trials</i> , 2020, 21, 837. | 0.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 619 | Immediate Effects of Exercise and Behavioral Interventions for Pelvic Floor Dysfunction and Lumbopelvic Pain. <i>Journal of Women's Health Physical Therapy</i> , 2020, 44, 54-62. | 0.5 | 1 |
| 620 | Hysterectomy with uterosacral suspension or Upholdâ„¢ hysteropexy in women with apical prolapse: a parallel cohort study. <i>International Urogynecology Journal</i> , 2020, 31, 2137-2146. | 0.7 | 6 |
| 621 | Is it time to abandon episiotomy use? A randomized controlled trial (EPITRIAL). <i>International Urogynecology Journal</i> , 2020, 31, 2377-2385. | 0.7 | 8 |
| 622 | One-year outcomes of a suture-less laparoscopic sacral hysteropexy using polypropylene Y-mesh grafts and fibrin sealant spray: A prospective comparative study. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 484-490. | 0.6 | 7 |
| 623 | Translabial Ultrasound Combined With Magnetic Resonance Imaging Assessing the Distensibility of Levator Ani Muscle With Unilateral High-Grade Tears. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 391-395. | 0.6 | 0 |
| 624 | Restored pelvic anatomy is preserved after laparoscopic and robotâ€assisted ventral rectopexy: MRIâ€based 5â€year followâ€up of a randomized controlled trial. <i>Colorectal Disease</i> , 2020, 22, 1667-1676. | 0.7 | 10 |
| 625 | Quality of Life in POP: Validity, Reliability and Responsiveness of the Prolapse Quality of Life Questionnaire (P-QoL) in Spanish Women. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1690. | 1.2 | 7 |
| 626 | Outcomes of native tissue transvaginal apical approaches in women with advanced pelvic organ prolapse and stress urinary incontinence. <i>International Urogynecology Journal</i> , 2020, 31, 2155-2164. | 0.7 | 9 |
| 627 | Midâ€urethral sling revision for mesh exposureâ€longâ€term outcomes of two surgical techniques from a comparative clinical retrospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1027-1033. | 1.1 | 7 |
| 628 | The responsiveness and minimally important difference for the Accidental Bowel Leakage Evaluation questionnaire. <i>International Urogynecology Journal</i> , 2020, 31, 2499-2505. | 0.7 | 5 |
| 629 | Pelvic Floor, Urinary Problems and the Menopause. , 2020, , 112-123. | | 1 |
| 630 | Protocol for a randomized controlled trial to assess two procedures of vaginal native tissue repair for pelvic organ prolapse at the time of the questioning on vaginal prosthesis: the TAPP trial. <i>Trials</i> , 2020, 21, 624. | 0.7 | 4 |
| 631 | The Female Sexual Function Index: Transculturally Adaptation and Psychometric Validation in Spanish Women. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 994. | 1.2 | 23 |
| 632 | Is Fluid Intake Associated With Fecal Incontinence in Women?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 137-140. | 0.6 | 2 |
| 633 | Pelvic floor disorder symptoms and bone strength in postmenopausal women. <i>International Urogynecology Journal</i> , 2020, 31, 1777-1784. | 0.7 | 10 |
| 634 | A Meshless Practical Laparoscopic Sacrohysteropexy Modification and Long-term Outcomes. <i>Journal of Minimally Invasive Gynecology</i> , 2020, 27, 1573-1580. | 0.3 | 1 |
| 635 | Subjective versus objective determination of bladder emptying following urogynecological surgery: â€do you feel that you completely emptied your bladder?â€. <i>International Urogynecology Journal</i> , 2020, 31, 1899-1905. | 0.7 | 8 |
| 636 | Measuring Pelvic Floor Disorder Symptoms Using Patient-Reported Instruments: Proceedings of the Consensus Meeting of the Pelvic Floor Consortium of the American Society of Colon and Rectal Surgeons, the International Continence Society, the American Urogynecologic Society, and the Society of Urodynamics, Female Pelvic Medicine and Urogenital Reconstruction. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 1-15. | 0.6 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 637 | Accidental Bowel Leakage Evaluation: A New Patient-Centered Validated Measure of Accidental Bowel Leakage Symptoms in Women. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 668-677. | 0.7 | 8 |
| 638 | Effectiveness of Hypopressive Exercises in Women with Pelvic Floor Dysfunction: A Randomised Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 1149. | 1.0 | 20 |
| 639 | Laparoscopic Long Mesh Surgery with Augmented Round Ligaments: A Novel Uterine Preservation Procedure For Apical Pelvic Organ Prolapse. <i>Scientific Reports</i> , 2020, 10, 6615. | 1.6 | 3 |
| 640 | Urinary symptoms and quality of life in women living with HIV: a cross-sectional study. <i>International Urogynecology Journal</i> , 2021, 32, 353-358. | 0.7 | 2 |
| 641 | Pelvic Floor Organ Prolapse After Radical Cystectomy in Patients With Uroepithelial Carcinoma. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e501-e504. | 0.6 | 5 |
| 642 | A Collaborative Approach to Multicompartment Pelvic Organ Prolapse. <i>Clinics in Colon and Rectal Surgery</i> , 2021, 34, 069-076. | 0.5 | 5 |
| 643 | Can pelvic organ prolapse in postmenopausal women be treated with laser therapy?. <i>Climacteric</i> , 2021, 24, 101-106. | 1.1 | 4 |
| 644 | Anterior-Apical Transvaginal Mesh (Surelift) for Advanced Urogenital Prolapse: Surgical and Functional Outcomes at 1 Year. <i>Journal of Minimally Invasive Gynecology</i> , 2021, 28, 107-116. | 0.3 | 6 |
| 645 | Chronic Pelvic Pain Patients Demonstrate Higher Catastrophizing in Association with Pelvic Symptoms and Comorbid Pain Diagnoses. <i>Urology</i> , 2021, 150, 146-150. | 0.5 | 10 |
| 646 | Importance of a pelvic floor lifestyle program in women with pelvic floor dysfunctions: A pilot study. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 102032. | 0.6 | 7 |
| 647 | The impact of personality traits on pessary treatment outcomes in patients with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 859-864. | 0.7 | 0 |
| 648 | A bibliometric analysis of obstetrics and gynecology articles with highest relative citation ratios, 1980 to 2019. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021, 3, 100293. | 1.3 | 18 |
| 649 | Laparoscopic uterosacral ligament suspension versus vaginal colposuspension using the Uphold Lite™ mesh system: clinical outcome and patient satisfaction. <i>International Urogynecology Journal</i> , 2021, 32, 1513-1518. | 0.7 | 7 |
| 650 | Do women runners report more pelvic floor symptoms than women in CrossFit®? A cross-sectional survey. <i>International Urogynecology Journal</i> , 2021, 32, 295-302. | 0.7 | 15 |
| 651 | Long-term outcomes of pelvic organ prolapse repair using a mesh-capturing device when comparing single- versus multicenter use. <i>Archives of Gynecology and Obstetrics</i> , 2021, 303, 135-142. | 0.8 | 6 |
| 652 | Long-term Physical Activity Levels and Physical Functioning Outcomes After Midurethral Sling. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 51-56. | 0.6 | 2 |
| 653 | Pelvic Floor Sensations After the First Vaginal Delivery: A Qualitative Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e234-e246. | 0.6 | 4 |
| 654 | Symptom and Quality of Life Improvements After Pelvic Floor Physical Therapy in a Clinical Population of Women With Pelvic Pain and Other Symptoms. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e18-e21. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 655 | Long-term Fecal Incontinence, Recurrence, Satisfaction, and Regret After the Transobturator Postanal Sling Procedure. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 244-248. | 0.6 | 2 |
| 656 | Overview of Treatment of Urinary Incontinence. , 2021, , 75-94. | | 0 |
| 657 | Efficacy of Community-based Pelvic Floor Muscle Training to Improve Pelvic Floor Dysfunction in Chinese Perimenopausal Women: A Randomized Controlled Trial. <i>Journal of Community Health Nursing</i> , 2021, 38, 48-58. | 0.1 | 3 |
| 658 | Design of a Randomized Clinical Trial of Perioperative Vaginal Estrogen Versus Placebo With Transvaginal Native Tissue Apical Prolapse Repair (Investigation to Minimize Prolapse Recurrence of) Tj ETQq1 1 0.784314 rgBT /Overl e227-e233. | 0.6 | 4 |
| 659 | Rationale and design of the validation of bladder health instrument for evaluation in women (VIEW) protocol. <i>BMC Women's Health</i> , 2021, 21, 18. | 0.8 | 4 |
| 660 | Do Women Who Self-report More Exercise Have Increased Rates of Symptomatic Stress Urinary Incontinence After Midurethral Slings?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e202-e207. | 0.6 | 0 |
| 661 | Health literacy and PFDI-20 and PFIQ-7 completion in urogynecology patients. <i>International Urogynecology Journal</i> , 2021, 32, 3209-3215. | 0.7 | 1 |
| 662 | Role of preoperative and postoperative pelvic floor distress inventory-20 in evaluation of posthysterectomy vault prolapse. <i>Journal of Mid-Life Health</i> , 2021, 12, 122. | 0.4 | 2 |
| 663 | The association of symptoms of overactive bladder with pelvic organ prolapse and its improvement after pelvic reconstructive surgery. <i>Pakistan Journal of Medical Sciences</i> , 2021, 37, 897-902. | 0.3 | 2 |
| 664 | Prolonged second stage effect on pelvic floor dysfunction: a follow up survey to a randomized controlled trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2024, 35, 5520-5525. | 0.7 | 6 |
| 665 | A cross-sectional study on pelvic floor symptoms in women living with Female Genital Mutilation/Cutting. <i>Reproductive Health</i> , 2021, 18, 39. | 1.2 | 6 |
| 666 | Vaginal pessary treatment in women with symptomatic pelvic organ prolapse: a long-term prospective study. <i>Menopause</i> , 2021, 28, 538-545. | 0.8 | 9 |
| 667 | Responsiveness of Health-Related Quality of Life Patient-Reported Outcome Measures in Women Receiving Conservative Treatment for Urinary Incontinence: A Systematic Review. <i>Journal of Women's Health Physical Therapy</i> , 2021, 45, 57-67. | 0.5 | 2 |
| 668 | Interrater Reliability among Novice Raters in the Assessment of Pelvic Floor Muscle Tone Using the Reissing Tone Scale. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2021, 73, e20190093. | 0.3 | 1 |
| 669 | The effect of preoperative pelvic floor muscle training on urinary and colorectal-anal distress in women undergoing pelvic organ prolapse surgery—a randomized controlled trial. <i>International Urogynecology Journal</i> , 2021, 32, 2787-2794. | 0.7 | 2 |
| 670 | Retrospective Analysis of Sexual Function After Transvaginal Mesh Surgery. <i>Sexual Medicine</i> , 2021, 9, 100281-100281. | 0.9 | 2 |
| 671 | A nationwide population-based survey on the prevalence and risk factors of symptomatic pelvic organ prolapse in adult women in China—a pelvic organ prolapse quantification system-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1313-1323. | 1.1 | 30 |
| 672 | “No One Told Me About This Part”: What Breastfeeding Women Want and Need to Support Their Physical Health. <i>Journal of Women's Health Physical Therapy</i> , 2021, 45, 51-56. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 673 | Multicenter Randomized Controlled Trial of Pelvic Floor Muscle Training with a Motion-based Digital Therapeutic Device versus Pelvic Floor Muscle Training Alone for Treatment of Stress-predominant Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, 1-6. | 0.6 | 8 |
| 674 | Vaginal Colposuspension Using the Uphold Lite Mesh System versus Transvaginal Hysterectomy with Uterosacral Ligament Suspension for Treatment of Apical Prolapse: A Comparative Study. <i>Journal of Minimally Invasive Gynecology</i> , 2021, 28, 1759-1764. | 0.3 | 5 |
| 675 | Bacterial biofilm formation on vaginal ring pessaries used for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2022, 33, 287-295. | 0.7 | 7 |
| 676 | Pelvic floor distress inventory (PFDI)â€™ systematic review of measurement properties. <i>International Urogynecology Journal</i> , 2021, 32, 2657-2669. | 0.7 | 12 |
| 677 | Natural Orifice Specimen Extraction Surgery versus Conventional Laparoscopic-Assisted Resection in the Treatment of Colorectal Cancer: A Propensity-Score Matching Study. <i>Cancer Management and Research</i> , 2021, Volume 13, 2247-2257. | 0.9 | 15 |
| 678 | The Comparison of Outcomes of Transvaginal Mesh Surgery with and without Midline Fascial Plication for the Treatment of Anterior Vaginal Prolapse: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 1888. | 1.0 | 2 |
| 679 | Prise en charge chirurgicale de la rectoceleâ€™ mise au point. <i>Journal De Chirurgie ViscÃ©rale</i> , 2021, 158, 157-170. | 0.0 | 0 |
| 680 | The Value of a Support Person During the Surgical Consent Process: A Prospective Cohort Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, 27-32. | 0.6 | 2 |
| 681 | Surgical management of the rectoceleâ€™ An update. <i>Journal of Visceral Surgery</i> , 2021, 158, 145-157. | 0.4 | 4 |
| 682 | Does the choice of pelvic organ prolapse treatment influence subjective pelvic-floor related quality of life?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 259, 161-166. | 0.5 | 2 |
| 683 | The Patient Acceptable Symptom State in Female Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, 33-39. | 0.6 | 5 |
| 684 | Randomized Clinical Trial of Gabapentin Versus Placebo for Pain After Sacrospinous Ligament Fixation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, Publish Ahead of Print, 65-71. | 0.6 | 2 |
| 685 | Enhancing the identification of anal incontinence in women of reproductive age. <i>Nursing Standard (Royal College of Nursing (Great Britain): 1987)</i> , 2021, 36, 71-76. | 0.1 | 0 |
| 686 | Pelvic Floor Health in Women with Parkinsonâ€™s Disease. <i>Journal of Parkinson's Disease</i> , 2021, 11, 857-864. | 1.5 | 5 |
| 687 | Risk factors for urinary retention after urogynecologic surgery: A retrospective cohort study and prediction model. <i>Neurourology and Urodynamics</i> , 2021, 40, 1182-1191. | 0.8 | 2 |
| 688 | Comparison of natural orifice specimen extraction surgery and conventional laparoscopic-assisted resection in the treatment effects of low rectal cancer. <i>Scientific Reports</i> , 2021, 11, 9338. | 1.6 | 16 |
| 689 | Rectoceles. <i>Diseases of the Colon and Rectum</i> , 2021, Publish Ahead of Print, 552-558. | 0.7 | 0 |
| 690 | Design of a Randomized Controlled Trial of Percutaneous Posterior Tibial Nerve Stimulation for the Treatment of Refractory Fecal Incontinence in Women: The NeuroModulation for Accidental Bowel Leakage Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 726-734. | 0.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 691 | Comparative efficacy of non-surgical correction of early-onset genital prolapse based on differentiated approach. <i>Reproductive Health of Woman</i> , 0, 3, 75-80. | 0.0 | 0 |
| 692 | Sexual function in patients with idiopathic inflammatory myopathies: a cross-sectional study. <i>Rheumatology</i> , 2021, 60, 5060-5072. | 0.9 | 6 |
| 693 | A systematic review of English language patient-reported outcome measures for use in urogynaecology and female pelvic medicine. <i>International Urogynecology Journal</i> , 2021, 32, 2033-2092. | 0.7 | 12 |
| 694 | The Environment, Leiomyomas, Latinas, and Adiposity Study: rationale and design. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 392.e1-392.e12. | 0.7 | 2 |
| 695 | Impact of intrinsic sphincter deficiency on mid-urethral sling outcomes. <i>International Urogynecology Journal</i> , 2021, , 1. | 0.7 | 5 |
| 696 | Comparison of translabial three-dimensional ultrasonography and magnetic resonance imaging for the grading of levator ani defects. <i>Medicine (United States)</i> , 2021, 100, e25997. | 0.4 | 2 |
| 697 | Current situation of complications related to reconstructive surgery for pelvic organ prolapse: a multicenter study. <i>International Urogynecology Journal</i> , 2021, 32, 2149-2157. | 0.7 | 3 |
| 698 | The Urinary Microbiome in Postmenopausal Women with Recurrent Urinary Tract Infections. <i>Journal of Urology</i> , 2021, 206, 1222-1231. | 0.2 | 30 |
| 699 | Generic Health-Related Quality of Life in Patients Seeking Care for Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 337-343. | 0.6 | 6 |
| 700 | Symptomatic improvement after mesh removal: a prospective longitudinal study of women with urogynaecological mesh complications. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 2034-2043. | 1.1 | 5 |
| 701 | Subgroups of failure after surgery for pelvic organ prolapse and associations with quality of life outcomes: a longitudinal cluster analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 504.e1-504.e22. | 0.7 | 10 |
| 702 | Questionnaires to Evaluate Lower Urinary Tract Symptoms in Men and Women. <i>Current Bladder Dysfunction Reports</i> , 2021, 16, 80-86. | 0.2 | 1 |
| 703 | Randomized trial comparing efficacy of pelvic floor muscle training with a digital therapeutic motion-based device to standard pelvic floor exercises for treatment of stress urinary incontinence (SUV trial): An all-virtual trial design. <i>Contemporary Clinical Trials</i> , 2021, 105, 106406. | 0.8 | 11 |
| 704 | Long term outcomes of laparoscopic sacro/colpo-hysteropexy with and without rectopexy for the treatment of prolapse. <i>International Urogynecology Journal</i> , 2022, 33, 343-350. | 0.7 | 8 |
| 705 | Retropubic mid-urethral slings and de novo urinary urgency and frequency: The role of retropubic hematomas. <i>Neurourology and Urodynamics</i> , 2021, 40, 1686-1694. | 0.8 | 1 |
| 706 | Ultrasound evaluation of anterior transvaginal mesh for pelvic organ prolapse: correlation to 5-year clinical outcomes. <i>International Urogynecology Journal</i> , 2021, , 1. | 0.7 | 1 |
| 707 | Evaluation of the Pubocervical Fascia with 3-Dimensional Endovaginal Ultrasonography and Correlation with Intraoperative Findings during Robotic Sacrocervicopexy. <i>Urology</i> , 2021, , . | 0.5 | 0 |
| 708 | The effectiveness of McCall culdoplasty following vaginal hysterectomy in advanced stages of uterine prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 2143-2148. | 0.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 709 | Biotensegrity Focused Therapy for Pelvic Organ Prolapse: A Nonrandomized Prospective Clinical Case Series. <i>Journal of Women's Health Physical Therapy</i> , 2021, 45, 135-142. | 0.5 | 0 |
| 710 | Pelvic organ prolapse surgery and overactive bladder symptoms—a population-based cohort (FINPOP). <i>International Urogynecology Journal</i> , 2022, 33, 95-105. | 0.7 | 11 |
| 711 | Is the Visual Analogue Scale inferior to the Pelvic Organ Prolapse Distress Inventory for assessing symptom bother of pelvic organ prolapse?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 918-921. | 0.4 | 1 |
| 712 | Do resistance exercises during biofeedback therapy enhance the anal sphincter and pelvic floor muscles in anal incontinence?. <i>Neurogastroenterology and Motility</i> , 2021, , e14212. | 1.6 | 1 |
| 713 | Prevalence of urinary, prolapse, and bowel symptoms in Mayer-Rokitansky-Küster-Hauser syndrome. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 70.e1-70.e12. | 0.7 | 4 |
| 714 | Urinary Symptoms and Bladder Voiding Dysfunction Are Common in Young Men with Defecatory Disorders: A Retrospective Evaluation. <i>Digestive Diseases and Sciences</i> , 2021, , 1. | 1.1 | 0 |
| 715 | Long-term outcomes of primary cystocele repair by transvaginal mesh surgery versus laparoscopic mesh sacropexy: extended follow up of the PROSPERE multicentre randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 127-137. | 1.1 | 11 |
| 716 | Standing open magnetic resonance imaging improves detection and staging of pelvic organ prolapse. <i>Canadian Urological Association Journal</i> , 2021, 16, . | 0.3 | 2 |
| 717 | SHARed DEcision making in Pelvic Organ Prolapse (SHADE-POP); Implementation is not as easy as it seems. <i>Patient Education and Counseling</i> , 2021, 104, 2004-2011. | 1.0 | 2 |
| 718 | Recognition and Management of Pelvic Floor Disorders in Pregnancy and the Postpartum Period. <i>Obstetrics and Gynecology Clinics of North America</i> , 2021, 48, 571-584. | 0.7 | 7 |
| 719 | Rectal prolapse and pelvic descent. <i>Current Problems in Surgery</i> , 2021, 58, 100952. | 0.6 | 5 |
| 720 | Intermediate term outcomes after transvaginal uterine-preserving surgery in women with uterovaginal prolapse. <i>International Urogynecology Journal</i> , 2021, , 1. | 0.7 | 1 |
| 721 | Ultrasonography and clinical outcomes following anti-incontinence procedures (Solyx, tape): a 3-year post-operative review. <i>International Urogynecology Journal</i> , 2021, , 1. | 0.7 | 0 |
| 722 | Pelvic floor dysfunction after vaginal delivery: MOODS—a prospective study. <i>International Urogynecology Journal</i> , 2022, 33, 1539-1547. | 0.7 | 3 |
| 723 | Is there a correlation between pelvic floor dysfunction symptoms during pregnancy and the duration of the second stage of labor?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, , 1-6. | 0.7 | 7 |
| 724 | Fractional Pixel CO ₂ Laser Treatment in Patients With Urodynamic Stress Urinary Incontinence: 1-Year Follow-Up. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 960-967. | 1.1 | 11 |
| 725 | Pelvic Organ Prolapse in Older Adults. , 2014, , 181-206. | | 1 |
| 726 | Levator ani defects and the severity of symptoms in women with anterior compartment pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2018, 29, 63-69. | 0.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 727 | A randomized controlled trial of permanent vs absorbable suture for uterosacral ligament suspension. <i>International Urogynecology Journal</i> , 2021, 32, 785-790. | 0.7 | 10 |
| 728 | Effects of bariatric surgery on pelvic floor disorders in obese women: a meta-analysis. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 181-189. | 0.8 | 34 |
| 729 | Outcomes And Quality-Of-Life Measures In Pelvic Floor Research. , 2007, , 499-511. | | 1 |
| 730 | Hip exercises improve intravaginal squeeze pressure in older women. <i>Physiotherapy Theory and Practice</i> , 2020, 36, 1340-1347. | 0.6 | 11 |
| 731 | Cost-Effectiveness of Sacral Neuromodulation versus OnabotulinumtoxinA for Refractory Urgency Urinary Incontinence: Results of the ROSETTA Randomized Trial. <i>Journal of Urology</i> , 2020, 203, 969-977. | 0.2 | 26 |
| 732 | Outlet Constipation 1 Year After Robotic Sacrocolpopexy With and Without Concomitant Posterior Repair. <i>Southern Medical Journal</i> , 2013, 106, 409-414. | 0.3 | 13 |
| 733 | Association of Knowledge and Presence of Pelvic Floor Disorders and Participation in Pelvic Floor Exercises: A Cross-sectional Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 310-314. | 0.6 | 6 |
| 734 | Evaluation of Postpartum Pelvic Floor Physical Therapy on Obstetrical Anal Sphincter Injury: A Randomized Controlled Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 315-321. | 0.6 | 8 |
| 735 | Laparoscopic Cerclage Sacrohysteropexy: Comparing a Novel Technique for Sacrohysteropexy to Traditional Supracervical Hysterectomy and Sacrocervicopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e315-e320. | 0.6 | 3 |
| 736 | Interplay between Bladder Microbiota and Urinary Antimicrobial Peptides: Mechanisms for Human Urinary Tract Infection Risk and Symptom Severity. <i>PLoS ONE</i> , 2014, 9, e114185. | 1.1 | 106 |
| 737 | A local immune response to a synthetic polypropylene implant (an experimental study). <i>Russian Bulletin of Obstetrician-Gynecologist</i> , 2019, 19, 47. | 0.0 | 1 |
| 738 | Effect of Anticholinergic Use for the Treatment of Overactive Bladder on Cognitive Function in Postmenopausal Women. <i>Clinical Drug Investigation</i> , 2012, 32, 1. | 1.1 | 12 |
| 739 | Facilitating and inhibiting factors related to treatment adherence in women with polycystic ovary syndrome: A qualitative study. <i>International Journal of Reproductive BioMedicine</i> , 2017, 15, 553-560. | 0.5 | 12 |
| 740 | Outcome of Non-Descent Vaginal Hysterectomy at a Single Centre in Sri Lanka: an Observational Study. <i>Sri Lanka Journal of Obstetrics and Gynaecology</i> , 2016, 37, 42. | 0.1 | 1 |
| 741 | Porcine Small Intestinal Submucosa Mesh for Treatment of Pelvic Organ Prolapsed. <i>Chinese Medical Journal</i> , 2016, 129, 2603-2609. | 0.9 | 10 |
| 742 | Effect of mula bandha yoga in mild grade pelvic organ prolapse: A randomized controlled trial. <i>International Journal of Yoga</i> , 2018, 11, 116. | 0.4 | 8 |
| 743 | Prevalence of neuropathic pain and pelvic floor disorders among females seeking physical therapy for chronic low back pain. <i>Urology Annals</i> , 2019, 11, 20. | 0.3 | 3 |
| 744 | Nerve preserving vs standard laparoscopic sacropexy: Postoperative bowel function. <i>World Journal of Gastrointestinal Endoscopy</i> , 2017, 9, 211. | 0.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 745 | The impact of symptomatic urinary incontinence on female sexual function in middle- to old-aged Korean women. <i>Korean Journal of Obstetrics & Gynecology</i> , 2011, 54, 778. | 0.1 | 3 |
| 746 | Randomized controlled trial for improved recovery of the pelvic floor after vaginal delivery with a specially formulated postpartum supplement. <i>Obstetrics and Gynecology Science</i> , 2020, 63, 305-314. | 0.6 | 3 |
| 747 | The effects of a 6 week dynamic core stability plank exercise program compared to a traditional supine core stability strengthening program on diastasis recti abdominis closure, pain, Oswestry disability index (ODI) and pelvic floor disability index scores (PFDI). <i>Physical Therapy and Rehabilitation</i> , 2016, 3, 3. | 0.3 | 27 |
| 748 | Protocol for a prospective multisite cohort study investigating hysterectomy versus uterine preservation for pelvic organ prolapse surgery: the HUPPS study. <i>BMJ Open</i> , 2021, 11, e053679. | 0.8 | 5 |
| 749 | Medidas de resultados y calidad de vida en la investigación del suelo pélvico. , 2008, , 507-519. | | 0 |
| 750 | Posterior Compartment Repair and Fecal Incontinence. , 2009, , 367-389. | | 0 |
| 751 | Microbiome, Bladder. , 2012, , 1-6. | | 0 |
| 752 | Epidemiology, Risk Factors, and Social Impact of Pelvic Organ Prolapse. , 2013, , 1-9. | | 1 |
| 753 | Basic Urologic History and Questionnaires and the Role of Imaging in Female Pelvic Medicine and Reconstructive Surgery. <i>Current Clinical Urology</i> , 2014, , 3-13. | 0.0 | 1 |
| 754 | The Impact of Fecal Incontinence on Women's Sexuality: A Review of the Literature. <i>Journal of Women's Health, Issues & Care</i> , 2014, 03, . | 0.1 | 0 |
| 755 | Subjective and Objective Results of Native Anterior Vaginal Wall Repair in Local Anesthesia: A 10-Year Follow-Up. <i>Open Journal of Obstetrics and Gynecology</i> , 2015, 05, 762-767. | 0.1 | 0 |
| 756 | Female Urinary Incontinence: A Study Protocol Using the Malay QUID in Selangor, Malaysia. <i>Journal of Women's Health Care</i> , 2016, 05, . | 0.2 | 0 |
| 757 | Application of a Mixed Material Graft to Posterior Intravaginal Slingoplasty Procedure: Preliminary Pilot Series. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017, 11, QR01-QR03. | 0.8 | 0 |
| 758 | Changes in Quality of Life Score of Patients with Pelvic Organ Prolapse after Vaginal Surgery Measured by Pelvic Floor Distress Inventory (PFDI20) and Pelvic Floor Impact Questionnaire (PFIQ7) Questionnaires. <i>Majalah Obstetri Dan Ginekologi Indonesia</i> , 0, , 164. | 0.0 | 0 |
| 760 | Correlation between Pelvic Organ Prolapse Symptoms and Age of Menopause. <i>Majalah Obstetri Dan Ginekologi</i> , 2018, 25, 30. | 0.1 | 2 |
| 761 | A study on incidence of pelvic floor dysfunction among non-medical professional women working in saveetha university. <i>International Journal of Pharma and Bio Sciences</i> , 2018, 9, . | 0.1 | 0 |
| 762 | Pelvic, anorectal and urinary symptoms according to the nutritional status of adult women: A cross-sectional study. <i>Revista De Nutricao</i> , 0, 32, . | 0.4 | 0 |
| 763 | Pregnancy-related diastasis rectus abdominis: Impact of a multi-component group-based intervention. <i>Obstetrics & Gynecology International Journal</i> , 2019, 10, . | 0.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 764 | Compression shorts reduce prenatal pelvic and low back pain: a prospective quasi-experimental controlled study. <i>PeerJ</i> , 2019, 7, e7080. | 0.9 | 2 |
| 765 | Laparoscopic Sacrocolpopexy Plus Colporrhaphy With an Small Intestine Submucosa Graft Versus Total Pelvic Floor Reconstruction for Advanced Prolapse: A Retrospective Cohort Study. <i>International Neurourology Journal</i> , 2019, 23, 144-150. | 0.5 | 6 |
| 766 | Long-Term Clinical Outcomes, Recurrence, Satisfaction, and Regret After Total Colpocleisis With Concomitant Vaginal Hysterectomy: A Retrospective Single-Center Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e510-e515. | 0.6 | 6 |
| 767 | Epidemiology Analysis of Pelvic Floor Medicine Center in Southern Israel Using PFDI-20 and PISQ-12 Quality of Life Questionnaires. , 2020, 3, 191-201. | | 1 |
| 768 | Restricted Convalescence Following Urogynecologic Procedures: 1-Year Outcomes From a Randomized Controlled Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e336-e341. | 0.6 | 3 |
| 769 | Gynecological aspects as a component of comprehensive geriatric assessment: A study of self-rated symptoms of pelvic organ prolapse among community-dwelling elderly women in Japan. <i>Maturitas</i> , 2021, 157, 34-39. | 1.0 | 0 |
| 770 | Experience with Prolift Mesh System for Correction of Uterovaginal Prolapse: Analysis of 149 Cases. <i>Journal of Gynecologic Surgery</i> , 2020, 36, 313-318. | 0.0 | 1 |
| 771 | Patient-Reported Outcomes and Pelvic Organ Prolapse. , 2021, , 555-575. | | 0 |
| 772 | The Association Between Gastrointestinal Symptoms and Transvaginal Ultrasound Findings in Women Referred for Endometriosis Evaluation: A Prospective Pilot Study. <i>Ultraschall in Der Medizin</i> , 2022, 43, e81-e89. | 0.8 | 5 |
| 774 | Comparison of Lower Urinary System Symptoms of Women with Multiple Sclerosis and Healthy. <i>Anadolu Kliniġi Tıp Bilimleri Dergisi</i> , 0, , . | 0.1 | 2 |
| 775 | The Impact of Radiofrequency on Pelvic Floor Distress, Restoration, and Sexual Function Among Women Suffering from Pelvic Floor Disorders. <i>Journal of Obstetrics, Gynecology and Cancer Research</i> , 2021, 7, 114-120. | 0.0 | 1 |
| 776 | The Effect of Aging on Pelvic Floor Pressure Measurements in Nulliparous Women. <i>Open Journal of Obstetrics and Gynecology</i> , 2020, 10, 751-769. | 0.1 | 7 |
| 777 | Perineorrhaphy Outcomes Related to Body Imagery: A Randomized Trial of Body Image Perception. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 281-288. | 0.6 | 0 |
| 778 | Unsupervised Machine Learning Approaches Reveal Distinct Phenotypes of Perceived Bladder Pain: A Pilot Study. <i>Frontiers in Pain Research</i> , 2021, 2, . | 0.9 | 2 |
| 779 | Advanced Cystocele is a Risk Factor for Surgical Failure Following Robotic-Assisted Laparoscopic Sacrocolpopexy. <i>Journal of Minimally Invasive Gynecology</i> , 2021, , . | 0.3 | 10 |
| 780 | Transvaginal mesh surgery for anterior apical prolapse of the pelvic organs in women. <i>Andrologia i Genital'naa Hirurgia</i> , 2020, 21, 44-50. | 0.1 | 1 |
| 781 | Impact of Fecal Incontinence on Quality of Life. , 2007, , 73-77. | | 0 |
| 782 | Posterior Compartment Repair and Fecal Incontinence. , 2009, , 367-389. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 783 | Female urine incontinence: vaginal erbium laser (VEL) effectiveness and safety. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2020, 41, . | 0.3 | 1 |
| 784 | The Effect of Aging on Pelvic Floor Pressure Measurements in Nulliparous Women. <i>Open Journal of Obstetrics and Gynecology</i> , 2020, 10, 751-769. | 0.1 | 1 |
| 785 | Impact of a Web-Based Decisional Aid on Satisfaction in Women Undergoing Prolapse Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e309-e314. | 0.6 | 4 |
| 786 | Composite Outcomes After Posterior Colporrhaphy With and Without Biologic Graft Augmentation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e414-e417. | 0.6 | 2 |
| 787 | Adding Insult to Injury: Levator Ani Avulsion in Women With Obstetric Anal Sphincter Injuries. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 462-467. | 0.6 | 4 |
| 788 | Physical Therapy Management in Recurrent Urinary Tract Infections: A Case Report. <i>Journal of Women's Health Physical Therapy</i> , 2021, 45, 27-33. | 0.5 | 0 |
| 790 | PELVIC FLOOR SYMPTOMS AND QUALITY OF LIFE ANALYSES IN WOMEN UNDERGOING SURGERY FOR RECTAL PROLAPSE. <i>World Journal of Colorectal Surgery</i> , 2013, 3, . | 0.0 | 0 |
| 791 | Optimizing Urine Processing Protocols for Protein and Metabolite Detection. <i>Journal of Proteomics and Bioinformatics</i> , 2015, 2015, . | 0.4 | 1 |
| 792 | Oncology Section EDGE Task Force on Urogenital Cancer: A Systematic Review of Clinical Measures for Incontinence. <i>Rehabilitation Oncology</i> , 2017, 35, 130-136. | 0.2 | 0 |
| 793 | Facilitating and inhibiting factors related to treatment adherence in women with polycystic ovary syndrome: A qualitative study. <i>International Journal of Reproductive BioMedicine</i> , 2017, 15, 553-560. | 0.5 | 5 |
| 794 | Impact of biofeedback therapy for pelvic floor-related constipation to improve sexual function. <i>Gastroenterology and Hepatology From Bed To Bench</i> , 2020, 13, S75-S80. | 0.6 | 0 |
| 795 | A comparison of modified laparoscopic uterine suspension and vaginal hysterectomy with sacrospinous ligament fixation for treating pelvic organ prolapse. <i>American Journal of Translational Research (discontinued)</i> , 2021, 13, 5672-5678. | 0.0 | 0 |
| 796 | Effects of hypopressive exercises on post-partum abdominal diastasis, trunk circumference, and mechanical properties of abdominopelvic tissues: a case series. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 49-60. | 0.6 | 6 |
| 797 | Middle and Anterior Pelvic Compartment: Issues for the Colorectal Surgeon. , 2022, , 1077-1086. | | 0 |
| 798 | Gluteal and Posterior Thigh Pain From a Suture Compared With an Anchor-Based Device in Patients Undergoing Sacrospinous Ligament Fixation. <i>Obstetrics and Gynecology</i> , 2022, 139, 97-106. | 1.2 | 4 |
| 799 | Female Sexual Dysfunction and Pelvic Floor Muscle Function Associated with Systemic Sclerosis: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 612. | 1.2 | 3 |
| 800 | Approaching Combined Rectal and Vaginal Prolapse. <i>Clinics in Colon and Rectal Surgery</i> , 2021, 34, 302-310. | 0.5 | 2 |
| 801 | The effect of low-intensity whole-body vibration with or without high-intensity resistance and impact training on risk factors for proximal femur fragility fracture in postmenopausal women with low bone mass: study protocol for the VIBMOR randomized controlled trial. <i>Trials</i> , 2022, 23, 15. | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 802 | The Er:YAG vaginal laser for management of women with genitourinary syndrome of menopause (GSM). <i>Lasers in Medical Science</i> , 2022, 37, 2203-2208. | 1.0 | 5 |
| 803 | Evidence-based pelvic floor disorder care pathways optimize shared decision making between patients and surgeons. <i>International Urogynecology Journal</i> , 2022, 33, 2841-2847. | 0.7 | 6 |
| 804 | Validation of an obstetric fistula screening questionnaire: a case-control study with clinical examination. <i>Reproductive Health</i> , 2022, 19, 12. | 1.2 | 0 |
| 805 | Absolute and Relative Reliability of the Assessment of the Muscle Mechanical Properties of Pelvic Floor Muscles in Women with and without Urinary Incontinence. <i>Diagnostics</i> , 2021, 11, 2315. | 1.3 | 6 |
| 806 | Comparison of outcomes between pessary use and surgery for symptomatic pelvic organ prolapse: A prospective self-controlled study. <i>Investigative and Clinical Urology</i> , 2022, 63, 214. | 1.0 | 3 |
| 807 | Infant Carrying in the United States: A Survey of Current Practices, Physical and Mental Health Benefits, and Challenges of Babywearing. <i>Journal of Women's Health Physical Therapy</i> , 2022, 46, 25-34. | 0.5 | 3 |
| 808 | Where does postmenopausal dyspareunia hurt? A cross-sectional report. <i>Menopause</i> , 2022, 29, 646-653. | 0.8 | 11 |
| 809 | Network-Based Differences in the Vaginal and Bladder Microbial Communities Between Women With and Without Urgency Urinary Incontinence. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 759156. | 1.8 | 12 |
| 810 | Outcomes of the anterior approach versus posterior sacrospinous ligament fixation for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2022, 33, 1857-1862. | 0.7 | 3 |
| 811 | Sacrospinous Ligament Fixation Using an Anchor Versus Suture-Capturing Device: A Prospective Cohort Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, 131-135. | 0.6 | 1 |
| 812 | Digital Therapeutic Device for Urinary Incontinence. <i>Obstetrics and Gynecology</i> , 2022, 139, 606-615. | 1.2 | 11 |
| 813 | Long-term Urinary Outcomes After Transvaginal Uterovaginal Prolapse Repair With and Without Concomitant Midurethral Slings. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, 142-148. | 0.6 | 4 |
| 814 | The effect of pelvic floor muscle training for women with pelvic organ prolapse: a meta-analysis. <i>International Urogynecology Journal</i> , 2022, 33, 1789-1801. | 0.7 | 7 |
| 815 | Clinical Efficacy of LSC and TVT-O for Stress Urinary Incontinence Complicated with Pelvic Organ Prolapse and Factors Influencing Postoperative Urinary Function Recovery. <i>Journal of Healthcare Engineering</i> , 2022, 2022, 1-9. | 1.1 | 1 |
| 816 | Gender expression is associated with selection of uterine preservation or hysterectomy for pelvic organ prolapse surgery: Novel methodology for sex- and gender-based analysis in gynecologic research. <i>International Journal of Gynecology and Obstetrics</i> , 2022, , . | 1.0 | 0 |
| 817 | Prospective evaluation of genital hiatus in patients undergoing surgical prolapse repair. <i>International Urogynecology Journal</i> , 2022, 33, 3247-3254. | 0.7 | 1 |
| 818 | Percutaneous Tibial Nerve Stimulation vs Sham Stimulation for Fecal Incontinence in Women: Neuromodulation for Accidental Bowel Leakage Randomized Clinical Trial. <i>American Journal of Gastroenterology</i> , 2022, 117, 654-667. | 0.2 | 11 |
| 819 | Thai translation and validation of the Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire, IUGA-Revised (PISQ-IR) and Pelvic Floor Distress Inventory (PFDI-20). <i>International Urogynecology Journal</i> , 2022, 33, 3137-3142. | 0.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 820 | Use of a motion-based digital therapeutic in women with fecal incontinence: A pilot study. <i>Neurourology and Urodynamics</i> , 2022, 41, 475-481. | 0.8 | 2 |
| 821 | Spanish Questionnaires for the Assessment of Pelvic Floor Dysfunctions in Women: A Systematic Review of the Structural Characteristics and Psychometric Properties. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12858. | 1.2 | 2 |
| 822 | The Importance of Information: Prenatal Education Surrounding Birth-Related Pelvic Floor Trauma Mitigates Symptom-Related Distress. <i>Journal of Women's Health Physical Therapy</i> , 2022, 46, 62-72. | 0.5 | 2 |
| 823 | Urodynamic autonomic bladder dysfunction in women with complex chronic pelvic pain is associated with small fiber polyneuropathy. <i>Neurourology and Urodynamics</i> , 2022, 41, 482-489. | 0.8 | 4 |
| 824 | Sensation of incomplete bladder emptying in women: Lack of correlation to an elevated postvoid residual. <i>Neurourology and Urodynamics</i> , 2022, 41, 490-497. | 0.8 | 2 |
| 825 | Laparoscopic sacral hysteropexy for pelvic organ prolapse in a patient affected by marfan syndrome: a case report. <i>Facts, Views & Vision in ObGyn</i> , 2021, 13, 399-403. | 0.5 | 0 |
| 826 | Long-term development of surgical outcome of laparoscopic sacrohysteropexy with anterior and posterior mesh extension. <i>International Urogynecology Journal</i> , 2023, 34, 191-200. | 0.7 | 2 |
| 829 | The effect evaluation of traditional vaginal surgery and transvaginal mesh surgery for severe pelvic organ prolapse: 5 years follow-up. <i>Open Medicine (Poland)</i> , 2022, 17, 801-807. | 0.6 | 2 |
| 830 | Effect of Psychological Intervention on Pelvic Floor Function and Psychological Outcomes After Hysterectomy. <i>Frontiers in Medicine</i> , 2022, 9, 878815. | 1.2 | 0 |
| 831 | The Relationship Between Perineal Body Size, Total Vaginal Length, Apical Prolapse, and Prolapse Symptoms. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, Publish Ahead of Print, . | 0.6 | 0 |
| 832 | Evaluation of the Chinese version of the constipation scoring system in Chinese women with pelvic organ prolapse. <i>Scientific Reports</i> , 2022, 12, 7320. | 1.6 | 0 |
| 833 | Novel insight into the correlation between hernia orifice of cystocele and lower urinary tract function: a pilot study. <i>BMC Women's Health</i> , 2022, 22, 164. | 0.8 | 0 |
| 834 | Contemporary Use and Techniques of Laparoscopic Sacrocolpopexy With or Without Robotic Assistance for Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2022, 139, 922-932. | 1.2 | 3 |
| 835 | Internal structure and classification of pelvic floor dysfunction distress by PFDI-20 total score. <i>Journal of Patient-Reported Outcomes</i> , 2022, 6, 51. | 0.9 | 7 |
| 836 | Comparison of long-term results of obliterative colpocleisis and reconstructive vaginal surgery including sacrospinous ligament fixation in patients with total genital prolapse. <i>Nigerian Journal of Clinical Practice</i> , 2022, 25, 597. | 0.2 | 1 |
| 837 | Transvaginal Mesh Compared With Native Tissue Repair for Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2022, 139, 975-985. | 1.2 | 11 |
| 838 | Function, quality-of-life and complications after sacrospinous ligament fixation using an antegrade reusable suturing device (ARSD-Ney) at 6 and 12 months: a retrospective cohort study. <i>Annals of Translational Medicine</i> , 2022, 10, 582-582. | 0.7 | 3 |
| 839 | Comparing two-dimensional ultrasonography with three-dimensional ultrasonography and MRI for the levator ani defects grading. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 841 | Synchronous Telemedicine Model in Urogynecology: Are Patients Willing to Continue Telemedicine in the Post-COVID-19 Pandemic Era?. Female Pelvic Medicine and Reconstructive Surgery, 0, Publish Ahead of Print, . | 0.6 | 0 |
| 842 | Correlation between overactive bladder and detrusor overactivity: a retrospective study. International Urogynecology Journal, 2023, 34, 867-875. | 0.7 | 2 |
| 843 | Association between striae gravidarum and pelvic floor dysfunction symptoms during pregnancy. International Urogynecology Journal, 0, , . | 0.7 | 0 |
| 844 | Effect of electroacupuncture on symptoms of female pelvic organ prolapse (stage II-III) (EAPOP study): protocol of a randomised controlled trial. BMJ Open, 2022, 12, e051249. | 0.8 | 0 |
| 845 | Pelvic floor symptoms from first pregnancy up to 8 years after the first delivery: a longitudinal study. American Journal of Obstetrics and Gynecology, 2022, 227, 613.e1-613.e15. | 0.7 | 3 |
| 846 | Impact of treatment modality on pelvic floor dysfunction among uterine cancer survivors. International Journal of Gynecological Cancer, 2022, 32, 1266-1275. | 1.2 | 4 |
| 847 | Factors associated with pelvic floor dysfunction in women with breast cancer. , 2022, , 100494. | | 2 |
| 848 | 36-Month Prospective Study of Transvaginal Bovine Graft versus Native Tissue Repair for the Treatment of Pelvic Organ Prolapse. Urology, 2022, , . | 0.5 | 1 |
| 850 | Pelvic floor symptoms in cisgender women with Ehlers-Danlos syndrome: an international survey study. International Urogynecology Journal, 0, , . | 0.7 | 1 |
| 851 | Pelvic Organ Prolapse. Physician Assistant Clinics, 2022, 7, 485-497. | 0.1 | 0 |
| 852 | How does colpocleisis for pelvic organ prolapse in older women affect quality of life, body image, and sexuality? A critical review of the literature. Women's Health, 2022, 18, 174550572211110. | 0.7 | 4 |
| 853 | Dyspareunia—where and why the pain?. Menopause, 2022, 29, 639-641. | 0.8 | 1 |
| 854 | Determining the Ideal Intraoperative Resting Genital Hiatus Size—Balancing Surgical and Functional Outcomes. Female Pelvic Medicine and Reconstructive Surgery, 0, Publish Ahead of Print, . | 0.6 | 2 |
| 855 | Factors Associated with Vesicovaginal Fistula and Their and Treatment Outcome. Pakistan Biomedical Journal, 0, , 70-74. | 0.0 | 0 |
| 856 | Development and initial validation of a pictorial survey to assess for symptomatic pelvic organ prolapse and urinary incontinence in western Kenya. International Urogynecology Journal, 0, , . | 0.7 | 0 |
| 857 | 430 A RANDOMISED CONTROLLED TRIAL OF THE CLINICAL AND COST-EFFECTIVENESS OF VAGINAL PESSARY SELF-MANAGEMENT VS CLINIC-BASED CARE FOR PELVIC ORGAN PROLAPSE. , 2022, 2, 1-2. | | 0 |
| 858 | Impact of pelvic floor dysfunction in Aboriginal and Torres Strait Islander women attending an urban Aboriginal medical service. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2022, 62, 748-754. | 0.4 | 2 |
| 859 | Prevalence, Knowledge and Awareness of Pelvic Floor Disorder among Pregnant Women in a Tertiary Centre, Malaysia. International Journal of Environmental Research and Public Health, 2022, 19, 8314. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 860 | Diagnostic efficacy of transperineal sonography in the verification of pelvic floor muscular and fascial defects. Case report. <i>Gynecology</i> , 2022, 24, 219-222. | 0.1 | 0 |
| 861 | Long-term oncologic outcomes of natural orifice specimen extraction surgery versus conventional laparoscopic-assisted resection in the treatment of rectal cancer: a propensity-score matching study. <i>BMC Surgery</i> , 2022, 22, . | 0.6 | 5 |
| 862 | Local Estrogen Therapy for Pelvic Organ Prolapse in Postmenopausal Women: A Systematic Review and Meta-Analysis. <i>Iranian Journal of Public Health</i> , 0, , . | 0.3 | 1 |
| 864 | Effects of hysterectomy on pelvic floor function and sexual functionâ€”A prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 1048-1056. | 1.3 | 4 |
| 865 | Cross-cultural adaptation and psychometric evaluation of the Brazilian Portuguese version of the Vulvovaginal Symptoms Questionnaire. <i>Menopause</i> , 2022, 29, 1055-1061. | 0.8 | 1 |
| 866 | Single-center study for robotic-assisted laparoscopic sacropexies: a one-fits-all strategy for pelvic organ prolapse?. <i>Archives of Gynecology and Obstetrics</i> , 2022, 306, 2009-2015. | 0.8 | 2 |
| 867 | Using the Pelvic Floor Impact Questionnaire to Improve Urinary Incontinence Assessments for Female Veterans. <i>Nursing for Women's Health</i> , 2022, , . | 0.3 | 0 |
| 868 | A digital health program for treatment of urinary incontinence: retrospective review of real-world user data. <i>International Urogynecology Journal</i> , 2023, 34, 1083-1089. | 0.7 | 2 |
| 869 | Management of complex pelvic floor dysfunctions: Combined versus single surgical procedure in a multidisciplinary approach. A prospective study. <i>Pelviperrineology</i> , 2022, 41, 81-90. | 0.1 | 0 |
| 870 | Determinants of Pelvic Floor Disorders among Women Visiting the Gynecology Outpatient Department in Wolkite University Specialized Center, Wolkite, Ethiopia. <i>Obstetrics and Gynecology International</i> , 2022, 2022, 1-10. | 0.5 | 3 |
| 871 | Faecal incontinence in adults. <i>Nature Reviews Disease Primers</i> , 2022, 8, . | 18.1 | 27 |
| 872 | Surgical reconstruction for apical vaginal prolapse. <i>Pelviperrineology</i> , 2022, 41, 123-129. | 0.1 | 0 |
| 873 | â€œWe donâ€™t talk about it enoughâ€” Perceptions of pelvic health among postpartum women in rural communities. <i>Women's Health</i> , 2022, 18, 174550572211225. | 0.7 | 1 |
| 874 | The Effect of Age on Surgical Outcomes Following Uterine Preserving Surgery for Treatment of Apical Prolapse. <i>Journal of Minimally Invasive Gynecology</i> , 2022, , . | 0.3 | 0 |
| 875 | Prevalence and severity of sexual dysfunction in women experiencing urinary incontinence with and without breast cancer: A matched control study. , 2022, 3, 100012. | | 0 |
| 876 | Effect of Pelvic Floor Workout on Pelvic Floor Muscle Function Recovery of Postpartum Women: Protocol for a Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 11073. | 1.2 | 6 |
| 877 | Phenotyping of Urinary Urgency Patients Without Urgency Incontinence, and Their Comparison to Urgency Incontinence Patients: Findings From the LURN Study. <i>Journal of Urology</i> , 2023, 209, 233-242. | 0.2 | 1 |
| 878 | Application of Transvaginal Natural Orifice Specimen Extraction Surgery in Urological Surgery. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2023, 33, 231-235. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 879 | Contributory effects of individual characteristics on pelvic floor distress in women with pelvic floor dysfunctions. <i>Physiotherapy Theory and Practice</i> , 2024, 40, 625-636. | 0.6 | 0 |
| 880 | Medium-term outcomes 2 years after laparoscopic sacrocolpopexy: a retrospective cohort study in Japan. <i>Journal of Obstetrics and Gynaecology</i> , 2022, 42, 3336-3341. | 0.4 | 2 |
| 881 | Comparison of long-term bowel symptoms after laparoscopic radical hysterectomy versus abdominal radical hysterectomy in patients with cervical cancer. <i>International Urogynecology Journal</i> , 2023, 34, 439-444. | 0.7 | 1 |
| 883 | Role of Pessaries in the Treatment of Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2022, 140, 613-622. | 1.2 | 7 |
| 884 | How is pain associated with pelvic mesh implants measured? Refinement of the construct and a scoping review of current assessment tools. <i>BMC Women's Health</i> , 2022, 22, . | 0.8 | 2 |
| 885 | Predictive factors for functional failure of ventral mesh rectopexy in the treatment of rectal prolapse and obstructed defecation. <i>Techniques in Coloproctology</i> , 2022, 26, 973-979. | 0.8 | 1 |
| 886 | Relationship between inter-recti distance, abdominal muscle endurance, pelvic floor functions, respiratory muscle strength, and postural control in women with diastasis recti abdominis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 279, 40-44. | 0.5 | 3 |
| 887 | Asymmetries of the Muscle Mechanical Properties of the Pelvic Floor in Nulliparous and Multiparous Women, and Men: A Cross-Sectional Study. <i>Symmetry</i> , 2022, 14, 2124. | 1.1 | 2 |
| 888 | Women with functional constipation have a worse ability to relax their pelvic floor muscle: A cross sectional study. <i>Neurourology and Urodynamics</i> , 2023, 42, 123-132. | 0.8 | 1 |
| 889 | Bio-Physics Approach to Urinary Incontinence Disabilities. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 12612. | 1.2 | 2 |
| 890 | Characterization of the GU microbiome in women with self-perceived bladder health over the life course. <i>Neurourology and Urodynamics</i> , 2023, 42, 133-145. | 0.8 | 2 |
| 891 | Long-term mesh exposure after minimally invasive total hysterectomy and sacrocolpopexy. <i>International Urogynecology Journal</i> , 2023, 34, 291-296. | 0.7 | 1 |
| 892 | Occurrence and impact of pelvic floor dysfunction in women with and without breast cancer: a cross-sectional study. <i>Brazilian Journal of Physical Therapy</i> , 2022, 26, 100455. | 1.1 | 2 |
| 893 | De novo pain and relief of pain after abdominal synthetic mesh implants. , 2022, 4, 100514. | | 0 |
| 894 | Development of a coordinated registry network for pelvic organ prolapse technologies. <i>BMJ Surgery, Interventions, and Health Technologies</i> , 2022, 4, e000076. | 0.6 | 5 |
| 895 | Prevalence of urinary incontinence and other pelvic floor disorders in women with myotonic dystrophy type 1. <i>Neuromuscular Disorders</i> , 2023, 33, 32-39. | 0.3 | 1 |
| 896 | Translation, reliability, and validity of Amharic versions of the Pelvic Floor Distress Inventory (PFDI-20) and Pelvic Floor Impact Questionnaire (PFIQ-7). <i>PLoS ONE</i> , 2022, 17, e0270434. | 1.1 | 1 |
| 897 | Diversity in Pelvic Floor Disorders Research: A Matter of Equity and Inclusion. , 2023, 29, 1-4. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 898 | Factors associated with poor sleep quality in midlife Singaporean women: The Integrated Women's Health program (IWHP). <i>Sleep Medicine: X</i> , 2023, 5, 100060. | 0.5 | 1 |
| 899 | Polypharmacy and Multimorbidity in the Urogynecology Population and Their Effect on Pelvic Floor Symptoms. , 2023, 29, 80-87. | | 0 |
| 900 | Analysis of the Structural Characteristics and Psychometric Properties of the Pelvic Floor Bother Questionnaire (PFBQ): A Systematic Review. <i>Journal of Clinical Medicine</i> , 2022, 11, 7075. | 1.0 | 2 |
| 901 | Anal incontinence incidence is high in patients with obesity prior to bariatric surgery: Prevalence, risks-factors. <i>Progres En Urologie</i> , 2022, , . | 0.3 | 0 |
| 902 | Pelvic floor dysfunction in rural postpartum mothers in the United States: prevalence, severity, and psychosocial correlates. <i>Women and Health</i> , 2022, 62, 775-787. | 0.4 | 2 |
| 903 | Digital Therapeutic Device for Urinary Incontinence. <i>Obstetrics and Gynecology</i> , 2023, 141, 199-206. | 1.2 | 2 |
| 904 | Management of full thickness rectal prolapse. <i>Seminars in Colon and Rectal Surgery</i> , 2022, , 100938. | 0.2 | 0 |
| 905 | A comparison of patient-reported outcomes among Canadian women having hysterectomies. <i>Quality of Life Research</i> , 2023, 32, 759-768. | 1.5 | 3 |
| 906 | Effect of Pessary vs Surgery on Patient-Reported Improvement in Patients With Symptomatic Pelvic Organ Prolapse. <i>JAMA - Journal of the American Medical Association</i> , 2022, 328, 2312. | 3.8 | 3 |
| 907 | Quality of Life Following Pelvic Organ Prolapse Treatments in Women: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2022, 11, 7166. | 1.0 | 5 |
| 908 | Medium- to long-term outcomes of vaginally assisted laparoscopic sacrocolpopexy in the treatment of stage III-IV pelvic organ prolapse. <i>BMC Women's Health</i> , 2022, 22, . | 0.8 | 1 |
| 909 | Outcome measures reported following feminizing genital gender affirmation surgery for transgender women and gender diverse individuals: A systematic review. <i>International Journal of Transgender Health</i> , 2023, 24, 149-173. | 1.1 | 2 |
| 911 | Effect of Second-Stage Pushing Timing on Postpartum Pelvic Floor Morbidity. <i>Obstetrics and Gynecology</i> , 2023, 141, 245-252. | 1.2 | 3 |
| 912 | Efectividad de los ejercicios hipopresivos en la reducci3n de sAntomas de incontinencia urinaria y mejora de calidad de vida en mujeres menop4usicas: una revisi3n sistem4tica de ensayos cl4nicos aleatorizados (Effectiveness of hypopressive exercises in reducing urinary incontinence symptoms and) Tj ETQq1 1 0.784314orgBT /Over Retos , 0, 47, 920-925. | 0.7 | 0 |
| 913 | Underrepresentation in Pelvic Floor Disorder Patient-Reported Outcomes: Whose Outcomes Are We Measuring?. , 2022, 28, 770-777. | | 0 |
| 915 | Foley Balloon Pull Test of Pelvic Floor Muscle Strength. , 0, Publish Ahead of Print, . | | 0 |
| 917 | Transvaginal natural orifice transluminal endoscopic surgery versus conventional vaginal surgery for sacrospinous ligament fixation of apical compartment prolapse: a retrospective analysis. <i>BMC Surgery</i> , 2023, 23, . | 0.6 | 1 |
| 918 | A novel method for the translation and cross-cultural adaptation of health-related quality of life patient-reported outcome measurements. <i>Health and Quality of Life Outcomes</i> , 2023, 21, . | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 919 | Patient-Reported Outcomes in Colorectal Surgery. <i>Clinics in Colon and Rectal Surgery</i> , 0, , . | 0.5 | 0 |
| 920 | Five-year surgical outcomes of transvaginal apical approaches in women with advanced pelvic organ prolapse. <i>International Urogynecology Journal</i> , 0, , . | 0.7 | 0 |
| 921 | Multi-Organ System Screening, Care, and Patient Support in Systemic Sclerosis. <i>Rheumatic Disease Clinics of North America</i> , 2023, 49, 211-248. | 0.8 | 2 |
| 922 | Factors associated with utilization of physical therapy services during pregnancy and after childbirth. <i>Heliyon</i> , 2023, 9, e13247. | 1.4 | 1 |
| 923 | Association of sarcopenia with important health conditions among community-dwelling Asian women. <i>PLoS ONE</i> , 2023, 18, e0281144. | 1.1 | 2 |
| 924 | Pelvic Pain and Pelvic Floor Muscle Dysfunction in Women Seeking Treatment for Prolapse. , 2023, 29, 225-233. | | 1 |
| 925 | Symptom and Anatomical Phenotypes Provide Insights Into Interactions of Prolapse Symptoms and Anatomy. , 2023, 29, 209-217. | | 0 |
| 926 | Urinary Biomarkers and Overactive Bladder Symptoms Before and After Prolapse Surgery. , 2023, 29, 266-272. | | 1 |
| 927 | Pelvic floor disorder assessment of knowledge and symptoms: an educational intervention for Spanish-speaking women (PAKS study). <i>International Urogynecology Journal</i> , 0, , . | 0.7 | 0 |
| 928 | Running Gait Retraining in the Management of a Multiparous Runner With Chronic Stress Urinary Incontinence: A Case Study. <i>Journal of Women's Health Physical Therapy</i> , 0, Publish Ahead of Print, . | 0.5 | 0 |
| 929 | Which type of female urinary incontinence has more impact on pelvic floor and sexual function in addition to anxiety and depression symptoms: A questionnaire-based study. <i>Neurourology and Urodynamics</i> , 2023, 42, 814-821. | 0.8 | 2 |
| 930 | Treating where it hurts—a randomized comparative trial of vestibule estradiol for postmenopausal dyspareunia. <i>Menopause</i> , 2023, 30, 467-475. | 0.8 | 4 |
| 931 | Pelvic floor disorder and relevant factors in Iranian women of reproductive age: a cross-sectional study. <i>BMC Women's Health</i> , 2023, 23, . | 0.8 | 2 |
| 932 | Permanent or absorbable suture material for sacrospinous ligament fixation: Does it matter?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2023, 283, 112-117. | 0.5 | 0 |
| 934 | Robot-assisted sacrohysteropexy vs robot-assisted sacrocolpopexy in women with primary advanced apical prolapse: A retrospective cohort study. <i>Journal of the Chinese Medical Association</i> , 2023, 86, 418-425. | 0.6 | 3 |
| 935 | Endometrial Cancer Surgery With or Without Concomitant Stress Urinary Incontinence Surgery. <i>Obstetrics and Gynecology</i> , 2023, 141, 642-652. | 1.2 | 3 |
| 937 | Changes in sexual function over 12 months after native-tissue vaginal pelvic organ prolapse surgery with and without hysterectomy. <i>Sexual Medicine</i> , 2023, 11, . | 0.9 | 0 |
| 938 | McCall culdoplasty vs. vaginally assisted laparoscopic sacrocolpopexy in the treatment of advanced uterine prolapse: A randomized controlled study. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2023, 62, 325-329. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 939 | Long-term pelvic floor symptoms and urogenital prolapse after hysterectomy. <i>BMC Women's Health</i> , 2023, 23, . | 0.8 | 3 |
| 940 | The Impact of Language Discordance on Patientsâ€™ Perception of a Clinical Encounter and Trust in Provider. , 2023, 29, 443-451. | | 1 |
| 941 | Work-Related Factors Associated With the Pelvic Floor Dysfunction Among a Sample of Female Nurses in China. <i>Workplace Health and Safety</i> , 2023, 71, 282-295. | 0.7 | 0 |
| 942 | Prevalence of pelvic floor dysfunction among women with polycystic ovarian syndrome: a case-control study. <i>Bulletin of Faculty of Physical Therapy</i> , 2023, 28, . | 0.2 | 0 |
| 943 | Urinary Incontinence in Parous Women Practicing Non-Extreme Competitive Sports Compared to the General Population. <i>Journal of Clinical Medicine</i> , 2023, 12, 2803. | 1.0 | 2 |
| 944 | Validation of the short forms of the Pelvic Floor Distress Inventory and the Pelvic Floor Impact Questionnaire in Estonian. <i>International Urogynecology Journal</i> , 0, , . | 0.7 | 0 |
| 946 | Patient-Reported Outcome Measures for Use in Women With Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2023, 141, 1098-1114. | 1.2 | 1 |
| 947 | Associations between perceptions of shared decision making and health among hysterectomy patients: A prospective observational study. <i>International Journal of Gynecology and Obstetrics</i> , 0, , . | 1.0 | 1 |
| 957 | Pathophysiology and Clinical Evaluation of Chronic Pelvic Pain. , 2023, , 1-22. | | 0 |
| 972 | Transvaginal Repair of Cystocele. , 2022, , 1-13. | | 0 |
| 973 | Quality-of-life improvements in patients after various surgical treatments for pelvic organ prolapse. <i>Archives of Gynecology and Obstetrics</i> , 2024, 309, 813-820. | 0.8 | 1 |
| 997 | Pathophysiology and Clinical Evaluation of Chronic Pelvic Pain. , 2023, , 909-930. | | 0 |
| 999 | Transvaginal Repair of Cystocele. , 2023, , 519-531. | | 0 |
| 1029 | Patient Reported Outcomes After Childbirth. , 2024, , 373-387. | | 0 |