

CITATION REPORT

List of articles citing

Bioinspired surfaces with special wettability

DOI: 10.1021/ar040224c

Accounts of Chemical Research, 2005, 38, 644-52.

Source: <https://exaly.com/paper-pdf/38154168/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1847	Physical Texturing for Superhydrophobic Polymeric Surfaces: A Design Perspective.		
1846	Bioinspired Surfaces with Special Wettability. 2005 , 36, no		3
1845	Fabrication of superhydrophobic surfaces by dislocation-selective chemical etching on aluminum, copper, and zinc substrates. 2005 , 21, 9007-9		659
1844	Tuning the wettability on La _{0.7} Sr _{0.3} MnO ₃ coatings from superhydrophilicity to superhydrophobicity by hierarchical microstructure. 2006 , 89, 083101		25
1843	Wettability of zinc oxide surfaces with controllable structures. 2006 , 22, 2946-50		62
1842	Super-hydrophobic surfaces from a simple coating method: a bionic nanoengineering approach. 2006 , 17, 3259-3263		111
1841	Photoreversibly switchable superhydrophobic surface with erasable and rewritable pattern. 2006 , 128, 14458-9		307
1840	High-Yield Synthesis of Superhydrophilic Polypyrrole Nanowire Networks. 2006 , 39, 3224-3230		147
1839	Construction of superhydrophobic surfaces by fibrous aggregation of perfluoroalkyl chain-containing organogelators. 2006 , 2248-50		64
1838	Clusters of bundled nanorods in nanocarpet effect. 2006 , 88, 103123		72
1837	Wetting and anti-wetting on aligned carbon nanotube films. 2006 , 2, 811-821		176
1836	Contact angle hysteresis explained. 2006 , 22, 6234-7		599
1835	Hydrogen-Bonding-Driven Wettability Change of Colloidal Crystal Films: From Superhydrophobicity to Superhydrophilicity. 2006 , 18, 4984-4986		62
1834	Controlled synthesis of novel 3D dendritic Bi ₂ S ₃ /cross-linked poly(vinyl alcohol) nanocomposites. 2006 , 17, 4999-5005		8
1833	Surface Functionalization of Porous Nanostructured Metal Oxide Thin Films Fabricated by Glancing Angle Deposition. 2006 , 18, 5260-5266		31
1832	Stable superhydrophobic polybenzoxazine surfaces over a wide pH range. 2006 , 22, 8289-92		123
1831	A perfectly hydrophobic surface ($\theta_A/\theta_R = 180$ degrees /180 degrees). 2006 , 128, 9052-3		382

1830	"Artificial lotus leaf" prepared using a 1945 patent and a commercial textile. 2006 , 22, 5998-6000	209
1829	Facile Method To Fabricate a Large-Scale Superhydrophobic Surface by Galvanic Cell Reaction. 2006 , 18, 1365-1368	131
1828	Fabrication of upended taper-shaped cuprous thiocyanate arrays on a copper surface at room temperature. 2006 , 110, 11232-6	29
1827	Morphology and Wettability Tunable Two-Dimensional Superstructure Assembled by Hydrogen Bonds and Hydrophobic Interactions. 2006 , 18, 2974-2981	88
1826	Superhydrophobic modification of polyimide films based on gold-coated porous silver nanostructures and self-assembled monolayers. 2006 , 16, 4504	58
1825	Formation of superhydrophobic surfaces by biomimetic silicification and fluorination. 2006 , 22, 11208-13	42
1824	Recent developments in superhydrophobic surfaces and their relevance to marine fouling: a review. 2006 , 22, 339-60	899
1823	A Nonlithographic Approach for Creating Unstable Hierarchical (Micro-Nano) Superhydrophobic Silicon Surfaces. 2006 , 145	1
1822	Super-hydrophobic ordered mesoporous carbon monolith. 2006 , 44, 1336-1339	37
1821	Synthesis of carbon nanotubes from solid carbon sources by direct microwave irradiation. 2006 , 44, 1339-1343	23
1820	The preparation of a superhydrophilic carbon film from a superhydrophobic lotus leaf. 2006 , 44, 1848-1850	17
1819	Superhydrophobic surfaces. 2006 , 11, 193-202	1027
1818	Effects of system parameters on making aluminum alloy lotus. 2006 , 303, 298-305	110
1817	Fabrication of superhydrophilic Cu ₂ O and CuO membranes. 2006 , 286, 279-284	55
1816	Superhydrophobic surfaces prepared by microstructuring of silicon using a femtosecond laser. 2006 , 22, 4917-9	369
1815	Studies on the controlled morphology and wettability of polystyrene surfaces by electrospinning or electrospaying. 2006 , 47, 7095-7102	203
1814	A lotus-leaf-like superhydrophobic surface prepared by solvent-induced crystallization. 2006 , 7, 824-7	92
1813	A novel approach to stable superhydrophobic surfaces. 2006 , 7, 1674-7	80

1812	Evaporation of sessile water droplets on superhydrophobic natural lotus and biomimetic polymer surfaces. 2006 , 7, 2067-70	78
1811	PDMS-Modified Polyurethane Films with Low Water Contact Angle Hysteresis. 2006 , 207, 2170-2179	49
1810	Synthesis of Highly Hydrophilic Polyaniline Nanowires and Sub-Micro/Nanostructured Dendrites on Poly(propylene) Film Surfaces. 2006 , 27, 563-569	32
1809	Design and Creation of Superwetting/Antiwetting Surfaces. 2006 , 18, 3063-3078	1682
1808	Fabrication of a Superhydrophobic Surface from the Amplified Exponential Growth of a Multilayer. 2006 , 18, 1441-1444	153
1807	Biomedical Applications of Layer-by-Layer Assembly: From Biomimetics to Tissue Engineering. 2006 , 18, 3203-3224	1138
1806	Fabricating Microlens Arrays by Surface Wrinkling. 2006 , 18, 3238-3242	299
1805	Combined micro-/nanoscale surface roughness for enhanced hydrophobic stability in carbon nanotube arrays. 2007 , 90, 143117	79
1804	Water-repellent coating: formation of polymeric self-assembled monolayers on nanostructured surfaces. 2007 , 18, 395602	40
1803	Hydrophobization of Metal Surfaces by Covalent Grafting of Aromatic Layer via Aryldiazonium Chemistry and Their Application in the Fabrication of Superhydrophobic Surfaces. 2007 , 36, 1312-1313	15
1802	Fabrication of Superhydrophobic Surface on Magnesium Alloy. 2007 , 36, 416-417	27
1801	Biomimic from the superhydrophobic plant leaves in nature: Binary structure and unitary structure. 2007 , 172, 1103-1112	399
1800	Superhydrophobic bionic surfaces with hierarchical microsphere/SWCNT composite arrays. 2007 , 23, 2169-74	268
1799	Fabrication of shape-controllable polyaniline micro/nanostructures on organic polymer surfaces: obtaining spherical particles, wires, and ribbons. 2007 , 111, 3918-26	55
1798	Sticky superhydrophobic surface. 2007 , 90, 223111	105
1797	Superhydrophobicity of 3D Porous Copper Films Prepared Using the Hydrogen Bubble Dynamic Template. 2007 , 19, 5758-5764	266
1796	Biomimetic superhydrophobic and highly oleophobic cotton textiles. 2007 , 23, 13158-63	331
1795	A nonlithographic top-down electrochemical approach for creating hierarchical (micro-nano) superhydrophobic silicon surfaces. 2007 , 23, 2300-3	88

1794	Polymer Surface Modification: Topography Effects Leading to Extreme Wettability Behavior. 2007 , 40, 3965-3969	65
1793	Superhydrophobic polyolefin surfaces: controlled micro- and nanostructures. 2007 , 23, 7263-8	116
1792	Layer-by-Layer Deposition of Poly(diallyldimethylammonium chloride) and Sodium Silicate Multilayers on Silica-Sphere-Coated Substrate: Facile Method to Prepare a Superhydrophobic Surface. 2007 , 19, 948-953	154
1791	Self-assembled biomimetic antireflection coatings. 2007 , 91, 101108	80
1790	Controllable water permeation on a poly(N-isopropylacrylamide)-modified nanostructured copper mesh film. 2007 , 23, 327-31	81
1789	Facile synthesis of hydrophobic fluoroalkyl functionalized silsesquioxane nanostructures. 2007 , 4992-4	67
1788	A simple fabrication route to a highly transparent super-hydrophobic surface with a poly(dimethylsiloxane) coated flexible mold. 2007 , 2237-9	72
1787	Directional adhesion of superhydrophobic butterfly wings. 2007 , 3, 178-182	870
1786	Effects of rugged nanoprotusions on the surface hydrophobicity and water adhesion of anisotropic micropatterns. 2007 , 23, 4886-91	102
1785	To adjust wetting properties of organic surface by in situ photoreaction of aromatic azide. 2007 , 23, 1253-7	27
1784	Enhanced hydrophobicity of rough polymer surfaces. 2007 , 111, 3336-41	32
1783	Controlling the wettability and adhesion of nanostructured poly-(p-xylylene) films. 2007 , 23, 11391-5	70
1782	Reversible switching of hydrogel-actuated nanostructures into complex micropatterns. 2007 , 315, 487-90	488
1781	Investigation of the effects of the local environment on the surface-enhanced Raman spectra of striped gold/silver nanorod arrays. 2007 , 23, 4563-8	27
1780	Fabrication of superhydrophobic surfaces on interconnected Cu(OH) ₂ nanowires via solution-immersion. 2007 , 18, 355605	66
1779	Ionic liquids are useful contact angle probe fluids. 2007 , 129, 3804-5	77
1778	Silver hierarchical bowl-like array: synthesis, superhydrophobicity, and optical properties. 2007 , 23, 9802-7	163
1777	Artificial lotus leaf structures from assembling carbon nanotubes and their applications in hydrophobic textiles. 2007 , 17, 1071-1078	221

1776	UV-driven reversible switching of a roselike vanadium oxide film between superhydrophobicity and superhydrophilicity. 2007 , 129, 4128-9	278
1775	Superhydrophobic TiO ₂ Surfaces: Preparation, Photocatalytic Wettability Conversion, and Superhydrophobic/Superhydrophilic Patterning. 2007 , 111, 14521-14529	229
1774	Synthetic molecular motors and mechanical machines. 2007 , 46, 72-191	2241
1773	Enthalpy-driven three-state switching of a superhydrophilic/superhydrophobic surface. 2007 , 46, 3915-7	164
1772	Synthetische molekulare Motoren und mechanische Maschinen. 2007 , 119, 72-196	583
1771	Enthalpy-Driven Three-State Switching of a Superhydrophilic/Superhydrophobic Surface. 2007 , 119, 3989-3991	17
1770	A Novel Approach to the Robust Ti ₆ Al ₄ V-Based Superhydrophobic Surface with Crater-like Structure. 2007 , 9, 316-321	36
1769	A Novel Ultra-hydrophobic Surface: Statically Non-wetting but Dynamically Non-sliding. 2007 , 17, 2739-2745	82
1768	From Molecular Machines to Microscale Motility of Objects: Application as Smart Materials, Sensors, and Nanodevices. 2007 , 17, 702-717	75
1767	Decorated Electrospun Fibers Exhibiting Superhydrophobicity. 2007 , 19, 255-259	273
1766	The Dry-Style Antifogging Properties of Mosquito Compound Eyes and Artificial Analogues Prepared by Soft Lithography. 2007 , 19, 2213-2217	750
1765	Conducting and Superhydrophobic Rambutan-like Hollow Spheres of Polyaniline. 2007 , 19, 2092-2096	281
1764	Controlled Fluorination of FePt Nanoparticles: Hydrophobic to Superhydrophobic Surfaces. 2007 , 19, 4075-4079	40
1763	Towards Understanding Why a Superhydrophobic Coating Is Needed by Water Striders. 2007 , 19, 2257-2261	252
1762	Fabrication of Hierarchical Structures on a Polymer Surface to Mimic Natural Superhydrophobic Surfaces. 2007 , 19, 2330-2335	240
1761	Definition of Superhydrophobic States. 2007 , 19, 3423-3424	721
1760	Simultaneous tuning of chemical composition and topography of copolymer surfaces: micelles as building blocks. 2007 , 8, 1108-14	19
1759	Fabrication of Superhydrophobic and Superoleophilic Polystyrene Surfaces by a Facile One-Step Method. 2007 , 28, 2262-2266	81

1758	Understanding the performance of biomaterials through molecular modeling: crossing the bridge between their intrinsic properties and the surface adsorption of proteins. 2007 , 7, 552-66	80
1757	Fabrication of super-hydrophobic film with dual-size roughness by silica sphere assembly. 2007 , 515, 4686-4690	54
1756	Thermally responsive wettability of self-assembled methylcellulose nanolayers. 2007 , 253, 5149-5154	21
1755	Long term studies on the chemical stability of a superhydrophobic silicone nanofilament coating. 2007 , 253, 5972-5979	81
1754	Long term environmental durability of a superhydrophobic silicone nanofilament coating. 2007 , 302, 234-240	82
1753	Control over the hydrophobic behavior of polystyrene surface by annealing temperature based on capillary template wetting method. 2007 , 302, 136-140	31
1752	Superhydrophobic zinc oxide surface by differential etching and hydrophobic modification. 2007 , 452-453, 732-736	62
1751	Synthetic light-activated molecular switches and motors on surfaces. 2007 , 82, 407-434	199
1750	Hierarchically structured superhydrophilic coatings fabricated by self-assembling raspberry-like silica nanospheres. 2007 , 314, 341-5	117
1749	Controllable superhydrophobic and lipophobic properties of ordered pore indium oxide array films. 2007 , 314, 615-20	32
1748	Rapid evaporation-induced synthesis of monodisperse budded silica spheres. 2007 , 316, 211-5	10
1747	Formation of superhydrophobic surfaces by the deposition of coatings from supercritical carbon dioxide. 2007 , 69, 411-424	20
1746	What do we need for a superhydrophobic surface? A review on the recent progress in the preparation of superhydrophobic surfaces. 2007 , 36, 1350-68	1647
1745	Surface nanostructures orienting self-protection of an orthodontic nickel-titanium shape memory alloys wire. 2007 , 52, 3020-3023	2
1744	Protein adsorption on materials surfaces with nano-topography. 2007 , 52, 3169-3173	48
1743	Fabrication of super-hydrophobic film from PMMA with intrinsic water contact angle below 90°. 2007 , 48, 7455-7460	211
1742	Fabrication of superhydrophobic copper by wet chemical reaction. 2007 , 515, 7190-7194	67
1741	Superhydrophobic PEEK/PTFE composite coating. 2008 , 91, 73-76	40

1740	Tailoring the wetting response of silicon surfaces via fs laser structuring. 2008 , 93, 819	87
1739	Facile tuning of superhydrophobic states with Ag nanoplates. 2008 , 1, 292-302	21
1738	Superhydrophobic Properties of Nanostructured Microstructured Porous Silicon for Improved Surface-Based Bioanalysis. 2008 , 4, 18-27	34
1737	Production of superhydrophobic polymer fibers with embedded particles using the electrospinning technique. 2008 , 57, 77-84	63
1736	Superhydrophobic 3D Microstructures Assembled From 1D Nanofibers of Polyaniline. 2008 , 29, 239-243	90
1735	Electrochemical Synthesis of Perfluorinated Ion Doped Conducting Polyaniline Films Consisting of Helical Fibers and their Reversible Switching between Superhydrophobicity and Superhydrophilicity. 2008 , 29, 832-838	70
1734	Mesoporous carbon materials: synthesis and modification. 2008 , 47, 3696-717	1551
1733	Ultrasound switch and thermal self-repair of morphology and surface wettability in a cholesterol-based self-assembly system. 2008 , 47, 1063-7	158
1732	Fluorinated polyhedral oligomeric silsesquioxanes (F-POSS). 2008 , 47, 4137-40	156
1731	Bioinspired superhydrophobic coatings of carbon nanotubes and linear pi systems based on the "bottom-up" self-assembly approach. 2008 , 47, 5750-4	145
1730	Fabrication of Hairy Polymeric Films Inspired by Geckos: Wetting and High Adhesion Properties. 2008 , 18, 1089-1096	203
1729	Superoleophilic and Superhydrophobic Inverse Opals for Oil Sensors. 2008 , 18, 3258-3264	109
1728	A Simple, One-Step Approach to Durable and Robust Superhydrophobic Textiles. 2008 , 18, 3662-3669	510
1727	Carbon Nanofibers Spot-Welded to Carbon Felt: A Mechanically Stable, Bulk Mimic of Lotus Leaves. 2008 , 20, 420-424	16
1726	Nanocarbon Superhydrophobic Surfaces created from Fullerene-Based Hierarchical Supramolecular Assemblies. 2008 , 20, 443-446	159
1725	Biomimetic Artificial Surfaces Quantitatively Reproduce the Water Repellency of a Lotus Leaf. 2008 , 20, 4049-4054	386
1724	Bioinspired Self-Cleaning Antireflection Coatings. 2008 , 20, 3914-3918	420
1723	Bio-Inspired, Smart, Multiscale Interfacial Materials. 2008 , 20, 2842-2858	847

1722	Superhydrophobic to Superhydrophilic Wetting Transition with Programmable Ion-Pairing Interaction. 2008 , 20, 4438-4441	102
1721	Mesoporöse Kohlenstoffmaterialien: Synthese und Modifizierung. 2008 , 120, 3754-3776	142
1720	Ultrasound Switch and Thermal Self-Repair of Morphology and Surface Wettability in a Cholesterol-Based Self-Assembly System. 2008 , 120, 1079-1083	46
1719	Fluorinated Polyhedral Oligomeric Silsesquioxanes (F-POSS). 2008 , 120, 4205-4208	35
1718	Bioinspired Superhydrophobic Coatings of Carbon Nanotubes and Linear β -Systems Based on the Bottom-up Self-Assembly Approach. 2008 , 120, 5834-5838	38
1717	Layer-by-layer fabrication of broad-band superhydrophobic antireflection coatings in near-infrared region. 2008 , 319, 302-8	82
1716	Superhydrophobicity of PHBV fibrous surface with bead-on-string structure. 2008 , 320, 91-5	97
1715	Inferring wettability of heterogeneous surfaces by ToF-SIMS. 2008 , 320, 563-8	29
1714	Superhydrophobic surface fabricated by bulk photografting of acrylic acid onto high-density polyethylene. 2008 , 326, 360-5	21
1713	Unusually high hydrophobicity and its changes observed on the newly-created surfaces of PNIPA/clay nanocomposite hydrogels. 2008 , 326, 41-50	40
1712	Studies on wettability of polypropylene/methyl-silicone composite film and polypropylene monolithic material. 2008 , 327, 120-4	13
1711	Self-selective electroless plating: An approach for fabrication of functional 1D nanomaterials. 2008 , 61, 59-77	76
1710	Fabrication of superhydrophobic surfaces on engineering material surfaces with stearic acid. 2008 , 254, 2009-2012	113
1709	Preparation and characterization of slice-like $\text{Cu}_2(\text{OH})_3\text{NO}_3$ superhydrophobic structure on copper foil. 2008 , 254, 7255-7258	50
1708	Fabrication of hierarchical structures on a polymer surface using patterned anodic aluminum oxide as a replication master. 2008 , 516, 3431-3435	8
1707	Separating small amount of water and hydrophobic solvents by novel superhydrophobic copper meshes. 2008 , 254, 6002-6006	183
1706	Fabrication of super-hydrophobic surfaces on aluminum alloy substrates. 2008 , 255, 1776-1781	87
1705	Predictions of effective physical properties of complex multiphase materials. 2008 , 63, 1-30	446

1704	Progress in superhydrophobic surface development. 2008 , 4, 224-240	1290
1703	Superhydrophobic composite films produced on various substrates. 2008 , 24, 11225-32	225
1702	Wettability of interface boundaries as an indicator of their properties and state. 2008 , 44, 419-429	3
1701	Superwetting nanowire membranes for selective absorption. 2008 , 3, 332-6	912
1700	Optical tweezers: Gold standard. 2008 , 3, 321	4
1699	Environmental nanotechnology: Nanomaterials clean up. 2008 , 3, 320-1	112
1698	From hydrophilic to superhydrophobic: theoretical conditions for making high-contact-angle surfaces from low-contact-angle materials. 2008 , 24, 7573-9	282
1697	Reversible Wettability Changes in Colloidal TiO ₂ Nanorod Thin-Film Coatings under Selective UV Laser Irradiation. 2008 , 112, 701-714	87
1696	In situ investigation on dynamic suspending of microdroplet on lotus leaf and gradient of wettable micro- and nanostructure from water condensation. 2008 , 92, 084106	83
1695	Reversible UV-light-induced ultrahydrophobic-to-ultrahydrophilic transition in an alpha-Fe ₂ O ₃ nanoflakes film. 2008 , 24, 10569-71	87
1694	A colorful oil-sensitive carbon inverse opal. 2008 , 18, 5098	62
1693	Large-scale assembly of colloidal nanoparticles and fabrication of periodic subwavelength structures. 2008 , 19, 475604	82
1692	Wetting and Dewetting of Complex Surface Geometries. 2008 , 38, 101-121	149
1691	Carbon nano horn and bovine serum albumin hierarchical composite: towards bio-friendly superhydrophobic protein film surfaces. 2008 , 18, 3422	5
1690	Template-Free Electrochemical Synthesis of Superhydrophilic Polypyrrole Nanofiber Network. 2008 , 41, 7053-7057	118
1689	Strongly anisotropic wetting on one-dimensional nanopatterned surfaces. 2008 , 8, 2819-24	171
1688	Superhydrophobic pure silver surface with flower-like structures by a facile galvanic exchange reaction with [Ag(NH ₃) ₂]OH. 2008 , 2692-4	33
1687	Biomimic Superhydrophobic Surface with High Adhesive Forces. 2008 , 47, 6354-6357	106

1686	Facile Means of Preparing Superamphiphobic Surfaces on Common Engineering Metals. 2008 , 112, 11454-11458	56
1685	A rapid and efficient strategy for creating super-hydrophobic coatings on various material substrates. 2008 , 18, 4442	51
1684	Superhydrophobic Silicone Nanofilament Coatings. 2008 , 22, 251-263	38
1683	Solvent fuming dual-responsive switching of both wettability and solid-state luminescence in silole film. 2008 , 24, 2157-61	35
1682	Crystallization and Self-Assembly of Calcium Carbonate Architectures. 2008 , 8, 4583-4588	40
1681	Superhydrophobic Fluorinated Polyurethane Films. 2008 , 22, 1869-1881	19
1680	Petal effect: a superhydrophobic state with high adhesive force. 2008 , 24, 4114-9	1416
1679	Fabrication of superhydrophobic surfaces with hierarchical structure through a solution-immersion process on copper and galvanized iron substrates. 2008 , 24, 10895-900	98
1678	Tunable wettability by counterion exchange at the surface of electrostatic self-assembled multilayers. 2008 , 5972-4	39
1677	New responsive property of poly(epsilon-caprolactone) as the thermal switch from superhydrophobic to superhydrophilic. 2008 , 2025-7	25
1676	How does the leaf margin make the lotus surface dry as the lotus leaf floats on water?. 2008 , 4, 2232	60
1675	Fabrication of closed-cell polyimide inverse opal photonic crystals with excellent mechanical properties and thermal stability. 2008 , 18, 2262	37
1674	Why so strong for the lotus leaf?. 2008 , 93, 201909	34
1673	Synthesis of perpendicular nanorod arrays with hierarchical architecture and water slipping superhydrophobic properties. 2008 , 24, 4168-73	41
1672	Electrically Tunable Polypyrrole Inverse Opals with Switchable Stopband, Conductivity, and Wettability. 2008 , 20, 3554-3556	92
1671	Highly Hydrophobic Wood Surfaces Prepared by Treatment With Atmospheric Pressure Dielectric Barrier Discharges. 2008 , 22, 2059-2078	22
1670	Reversible superhydrophobic to superhydrophilic conversion of Ag@TiO ₂ composite nanofiber surfaces. 2008 , 24, 8021-6	84
1669	Facile Transformation of a Native Polystyrene (PS) Film into a Stable Superhydrophobic Surface via Sol-Gel Process. 2008 , 20, 1233-1235	50

1668	Superhydrophobic Poly(dimethylsiloxane) via Surface-Initiated Polymerization with Ultralow Initiator Density. 2008 , 41, 6641-6645	30
1667	Ammonia Responsive Surface Wettability Switched on Indium Hydroxide Films with Micro- and Nanostructures. 2008 , 112, 8338-8342	27
1666	Shape-Controlled Gold Nanoarchitectures: Synthesis, Superhydrophobicity, and Electrocatalytic Properties. 2008 , 112, 13886-13892	134
1665	Functionalized silicone nanofilaments: a novel material for selective protein enrichment. 2008 , 24, 1053-7	42
1664	Fabrication and surface properties of composite films of SAM/Pt/ZnO/SiO ₂ . 2008 , 24, 14234-44	30
1663	Reversible electrochemical switching of polyelectrolyte brush surface energy using electroactive counterions. 2008 , 24, 11253-60	62
1662	Conversion of a metastable superhydrophobic surface to an ultraphobic surface. 2008 , 24, 8008-12	43
1661	Controlled switching of the wetting behavior of biomimetic surfaces with hydrogel-supported nanostructures. 2008 , 18, 3841	78
1660	Superhydrophobic polyimide films with a hierarchical topography: combined replica molding and layer-by-layer assembly. 2008 , 24, 12651-7	105
1659	A Review of Recent Results on Superhydrophobic Materials Based on Micro- and Nanofibers. 2008 , 22, 1799-1817	132
1658	Designer Binary Nanostructures toward Water Slipping Superhydrophobic Surfaces. 2008 , 20, 2247-2251	40
1657	Hydrophobic duck feathers and their simulation on textile substrates for water repellent treatment. 2008 , 3, 046007	83
1656	Biomimetic nanofiber patterns with controlled wettability. 2008 , 4, 2429	133
1655	Microstructured surfaces engineered using biological templates: A facile approach for the fabrication of superhydrophobic surfaces. 2008 , 73, 1123-1135	8
1654	Towards bioinspired superhydrophobic poly(L-lactic acid) surfaces using phase inversion-based methods. 2008 , 3, 034003	31
1653	Bioinspired Materials for Self-Cleaning and Self-Healing. 2008 , 33, 732-741	93
1652	Superhydrophobicity of LaMnO ₃ Coatings with Hierarchical Microstructures. 2008 , 25, 747-750	3
1651	Bioinspired construction of Mg ₂ alloys surfaces with stable superhydrophobicity and improved corrosion resistance. 2008 , 92, 183103	138

1650	Extreme Water repellency on strong water-spreading surface without tilted degree actuation. 2008 , 93, 094107	12
1649	Wettability Alteration of Polymer Surfaces Produced by Scraping. 2008 , 22, 395-402	55
1648	Fabrication and characterization of superhydrophobic Sb(2)O(3) films. 2008 , 19, 165604	35
1647	Templated biomimetic multifunctional coatings. 2008 , 92, 051107	52
1646	Synthesis and characterization of a superhydrophobic surface from cyclic olefin copolymer. 2008 , 63,	1
1645	Preparation and Characterization of Styrene/Butyl Acrylate Emulsifier-Free Latex with 2-Acrylamido-2-Methyl Propane Sulfonic Acid as a Reactive Emulsifier. 2009 , 30, 639-642	9
1644	A Thermodynamic Analysis of the Validity of Wenzel and Cassie's Equations. 2009 , 26, 080502	2
1643	The friction of a mesh-like super-hydrophobic surface. 2009 , 21, 113101	35
1642	Surface modification approaches to control marine biofouling. 2009 , 664-692	14
1641	Effects of ionizing radiation and temperature on hydrophobic self-cleaning photonic coatings. 2009 , 3, 031870	1
1640	Superamphiphobic CaLi-based bulk metallic glasses. 2009 , 60, 225-227	76
1639	Reactive Template Method to Synthesize Gold Nanoparticles with Controllable Size and Morphology Supported on Shells of Polymer Hollow Microspheres and Their Application for Aerobic Alcohol Oxidation in Water. 2009 , 19, 1112-1117	140
1638	Bioinspired Degradable Substrates with Extreme Wettability Properties. 2009 , 21, 1830-1834	160
1637	Reversible Switching of Water-Droplet Mobility on a Superhydrophobic Surface Based on a Phase Transition of a Side-Chain Liquid-Crystal Polymer. 2009 , 21, 4254-4258	116
1636	Supramolecular templates for nanoflake-metal surfaces. 2009 , 15, 2763-7	53
1635	Tunable gel formation by both sonication and thermal processing in a cholesterol-based self-assembly system. 2009 , 15, 6234-43	73
1634	Bioinspired superhydrophobic poly(L-lactic acid) surfaces control bone marrow derived cells adhesion and proliferation. 2009 , 91, 480-8	87
1633	Surface hydration of polymeric (bio)materials: a molecular dynamics simulation study. 2010 , 92, 1382-91	7

1632	Superhydrophobic Alumina Surfaces Based on Polymer-Stabilized Oxide Layers. 2009 , 210, 1263-1271	32
1631	Thermochromic core-shell nanofibers fabricated by melt coaxial electrospinning. 2009 , 112, 269-274	67
1630	Fabrication of super-hydrophobic surfaces for enhanced stone protection. 2009 , 203, 1322-1328	138
1629	Facile method to prepare stable superhydrophobic Co ₃ O ₄ surface. 2009 , 255, 9493-9497	18
1628	Highly hydrophobic and oleophilic foam for selective absorption. 2009 , 256, 1413-1418	46
1627	Fabrication of micropatterned thermosensitive gel with highly-ordered honeycomb surface and inverse opal structure. 2009 , 11, 809-15	6
1626	Coarse-Grained Interaction of a Fluid with a Physically-Patterned Solid Surface: Application to Nanodroplet Wetting. 2009 , 157, 277-295	13
1625	Preparation of a superhydrophobic film with UV imprinting technology. 2009 , 17, 821-824	14
1624	Superhydrophobic films for the protection of outdoor cultural heritage assets. 2009 , 97, 351-360	111
1623	On the Function of Wall Sculpturing in Xylem Conduits. 2009 , 6, 324-329	35
1622	Anisotropism of the Non-Smooth Surface of Butterfly Wing. 2009 , 6, 71-76	44
1621	Plasma Nanostructuring of Polymers: Different Routes to Superhydrophobicity. 2009 , 6, 460-466	72
1620	Anisotropically microstructured and micro/nanostructured polypropylene surfaces. 2009 , 603, 2240-2247	29
1619	Superhydrophobic nanoporous polymers as efficient adsorbents for organic compounds. 2009 , 4, 135-142	353
1618	Large-area unmodified superhydrophobic copper substrate can be prepared by an electroless replacement deposition. 2009 , 329, 208-11	60
1617	Fabrication and adhesion of biomimetic nanotextures fabricated by local oxidation nanolithography. 2009 , 333, 304-9	5
1616	One-pot method for build-up nanoporous super oil-repellent films. 2009 , 335, 146-9	31
1615	A facile dip-coating process for preparing highly durable superhydrophobic surface with multi-scale structures on paint films. 2009 , 337, 531-7	86

1614	Nanopattern transfer and wettability modification of regularly structured metallic and polymeric surfaces with replication. 2009 , 339, 217-21	5
1613	Comparative analysis of the dynamic contact angles for two types of superhydrophobic layered double hydroxide film surfaces. 2009 , 64, 2957-2962	8
1612	Self-repairing and superhydrophobic film of gold nanoparticles and fullerene pyridyl derivative based on the self-assembly approach. 2009 , 340, 121-125	13
1611	Amphiphilic molecule controlled synthesis of CuO nano/micro-superstructure film with hydrophilicity and superhydrophilicity surface. 2009 , 352, 18-23	9
1610	Bio-inspired water repellent surfaces produced by ultrafast laser structuring of silicon. 2009 , 255, 5425-5429	109
1609	Carbon coating with combined super-hydrophobic and self-lubricating properties on titanium silicon carbide. 2009 , 47, 629-634	11
1608	Superhydrophobic surfaces based on dandelion-like ZnO microspheres. 2009 , 255, 3904-3907	20
1607	Ultra-fast spreading on superhydrophilic fibrous mesh with nanochannels. 2009 , 255, 4944-4949	28
1606	One-step hydrothermal creation of hierarchical microstructures toward superhydrophilic and superhydrophobic surfaces. 2009 , 25, 11822-6	80
1605	Principles of design of superhydrophobic coatings by deposition from dispersions. 2009 , 25, 2907-12	62
1604	Light switching of molecules on surfaces. 2009 , 60, 407-28	251
1603	Anti-icing superhydrophobic coatings. 2009 , 25, 12444-8	1115
1602	Perfectly Hydrophobic Silicone Nanofiber Coatings: Preparation from Methyltrialkoxysilanes and Use as Water-Collecting Substrate. 2009 , 113, 8350-8356	33
1601	Durable superhydrophobic and antireflective surfaces by trimethylsilanized silica nanoparticles-based sol-gel processing. 2009 , 25, 6357-62	275
1600	Supercritical carbon dioxide: A reactive medium for chemical processes involving fluoropolymers. 2009 , 79, 578-588	15
1599	Mimicking biological structured surfaces by phase-separation micromolding. 2009 , 25, 4365-9	64
1598	Nucleotide-responsive wettability on a smart polymer surface. 2009 , 131, 8370-1	81
1597	Water Structure at Superhydrophobic Quartz/Water Interfaces: A Vibrational Sum Frequency Generation Spectroscopy Study. 2009 , 113, 21155-21161	26

1596	Microscale patterning of hydrophobic/hydrophilic surfaces by spatially controlled galvanic displacement reactions. 2009 , 25, 6019-23	16
1595	Wetting properties on nanostructured surfaces of cicada wings. 2009 , 212, 3148-55	154
1594	pH-amplified exponential growth multilayers: a facile method to develop hierarchical micro- and nanostructured surfaces. 2009 , 25, 672-5	95
1593	Facile approach in fabricating superhydrophobic and superoleophilic surface for water and oil mixture separation. 2009 , 1, 2613-7	316
1592	Facile Fabrication of Raspberry-like Composite Nanoparticles and Their Application as Building Blocks for Constructing Superhydrophilic Coatings. 2009 , 113, 9063-9070	129
1591	Miniature boats with striking loading capacity fabricated from superhydrophobic copper meshes. 2009 , 1, 420-3	108
1590	Fabrication of flexible superhydrophobic films by lift-up soft-lithography and decoration with Ag nanoparticles. 2009 , 20, 065304	52
1589	Pressure-induced water flow through model nanopores. 2009 , 11, 528-33	36
1588	Superhydrophobic Coatings with Reduced Ice Adhesion. 2009 , 23, 1215-1237	179
1587	Superoleophobic cotton textiles. 2009 , 25, 2456-60	285
1586	Smart responsive surfaces switching reversibly between super-hydrophobicity and super-hydrophilicity. 2009 , 5, 275-281	157
1585	Preparation of superhydrophobic coatings on zinc as effective corrosion barriers. 2009 , 1, 1150-3	244
1584	Effect of boundary conditions on the structure and dynamics of nanoscale confined water. 2009 , 113, 2046-52	6
1583	Wetting 101 degrees. 2009 , 25, 14105-15	277
1582	Preparation of superhydrophobic coatings on zinc, silicon, and steel by a solution-immersion technique. 2009 , 1, 2086-91	73
1581	On the superhydrophobic properties of nickel nanocarpet. 2009 , 11, 9537-44	21
1580	Transferrable superhydrophobic surface constructed by a hexagonal CuI powder without modification by low-free-energy materials. 2009 , 1, 2080-5	16
1579	Self-Assembled Three-Dimensional Hierarchical Umbilicate Bi ₂ WO ₆ Microspheres from Nanoplates: Controlled Synthesis, Photocatalytic Activities, and Wettability. 2009 , 113, 4369-4374	206

1578	The role of nano-roughness in antifouling. 2009 , 25, 757-67	163
1577	Water Shedding Angle: A New Technique to Evaluate the Water-Repellent Properties of Superhydrophobic Surfaces. 2009 , 79, 1565-1570	139
1576	Superhydrophobic membranes with ordered arrays of nanospiked microchannels for water desalination. 2009 , 25, 5446-50	77
1575	Alumina nanowire forests via unconventional anodization and super-repellency plus low adhesion to diverse liquids. 2009 , 1043-5	180
1574	Superhydrophobic and transparent coatings based on removable polymeric spheres. 2009 , 19, 655-660	51
1573	Brilliant Whiteness Surfaces from Electrospun Nanofiber Webs. 2009 , 79, 771-779	16
1572	Wettability conversion of colloidal TiO ₂ nanocrystal thin films with UV-switchable hydrophilicity. 2009 , 11, 3692-700	44
1571	DNA nanomachines and their functional evolution. 2009 , 2625-36	126
1570	Structural color films with lotus effects, superhydrophilicity, and tunable stop-bands. <i>Accounts of Chemical Research</i> , 2009 , 42, 1-10	24-3 279
1569	Optimizing Super-Hydrophobic Surfaces: Criteria for Comparison of Surface Topographies. 2009 , 23, 401-411	36
1568	Micro/nanobinary structure of silver films on copper alloys with stable water-repellent property under dynamic conditions. 2009 , 25, 12299-307	66
1567	Wetting on fractal superhydrophobic surfaces from "core-shell" particles: a comparison of theory and experiment. 2009 , 25, 3132-6	39
1566	Superhydrophobic Titania Membranes of Different Adhesive Forces Fabricated by Electrospinning. 2009 , 113, 14220-14224	84
1565	Fabrication of Functionalized Copper Compound Hierarchical Structure with Bionic Superhydrophobic Properties. 2009 , 113, 5396-5401	104
1564	Single-walled carbon nanotube pillars: a superhydrophobic surface. 2009 , 25, 4792-8	55
1563	Superhydrophobicity of boron nitride nanotubes grown on silicon substrates. 2009 , 25, 4853-60	105
1562	Saccharide-sensitive wettability switching on a smart polymer surface. 2009 , 5, 2759	47
1561	Polymeric complexes as building blocks for rapid fabrication of layer-by-layer assembled multilayer films and their application as superhydrophobic coatings. 2009 , 19, 497-504	58

1560	Self-assembly of fluorocarbon-coated FePt nanoparticles for controlling structure and wettability of surfaces. 2009 , 5, 1247-1250	8
1559	Superhydrophobic and Highly Oleophobic Cotton Textile: Achieved by Silica Particles and PFPE. 2009 , 79-82, 683-686	4
1558	Bioinspired silicon hollow-tip arrays for high performance broadband anti-reflective and water-repellent coatings. 2009 , 19, 1806	91
1557	Super oil-repellent surfaces from conductive polymers. 2009 , 19, 7130	38
1556	Hierarchically organized soft-materials based on fullerenes. 2009 , 159, 012005	1
1555	Controlled Liquid Dynamics on Three-Dimensional Nanostructured Surfaces. 2009 ,	
1554	Tailoring of superhydrophilic to superhydrophobic coating morphologies for space exploration contamination control. 2010 ,	3
1553	Superhydrophobicity of post-like aligned carbon nanotube films. 2010 ,	4
1552	Switchable wettability on cooperative dual-responsive poly-L-lysine surface. 2010 , 26, 1024-8	44
1551	Tunable wettability and rewritable wettability gradient from superhydrophilicity to superhydrophobicity. 2010 , 26, 12203-8	66
1550	Superhydrophilic surfaces via polymer-SiO ₂ nanocomposites. 2010 , 26, 15567-73	87
1549	Polyhedral Oligomeric Silsesquioxane-Functionalized Perfluorocyclobutyl Aryl Ether Polymers. 2010 , 195-209	2
1548	Antireflective surfaces based on biomimetic nanopillared arrays. 2010 , 5, 117-127	249
1547	Recent research progress in wettability of colloidal crystals. 2010 , 53, 318-326	8
1546	Turning polysaccharides into hydrophobic materials: a critical review. Part 1. Cellulose. 2010 , 17, 875-889	149
1545	Turning polysaccharides into hydrophobic materials: a critical review. Part 2. Hemicelluloses, chitin/chitosan, starch, pectin and alginates. 2010 , 17, 1045-1065	118
1544	Novel superhydrophobic and highly oleophobic PFPE-modified silica nanocomposite. 2010 , 45, 460-466	41
1543	Different wetting behavior of alkyl- and fluorocarbon-terminated films based on cupric hydroxide nanorod quasi-arrays. 2010 , 123, 309-313	16

1542	Mesostructured island formation in sol-gel SiO ₂ films through controlled, concentration-dependent flocculation of colloidal silica particles. 2010 , 64, 258-260	2
1541	Melanin-containing films: growth from dopamine solutions versus layer-by-layer deposition. 2010 , 11, 3299-305	53
1540	A General Approach for Fabricating Arc-Shaped Composite Nanowire Arrays by Pulsed Laser Deposition. 2010 , 20, 703-707	24
1539	Switchable Adhesion on Liquid/Solid Interfaces. 2010 , 20, 3753-3764	192
1538	"Water strider" legs with a self-assembled coating of single-crystalline nanowires of an organic semiconductor. 2010 , 22, 376-9	57
1537	Multifunctional hybrid fabrics with thermally stable superhydrophobicity. 2010 , 22, 2138-41	103
1536	Self-assembled organic-inorganic hybrid elastic crystal via biomimetic mineralization. 2010 , 22, 3729-34	31
1535	Electroactive Conducting Polymers for the Protection of Metals against Corrosion: from Micro- to Nanostructured Films. 2010 , 631-680	3
1534	Fabrication of large-scale hierarchical ZnO hollow spheroids for hydrophobicity and photocatalysis. 2010 , 16, 7865-74	66
1533	Sonication-triggered instantaneous gel-to-gel transformation. 2010 , 16, 9099-106	114
1532	Solution-processable flower-shaped hierarchical structures: self-assembly, formation, and state transition of biomimetic superhydrophobic surfaces. 2010 , 16, 7309-18	23
1531	Oriented free-standing ammonium vanadium oxide nanobelt membranes: highly selective absorbent materials. 2010 , 16, 14307-12	13
1530	Bioinspired self-healing superhydrophobic coatings. 2010 , 49, 6129-33	414
1529	Spherical Comb Copolymer Micelles and their Application in the Construction of Superhydrophobic Surfaces. 2010 , 211, 1757-1764	4
1528	Direct structuring of a biomimetic anti-reflective, self-cleaning surface for light harvesting in organic solar cells. 2010 , 31, 539-44	64
1527	Lotus-Effect and inverse Lotus-Effect in connection with extremely rough titanium surfaces. 2010 , 41, 1062-1069	7
1526	Superhydrophobic cotton fabric fabricated by electrostatic assembly of silica nanoparticles and its remarkable buoyancy. 2010 , 256, 6736-6742	176
1525	Room temperature synthesis of water-repellent polystyrene nanocomposite coating. 2010 , 256, 7088-7090	11

1524	Fabrication of an intelligent superhydrophobic surface based on ZnO nanorod arrays with switchable adhesion property. 2010 , 256, 7619-7622	37
1523	Superhydrophobic wind turbine blade surfaces obtained by a simple deposition of silica nanoparticles embedded in epoxy. 2010 , 257, 665-669	76
1522	Fabrication of ultrahydrophobic poly(lauryl acrylate) brushes on silicon wafer via surface-initiated atom transfer radical polymerization. 2010 , 257, 1015-1020	23
1521	Deposition and wettability of silver nanostructures on Si(100) substrate based on galvanic displacement reactions. 2010 , 257, 1779-1785	12
1520	Stimulus-responsive polymer brushes on surfaces: Transduction mechanisms and applications. 2010 , 35, 94-112	316
1519	Cotton fabric modification for imparting high water and oil repellency using perfluoroalkyl phosphate acrylate via Ray-induced grafting. 2010 , 79, 786-790	25
1518	Preparation of highly hydrophobic and lipophobic cellulose fibers by a straightforward gas-solid reaction. 2010 , 344, 588-95	56
1517	On the possibility of superhydrophobic behavior for hydrophilic materials. 2010 , 347, 156-62	23
1516	Patterning dewetting in thin polymer films by spatially directed photocrosslinking. 2010 , 351, 556-60	29
1515	A strategy of fast reversible wettability changes of WO ₃ surfaces between superhydrophilicity and superhydrophobicity. 2010 , 352, 573-9	50
1514	Scalable fabrication of superhydrophobic hierarchical colloidal arrays. 2010 , 352, 558-65	29
1513	Functionalized superhydrophobic biomimetic chitosan-based films. 2010 , 81, 140-144	55
1512	Development of superhydrophobic coating on paperboard surface using the Liquid Flame Spray. 2010 , 205, 436-445	97
1511	Experimental determination of the efficiency of nanostructuring on non-wetting legs of the water strider. 2010 , 6, 4060-4	37
1510	Facile fabrication of a lotus-effect composite coating via wrapping silica with polyurethane. 2010 , 256, 2122-2127	23
1509	Sliding behavior of water drops on sol-gel derived hydrophobic silica films. 2010 , 256, 3259-3264	41
1508	The friction property of super-hydrophobic cotton textiles. 2010 , 256, 4220-4225	38
1507	In situ investigation of ice formation on surfaces with representative wettability. 2010 , 256, 6764-6769	107

1506	Modification of unsaturated polyester resins (UP) and reinforced UP resins via plasma treatment. 2010 , 257, 290-295	10
1505	Facile preparation of superhydrophobic copper surface by HNO ₃ etching technique with the assistance of CTAB and ultrasonication. 2010 , 257, 1707-1711	43
1504	Protein adsorption and cell adhesion on polyurethane/Pluronic surface with lotus leaf-like topography. 2010 , 77, 234-9	47
1503	Preparation and characterization of nonfouling polymer brushes on poly(ethylene terephthalate) film surfaces. 2010 , 78, 343-50	27
1502	Preparation of polypropylene superhydrophobic surface and its blood compatibility. 2010 , 80, 247-50	53
1501	Novel superhydrophobic silica/poly(siloxane-fluoroacrylate) hybrid nanoparticles prepared via two-step surface-initiated ATRP: Synthesis, characterization, and wettability. 2010 , 48, 5570-5580	28
1500	Directional water collection on wetted spider silk. 2010 , 463, 640-3	1324
1499	Superhydrophobic surfaces with micro-/nano-structures prepared by femtosecond laser. 2010 ,	
1498	Why can a water strider be on water surface?. 2010 , 30, 028	
1497	Preparation of a Superhydrophobic Carbon Dilm by a Novel Vapor Phase Transport Process. 2010 , 168-170, 1065-1068	1
1496	Fabrication of Superhydrophobic Surfaces of Titanium Dioxide and Nickel through Electrochemical Deposition on Stainless Steel Substrate. 2010 , 434-435, 496-498	6
1495	Biomimetic and Smart Polymeric Surfaces for Biomedical and Biotechnological Applications. 2010 , 636-637, 3-8	1
1494	Superhydrophobic surfaces with nanofibers or nanorods based on thiophene derivatives. 2010 , 96, 043108	4
1493	Design and fabrication of microcavity-array superhydrophobic surfaces. 2010 , 108, 024908	13
1492	Superhydrophilic Surfaces for Antifogging and Antifouling Microfluidic Devices. 2010 , 15, 114-119	71
1491	Effect of Surfactant Addition on the Structure of Silver Aggregates Produced by Galvanic Cell Reaction and Fabrication of Superhydrophobic Surfaces. 2010 , 31, 703-708	3
1490	Interaction of fluids with physically patterned solid surfaces. 2010 , 133, 054704	10
1489	Effects of the Lunar Environment on Protective Coatings. 2010 ,	

1488	From superhydrophobicity and water repellency to superhydrophilicity: smart polymer-functionalized surfaces. 2010 , 46, 4136-8	109
1487	Superhydrophobic cylindrical nanoshell array. 2010 , 26, 7661-4	24
1486	Silicon surface structure-controlled oleophobicity. 2010 , 26, 8908-13	60
1485	Biomimetic Lotus Effect Surfaces for Nanopackaging. 2010 , 47-85	1
1484	Large-area fabrication of superhydrophobic surfaces for practical applications: an overview. 2010 , 11, 033002	220
1483	Molecular Dynamics Simulation of Salt Rejection in Model Surface-Modified Nanopores. 2010 , 1, 528-535	81
1482	Fast and selective removal of oils from water surface via highly hydrophobic core-shell Fe ₂ O ₃ @C nanoparticles under magnetic field. 2010 , 2, 3141-6	186
1481	Fabrication and Wettability of Nanoporous Silver Film on Copper from Choline Chloride-Based Deep Eutectic Solvents. 2010 , 114, 13614-13619	60
1480	Superhydrophobic surfaces by anomalous fluoroalkylsilane self-assembly on silica nanosphere arrays. 2010 , 26, 12962-72	73
1479	Bioinspired super-antiwetting interfaces with special liquid-solid adhesion. <i>Accounts of Chemical Research</i> , 2010 , 43, 368-77	24.3 517
1478	Transparent superhydrophobic and highly oleophobic coatings. 2010 , 146, 57-65; discussion 79-101, 395-401	57
1477	Superhydrophilicity of Highly Textured Carbon Films in Range of pH Values from 0 through 14. 2010 , 114, 19239-19243	6
1476	Contact line pinning on microstructured surfaces for liquids in the Wenzel state. 2010 , 26, 860-5	117
1475	In situ electrochemical switching of wetting state of oil droplet on conducting polymer films. 2010 , 26, 3993-7	74
1474	Bioinspired holographically featured superhydrophobic and supersticky nanostructured materials. 2010 , 26, 1468-72	56
1473	Robust superhydrophobic mats based on electrospun crystalline nanofibers combined with a silane precursor. 2010 , 2, 658-62	64
1472	Facile fabrication of uniform silica films with tunable physical properties using silicatein protein from sponges. 2010 , 26, 4152-9	40
1471	Optimal geometrical design for superhydrophobic surfaces: effects of a trapezoid microtexture. 2010 , 26, 3194-202	28

1470	Bioinspired silica surfaces with near-infrared improved transmittance and superhydrophobicity by colloidal lithography. 2010 , 26, 9842-7	88
1469	Fabrication of Zinc Oxide/Polydimethylsiloxane Composite Surfaces Demonstrating Oil-Fouling-Resistant Superhydrophobicity. 2010 , 2, 2880-2883	74
1468	Cross-Linked Matrix-Free Nanocomposites from Reactive Polymer-Silica Hybrid Nanoparticles. 2010 , 43, 6549-6552	24
1467	Fabrication and superhydrophobic behavior of fluorinated microspheres. 2010 , 26, 16775-81	18
1466	Design and Fabrication of Hydrophobic Copper Mesh with Striking Loading Capacity and Pressure Resistance. 2010 , 114, 9370-9378	38
1465	A Water Strider-Like Model with Large and Stable Loading Capacity Fabricated from Superhydrophobic Copper Foils. 2010 , 2, 2026-2030	49
1464	Humidity responsive asymmetric free-standing multilayered film. 2010 , 26, 16634-7	33
1463	Adjustable Hydrophobicity of Al Substrates by Chemical Surface Functionalization of Nano/Microstructures. 2010 , 114, 13219-13225	55
1462	Face selection in one-step bending of Janus nanopillars. 2010 , 26, 9198-201	23
1461	Photo-responsive systems and biomaterials: photochromic polymers, light-triggered self-assembly, surface modification, fluorescence modulation and beyond. 2010 , 1, 37-54	444
1460	Application of Click Chemistry in the Fabrication of Cactus-Like Hierarchical Particulates for Sticky Superhydrophobic Surfaces. 2010 , 114, 5926-5931	26
1459	How micro/nanoarchitecture facilitates anti-wetting: an elegant hierarchical design on the termite wing. 2010 , 4, 129-36	114
1458	Mimicking the rice leaf--from ordered binary structures to anisotropic wettability. 2010 , 26, 14276-83	47
1457	Superhydrophobic thermoplastic polyurethane films with transparent/fluorescent performance. 2010 , 26, 18454-8	38
1456	Facile preparation of superhydrophobic biomimetic surface based on octadecyltrichlorosilane and silica nanoparticles. 2010 , 2, 2393-8	35
1455	The role of micro/nano channel structuring in repelling water on cuticle arrays of the lacewing. 2010 , 171, 44-51	31
1454	Experimental Study on the Evolution of Contact Angles with Temperature Near the Freezing Point. 2010 , 114, 4063-4066	79
1453	Active and responsive polymer surfaces. 2010 , 39, 676-93	72

1452	Reversibly switchable wettability. 2010 , 39, 769-82	379
1451	Recent developments in bio-inspired special wettability. 2010 , 39, 3240-55	823
1450	Bioinspired Self-Healing Superhydrophobic Coatings. 2010 , 122, 6265-6269	137
1449	Electrowetting properties of micro/nanostructured black silicon. 2010 , 26, 13007-14	65
1448	Fabricating Super-hydrophobic Polydimethylsiloxane Surfaces by a Simple Filler-Dissolved Process. 2010 , 49, 127101	1
1447	On the Superhydrophobic Properties of Crystallized Stearic Acid. 2010 , 63, 525	5
1446	Facile fabrication of superhydrophobic octadecylamine-functionalized graphite oxide film. 2010 , 26, 16110-4	164
1445	Nano-Bio- Electronic, Photonic and MEMS Packaging. 2010 ,	29
1444	Preparation of composite fluoropolymers with enhanced dewetting using fluorinated silsesquioxanes as drop-in modifiers. 2010 , 20, 2979	39
1443	One-Step Deposition Process to Obtain Nanostructured Superhydrophobic Thin Films by Galvanic Exchange Reactions. 2010 , 24, 1181-1189	28
1442	Composite photocatalyst of nitrogen and fluorine codoped titanium oxide nanotube arrays with dispersed palladium oxide nanoparticles for enhanced visible light photocatalytic performance. 2010 , 44, 3493-9	43
1441	Selective Cell Control by Surface Structuring for Orthopedic Applications. 2010 , 24, 2257-2270	22
1440	Fabrication of flexible superhydrophobic biomimic surfaces. 2010 , 6, 1438	38
1439	Hydrophobic Surface Characteristics of Nanocomposite Hydrogels. 2010 , 291-292, 159-167	7
1438	Formation of superhydrophobic polymerized n-octadecylsiloxane nanosheets. 2010 , 26, 3579-84	47
1437	The abrasion resistance of a superhydrophobic surface comprised of polyurethane elastomer. 2010 , 6, 6068	84
1436	Fabrication and Wettability of Colloidal Layered Double Hydroxide-Containing PVA Electrospun Nanofibrous Mats. 2010 , 49, 5610-5615	15
1435	Self-cleaning diffractive macroporous films by doctor blade coating. 2010 , 26, 12598-604	58

1434	Design and fabrication of superhydrophobic surfaces formed of microcavities. 2010 , 96, 074101	9
1433	A general approach for superhydrophobic coating with strong adhesion strength. 2010 , 20, 5961	48
1432	Slope-tunable Si nanorod arrays with enhanced antireflection and self-cleaning properties. 2010 , 2, 2765-8	62
1431	A rapid and efficient strategy for preparation of super-hydrophobic surface with cross-linked cyclotriphosphazene/6F-bisphenol A copolymer microspheres. 2010 , 46, 487-9	57
1430	Biomimetic bi-functional silicon nanospire-array structures prepared by using self-organized honeycomb templates and reactive ion etching. 2010 , 20, 10804	44
1429	Precise control of wettability from LCST tunable surface. 2010 , 20, 2176	15
1428	Effect of nanostructure on the surface dipole moment of photoreversibly tunable superhydrophobic surfaces. 2010 , 46, 4336-8	32
1427	Synthesis of anti-reflective and hydrophobic Si nanorod arrays by colloidal lithography and reactive ion etching. 2011 , 13, 1014-1017	32
1426	An efficient strategy for preparation of super-hydrophobic silane fluorinated polystyrene films with monomethoxypolyethyleneglycol-graft-polyethoxydisiloxane gel. 2011 , 2, 1261	1
1425	MgCO ₃ ·nH ₂ O and MgO complex nanostructures: controllable biomimetic fabrication and physical chemical properties. 2011 , 13, 5047-52	38
1424	Fabrication of a hierarchical structure by oxygen plasma etching of a photocured microstructure containing a silicon moiety. 2011 , 21, 14936	10
1423	Biomimicry in textiles: past, present and potential. An overview. 2011 , 8, 761-75	107
1422	Effect of radiation on the molecular and contamination properties of silicone-based coatings. 2011 ,	0
1421	The effect of surface microstructures and surface compositions on the wettabilities of flower petals. 2011 , 7, 2977	57
1420	Fabrication of Superhydrophobic Surfaces on Copper Foil with Stearic Acid. 2011 , 295-297, 921-924	1
1419	Fabrication of Superhydrophobic Surfaces on Aluminum Alloy by Simple Chemical Etching Method. 2011 , 239-242, 2270-2273	3
1418	Bioinspired aquatic microrobot capable of walking on water surface like a water strider. 2011 , 3, 2630-6	106
1417	Functional biointerface materials inspired from nature. 2011 , 40, 2909-21	228

1416	Fabrication of Superhydrophobic Surfaces on Aluminum Alloy Via Electrodeposition of Copper Followed by Electrochemical Modification. 2011 , 3, 160-165	29
1415	Hierarchically structured materials from block polymer confinement within bicontinuous microemulsion-derived nanoporous polyethylene. 2011 , 5, 8914-27	36
1414	Superhydrophobic materials as efficient catalysts for hydrocarbon selective oxidation. 2011 , 47, 1336-8	52
1413	Cellulose substance with reversible photo-responsive wettability by surface modification. 2011 , 21, 17519	54
1412	Magneto-Electro-Chemical Behavior of BaTiO ₃ -CoFe ₂ O ₄ Self-Assembled Thin Films. 2011 , 158, K149	7
1411	Micro/nanoscale hierarchical structured ZnO mesh film for separation of water and oil. 2011 , 13, 14606-10	170
1410	Wetting morphologies and their transitions in grooved substrates. 2011 , 23, 184108	25
1409	Light-driven wettability changes on a photoresponsive electrospun mat. 2011 , 5, 1549-55	95
1408	Design of single-site Ti embedded highly hydrophilic silica thin films with macro-mesoporous structures. 2011 , 3, 4561-5	19
1407	Submicrometer Pattern Fabrication by Intensification of Instability in Ultrathin Polymer Films under a WaterSolvent Mix. 2011 , 44, 4928-4935	42
1406	Self-assembly of pillars modified with vapor deposited polymer coatings. 2011 , 3, 4201-5	23
1405	Self-cleaning flexible infrared nanosensor based on carbon nanoparticles. 2011 , 5, 4007-13	71
1404	Biomimetic antireflective hierarchical arrays. 2011 , 27, 4963-7	50
1403	Bridging the gap between physicochemistry and interpretation prevalent in cell-surface interactions. 2011 , 111, 2900-36	67
1402	An efficient method for the creation of a superhydrophobic surface: ethylene polymerization over self-assembled colloidal silica nanoparticles incorporating single-site Cr-oxide catalysts. 2011 , 21, 8543	17
1401	Controlling volume shrinkage in soft lithography through heat-induced cross-linking of patterned nanofibers. 2011 , 133, 2840-3	39
1400	Making silica nanoparticle-covered graphene oxide nanohybrids as general building blocks for large-area superhydrophilic coatings. 2011 , 3, 519-28	199
1399	Dynamics of nanoparticle self-assembly into superhydrophobic liquid marbles during water condensation. 2011 , 5, 9746-54	52

1398	Operation of micro and molecular machines: a new concept with its origins in interface science. 2011 , 13, 4802-11	44
1397	One-step fabrication of nanostructured Ni film with lotus effect from deep eutectic solvent. 2011 , 27, 10132-40	164
1396	Photoswitchable Molecular Systems Based on Spiroyrans and Spirooxazines. 2011 , 37-80	31
1395	Selective binding of carbamate pesticides by self-assembled monolayers of calix[4]arene lipoic acid: wettability and impedance dual-signal response. 2011 , 13, 3392-5	34
1394	Micron-sized liquid crystalline elastomer actuators. 2011 , 7, 815-823	111
1393	Controlled Synthesis and Surface Hydrophilic Properties of Ti-Containing Mesoporous Silica Thin Films Using Various Structure-Directing Agents. 2011 , 115, 15410-15415	14
1392	Electrochemically triggered Au nanoparticles "sponges" for the controlled uptake and release of a photoisomerizable dithienylethene guest substrate. 2011 , 5, 5936-44	23
1391	Electrified Au nanoparticle sponges with controlled hydrophilic/hydrophobic properties. 2011 , 5, 299-306	25
1390	Superhydrophobicity at Micron and Submicron Scale. 2011 , 383-411	4
1389	Reversible underwater switching between superoleophobicity and superoleophilicity on conducting polymer nanotube arrays. 2011 , 7, 4163	54
1388	Mini review: Biomimetic models and bioinspired surfaces for fouling control. 2011 , 27, 73-86	253
1387	Understanding and Controlling Wetting Phenomena at the Micro- and Nanoscales. 2011 ,	
1386	A Facile Method to Fabricate Hierarchical Particulates for Superhydrophobic Surfaces by Diisocyanate Reactions. 2011 , 25, 1393-1401	2
1385	Role of superhydrophobicity in the biological activity of fibronectin at the cell-material interface. 2011 , 7, 10803	55
1384	Solvothermal synthesis of nanoporous polymer chalk for painting superhydrophobic surfaces. 2011 , 27, 12585-90	61
1383	Photochemically and electrochemically triggered Au nanoparticles "sponges". 2011 , 133, 6533-6	47
1382	Multifunctional, polymorphic, ionic fullerene supramolecular materials: self-assembly and thermotropic properties. 2011 , 27, 7493-501	27
1381	Fabrication of super-oil-repellent dual pillar surfaces with optimized pillar intervals. 2011 , 27, 11752-6	72

1380	Dual high adhesion surface for water in air and for oil underwater. 2011 , 27, 12466-71	16
1379	Recent progress in the synthesis and applications of nanoporous carbon films. 2011 , 21, 313-323	73
1378	One-pot preparation of fluorinated mesoporous silica nanoparticles for liquid marble formation and superhydrophobic surfaces. 2011 , 3, 1804-8	52
1377	Superhydrophobicity of natural and artificial surfaces under controlled condensation conditions. 2011 , 3, 1254-60	28
1376	A Facile Method To Prepare Superhydrophobic Coatings by Calcium Carbonate. 2011 , 50, 3089-3094	65
1375	Abrasion Behavior of Superhydrophobic Films Comprised of Polyurethane Elastomer. 2011 , 306-307, 628-633	
1374	Preparation and Characterization of Superhydrophobic Polypropylene Surface with Excellent Self-Cleaning Property. 2011 , 295-297, 1613-1616	3
1373	Controlled formation of polyamine crystalline layers on glass surfaces and successive fabrication of hierarchically structured silica thin films. 2011 , 27, 6338-48	7
1372	Numerical Prediction of Contact Line Dynamics on Super-Hydrophobic Surfaces. 2011 , 2, 99-108	1
1371	Superhydrophobic brocades modified with aligned ZnO nanorods. 2011 , 258, 662-667	20
1370	Optically transparent, superhydrophobic methyltrimethoxysilane based silica coatings without silylating reagent. 2011 , 258, 158-162	56
1369	Fabrication of superhydrophobic wood surfaces via a solution-immersion process. 2011 , 258, 761-765	76
1368	Self-healing superamphiphobicity. 2011 , 47, 2324-6	192
1367	Superhydrophobic films on glass surface derived from trimethylsilylated silica gel nanoparticles. 2011 , 3, 3440-7	67
1366	Metallic surfaces with special wettability. 2011 , 3, 825-38	324
1365	Biomimicked Superhydrophobic Polymeric and Carbon Surfaces. 2011 , 50, 13012-13020	21
1364	The Frontier of Inorganic Synthesis and Preparative Chemistry (I) Biomimetic Synthesis. 2011 , 525-553	2
1363	Fluid drag reduction on superhydrophobic surfaces coated with carbon nanotube forests (CNTs). 2011 , 7, 4391	89

1362	Superhydrophobic Superoleophobic Woven Fabrics. 2011,	1
1361	Anti-Wetting on Insect Cuticle Structuring to Minimise Adhesion and Weight. 2011,	
1360	Using the dynamic bond to access macroscopically responsive structurally dynamic polymers. 2011, 10, 14-27	1160
1359	Engineering biomimetic superhydrophobic surfaces of electrospun nanomaterials. 2011, 6, 510-530	366
1358	Synthesis, characterization, and hydrophobic properties of Bi ₂ S ₃ hierarchical nanostructures. 2011, 46, 555-562	23
1357	Self-assembly of diverse alumina architectures and their morphology-dependent wettability. 2011, 46, 1403-1408	31
1356	A one-step method to fabricate lotus leaves-like ZnO film. 2011, 65, 477-479	33
1355	Fabrication of superhydrophobic TPU film for oil/water separation based on electrospinning route. 2011, 65, 869-872	112
1354	Superhydrophobicity of bionic alumina surfaces fabricated by hard anodizing. 2011, 8, 369-374	26
1353	Enhanced super-hydrophobic and switching behavior of ZnO nanostructured surfaces prepared by simple solution-immersion successive ionic layer adsorption and reaction process. 2011, 363, 51-8	54
1352	Wettability of carbon nanofiber layers on nickel foils. 2011, 364, 530-8	9
1351	The wetting of leaf surfaces. 2011, 16, 326-334	83
1350	Control of morphology and surface wettability of anodic niobium oxide microcones formed in hot phosphate/glycerol electrolytes. 2011, 56, 7446-7453	29
1349	Fluorescence and morphology modulation in a photochromic diarylethene self-assembly system. 2011, 27, 5090-7	44
1348	Spherical silica micro/nanomaterials with hierarchical structures: synthesis and applications. 2011, 3, 3984-4002	149
1347	Enhancement of Raman scattering by ultramarine using silver films on surface of germanium quantum dots on silicon. 2011, 110, 48-54	14
1346	Superoleophobicity of a Material Made from Fluorinated Titania Nanoparticles. 2011, 32, 485-489	10
1345	Preparation of highly hydrophobic and oleophobic textile surfaces using microwave-promoted silane coupling. 2011, 46, 2503-2509	46

1344	Creation of coating surfaces possessing superhydrophobic and superoleophobic characteristics with fluoroalkyl end-capped vinyltrimethoxysilane oligomeric nanocomposites having biphenylene segments. 2011 , 362, 375-81	38
1343	Liquid-state motion sensing. 2011 , 154, 33-40	12
1342	A miniature droplet reactor built on nanoparticle-derived superhydrophobic pedestals. 2011 , 4, 266-273	64
1341	Surface Nanoengineering Inspired by Evolution. 2011 , 1, 63-77	13
1340	Superhydrophobic and oleophobic surfaces fabricated from incompletely condensed polyhedral oligomeric silsesquioxane. 2011 , 19, 101-104	22
1339	Superhydrophobic poly(L-lactic acid) surface as potential bacterial colonization substrate. 2011 , 1, 34	41
1338	Silica/polystyrene and silica/polystyrene-b-polymethacryloxypropyltrimethoxysilane hybrid nanoparticles via surface-initiated ATRP and comparison of their wettabilities. 2011 , 51, 218-224	7
1337	Polymeric nanopillars reinforced with metallic shells in the lower stem region. 2011 , 7, 3005-10	16
1336	Surface modification to control protein/surface interactions. 2011 , 11, 1031-40	65
1335	Polymer Loops vs. Brushes on Surfaces: Adsorption, Kinetics, and Viscoelastic Behavior of μ Thiol Telechelics on Gold. 2011 , 212, 485-497	24
1334	Mimicking Lotus Leaf: Development of Micro-Nanostructured Biomimetic Superhydrophobic Polymeric Surfaces by Ultrafine Powder Coating Technology. 2011 , 296, 929-936	22
1333	Lab-on-a-plate: extending the functionality of MALDI-MS and LDI-MS targets. 2011 , 30, 435-78	39
1332	Antifouling coatings: recent developments in the design of surfaces that prevent fouling by proteins, bacteria, and marine organisms. 2011 , 23, 690-718	1916
1331	Surface wrinkling: a versatile platform for measuring thin-film properties. 2011 , 23, 349-68	390
1330	Nanostructures and functional materials fabricated by interferometric lithography. 2011 , 23, 147-79	181
1329	Applications of bio-inspired special wettable surfaces. 2011 , 23, 719-34	867
1328	Chirality-triggered wettability switching on a smart polymer surface. 2011 , 23, 1615-20	77
1327	Biomimetic smart interface materials for biological applications. 2011 , 23, H57-77	225

1326	Superhydrophobic-superoleophilic polythiophene films with tunable wetting and electrochromism. 2011 , 23, 3207-13	84
1325	A novel superhydrophilic and underwater superoleophobic hydrogel-coated mesh for oil/water separation. 2011 , 23, 4270-3	1283
1324	Hierarchical ZnO structure with superhydrophobicity and high adhesion. 2011 , 12, 2412-4	13
1323	High-Temperature Wetting Transition on Micro- and Nanostructured Surfaces. 2011 , 123, 5423-5426	7
1322	High-temperature wetting transition on micro- and nanostructured surfaces. 2011 , 50, 5311-4	43
1321	Nitrocellulose strip array assembled on superhydrophobic surface: an aqueous solution diffusion-localized platform for multianalyte immunogold staining assays. 2011 , 26, 3272-7	9
1320	The performance of superhydrophobic and superoleophilic carbon nanotube meshes in water filtration. 2011 , 49, 669-676	254
1319	Air layer on superhydrophobic surface underwater. 2011 , 377, 374-378	72
1318	Solvothermal fabrication of adsorptive polymer monolith with large nanopores towards biomolecules immobilization. 2011 , 380, 29-34	14
1317	Morphological control of polymerized n-octadecylsiloxane. 2011 , 257, 2080-2085	14
1316	Preparation and properties of ZnS superhydrophobic surface with hierarchical structure. 2011 , 257, 2955-2959	26
1315	A stable superhydrophobic and superoleophilic Cu mesh based on copper hydroxide nanoneedle arrays. 2011 , 257, 5705-5710	97
1314	Supercontraction on cribellate spider spiral silk with wet-rebuilt micro-structure. 2011 , 31, 128-133	6
1313	Bio-inspired design of multiscale structures for function integration. 2011 , 6, 155-175	564
1312	Superhydrophobicity of silica nanoparticles modified with polystyrene. 2011 , 257, 2308-2312	35
1311	Laser microstructuring for fabricating superhydrophobic polymeric surfaces. 2011 , 257, 3281-3284	65
1310	Superhydrophobic hierarchical surfaces fabricated by anodizing of oblique angle deposited AlNb alloy columnar films. 2011 , 257, 8282-8288	18
1309	Superhydrophobic surfaces: from natural to biomimetic to functional. 2011 , 353, 335-55	747

1308	Fabrication of superhydrophobic surface by hierarchical growth of lotus-leaf-like boehmite on aluminum foil. 2011 , 358, 277-83	82
1307	Fabrication of superhydrophobic polymer films with hierarchical silver microbowl array structures. 2011 , 360, 300-4	16
1306	Surface properties and liquid crystal alignment behavior of poly(2-hydroxyethyl methacrylate) derivatives with alkyl ester side chains. 2011 , 360, 623-32	10
1305	Papillae mimetic hairy composite spheres towards lotus leaf effect coatings. 2011 , 52, 597-601	19
1304	Fouling of nanostructured insect cuticle: adhesion of natural and artificial contaminants. 2011 , 27, 1125-37	35
1303	Tailoring of Hydrophilic to Hydrophobic Coating Properties for Space Exploration Contamination Control. 2011 ,	
1302	Improving superhydrophobic textile materials. 2011 , 339-359	1
1301	Biomimetic micro/nanostructured functional surfaces for microfluidic and tissue engineering applications. 2011 , 5, 13411	146
1300	Fabrication of Ultrahydrophobic ZnO by Vapor Phase Transport. 2011 , 282-283, 753-756	
1299	A Stable Biomimetic Superhydrophobic CuO Surface Prepared by a Facile and Inexpensive Environmental-Friendly Method. 2011 , 239-242, 1190-1194	1
1298	Non-wetting wings and legs of the crane fly aided by fine structures of the cuticle. 2011 , 214, 915-20	39
1297	Wettability of biomimetic thermally grown aluminum oxide coatings. 2011 , 6, 016004	2
1296	Preparation and Electrochemical Properties of Fluorinated Mesoporous Carbon Foams for Electric Double-Layer Capacitors. 2011 , 239-242, 3190-3193	1
1295	Wettability control by DLC coated nanowire topography. 2011 , 22, 135302	10
1294	Bacteriostasis of a Super-Hydrophobic Micro-Porous Aluminum Surface by a Facile Preparation Method. 2012 , 583, 346-349	3
1293	An Effective Route to the Fabrication of Super-Hydrophobic Surfaces Combined by Micromolding and Photograft Polymerization Methods. 2012 , 152-154, 9-13	
1292	Fabrication of Superhydrophobic Surface of TiO ₂ through Sol-Gel Process on Stainless Steel Substrate. 2012 , 512-515, 1032-1035	1
1291	Encyclopedia of Nanotechnology. 2012 , 99-99	1

1290	Anti-Icing Nanoparticle/Polymer Composite Coatings. 2012 , 501, 22-26	1
1289	Preparation of spherical, ordered colloidal aggregates using inkjet printing. 2012 , 1453, 15	
1288	Molecular dynamics simulations of gas flow in nanochannel with a Janus interface. 2012 , 2, 042126	11
1287	Superhydrophobic nanofibre membranes: effects of particulate coating on hydrophobicity and surface properties. 2012 , 103, 937-944	26
1286	Robust, novel, and low cost superhydrophobic nanocomposites coating for reliability improvement of microelectronics. 2012 ,	0
1285	Wetting Transition on Micro/Nanostructured ZnO Layers. 2012 , 26, 2099-2104	2
1284	Biomimetic Artificial Nanostructured Surfaces. 2012 ,	1
1283	Preparation of Superhydrophobic SiO ₂ Coating on Stainless Steel Substrate. 2012 , 512-515, 1028-1031	4
1282	Superhydrophobic surfaces. 2012 , 21, 21-32	7
1281	Synthesis and Modification of Ordered Mesoporous Carbons for Resorcinol Removal. 2012 ,	
1280	Important Role of Nanopore Morphology in Superoleophobic Hierarchical Surfaces. 2012 , 116, 23308-23314	27
1279	Self-healing surface hydrophobicity by consecutive release of hydrophobic molecules from mesoporous silica. 2012 , 28, 5845-9	91
1278	Improving the lithium storage properties of Fe ₂ O ₃ @C nanoparticles by superoleophilic and superhydrophobic polysiloxane coatings. 2012 , 22, 15894	28
1277	Electrospun porous structure fibrous film with high oil adsorption capacity. 2012 , 4, 3207-12	335
1276	Polydioxathiophene nanodots, nonowires, nano-networks, and tubular structures: the effect of functional groups and temperature in template-free electropolymerization. 2012 , 6, 3018-26	117
1275	Implantation of nanomaterials and nanostructures on surface and their applications. 2012 , 7, 258-281	63
1274	Tunable Surface Nanoporosity by Electropolymerization of N-Alkyl-3,4-ethylenedioxyppyroles With Different Alkyl Chain Lengths. 2012 , 213, 2492-2497	24
1273	Screening conditions for rationally engineered electrodeposition of nanostructures (SCREEN): electrodeposition and applications of polypyrrole nanofibers using microfluidic gradients. 2012 , 8, 3502-9	7

1272	Water-phase synthesis of ordered hierarchical copper tetranitrophthalocyanine bundles with desirable superhydrophobicity. 2012 , 14, 1	
1271	Wettability influences cell behavior on superhydrophobic surfaces with different topographies. 2012 , 7, 46	84
1270	Modeling & simulation of nanostructures for superhydrophobic coatings. 2012 ,	
1269	Bio-inspired hierarchical self-assembly of nanotubes into multi-dimensional and multi-scale structures. 2012 , 4, 224-30	11
1268	Chiral biointerface materials. 2012 , 41, 1972-84	145
1267	Fabrication, characterisation and performance of hydrophilic and super-hydrophilic silica as cell culture surfaces. 2012 , 22, 12141	9
1266	Anisotropic liquid penetration arising from a cross-sectional wettability gradient. 2012 , 8, 2633	87
1265	Controlling the wettability of hierarchically structured thermoplastics. 2012 , 28, 896-904	34
1264	Photoinduced formation of superhydrophobic surface on which contact angle of a water droplet exceeds 170° by reversible topographical changes on a diarylethene microcrystalline surface. 2012 , 28, 17817-24	30
1263	Direction-dependent adhesion of water strider's legs for water-walking. 2012 , 14, 1146-1151	10
1262	Characterisation of surface wettability based on nanoparticles. 2012 , 4, 2202-18	63
1261	Superamphiphobic coatings with coralline-like structure enabled by one-step spray of polyurethane/carbon nanotube composites. 2012 , 22, 9624	82
1260	Nanotexturation-induced extreme wettability of an elemental tellurium coating. 2012 , 22, 3335-3339	7
1259	Micro- and nanostructures and their application in gas chromatography. 2012 , 137, 3195-201	10
1258	Effect of nanoroughness on highly hydrophobic and superhydrophobic coatings. 2012 , 28, 15005-14	46
1257	Superhydrophobic silver surface with dendrites structure on steel substrate by a facile electroless galvanic deposition process. 2012 , 258, 4906-4910	28
1256	Papillae-enhanced hydrophobicity of large-sized polytetrafluoroethylene-polyphenylene sulfite soft film prepared by layer-by-layer construction. 2012 , 258, 6864-6869	1
1255	Optimal conditions for the preparation of superhydrophobic surfaces on Al substrates using a simple etching approach. 2012 , 258, 7031-7035	43

1254	A corrosion-resistance superhydrophobic TiO ₂ film. 2012 , 258, 7460-7464	35
1253	Fabrication of superhydrophobicity on cotton fabric by sol-gel. 2012 , 258, 8134-8138	36
1252	Sticky superhydrophobic filter paper developed by dip-coating of fluorinated waterborne epoxy emulsion. 2012 , 258, 8739-8746	45
1251	Dual-scale rough multifunctional superhydrophobic ITO coatings prepared by air annealing of sputtered indium-tin alloy thin films. 2012 , 258, 9723-9731	20
1250	A simple and colorimetric fluoride receptor and its fluoride-responsive organogel. 2012 , 32, 1695-8	26
1249	A colloidal route to fabricate hierarchical sticky and non-sticky substrates. 2012 , 385, 73-80	25
1248	Synthesis of superhydrophobic PTFE-like thin films by self-nanostructuring in a hybrid plasma process. 2012 , 606, 1825-1829	26
1247	Hierarchically structured superoleophobic surfaces with ultralow contact angle hysteresis. 2012 , 24, 5838-43	261
1246	Extreme wettability and tunable adhesion: biomimicking beyond nature?. 2012 , 8, 2070-2086	209
1245	Superoleophobic Surfaces. 2012 , 171-185	13
1244	Recent developments in superhydrophobic surfaces with unique structural and functional properties. 2012 , 8, 11217	295
1243	Bioinspired rice leaf and butterfly wing surface structures combining shark skin and lotus effects. 2012 , 8, 11271	260
1242	The superhydrophobic properties of self-organized microstructured surfaces derived from anodically oxidized Al/Nb and Al/Ta metal layers. 2012 , 82, 90-97	26
1241	Nanocomposite and nanostructured films with plasma polymer matrix. 2012 , 211, 127-137	23
1240	Surface chemical analysis of photocatalytic wettability conversion of TiO ₂ nanoparticle coating. 2012 , 208, 73-79	39
1239	Micro-micro hierarchy replacing micro-nano hierarchy: a precisely controlled way to produce wear-resistant superhydrophobic polymer surfaces. 2012 , 28, 14747-55	83
1238	Smart polymer brushes and their emerging applications. 2012 , 2, 8557	82
1237	Creation of superhydrophobic stainless steel surfaces by acid treatments and hydrophobic film deposition. 2012 , 4, 4549-56	150

1236	Encyclopedia of Nanotechnology. 2012 , 11-17	2
1235	Recent progress of double-structural and functional materials with special wettability. 2012 , 22, 799-815	161
1234	Superhydrophobicity of lotus leaves versus birds wings: different physical mechanisms leading to similar phenomena. 2012 , 28, 14992-7	46
1233	Electropolymerized and polymer grafted superhydrophobic, superoleophilic, and hemi-wicking coatings. 2012 , 22, 11025	21
1232	Light-controlled quick switch of adhesion on a micro-arrayed liquid crystal polymer superhydrophobic film. 2012 , 8, 3730	59
1231	Encyclopedia of Nanotechnology. 2012 , 83-83	
1230	Unidirectional water-penetration composite fibrous film via electrospinning. 2012 , 8, 5996	217
1229	Photo-induced water-oil separation based on switchable superhydrophobicity/superhydrophilicity and underwater superoleophobicity of the aligned ZnO nanorod array-coated mesh films. 2012 , 22, 19652	304
1228	Electrospun smart fabrics that display pH-responsive tunable wettability. 2012 , 8, 10238	33
1227	A multi-structural and multi-functional integrated fog collection system in cactus. 2012 , 3, 1247	822
1226	Encyclopedia of Nanotechnology. 2012 , 25-30	
1225	Suppression of the coffee ring effect by hydrosoluble polymer additives. 2012 , 4, 2775-80	133
1224	Effects of Oxalic Acid and Sodium Chloride on the Superhydrophobic Surface on Aluminum Alloy by Anodizing and PP-Coating. 2012 , 583, 338-341	3
1223	Facile Preparation of the Superhydrophobic Surface on Aluminum Alloy by PP-Coating. 2012 , 583, 342-345	1
1222	One-step process for superhydrophobic metallic surfaces by wire electrical discharge machining. 2012 , 4, 3685-91	70
1221	Wettability of Y ₂ O ₃ /Al ₂ O ₃ Relative Analysis of Thermally Oxidized, Reactively Sputtered and Template Assisted Nanostructured Coatings. 2012 , 2, 65-78	19
1220	Reversible Wettability of Tungsten Trioxide Films with Novel Dandelion-like Structures. 2012 , 638, 231-235	6
1219	A facile method for fabrication of superhydrophobic coating on aluminum alloy. 2012 , 44, 439-444	45

1218	Literature review on superhydrophobic self-cleaning surfaces produced by electrospinning. 2012 , 50, 824-845	206
1217	Recent developments in polymeric superoleophobic surfaces. 2012 , 50, 1209-1224	199
1216	Superhydrophobic polymer-particle composite films produced using various particle sizes. 2012 , 44, 870-875	59
1215	Transparent superhydrophobic/superhydrophilic TiO ₂ -based coatings for self-cleaning and anti-fogging. 2012 , 22, 7420	386
1214	Reshaping the tips of ZnO nanowires by pulsed laser irradiation. 2012 , 5, 412-420	15
1213	Rapid Synthesis of Wettability Gradient on Copper for Improved Drop-Wise Condensation. 2012 , 14, 491-496	11
1212	Towards high-performance bioinspired composites. 2012 , 24, 5024-44	259
1211	Surface Wetting in Liquid-Liquid-Solid Triphase Systems: Solid-Phase-Independent Transition at the Liquid-Liquid Interface by Lewis Acid-Base Interactions. 2012 , 124, 8473-8476	
1210	Surface wetting in liquid-liquid-solid triphase systems: solid-phase-independent transition at the liquid-liquid interface by Lewis acid-base interactions. 2012 , 51, 8348-51	37
1209	Fast photo-switched wettability and color of surfaces coated with polymer brushes containing spiropyran. 2012 , 125, 870-875	44
1208	Remote, local, and chemical programming of healable multishape memory polymer nanocomposites. 2012 , 12, 2757-62	71
1207	Superhydrophobicity of 2D SiO ₂ hierarchical micro/nanorod structures fabricated using a two-step micro/nanosphere lithography. 2012 , 22, 14035	31
1206	The termiticidal properties of superhydrophobic wood surfaces treated with ZnO nanorods. 2012 , 70, 531-535	13
1205	Fabrication and wettability investigation of superhydrophobic surface by soft lithography. 2012 , 27, 138-141	7
1204	Superhydrophobic, nanotextured polyvinyl chloride films for delaying <i>Pseudomonas aeruginosa</i> attachment to intubation tubes and medical plastics. 2012 , 8, 1881-90	64
1203	A simple two foil approach to the fabrication of hierarchical superhydrophobic surfaces. 2012 , 404, 12-16	18
1202	Bioinspired fabrication of stable and robust superhydrophobic steel surface with hierarchical flowerlike structure. 2012 , 401, 61-67	60
1201	The preparation of a strawberry-like super-hydrophilic surface on the molybdenum substrate. 2012 , 404, 52-55	6

1200	Fabrication of inhalable spore like pharmaceutical particles for deep lung deposition. 2012 , 430, 98-103	12
1199	Superhydrophobic polyaniline hollow bars: constructed with nanorod-arrays based on self-removing metal-monomeric template. 2012 , 365, 28-32	22
1198	Silver-perfluorodecanethiolate complexes having superhydrophobic, antifouling, antibacterial properties. 2012 , 366, 64-69	50
1197	Facile fabrication of a superamphiphobic surface on the copper substrate. 2012 , 367, 443-9	123
1196	Percolation-dominated superhydrophobicity and conductivity for nanocomposite coatings from the mixtures of a commercial aqueous silica sol and functionalized carbon nanotubes. 2012 , 367, 225-33	13
1195	Facile control of surface wettability in TiO ₂ /poly(methyl methacrylate) composite films. 2012 , 368, 603-7	20
1194	Superhydrophobicity of electrospray-synthesized fluorinated silica layers. 2012 , 368, 599-602	21
1193	Roughness assessment and wetting behavior of fluorocarbon surfaces. 2012 , 376, 274-82	30
1192	Structurally colored surfaces with antireflective, self-cleaning, and antifogging properties. 2012 , 381, 189-97	33
1191	Development of antifouling of electrochemical solid-state dissolved oxygen sensors based on nanostructured Cu _{0.4} Ru _{3.4} O ₇ + RuO ₂ sensing electrodes. 2012 , 73, 105-111	29
1190	Superhydrophobic surface-based magnetic electrochemical immunoassay for detection of <i>Schistosoma japonicum</i> antibodies. 2012 , 33, 23-8	17
1189	Development of a simple method for the fabrication of superhydrophobic surfaces with NH ₄ VO ₃ and SiO ₂ . 2012 , 70, 105-108	8
1188	Solid-state sensors monitoring parameters of water quality for the next generation of wireless sensor networks. 2012 , 161, 1-20	91
1187	Fabrication of superhydrophobic surface of hierarchical ZnO thin films by using stearic acid. 2012 , 51, 128-134	46
1186	Facile preparation of superhydrophobic polymer surfaces. 2012 , 53, 1180-1188	89
1185	Femtosecond Laser in Polymeric Materials: Microfabrication of Doped Structures and Micromachining. 2012 , 18, 176-186	42
1184	A simple and cost-effective method for fabricating lotus-effect composite coatings. 2012 , 9, 135-141	31
1183	Preparation of superhydrophobic silica nanoparticles by microwave assisted sol-gel process. 2012 , 61, 8-13	11

1182	Robust superhydrophilic coatings by electropolymerization of sulfonated pyrrole. 2013 , 127, 257-260	4
1181	Highly transparent, hydrophobic fluorinated polymethylsiloxane/silica organic-inorganic hybrids for anti-stain coating. 2013 , 21, 669-680	33
1180	Replication of surface nano-structure of the wing of dragonfly (<i>Pantala Flavescens</i>) using nano-molding and UV nanoimprint lithography. 2013 , 9, 523-526	11
1179	Designing robust alumina nanowires-on-nanopores structures: superhydrophobic surfaces with slippery or sticky water adhesion. 2013 , 409, 18-24	40
1178	Optimum conditions for fabricating superhydrophobic surface on copper plates via controlled surface oxidation and dehydration processes. 2013 , 280, 898-902	24
1177	Preparation of superhydrophobic, long-neck vase-like polymer surfaces. 2013 , 15, 11862-7	23
1176	Facile strategy for fabrication of transparent superhydrophobic coatings on the surface of paper. 2013 , 3, 15571	30
1175	Combining biomimetic principles from the lotus leaf and mussel adhesive: polystyrene films with superhydrophobic and adhesive layers. 2013 , 3, 9352	31
1174	Construction of smart surfaces with polymer functionalized silica nanoparticles. 2013 , 4, 1038-1047	25
1173	Biomimetic photonic materials with tunable structural colors. 2013 , 406, 1-17	94
1172	Wetting and hydrophobic modification of cellulose surfaces for paper applications. 2013 , 48, 6455-6498	115
1171	Durability and restoring of superhydrophobic properties in silica-based coatings. 2013 , 405, 262-8	40
1170	Hydrophobic properties of biomorphic carbon surfaces prepared by sintering lotus leaves. 2013 , 39, 8165-8172	21
1169	Facile preparation of raspberry-like superhydrophobic polystyrene particles via seeded dispersion polymerization. 2013 , 29, 11440-8	45
1168	Synthesis and photosensitivity of azobenzene functionalized hydroxypropylcellulose. 2013 , 3, 15909	20
1167	A facile process for preparing superhydrophobic nickel films with stearic acid. 2013 , 231, 88-92	36
1166	Quantum-dot-embedded polymeric fiber films with photoluminescence and superhydrophobicity. 2013 , 99, 54-56	11
1165	Fluid drag reduction and efficient self-cleaning with rice leaf and butterfly wing bioinspired surfaces. 2013 , 5, 7685-710	176

1164	Effect of the surface condition of silicas with grafted monofunctional polyfluoroalkylsilanes on the adsorption of polar molecules. 2013 , 87, 1367-1373	2
1163	Bio-inspired fabrication of hierarchical FeOOH nanostructure array films at the air-water interface, their hydrophobicity and application for water treatment. 2013 , 7, 1368-78	49
1162	Out of the cleanroom, self-assembled magnetic artificial cilia. 2013 , 13, 3360-6	45
1161	Polynorbornene/fluorosilica hybrids for hydrophobic and oleophobic coatings. 2013 , 70, 619-630	12
1160	Control of the water adhesion on hydrophobic micropillars by spray coating technique. 2013 , 291, 401-407	28
1159	Surface wetting processing on BNNT films by selective plasma modes. 2013 , 58, 3403-3408	6
1158	Preparation of superhydrophobic silver nano coatings with feather-like structures by electroless galvanic deposition. 2013 , 58, 1887-1891	7
1157	Super liquid-repellent properties of electrodeposited hydrocarbon and fluorocarbon copolymers. 2013 , 3, 10848	11
1156	Surface hydrophobic co-modification of hollow silica nanoparticles toward large-area transparent superhydrophobic coatings. 2013 , 396, 152-9	46
1155	Reversible wettability control of silicon nanowire surfaces: From superhydrophilicity to superhydrophobicity. 2013 , 527, 179-185	21
1154	Role of surface wettability and roughness in emulsion separation. 2013 , 107, 19-25	50
1153	UV-durable superhydrophobic textiles with UV-shielding properties by introduction of ZnO/SiO ₂ core/shell nanorods on PET fibers and hydrophobization. 2013 , 427, 7-12	55
1152	Bioinspired patterning with extreme wettability contrast on TiO ₂ nanotube array surface: a versatile platform for biomedical applications. 2013 , 9, 2945-53	144
1151	Lotus-leaf-like structured heparin-conjugated poly(L-lactide-co-epsilon-caprolactone) as a blood compatible material. 2013 , 103, 463-7	25
1150	Controlled formation of hydrophobic surfaces by self-assembly of an amphiphilic natural protein from aqueous solutions. 2013 , 9, 5933	58
1149	Mechanically robust superamphiphobic aluminum surface with nanopore-embedded microtexture. 2013 , 29, 11966-74	118
1148	Wetting dynamics and evaporation of sessile droplets on nano-porous alumina surfaces. 2013 , 432, 71-81	40
1147	Ultra low dielectric, self-cleansing and highly oleophobic POSS-PFCP aryl ether polymer composites. 2013 , 1, 7222	47

1146	Bioinspired multifunctional hetero-hierarchical micro/nanostructure tetragonal array with self-cleaning, anticorrosion, and concentrators for the SERS detection. 2013 , 5, 10633-42	71
1145	Superhydrophobic surface supported bioassay--an application in blood typing. 2013 , 106, 176-80	24
1144	Self-assembled self-cleaning broadband anti-reflection coatings. 2013 , 439, 84-100	72
1143	Fabrication and icing property of superhydrophilic and superhydrophobic aluminum surfaces derived from anodizing aluminum foil in a sodium chloride aqueous solution. 2013 , 283, 19-24	22
1142	Self-assembled biomimetic superhydrophobic hierarchical arrays. 2013 , 405, 51-7	35
1141	Contamination protective coatings: an overview. 2013 ,	0
1140	Transparent superhydrophobic/translucent superamphiphobic coatings based on silica-fluoropolymer hybrid nanoparticles. 2013 , 29, 15051-7	126
1139	One step sol-gel electrochemistry for the fabrication of superhydrophobic surfaces. 2013 , 1, 14471	42
1138	A self-cleaning underwater superoleophobic mesh for oil-water separation. 2013 , 3, 2326	236
1137	(Super)hydrophobic and Multilayered Amphiphilic Films Prepared by Continuous Assembly of Polymers. 2013 , 23, 5159-5166	25
1136	Substrate material affects wettability of surfaces coated and sintered with silica nanoparticles. 2013 , 273, 32-38	3
1135	Wetting on flexible hydrophilic pillar-arrays. 2013 , 3, 1944	30
1134	Nanostructured superhydrophobic substrates trigger the development of 3D neuronal networks. 2013 , 9, 402-12	77
1133	Fabrication of amphiphobic surface by using titanium anodization for large-area three-dimensional substrates. 2013 , 400, 123-9	39
1132	Synthesis and surface functional group modifications of ordered mesoporous carbons for resorcinol removal. 2013 , 175, 141-146	35
1131	Polydopamine-based photonic crystal structures. 2013 , 1, 6136	23
1130	Pulsed Laser Deposition of Surfaces with Tunable Wettability. 2013 , 253-276	
1129	Nanoparticles assembly-induced special wettability for bio-inspired materials. 2013 , 11, 361-370	21

1128	Mechanical and rheological behavior of pNIPAAm crosslinked macrohydrogel. 2013 , 73, 1306-1318	28
1127	Patterned photonic crystals fabricated by inkjet printing. 2013 , 1, 6048	80
1126	Fabrication of superhydrophobic copper surface by direct current sputtering and its underwater stability. 2013 , 548, 313-316	5
1125	Electrochemical formation of porous copper 7,7,8,8-tetracyanoquinodimethane and copper 2,3,5,6-tetrafluoro-7,7,8,8-tetracyanoquinodimethane honeycomb surfaces with superhydrophobic properties. 2013 , 101, 186-195	24
1124	Super-hydrophobic yolk-shell nanostructure with enhanced catalytic performance in the reduction of hydrophobic nitroaromatic compounds. 2013 , 49, 9591-3	32
1123	Fabrication and adhesion of a bio-inspired microarray: capillarity-induced casting using porous silicon mold. 2013 , 1, 379-386	13
1122	Superhydrophobic properties of multiple coupling. 2013 ,	
1121	Fabrication of superoleophobic surfaces on Al substrates. 2013 , 1, 14783	72
1120	Hierarchical structures of ALOOH nanoflakes nested on Si nanopillars with anti-reflectance and superhydrophobicity. 2013 , 5, 10014-21	28
1119	Patterned tailored hydrophobic films designed by synergy effect of electrochemical deposition and chemical deposition. 2013 , 49, 2424-6	10
1118	Mimic nature, beyond nature: facile synthesis of durable superhydrophobic textiles using organosilanes. 2013 , 1, 4756-4763	85
1117	The three-phase contact line shape and eccentricity effect of anisotropic wetting on hydrophobic surfaces. 2013 , 9, 527-535	15
1116	Bio-inspired superoleophobic and smart materials: Design, fabrication, and application. 2013 , 58, 503-564	439
1115	Porous poly(2-octyl cyanoacrylate): a facile one-step preparation of superhydrophobic coatings on different substrates. 2013 , 1, 1026-1029	24
1114	Superomniphobic surfaces for effective chemical shielding. 2013 , 135, 578-81	388
1113	Superhydrophobic electrospun nanofibers. 2013 , 1, 1929-1946	241
1112	Bioinspired self-cleaning surfaces with superhydrophobicity, superoleophobicity, and superhydrophilicity. 2013 , 3, 671-690	573
1111	Stable superhydrophobic Si surface produced by using reactive ion etching process combined with hydrophobic coatings. 2013 , 232, 928-935	10

1110	Fabrication of a Bionic Needle with both Super-Hydrophobic and Antibacterial Properties. 2013 , 10, 377-382	14
1109	Reversible surface wettability transition between superhydrophobicity and superhydrophilicity on hierarchical micro/nanostructure ZnO mesh films. 2013 , 224, 88-92	22
1108	Mechanical, photocatalytic and microbiological properties of titanium dioxide thin films synthesized with the sol-gel and low temperature plasma deposition techniques. 2013 , 48, 4022-4031	24
1107	Preparation of water-repellent cotton fabrics from fluorinated diblock copolymers and evaluation of their durability. 2013 , 54, 6406-6414	42
1106	Imparting super hydro/oleophobic properties to cotton fabric by means of molecular and nanoparticles vapor deposition methods. 2013 , 287, 223-231	34
1105	Structural biological materials: critical mechanics-materials connections. 2013 , 339, 773-9	669
1104	Interactions between cells or proteins and surfaces exhibiting extreme wettabilities. 2013 , 9, 2985	123
1103	In situ surface-modification-induced superhydrophobic patterns with reversible wettability and adhesion. 2013 , 25, 1682-6	232
1102	Bioinspired micro/nanostructured surfaces for oil drag reduction in closed channel flow. 2013 , 9, 1620-1635	57
1101	Hierarchical or not? Effect of the length scale and hierarchy of the surface roughness on omniphobicity of lubricant-infused substrates. 2013 , 13, 1793-9	351
1100	Zeolite-coated mesh film for efficient oil/water separation. 2013 , 4, 591-595	335
1099	Hydrophobic surface to hold a water droplet by cholesterol-based organogel with solvent-tuned morphologies. 2013 , 37, 1201	10
1098	Fabrication of superhydrophobic surface by Co ₃ O ₄ nanoparticles. 2013 , 87, 211-215	9
1097	Lyophilic nonwetable surface based on an oil/water/air/solid four-phase system. 2013 , 9, 2515-9	21
1096	Light-controlled molecular switches based on bistable spirocyclic organic and coordination compounds. 2013 , 82, 1-26	79
1095	Materiomics: an -omics approach to biomaterials research. 2013 , 25, 802-24	90
1094	Long-lived superhydrophobic surfaces. 2013 , 1, 4146	262
1093	Physical processes-aided periodic micro/nanostructured arrays by colloidal template technique: fabrication and applications. 2013 , 42, 3614-27	155

1092	Effect of surface roughness and chemical composition on the wetting properties of silicon-based substrates. 2013 , 16, 65-72	39
1091	Dual role of outer epicuticular lipids in determining the wettability of dragonfly wings. 2013 , 106, 126-34	54
1090	Superhydrophobic and superoleophilic PVDF membranes for effective separation of water-in-oil emulsions with high flux. 2013 , 25, 2071-6	869
1089	Fabrication and characterization of large-scale multifunctional transparent ITO nanorod films. 2013 , 1, 5860	40
1088	Preparation of a multifunctional material with superhydrophobicity, superparamagnetism, mechanical stability and acids/bases resistance by electrospinning. 2013 , 279, 150-158	25
1087	Fabrication and Electrowetting Properties of Poly Si Nanostructure Based Superhydrophobic Platform. 2013 , 33, 807-816	5
1086	Tough Composites Inspired by Mineralized Natural Materials: Computation, 3D printing, and Testing. 2013 , 23, 4629-4638	252
1085	Bioinspired multiscale surfaces with special wettability. 2013 , 38, 375-382	56
1084	Interfacial materials with special wettability. 2013 , 38, 366-371	118
1083	Preparation and anti-icing behavior of superhydrophobic surfaces on aluminum alloy substrates. 2013 , 29, 8482-91	234
1082	Fabrication of microcavity-array superhydrophobic surfaces using an improved template method. 2013 , 395, 326-8	53
1081	Patterning of controllable surface wettability for printing techniques. 2013 , 42, 5184-209	253
1080	Propolis induced antibacterial activity and other technical properties of cotton textiles. 2013 , 59, 408-16	58
1079	Superhydrophobic and omnidirectional antireflective surfaces from nanostructured ormosil colloids. 2013 , 5, 853-60	63
1078	Electrospinning of multilevel structured functional micro-/nanofibers and their applications. 2013 , 1, 7290	262
1077	Three-phase contact force equilibrium of liquid drops at hydrophilic and superhydrophobic surfaces. 2013 , 404, 179-82	6
1076	Wetting and Interfacial Properties of Water on the Defective Graphene. 2013 , 117, 14106-14112	36
1075	Superoleophobic surfaces with short fluorinated chains?. 2013 , 9, 5982	92

1074	Preparation of superhydrophobic surfaces on Al substrates and the anti-icing behavior. 2013 , 576, 215-219	41
1073	Hysteresis controlled water droplet splitting on superhydrophobic paper. 2013 , 291, 417-426	23
1072	Nano-casting technique to prepare polyaniline surface with biomimetic superhydrophobic structures for anticorrosion application. 2013 , 95, 192-199	136
1071	Polystyrene/octadecyltrichlorosilane superhydrophobic coatings with hierarchical morphology. 2013 , 4, 246-249	33
1070	Biomimetic Superhydrophobic Surfaces. 2013 , 34, 1-21	7
1069	Modification of paper using polyhydroxybutyrate to obtain biomimetic superhydrophobic substrates. 2013 , 416, 51-55	53
1068	Two-dimensional ZnO nanoflakes coated mesh for the separation of water and oil. 2013 , 48, 25-29	44
1067	Blower-like micropillars of copper with porous nanowalls as effective hydrophobic surface. 2013 , 29, 446-450	5
1066	Nanoplasmonic modification of the local morphology, shape, and wetting properties of nanoflake microparticles. 2013 , 29, 7464-71	11
1065	Highly hydrophobic nanofibrous surfaces generated by poly(vinylidene fluoride). 2013 , 14, 1271-1275	13
1064	Triple-scale structured superhydrophobic and highly oleophobic surfaces. 2013 , 3, 22332	11
1063	Nanocasting technique to prepare lotus-leaf-like superhydrophobic electroactive polyimide as advanced anticorrosive coatings. 2013 , 5, 1460-7	138
1062	Harnessing Dynamic Covalent Bonds in Patchy Nanoparticles: Creating Shape-Shifting Building Blocks for Rational and Responsive Self-Assembly. 2013 , 4, 1221-6	25
1061	Superhydrophobic polymer-coated copper-mesh; membranes for highly efficient oil/water separation. 2013 , 1, 5943	270
1060	Stimuli-responsive topological change of microstructured surfaces and the resultant variations of wetting properties. 2013 , 5, 7485-91	32
1059	A reverse membrane emulsification process based on a hierarchically porous monolith for high efficiency water/oil separation. 2013 , 1, 1701-1708	50
1058	Organic Nanomaterials. 2013 , 905-940	3
1057	Effects of Grooved Surface with Nano-Ridges on Amplification of Hydrophobic Property. 2013 , 684, 26-31	5

1056	Acoustic Performance Analysis of Bionic Coupling Multi-Layer Structure. 2013 , 461, 22-30	
1055	Facile Fabrication of a Hierarchical Superhydrophobic Coating with Aluminate Coupling Agent Modified Kaolin. 2013 , 2013, 1-5	5
1054	Anti-Icing Property of Superhydrophobic Octadecyltrichlorosilane Film and Its Ice Adhesion Strength. 2013 , 2013, 1-5	29
1053	Biomimetic Antireflection Surfaces. 2013 , 305-331	7
1052	Microtopography of the eye surface of the crab <i>Carcinus maenas</i> : an atomic force microscope study suggesting a possible antifouling potential. 2013 , 10, 20130122	11
1051	Superoleophobic surfaces: design criteria and recent studies. 2013 , 1, 71-83	59
1050	Effects of Acid Concentration on the Superhydrophobic Surface on Aluminum Alloy by Etching and PP-Coating. 2013 , 763, 49-52	1
1049	Mimicking water striders' legs superhydrophobicity and buoyancy with cabbage leaves and nanotube carpets. 2013 , 28, 976-983	16
1048	Preparation and hydrophobicities of biomorphic ZnO based on carbon derived from indicalamus leaf template. 2013 , 112, 419-423	2
1047	Facile Size-Controllable Synthesis of Colorful Quasi-Cubic Fe_3O_4 Materials from Nanoscale to Microscale and Their Properties Related to the Size Effect. 2013 , 78, 875-883	10
1046	Dual-responsive gold nanoparticles for colorimetric recognition and testing of carbohydrates with a dispersion-dominated chromogenic process. 2013 , 25, 749-54	47
1045	Microcavity-array superhydrophobic surfaces: Limits of the model. 2013 , 114, 174911	4
1044	Fabrication of Self-Standing Silver Nanoplate Arrays by Seed-Decorated Electrochemical Route and Their Structure-Induced Properties. 2013 , 2013, 1-7	9
1043	Mineral-coated polymer membranes with superhydrophilicity and underwater superoleophobicity for effective oil/water separation. 2013 , 3, 2776	265
1042	Bio-inspired soft polystyrene nanotube substrate for rapid and highly efficient breast cancer-cell capture. 2013 , 5, e63-e63	107
1041	The Abrasion Behavior and Mechanisms of a Superhydrophobic Surface Comprising Styrene Butadiene Rubber. 2013 , 52, 1558-1566	1
1040	Superomniphobic surfaces: Design and durability. 2013 , 38, 383-390	133
1039	Chemicals-Inspired Biomaterials: Developing Biomaterials Inspired by Material Science Based on POSS. 2013 , 86, 1231-1239	48

1038	Chapter 6: Superhydrophobicity, superhydrophilicity, and the rose petal effect. 2013 , 116-128	
1037	Photochemical Generation of Light Responsive Surfaces. 2013 , 23, 4011-4019	53
1036	Applied Biomimetics: A New Fresh Look of Textiles. 2014 , 2014, 1-9	4
1035	The surface microstructure of cusps and leaflets in rabbit and mouse heart valves. 2014 , 5, 622-9	0
1034	Increasing Surface Hydrophilicity in Poly(Lactic Acid) Electrospun Fibers by Addition of Pla-b-Peg Co-Polymers. 2014 , 9, 155892501400900	11
1033	Stretching Velocity-Dependent Dynamic Adhesion of the Water/Oil Interfaces for High Quality Lithographic Printing. 2014 , 1, 1400080	3
1032	Fabrication of superhydrophobic surfaces of cellulose sheets by creating biomimic structures. 2014 , 30, 1071-1076	2
1031	Wetting Property of Cu-Doped ZnO with Micro-/Nano-Structures. 2014 , 960-961, 61-64	
1030	Fabrication and Superhydrophobic Property of ZnO Micro/Nanocrystals via a Hydrothermal Route. 2014 , 2014, 1-6	2
1029	Fabrication on Hydrophobicity of the Etched Aluminium Alloy Surfaces. 2014 , 924, 134-137	
1028	Photoirradiation Caused Controllable Wettability Switching of Sputtered Highly Alignedc-Axis-Oriented Zinc Oxide Columnar Films. 2014 , 2014, 1-10	6
1027	Super-Hydrophobic Properties of Unitary Structure. 2014 , 924, 212-216	
1026	Superhydrophobicity of Silicon-Based Microstructured Surfaces. 2014 , 989-994, 267-269	0
1025	Dual-switchable surfaces between hydrophobic and superhydrophobic fabricated by the combination of click chemistry and RAFT. 2014 , 8, 528-542	8
1024	Micro- and nano-modified surfaces for better polymeric implants. 2014 , 30-42	1
1023	Regular Metal Sulfide Microstructure Arrays Contributed by Ambient-Connected Gas Matrix Trapped on Superhydrophobic Surface. 2014 , 24, 7007-7013	16
1022	Inscribing Wettability Gradients Onto Superhydrophobic Carbon Nanotube Surfaces. 2014 , 1, 1300049	24
1021	Reversible superhydrophilicity and superhydrophobicity on a lotus-leaf pattern. 2014 , 6, 22666-72	38

1020	Fabrication of superhydrophobic copper surface on various substrates for roll-off, self-cleaning, and water/oil separation. 2014 , 6, 22034-43	99
1019	Physically and chemically stable ionic liquid-infused textured surfaces showing excellent dynamic omniphobicity. 2014 , 2, 056108	50
1018	BIOINSPIRED SELF-CLEANING ANTIREFLECTION COATINGS. 2014 , 65-95	
1017	Switchable Wettability of Silicon Micro-Nano Structures Surface Produced by Femtosecond Laser. 2014 , 609-610, 341-345	0
1016	Influence of Geometry, Edges and Roughness on Liquid Penetration and Removal during Wet Cleaning. 2014 , 3, P198-P200	3
1015	Preparation and characterization of hydrophobic nano silver film on butterfly wings as bio-template. 2014 , 30, 817-820	5
1014	BIOINSPIRED SELF-HEALING COATINGS. 2014 , 391-417	1
1013	Hierarchical ZnO films with microplate/nanohole structures induced by precursor concentration and colloidal templates, their superhydrophobicity, and enhanced photocatalytic performance. 2014 , 29, 115-122	10
1012	Construction of biomimetic smart nanochannels for confined water. 2014 , 1, 144-156	50
1011	Structural design and dynamic analysis of biologically inspired water-jumping robot. 2014 ,	6
1010	Bifunctional Moth-Eye Nanopatterned Dye-Sensitized Solar Cells: Light-Harvesting and Self-Cleaning Effects. 2014 , 4, 1300632	66
1009	A review of icing prevention in photovoltaic devices by surface engineering. 2014 , 32, 797-809	97
1008	Rapid and efficient fabrication of multilevel structured silica micro-/nanofibers by centrifugal jet spinning. 2014 , 425, 136-42	31
1007	Fabrication of superhydrophobic paper surface via wax mixture coating. 2014 , 250, 431-436	106
1006	Anti-fouling properties of microstructured surfaces bio-inspired by rice leaves and butterfly wings. 2014 , 419, 114-33	156
1005	Fabrication and use of artificial superhydrophilic surfaces. 2014 , 28, 751-768	21
1004	Preparation of superhydrophobic surfaces by cauliflower-like polyaniline. 2014 , 131, n/a-n/a	5
1003	Controlled growth of standing Ag nanorod arrays on bare Si substrate using glancing angle deposition for self-cleaning applications. 2014 , 114, 1189-1193	14

1002	Fabrication of biomimetic super-hydrophobic surface on aluminum alloy. 2014 , 49, 1624-1629	35
1001	Bio-inspired photonic-crystal microchip for fluorescent ultratrace detection. 2014 , 53, 5791-5	226
1000	Highly transparent and durable superhydrophobic hybrid nanoporous coatings fabricated from polysiloxane. 2014 , 6, 10014-21	59
999	Superhydrophobic SiO ₂ -based nanocomposite modified with organic groups as catalyst for selective oxidation of ethylbenzene. 2014 , 2, 8126	33
998	Wettability and impact dynamics of water droplets on rice (<i>Oryza sativa</i> L.) leaves. 2014 , 55, 1	17
997	Multifunctional superhydrophobic/oleophobic and flame-retardant cellulose fibres with improved ice-releasing properties and passive antibacterial activity prepared via the sol-gel method. 2014 , 70, 385-399	29
996	Fabrication of lotus-leaf-like superhydrophobic surfaces via Ni-based nano-composite electro-brush plating. 2014 , 288, 341-348	37
995	Superhydrophobic surface decorated with vertical ZnO nanorods modified by stearic acid. 2014 , 40, 7151-716087	
994	Simple Fabrication of Robust Water-Repellent Surfaces with Low Contact-Angle Hysteresis Based on Impregnation. 2014 , 1, 1300138	83
993	Electrospun Nanofibers for Energy and Environmental Applications. 2014 ,	52
992	Superhydrophobic Coatings on Cellulose-Based Materials: Fabrication, Properties, and Applications. 2014 , 1, 1300026	186
991	Fly-eye inspired superhydrophobic anti-fogging inorganic nanostructures. 2014 , 10, 3001-6	231
990	Semiconductor nanocrystals in environmental sensors. 2014 , 374-426	1
989	Fabrication of patterned surfaces that exhibit variable wettability ranging from superhydrophobicity to high hydrophilicity by laser irradiation. 2014 , 288, 619-624	32
988	A rapid one-step fabrication of patternable superhydrophobic surfaces driven by Marangoni instability. 2014 , 30, 2828-34	31
987	A facile method for preparations of micro-nanotextured Co ₃ O ₄ films with the excellent superhydrophobic and anti-icing behavior. 2014 , 122, 133-138	22
986	Bio-Inspired Photonic-Crystal Microchip for Fluorescent Ultratrace Detection. 2014 , 126, 5901-5905	25
985	Surface texturing of natural brushite thermosetting polymer thin films. 2014 , 46, 216-219	11

984	Bio-inspired strategies for anti-icing. 2014 , 8, 3152-69	615
983	Nanoporous Carbon Membranes and Webs. 2014 , 215-236	2
982	Fabrication of large-scale superhydrophobic composite films with enhanced tensile properties by multinozzle conveyor belt electrospinning. 2014 , 131, n/a-n/a	8
981	Sound absorption of a new bionic multi-layer absorber. 2014 , 108, 400-408	34
980	Recent progress in antireflection and self-cleaning technology [From surface engineering to functional surfaces. 2014 , 61, 94-143	298
979	Capturing wetting states in nanopatterned silicon. 2014 , 8, 885-93	51
978	Tunable surface wettability and water adhesion of Sb ₂ S ₃ micro-/nanorod films. 2014 , 289, 425-429	9
977	Applications of super-resolution imaging in the field of surface topography measurement. 2014 , 2, 023001	10
976	Bibliography. 2014 , 817-932	
975	Mussel-inspired chemistry and Stober method for highly stabilized water-in-oil emulsions separation. 2014 , 2, 20439-20443	75
974	Why a lotus-like superhydrophobic surface is self-cleaning? An explanation from surface force measurements and analysis. 2014 , 30, 13615-21	52
973	A multi-functional polymer coating that is heat-resistant, hydrophobic and transparent. 2014 , 17, 11-14	3
972	Switchable water-adhesive, superhydrophobic palladium-layered silicon nanowires potentiate the angiogenic efficacy of human stem cell spheroids. 2014 , 26, 7043-50	64
971	A hierarchical and superhydrophobic ZnO/C surface derived from a rice-leaf template. 2014 , 145, 65-69	3
970	A switchable mesh for on-demand oil/water separation. 2014 , 2, 15284	32
969	Synergistic effects of hydrophobicity and gas barrier properties on the anticorrosion property of PMMA nanocomposite coatings embedded with graphene nanosheets. 2014 , 5, 1049-1056	99
968	Fabrication of superoleophobic hierarchical surfaces for low-surface-tension liquids. 2014 , 4, 30927	36
967	Asymmetric ratchet effect for directional transport of fog drops on static and dynamic butterfly wings. 2014 , 8, 1321-9	125

966	An intelligent superwetting PVDF membrane showing switchable transport performance for oil/water separation. 2014 , 26, 2943-8	509
965	Micro/-nanoscaled topography-coupled-mechanical action into functional biointerface. 2014 , 59, 3523-3529	1
964	Facile fabrication of corrosion-resistant superhydrophobic and superoleophilic surfaces with MnWO ₄ :Dy(3+) microbouquets. 2014 , 43, 5801-5	7
963	A novel solution-controlled hydrogel coated mesh for oil/water separation based on monolayer electrostatic self-assembly. 2014 , 4, 51404-51410	30
962	Highly durable hydrophobicity in simulated space environment. 2014 , 4, 28780-28785	6
961	Transition from Cassie to impaled state during drop impact on groove-textured solid surfaces. 2014 , 10, 2991-3002	17
960	The design and applications of superomniphobic surfaces. 2014 , 6, e109-e109	241
959	Engineering superlyophobic surfaces on curable materials based on facile and inexpensive microfabrication. 2014 , 2, 6952-6959	52
958	The fluid diode: tunable unidirectional flow through porous substrates. 2014 , 6, 12837-43	62
957	High-transparency, self-standable gel-SLIPS fabricated by a facile nanoscale phase separation. 2014 , 6, 1502-8	75
956	Sensitive and photo-triggered transformation of hierarchical helices assembled from achiral bolaamphiphiles. 2014 , 435, 1-7	6
955	Wetting behavior and remarkable durability of amphiphobic aluminum alloys surfaces in a wide range of environmental conditions. 2014 , 258, 101-109	31
954	Biomimetic "water strider leg" with highly refined nanogroove structure and remarkable water-repellent performance. 2014 , 6, 16237-42	37
953	Core-shell-corona-structured polyelectrolyte brushes-grafting magnetic nanoparticles for water harvesting. 2014 , 6, 11625-32	56
952	Multifunctional inverted nanocone arrays for non-wetting, self-cleaning transparent surface with high mechanical robustness. 2014 , 10, 2487-94	59
951	Interfacial effects of superhydrophobic plant surfaces: A review. 2014 , 11, 325-345	84
950	Cu mesh's super-hydrophobic and oleophobic properties with variations in gravitational pressure and surface components for oil/water separation applications. 2014 , 314, 408-414	22
949	Interfacial material system exhibiting superwettability. 2014 , 26, 6872-97	394

948	Scale effect on dropwise condensation on superhydrophobic surfaces. 2014 , 6, 14353-9	48
947	Evaluation of hydrophobic polyvinyl-alcohol formaldehyde sponges as absorbents for oil spill. 2014 , 6, 8651-9	119
946	The impact and retention of spray droplets on a horizontal hydrophobic surface. 2014 , 126, 82-91	30
945	Chemically stable and mechanically durable superamphiphobic aluminum surface with a micro/nanoscale binary structure. 2014 , 6, 15188-97	129
944	Antifogging and icing-delay properties of composite micro- and nanostructured surfaces. 2014 , 6, 3963-8	111
943	Self-organised patterns in polymeric films solidified from diluted solutions □The effect of the substrate surface properties. 2014 , 78, 615-623	5
942	Optical phenomena and antifrosting property on biomimetics slippery fluid-infused antireflective films via layer-by-layer comparison with superhydrophobic and antireflective films. 2014 , 6, 13985-93	117
941	Electrically conductive PEDOT coating with self-healing superhydrophobicity. 2014 , 30, 4671-7	70
940	Photoresponsive superhydrophobic coating for regulating boundary slippage. 2014 , 10, 5318-24	16
939	Bio-inspired titanium dioxide materials with special wettability and their applications. 2014 , 114, 10044-94	415
938	Three-dimensional superhydrophobic porous hybrid monoliths for effective removal of oil droplets from the surface of water. 2014 , 4, 17393	38
937	Bulk superhydrophobic materials: a facile and efficient approach to access superhydrophobicity by silane and urethane chemistries. 2014 , 2, 15502-15508	22
936	Lotus-leaf-like structured chitosan/polyvinyl pyrrolidone films as an anti-adhesion barrier. 2014 , 320, 614-619	16
935	Omniphobic Membrane for Robust Membrane Distillation. 2014 , 1, 443-447	224
934	Facile synthesis of nano cauliflower and nano broccoli like hierarchical superhydrophobic composite coating using PVDF/carbon soot particles via gelation technique. 2014 , 436, 111-21	38
933	Formation and surface properties of raspberry-like silica particles: effect of molecular weight of the coating poly(methacrylic acid) brushes. 2014 , 72, 122-129	7
932	Self-propulsion of dew drops on lotus leaves: a potential mechanism for self cleaning. 2014 , 30, 427-34	69
931	From macro to micro: structural biomimetic materials by electrospinning. 2014 , 4, 39704-39724	44

930	Repellency of the lotus leaf: contact angles, drop retention, and sliding angles. 2014 , 30, 8791-7	50
929	Biomimetic and bioinspired membranes: Preparation and application. 2014 , 39, 1668-1720	155
928	Underwater oil wettability on nanostructured superamphiphobic surface tuned by trapped air layer continuity. 2014 , 30, 518-520	2
927	Interaction of nitrogen and hydrocarbon vapors with mesoporous silicas modified with perfluorohexylsilane. 2014 , 50, 304-311	3
926	Rice- and butterfly-wing effect inspired self-cleaning and low drag micro/nanopatterned surfaces in water, oil, and air flow. 2014 , 6, 76-96	163
925	Bioinspired one-dimensional materials for directional liquid transport. <i>Accounts of Chemical Research</i> , 2014 , 47, 2342-52	24-3 167
924	Switchable micropatterned surface topographies mediated by reversible shape memory. 2014 , 6, 8017-21	50
923	New strategy for controlled release of drugs. Potential pinpoint targeting with multiresponsive tetraaniline diblock polymer vesicles: site-directed burst release with voltage. 2014 , 6, 1470-80	25
922	Low-cost, acid/alkaline-resistant, and fluorine-free superhydrophobic fabric coating from onionlike carbon microspheres converted from waste polyethylene terephthalate. 2014 , 48, 2928-33	39
921	Permanent superhydrophobic polypropylene nanocomposite coatings by a simple one-step dipping process. 2014 , 307, 234-240	43
920	Hair-inspired crystal growth of HOA in cavities of cellulose matrix via hydrophobic-hydrophilic interface interaction. 2014 , 6, 9508-16	13
919	Electrospun Superhydrophobic Self-Cleaning Materials. 2014 , 449-472	1
918	Beauty of lotus is more than skin deep: highly buoyant superhydrophobic films. 2014 , 6, 7009-13	21
917	Fabrication of superhydrophobic niobium pentoxide thin films by anodization. 2014 , 307, 28-32	16
916	Systematically organized nanopillar arrays reveal differences in adhesion and alignment properties of BMSC and Saos-2 cells. 2014 , 119, 71-81	9
915	Hydrophobic modification of fibers by pressure-induced phase-separation coupled with ultrasonic irradiation in high-pressure liquid carbon dioxide. 2014 , 246, 106-113	11
914	Aerosol-Synthesis of Mesoporous Organosilica Nanoparticles with Highly Reactive, Superacidic Surfaces Comprising Sulfonic Acid Entities. 2014 , 24, 1140-1150	26
913	pH-responsive on-off motion of a superhydrophobic boat: towards the design of a minirobot. 2014 , 10, 859-65	49

912	Polydopamine and its derivative materials: synthesis and promising applications in energy, environmental, and biomedical fields. 2014 , 114, 5057-115	3034
911	Recent progress in fabrication and characterisation of hierarchical biomimetic superhydrophobic structures. 2014 , 4, 22053	143
910	Spray-deposition and photopolymerization of organic-inorganic thiol-ene resins for fabrication of superamphiphobic surfaces. 2014 , 6, 10763-74	67
909	In-situ fabrication of polyelectrolyte-CSH superhydrophilic coatings via layer-by-layer assembly. 2014 , 253, 198-206	19
908	Progress of nanoscience in China. 2014 , 9, 257-288	19
907	Tailoring Substrate Hydrophilicity Using Grafted Polypeptide Nanocoatings. 2014 , 67, 598	7
906	Synthesis and texturization processes of (super)-hydrophobic fluorinated surfaces by atmospheric plasma. 2015 , 30, 3177-3191	29
905	Superhydrophobic and Superoleophobic Polymeric Surfaces. 2015 , 71-95	
904	Superhydrophilic and Superamphiphilic Coatings. 2015 , 96-132	4
903	Path-programmable water droplet manipulations on an adhesion controlled superhydrophobic surface. 2015 , 5, 12326	56
902	Synthesis of the superhydrophobic and magnetic Fe ₃ O ₄ /bamboo composites. 2015 , 2639-2643	
901	Switchable Wettability of the Honeybee's Tongue Surface Regulated by Erectable Glossal Hairs. 2015 , 15,	8
900	Bi ₂ WO ₆ Nanosheets Synthesized by a Hydrothermal Method: Photocatalytic Activity Driven by Visible Light and the Superhydrophobic Property with Water Adhesion. 2015 , 2015, 2560-2564	10
899	Carbon Inverse Opal Rods for Nonenzymatic Cholesterol Detection. 2015 , 11, 5766-70	25
898	On-Demand Liquid Transportation Using Bioinspired Omniphobic Lubricated Surfaces Based on Self-Organized Honeycomb and Pincushion Films. 2015 , 25, 4195-4201	76
897	Integration of Self-Lubrication and Near-Infrared Photothermogenesis for Excellent Anti-Icing/Deicing Performance. 2015 , 25, 4237-4245	121
896	Nanoporous Substrate-Infiltrated Hydrogels: a Bioinspired Regenerable Surface for High Load Bearing and Tunable Friction. 2015 , 25, 7366-7374	61
895	¶Wasser-Trennung mit selektiven superabweisenden/superbenetzbaren Oberflächenmaterialien. 2015 , 127, 2358-2368	30

894	A General Strategy for the Separation of Immiscible Organic Liquids by Manipulating the Surface Tensions of Nanofibrous Membranes. 2015 , 54, 14732-7	112
893	Semi-Egg-Like Heterogeneous Compartmentalization of Cells Controlled by Contact Angle Hysteresis. 2015 , 25, 4506-4511	7
892	Manipulating Oil Droplets by Superamphiphobic Nozzle. 2015 , 11, 4837-43	37
891	Preparations of the Artificial Plastron Device by Self-Organized Honeycomb-Patterned Films. 2015 , 13, 90-92	1
890	A Solvothermal Route Decorated on Different Substrates: Controllable Separation of an Oil/Water Mixture to a Stabilized Nanoscale Emulsion. 2015 , 27, 7349-55	187
889	Research on Hydrophobic and Superhydrophobic Properties of Patterned Structure with Controllable Nano to Microstructural Hierarchy. 2015 , 216, 2279-2286	4
888	A General Strategy for the Separation of Immiscible Organic Liquids by Manipulating the Surface Tensions of Nanofibrous Membranes. 2015 , 127, 14945-14950	10
887	Anisotropic Spreading Behavior of PAO Oil on Laser-Patterned Stainless Steel Surfaces . 2015 , 17, 1645-1651	16
886	Biologisch inspirierte Superbenetzbarkeit von der Grundlagenforschung zur praktischen Anwendung. 2015 , 127, 3448-3462	25
885	Wettability and Other Surface Properties of Modified Polymers. 2015 ,	9
884	Fabrication of Nanochannels. 2015 , 8, 6277-6308	18
883	Fabrication of Mechanical Durable Polysiloxane Superhydrophobic Materials. 2015 , 2015, 1-5	3
882	3D porous poly(L-lactic acid) foams composed of nanofibers, nanofibrous microspheres and microspheres and their application in oil/water separation. 2015 , 3, 14054-14062	38
881	Superomniphobic and easily repairable coatings on copper substrates based on simple immersion or spray processes. 2015 , 31, 3465-72	42
880	Pesticide Macroscopic Recognition by a Naphthol-Appended Calix[4]arene. 2015 , 17, 2976-9	41
879	Biomimetic transferable surface for a real time control over wettability and photoerasable writing with water drop lens. 2014 , 4, 7407	7
878	Superhydrophobic surface formation and modulation in a biphenyltetracarboxylic dianhydride derivative self-assembly system via changing alkyl chain lengths. 2015 , 5, 48500-48505	8
877	Glutamine-reinforced silica gel microassembly as protective coating for aluminium surface. 2015 , 162, 124-130	3

876	Robust Polypropylene Fabrics Super-Repelling Various Liquids: A Simple, Rapid and Scalable Fabrication Method by Solvent Swelling. 2015 , 7, 13996-4003	51
875	Floatable, Self-Cleaning, and Carbon-Black-Based Superhydrophobic Gauze for the Solar Evaporation Enhancement at the Air-Water Interface. 2015 , 7, 13645-52	262
874	Dye responsive optical-electrochemical-wettability on a naphthalene-appended calix[4]arene clicking surface. 2015 , 212, 371-376	7
873	Fluorosilicones and Other Fluoropolymers: Synthesis, Properties, and Applications. 2015 , 271-317	2
872	Influence of microstructure on surface wettability. 2015 ,	2
871	Photoluminescence and wettability control of NiFe/ZnO heterostructure bilayer films. 2015 , 5, 96705-96713	9
870	Hydrophilic/hydrophobic surface pattern design for oil repellent function in water. 2015 , 11, 46	5
869	Formation of hydrophobic surface using a bis-urea derived organogel. 2015 , 27, 484-489	1
868	Inkjet printing for direct micropatterning of a superhydrophobic surface: toward biomimetic fog harvesting surfaces. 2015 , 3, 2844-2852	234
867	Robust superhydrophobic TiO ₂ @fabrics for UV shielding, self-cleaning and oil/water separation. 2015 , 3, 2825-2832	396
866	Superhydrophobic surfaces created by a one-step solution-immersion process and their drag-reduction effect on water. 2015 , 5, 18909-18914	56
865	Fabrication of hierarchical structures for stable superhydrophobicity on metallic planar and cylindrical inner surfaces. 2015 , 325, 151-159	15
864	Polydopamine-assisted synthesis of raspberry-like nanocomposite particles for superhydrophobic and superoleophilic surfaces. 2015 , 470, 80-91	50
863	A glimpse of superb tribological designs in nature. 2015 , 1-2, 11-23	23
862	Hydrogen Bonding Effect on Wettability of Polysiloxane Coatings. 2015 , 119, 420-425	4
861	Multifunctional polyurethane sponge for polymerase chain reaction enhancement. 2015 , 7, 4699-705	21
860	Functionalization of metallic glasses through hierarchical patterning. 2015 , 15, 963-8	81
859	Rice and Butterfly Wing Effect Inspired Low Drag and Antifouling Surfaces: A Review. 2015 , 40, 1-37	84

858	Dewetting properties of metallic liquid film on nanopillared graphene. 2014 , 4, 3938	20
857	Bioinspired Self-Healing Organic Materials: Chemical Mechanisms and Fabrications. 2015 , 12, 1-16	28
856	Bioinspired super-wettability from fundamental research to practical applications. 2015 , 54, 3387-99	520
855	The enhanced anticoagulation for graphene induced by COOH(+) ion implantation. 2015 , 10, 14	8
854	Formation of superwetting surface with line-patterned nanostructure on sapphire induced by femtosecond laser. 2015 , 119, 69-74	39
853	Transparent, durable and thermally stable PDMS-derived superhydrophobic surfaces. 2015 , 339, 94-101	79
852	Durable superhydrophilic/phobic surfaces based on green patina with corrosion resistance. 2015 , 17, 6786-93	37
851	A gecko skin micro/nano structure - A low adhesion, superhydrophobic, anti-wetting, self-cleaning, biocompatible, antibacterial surface. 2015 , 21, 109-22	211
850	Wetting and motion behaviors of water droplet on graphene under thermal-electric coupling field. 2015 , 117, 074304	10
849	Connection of Intrinsic Wettability and Surface Topography with the Apparent Wetting Behavior and Adhesion Properties. 2015 , 119, 15056-15066	24
848	Bioinspired Surfaces with Superwettability: New Insight on Theory, Design, and Applications. 2015 , 115, 8230-93	1006
847	A New Approach for the Fabrication of Hydrophobic Silica Coatings on Glass Using Sol-Gel Method. 2015 , 45, 1769-1772	2
846	Functional map of biological and biomimetic materials with hierarchical surface structures. 2015 , 5, 66901-66926	95
845	Ultrafast Spreading Effect Induced Rapid Cell Trapping into Porous Scaffold with Superhydrophilic Surface. 2015 , 7, 17545-51	10
844	Tuning the Wettability of Indium Oxide Nanowires from Superhydrophobic to Nearly Superhydrophilic: Effect of Oxygen-Related Defects. 2015 , 119, 16026-16032	26
843	Recoating/plasma driven rewritable and erasable superhydrophobicity on CuO surfaces. 2015 , 29, 1893-1901	1
842	Fabrication of superhydrophobic thin films on various substrates using SiO ₂ nanoparticles coated with polydimethylsiloxane: towards the development of shielding layers for gas sensors. 2015 , 5, 40595-40602 ²³	
841	Superhydrophobic and superoleophilic polydimethylsiloxane-coated cotton for oil-water separation process: An evidence of the relationship between its loading capacity and oil absorption ability. 2015 , 300, 175-181	73

840	Biocompatible organic charge transfer complex nanoparticles based on a semi-crystalline cellulose template. 2015 , 51, 11868-71	13
839	Mechanical stability of superhydrophobic epoxy/silica coating for better water resistance of wood. 2015 , 69, 367-374	24
838	Bioinspired engineering of honeycomb structure [Using nature to inspire human innovation. 2015 , 74, 332-400	315
837	Fabrication of durable superamphiphobic aluminum alloy surfaces with anisotropic sliding by HS-WEDM and solution immersion processes. 2015 , 275, 112-119	46
836	Fabrication of self-cleaning superhydrophobic surface on aluminum alloys with excellent corrosion resistance. 2015 , 276, 341-348	104
835	Fabrication of a wettability-gradient surface on copper by screen-printing techniques. 2015 , 25, 085007	15
834	Superhydrophobic/hydrophobic nanofibrous network with tunable cell adhesion: Fabrication, characterization and cellular activities. 2015 , 482, 718-723	10
833	Controlled synthesis of bifunctional PbWO ₄ dendrites via a facile solution method at room temperature: Photoluminescence and superhydrophobic property. 2015 , 39, 188-191	5
832	The Bionic Anti-Adhesion Study of the Clay on Caterpillar Surface. 2015 , 727-728, 525-528	
831	The recent progress of tribological biomaterials. 2015 , 1, 81-97	24
830	Carbon-Based Hierarchical Micro- and Nanostructures: From Synthesis to Applications. 2015 , 83-121	
829	Adsorption and adhesiveness of kapok fiber to different oils. 2015 , 296, 101-111	65
828	A facile hydrothermal process to synthesize Ba ₁₂ F ₁₉ Cl ₅ with different morphology and their superhydrophobic property. 2015 , 175, 121-124	4
827	Preparation and characteristics of a recycled cement-based superhydrophobic coating with dirt pickup resistance. 2015 , 58, 1096-1104	4
826	Fabrication of TiO ₂ /EP super-hydrophobic thin film on filter paper surface. 2015 , 128, 24-31	51
825	Facile one-step photolithographic method for engineering hierarchically nano/microstructured transparent superamphiphobic surfaces. 2015 , 7, 10988-92	43
824	Multicomponent surface materials: subsequent surface structuring and deposition. 2015 , 25, 055005	3
823	Fabrication of super-hydrophobic duo-structures. 2015 ,	2

822	Controllable growth of durable superhydrophobic coatings on a copper substrate via electrodeposition. 2015 , 17, 10871-80	38
821	A simple method to prepare superamphiphobic aluminum surface with excellent stability. 2015 , 481, 143-150	47
820	Smart enrichment and facile separation of oil from emulsions and mixtures by superhydrophobic/superoleophilic particles. 2015 , 7, 10475-81	84
819	Control of Morphologies and Length Scales in Intensified Dewetting of Electron Beam Modified Polymer Thin Films under a Liquid Solvent Mixture. 2015 , 48, 3318-3326	16
818	A robust and coarse surface mesh modified by interpenetrating polymer network hydrogel for oil-water separation. 2015 , 132, n/a-n/a	5
817	Formation and Mechanism of Superhydrophobic/Hydrophobic Surfaces Made from Amphiphiles through Droplet-Mediated Evaporation-Induced Self-Assembly. 2015 , 119, 5321-7	26
816	Splitting a droplet for femtoliter liquid patterns and single cell isolation. 2015 , 7, 9060-5	78
815	Superhydrophobic microtextured polycarbonate surfaces. 2015 , 270, 117-122	36
814	Tumor Imaging Based on Photon Upconversion of Pt(II) Porphyrin Rhodamine Co-modified NIR Excitable Cellulose Enhanced by Aggregation. 2015 , 1, 1206-1210	30
813	Characterization of Multi-scale Morphology and Superhydrophobicity of Water Bamboo Leaves and Biomimetic Polydimethylsiloxane (PDMS) Replicas. 2015 , 12, 624-633	20
812	Transparent and Superamphiphobic Surfaces from Mushroom-Like Micropillar Arrays. 2015 , 7, 24197-203	64
811	Toward energy efficiency through an optimized use of wood: The development of natural hydrophobic coatings that retain moisture-buffering ability. 2015 , 105, 37-42	29
810	Spray-on omniphobic ZnO coatings. 2015 , 5, 69243-69250	22
809	Cu@Ag core-shell nanowires for electronic skin with a petal molded microstructure. 2015 , 3, 9594-9602	116
808	Multifunctional Engineering Aluminum Surfaces for Self-Propelled Anti-Condensation. 2015 , 17, 961-968	19
807	Effect of Surface-Modified Ammonium Polyphosphate with KH550 and Silicon Resin on the Flame Retardancy, Water Resistance, Mechanical and Thermal Properties of Intumescent Flame Retardant Polypropylene. 2015 , 54, 9733-9741	58
806	Facile fabrication of a superhydrophobic titanium surface with mechanical durability by chemical etching. 2015 , 5, 84666-84672	12
805	Facile preparation of superamphiphobic epoxy resin/modified poly(vinylidene fluoride)/fluorinated ethylene propylene composite coating with corrosion/wear-resistance. 2015 , 357, 229-235	31

804	Preparation of a Superhydrophobic and Peroxidase-like Activity Array Chip for H ₂ O ₂ Sensing by Surface-Enhanced Raman Scattering. 2015 , 7, 23472-80	44
803	Taylor-Aris dispersion induced by axial variation in velocity profile in patterned microchannels. 2015 , 134, 251-259	8
802	Breath Figure: A Nature-Inspired Preparation Method for Ordered Porous Films. 2015 , 115, 9801-68	287
801	Super-gelator formation based on 4,4'-oxybisbenzenamine derivative. 2015 , 293, 3527-3531	3
800	Photoresponsive Surface Wrinkle Morphologies in Liquid Crystalline Polymer Films. 2015 , 48, 6378-6384	56
799	Rational design of nanomaterials for water treatment. 2015 , 7, 17167-94	157
798	Slippery liquid-infused porous surface bio-inspired by pitcher plant for marine anti-biofouling application. 2015 , 136, 240-7	64
797	Disaccharide-driven transition of macroscopic properties: from molecular recognition to glycopeptide enrichment. 2015 , 51, 16111-4	10
796	Facile Method toward Hierarchical Fullerene Architectures with Enhanced Hydrophobicity and Photoluminescence. 2015 , 7, 20285-91	36
795	Facile fabrication of biomimetic superhydrophobic surface with anti-frosting on stainless steel substrate. 2015 , 355, 1238-1244	48
794	Advances of drag-reducing surface technologies in turbulence based on boundary layer control. 2015 , 27, 473-487	35
793	Surface wetting of superhydrophobic aluminum oxide nanostructures investigated using the fiber-optic spectrometer and quartz crystal microbalance. 2015 , 220, 799-804	9
792	Oleophobicity of Biomimetic Micropatterned Surface and Its Effect on the Adhesion of Frozen Oil. 2015 , 31, 9901-10	8
791	Deposition of superhydrophobic coatings from lacquer suspension of iron microparticles in a magnetic field. 2015 , 88, 1235-1240	1
790	Fabrication of titanium dioxide with durable superhydrophilicity by anodization. 2015 , 5, 97702-97709	3
789	Underwater drag-reducing effect of superhydrophobic submarine model. 2015 , 31, 587-93	87
788	Superhydro-oleophobic bio-inspired polydimethylsiloxane micropillared surface via FDTS coating/blending approaches. 2015 , 324, 612-620	54
787	Simple immersion to prepare a Zn/Ag biomimetic superhydrophobic surface and exploring its applications on SERS. 2015 , 467, 224-232	12

786	Hierarchically ordered self-lubricating superhydrophobic anodized aluminum surfaces with enhanced corrosion resistance. 2015 , 7, 1516-26	89
785	Multiple-dimensional micro/nano structural models for hydrophobicity of butterfly wing surfaces and coupling mechanism. 2015 , 60, 256-263	24
784	Simple synthesis of smart magnetically driven fibrous films for remote controllable oil removal. 2015 , 7, 2625-32	55
783	Mimosa-inspired design of a flexible pressure sensor with touch sensitivity. 2015 , 11, 1886-91	240
782	Above 170° water contact angle and oleophobicity of fluorinated graphene oxide based transparent polymeric films. 2015 , 84, 207-213	75
781	Self cleaning finishes for textiles. 2015 , 257-281	6
780	Ultrafiltration Membranes with Structure-Optimized Graphene-Oxide Coatings for Antifouling Oil/Water Separation. 2015 , 2, 1400433	116
779	Biomimetic superoleophobic surfaces: focusing on their fabrication and applications. 2015 , 3, 1811-1827	180
778	Synthesis and humidity sensitive property of cross-linked water-resistant polymer electrolytes. 2015 , 208, 277-282	19
777	Antifouling Surfaces and Materials. 2015 ,	13
776	Oil/water separation with selective superantiwetting/superwetting surface materials. 2015 , 54, 2328-38	861
775	Progress in understanding wetting transitions on rough surfaces. 2015 , 222, 92-103	274
774	Corrosion behavior of superhydrophobic surfaces: A review. 2015 , 8, 749-765	301
773	Advantage of super-hydrophobic surface as a barrier against atmospheric corrosion induced by salt deliquescence. 2015 , 90, 23-32	97
772	Multifunctional "smart" particles engineered from live immunocytes: toward capture and release of cancer cells. 2015 , 27, 310-3	112
771	Dynamic biointerfaces: from recognition to function. 2015 , 11, 1097-112	45
770	Underwater superoleophobic porous membrane based on hierarchical TiO ₂ nanotubes: multifunctional integration of oil/water separation, flow-through photocatalysis and self-cleaning. 2015 , 3, 1279-1286	181
769	Biomimetic transparent and superhydrophobic coatings: from nature and beyond nature. 2015 , 51, 1775-94	168

768	Self-assembly of alumina nanowires into controllable micro-patterns by laser-assisted solvent spreading: towards superwetting surfaces. 2015 , 17, 540-545	8
767	Synergetic effect of laser patterning and micro coining for controlled lubricant propagation. 2016 , 4, 034008	11
766	Effect of Nano-Texturing on Adhesion of Thermoplastic Resin against Textured Steel Plate. 2016 , 11, 159-167	10
765	Scientometric overview regarding the surface chemistry of nanobiomaterials. 2016 , 463-486	4
764	Preparation of the Oxygen Supply Device in Water by Using a Honeycomb Films. 2016 , 37, 299-303	
763	Recent Progress in Fabrication and Applications of Superhydrophobic Coating on Cellulose-Based Substrates. 2016 , 9,	73
762	Direct Laser Interference Patterning: Tailoring of Contact Area for Frictional and Antibacterial Properties. 2016 , 4, 2	55
761	Controllable anisotropic wetting characteristics on silicon patterned by slit-based spatial focusing of femtosecond laser. 2016 , 24, 25732-25741	7
760	HIERARCHICAL MICRO/NANO COATINGS BY PAINTING. 2016 , 23, 1650022	1
759	Light Responsive Microstructured Surfaces of Liquid Crystalline Network with Shape Memory and Tunable Wetting Behaviors. 2016 , 37, 311-7	16
758	Recent Development of Durable and Self-Healing Surfaces with Special Wettability. 2016 , 37, 463-85	87
757	Diving Surfacing Smart Locomotion Driven by a CO ₂ -Forming Reaction, with Applications to Minigenerators. 2016 , 26, 851-856	22
756	A Cost-Effective Approach to Fabricate Superhydrophobic Coatings Using Hydrophilic Materials . 2016 , 18, 567-571	8
755	Multi-Functional Transparent Luminescent Configuration for Advanced Photovoltaics. 2016 , 6, 1502404	8
754	A Phytic Acid Induced Super-Amphiphilic Multifunctional 3D Graphene-Based Foam. 2016 , 55, 3936-41	139
753	Light-Emitting Diodes with Hierarchical and Multifunctional Surface Structures for High Light Extraction and an Antifouling Effect. 2016 , 12, 161-8	19
752	A Phytic Acid Induced Super-Amphiphilic Multifunctional 3D Graphene-Based Foam. 2016 , 128, 4004-4009	11
751	Facile preparation of superhydrophobic and high oleophobic polymer composite coatings with self-cleaning, heat-resistance and wear-resistance. 2016 , 23, 1	4

750	Electrospinning preparation, characterization, and enhanced photocatalytic activity of an Silicotungstic acid (H ₄ SiW ₁₂ O ₄₀)/poly(vinyl alcohol)/poly(methyl methacrylate) composite nanofiber membrane. 2016 , 133, n/a-n/a	2
749	Manufacturing Method and Wax Treatment of Water-Repellent and Antibacterial Surface on Biodegradable Polymer by Biomimicking of a Leaf. 2016 , 73, 562-569	
748	Rare bi-wetting TiO ₂ -F/SiO ₂ /F-PEG fabric coating for self-cleaning and oil/water separation. 2016 , 6, 115196-115203	8
747	A highly efficient, stable, durable, and recyclable filter fabricated by femtosecond laser drilling of a titanium foil for oil-water separation. 2016 , 6, 37591	45
746	Fast and low-cost method to fabricate large-area superhydrophobic surface on steel substrate with anticorrosion and anti-icing properties. 2016 , 34, 041401	8
745	Pore emptying transition during nucleation in hydrophobic nanopores. 2016 , 12, 3810-9	1
744	Minimizing axial dispersion in narrow packed column using superhydrophobic wall. 2016 , 33, 3337-3342	6
743	Rational Design of Next-generation Nanomaterials and Nanodevices for Water Applications. 2016 ,	2
742	Turn hydrophobic to superhydrophobic of composite insulators by surface fluorination. 2016 ,	1
741	Physics of solid-liquid interfaces: From the Young equation to the superhydrophobicity (Review Article). 2016 , 42, 622-635	24
740	Superhydrophobicity on nanostructured porous hydrophilic material. 2016 , 108, 171603	4
739	Patterning liquids on inkjet-imprinted surfaces with highly adhesive superhydrophobicity. 2016 , 8, 9556-62	26
738	Covalently Attached Liquids: Instant Omniphobic Surfaces with Unprecedented Repellency. 2016 , 55, 244-8	192
737	AFM study of excimer laser patterning of block-copolymer: Creation of ordered hierarchical, hybrid, or recessed structures. 2016 , 371, 203-212	1
736	Confinement of water droplets on rectangular micro/nano-arrayed surfaces. 2016 , 16, 2487-93	7
735	Fabrication of Namib Beetle Inspired Biomimetic Amphi-phobic Surfaces Using Adsorbed Water as a Monomer. 2016 , 141, 59-62	8
734	Superhydrophobicity via gas-phase monomers grafting onto carbon nanotubes. 2016 , 91, 57-71	12
733	A Simple Thermal Decomposition Method for Synthesis of ZrO ₂ /GrO Nanolayer. 2016 , 27, 1553-1559	1

732	Covalently Attached Liquids: Instant Omniphobic Surfaces with Unprecedented Repellency. 2016 , 128, 252-256	33
731	Omniphilic Polymeric Sponges by Ice Templating. 2016 , 28, 1823-1831	44
730	Dialectics of nature in materials science: binary cooperative complementary materials. 2016 , 59, 239-246	51
729	Current trend in fabrication of complex morphologically tunable superhydrophobic nano scale surfaces. 2016 , 384, 311-332	45
728	Self-cleaning superhydrophobic coatings based on PDMS and TiO ₂ /SiO ₂ nanoparticles. 2016 , 169, 29-34	13
727	Simple, Reversible, and Fast Modulation in Superwettability, Gradient, and Adsorption by Counterion Exchange on Self-Assembled Monolayer. 2016 , 32, 5491-9	32
726	Surface forces between rough and topographically structured interfaces. 2016 , 26, 9-16	4
725	Advanced Sorbents for Oil-Spill Cleanup: Recent Advances and Future Perspectives. 2016 , 28, 10459-10490	391
724	Electrospun H ₄ SiW ₁₂ O ₄₀ /chitosan/polycaprolactam sandwich nanofibrous membrane with excellent dual-function: adsorption and photocatalysis. 2016 , 6, 96237-96244	9
723	Facile fabrication of robust superhydrophobic surfaces: comparative investigation. 2016 , 6, 98257-98266	7
722	A superrepellent coating with dynamic fluorine chains for frosting suppression: effects of polarity, coalescence and ice nucleation free energy barrier. 2016 , 6, 92197-92205	14
721	Fabrication of superhydrophobic coating via spraying method and its applications in anti-icing and anti-corrosion. 2016 , 389, 547-553	76
720	Bioinspired polydopamine particles-assisted construction of superhydrophobic surfaces for oil/water separation. 2016 , 482, 240-251	77
719	Correlation of nanoscale behaviour of forces and macroscale surface wettability. 2016 , 8, 15597-603	17
718	Separation of Water from Ultralow Sulfur Diesel Using Novel Polymer Nanofiber-Coated Glass Fiber Media. 2016 , 8, 21683-90	20
717	A new replication method for fabricating hierarchical polymer surfaces with robust superhydrophobicity and highly improved oleophobicity. 2016 , 507, 7-17	11
716	Hydrophobic antireflective coatings with ultralow refractive index synthesized by deposition of methylated hollow silica nanoparticles. 2016 , 183, 374-377	15
715	Polyacrylamide-Polydivinylbenzene Decorated Membrane for Sundry Ionic Stabilized Emulsions Separation via a Facile Solvothermal Method. 2016 , 8, 21816-23	24

714	Versatile Self-Cleaning Coating Production Through Sol-Gel Chemistry. 2016 , 18, 76-82	9
713	Synthesis of superhydrophobic surfaces by polytetrafluoroethylene coating on rectangular grid microstructures. 2016 , 11, 611-614	2
712	Recent advances in biomimetic thin membranes applied in emulsified oil/water separation. 2016 , 4, 15749-15770	8
711	Review on Photo-Responsive Polymeric Interfaces in Biomedical Applications. 2016 , 27, 44-54	2
710	Recent developments in polydopamine: an emerging soft matter for surface modification and biomedical applications. 2016 , 8, 16819-16840	421
709	A facile synthesis of a highly stable superhydrophobic nanofibrous film for effective oil/water separation. 2016 , 6, 82352-82358	8
708	Bioinspired Functional Surfaces for Technological Applications. 2016 , 04, 1640006	15
707	Formation of mixed and patterned self-assembled films of alkylphosphonates on commercially pure titanium surfaces. 2016 , 389, 270-277	6
706	Origins of Wetting. 2016 , 32, 7697-706	50
705	Reduced graphene oxide/silver hybrid with N,N-dimethyl formamide for oxygen reduction reactions and surface enhanced Raman scattering. 2016 , 6, 102519-102527	5
704	Superhydrophobicity. 2016 , 671-690	
703	A robust, melting class bulk superhydrophobic material with heat-healing and self-cleaning properties. 2015 , 5, 18510	41
702	A hydrophobicity study on wavy and orthogonal textured surfaces. 2016 , 140, 347-356	3
701	Effect of surface morphology on wettability conversion. 2016 , 5, 284-290	13
700	Characterization of superhydrophobic epoxy coatings embedded by modified calcium carbonate nanoparticles. 2016 , 101, 577-586	41
699	Uniting Superhydrophobic, Superoleophobic and Lubricant Infused Slippery Behavior on Copper Oxide Nano-structured Substrates. 2016 , 6, 35524	30
698	Superhydrophilic Coating Induced Temporary Conductivity for Low-Cost Coating and Patterning of Insulating Surfaces. 2016 , 26, 9018-9025	17
697	The nanotipped hairs of gecko skin and biotemplated replicas impair and/or kill pathogenic bacteria with high efficiency. 2016 , 8, 18860-18869	72

- 696 Quantification of Type, Timing, and Extent of Cell Body and Nucleus Deformations Caused by the Dimensions and Hydrophilicity of Square Prism Micropillars. **2016**, 5, 2972-2982 22
- 695 Chapter 1 Multifunctional Coatings for Solar Energy Applications. **2016**, 1-88
- 694 Fabrication of Superhydrophobic and Luminescent Rare Earth/Polymer complex Films. **2016**, 6, 24682 14
- 693 A Protocol for Bioinspired Design: A Ground Sampler Based on Sea Urchin Jaws. **2016**, 5
- 692 Surface and Interfacial Photoswitches. **2016**, 195-242
- 691 Surface wettability of amphiphilic fluorinated polymer thin films. **2016**, 73, 2409-2415
- 690 Detailed analysis and formation mechanism of superhydrophobic antireflective coatings with adjustable refractive index from trimethylsilylated silica nanoparticles. **2016**, 80, 10-18 17
- 689 Bioinspired durable superhydrophobic materials with antiwear property fabricated from quartz sands and organosilane. **2016**, 51, 8718-8727 24
- 688 One-pot fabrication of fluoride-silica@silica raspberry-like nanoparticles for superhydrophobic coating. **2016**, 42, 14601-14608 17
- 687 Current and Potential Applications. **2016**, 105-117
- 686 Controlled synthesis of hierarchical flower-like Sb₂WO₆ microspheres: Photocatalytic and superhydrophobic property. **2016**, 39, 93-100 25
- 685 Development of superhydrophobicity in fluorosilane-treated diatomaceous earth polymer coatings. **2016**, 386, 178-186 29
- 684 Recent Advances in TiO₂ -Based Nanostructured Surfaces with Controllable Wettability and Adhesion. **2016**, 12, 2203-24 228
- 683 Hierarchical alginate biopolymer papers produced via lanthanide ion coordination. **2016**, 6, 63171-63177 13
- 682 Optical Functional Materials Inspired by Biology. **2016**, 4, 195-224 54
- 681 Heterogeneous surfaces to repel proteins. **2016**, 228, 40-54 19
- 680 Lotus-effect tape: imparting superhydrophobicity to solid materials with an electrospun Janus composite mat. **2016**, 6, 17215-17221 17
- 679 Highly efficient antireflective and self-cleaning coatings that incorporate carbon nanotubes (CNTs) into solar cells: A review. **2016**, 59, 620-635 73

678	Structure and property analysis for a fractal superhydrophobic surface model. 2016 , 505, 72-85	3
677	One-Step Coating toward Multifunctional Applications: Oil/Water Mixtures and Emulsions Separation and Contaminants Adsorption. 2016 , 8, 3333-9	101
676	Are vacuum-filtrated reduced graphene oxide membranes symmetric?. 2016 , 8, 1108-16	40
675	Self-cleaning MOF: realization of extreme water repellence in coordination driven self-assembled nanostructures. 2016 , 7, 2251-2256	73
674	Cicada Wing Surface Topography: An Investigation into the Bactericidal Properties of Nanostructural Features. 2016 , 8, 14966-74	191
673	Hydrophobic and superhydrophobic coatings for limestone and marble conservation. 2016 , 421-452	12
672	Controlled hydrophilic/hydrophobic property of silica films by manipulating the hydrolysis and condensation of tetraethoxysilane. 2016 , 376, 1-9	25
671	Superhydrophobic, flexible and gas-permeable membrane prepared by a simple one-step vapor deposition. 2016 , 33, 1743-1748	9
670	Heat-Resistant Crack-Free Superhydrophobic Polydivinylbenzene Colloidal Films. 2016 , 32, 3079-84	14
669	Modification of epoxy resin, silicon and glass surfaces with alkyl- or fluoroalkylsilanes for hydrophobic properties. 2016 , 380, 91-100	22
668	Superhydrophobic coating on modified 9Cr \square Mo ferritic steel using perfluoro octyl triethoxy silane. 2016 , 32, 139-146	16
667	Icepophobicity of Penguins Spheniscus Humboldti and an Artificial Replica of Penguin Feather with Air-Infused Hierarchical Rough Structures. 2016 , 120, 15923-15929	34
666	Fabrication of biomimetic superhydrophobic steel surface under an oxygen rich environment. 2016 , 380, 40-46	11
665	Environmental Applications of Interfacial Materials with Special Wettability. 2016 , 50, 2132-50	197
664	Dopamine/Silica Nanoparticle Assembled, Microscale Porous Structure for Versatile Superamphiphobic Coating. 2016 , 10, 2910-21	96
663	Surface hydrophobization by electrostatic deposition of hydrophobically modified poly(acrylates) and their complexes with surfactants. 2016 , 371, 519-529	9
662	Formation of a Corrosion-Resistant and Anti-Icing Superhydrophobic Surface on Magnesium Alloy via a Single-Step Method. 2016 , 163, C213-C220	31
661	Bio-inspired writable multifunctional recycled paper with outer and inner uniform superhydrophobicity. 2016 , 6, 30776-30784	14

660	One-dimensional photonic crystals: fabrication, responsiveness and emerging applications in 3D construction. 2016 , 6, 4505-4520	72
659	Control of Surface Wettability of Aluminum Mesh with Hierarchical Surface Morphology by Monolayer Coating: From Superoleophobic to Superhydrophilic. 2016 , 120, 15684-15690	18
658	Artificial honeycomb-inspired TiO ₂ nanorod arrays with tunable nano/micro interfaces for improving poly(dimethylsiloxane) surface hydrophobicity. 2016 , 51, 2935-2941	3
657	Superhydrophobic surfaces for corrosion protection: a review of recent progresses and future directions. 2016 , 13, 11-29	219
656	Ultrasonically treated liquid interfaces for progress in cleaning and separation processes. 2016 , 18, 21-46	43
655	Lotus effect in wetting and self-cleaning. 2016 , 5, 31-43	150
654	Facile Single-Step Synthesis of SiO ₂ -Coated ZnO Nanorod as Hydrophobic Layer by Hydrothermal Method. 2016 , 27, 105-114	3
653	The springtail cuticle as a blueprint for omniphobic surfaces. 2016 , 45, 323-41	143
652	Superhydrophobic and transparent surfaces on cotton fabrics coated with silica nanoparticles for hierarchical roughness. 2017 , 87, 552-560	21
651	A unique Cu ₂ O/TiO ₂ nanocomposite with enhanced photocatalytic performance under visible light irradiation. 2017 , 43, 4866-4872	48
650	Engineering Applications of Nanotechnology. 2017 ,	5
649	Transparent, Superhydrophobic Surface with Varied Surface Tension Responsiveness in Wettability Based on Tunable Porous Silica Structure for Gauging Liquid Surface Tension. 2017 , 9, 4142-4150	22
648	Cuticular body hairs mediate clumping of small <i>Camponotus floridanus</i> larvae. 2017 , 46, 108-115	2
647	Bactericidal Effects of Natural Nanotopography of Dragonfly Wing on <i>Escherichia coli</i> . 2017 , 9, 6746-6760	208
646	Recent progress in marine foul-release polymeric nanocomposite coatings. 2017 , 87, 1-32	228
645	Transparent Carbon Nanotubes (CNTs) as Antireflection and Self-cleaning Solar Cell Coating. 2017 , 101-114	6
644	Flexible method for fabricating protein patterns on superhydrophobic platforms controlled by magnetic field. 2017 , 5, 408-411	7
643	Fast Generation of Planar Microstructured Surfaces by Elliptical Vibration Texturing. 2017 , 5,	3

642	Triarylmethane Dyes for Artificial Repellent Cotton Fibers. 2017 , 23, 3810-3814	8
641	Superwettability of OD materials. 2017 , 312, 103-112	11
640	Inkjet Printing of Photonic Crystals. 2017 , 183-211	1
639	Superwetting Porous Materials for Wastewater Treatment: from Immiscible Oil/Water Mixture to Emulsion Separation. 2017 , 4, 1600029	128
638	Crystallization-Driven Co-Assembly of Micrometric Polymer Hybrid Single Crystals and Nanometric Crystalline Micelles. 2017 , 50, 2006-2015	51
637	Multi-objective optimization in the development of oil and water repellent cellulose fabric based on response surface methodology and the desirability function. 2017 , 4, 035302	9
636	A Waterborne Coating System for Preparing Robust, Self-healing, Superamphiphobic Surfaces. 2017 , 27, 1604261	181
635	Durable and Hydrophobic Organic-Inorganic Hybrid Coatings via Fluoride Rearrangement of Phenyl T Silsesquioxane and Siloxanes. 2017 , 9, 8378-8383	17
634	Stretching of viscoelastic drops in steady sliding. 2017 , 13, 3116-3124	4
633	Co-doping as a tool for tuning the optical properties of singlewalled carbon nanotubes: A first principles study. 2017 , 91, 93-100	9
632	Combined soft lithographic transfer-printing and patterning method of highly fluorinated polymers as a facile surface treatment protocol. 2017 , 134, 45184	3
631	Superamphiphobic miniature boat fabricated by laser micromachining. 2017 , 110, 121909	48
630	Anti-wetting behavior of negatively charged superhydrophobic PVDF membranes in direct contact membrane distillation of emulsified wastewaters. 2017 , 535, 230-238	101
629	Superhydrophobic Vertically Aligned Carbon Nanotubes for Biomimetic Air Retention under Water (Salvinia Effect). 2017 , 4, 1700273	30
628	A review of the recent advances in design of corrugated plate packs applied for oil/water separation. 2017 , 53, 37-50	25
627	Photo-modulations of surface wrinkles formed on elastomer sheets. 2017 , 644, 52-60	6
626	A novel polyacrylonitrile membrane with a high flux for emulsified oil/water separation. 2017 , 184, 72-78	61
625	Spontaneous occurrence of liquid-solid contact electrification in nature: Toward a robust triboelectric nanogenerator inspired by the natural lotus leaf. 2017 , 36, 250-259	107

624	Biomimetic Superhydrophobic Biobased Polyurethane-Coated Fertilizer with Atmosphere "Outerwear". 2017 , 9, 15868-15879	59
623	Rational Design of Hyperbranched Nanowire Systems for Tunable Superomniphobic Surfaces Enabled by Atomic Layer Deposition. 2017 , 11, 478-489	45
622	Facile Preparation of the Porous PDMS Oil-Absorbent for Oil/Water Separation. 2017 , 4, 1600862	97
621	Quantifying Interactions of Biomolecules with Inorganic Surfaces. 2017 ,	
620	Temperature Control of Mussel-Inspired Chemistry toward Hierarchical Superhydrophobic Surfaces for Oil/Water Separation. 2017 , 4, 1600727	44
619	Wetting Transitions in Polymer Nanoglass Generated by Nanoimprinting. 2017 , 218, 1700056	5
618	Physical Texturing for Superhydrophobic Polymeric Surfaces: A Design Perspective. 2017 , 33, 6902-6915	12
617	Controlled Hydrophobic Biosurface of Bacterial Cellulose Nanofibers through Self-Assembly of Natural Zein Protein. 2017 , 3, 1595-1604	16
616	Low voltage driven surface micro-flow by Joule heating. 2017 , 7, 29464-29468	0
615	Natural aging of multilayer films containing hydrophobically modified poly(acrylate)s or their complexes with surfactants. 2017 , 412, 489-496	6
614	Effect of co-doping on dielectric function spectra and static refractive indices of single-walled carbon nanotubes: A first principles study. 2017 , 95, 1194-1199	4
613	Super-hydrophobic modification of porous natural polymer [Luffa sponge] for oil absorption. 2017 , 126, 470-476	34
612	Superhydrophobic organosilicon-based coating system by a novel ultraviolet-curable method. 2017 , 7, 184798041770279	13
611	Hybrid joining of polyamide and hydrogenated acrylonitrile butadiene rubber through heat-resistant functional layer of silane coupling agent. 2017 , 412, 121-130	9
610	Wire electrochemical micromachining of metallic glass using a carbon nanotube fiber electrode. 2017 , 709, 760-771	16
609	Building Dual-Scale Roughness Using Inorganic Pigments for Fabrication of Superhydrophobic Paper. 2017 , 56, 3618-3628	19
608	Insight into the Role of Surface Wettability in Electrocatalytic Hydrogen Evolution Reactions Using Light-Sensitive Nanotubular TiO Supported Pt Electrodes. 2017 , 7, 41825	40
607	Quantifying Interactions Between Water and Surfaces. 2017 , 27-40	

606	Anti-icing property of bio-inspired micro-structure superhydrophobic surfaces and heat transfer model. 2017 , 400, 498-505	82
605	Superhydrophobic Rubber-Modified Polybenzoxazine/SiO ₂ Nanocomposite Coating with Anticorrosion, Anti-Ice, and Superoleophilicity Properties. 2017 , 56, 1485-1497	86
604	A free-standing porous silicon-type gel sponge with superhydrophobicity and oleophobicity. 2017 , 7, 31-36	10
603	Fabrication of durable superhydrophobic electrodeposited tin surfaces with tremella-like structure on copper substrate. 2017 , 309, 590-599	17
602	Plant leaves as natural green scaffolds for palladium catalyzed Suzuki-Miyaura coupling reactions. 2016 , 12, 016010	14
601	A waterproofing textile with robust superhydrophobicity in either air or oil surroundings. 2017 , 71, 421-425	51
600	Synthesis, Characterization, and Applications of Three-Dimensional (3D) Nanostructures. 2017 , 363-520	2
599	Template-Assisted Benzannulation Route to Pentacene and Tetracene Derivatives and its Application to Construct Amphiphilic Acenes That Self-Assemble into Helical Wires. 2017 , 23, 17542-17548	2
598	CH Hydrate Formation between Silica and Graphite Surfaces: Insights from Microsecond Molecular Dynamics Simulations. 2017 , 33, 11956-11967	48
597	Anti-icing performance of superhydrophobic aluminum alloy surface and its rebounding mechanism of droplet under super-cold conditions. 2017 , 331, 7-14	25
596	Organic Solvent-Free Fabrication of Durable and Multifunctional Superhydrophobic Paper from Waterborne Fluorinated Cellulose Nanofiber Building Blocks. 2017 , 11, 11091-11099	120
595	A superhydrophilic and underwater superoleophobic chitosan/SiO ₂ composite membrane for fast oil-in-water emulsion separation. 2017 , 7, 41838-41846	48
594	Bioinspired hierarchical copper oxide surfaces for rapid dropwise condensation. 2017 , 5, 21422-21428	16
593	The use of RGD-engineered exosomes for enhanced targeting ability and synergistic therapy toward angiogenesis. 2017 , 9, 15598-15605	67
592	Formation and mechanism of a super-hydrophobic surface with wear and salt spray resistance. 2017 , 7, 43181-43185	8
591	Atmospheric Water Harvesting: Role of Surface Wettability and Edge Effect. 2017 , 1, 1700019	29
590	Biomimetic superhydrophobic surfaces with transition metals and their oxides: A review. 2017 , 14, 401-439	59
589	Fast Transport of Water Droplets over a Thermo-Switchable Surface Using Rewritable Wettability Gradient. 2017 , 9, 28046-28054	46

588	Diverse wettability of superoleophilicity and superoleophobicity for oil spill cleanup and recycling. 2017 , 426, 1158-1166	9
587	Questions and Answers on the Wettability of Nano-Engineered Surfaces. 2017 , 4, 1700381	43
586	The Potential of Liquid Marbles for Biomedical Applications: A Critical Review. 2017 , 6, 1700192	58
585	Friction and Wetting Transitions of Magnetic Droplets on Micropillared Superhydrophobic Surfaces. 2017 , 13, 1700860	22
584	Metallic superhydrophobic surfaces via thermal sensitization. 2017 , 110, 251602	21
583	Light-Driven Wettability Tailoring of Azopolymer Surfaces with Reconfigured Three-Dimensional Posts. 2017 , 9, 30133-30142	49
582	Origami lattices with free-form surface ornaments. 2017 , 3, eaao1595	39
581	Precision moulding of biomimetic disposable chips for droplet-based applications. 2017 , 21, 1	7
580	Hierarchical Self-Assembly of a Porphyrin into Chiral Macroscopic Flowers with Superhydrophobic and Enantioselective Property. 2017 , 11, 12453-12460	63
579	Tuning Anatase Surface Reactivity toward Carboxylic Acid Anchor Groups. 2017 , 33, 13913-13922	5
578	Superhydrophobicity of polymer films via fluorine atoms covalent attachment and surface nano-texturing. 2017 , 200, 123-132	12
577	Nature-inspired superwettability systems. 2017 , 2,	802
576	Superhydrophobic Coatings with Periodic Ring Structured Patterns for Self-Cleaning and Oil/Water Separation. 2017 , 4, 1700190	107
575	Superhydrophobic nanocoatings prepared by a novel vacuum cold spray process. 2017 , 325, 52-57	13
574	Facile electrochemical synthesis of anatase nano-architected titanium dioxide films with reversible superhydrophilic behavior. 2017 , 46, 203-211	11
573	Interfacial Engineering of Hierarchically Porous NiTi/Hydrogels Nanocomposites with Exceptional Antibiofouling Surfaces. 2017 , 29, 1602869	42
572	Paints for Aerospace Applications. 2017 , 539-562	1
571	ECTFE hybrid porous membrane with hierarchical micro/nano-structural surface for efficient oil/water separation. 2017 , 524, 623-630	41

570	Wetting characteristics of 3-dimensional nanostructured fractal surfaces. 2017 , 392, 929-935	23
569	Dissolvable tattoo sensors: from science fiction to a viable technology. 2017 , 92, 013001	16
568	Juncus Pith: A Versatile Material for Automatic and Continuous Separation of Various Oil/Water Mixtures. 2017 , 5, 922-928	19
567	Fabrication of artificial super-hydrophobic lotus-leaf-like bamboo surfaces through soft lithography. 2017 , 513, 389-395	41
566	Preparation of compatibilizer with large specific surface and its application in immiscible polymer blends with ultra-high molecular weight. 2017 , 57, 335-344	2
565	Slip-enhanced flow through thin packed column with superhydrophobic wall. 2017 , 240, 468-476	10
564	Reversible wettability of optothermal responsively perfluoroalkyl azobenzene self-assembled monolayers. 2017 , 192, 283-291	3
563	Fabrication and applications of two- and three-dimensional curved surfaces with robust underwater superoleophobic properties. 2017 , 52, 1123-1136	15
562	Surface forces between rough and topographically structured interfaces. 2017 , 27, 18-24	30
561	Static refractive index engineering of a singlewalled carbon nanotube through co-doping: A theoretical study. 2017 , 131, 267-272	7
560	Facile preparation of colorful liquid marbles and liquid marbles used in water pollutant detection. 2017 , 31, 1125-1132	7
559	Ordered Micro/Nanostructures with Geometric Gradient: From Integrated Wettability "Library" to Anisotropic Wetting Surface. 2017 , 13, 1601807	31
558	Arthropod Corneal Nanocoatings: Diversity, Mechanisms, and Functions. 2017 , 29-52	7
557	Functional Surfaces in Biology III. 2017 ,	4
556	Recent Progress in Bionic Condensate Microdrop Self-Propelling Surfaces. 2017 , 29, 1703002	71
555	Construction of Renewable Superhydrophobic Surfaces via Thermally Induced Phase Separation and Mechanical Peeling. 2017 , 30, 219-224	3
554	. 2017 ,	22
553	11. Superhydrophobicity and superoleophobicity: the Wenzel and Cassie wetting regimes. 2017 , 177-200	

552	Fabrication of Silicon Nanobelts and Nanopillars by Soft Lithography for Hydrophobic and Hydrophilic Photonic Surfaces. 2017 , 7,	11
551	A Facile and Effective Method to Fabricate Superhydrophobic/Superoleophilic Surface for the Separation of Both Water/Oil Mixtures and Water-in-Oil Emulsions. 2017 , 9,	11
550	Bio-Inspired Polymeric Structures with Special Wettability and Their Applications: An Overview. 2017 , 9,	24
549	Droplets, Evaporation and a Superhydrophobic Surface: Simple Tools for Guiding Colloidal Particles into Complex Materials. 2017 , 3,	18
548	Controllable Growth of the ZnO Nanorod Arrays on the Al Substrate and Their Reversible Wettability Transition. 2017 , 2017, 1-4	2
547	Frontier of Inorganic Synthesis and Preparative Chemistry (I) Biomimetic Synthesis. 2017 , 687-721	3
546	Effect of SiO ₂ nanoparticles on the hydrophobic properties of waterborne fluorine-containing epoxy coatings. 2017 , 130, 08005	2
545	Fabrication of Biomimetic and Bioinspired Membranes. 2017 ,	2
544	Membrane Contactor. 2017 , 335-356	
543	Effective removal of emulsified oil from oily wastewater using surfactant-modified sepiolite. 2018 , 157, 227-236	36
542	Strong Hydrophobic Coating by Conducting a New Hierarchical Architecture. 2018 , 122, 4628-4634	5
541	Wettability of porous anodic aluminium oxide membranes with three-dimensional, layered nanostructures. 2018 , 25, 1707-1714	2
540	Superlyophobic anti-corrosive and self-cleaning titania robust mesh membrane with enhanced oil/water separation. 2018 , 201, 193-204	143
539	Viscous dewetting of metastable liquid films on substrates with microgrooves. 2018 , 520, 11-18	4
538	Preparation of a Super-Hydrophobic Zinc Coating with a Hierarchical Structure Inherited from the Indicalamus Leaf through Electroplating. 2018 , 5, 1701327	3
537	TiO ₂ /BiO ₂ /PDMS nanocomposite coating with self-cleaning effect for stone material: Finding the optimal amount of TiO ₂ . 2018 , 166, 464-471	44
536	Electrochemically driven host-guest interactions on patterned donor/acceptor self-assembled monolayers. 2018 , 54, 3038-3041	5
535	Effect of heat treatment on surface hydrophilicity-retaining ability of titanium dioxide nanotubes. 2018 , 440, 440-447	23

534	Hydrophobic and oleophobic sol-gel coatings on glass substrates for usage at high temperatures. 2018 , 9, 413-420	4
533	Lubricant migration on stainless steel induced by bio-inspired multi-scale surface patterns. 2018 , 150, 55-63	19
532	Fabrication of a Waterborne Durable Superhydrophobic Material Functioning in Air and under Oil. 2018 , 5, 1701523	16
531	Thermo-Driven Controllable Emulsion Separation by a Polymer-Decorated Membrane with Switchable Wettability. 2018 , 57, 5740-5745	115
530	Thermo-Driven Controllable Emulsion Separation by a Polymer-Decorated Membrane with Switchable Wettability. 2018 , 130, 5842-5847	11
529	An experimental study on soft PDMS materials for aircraft icing mitigation. 2018 , 447, 599-609	49
528	A novel fabrication of superhydrophobic surfaces on aluminum substrate. 2018 , 447, 363-367	28
527	Local Wettability Modification and its Micro-Fluidic System Application. 2018 , 1-33	
526	Multifunctional micro/nano-patterned PTFE near-superamphiphobic surfaces achieved by a femtosecond laser. 2018 , 345, 53-60	15
525	Antiadhesion Function between a Biological Surface and a Metallic Device Interface at High Temperature by Wettability Control. 2018 , 4, 1891-1899	3
524	Wetting properties of hybrid structure with hydrophilic ridges and hydrophobic channels. 2018 , 124, 1	7
523	Fabrication of ultrathin multilayered superomniphobic nanocoatings by liquid flame spray, atomic layer deposition, and silanization. 2018 , 29, 185708	0
522	Rational design and fabrication of highly transparent, flexible, and thermally stable superhydrophobic coatings from raspberry-like hollow silica nanoparticles. 2018 , 440, 700-711	40
521	Towards the development of superhydrophilic SiO ₂ -based nanoporous coatings: concentration and particle size effect. 2018 , 651, 138-144	11
520	Fabrication of superhydrophobic coating on magnesium alloy with improved corrosion resistance by combining micro-arc oxidation and cyclic assembly. 2018 , 339, 155-166	56
519	Guided Heterogeneous Nucleation of Sodium Chloride at Self-Assembled Monolayer-Modified Nanoporous Gold Films. 2018 , 34, 2420-2424	
518	Biotemplated Morpho Butterfly Wings for Tunable Structurally Colored Photocatalysts. 2018 , 10, 4614-4621	38
517	A biomimetic spherical cactus superhydrophobic coating with durable and multiple anti-corrosion effects. 2018 , 338, 670-679	58

516	Nanostructured titanium surfaces exhibit recalcitrance towards <i>Staphylococcus epidermidis</i> biofilm formation. 2018 , 8, 1071	66
515	Superhydrophobic Surfaces from Nature and Beyond Nature. 2018 , 25-57	2
514	Fabrications of Noncoated Superhydrophobic Surfaces and Interfaces. 2018 , 85-115	
513	Biomimetic Superhydrophobic Nanocoatings: From Materials to Fabrications and to Applications. 2018 , 117-160	
512	Preserving Cultural Heritage Stone: Innovative Consolidant, Superhydrophobic, Self-Cleaning, and Biocidal Products. 2018 , 259-275	4
511	Wetting properties of structured interfaces composed of surface-attached spherical nanoparticles. 2018 , 143, 497-504	7
510	Bio-inspired 3D-printed piezoelectric device for acoustic frequency selection. 2018 , 271, 1-8	10
509	From nano to micro to macro: Electrospun hierarchically structured polymeric fibers for biomedical applications. 2018 , 81, 80-113	199
508	Roll-to-Roll Manufacturing of Robust Superhydrophobic Coating on Metallic Engineering Materials. 2018 , 10, 2174-2184	29
507	Rational design of materials interface at nanoscale towards intelligent oil-water separation. 2018 , 3, 235-260	192
506	Biomimetic and Superwetttable Nanofibrous Skins for Highly Efficient Separation of Oil-in-Water Emulsions. 2018 , 28, 1705051	381
505	An Aqueous Composition for Lubricant-Free, Robust, Slippery, Transparent Coatings on Diverse Substrates. 2018 , 2, 1700097	3
504	Superhydrophobic Microporous Substrates via Photocuring: Coupling Optical Pattern Formation to Phase Separation for Process-Tunable Pore Architectures. 2018 , 10, 3094-3105	15
503	Constructing non-fluorinated porous superhydrophobic SiO ₂ -based films with robust mechanical properties. 2018 , 551, 65-73	28
502	Bi-scale-mimicked stretchable and robust oil-wettability that performs in various practically relevant physically/chemically severe scenarios. 2018 , 6, 22027-22036	14
501	Emphasizing the role of surface chemistry on hydrophobicity and cell adhesion behavior of polydimethylsiloxane/TiO nanocomposite films. 2018 , 167, 492-498	18
500	An alternative fabrication of underoil superhydrophobic or underwater superoleophobic stainless steel meshes for oil-water separation: Originating from one-step vapor deposition of polydimethylsiloxane. 2018 , 204, 116-126	34
499	Protecting Aluminum from Atmospheric Corrosion via Surface Hydrophobization with Stearic Acid and Trialkoxysilanes. 2018 , 92, 621-629	6

498	Investigating Nanoscopic Structures on a Butterfly Wing To Explore Solvation and Coloration. 2018 , 95, 1004-1011	7
497	Biomimetic photonic structures with tunable structural colours: From natural to biomimetic to applications. 2018 , 15, 1-33	11
496	Plant-inspired pipettes. 2018 , 15,	3
495	Fabrication of a superhydrophobic surface with underwater air-retaining properties by electrostatic flocking.. 2018 , 8, 10719-10726	12
494	Recent Progress in Super Hydrophobic/Hydrophilic Self-Cleaning Surfaces for Various Industrial Applications: A Review. 2018 , 57, 1932-1952	79
493	Interfacial Materials for Anti-Icing: Beyond Superhydrophobic Surfaces. 2018 , 13, 1406-1414	17
492	Patterned superhydrophobic surfaces to process and characterize biomaterials and 3D cell culture. 2018 , 5, 379-393	37
491	Anti-Biofouling, Thermal, and Electrical Performance of Nanocomposite Coating with Multiwall Carbon Nanotube and Polytetrafluoroethylene-Blended Polyphenylenesulfide. 2018 , 37, 843-849	4
490	Soil wettability in ground engineering: fundamentals, methods, and applications. 2018 , 13, 1-14	21
489	Robust and durable superhydrophobic electrospun nanofibrous mats via a simple Cu nanocluster immobilization for oil-water contamination. 2018 , 538, 173-183	26
488	A novel local drug delivery system: Superhydrophobic titanium oxide nanotube arrays serve as the drug reservoir and ultrasonication functions as the drug release trigger. 2018 , 82, 277-283	27
487	Application of superhydrophobic coatings as a corrosion barrier: A review. 2018 , 341, 40-56	242
486	Magnetically Responsive Elastomer-Silicon Hybrid Surfaces for Fluid and Light Manipulation. 2018 , 14, 1702839	44
485	Producing superhydrophobic/oleophobic coatings on Cultural Heritage building materials. 2018 , 90, 551-561	20
484	Experimental investigations of a hybrid machining combining wire electrical discharge machining (WEDM) and fixed abrasive wire saw. 2018 , 95, 2613-2623	11
483	A state-of-the-art review on passivation and biofouling of Ti and its alloys in marine environments. 2018 , 34, 421-435	51
482	Superamphiphilic Polyurethane Foams Synergized from Cellulose Nanowhiskers and Graphene Nanoplatelets. 2018 , 5, 1701094	14
481	Contact angle measurement of natural materials. 2018 , 161, 324-330	82

480	Wetting Models and Working Mechanisms of Typical Surfaces Existing in Nature and Their Application on Superhydrophobic Surfaces: A Review. 2018 , 5, 1701052	70
479	Fabrication of a novel superhydrophobic and superoleophilic surface by one-step electrodeposition method for continuous oil/water separation. 2018 , 434, 1015-1020	25
478	Grooving of nanoparticles using sublimable liquid crystal for transparent omniphobic surface. 2018 , 513, 585-591	13
477	Synthesis of superhydrophobic polydopamine-Ag microbowl/nanoparticle array substrates for highly sensitive, durable and reproducible surface-enhanced Raman scattering detection. 2018 , 255, 995-1005	36
476	Stretch-induced Wettability Changes of the Superhydrophobic Microstructured Vulcanized Rubber Surface. 2018 , 61, 348-353	1
475	Polyacrylamide-Modified Polyester Fabric with Easy-Cleaning for Efficient Oil/Water Separation. 2018 , 5, 1-6	6
474	Bioinspired Surfaces with Superamphiphobic Properties: Concepts, Synthesis, and Applications. 2018 , 28, 1707415	146
473	A ratiometric fluorescent probe for bioimaging and biosensing of HBrO in mitochondria upon oxidative stress. 2018 , 54, 12198-12201	22
472	The wettability of gas bubbles: from macro behavior to nano structures to applications. 2018 , 10, 19659-19672	27
471	Sorption of cadmium by rice husk char, bamboo char, and coconut shell char in aqueous solutions. 2018 , 208, 012109	1
470	Nature-Inspired and "Water-Skating" Paper and Polyester Substrates Enabled by the Molecular Structure of Poly(β -stearyl-L-glutamate) Homopolypeptide. 2018 , 19, 4617-4628	3
469	Recent Hydrophobic Metal-Organic Frameworks and Their Applications. 2018 , 11,	32
468	Magnetic-Responsive Superwetting Surface. 2018 , 183-203	3
467	Thermal-Responsive Superwetting Surface. 2018 , 81-106	
466	Electric-Responsive Superwetting Surface. 2018 , 107-131	1
465	Directional Water Collection in Nanopore Networks. 2018 , 3, 16040-16045	4
464	One-shot stereolithography for biomimetic micro hemisphere covered with relief structure. 2018 , 54, 353-360	2
463	Microfluidic Devices Developed for and Inspired by Thermotaxis and Chemotaxis. 2018 , 9,	7

462	A hierarchical functionalized biodegradable PLA electrospun nanofibrous membrane with superhydrophobicity and antibacterial properties for oil/water separation. 2018 , 42, 17615-17624	20
461	Superhydrophobic/oleophobic coatings based on a catalyst driven thiol-epoxy-acrylate ternary system. 2018 , 135, 46710	0
460	The anti-icing and mechanical properties of a superhydrophobic coating on asphalt pavement. 2018 , 190, 83-94	27
459	Self-Assembled Membranes with Featherlike and Lamellar Morphologies Containing Helical Polypeptides. 2018 , 51, 8174-8187	9
458	Microdroplet targeting induced by substrate curvature. 2018 , 27, 096801	
457	Semiconductor Nano-Crystals in Environmental Sensors. 2018 , 475-538	0
456	Fabrication of Superhydrophobic Al5083 Aluminum Alloy for Marine Applications. 2018 , 54, 899-908	7
455	Polydopamine for Biomedical Application and Drug Delivery System. 2018 , 08,	9
454	One-Step Generation of Reactive Superhydrophobic Surfaces via SiHCl-Based Silicone Nanofilaments. 2018 , 34, 13505-13513	7
453	Electrospinning: A versatile strategy for mimicking natural creatures. 2018 , 10, 175-185	27
452	Superhydrophobic Surfaces Based on Fractal and Hierarchical Microstructures Using Two-Photon Polymerization: Toward Flexible Superhydrophobic Films. 2018 , 5, 1801126	14
451	Synthesis, Processing, and Characterization of Helical Polypeptide Rod-Coil Mixed Brushes. 2018 , 7, 1186-1191	7
450	Nanobiotechnology: 1D nanomaterial building blocks for cellular interfaces and hybrid tissues. 2018 , 11, 5372-5399	6
449	Superhydrophobic Plant Leaves with Micro-line Structures: An Optimal Biomimetic Objective in Bionic Engineering. 2018 , 15, 851-858	12
448	Designing Liquid-Infused Surfaces for Medical Applications: A Review. 2018 , 30, e1802724	141
447	6. Superhydrophobicity, superhydrophilicity, and the rose petal effect. 2018 , 113-124	
446	Fundamental study on the wetting property of liquid lithium. 2018 , 14, 345-350	117
445	Engineering High-Performance MoO ₃ -Based Nanomaterials with Supercapacity and Superhydrophobicity by Tuning the Raw Materials Source. 2018 , 14, e1800480	21

444	A Coating that Combines Lotus-Effect and Contact-Active Antimicrobial Properties on Silicone. 2018 , 28, 1801248	34
443	Bioinspired Superwettability Electrospun Micro/Nanofibers and Their Applications. 2018 , 28, 1801114	139
442	Superhydrophobic Melamine Sponge Coated with Striped Polydimethylsiloxane by Thiol-Ene Click Reaction for Efficient Oil/Water Separation. 2018 , 3, 5222-5228	35
441	Wettability of laser textured surface: a parametric study based on numerical simulation and experimentation. 2018 , 70, 977-983	2
440	Inversely designed micro-textures for robust Cassie-Baxter mode of super-hydrophobicity. 2018 , 341, 113-132	15
439	Spontaneous directional transportations of water droplets on surfaces driven by gradient structures. 2018 , 10, 13814-13831	58
438	Nanofinishes for self-cleaning textiles. 2018 , 127-143	0
437	Self-Healable and Ultrahydrophobic Polyurethane-POSS Hybrids by Diels-Alder Click Reaction: A New Class of Coating Material. 2018 , 51, 4770-4781	64
436	Alkali metal-ion assisted Michael addition reaction in controlled tailoring of topography in a superhydrophobic polymeric monolith. 2018 , 6, 17019-17031	12
435	Rapid mussel-inspired synthesis of PDA-Zn-Ag nanofilms on TiO nanotubes for optimizing the antibacterial activity and biocompatibility by doping polydopamine with zinc at a higher temperature. 2018 , 171, 101-109	18
434	A brief review on bio-inspired superhydrophobic electrodeposited nickel coatings. 2018 , 96, 185-192	7
433	From nanoscopic to macroscopic photo-driven motion in azobenzene-containing materials. 2018 , 7, 1387-1422	94
432	Lotus-Seedpod-Bioinspired 3D Superhydrophobic Diatomite Porous Ceramics Comodified by Graphene and Carbon Nanobelts. 2018 , 10, 27416-27423	16
431	Effect of pulse frequency on the one-step preparation of superhydrophobic surface by pulse electrodeposition. 2018 , 458, 603-611	30
430	Tailored Biodegradable and Electroactive Poly(Hydroxybutyrate-Co-Hydroxyvalerate) Based Morphologies for Tissue Engineering Applications. 2018 , 19,	15
429	Effect of microtrichia on the interlocking mechanism in the Asian ladybeetle, (Coleoptera: Coccinellidae). 2018 , 9, 812-823	12
428	Extra-Large Mechanical Anisotropy of a Hydrogel with Maximized Electrostatic Repulsion between Cofacially Aligned 2D Electrolytes. 2018 , 57, 12508-12513	20
427	Chemical and Physical Pathways for Fabricating Flexible Superamphiphobic Surfaces with High Transparency. 2018 , 8, 47	14

426	Introduction to Science and Engineering Principles for the Development of Bioinspired Materials. 2018 , 1-16	
425	Development of multifunctional cotton using fluorocarbon resin. 2018 , 1, 251522111878605	2
424	Fabrication of self-healing waterbased superhydrophobic coatings from POSS modified silica nanoparticles. 2018 , 229, 281-285	26
423	Bioinspired one-step construction of hierarchical superhydrophobic surfaces for oil/water separation. 2018 , 531, 300-310	57
422	Sliding and rolling behavior of water droplets on an ordered nanoball matrix fluorocarbon polymer layer under simulated weather conditions. 2018 , 675, 91-98	3
421	Fabrication of a superhydrophobic mesh based on PDMS/SiO nanoparticles/PVDF microparticles/KH-550 by one-step dip-coating method.. 2018 , 8, 16251-16259	15
420	Transparent Surfaces Inspired by Nature. 2018 , 6, 1800091	24
419	Emulsion-Assisted Polymerization-Induced Hierarchical Self-Assembly of Giant Sea Urchin-like Aggregates on a Large Scale. 2018 , 130, 8175-8179	14
418	Emulsion-Assisted Polymerization-Induced Hierarchical Self-Assembly of Giant Sea Urchin-like Aggregates on a Large Scale. 2018 , 57, 8043-8047	33
417	Local Wettability Modification and its Micro-Fluidic System Application. 2018 , 1-33	
416	Wettability in complex porous materials, the mixed-wet state, and its relationship to surface roughness. 2018 , 115, 8901-8906	97
415	Corrosive environments tolerant, ductile and self-healing hydrogel for highly efficient oil/water separation. 2018 , 354, 1185-1196	27
414	Extra-Large Mechanical Anisotropy of a Hydrogel with Maximized Electrostatic Repulsion between Cofacially Aligned 2D Electrolytes. 2018 , 130, 12688-12693	5
413	One-Step Solvent-Free Strategy for Covalently Attached, Substrate-Independent Transparent Slippery Coating. 2018 , 5, 1800646	19
412	Reparable Superhydrophobic Surface with Hidden Reactivity, Its Photofunctionalization and Photopatterning. 2018 , 28, 1803765	22
411	Fabrication and characterization of robust hydrophobic lotus leaf-like surface on Si ₃ N ₄ porous membrane via polymer-derived SiNCO inorganic nanoparticle modification. 2018 , 44, 16443-16449	11
410	Silica-core perfluorinated polymer-shell composite nanoparticles for highly stable and efficient superhydrophobic surfaces. 2018 , 6, 12950-12955	18
409	Recent Progress in Durable and Self-Healing Super-Nonwetable Fabrics. 2018 , 5, 1800461	35

408	Facile and sustainable shear mixing/carbonization approach for upcycling of carton into superhydrophobic coating for efficient oil-water separation. 2018 , 196, 644-652	25
407	Discrimination of Ceramic Surface Finishing by Vertical Scanning Interferometry. 2019 , 61, 31-42	4
406	Development of composite membranes with irregular rod-like structure via atom transfer radical polymerization for efficient oil-water emulsion separation. 2019 , 533, 278-286	54
405	Environment-Friendly Antibiofouling Superhydrophobic Coatings. 2019 , 7, 14509-14520	43
404	Waterborne Fluorine-Free Superhydrophobic Surfaces Exhibiting Simultaneous CO ₂ and Humidity Sorption. 2019 , 6, 1901013	6
403	Potential of hydrophobic metal-organic framework-based materials for environmental applications. 2019 , 319-354	2
402	Surface Topography Effects of Globular Biomolecules on Hydration Water. 2019 , 123, 6917-6932	9
401	Mechanically tunable single-component soft polydimethylsiloxane (PDMS)-based robust and sticky superhydrophobic surfaces. 2019 , 125, 1	11
400	Roughness dependent wettability of sputtered copper thin films: The effect of the local surface slope. 2019 , 125, 244307	14
399	Biological design of materials. 2019 , 27-97	3
398	Bioinspired functions. 2019 , 147-246	1
397	Non-equilibrium hybrid organic plasma processing for superhydrophobic PTFE surface towards potential bio-interface applications. 2019 , 183, 110463	4
396	Evaporation-Induced Hierarchical Assembly of Rigid Silicon Nanopillars Fabricated by a Scalable Two-Level Colloidal Lithography Approach. 2019 , 11, 40461-40469	10
395	Introduction. 2019 , 1-26	
394	Wettability Analysis of Water on Metal/Semiconductor Phases Selectively Structured with Femtosecond Laser-Induced Periodic Surface Structures. 2019 , 35, 14990-14998	5
393	Effect of surface wettability on tribological properties of Al ₂ O ₃ /TiC ceramic under wet lubrication. 2019 , 45, 24554-24563	15
392	Superhydrophobic ceramic hollow fiber membrane planted by ZnO nanorod-array for high-salinity water desalination. 2019 , 105, 17-27	11
391	A Scalable Chemical Approach for the Synthesis of a Highly Tolerant and Efficient Oil Absorbent. 2019 , 14, 4732-4740	6

390	Azobenzene-Equipped Covalent Organic Framework: Light-Operated Reservoir. 2019 , 141, 19078-19087	49
389	Drag-reductive and anti-corrosive superhydrophobic surface fabricated on aluminum with thin PDMS/SiO ₂ coating. 2019 , 6, 1065a8	7
388	Superhydrophobic foul resistant and self-cleaning polymer coating. 2019 , 181-203	5
387	Facile fabrication of fluorine-free breathable poly(methylhydrosiloxane)/polyurethane fibrous membranes with enhanced water-resistant capability. 2019 , 556, 541-548	19
386	Bioinspired Durable Superhydrophobic Surface from a Hierarchically Wrinkled Nanoporous Polymer. 2019 , 11, 40875-40885	30
385	Magnetically Driven Superhydrophobic Polyurethane Sponge for High Efficiency Oil/Water Mixtures Separation. 2019 , 16, 38-46	20
384	Facile fabrication and hydrophobic properties of Cu ₂ O nanowire films on Cu substrates. 2019 , 226, 88-94	10
383	Bioinspired hierarchically hairy particles for robust superhydrophobic coatings via a droplet dynamic template method. 2019 , 10, 331-335	16
382	Large-Area High-Contrast Hydrophobic/Hydrophilic Patterned Surface for Robust Electrowetting Devices. 2019 , 2, 1018-1026	6
381	Functionalization of Commercial Sand Core Funnel as Hydrophobic Materials with Novel Physicochemical Properties. 2019 , 11, 7510-7521	5
380	Combination of active behaviors and passive structures contributes to the cleanliness of housefly wing surfaces: A new insight for the design of cleaning materials. 2019 , 180, 473-480	1
379	A flexible TiCT (MXene)/paper membrane for efficient oil/water separation.. 2019 , 9, 16296-16304	31
378	Coating Architects: Manipulating Multiscale Structures To Optimize Interfacial Properties for Coating Applications. 2019 , 1, 2249-2266	11
377	Chemical Curiosity on Campus: An Undergraduate Project on the Structure and Wettability of Natural Surfaces. 2019 , 96, 1998-2002	1
376	Brushing up functional materials. 2019 , 11,	57
375	Titania-Containing Recycled Polypropylene Surfaces with Photo-Induced Reversible Switching Wettability. 2019 , 27, 1564-1571	14
374	Multifunctional nanostructured interfaces: Origin and challenges for biomedical and environmental applications. 2019 , 1-14	
373	Magnetic Responsive PVA Hydrogels for Remote Modulation of Protein Sorption. 2019 , 11, 21239-21249	30

372	Amphiphilic Graphene Aerogel with High Oil and Water Adsorption Capacity and High Contact Area for Interface Reaction. 2019 , 11, 22794-22800	30
371	Fluorous hydrophobic fluorescent (E)-Stilbene derivatives for application on security paper. 2019 , 170, 107597	3
370	Effective cleanup of oil contamination on bio-inspired superhydrophobic surface. 2019 , 26, 21321-21328	0
369	Nature-Inspired Liquid Infused Systems for Superwetable Surface Energies. 2019 , 11, 21275-21293	41
368	Controllable superhydrophobic surfaces with tunable adhesion fabricated by laser interference lithography. 2019 , 372, 434-441	16
367	Micro-textures inversely designed with overlaid-lithography manufacturability for wetting behavior in CassieBaxter status. 2019 , 74, 621-640	4
366	Preparation and property of extremely stable superhydrophobic carbon fibers with core-shell structure. 2019 , 150, 284-291	25
365	Wetting and drying on gradient-nanostructured C:F surfaces synthesized using a gas aggregation source of nanoparticles combined with magnetron sputtering of polytetrafluoroethylene. 2019 , 166, 50-56	10
364	Preparation and Characterization of High Functional Ophthalmic Lens Material Containing Acrylic Formation Isocyanate Group with Carbon Nanoparticles. 2019 , 19, 6225-6231	2
363	Fabrication of magnetic liquid marbles using superhydrophobic atmospheric pressure plasma jet-formed fluorinated silica nanocomposites. 2019 , 54, 10179-10190	6
362	Simple Way to a Slippery Lubricant Impregnated Coating with Ultrastability and Self-Replenishment Property. 2019 , 58, 8148-8153	34
361	Influence of surface topography attributes on settlement and adhesion of natural and synthetic species. 2019 , 15, 4045-4067	27
360	Physical Structure Induced Hydrophobicity Analyzed from Electrospinning and Coating Polyvinyl Butyral Films. 2019 , 2019, 1-5	14
359	Micro-cone textures for improved light in-coupling and retroreflection-inspired light trapping at the front surface of solar modules. 2019 , 27, 593	5
358	Successive four-phase liquid separation using hierarchical microcube-nanohole structure and controlled surface wettability meshes. 2019 , 9, 6503	6
357	Synthesis of branched gem-bisfluoroalkylsilane with short-chain perfluoroalkyl moieties and its self-assembled monolayers. 2019 , 6, 086417	3
356	Two-Step Approach for Fabrication of Durable Superamphiphobic Fabrics for Self-Cleaning, Antifouling, and On-Demand Oil/Water Separation. 2019 , 58, 5490-5500	24
355	Facile preparation of isotactic polypropylene microporous membranes with bioinspired hierarchical morphology for nano-scale water-in-oil emulsion separation. 2019 , 581, 224-235	24

354	Nanocoatings: Preparation, Properties, and Biomedical Applications. 2019 , 299-331	2
353	Amphiphobic Nanostructured Coatings for Industrial Applications. 2019 , 12,	7
352	Chemically reactive protein nanoparticles for synthesis of a durable and deformable superhydrophobic material. 2019 , 1, 1746-1753	10
351	Superhydrophobic Silicone/TiO ₂ /BiO ₂ Nanorod-like Composites for Marine Fouling Release Coatings. 2019 , 4, 3395-3407	39
350	Effect of two different RAFT reactions on grafting MMA from pre-irradiated PP film. 2019 , 159, 222-230	1
349	Colloidal Transfer Printing-Mediated Fabrication of Zinc Oxide Nanorods for Self-Cleaning Applications. 2019 , 6, 1900063	18
348	Thin films of PS/PS-b-pnipam and ps/pnipam polymer blends with tunable wettability. 2019 , 57, 670-679	6
347	Preparation of hierarchical superhydrophobic melamine-formaldehyde/Ag nanocomposite arrays as surface-enhanced Raman scattering substrates for ultrasensitive and reproducible detection of biomolecules. 2019 , 288, 20-26	16
346	Superwettability-Based Interfacial Chemical Reactions. 2019 , 31, e1800718	74
345	Bioinspired Superwettability Micro/Nanoarchitectures: Fabrications and Applications. 2019 , 29, 1808012	80
344	Chiral Nanostructured Composite Films via Solvent-Tuned Self-Assembly and Their Enantioselective Performances. 2019 , 35, 3337-3345	48
343	Micro-nano textured superhydrophobic 5083 aluminum alloy as a barrier against marine corrosion and sulfate-reducing bacteria adhesion. 2019 , 97, 433-440	28
342	Tailoring the robust superhydrophobic silicon textures with stable photodetection properties. 2019 , 9, 1579	5
341	Carbon Nanomaterials in Renewable Energy Production and Storage Applications. 2019 , 51-104	11
340	Challenges and Opportunities for Solar Evaporation. 2019 , 3, 683-718	420
339	Magnetic-Sensitive Nanoparticle Self-Assembled Superhydrophobic Biopolymer-Coated Slow-Release Fertilizer: Fabrication, Enhanced Performance, and Mechanism. 2019 , 13, 3320-3333	62
338	Formation of plasma-polymerized superhydrophobic coating using an atmospheric-pressure plasma jet. 2019 , 675, 34-42	13
337	Influence of the Composition of Graft Copolymers of Fluoroalkyl Methacrylates on Stability of the Superhydrophobic State of Stainless Steel Surface. 2019 , 61, 725-734	1

- 336 Experimental Investigation of Copper Mesh Substrate with Selective Wettability to Separate Oil/Water Mixture. **2019**, 12, 4564 2
- 335 Effect of Wing Shape on Flight Performance. **2019**,
- 334 Durable Superhydrophobic Silica Aerogel Coating from Hydrophobic Gel Synthesis. **2019**, 824, 156-162
- 333 Bioinspired surfaces with wettability for antifouling application. **2019**, 11, 22636-22663 66
- 332 Robust, sustainable and multifunctional nanofibers with smart switchability for water-in-oil and oil-in-water emulsion separation and liquid marble preparation. **2019**, 7, 26456-26468 18
- 331 Abrasion resistant semitransparent self-cleaning coatings based on porous silica microspheres and polydimethylsiloxane. **2019**, 45, 401-408 12
- 330 Integration of Great Water Repellence and Imaging Performance on a Superhydrophobic PDMS Microlens Array by Femtosecond Laser Microfabrication. **2019**, 21, 1800994 15
- 329 Recent advances on open fluidic systems for biomedical applications: A review. **2019**, 97, 851-863 35
- 328 Mechanisms of pressure-induced water infiltration process through graphene nanopores. **2019**, 45, 518-524 3
- 327 Highly fluorinated and hierarchical HNTs/SiO₂ hybrid particles for substrate-independent superamphiphobic coatings. **2019**, 359, 626-640 43
- 326 Bio-inspired three-dimensional carbon network with enhanced mass-transfer ability for supercapacitors. **2019**, 143, 728-735 20
- 325 Synthesis of low surface-energy polyepichlorohydrin triazoles thin film. **2019**, 539, 481-489 5
- 324 Development of shrink resistance cotton using fluorocarbon. **2019**, 6, 11
- 323 Rapid Programmable Nanodroplet Motion on a Strain-Gradient Surface. **2019**, 35, 2865-2870 8
- 322 Mosquito Compound Eyes as Inspiration for Fabrication of Conductive Superhydrophobic Nanocarbon Materials from Waste Wheat Straw. **2019**, 7, 3883-3894 9
- 321 Nanosecond laser ablation for enhanced adhesion of CuO nanowires on copper substrate and its application for oil-water separation. **2019**, 465, 995-1002 34
- 320 Exploring the underwater air-retaining ability and thermal insulating effect of terry fabrics inspired by *Salvinia molesta*. **2019**, 89, 2859-2869 6
- 319 Relevance of Plasma Processing on Polymeric Materials and Interfaces. **2019**, 1-21 7

318	Preparation of a superhydrophobic and superoleophilic polyester textile by chemical vapor deposition of dichlorodimethylsilane for Water/Oil separation. 2019 , 159, 54-63	24
317	Development of a new type of elliptical/non-elliptical vibration coining approaches for manufacturing functional microstructure surfaces. 2019 , 29, 025012	1
316	Sink dynamics of aqueous drops on lubricating fluid coated hydrophilic surfaces. 2019 , 562, 377-382	9
315	Fabrication and color-gradient control of colorful superhydrophobic materials with mechanical durable, oil/water separation and recyclable properties. 2019 , 466, 328-341	13
314	Candle soot as a template for fabricating superhydrophobic titanium dioxide film by magnetron sputtering. 2019 , 159, 29-36	17
313	Facile one-step fabrication of highly hydrophobic, renewable and mechanically flexible sponge with dynamic coating for efficient oil/water separation. 2019 , 95, 515-524	23
312	Fe, Al, N, S co-doping as a tool for regulating the optical properties of (8, 0) single-walled carbon nanotubes: a first principle study. 2019 , 6, 015011	0
311	Recent developments in multifunctional coatings for solar panel applications: A review. 2019 , 189, 75-102	65
310	Interaction of miscible solutions and superhydrophobic surfaces. 2019 , 35, 387-393	5
309	Adsorptive removal of resorcinol on a novel ordered mesoporous carbon (OMC) employing COK-19 silica scaffold: Kinetics and equilibrium study. 2019 , 75, 307-317	21
308	Microparticle-Based Soft Electronic Devices: Toward One-Particle/One-Pixel. 2020 , 30, 1901810	5
307	Study on oil-water separation of selective-wettability meshes with different Micro/Nano structures. 2020 , 584, 124026	4
306	Quick and Easy Electroless Deposition and Alkanethiol Treatment To Form a Superhydrophobic Surface. 2020 , 97, 184-189	1
305	A superhydrophobic coating to create multi-functional materials with mechanical/chemical/physical robustness. 2020 , 381, 122539	19
304	Structure, wettability, corrosion and biocompatibility of nitinol treated by alkaline hydrothermal and hydrophobic functionalization for cardiovascular applications. 2020 , 506, 144657	19
303	Strong cellulose hydrogel as underwater superoleophobic coating for efficient oil/water separation. 2020 , 229, 115467	37
302	Self-Regulated Super-Hydrophobic Cu/CuO Electrode Film Deposited by One-Step High-Power Sputtering. 2020 , 6, 1900891	6
301	2D -3D conversion of superwetting mesh: A simple but powerful strategy for effective and efficient oil/water separation. 2020 , 242, 116244	7

300	Polycaprolactone/poly(L-lactic acid) composite micro/nanofibrous membrane prepared through solution blow spinning for oil adsorption. 2020 , 241, 122338	13
299	From Molecular Precursors to Nanoparticles Tailoring the Adsorption Properties of Porous Carbon Materials by Controlled Chemical Functionalization. 2020 , 30, 1908371	26
298	Environmentally friendly kaolin-coated meshes with superhydrophilicity and underwater superoleophobicity for oil/water separation. 2020 , 239, 116541	14
297	Non-conventional low-molecular-weight organogelators with superhydrophobicity based on fluorescent diketone-boron difluorides. 2020 , 175, 108176	3
296	Ultrasound assisted large scale fabrication of superhydrophilic anodized SnOx films with highly uniformed nanoporous arrays. 2020 , 242, 122540	10
295	Preparation of superhydrophobic flexible tubes with water and blood repellency based on template method. 2020 , 587, 124331	13
294	Superhydrophobic coatings on wood made of plant oil and natural wax. 2020 , 148, 105891	17
293	Robust Hydrogel Coating with Oil-Repellent Property in Air, Water, and Oil Surroundings. 2020 , 12, 49138-49145	15
292	Poly (Dimethylsiloxane) Coating for Repellency of Polar and Non-Polar Liquids. 2020 , 12,	1
291	Achieving Effective Oil/Water Separation with Bicomponent Supramolecular Hydrogel Paint Coated Metal Mesh. 2020 , 2, 4770-4778	6
290	Fabrication of Superhydrophobic Wood Surface by Etching Polydopamine Coating with Sodium Hydroxide. 2020 , 10, 847	6
289	Preparation of Superhydrophobic Coating Using Silica/MMA Nanocomposite. 2020 , 393, 2000161	1
288	pH-Responsive Superwettability Surface: The Study of Oil Dewetting Ability from Air to Water on a Rough Surface and Selective Oil-Water Separation. 2020 , 7, 2001147	6
287	Experimental Investigations on Bio-Inspired Icephobic Coatings for Aircraft Inflight Icing Mitigation. 2020 , 547-575	
286	In situ metal-polyphenol interfacial assembly tailored superwetting PES/SPES/MPN membranes for oil-in-water emulsion separation. 2020 , 615, 118566	46
285	Superhydrophobic Hair-Like Nanowire Membrane for the Highly Efficient Separation of Oil/Water Mixtures. 2020 , 2020, 1-9	0
284	Nanoengineered Superhydrophobic Surfaces to Prevent Adhesion of <i>Listeria monocytogenes</i> for Improved Food Safety. 2020 , 63, 1401-1407	1
283	Moth-Eye Mimicking Solid Slippery Glass Surface with Icephobicity, Transparency, and Self-Healing. 2020 , 14, 10198-10209	30

282	Green and facile preparation of hydrophobic bioplastics from tea waste. 2020 , 276, 123353	23
281	Asymmetric Wettable Composite Wound Dressing Prepared by Electrospinning with Bioinspired Micropatterning Enhances Diabetic Wound Healing.. 2020 , 3, 5383-5394	27
280	Latent fingerprint detection using functionalised silicon oxide nanoparticles: Optimisation and comparison with cyanoacrylate fuming. 2020 , 315, 110442	4
279	A writable lithium metal ink. 2020 , 63, 1483-1489	30
278	SiO ₂ /Ladder-Like Polysilsesquioxanes Nanocomposite Coatings: Playing with the Hybrid Interface for Tuning Thermal Properties and Wettability. 2020 , 10, 913	8
277	Micro/Nanostructured Coating for Cotton Textiles That Repel Oil, Water, and Chemical Warfare Agents. 2020 , 12,	7
276	Nanoparticle ZrP Enhanced Superhydrophobicity. 2020 , 38, 645-655	3
275	Flexible Color-Tunable Electroluminescent Devices by Designing Dielectric-Distinguishing Double-Stacked Emissive Layers. 2020 , 30, 2005200	12
274	Dynamics of water injection in an oil-wet reservoir rock at subsurface conditions: Invasion patterns and pore-filling events. 2020 , 102, 023110	10
273	Antifrosting Performance of a Superhydrophobic Surface by Optimizing the Surface Morphology. 2020 , 36, 10156-10165	5
272	Cross-Species Bioinspired Anisotropic Surfaces for Active Droplet Transportation Driven by Unidirectional Microcolumn Waves. 2020 , 12, 42264-42273	15
271	Non-Wettable Surfaces [From Natural to Artificial and Applications. 2020 , 195-231	1
270	Laser Fabrication of Anti-Icing Surfaces: A Review. 2020 , 13,	20
269	Wettability Transition for Laser Textured Surfaces: A Comprehensive Review. 2020 , 21, 100802	26
268	Large-Area Patterning of Oil-Based Inks on Superhydrophobic TiO ₂ Nanotubular Layers by Photocatalytic Wettability Conversion. 2020 , 10, 1203	1
267	Roles of chemistry modification for laser textured metal alloys to achieve extreme surface wetting behaviors. 2020 , 192, 108744	51
266	Does Confinement Enable Methane Hydrate Growth at Low Pressures? Insights from Molecular Dynamics Simulations. 2020 , 124, 11015-11022	12
265	Optimization Synthesis and Biosensing Performance of an Acrylate-Based Hydrogel as an Optical Waveguiding Sensing Film. 2020 , 92, 14907-14914	1

264	Novel hydrophobic and oleophobic surfaces using polyurethane with hydrogenated polyisoprene soft segment. 2020 , 24, 101243	1
263	Pinned Droplet Size on a Superhydrophobic Surface in Shear Flow. 2020 , 7, 34	1
262	Investigation and Prediction on Regulation of Hydrophobicity of Polymethyl Methacrylate (PMMA) Surface by Femtosecond Laser Irradiation. 2020 , 10, 386	5
261	A novel superhydrophilic/superoleophobic nanocomposite PDMS-NH ₂ /PFONa-SiO ₂ coated-mesh for the highly efficient and durable separation of oil and water. 2020 , 394, 125859	20
260	Electrospun Nanofibers for Environmental Protection. 2020 , 773-806	2
259	Bioinspired surface with special wettability for liquid transportation and separation. 2020 , 25, e00175	7
258	Beadlike Porous Fibrous Membrane with Switchable Wettability for Efficient Oil/Water Separation. 2020 , 59, 10894-10903	6
257	Interfacial Nanostructures and Photoelectric Properties in Self-Assembled Cholesterol Amide Derivative Langmuir-Blodgett Films. 2020 , 208, 28-39	
256	Fabrication of superhydrophobic surfaces inspired by lotus effect of plant leaves via swelling-vesiculating-cracking method. 2020 , 400, 125935	6
255	Optically tunable mesoscale CdSe morphologies via inorganic phototropic growth. 2020 , 8, 12412-12417	7
254	Manufacturing of multiscale structured surfaces. 2020 , 69, 717-739	31
253	Bioinspired Paper-Based Nanocomposites Enabled by Biowax/Mineral Hybrids and Proteins. 2020 , 8, 9906-9919	5
252	Functional surfaces of laser-microstructured silicon coated with thermoresponsive PS/PNIPAM polymer blends: Switching reversibly between hydrophilicity and hydrophobicity. 2020 , 527, 146841	4
251	When graphite meets Li metal. 2020 , 7, 1521-1522	0
250	WO ₃ -Based Slippery Liquid-Infused Porous Surfaces with Long-Term Stability. 2020 , 12, 29767-29777	8
249	The preparation and characterization of a hydrophobic surface on an aluminum substrate. 2020 , 1471, 012059	
248	Effect of surface interactions on the settlement of particles on a sinusoidally corrugated substrate.. 2020 , 10, 11348-11356	3
247	Micro-/nanostructures meet anisotropic wetting: from preparation methods to applications. 2020 , 7, 2566-2595	27

246	Interfacial Strategies for Smart Slippery Surfaces. 2020 , 17, 633-643	2
245	Progress in biomimetic leverages for marine antifouling using nanocomposite coatings. 2020 , 8, 3701-3732	67
244	Practical Applications of Superhydrophobic Materials and Coatings: Problems and Perspectives. 2020 , 36, 2493-2509	55
243	Superhydrophobic Materials Derived from Hybrid Silicon Copolymers. 2020 , 119-143	1
242	3D printing of bioinspired textured surfaces with superamphiphobicity. 2020 , 12, 2924-2938	27
241	Sawdust-based superhydrophobic pellets for efficient oil-water separation. 2020 , 243, 122634	40
240	Turning Tissue Waste into High-Performance Microfiber Filters for Oily Wastewater Treatment. 2020 , 13,	2
239	Investigations on torsional fretting wear properties of CuAlNi processed by ultrasonic vibration-assisted milling. 2020 , 146, 106238	10
238	Cell Encapsulation Systems Toward Modular Tissue Regeneration: From Immunoisolation to Multifunctional Devices. 2020 , 30, 1908061	16
237	Light-induced complex surface structuring of azobenzene-containing materials. 2020 , 273-296	2
236	Electrodeposited superhydrophobic hierarchical structures as sensitive surface enhanced Raman scattering substrates. 2020 , 271, 127738	3
235	Current Status and Future Prospects of Applying Bioinspired Superhydrophobic Materials for Conservation of Stone Artworks. 2020 , 10, 353	5
234	Materials science perspective of multifunctional materials derived from collagen. 2021 , 66, 160-187	7
233	Nonfluorinated, transparent, and spontaneous self-healing superhydrophobic coatings enabled by supramolecular polymers. 2021 , 404, 126504	22
232	Droplet Retention on Superhydrophobic Surfaces: A Critical Review. 2021 , 8, 2001205	20
231	Preparation and characterization of superhydrophobic PVDF/HMSNs hybrid membrane for CO ₂ absorption. 2021 , 214, 123242	4
230	How Can Interfacial Phenomena in Nature Inspire Smaller Robots. 2021 , 8, 2001300	3
229	Design of flexible multi-level topography for enhancing mechanical property. 2021 , 2, 541-548	6

228	Adaptive Wettability of a Programmable Metasurface. 2021 , 23, 2001037	3
227	Synthesis and surface properties of amphiphilic fluorine-containing diblock copolymers. 2021 , 138, 49714	1
226	Bioinspired superwetting surfaces for biosensing. 2021 , 2, 20200053	15
225	Biomimetic Lotus Effect Surfaces for Nanopackaging. 2021 , 349-374	
224	Gas-Liquid-Solid Triphase Interfacial Chemical Reactions Associated with Gas Wettability. 2021 , 8, 2001636	6
223	Oxide-based self-cleaning and corrosion protective coatings. 2021 , 135-173	
222	Advances in drag-reduction methods related with boundary layer control [A review]. 2021 , 45, 6694-6701	2
221	Bio-inspired Surfaces for Fouling Resistance, A Review. 2021 , 294, 05002	0
220	Green Synthesis of Mechanical Robust Superhydrophobic CNT@PU Coatings with High Flexibility for Extensive Applications. 2021 , 18, 40-54	0
219	Water droplet bouncing on a non-superhydrophobic Si nanospring array. 2021 , 3, 668-674	0
218	Examples of Implemented Technological Bio-Inspired Surfaces. 2021 , 259-293	
217	The Role of the Fiber/Bead Hierarchical Microstructure on the Properties of PVDF Coatings Deposited by Electrospinning. 2021 , 13,	1
216	Cross-Linking Strategies for Fluorine-Containing Polymer Coatings for Durable Resistant Water- and Oil-Repellency. 2021 , 13,	2
215	Zein film as a novel natural biopolymer membrane in electrochemical detections. 2021 , 25, 1327-1337	1
214	Vertical Orientation of Liquid Crystal on 4-Alkyloxyphenoxymethyl-Substituted Polystyrene Containing Liquid Crystal Precursor. 2021 , 13,	0
213	Preparation of Super-Hydrophobic Anti-Icing Coating for Asphalt Pavement and Evaluation of Its Anti-Icing Properties. 2021 , 33, 04021004	0
212	Electrospinning Janus Nanofibrous Membrane for Unidirectional Liquid Penetration and Its Applications. 2021 , 37, 337-354	7
211	Preparation and Properties of Hydrophobically Modified Nano-SiO with Hexadecyltrimethoxysilane. 2021 , 6, 9764-9770	5

210	Macroporous Superhydrophobic Coatings with Switchable Wettability Enabled by Smart Shape Memory Polymers. 2021 , 8, 2002111	2
209	Synthesis and Surface Characterization of PMMA Polymer Films in Pure Oxygen, Argon, and Nitrogen Glow Discharge Plasma. 2021 , 1829, 012010	1
208	Thermal Oxidation Fabricated Copper Oxide Nanotip Arrays with Tunable Wettability and Robust Stability: Implications for Microfluidic Devices and Oil/Water Separation. 2021 , 4, 4713-4720	0
207	Bio-inspired Fog Harvesting Materials: Basic Research and Bionic Potential Applications. 2021 , 18, 501-533	9
206	Facile Construction and Fabrication of a Superhydrophobic Copper Mesh for Ultraefficient Oil/Water Separation. 2021 , 60, 8139-8146	4
205	Fast and Stable Electrochemical Production of H ₂ O ₂ by Electrode Architecture Engineering. 2021 , 9, 7120-7129	8
204	. 2021 , 4, 506-525	13
203	Chelation Assembly of Cellulose Nanohydrogel onto Flower-Like Structured Foam with Underwater Superoleophobicity for Highly Efficient Oil/Water Separation. 2021 , 16, 2150061	
202	A thermal-driven self-replenishing slippery coating. 2021 , 24, 101022	0
201	Surface Modification of Solid Electrodes with Gliadin Biopolymer Film: A Permselective Membrane in Electrochemical Studies. 2021 , 168, 066502	
200	Superhydrophobic Surface and Lubricant-Infused Surface: Implementing Two Extremes on Electrodeposited Ni/TiO ₂ Surface to Drive Optimal Wettability Regimes for Droplets□ Multifunctional Behaviors. 2021 , 23, 2100266	3
199	Mechanism of Liquid Dispersion Enhancement by the Hydrophobic Wire Mesh at Macro- and Micro-Scale. 2021 , 60, 8927-8934	
198	Bactericidal surfaces: An emerging 21st-century ultra-precision manufacturing and materials puzzle. 2021 , 8, 021303	10
197	Robust, flame-retardant and colorful superamphiphobic aramid fabrics for extreme conditions. 2021 , 64, 1765-1774	1
196	Multifunctional filtration membrane with anti-viscous-oils-fouling capacity and selective dyes adsorption ability for complex wastewater remediation. 2021 , 413, 125379	10
195	Extended Gibbs Free Energy and Laplace Pressure of Ordered Hexagonal Close-Packed Spherical Particles: A Wettability Study. 2021 , 37, 8382-8392	4
194	The Construction of Superhydrophobic Structure on Stainless Steel by an Optimized Chemical Etching Technics. 2022 , 144,	
193	Delayed Lubricant Depletion of Slippery Liquid Infused Porous Surfaces Using Precision Nanostructures. 2021 , 37, 10071-10078	7

192	Tunable hydrophilicity in a surface nano-textured stainless steel thin film deposited by DC magnetron sputtering. 2021 , 555, 149705	3
191	Polyvinyl acetate/reduced graphene oxide-poly (diallyl dimethylammonium chloride) composite coated wood surface reveals improved hydrophobicity. 2021 , 156, 106253	6
190	Molecular Desorption by a Moving Contact Line. 2021 , 127, 065501	0
189	Thermally stable and superhydrophobic foam prepared by high-internal phase emulsion for oil/water separation with good recycling capacity. 2022 , 139, 51521	4
188	Design, Development, and Outlook of Superwettability Membranes in Oil/Water Emulsions Separation. 2021 , 8, 2100799	6
187	Bio-Inspired Icephobic Coatings for Aircraft Icing Mitigation: A Critical Review. 2021 , 171-201	1
186	Highly durable amphiphobic coatings and surfaces: A comparative step-by-step exploration of the design variables. 2021 , 421, 127419	
185	High-Lithiophilicity Host with Micro/Nanostructured Active Sites based on Wenzel Wetting Model for Dendrite-Free Lithium Metal Anodes. 2106676	7
184	High wear-resisting, superhydrophobic coating with well aging resistance and ultrahigh corrosion resistant on high vinyl polybutadiene rubber substrate by thiol-ene click chemistry. 2021 , 101, 107312	3
183	Photoredox Catalysis for the Fabrication of Water-Repellent Surfaces with Application for Oil/Water Separation. 2021 , 37, 11592-11602	
182	Superhydrophobic self-similar nonwoven-titanate nanostructured materials. 2021 , 598, 93-103	4
181	Hierarchical superhydrophobic polydimethylsiloxane/copper terephthalate/polyurethane sponge for highly efficient oil/water separation. 2021 , 630, 127635	7
180	Superhydrophilic fish-scale-like CuC2O4 nanosheets wrapped copper mesh with underwater super oil-repellent properties for effective separation of oil-in-water emulsions. 2021 , 627, 127133	5
179	Modification of collagen with proanthocyanidins by mimicking the bridging role of glycosaminoglycans for dentine remineralization. 2021 , 210, 110067	3
178	Superhydrophilic surfaces with hierarchical groove structure for efficient fog collection. 2021 , 628, 127241	3
177	Fluorine-free superhydrophobic coatings from polydimethylsiloxane for sustainable chemical engineering: Preparation methods and applications. 2021 , 426, 130829	17
176	Polymethylmethacrylate wettability change spatially correlates with self-organized streamer microdischarge patterns in dielectric barrier discharge plasmas. 2021 , 39, 063001	2
175	Construction of ultra-long service life self-cleaning slippery surface on superhydrophobicity functionalized by ATRP treatment. 2022 , 428, 130997	1

174	A comparative study between two novel silicone/graphene-based nanostructured surfaces for maritime antifouling. 2022 , 606, 367-383	8
173	Bubble evolution and manipulation revealed by reconfigurable shape-memory photonic crystals with tunable wettability. 2022 , 428, 130859	3
172	One-Step, Large-Scale Blow Spinning to Fabricate Ultralight, Fibrous Sorbents with Ultrahigh Oil Adsorption Capacity. 2021 , 13, 6631-6641	10
171	Carbon nanostructure-based superhydrophobic surfaces and coatings. 2021 , 10, 518-571	14
170	Construction of Superhydrophobic Ru/TiCeO Catalysts for the Enhanced Water Resistance of -Dichlorobenzene Catalytic Combustion. 2021 , 13, 2610-2621	9
169	Antifouling Self-Cleaning Surfaces. 2015 , 1-29	2
168	CHAPTER 3:Superwetting Nanomaterials for Advanced Oil/Water Separation: From Absorbing Nanomaterials to Separation Membranes. 2016 , 51-90	3
167	CHAPTER 8:Challenges and Opportunities of Superhydrophobic/Superamphiphobic Coatings in Real Applications. 2016 , 209-243	7
166	Chapter 7:Solute- and Temperature-responsive Smart Membranes Formed by Covalent Layer-by-layer Assembly. 2019 , 185-201	2
165	Janus membrane decorated via a versatile immersion-spray route: controllable stabilized oil/water emulsion separation satisfying industrial emission and purification criteria. 2019 , 7, 4941-4949	62
164	Geometrical effect, optimal design and controlled fabrication of bio-inspired micro/nanotextures for superhydrophobic surfaces. 2017 , 4, 092001	6
163	Three-phase flow displacement dynamics and Haines jumps in a hydrophobic porous medium. 2020 , 476, 20200671	4
162	Contrasting micro/nano architecture on termite wings: two divergent strategies for optimising success of colonisation flights. 2011 , 6, e24368	29
161	Formation of Polypropylene Thin Films with Superhydrophobic Surface. 2014 , 25, 598-601	1
160	Study on Morphology and Hydrophobicity of CaCO ₃ /SiO ₂ Composite Surface Coating. 2009 , 24, 91-96	3
159	BIOINSPIRED UNDERWATER SUPEROLEOPHOBIC SURFACES. 2012 , 012, 1091-1101	3
158	FACILE FABRICATION OF ARTIFICIAL COMPOUND EYES BASED ON PARTICLE-ASSISTED BREATH FIGURE METHOD. 2012 , 012, 1151-1156	1
157	Polymerization and Preparation of Functional Ophthalmic Material Containing Carbon Nanoparticles. 2018 , 28, 452-458	0

156	Fabrication of Superhydrophobic Surfaces on Aluminum Alloy Via Electrodeposition of Copper Followed by Electrochemical Modification. 2011 , 3, 160	2
155	Preparation of a Superhydrophobic Film on Micro Lens Arrays Pattern. 2009 , 30, 713-715	1
154	Facile Method for Fabricating Superhydrophobic Surface on Magnesium. 2010 , 31, 1067-1069	13
153	Facile Fabrication of Polysiloxane Nanorods on Magnesium Surface in the Presence of 1,6-diphosphono-hexane to Obtain a Superhydrophobic Surface. 2011 , 32, 4063-4066	8
152	Fabrication of Superhydrophobic Metal Surfaces with Self-Assembled Monolayers of Silane Derivatives Having Inter-Hydrogen Bonding. 2011 , 32, 1091-1094	17
151	Fabrication of a Superhydrophobic Surface with Adjustable Hydrophobicity and Adhesivity Based on a Silica Nanotube Array. 2012 , 33, 3378-3382	0
150	Formation of Nanoporous Polycarbonate Surfaces and Their Chemical Modification for Superhydrophobicity. 2012 , 33, 3899-3902	11
149	Fabrication of Superhydrophobic Surface on Magnesium Substrate by Chemical Etching. 2012 , 33, 1363-1366	33
148	Control of Cell Adhesion on a Superhydrophobic Surface by Polydopamine Coating. 2013 , 34, 2525-2527	6
147	Evaluation of 3D Printer Accuracy in Producing Fractal Structure. 2017 , 66, 383-389	2
146	PVP-assisted Synthesis of TiO ₂ Nanospheres and their Application to the Preparation of Superhydrophobic Surfaces. 2015 , 24, 219-223	2
145	Molecular dynamics simulation of fluid flow and heat transfer in an asymmetric nanochannel. 2017 , 66, 204704	5
144	Fabrication and Application of Reversibly Switchable Surfaces: Super-non-wetting to Super-wetting. 2013 , 1, 248-270	1
143	The preparation and properties study of novel hydrophobic/superhydrophobic coatings based on fluorine modified perhydropolysilazane. 1-8	1
142	Preparation and Self-Cleaning Performance of Carbon-Based Superhydrophobic Coatings Based on Non-Fluorine and Non-Toxic Corn Straw. 2021 , 26,	
141	Wetting the Surface. 2008 ,	
140	Super-Hydrophobic and Self-Lubricating Carbon Coating on Ti ₃ SiC ₂ . 2009 , 750-751	
139	STUDIES ON THE MICRO/NANO-STRUCTURED POLYANILINE AND ITS WETTABILITY. 2009 , 007, 282-288	

138 Surface Microstructures and Nanostructures in Natural Systems. 401

137 Fabrication and Wettability Patterning of Nano-structured Silicon Surface by using Self-organized Polymer Structures. **2011**, 32, 416-421 1

136 Selective Cell Control by Surface Structuring for Orthopedic Applications. **2011**, 399-412

135 Facile Fabrication of Superhydrophobic Composite Film Using Spray Coating. **2012**, 56, 392-396

134 RESEARCH AND APPLICATION OF WETTABILITY GRADIENT SURFACES. **2012**, 012, 1064-1081 1

133 LAYER-BY-LAYER ASSEMBLED POLYMERIC FILMS WITH STIMULUS-RESPONSIVE AND SELF-HEALING ABILITY. **2012**, 012, 1047-1054

132 CONSTRUCTION OF SUPERHYDROPHOBIC SURFACE via SECONDARY PROCESSING OF HONEYCOMB-PATTERNED SUBSTRATE. **2013**, 012, 1459-1464

131 Research and Application Progress of Bionic Superhydrophobic Surface with the Physical Characteristics*. **2013**, 01, 5-8

130 Effects of Grooved Surface with Nano-ridges on Silicon Substrate on Anisotropic Wettability. **2013**, 22, 544-550 3

129 Botanical Leaves: Groovy Terrain. **2014**, 91-101

128 Effect of the Addition of Propanol to PVC Solution on the Structure of Thin Film and its Surface Property. **2015**, 26, 35-39

127 Lotus Leaf Effect: Micro- and Nanostructures. **2015**, 1-49

126 CHAPTER 6: Biomimetic Materials for Efficient Atmospheric Water Collection. **2016**, 165-184

125 Rice Leaf and Butterfly Wing Effect. **2016**, 383-422 1

124 CHAPTER 1: Introduction. **2016**, 1-18

123 Antireflective silicon nanostructures. **2017**, 373-396

122 Local Wettability Modification and Its Micro-Fluidic System Application. **2018**, 925-957

121 Introduction. **2018**, 1-19

- 120 An anti-adhesive surface coating reduces adhesion during contact with cribellar threads in *Pholcus phalangioides* (Araneae, Pholcidae) but not in the web-owning spider *Uloborus plumipes* (Araneae, Uloboridae).
- 119 Superwetting Electrospun PDMS/PMMA Membrane for PM Capture and Microdroplet Transfer. **2021**, 37, 12972-12980 4
- 118 Nature inspired emerging sensing technology: Recent progress and perspectives. **2021**, 146, 100647 3
- 117 Recent Advances in Functionalized Micro and Mesoporous Carbon Nanostructures for Humidity Sensors. **2020**, 349-381
- 116 Wettability Transition on the Fractal Surface Developed by Size-Selected Ag Nanoclusters.
- 115 Bed of nails: bioinspired nano-texturing towards antibacterial and bioactivity functions. **2021**, 12, 100176 5
- 114 Template-Free Method to Conducting Polymer Micro/Nanostructures. **2008**, 158-277
- 113 SUPERWETTABILITY-BASED CHEMICAL PROCESSES. **2021**, 28, 2030005
- 112 Industrial applications of superhydrophobic coatings: Challenges and prospects.
- 111 Perfluorinated compounds are not necessary: pegylated organosilanes can endow good water sliding/removal properties. **2020**, 398, 122625 3
- 110 Fabrication of self-recovering superhydrophobic Cu-CNTs composite coatings via co-electrodeposition: Wettability transition is due to spontaneous adsorption of airborne hydrocarbons. **2022**, 46, 100524 4
- 109 Super-hydrophobic/hydrophilic patterning on three-dimensional objects. **2022**, 576, 151849 3
- 108 Bioinspired Compartmentalization Strategy for Coating Polymers with Self-Organized Prismatic Films. 2
- 107 Brush-painted superhydrophobic silica coating layers for self-cleaning solar panels. **2021**, 106, 460-460 2
- 106 Effect of Chemical Surface Texturing on the Superhydrophobic Behavior of Micro-Nano-Roughened AA6082 Surfaces. **2021**, 14, 4
- 105 Electrochemically Fabricated Superhydrophilic/Superaerophobic Manganese Oxide Nanowires at Discontinuous Solid/Liquid Interfaces for Enhanced Oxygen Evolution Performances. **2022**, 9, 2101478 2
- 104 Icephobic and Anticorrosion Coatings Deposited by Electrospinning on Aluminum Alloys for Aerospace Applications. **2021**, 13, 0
- 103 Impact-induced hole growth and liquid film dewetting on superhydrophobic surfaces. **2021**, 33, 112113 1

102	Super-hydrophilic Zwitterionic Polymer Surface Modification Facilitates Liquid Transportation of Microfluidic Sweat Sensors. 2021 , e2100776	3
101	Bioinspired self-cleaning surface with microflower-like structures constructed by electrochemically corrosion mediated self-assembly.	0
100	Controllable Nanoparticle Aggregation through a Superhydrophobic Laser-Induced Graphene Dynamic System for Surface-Enhanced Raman Scattering Detection.. 2022 ,	3
99	Fabrication of superhydrophobic polyvinylidene fluoride-co-hexafluoropropylene films enabled by nanoimprint lithography. 2022 , 311, 131555	0
98	Stable superhydrophobic wood surface constructing by KH580 and nano-Al ₂ O ₃ on polydopamine coating with two process methods. 2022 , 637, 128219	5
97	Biomimetic Super 'Silicate' Phobicity and Superhydrophobicity of Thermal Barrier Coating.	
96	Self-healing and repair of fabrics: A comprehensive review of the application toolkit. 2022 ,	3
95	Protein Patterning on Microtextured Polymeric Nano-brush Templates Obtained By Nanosecond Fibre Laser.. 2022 , e2100454	0
94	Programmable Transition between Adhesive/Anti-Adhesive Performances on Porous PVDF Spheres Supported by Shape Memory PLLA.. 2022 , 14,	0
93	Microfluidics technology: past, present, and future prospects for biomarker diagnostics. 2022 , 457-485	0
92	Superhydrophobic and mechanically robust polysiloxane composite coatings containing modified silica nanoparticles and PS-grafted halloysite nanotubes. 2022 ,	0
91	Patterning Assembly of Colloidal Particles. 2022 , 305-329	
90	Bicontinuous porous membranes with micro-nano composite structure using a facile atomization-assisted nonsolvent induced phase separation method. 1	0
89	Free-standing lamellar 3D architectures assembled from chitosan as a reusable titanium-immobilized affinity membrane for efficiently capturing phosphopeptides. 2022 , 24, 238-250	2
88	Life Span of Slippery Lubricant Infused Surfaces.. 2022 ,	2
87	Bibliometric survey and network analysis of biomimetics and nature inspiration in engineering science.. 2022 ,	0
86	Self-assembling of nanobionics: from theory to applications. 2022 , 111-138	
85	Facile fabrication of hydrophobic ZnO nanostructured nickel microtubes through pulse electrodeposition as promising photocatalyst for wastewater remediation. 2022 , 75, 538-551	2

84	Honeycomb-like cobalt hydroxide nanosheets induced basalt fiber fabrics with robust and durable superhydrophobicity for anti-icing and oil-water separation.. 2022 , 429, 128284	2
83	Solid state ionics [Selected topics and new directions. 2022 , 126, 100921	2
82	Catalytic confinement effects in nanochannels: from biological synthesis to chemical engineering. 2022 , 4, 1517-1526	1
81	Short-chain fluorocarbon-based polymeric coating with excellent nonwetting ability against chemical warfare agents.. 2022 , 12, 7773-7779	1
80	Vertical Alignment of Liquid Crystals on Phenylphoxymethyl-Substituted Polystyrene-PS Derivatives Structurally Similar to LC Molecules.. 2022 , 14,	1
79	Surface topography by water jet-guided laser texturing on wettability of monocrystalline silicon. 2022 , 120, 2747	
78	Large-Scale Fabrication of Graded Convex Structure for Superhydrophobic Coating Inspired by Nature.. 2022 , 15,	0
77	Superhydrophobic Ag-Decorated CuO Nanowire Arrays with Analyte-Concentrating and Self-Cleaning Binary Functions for Ultrasensitive and Recyclable Surface-Enhanced Raman Scattering. 2200047	1
76	Plasma-controlled surface wettability: recent advances and future applications. 1-38	0
75	Experimental methods in chemical engineering: Scanning electron microscopy and X-ray ultra-microscopy [SEM and XuM.	0
74	A Biomimetic Approach to Protective Glove Design: Inspirations from Nature and the Structural Limitations of Living Organisms. 2022 ,	
73	Robust and durable superhydrophobic and oil-absorbent silica particles with ultrahigh separation efficiency and recyclability. 2022 , 335, 111772	0
72	Relationship between hydrophobicity and drag reduction of SiO ₂ /HLR-Si coatings. 2022 , 642, 128668	0
71	Novel graphene-based ternary nanocomposite coatings as ecofriendly antifouling brush surfaces. 2022 , 167, 106803	0
70	Effect of ultrasonic vibration-assisted laser treatment on surface roughness and wettability of aluminum. 2022 , 150, 107969	1
69	Modeling Experimental Parameters for the Fabrication of Multifunctional Surfaces Composed of Electrospun PCL/ZnO-NPs Nanofibers.. 2021 , 13,	0
68	Improved Lebesgue Indicator-Based Evolutionary Algorithm: Reducing Hypervolume Computations. 2022 , 10, 19	1
67	Wetting behavior of silicon nanowires array fabricated by Metal-assisted chemical etching. 2022 ,	0

- 66 SiC-enhanced polyurethane composite coatings with excellent anti-fouling, mechanical, thermal, chemical properties on various substrates. **2022**, 168, 106909 1
- 65 Application of Fibrous Structures in Separation of Water and Oil Emulsions: A Review. **2022**, 107999 1
- 64 A slippery hydrogel coating with durable oil-repellent property and self-regeneration capacity.
- 63 Recent advances in chemical durability and mechanical stability of superhydrophobic materials: Multi-strategy design and strengthening. **2022**, 1 1
- 62 Preparation and particle size effects study of sustainable self-cleaning and durable silicon materials with superhydrophobic surface performance. **2022**, 10, 107884 1
- 61 Modern testing and analyzing techniques in corrosion. **2022**, 429-450
- 60 Advances in Superhydrophobic Surfaces: Biology to Biomimetic. **2022**, 171-195
- 59 Polymer Brushes: Synthesis, Characterization, Properties and Applications. **2022**, 101000 2
- 58 Droplet manipulation on superhydrophobic surfaces based on external stimulation: A review. **2022**, 306, 102724 3
- 57 Inorganic-Nanoparticle-Based Super-Hydrophobic Colored Coatings for Sustainable Building-Integrated Photovoltaics. 2200358 0
- 56 Controlled delivery of tetracycline with TiO₂@Chitosan@ZIF-8 nanocomposite and evaluation of their antimicrobial activities.
- 55 Nanostructure-based Wettability Modification of TiAl6V4 Alloy Surface for Modulating Biofilm Production: Superhydrophilic, Superhydrophobic, and Slippery Surfaces. **2022**, 166492 0
- 54 Superoleophobic coating based on zinc oxide nanoparticle filled fluoropolymeric nanocomposites.
- 53 Electrospun Biodegradable Poly(L-lactic acid) Nanofiber Membranes as Highly Porous Oil Sorbent Nanomaterials. **2022**, 12, 2670 1
- 52 Template-Free Scalable Fabrication of Linearly Periodic Microstructures by Controlling Ribbing Defects Phenomenon in Forward Roll Coating for Multifunctional Applications. 2201237 1
- 51 Hydro-/ice-phobic coatings and materials for wind turbine icing mitigation. **2022**, 135-168 0
- 50 Use of Superhydrophobic Surfaces for Performance Enhancement of Aerial/Aquatic Vehicles. 2100185 0
- 49 Fractal-like Hierarchical CuO Nano/Microstructures for Large-Surface-to-Volume-Ratio Dip Catalysts. 0

48	Biomimetic Superhydrophobicity and Superhydrophobicity of Ceramic Material. 2201267	0
47	Controllable Fabrication of Durable, Underliquid Superhydrophobic Surfaces Based on the Hydrophilic-Hydrophobic Balance. 2022 , 38, 11962-11971	1
46	A review on nature-inspired gating membranes: from concept to design and applications.	2
45	Animal- and Human-Inspired Nanostructures as Supercapacitor Electrode Materials: A Review. 2022 , 14,	1
44	Silicon Nanostructures and Nanocomposites for Antibacterial and Theranostic Applications. 2022 , 113912	0
43	Recent progress in the mechanisms, preparations and applications of polymeric antifogging coatings. 2022 , 309, 102794	0
42	Superhydrophobic and Self-Cleaning Aluminum via a Rapid and Controlled Process.	0
41	Biology and nature: Bionic superhydrophobic surface and principle. 10,	0
40	Wetting Characteristics of Nanosilica-Poly (acrylic acid) Transparent Anti-Fog Coatings. 2022 , 14, 4663	2
39	Enhancing the lifespan and durability of superamphiphobic surfaces for potential industrial applications: A review. 2022 , 310, 102797	2
38	Water droplets impact dynamics on laser engineered superhydrophobic ceramic surface. 2023 , 158, 108887	1
37	Laser surface functionalization to achieve extreme surface wetting conditions and resultant surface functionalities. 2022 , 29, 3217-3247	1
36	Bio-inspired water-driven electricity generators: From fundamental mechanisms to practical applications. 2022 ,	4
35	Ultra-Robust Joule-Heated Superhydrophobic Smart Window: Dually-Switching Droplets Adhesion and Transparency via In Situ Electric-Actuated Reconfigurable Shape-Memory Shutters. 2210495	0
34	Flexible Superhydrophobic Microlens Arrays for Humid Outdoor Environment Applications.	1
33	Scanning Drop Friction Force Microscopy.	0
32	Rapid dipping preparation of superhydrophobic TiO ₂ cotton fabric for multifunctional highly efficient oil-water separation and photocatalytic degradation. 2023 , 657, 130590	1
31	Rational fabrication of high-durability superhydrophobic coatings based on the excellent compatibility between nanoparticles and polymers. 2023 , 175, 107358	0

- 30 Drop impact dynamics on solid surfaces. **2022**, 121, 210501 2
- 29 Droplet Constraint by a Superhydrophobic/Superhydrophilic Hybrid Surface with a SiO₂ NP Coating for Determination of Heavy Metals Using LIBS. **2022**, 5, 17508-17515 0
- 28 High-Efficiency Reclamation of Oscillating Energy During Multiple Droplets Impact on Bionic Lotus Surface. 2202191 0
- 27 Biomimetic Superhydrophobic Materials Construct from Binary Structure: A Review on Design, Properties, and Applications. 2201847 0
- 26 A Weaving Method to Prepare Double-Layer Janus Fabric for Oil-Water Separation. **2022**, 23, 3624-3637 0
- 25 Design considerations to fabricate multifunctional superomniphobic surfaces: A review. **2022**, 111758 0
- 24 A critical review on robust self-cleaning properties of lotus leaf. 0
- 23 Drop impact dynamic and directional transport on dragonfly wing surface. **2023**, 11, 737-747 0
- 22 A Family of Wear-Resistant Traceological Patterns on Pebbles Used for Burnishing Pots and Processing Other Plastic Mineral Matters. 0
- 21 Metal micro/nanostructure enhanced laser-induced breakdown spectroscopy. **2023**, 1241, 340802 0
- 20 From understanding bacterial interactions to developing bactericidal surfaces. **2023**, 41-57 0
- 19 The preparation of slippery liquid-infused surface and the droplets bounce behavior. 0
- 18 Implementation of durable superhydrophobic surfaces through dilution rate control of the PDMS coating on micro-nano surface structures. **2023**, 275, 125929 0
- 17 Review of jet impingement cooling of electronic devices: Emerging role of surface engineering. **2023**, 206, 123888 0
- 16 Engineering applications of multi-objective evolutionary algorithms: A test suite of box-constrained real-world problems. **2023**, 123, 106192 0
- 15 Fabrication of Bioinspired Micro/Nano-Textured Surfaces Through Scalable Roll Coating Manufacturing. **2022**, 10, 0
- 14 Design and preparation of SQ-based superhydrophobic coatings with different substituents for multifunctional applications. **2023**, 457, 129285 0
- 13 Ordered/Disordered Structures of Water at Solid/Liquid Interfaces. **2023**, 13, 263 0

- 12 Stainless Steel Screen Modified with Renatured Xerogel for Efficient and Highly Stable Oil/Water Separation via Gravity. **2023**, 39, 3131-3141 ○
- 11 Novel organic/inorganic hybrid polymer based on fluorinated polyhedral oligomeric silsesquioxanes for stable superamphiphobic fabrics and aluminum corrosion protection. **2023**, 29, 101390 ○
- 10 Membrane Contact Demulsification: A Superhydrophobic ZIF-8@rGO Membrane for Water-in-Oil Emulsion Separation. **2023**, ○
- 9 A Bioinspired Surface with Synergistic Effect of Anisotropy and Gradient Microstructures for Controllable Fluid Transportation. **2023**, 5, 2440-2448 ○
- 8 Selective and Continuous Oil Removal from Oil/Water Mixtures Using a Superhydrophobic and Superoleophilic Stainless Steel Mesh Tube. **2023**, 39, 4100-4112 ○
- 7 Design of a self-cleanable multilevel anticounterfeiting interface through covalent chemical modulation. ○
- 6 Aerodynamic Super-Repellent Surfaces. **2023**, 6, ○
- 5 Skin-Interfaced Wearable Sweat Sensors for Precision Medicine. ○
- 4 Tuning PVDF Membrane Porosity and Wettability Resistance via Varying Substrate Morphology for the Desalination of Highly Saline Water. **2023**, 13, 395 ○
- 3 Insight into the Lubrication Performance of Biomimetic Porous Structure Material for Water-lubricated Bearings. ○
- 2 Droplet interface in additive manufacturing: From process to application. **2023**, 2, ○
- 1 Electrolyte-Wettability Issues and Challenges of Electrode Materials in Electrochemical Energy Storage, Energy Conversion, and Beyond. ○