

CITATION REPORT

List of articles citing

The Montreal Cognitive Assessment, MoCA: a brief screening tool for mild cognitive impairment

DOI: 10.1111/j.1532-5415.2005.53221.x

Journal of the American Geriatrics Society, 2005, 53, 695-9.

Source: <https://exaly.com/paper-pdf/38167042/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2254	The consultation process. 1-14		1
2253	.		
2252	Neurochemical dissociation of memory systems. 1987 , 37, 789-94		286
2251	Neuropsychology in Alzheimer's disease and other dementia research. 2005 , 18, 621-7		12
2250	Bibliography. Current world literature. Geriatric psychiatry. 2005 , 18, 700-10		
2249	Current awareness in geriatric psychiatry. 2005 , 20, 903-910		
2248	Cognitive decline and dementia in diabetes--systematic overview of prospective observational studies. 2005 , 48, 2460-9		676
2247	Normal pressure hydrocephalus. 2006 , 22, 935-51, viii		14
2246	Mild cognitive impairment. 2006 , 367, 1262-70		1703
2245	Cognitive functioning as a predictor of functional disability in later life. 2006 , 14, 36-42		131
2244	Recommendations for best practices in the treatment of Alzheimer's disease in managed care. 2006 , 4 Suppl A, S9-S24; quiz S25-S28		67
2243	Mild cognitive impairment: an opportunity to identify patients at high risk for progression to Alzheimer's disease. 2006 , 28, 991-1001		132
2242	On-line lexical processing in AD and MCI: An early measure of cognitive impairment?. 2006 , 19, 38-55		23
2241	Handwriting process variables discriminating mild Alzheimer's disease and mild cognitive impairment. 2006 , 61, P228-36		101
2240	The impact of cognitive functioning on mortality and the development of functional disability in older adults with diabetes: the second longitudinal study on aging. 2006 , 6, 8		65
2239	Comprehensive Geriatric Assessment for outpatients is important for the detection of functional disabilities and depressive symptoms associated with sensory impairment as well as for the screening of cognitive impairment. 2006 , 6, 94-100		4
2238	Reversal learning in Parkinson's disease depends on medication status and outcome valence. 2006 , 44, 1663-73		239

2237	Early diagnostics and therapeutics for Alzheimer's disease--how early can we get there?. 2006 , 6, 1293-306	19
2236	National Institute of Neurological Disorders and Stroke-Canadian Stroke Network vascular cognitive impairment harmonization standards. 2006 , 37, 2220-41	1179
2235	Intervening in the neuropsychiatric features of Parkinson's disease. 2007 , 7, 699-710	5
2234	Impulsive personality predicts dopamine-dependent changes in frontostriatal activity during component processes of working memory. 2007 , 27, 5506-14	212
2233	Can you have dementia with an MMSE score of 30?. 2007 , 22, 406-15	31
2232	Manganese-induced Parkinsonism associated with methcathinone (Ephedrone) abuse. 2007 , 64, 886-9	87
2231	Chapter 3 Mild Cognitive Impairment. 2007 , 59-87	2
2230	The Montreal Cognitive Assessment: validity and utility in a memory clinic setting. 2007 , 52, 329-32	349
2229	Target symptoms and outcome measures: cognition. 2007 , 34 Suppl 1, S42-6	6
2228	Is mild cognitive impairment a valid target of therapy. 2007 , 34 Suppl 1, S90-6	10
2227	Therapeutic issues in vascular dementia: studies, designs and approaches. 2007 , 34 Suppl 1, S125-30	10
2226	Alternate forms of logical memory and verbal fluency tasks for repeated testing in early cognitive changes. 2007 , 19, 65-75	40
2225	Cognitive functioning in late life: the impact of moderate alcohol consumption. 2007 , 17, 93-9	38
2224	Neuropsychological testing and assessment for dementia. 2007 , 3, 299-317	84
2223	Mild cognitive impairment and cognitive impairment, no dementia: Part A, concept and diagnosis. 2007 , 3, 266-82	61
2222	Clinical diagnosis of dementia. 2007 , 3, 292-8	27
2221	Canadian Cardiovascular Society Consensus Conference recommendations on heart failure update 2007: Prevention, management during intercurrent illness or acute decompensation, and use of biomarkers. 2007 , 23, 21-45	110
2220	Mild cognitive impairment in symptomatic and asymptomatic cerebrovascular disease. 2007 , 257, 185-93	90

2219	Screening for amnesic mild cognitive impairment and early Alzheimer's disease with M@T (Memory Alteration Test) in the primary care population. 2007 , 22, 294-304	82
2218	Neuroprotection in Parkinson's disease: myth or reality?. 2008 , 8, 304-9	16
2217	Feasibility study of the Montreal Cognitive Assessment (MoCA) in patients with brain metastases. 2008 , 16, 1273-8	87
2216	Transitions in cognitive test scores over 5 and 10 years in elderly people: evidence for a model of age-related deficit accumulation. 2008 , 8, 3	17
2215	The TEAM trial: safety and efficacy of endovascular treatment of unruptured intracranial aneurysms in the prevention of aneurysmal hemorrhages: a randomized comparison with indefinite deferral of treatment in 2002 patients followed for 10 years. 2008 , 9, 43	30
2214	A comparison of the mini mental state exam to the Montreal cognitive assessment in identifying cognitive deficits in Parkinson's disease. 2008 , 23, 297-9	221
2213	Novel GCH1 mutation in a Brazilian family with dopa-responsive dystonia. 2008 , 23, 299-302	2
2212	The Montreal cognitive assessment as a screening tool for cognitive impairment in Parkinson's disease. 2008 , 23, 1043-1046	240
2211	CAMcog as a screening tool for diagnosis of mild cognitive impairment and dementia in a Brazilian clinical sample of moderate to high education. 2008 , 23, 1127-33	59
2210	Vascular cognitive impairment: current concepts and clinical developments. 2008 , 7, 246-55	254
2209	Diagnosis and treatment of dementia: 2. Diagnosis. 2008 , 178, 825-36	142
2208	Screening for dementia: a review of self- and informant-assessment instruments. 2008 , 20, 431-58	53
2207	Rapid cognitive improvement in Alzheimer's disease following perispinal etanercept administration. 2008 , 5, 2	167
2206	Cognitive screening for dementia and mild cognitive impairment in assisted living: comparison of 3 tests. 2008 , 9, 586-93	61
2205	Practicality of a computerized system for cognitive assessment in the elderly. 2008 , 4, 14-21	42
2204	Dementia of the Alzheimer type. 2008 , 30, 15-34	94
2203	La plainte subjective ne correspond pas toujours aux troubles cognitifs objectifs: r ^e flexion [^] partir d ^u ne population de patientes g ^r es atteintes d ^u n cancer du sein. 2008 , 8, 38-41	1
2202	Language performance in Alzheimer's disease and mild cognitive impairment: a comparative review. 2008 , 30, 501-56	233

2201	Communication Wellness Check-Up [®] : Age-related changes in communicative abilities. 2008 , 22, 813-825	17
2200	Mild cognitive impairment. 2008 , 89, 217-21	8
2199	A 60-year-old woman with mild memory impairment: review of mild cognitive impairment. 2008 , 300, 1566-74	12
2198	Increased risk of falling in older community-dwelling women with mild cognitive impairment. 2008 , 88, 1482-91	150
2197	Shifts in thinking about dementia. 2008 , 300, 2172-3	58
2196	Usefulness of frailty markers in the assessment of the health and functional status of older cancer patients referred for chemotherapy: a pilot study. 2008 , 63, 518-22	57
2195	Mild cognitive impairment: a review and nursing implications. 2008 , 17, 368-73	5
2194	Brief screening for mild cognitive impairment in elderly outpatient clinic: validation of the Korean version of the Montreal Cognitive Assessment. 2008 , 21, 104-10	307
2193	The effects of surgery and anesthesia on memory and cognition. 2008 , 169, 409-22	44
2192	Working memory capacity predicts dopamine synthesis capacity in the human striatum. 2008 , 28, 1208-12	217
2191	Diagnosis and treatment of dementia: 3. Mild cognitive impairment and cognitive impairment without dementia. 2008 , 178, 1273-85	93
2190	Validation of the Seven Minute Screen and Syndrom Kurztest among elderly Norwegian outpatients. 2008 , 20, 807-14	3
2189	Mild cognitive impairment: the transition to Alzheimer's disease. 2008 , 21, 40-4	2
2188	Within-person across-neuropsychological test variability and incident dementia. 2008 , 300, 823-30	147
2187	Screening for memory disorders, dementia and Alzheimer's disease. 2008 , 4, 399-432	58
2186	Towards an earlier diagnosis of Alzheimer disease (Proceedings of the 5th MCI Symposium, 2007). 2008 , 22, 99-110	7
2185	Introduction. 2008 , 13, 4-5	2
2184	Rivastigmine for the treatment of dementia associated with Parkinson's disease. 2007 , 3, 775-83	6

2183	Early identification of Alzheimer's disease: what have we learned from mild cognitive impairment?. 2008 , 13, 4-7	2
2182	Short clinical assessments applicable to busy practices. 2008 , 13, 6-9	71
2181	Mild cognitive impairment: cognitive screening or neuropsychological assessment?. 2008 , 30, 316-21	53
2180	Who is responsible for the care of patients treated with warfarin therapy?. 2009 , 190, 674-7	20
2179	Geriatrics. 2009 , 477-495	0
2178	Combining cognitive screening tests for the evaluation of mild cognitive impairment in the elderly. 2009 , 64, 967-73	16
2177	L-dopa medication in Parkinson's disease restores activity in the motor cortico-striatal loop but does not modify the cognitive network. 2009 , 4, e6154	42
2176	Regional brain stem atrophy in idiopathic Parkinson's disease detected by anatomical MRI. 2009 , 4, e8247	49
2175	Lesion evidence that two distinct regions within prefrontal cortex are critical for n-back performance in humans. 2009 , 21, 2263-75	80
2174	Frontotemporal dementia presenting with psychotic symptoms. 2009 , 21, 103-4	4
2173	Validity of the MoCA and MMSE in the detection of MCI and dementia in Parkinson disease. 2009 , 73, 1738-45	687
2172	Computer assessment of mild cognitive impairment. 2009 , 121, 177-85	98
2171	Increased striatal dopamine release in Parkinsonian patients with pathological gambling: a [11C] raclopride PET study. 2009 , 132, 1376-85	432
2170	The Clock Drawing Test--Modified and Integrated Approach (CDT-MIA) as an instrument for detecting mild cognitive impairment in a specialized outpatient setting. 2009 , 22, 171-80	5
2169	A review of telephone-administered screening tests for dementia diagnosis. 2009 , 24, 58-69	20
2168	The referral dance: improving the interface between primary care practitioners and specialists. 2008 , 23, 513-5	1
2167	Measuring cognition in a geriatric outpatient clinic: Rasch analysis of the Montreal Cognitive Assessment. 2009 , 22, 151-60	42
2166	Comprehension of lexical ambiguity in healthy aging, mild cognitive impairment, and mild Alzheimer's disease. 2009 , 47, 1332-43	30

2165	A meta-analysis of the accuracy of the mini-mental state examination in the detection of dementia and mild cognitive impairment. 2009 , 43, 411-31		627
2164	Exercise intervention to prevent falls and enhance mobility in community dwellers after stroke: a protocol for a randomised controlled trial. 2009 , 9, 38		25
2163	Can cognitive enhancers reduce the risk of falls in older people with mild cognitive impairment? A protocol for a randomised controlled double blind trial. 2009 , 9, 42		40
2162	Participation of older newly-diagnosed cancer patients in an observational prospective pilot study: an example of recruitment and retention. 2009 , 9, 277		22
2161	Cross validation of the Montreal Cognitive Assessment in community dwelling older adults residing in the Southeastern US. 2009 , 24, 197-201		346
2160	Screening for mild cognitive impairment: a systematic review. 2009 , 24, 902-15		141
2159	A longitudinal program for biomarker development in Parkinson's disease: a feasibility study. 2009 , 24, 2081-90		44
2158	Alteration of A β metabolism-related molecules in predementia induced by AlCl ₃ and D-galactose. 2009 , 31, 277-84		39
2157	Dual-tasking and gait in people with mild cognitive impairment. The effect of working memory. 2009 , 9, 41		136
2156	Quantitative gait analysis under dual-task in older people with mild cognitive impairment: a reliability study. 2009 , 6, 35		122
2155	Montreal Cognitive Assessment Arabic version: reliability and validity prevalence of mild cognitive impairment among elderly attending geriatric clubs in Cairo. 2009 , 9, 54-61		117
2154	Scenery Picture Memory Test: a new type of quick and effective screening test to detect early stage Alzheimer's disease patients. 2010 , 10, 183-90		20
2153	Montreal cognitive assessment performance in patients with Parkinson's disease with "normal" global cognition according to mini-mental state examination score. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 304-8	5.6	238
2152	Lateralisation of spatial processing and age. 2009 , 14, 17-29		6
2151	[Neuropsychiatric symptoms in mild cognitive impairment and Alzheimer's disease]. 2009 , 44, 238-43		4
2150	Mild cognitive impairment is common in Parkinson's disease patients with normal Mini-Mental State Examination (MMSE) scores. 2009 , 15, 226-31		138
2149	Stroke-related dementia: rates, risk factors and implications for future research. 2009 , 64, 165-71		45
2148	Thematic roles in Alzheimer's disease: Hierarchy violations in psychological predicates. 2009 , 22, 167-186		24

2147	Aging reduces the ability to change grip force and balance control simultaneously. 2009 , 452, 23-7	9
2146	Bone lead levels are associated with measures of memory impairment in older adults. 2009 , 30, 572-80	31
2145	Hemispatial neglect and rehabilitation in acute stroke. 2009 , 90, 1931-6	11
2144	Current concepts in vascular cognitive impairment and pharmacotherapeutic implications. 2009 , 43, 1310-23	15
2143	Tumour necrosis factor modulation for treatment of Alzheimer's disease: rationale and current evidence. 2009 , 23, 713-25	82
2142	Medication problems in older, newly diagnosed cancer patients in Canada: How common are they? A prospective pilot study. 2009 , 26, 519-36	56
2141	The utility of a brief memory screen in the diagnosis of mild memory impairment in the elderly: preliminary study. 2009 , 17, 437-40	7
2140	Testâ€¦test discourse performance of individuals with mild cognitive impairment. 2009 , 23, 940-950	7
2139	Relating one-year cognitive change in mild cognitive impairment to baseline MRI features. 2009 , 47, 1363-70	73
2138	Diagnosis advances in vascular cognitive impairment. 2009 , 23, 224-227	2
2137	Early onset dementia. 2009 , 84, 245-62	16
2136	Consensus criteria for the diagnosis of frontotemporal cognitive and behavioural syndromes in amyotrophic lateral sclerosis. 2009 , 10, 131-46	391
2135	The aging physician with cognitive impairment: approaches to oversight, prevention, and remediation. 2009 , 17, 445-54	25
2134	New-onset vascular mania in a patient with chronic depression. 2009 , 21, 480-2	1
2133	Detection of cognitive impairment and dementia using the animal fluency test: the DECIDE study. 2009 , 36, 599-604	21
2132	Rapid cognitive screening of patients with substance use disorders. 2009 , 17, 337-44	103
2131	Cognitive impairment predicts functional capacity in dementia-free patients with cardiovascular disease. 2010 , 25, 390-7	15
2130	MCI and dementia: diagnosis and treatment. 2010 , 23, 18, 21-2	2

2129	Selection bias introduced by neuropsychological assessments. 2010 , 37, 264-8	16
2128	Utility of a Computerised Cognitive Screen in MCI and Depression in an Older Population. 2010 , 16, 14-26	7
2127	Cognitive impairment among older adults with late-life schizophrenia or bipolar disorder. 2010 , 16, 135-52	2
2126	Neurocognitive assessment. 2010 , 16, 176-90	2
2125	Lack of association between the leptin receptor gene (LEPR) Gln223Arg polymorphism and late-onset Alzheimer disease. 2010 , 24, 101-3	5
2124	Self-administered Gerocognitive Examination (SAGE): a brief cognitive assessment Instrument for mild cognitive impairment (MCI) and early dementia. 2010 , 24, 64-71	69
2123	Does cognitive impairment predict poor self-care in patients with heart failure?. 2010 , 12, 508-15	198
2122	Screening cognitive performance with the Resident Assessment Instrument for Mental Health Cognitive Performance Scale. 2010 , 55, 736-40	51
2121	Task switching performance reveals heterogeneity amongst patients with mild cognitive impairment. 2010 , 24, 757-74	21
2120	Assessing the elderly psychiatric patient. 5-22	
2119	Vascular Cognitive Impairment. 2010 , 421-427	
2118	Mild cognitive impairment in clinical care: a survey of American Academy of Neurology members. 2010 , 75, 425-31	71
2117	Validation studies of the Portuguese experimental version of the Montreal Cognitive Assessment (MoCA): confirmatory factor analysis. 2010 , 257, 728-34	59
2116	Characteristics of older newly diagnosed cancer patients refusing cancer treatments. 2010 , 18, 969-74	25
2115	Application study of quick cognitive screening test in identifying mild cognitive impairment. 2010 , 26, 47-54	27
2114	[Applicability and validity of the Dutch version of the Montreal Cognitive Assessment (moCA-d) in diagnosing MCI]. 2010 , 41, 231-40	31
2113	Cognitive impairment in CKD: no longer an occult burden. 2010 , 56, 615-8	47
2112	Screening for medical disease--nervous system disorders. 2010 , 23, 158-71; quiz 172	2

2111	Program of rehabilitative exercise and education to avert vascular events after non-disabling stroke or transient ischemic attack (PREVENT Trial): a multi-centred, randomised controlled trial. 2010 , 10, 122	34
2110	Promotion of the mind through exercise (PROMoTE): a proof-of-concept randomized controlled trial of aerobic exercise training in older adults with vascular cognitive impairment. 2010 , 10, 14	45
2109	Brief cognitive screening instruments: an update. 2010 , 25, 111-20	295
2108	Pilot study of a three-step diagnostic pathway for young and old patients with Parkinson's disease dementia: screen, test and then diagnose. 2010 , 25, 258-65	19
2107	The Montreal Cognitive Assessment as a screening tool for cognitive dysfunction in Huntington's disease. 2010 , 25, 401-4	57
2106	Cognitive impairment and dementia in Parkinson's disease. 2010 , 25 Suppl 1, S110-6	25
2105	Association between cognition and function in patients with Parkinson disease with and without dementia. 2010 , 25, 1170-6	109
2104	The Montreal Cognitive Assessment: a screening tool for mild cognitive impairment in REM sleep behavior disorder. 2010 , 25, 936-40	53
2103	Increasing access to specialty care: a pilot, randomized controlled trial of telemedicine for Parkinson's disease. 2010 , 25, 1652-9	121
2102	Decreased ventral striatal activity with impulse control disorders in Parkinson's disease. 2010 , 25, 1660-9	117
2101	A comparison of two brief screening measures of cognitive impairment in Huntington's disease. 2010 , 25, 2229-33	37
2100	A recommended scale for cognitive screening in clinical trials of Parkinson's disease. 2010 , 25, 2501-7	124
2099	Does frailty predict hospitalization, emergency department visits, and visits to the general practitioner in older newly-diagnosed cancer patients? Results of a prospective pilot study. 2010 , 76, 142-51	31
2098	A discharge summary adapted to the frail elderly to ensure transfer of relevant information from the hospital to community settings: a model. 2010 , 10, 69	14
2097	EFNS guidelines for the diagnosis and management of Alzheimer's disease. 2010 , 17, 1236-48	329
2096	Simplifying detection of mild cognitive impairment subtypes. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 992-4	5.6 9
2095	Treating anemia to improve cognition. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 994; author reply 995	5.6 1
2094	Common genetic variation and performance on standardized cognitive tests. 2010 , 18, 815-20	80

2093	Brief screening tool for mild cognitive impairment in older Japanese: validation of the Japanese version of the Montreal Cognitive Assessment. 2010 , 10, 225-32	276
2092	Determinants of physical activity participation following traumatic brain injury. 2010 , 17, 360-369	22
2091	Delirious Patients. 2010 , 93-104	1
2090	Demented Patients. 2010 , 105-118	1
2089	Neurologic Signs in the Elderly. 2010 , 101-105	0
2088	Cognitive impairment after age 60: clinical and social correlates in the Faenza Project. 2010 , 21, 1325-34	19
2087	Sensitivity and Specificity of the Montreal Cognitive Assessment Modified for Individuals who are Visually Impaired. 2010 , 104, 360-368	100
2086	Neuropsychology in the Diagnosis and Treatment of Dementia. 2010 , 402-410	3
2085	A screening, prevention, and restoration model for saving the injured brain in intensive care unit survivors. 2010 , 38, S683-91	69
2084	Computer based cognitive training for patients with mild cognitive impairment (MCI). 2010 ,	16
2083	Beyond reversal: a critical role for human orbitofrontal cortex in flexible learning from probabilistic feedback. 2010 , 30, 16868-75	148
2082	Evaluation of dementia rating scales in Parkinson's disease dementia. 2010 , 25, 142-8	10
2081	The diagnostic accuracy of dementia-screening instruments with an administration time of 10 to 45 minutes for use in secondary care: a systematic review. 2010 , 25, 301-16	39
2080	Prediction of driving ability with neuropsychological tests: demographic adjustments diminish accuracy. 2010 , 16, 679-86	55
2079	Development and validation of the Memory Orientation Screening Test (MOST) A better screening test for dementia. 2010 , 25, 650-6	21
2078	Normative data for the pyramids and palm trees test in the Quebec-French population. 2010 , 25, 212-7	48
2077	Visual short-term memory binding deficits in familial Alzheimer's disease. 2010 , 133, 2702-13	173
2076	How does explicit prioritization alter walking during dual-task performance? Effects of age and sex on gait speed and variability. 2010 , 90, 177-86	192

2075	Lexical neighborhood density effects on spoken word recognition and production in healthy aging. 2010 , 65, 551-60	59
2074	Clinical utility of the mini-mental status examination when assessing decision-making capacity. 2010 , 23, 3-8	22
2073	The underdetection of cognitive impairment in nursing homes in the Dublin area. The need for on-going cognitive assessment. 2010 , 39, 128-31	35
2072	Utility of the NeuroTrax computerized battery for cognitive screening in Parkinson's disease: comparison with the MMSE and the MoCA. 2010 , 120, 538-43	20
2071	Bridging the gap in heart failure prevention: rationale and design of the Nurse-led Intervention for Less Chronic Heart Failure (NIL-CHF) Study. 2010 , 12, 82-8	13
2070	Comorbidities in Heart Failure. 2010 , 257-270	1
2069	Overcoming the barriers to the diagnosis of dementia. 2010 , 122, 105-11	2
2068	The MoCA: well-suited screen for cognitive impairment in Parkinson disease. 2010 , 75, 1717-25	546
2067	The evolving challenge of evaluating older renal transplant candidates. 2010 , 17, 358-67	17
2066	Screening and case finding tools for the detection of dementia. Part I: evidence-based meta-analysis of multidomain tests. 2010 , 18, 759-82	83
2065	Detecting frontotemporal dysfunction in ALS: utility of the ALS Cognitive Behavioral Screen (ALS-CBS). 2010 , 11, 303-11	139
2064	Assessment of Depression and Bereavement in Older Adults. 2010 , 3-43	8
2063	Altered resting state cortico-striatal connectivity in mild to moderate stage Parkinson's disease. 2010 , 4, 143	145
2062	Preliminary data on the validity and reliability of the Malay version of the NUCOG. 2010 , 3, 186-9	
2061	Compensation and disease severity on the memory-related activations in mild cognitive impairment. 2010 , 68, 894-902	85
2060	The Montreal Cognitive Assessment (MoCA) is superior to the Mini-Mental State Examination (MMSE) for the detection of vascular cognitive impairment after acute stroke. 2010 , 299, 15-8	288
2059	Breath holding index in detection of early cognitive decline. 2010 , 299, 116-9	16
2058	Predicting clinical scores from magnetic resonance scans in Alzheimer's disease. 2010 , 51, 1405-13	193

2057	Early detection of cognitive impairment: do screening tests help?. 2010 , 11, 1-6	13
2056	Age-related differences in interlingual priming: a behavioural and electrophysiological investigation. 2011 , 18, 22-55	5
2055	Underestimation of cognitive impairment by Mini-Mental State Examination versus the Montreal Cognitive Assessment in patients with transient ischemic attack and stroke: a population-based study. 2010 , 41, 1290-3	347
2054	Conceptual implicit memory impaired in amnesic mild cognitive impairment patient. 2010 , 484, 153-6	12
2053	On the selection of words and oral motor responses: evidence of a response-independent fronto-parietal network. 2010 , 46, 15-28	47
2052	Study design and rationale for the clinical outcomes of the STABILITY Trial (STabilization of Atherosclerotic plaque By Initiation of darapLadIb TherapY) comparing darapladib versus placebo in patients with coronary heart disease. 2010 , 160, 655-61	97
2051	Screening Instruments and Brief Batteries for Dementia. 2010 , 503-530	13
2050	Clinical Core of the Alzheimer's Disease Neuroimaging Initiative: progress and plans. 2010 , 6, 239-46	308
2049	Perispinal etanercept: a new therapeutic paradigm in neurology. 2010 , 10, 985-1002	48
2048	Occupational Therapy Discharge Assessment of Elderly Patients from Acute Care Hospitals. 2010 , 28, 33-43	29
2047	Investigational drugs for the treatment of AD: what can we learn from negative trials?. 2011 , 3, 14	4
2046	Older adults expend more listening effort than young adults recognizing audiovisual speech in noise. 2011 , 50, 786-92	74
2045	The time course of access to semantic information in high-performing older adults: behavioral evidence for the hemispheric asymmetry reduction in OLDER individuals. 2011 , 18, 452-70	3
2044	Virtual reality for gait training: can it induce motor learning to enhance complex walking and reduce fall risk in patients with Parkinson's disease?. 2011 , 66, 234-40	241
2043	Montreal cognitive assessment in detecting cognitive impairment in Chinese elderly individuals: a population-based study. 2011 , 24, 184-90	212
2042	Evaluating affective usability experiences of an exergaming platform for seniors. 2011 ,	15
2041	Évaluation neuropsychologique de sujets âgés en situation d'illettrisme : quel impact lors de la suspicion d'une maladie neurodégénérative?. 2011 , 11, 34-40	0
2040	Later-life depression and heart failure. 2011 , 7, 47-58	6

2039	Affective symptoms in early-onset dementia. 2011 , 29, 99-114, viii	5
2038	Defining neurocognitive disorders. 2011 , 19, 909-14	0
2037	Clinical practice. Mild cognitive impairment. 2011 , 364, 2227-34	783
2036	Prevention in psychiatry: effects of healthy lifestyle on cognition. 2011 , 34, 249-61	18
2035	Utility of the Amyotrophic Lateral Sclerosis Cognitive Behavioral Screen (ALS CBS) 2011 , 1, 473-479	4
2034	Montreal Cognitive Assessment (MoCA): normative study for the Portuguese population. 2011 , 33, 989-96	181
2033	rs5848 polymorphism and serum progranulin level. 2011 , 300, 28-32	64
2032	Emotion recognition impairment in Parkinson's disease patients without dementia. 2011 , 310, 237-40	36
2031	French translation and normation of the Parkinson Neuropsychometric Dementia Assessment (PANDA). 2011 , 310, 189-93	4
2030	Frontal subcortical ischemia is crucial for post stroke cognitive impairment. 2011 , 309, 92-5	30
2029	Patterns of cortical thickness and surface area in early Parkinson's disease. 2011 , 55, 462-7	133
2028	Identifying amnesic mild cognitive impairment in primary care: a feasibility study. 2011 , 31, 483-91	6
2027	Cognitive and psychiatric disturbances in Parkinson's disease. 2011 , 7, 123-142	5
2026	Rapid improvement of chronic stroke deficits after perispinal etanercept: three consecutive cases. 2011 , 25, 145-55	35
2025	Vascular contributions to cognitive impairment and dementia: a statement for healthcare professionals from the american heart association/american stroke association. 2011 , 42, 2672-713	2301
2024	Cognitive dysfunction in SLE: development of a screening tool. 2011 , 20, 1142-6	36
2023	Mattis Dementia Rating Scale 2: screening for MCI and dementia. 2011 , 26, 389-98	39
2022	Dementia and cognitive impairment in ESRD: diagnostic and therapeutic strategies. 2011 , 79, 14-22	190

2021 Encyclopedia of Clinical Neuropsychology. **2011**, 2384-2384

2020 Encyclopedia of Clinical Neuropsychology. **2011**, 2384-2384

2019 The Mini-Mental State Examination and Montreal Cognitive Assessment in persons with mild subacute stroke: relationship to functional outcome. **2011**, 92, 792-8 148

2018 Sertraline vs. ELectrical Current Therapy for Treating Depression Clinical Trial--SELECT TDCS: design, rationale and objectives. **2011**, 32, 90-8 51

2017 False recognition in Lewy-body disease and frontotemporal dementia. **2011**, 75, 111-8 6

2016 Effects of aging on habituation to novelty: an ERP study. **2011**, 79, 97-105 19

2015 Reasonable neuropsychological battery to identify mild cognitive impairment. **2011**, 76, 50-3 2

2014 Short-interval intracortical inhibition and manual dexterity in healthy aging. **2011**, 70, 408-14 52

2013 Cognitive Outcomes and Activity of Daily Living for Neurosurgical Patients with Intrinsic Brain Lesions: A 1-year Prevalence Study. **2011**, 21, 27-32 7

2012 Montreal Cognitive Assessment and Mini-Mental Status Examination compared as cognitive screening tools in heart failure. **2011**, 40, 521-9 53

2011 A clinical memory battery for screening for amnesic mild cognitive impairment in an elderly chinese population. **2011**, 18, 774-9 27

2010 Changes in functional status in older newly-diagnosed cancer patients during cancer treatment: A six-month follow-up period. Results of a prospective pilot study. **2011**, 2, 112-120 7

2009 A pilot study on frailty, health and functioning in older newly-diagnosed cancer patients, what have we learned?. **2011**, 2, 246-252 4

2008 Generation of novel semantic representations in aging and Alzheimer's disease. **2011**, 24, 293-303 2

2007 Partially reversible dementia associated with the use of para-dichlorobenzene in the case of pica. **2011**, 52, 283-5 4

2006 Assessing cognitive impairment following stroke. **2011**, 33, 945-53 12

2005 Reducing case ascertainment costs in U.S. population studies of Alzheimer's disease, dementia, and cognitive impairment-Part 2. **2011**, 7, 110-23 25

2004 The measurement of everyday cognition: development and validation of a short form of the Everyday Cognition scales. **2011**, 7, 593-601 73

2003	Commentary on "Recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease." A Canadian perspective. 2011 , 7, 330-2	29
2002	Introduction to the diagnosis of dementia. 1-5	
2001	Woman with gait impairment and difficulty reading. 229-237	
2000	HIV-associated neurocognitive disorders. 2011 , 17, 4	3
1999	A multidisciplinary stroke clinic for outpatient care of veterans with cerebrovascular disease. 2011 , 4, 111-8	4
1998	Subjective Perception of Visual Distortions or Scotomas in Individuals with Retinitis Pigmentosa. 2011 , 105, 50-55	
1997	Cognitive Impairment in Heart Failure. 2011 , 867-875	1
1996	Cognitive stimulation programs in healthy elderly: a review. 2011 , 2011, 378934	73
1995	Musical experience and the aging auditory system: implications for cognitive abilities and hearing speech in noise. 2011 , 6, e18082	175
1994	Diagnostic accuracy, effectiveness and cost for cognitive impairment and dementia screening of three short cognitive tests applicable to illiterates. 2011 , 6, e27069	35
1993	Fahr-type calcification and neuropsychiatric symptoms with M-proteinemia. 2011 , 23, E9-10	
1992	Age-related changes in short-interval intracortical facilitation and dexterity. 2011 , 22, 499-503	25
1991	Choice-option evaluation is preserved in early Huntington and Parkinson's disease. 2011 , 22, 753-7	9
1990	A review of recent advances in the neuropsychology of mild cognitive impairment(s) in Parkinson's disease and a proposal of preliminary research criteria. 2011 , 17, 393-406	38
1989	The Cognitive Assessment Battery (CAB): a rapid test of cognitive domains. 2011 , 23, 1144-51	24
1988	Development of a method for quantifying cognitive ability in the elderly through adaptive test administration. 2011 , 23, 1116-23	8
1987	Alternate but do not swim: a test for executive motor dysfunction in Parkinson disease. 2011 , 17, 702-8	3
1986	Is amnesic mild cognitive impairment a useful concept?. 2011 , 7, 107-122	11

1985	A perceptual discrimination task abnormally facilitates reflexive saccades in Parkinson's disease. 2011 , 33, 2091-100		15
1984	Neurocognitive impairment in Chinese patients with obstructive sleep apnoea hypopnoea syndrome. 2011 , 16, 842-8		28
1983	National survey of Canadian occupational therapists' assessment and treatment of cognitive impairment post-stroke. 2011 , 58, 241-50		30
1982	The use of neuropsychological tests across Europe: the need for a consensus in the use of assessment tools for dementia. 2011 , 18, 279-285		32
1981	Sustained-release recombinant human growth hormone improves body composition and quality of life in adults with somatopause. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 944-7	5.6	6
1980	A mild dementia knowledge transfer program to improve knowledge and confidence in primary care. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 942-4	5.6	4
1979	Assessment of older drivers in New Zealand: the current system, research and recommendations. 2011 , 30, 148-55		9
1978	Cognition in heart failure: an overview of the concepts and their measures. 2011 , 23, 577-85		46
1977	Four sensitive screening tools to detect cognitive dysfunction in geriatric emergency department patients: brief Alzheimer's Screen, Short Blessed Test, Ottawa 3DY, and the caregiver-completed AD8. 2011 , 18, 374-84		117
1976	Cognitive impairment in peritoneal dialysis patients. 2011 , 57, 612-20		111
1975	Spatial judgments in patients with retinitis pigmentosa. 2011 , 51, 165-73		6
1974	Montreal Cognitive Assessment in cryptogenic epilepsy patients with normal Mini-Mental State Examination scores. 2011 , 13, 375-81		28
1973	Screening for cognitive deficits using the Montreal cognitive assessment tool in outpatients ≥55 years of age with heart failure. 2011 , 107, 1203-7		91
1972	Cognitive impairment in chronic heart failure and the need for screening. 2011 , 107, 1547-8		21
1971	Exploring negative emotion in women experiencing intimate partner violence: shame, guilt, and PTSD. 2011 , 42, 740-50		116
1970	Lead (Pb) and the Risk of Alzheimer's disease or cognitive decline: A systematic review. 2011 , 30, 103-114		11
1969	Effect of age on dual-task performance in children and adults. 2011 , 39, 1241-52		30
1968	Genetic testing and Parkinson disease: assessment of patient knowledge, attitudes, and interest. 2011 , 20, 384-95		33

1967	Prospective comparison of two cognitive screening tests: diagnostic accuracy and correlation with community integration and quality of life. 2011 , 105, 337-44	36
1966	Prospective comparison of the prognostic utility of the Mini Mental State Examination and the Montreal Cognitive Assessment in patients with brain metastases. 2011 , 19, 1849-55	40
1965	Loss of callosal fibre integrity in healthy elderly with age-related white matter changes. 2011 , 258, 1451-9	17
1964	New clinical findings in the fragile X-associated tremor ataxia syndrome (FXTAS). 2011 , 12, 123-35	56
1963	Dementia in Parkinson's disease. 2011 , 13, 242-54	21
1962	A Practical Guide to Conducting VA Compensation and Pension Exams for PTSD and Other Mental Disorders. 2011 , 4, 187-216	32
1961	Nutritional status in older adults with mild cognitive impairment living in elderly homes in Cairo, Egypt. 2011 , 15, 104-8	32
1960	Post-discharge management following hip fracture--get you back to B4: a parallel group, randomized controlled trial study protocol. 2011 , 11, 30	15
1959	The effect of testosterone and a nutritional supplement on hospital admissions in under-nourished, older people. 2011 , 11, 66	9
1958	Study protocol for the recreational stimulation for elders as a vehicle to resolve delirium superimposed on dementia (Reserve For DSD) trial. 2011 , 12, 119	13
1957	Twice-daily, low-dose pramipexole in early Parkinson's disease: a randomized, placebo-controlled trial. 2011 , 26, 37-44	32
1956	Cognitive impairment in nondemented Parkinson's disease. 2011 , 26, 2483-95	95
1955	Olfaction and color vision identify impending neurodegeneration in rapid eye movement sleep behavior disorder. 2011 , 69, 811-8	187
1954	Noninvasive quantification of ascorbate and glutathione concentration in the elderly human brain. 2011 , 24, 888-94	74
1953	Optimizing the CAMCOG test in the screening for mild cognitive impairment and incipient dementia: saving time with relevant domains. 2011 , 26, 403-8	14
1952	The Six-Item Screener and AD8 for the detection of cognitive impairment in geriatric emergency department patients. 2011 , 57, 653-61	109
1951	Are frailty markers useful for predicting treatment toxicity and mortality in older newly diagnosed cancer patients? Results from a prospective pilot study. 2011 , 78, 138-49	88
1950	The chinese (cantonese) montreal cognitive assessment in patients with subcortical ischemic vascular dementia. 2011 , 1, 276-82	8

1949	Arterial spin labelling reveals an abnormal cerebral perfusion pattern in Parkinson's disease. 2011 , 134, 845-55	134
1948	The Philadelphia Brief Assessment of Cognition (PBAC): a validated screening measure for dementia. 2011 , 25, 1314-30	36
1947	The WHICH? trial: rationale and design of a pragmatic randomized, multicentre comparison of home- vs. clinic-based management of chronic heart failure patients. 2011 , 13, 909-16	30
1946	Identification of mild cognitive impairments in cancer survivors. 2011 , 25, 26-37	5
1945	Psychometric evaluation of the Montreal Cognitive Assessment (MoCA) in three diverse samples. 2011 , 25, 119-26	69
1944	Transient insight induction with electroconvulsive therapy in a patient with refractory schizophrenia: a case report and systematic literature review. 2011 , 27, 247-50	4
1943	Estrogen shapes dopamine-dependent cognitive processes: implications for women's health. 2011 , 31, 5286-93	249
1942	Cognitive performance in asymptomatic patients with advanced carotid disease. 2011 , 24, 145-51	34
1941	Neuroimaging signatures and cognitive correlates of the montreal cognitive assessment screen in a nonclinical elderly sample. 2011 , 26, 454-60	42
1940	Potential placebo effect in assessing idiopathic normal pressure hydrocephalus. 2011 , 114, 1428-31	16
1939	Validity of the montreal cognitive assessment (MoCA) as a screening test for mild cognitive impairment (MCI) in a cardiovascular population. 2011 , 24, 33-8	134
1938	Older adults expend more listening effort than young adults recognizing speech in noise. 2011 , 54, 944-58	139
1937	Transient ischaemic attack, vascular risk factors and cognitive impairment: a case-controlled study. 2011 , 40, 641-4	16
1936	Improving precision in the quantification of cognition using the Montreal Cognitive Assessment and the Mini-Mental State Examination. 2011 , 23, 1107-15	20
1935	The Montreal Cognitive Assessment and the mini-mental state examination as screening instruments for cognitive impairment: item analyses and threshold scores. 2011 , 31, 126-31	161
1934	Clock drawing in the Montreal Cognitive Assessment: recommendations for dementia assessment. 2011 , 31, 179-87	49
1933	Validity of the Mattis Dementia Rating Scale to detect mild cognitive impairment in Parkinson's disease and REM sleep behavior disorder. 2011 , 31, 210-7	41
1932	The Montreal Cognitive Assessment (MoCA) in geriatric rehabilitation: psychometric properties and association with rehabilitation outcomes. 2011 , 23, 1582-91	37

1931	The evaluation of rapidly progressive dementia. 2011 , 17, 67-74	42
1930	A systematic review of the combined use of electroconvulsive therapy and psychotherapy for depression. 2011 , 27, 236-43	18
1929	Comparison of centre and home-based health assessments: early experience from the Irish Longitudinal Study on Ageing (TILDA). 2011 , 40, 85-90	24
1928	Finances in the older patient with cognitive impairment: "He didn't want me to take over". 2011 , 305, 698-706	86
1927	Mild impairment of cognition impacts on activity participation after stroke in a community-dwelling Australian cohort. 2011 , 31, S8-S15	13
1926	Proactive approach in detecting elderly subjects with cognitive decline in general practitioners' practices. 2011 , 1, 93-102	11
1925	The Structured Interview & Scoring Tool-Massachusetts Alzheimer's Disease Research Center (SIST-M): development, reliability, and cross-sectional validation of a brief structured clinical dementia rating interview. 2011 , 68, 343-50	8
1924	Sulcal morphology differences between mild cognitive impairment patients and normal elderly subjects. 2011 ,	
1923	The unrecognized psychosocial factors contributing to bleeding risk in warfarin therapy. 2011 , 42, 2866-71	26
1922	The montreal cognitive assessment: short cognitive evaluation in a large stroke trial. 2011 , 42, 2642-4	69
1921	Cognitive health in older adults. 2011 , 36, 24-34; quiz 34-5	13
1920	Ventromedial frontal lobe damage disrupts value maximization in humans. 2011 , 31, 7527-32	152
1919	Utility and limitations of Addenbrooke's Cognitive Examination-Revised for detecting mild cognitive impairment in Parkinson's disease. 2011 , 31, 349-57	25
1918	Huntington's disease. 2011 , 100, 15-24	11
1917	Normative data for the Montreal Cognitive Assessment (MoCA) in a population-based sample. 2011 , 77, 1272-5	437
1916	Is the Montreal Cognitive Assessment superior to the Mini-Mental State Examination to detect poststroke cognitive impairment? A study with neuropsychological evaluation. 2011 , 42, 1712-6	217
1915	'Stand still ... , and move on', a new early intervention service for cardiac arrest survivors and their caregivers: rationale and description of the intervention. 2011 , 25, 867-79	27
1914	Effects of perceptual and contextual enrichment on visual confrontation naming in adult aging. 2011 , 54, 1349-60	7

1913	Evaluation of apparent diffusion coefficient mappings in amnesic mild cognitive impairment using an image analysis software brain search. 2011 , 52, 1147-54	10
1912	Falls-related self-efficacy is independently associated with quality-adjusted life years in older women. 2011 , 40, 340-6	19
1911	Transient cognitive impairment in TIA and minor stroke. 2011 , 42, 3116-21	88
1910	Compensatory stepping responses in individuals with stroke: a pilot study. 2011 , 27, 299-309	46
1909	Potential of robots as next-generation technology for clinical assessment of neurological disorders and upper-limb therapy. 2011 , 48, 335-53	119
1908	Mental health assessment in rehabilitation research. 2012 , 49, 121-38	9
1907	Gender based variation in cognitive functions in adolescent subjects. 2012 , 19, 165-8	3
1906	Effect of Lateralization on Motor and Mental Speed in Bipolar Disorder. 2012 , 22, 297-306	4
1905	Brief Memory and Executive Test: evaluation of a new screening test for cognitive impairment due to small vessel disease. 2012 , 41, 212-8	27
1904	Assessing the relationship between physical fitness activities, cognitive health, and quality of life among older cancer survivors. 2012 , 30, 556-72	25
1903	Psychiatric rating scales. 2012 , 106, 227-37	33
1902	Comparison of the quick mild cognitive impairment (Qmci) screen and the SMMSE in screening for mild cognitive impairment. 2012 , 41, 624-9	81
1901	The interaction of postural and voluntary strategies for stability in Parkinson's disease. 2012 , 108, 1244-52	16
1900	My belief or yours? Differential theory of mind deficits in frontotemporal dementia and Alzheimer's disease. 2012 , 135, 3026-38	101
1899	Preliminary normative neuropsychological data for an elderly chinese population. 2012 , 26, 321-34	26
1898	Investigating interruptions in the context of computerised cognitive testing for older adults. 2012 ,	5
1897	Robotic assessment of sensorimotor deficits after traumatic brain injury. 2012 , 36, 58-67	55
1896	Prevalence of mild cognitive impairment among older adults living in Mansoura city, Egypt. 2012 , 19, 3-7	3

1895	Can individuals participating in cardiac rehabilitation achieve recommended exercise training levels following stroke?. 2012 , 32, 127-34	13
1894	Assessment Tools for Geriatric Patients With Delirium, Mild Cognitive Impairment, Dementia, and Depression. 2012 , 28, 137-147	1
1893	The impact of inflammation on cognitive function in older adults: implications for healthcare practice and research. 2012 , 44, 206-17	133
1892	The Coin-in-the-Hand Test and dementia: more evidence for a screening test for neurocognitive symptom exaggeration. 2012 , 25, 139-43	13
1891	Motor symptoms at onset of Parkinson disease and risk for cognitive impairment and depression. 2012 , 25, 115-20	14
1890	Resistance training promotes cognitive and functional brain plasticity in seniors with probable mild cognitive impairment. 2012 , 172, 666-8	228
1889	Lower cognitive performance in healthy G2019S LRRK2 mutation carriers. 2012 , 79, 1027-32	55
1888	The estimation of premorbid intelligence levels among Portuguese speakers: the Irregular Word Reading Test (TeLPI). 2012 , 27, 58-68	26
1887	Is the montreal cognitive assessment superior to the mini-mental state examination in detecting subtle cognitive impairment among middle-aged outpatient U.S. Military veterans?. 2012 , 27, 742-8	14
1886	Validation of the Hebrew version of the MoCA test as a screening instrument for the early detection of mild cognitive impairment in elderly individuals. 2012 , 25, 155-61	42
1885	Are you upset? Distinct roles for orbitofrontal and lateral prefrontal cortex in detecting and distinguishing facial expressions of emotion. 2012 , 22, 2904-12	65
1884	Clinical characteristics of multiple sclerosis in Kuwait: data from the new MS registry of Amiri Hospital. 2012 , 122, 82-7	11
1883	The Informant Questionnaire on Cognitive Decline in the Elderly individuals in screening mild cognitive impairment with or without functional impairment. 2012 , 25, 227-32	27
1882	The adult respiratory distress syndrome cognitive outcomes study: long-term neuropsychological function in survivors of acute lung injury. 2012 , 185, 1307-15	358
1881	MoCA, ACE-R, and MMSE versus the National Institute of Neurological Disorders and Stroke-Canadian Stroke Network Vascular Cognitive Impairment Harmonization Standards Neuropsychological Battery after TIA and stroke. 2012 , 43, 464-9	256
1880	What are the symbols of Alzheimer? A permutation entropy based symbolic analysis for the detection of early changes of the electroencephalographic complexity due to mild Alzheimer. 2012 ,	
1879	Lexicality Effects in Word and Nonword Recall of Semantic Dementia and Progressive Nonfluent Aphasia. 2012 , 26, 404-427	6
1878	The Montreal Cognitive Assessment is superior to the Mini-Mental State Examination in detecting patients at higher risk of dementia. 2012 , 24, 1749-55	106

1877	Construct Validity of the Montreal Cognitive Assessment (MoCA). 2012 , 18, 242-50	87
1876	Montreal Cognitive Assessment (MoCA): validation study for vascular dementia. 2012 , 18, 1031-40	72
1875	A systematic review of screening tools for predicting the development of dementia. 2012 , 31, 295-311	30
1874	White matter dementia. 2012 , 5, 267-77	24
1873	Montreal Cognitive Assessment: influence of sociodemographic and health variables. 2012 , 27, 165-75	73
1872	Cerebral embolization during transcatheter aortic valve implantation: a transcranial Doppler study. 2012 , 126, 1245-55	231
1871	Psychosis in a patient with silent vascular brain lesions. 2012 , 24, E20-1	2
1870	Combine wireless sensor network and multimedia technologies for cognitive function assessment. 2012 ,	3
1869	Assessment scales in dementia. 2012 , 5, 349-58	170
1868	A retrospective analysis of the sentence writing component of the Mini Mental State Examination: cognitive and affective aspects. 2012 , 33, 125-31	4
1867	Alternate-form reliability of the Montreal cognitive assessment screening test in a clinical setting. 2012 , 33, 379-84	72
1866	Quality of life after stroke: evaluation of the Greek SAQOL-39g. 2012 , 64, 179-86	23
1865	A randomized controlled trial of an enhanced interdisciplinary community based group program for people with Parkinson's disease: study rationale and protocol. 2012 , 4, e3	7
1864	Predictors of adherence to a structured exercise program and physical activity participation in community dwellers after stroke. 2012 , 2012, 136525	22
1863	Gerontechnology: providing a helping hand when caring for cognitively impaired older adults-intermediate results from a controlled study on the satisfaction and acceptance of informal caregivers. 2012 , 2012, 401705	17
1862	Advanced asymptomatic carotid disease and cognitive impairment: an understated link?. 2012 , 2012, 981416	7
1861	Differences in cognitive profile between TIA, stroke and elderly memory research subjects: a comparison of the MMSE and MoCA. 2012 , 34, 48-54	79
1860	Leptin and cognition. 2012 , 33, 410-5	19

1859	Clinical validity of the Mattis Dementia Rating Scale-2 in Parkinson disease with MCI and dementia. 2012 , 25, 100-6	40
1858	Effects of cognitive impairment on substance abuse treatment attendance: predictive validation of a brief cognitive screening measure. 2012 , 38, 246-50	42
1857	Dissecting the effects of disease and treatment on impulsivity in Parkinson's disease. 2012 , 18, 942-51	13
1856	A Preliminary Comparison of Three Cognitive Screening Instruments in Long Term Care: The MMSE, SLUMS, and MoCA. 2012 , 35, 57-75	28
1855	Roles of Education and IQ in Cognitive Reserve in Parkinson's Disease-Mild Cognitive Impairment. 2012 , 2, 343-52	30
1854	Screening for very mild subcortical vascular dementia patients aged 75 and above using the montreal cognitive assessment and mini-mental state examination in a community: the kurihara project. 2012 , 2, 503-15	23
1853	Structural neuroimaging of concomitant depressive symptoms in amnesic mild cognitive impairment: a pilot study. 2012 , 2, 573-88	8
1852	Adherence to Canadian Best Practice Recommendations for Stroke Care: vascular cognitive impairment screening and assessment practices in an Ontario inpatient stroke rehabilitation facility. 2012 , 19, 141-8	12
1851	A case-control study examining whether neurological deficits and PTSD in combat veterans are related to episodes of mild TBI. 2012 , 2, e000312	43
1850	A novel, multidisciplinary clinic for complex visual problems in older people. 2012 , 26, 1536-41	4
1849	Senior adult oncology. 2012 , 10, 162-209	85
1848	Mild cognitive impairment in moderate to severe COPD: a preliminary study. 2012 , 142, 1516-1523	113
1847	Electroconvulsive Therapy (ECT):. 73-78	
1846	Aging in correctional custody: setting a policy agenda for older prisoner health care. 2012 , 102, 1475-81	128
1845	Pulse pressure and mild cognitive impairment. 2012 , 13, 735-40	15
1844	Route repetition and route retracing: effects of cognitive aging. 2012 , 4, 7	59
1843	Psychometrics of the Montreal Cognitive Assessment (MoCA) and its subscales: validation of the Taiwanese version of the MoCA and an item response theory analysis. 2012 , 24, 651-8	126
1842	Common carotid flow velocity is associated with cognition in older adults. 2012 , 39, 502-7	9

1841	HIV-associated neurocognitive disorders (HAND) in a South Asian population - contextual application of the 2007 criteria. 2012 , 2, e000662		37
1840	Motor versus cognitive dualtask effects on obstacle negotiation in older adults. 2012 , 19, 200-207		6
1839	The different roles of perceived stress in the association between older adults' physical activity and physical health. 2012 , 31, 164-71		30
1838	Carotid artery disease and cognitive impairment. 2012 , 322, 107-11		35
1837	Association between timed up-and-go and memory, executive function, and processing speed. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1681-6	5.6	96
1836	Health comorbidities and cognition in 1948 patients with idiopathic Parkinson's disease. 2012 , 18, 1073-8		23
1835	Development and validation of the short form of the Brief Cognitive Assessment Tool (BCAT-SF). 2012 , 16, 1065-71		17
1834	Alzheimer's Disease. 2012 , 865-880		1
1833	P.6.a.009 MTHFR polymorphisms and serum homocysteine levels in Korean patients with alcohol dependence. 2012 , 22, S393-S394		
1832	P.6.a.010 Cognitive disorders among alcoholics: relevance of the Montreal Cognitive Assessment. 2012 , 22, S394		
1831	P.6.b.001 The acute effects of ethanol and acetaldehyde on physiological responses after ethanol ingestion in young healthy men. 2012 , 22, S394-S395		
1830	Antithyroid antibodies, cognition and instrumental activities of daily living in the elderly. 2012 , 27, 1317-8		4
1829	Bilateral subthalamic nucleus stimulation for generalized dystonia after bilateral pallidotomy. 2012 , 27, 1559-63		32
1828	Examining the relationship between specific cognitive processes and falls risk in older adults: a systematic review. 2012 , 23, 2409-24		78
1827	Functional consequences of a section of the anterior part of the body of the corpus callosum: evidence from an interhemispheric transcallosal approach. 2012 , 259, 1860-7		27
1826	A homopolymer polymorphism in the TOMM40 gene contributes to cognitive performance in aging. 2012 , 8, 381-8		41
1825	Re: Leisure activities and cognitive function in elderly community-dwelling individuals in Japan: A 5-year prospective cohort study. Hajime Iwasa, Yuko Yoshida, Ichiro Kai, Takao Suzuki, Hunkyung Kim, Hideyo Yoshida. <i>Journal of Psychosomatic Research</i> 72 (2012) 159-164. 2012 , 73, 240; author reply 241		
1824	The kidney disease quality of life cognitive function subscale and cognitive performance in maintenance hemodialysis patients. 2012 , 60, 417-26		35

1823	Palliative care for advanced Parkinson disease: an interdisciplinary clinic and new scale, the ESAS-PD. 2012 , 18 Suppl 3, S6-9	74
1822	Music-based memory enhancement in Alzheimer's disease: promise and limitations. 2012 , 50, 3295-303	51
1821	Evaluaci3n y diagn3stico del deterioro cognitivo leve. 2012 , 32, 47-56	6
1820	Using eye movement measures to investigate effects of age on memory for objects in a scene. 2012 , 20, 629-37	2
1819	Targeted intervention improves knowledge but not self-care or readmissions in heart failure patients with mild cognitive impairment. 2012 , 14, 1041-9	69
1818	Screening utility of the Montreal Cognitive Assessment (MoCA): in place of--or as well as--the MMSE?. 2012 , 24, 391-6	156
1817	Differences in social participation between individuals who do and do not attend brain injury drop-in centres: a preliminary study. 2012 , 26, 83-94	7
1816	Profiles of cognitive subtest impairment in the Montreal Cognitive Assessment (MoCA) in a research cohort with normal Mini-Mental State Examination (MMSE) scores. 2012 , 34, 750-7	62
1815	The Brief Cognitive Assessment Tool (BCAT): a new test emphasizing contextual memory, executive functions, attentional capacity, and the prediction of instrumental activities of daily living. 2012 , 34, 183-94	41
1814	Incidence and risk factors of cognitive impairment 3 months after first-ever stroke: a cross-sectional study of 5 geographic areas of China. 2012 , 32, 906-911	12
1813	Evidence of carry-over in memory test batteries using RBANS and screening measures. 2012 , 19, 38-41	2
1812	A comparison of screening tools for the assessment of mild cognitive impairment: preliminary findings. 2012 , 18, 336-51	31
1811	Ageing and bilingualism: absence of a "bilingual advantage" in stroop interference in a nonimmigrant sample. 2012 , 65, 356-69	111
1810	Medication management and neuropsychological performance in Parkinson's disease. 2012 , 26, 45-58	30
1809	[Hashimoto's encephalopathy]. 2012 , 33, 390-5	4
1808	A training program to improve gait while dual tasking in patients with Parkinson's disease: a pilot study. 2012 , 93, 176-81	94
1807	Dual-task complexity affects gait in people with mild cognitive impairment: the interplay between gait variability, dual tasking, and risk of falls. 2012 , 93, 293-9	229
1806	Exploring the potential to remain "Young @ Heart": initial findings of a multi-centre, randomised study of nurse-led, home-based intervention in a hybrid health care system. 2012 , 154, 52-8	11

1805	Role of older adult's illness schemata in coping with mild cognitive impairment. 2012 , 72, 357-63	13
1804	L-DOPA changes ventral striatum recruitment during motor sequence learning in Parkinson's disease. 2012 , 230, 116-24	32
1803	Evaluating transdiagnostic treatment for distress and impairment in veterans: a multi-site randomized controlled trial of Acceptance and Commitment Therapy. 2012 , 33, 116-23	32
1802	Cognitive impairment in non-neuropsychiatric systemic lupus erythematosus. 2012 , 34, 67-73	7
1801	Gait assessment in mild cognitive impairment and Alzheimer's disease: the effect of dual-task challenges across the cognitive spectrum. 2012 , 35, 96-100	203
1800	Effects of explicit prioritization on dual task walking in patients with Parkinson's disease. 2012 , 35, 641-6	51
1799	Aging affects neural precision of speech encoding. 2012 , 32, 14156-64	255
1798	Concord grape juice supplementation and neurocognitive function in human aging. 2012 , 60, 5736-42	162
1797	Reducing perceptual interference improves visual discrimination in mild cognitive impairment: implications for a model of perirhinal cortex function. 2012 , 22, 1990-9	32
1796	Olfactory dysfunction in fragile X tremor ataxia syndrome. 2012 , 27, 1556-9	13
1795	Dopamine transporter imaging is associated with long-term outcomes in Parkinson's disease. 2012 , 27, 1392-7	94
1794	Memory and Executive Screening (MES): a brief cognitive test for detecting mild cognitive impairment. 2012 , 12, 119	34
1793	Training dual-task walking in community-dwelling adults within 1 year of stroke: a protocol for a single-blind randomized controlled trial. 2012 , 12, 129	27
1792	The overall impairment of core executive function components in patients with amnesic mild cognitive impairment: a cross-sectional study. 2012 , 12, 138	52
1791	Associations between a neurophysiological marker of central cholinergic activity and cognitive functions in young and older adults. 2012 , 8, 17	32
1790	The AgeWell study of behavior change to promote health and wellbeing in later life: study protocol for a randomized controlled trial. 2012 , 13, 115	21
1789	Use of cognitive enhancers for mild cognitive impairment: protocol for a systematic review and network meta-analysis. 2012 , 1, 25	15
1788	Reduced striatal volumes in Parkinson's disease: a magnetic resonance imaging study. 2012 , 1, 17	58

1787	The profile of executive functioning in amnesic mild cognitive impairment: disproportionate deficits in inhibitory control. 2012 , 18, 541-55	76
1786	Geriatric assessment for the nephrologist. 2012 , 25, 623-7	8
1785	Characterizing a neurodegenerative syndrome: primary progressive apraxia of speech. 2012 , 135, 1522-36	253
1784	A new frontier in spaced retrieval memory training for persons with Alzheimer's disease. 2012 , 22, 329-61	31
1783	"Blue is music to my ears": multimodal synesthesias after a thalamic stroke. 2012 , 18, 318-22	14
1782	Effect of Western medicine therapy assisted by Ginkgo biloba tablet on vascular cognitive impairment of none dementia. 2012 , 5, 661-4	20
1781	The effect of HMG-CoA reductase inhibitors on cognition in patients with Alzheimer's dementia: a prospective withdrawal and rechallenge pilot study. 2012 , 10, 296-302	47
1780	On the safety and benefits of repeated intravenous injections of ketamine for depression. 2012 , 72, e11-2	48
1779	The impact of aging on gray matter structural covariance networks. 2012 , 63, 754-9	89
1778	FOTOTRANS Study. Multicentre study on the validity of Fototest under clinical practice conditions. 2012 , 27, 68-75	0
1777	Mini-Mental State Examination versus Montreal Cognitive Assessment: rapid assessment tools for cognitive and functional outcome after aneurysmal subarachnoid hemorrhage. 2012 , 316, 137-40	87
1776	Cutting a long story short: reaction times in acute stroke are associated with longer term cognitive outcomes. 2012 , 322, 102-6	23
1775	Gender differences in motor and non-motor symptoms among Sardinian patients with Parkinson's disease. 2012 , 323, 33-9	88
1774	Changes in cerebral hemodynamic and cognitive parameters after external carotid-internal carotid bypass surgery in patients with severe steno-occlusive disease: a pilot study. 2012 , 322, 112-6	17
1773	A pilot study of psychometric properties of the Beijing version of Montreal Cognitive Assessment in patients with idiopathic Parkinson's disease in China. 2012 , 19, 1497-500	33
1772	Vascular Dementia. 2012 , 895-901	
1771	Geriatric conditions in heart failure. 2012 , 6, 404-410	35
1770	Mild Cognitive Impairment. 2012 , 55, 464-467	3

1769	Évaluation des procédures diagnostiques de la maladie d'Alzheimer : une revue systématique des méta-analyses. 2012 , 4, 330-344	1
1768	The influence of motor and cognitive impairment upon visually-guided saccades in Parkinson's disease. 2012 , 50, 3338-47	41
1767	Clinical application of the Polish adaptation of the Montreal Cognitive Assessment (MoCA) test in screening for cognitive impairment. 2012 , 46, 130-9	35
1766	Comment examiner la mémoire en pratique médicale courante ?. 2012 , 3, 32-39	1
1765	Montreal Cognitive Assessment (MoCA): validation study for frontotemporal dementia. 2012 , 25, 146-54	49
1764	Stress Proof the Heart. 2012 ,	4
1763	Hypertension and mild cognitive impairment. 2012 , 14, 548-55	32
1762	Extrastriatal dopaminergic abnormalities of DA homeostasis in Parkinson's patients with medication-induced pathological gambling: a [11C] FLB-457 and PET study. 2012 , 48, 519-25	101
1761	OPTIMIZING DIAGNOSIS AND MANAGEMENT IN MILD-TO-MODERATE ALZHEIMER'S DISEASE. 2012 , 2, 291-304	9
1760	Cognitive functioning in persons with lower limb amputations: a review. 2012 , 34, 1950-64	36
1759	Keeping your balance while balancing a cylinder: interaction between postural and voluntary goals. 2012 , 223, 79-87	6
1758	Effects of magnitude and magnitude predictability of postural perturbations on preparatory cortical activity in older adults with and without Parkinson's disease. 2012 , 222, 455-70	32
1757	Prevalence of psychological distress and mental disorders, and use of mental health services in the epidemiological catchment area of Montreal South-West. 2012 , 12, 183	55
1756	The Beijing version of the Montreal Cognitive Assessment as a brief screening tool for mild cognitive impairment: a community-based study. 2012 , 12, 156	177
1755	Selective TNF inhibition for chronic stroke and traumatic brain injury: an observational study involving 629 consecutive patients treated with perispinal etanercept. 2012 , 26, 1051-70	97
1754	Efficacy and safety of venous angioplasty of the extracranial veins for multiple sclerosis. Brave dreams study (brain venous drainage exploited against multiple sclerosis): study protocol for a randomized controlled trial. 2012 , 13, 183	13
1753	Aging, eye movements, and object-location memory. 2012 , 7, e33485	27
1752	Short-term delayed recall of auditory verbal learning test is equivalent to long-term delayed recall for identifying amnesic mild cognitive impairment. 2012 , 7, e51157	75

1751	Posterior cingulum white matter disruption and its associations with verbal memory and stroke risk in mild cognitive impairment. 2012 , 29, 589-603	56
1750	Effects of anosognosia on perceived stress and cortisol levels in Alzheimer's disease. 2012 , 2012, 209570	14
1749	Chinese-language montreal cognitive assessment for cantonese or mandarin speakers: age, education, and gender effects. 2012 , 2012, 204623	35
1748	Risk and Determinants of Dementia in Patients with Mild Cognitive Impairment and Brain Subcortical Vascular Changes: A Study of Clinical, Neuroimaging, and Biological Markers-The VMCI-Tuscany Study: Rationale, Design, and Methodology. 2012 , 2012, 608013	22
1747	Are verbal fluency and nonliteral language comprehension deficits related to depressive symptoms in Parkinson's disease?. 2012 , 2012, 308501	6
1746	Poststroke dementia. 245-254	
1745	Cognitive function and carotid stenosis: Review of the literature. 2012 , 6, 127-130	10
1744	Characterizing healthy samples for studies of human cognitive aging. 2012 , 4, 23	7
1743	High cognitive reserve is associated with a reduced age-related deficit in spatial conflict resolution. 2012 , 6, 327	25
1742	L-DOPA changes spontaneous low-frequency BOLD signal oscillations in Parkinson's disease: a resting state fMRI study. 2012 , 6, 52	61
1741	Evidence-based pharmacotherapy of Alzheimer's disease. 262-277	
1740	Translation, cultural adaptation and psychometric evaluation of the Legan's cognitive test in a low educated elderly Brazilian population. 2012 , 70, 22-7	33
1739	Cerebellar degeneration associated with Sjögren's syndrome. 2012 , 8, 155-9	22
1738	Assessment. 2012 , 39-50	3
1737	Clinical, methodological and theoretical issues in the assessment of cognition after anaesthesia and surgery: a review. 2012 , 29, 409-22	28
1736	The association between mild cognitive impairment and self-care activity in community dwelling adult patients who have a diagnosis of chronic heart failure: a systematic review. 2012 , 10, 1-15	
1735	The role of suboptimal home-measured blood pressure control for cognitive decline. 2012 , 2, 112-9	4
1734	[Early evaluation of Alzheimer's disease: biomarkers and neuropsychological tests]. 2012 , 140, 1191-200	2

1733	Correlation between moca and mmse for the assessment of cognition in schizophrenia. 2012 , 20, 186-9	40
1732	Emotional state affects gait initiation in individuals with Parkinson's disease. 2012 , 12, 207-19	28
1731	Cognitive Assessment. 2012 , 15-65	
1730	Brain metabolite alterations and cognitive dysfunction in early Huntington's disease. 2012 , 27, 895-902	53
1729	Changes on brief cognitive instruments over time in Parkinson's disease. 2012 , 27, 1125-8	51
1728	Subtle cognitive impairment in elders with Mini-Mental State Examination scores within the 'normal' range. 2012 , 27, 463-71	24
1727	Diagnostic accuracy of a new instrument for detecting cognitive dysfunction. 2012 , 27, 914-23	2
1726	Determining an appropriate cutting score for indication of impairment on the Montreal Cognitive Assessment. 2012 , 27, 1189-94	86
1725	Ageing effects on path integration and landmark navigation. 2012 , 22, 1770-80	72
1724	Autobiographical memory in mild cognitive impairment and Alzheimer's disease: a comparison between the Levine and Kopelman interview methodologies. 2012 , 22, 1809-25	76
1723	Symptoms of rapid eye movement sleep behavior disorder are associated with cholinergic denervation in Parkinson disease. 2012 , 71, 560-8	170
1722	[Advances in the diagnostics of Alzheimer's disease]. 2012 , 83, 661-73	6
1721	Impaired savings despite intact initial learning of motor adaptation in Parkinson's disease. 2012 , 218, 295-304	40
1720	Quantitative multivoxel proton MR spectroscopy study of brain metabolites in patients with amnesic mild cognitive impairment: a pilot study. 2012 , 54, 451-8	23
1719	Effects of dual tasking on the postural performance of people with and without multiple sclerosis: a pilot study. 2012 , 259, 1166-76	46
1718	Finding dementia in primary care: the results of a clinical demonstration project. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 210-7	5.6 42
1717	Levodopa influences striatal activity but does not affect cortical hyper-activity in Parkinson's disease. 2012 , 35, 572-83	24
1716	Conflict monitoring and resolution: are two languages better than one? Evidence from reaction time and event-related brain potentials. 2012 , 1446, 71-90	116

1715	Acute hospital use, nursing home placement, and mortality in a frail community-dwelling cohort managed with Primary Integrated Interdisciplinary Elder Care at Home. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1340-6	5.6	41
1714	Factors associated with prolonged hospital stay in a geriatric ward of a university hospital in Japan. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1190-1	5.6	9
1713	Baseline instrumental activities of daily living and incident dementia. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1189-90	5.6	5
1712	Associations between cytomegalovirus infection, comorbidity, quality of life, and functional impairment in older people. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1387-9; author reply 1389	5.6	4
1711	Body mass index and cognition. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1386-7	5.6	1
1710	Depression in the elderly: A review and update. 2012 , 4, 160-167		16
1709	Translating the use of an enriched environment poststroke from bench to bedside: study design and protocol used to test the feasibility of environmental enrichment on stroke patients in rehabilitation. 2012 , 7, 521-6		38
1708	Assessment of additional endpoints for trials in acute stroke - what, when, where, in who?. 2012 , 7, 227-30		25
1707	[FOTOTRANS study: multicentre study on the validity of Fototest under clinical practice conditions]. 2012 , 27, 68-75		18
1706	Carotid endarterectomy protects elderly patients from cognitive decline: a prospective study. 2012 , 151, 99-106		40
1705	Dementia in multiple sclerosis: report of a case with cortical gray matter involvement and frontotemporal-like clinical features. 2012 , 202, 172-4		2
1704	Cognitive and affective impairments of a novel SCA/MND crossroad mutation Asidan. 2012 , 19, 1070-8		26
1703	Cognitive changes in topiramate-treated patients with alcoholism: a 12-week prospective study in patients recently detoxified. 2012 , 66, 235-41		8
1702	Comparative study between depression in Korean elderly with mild cognitive impairment and normal cognitive function. 2012 , 14, 81-6		8
1701	Effects of once weekly dual-task training in older adults: a pilot randomized controlled trial. 2012 , 12, 622-9		31
1700	Neuropsychological screening performance and the association with activities of daily living and instrumental activities of daily living in dementia: baseline and 18- to 24-month follow-up. 2012 , 27, 197-204		34
1699	Rapid eye movement sleep behavior disorder and risk of dementia in Parkinson's disease: a prospective study. 2012 , 27, 720-6		194
1698	A case of neurosyphilis presenting with myoclonus, cerebellar ataxia, and speech disturbance. 2012 , 27, 794		10

1697	Analysis of cognitive dysfunction with silent cerebral infarction: a prospective study in Chinese patients. 2012 , 27, 17-22	21
1696	Brief screening for mild cognitive impairment: validation of the Brazilian version of the Montreal cognitive assessment. 2013 , 28, 34-40	114
1695	Whole-brain white matter disruption in semantic and nonfluent variants of primary progressive aphasia. 2013 , 34, 973-84	59
1694	Prefrontal dopaminergic receptor abnormalities and executive functions in Parkinson's disease. 2013 , 34, 1591-604	47
1693	Montreal Cognitive Assessment (MoCA): Concept and Clinical Review. 2013 , 111-151	50
1692	Conclusion: Place of Cognitive Screening Instruments: Test Characteristics and Suspected Diagnosis. 2013 , 219-238	3
1691	Diffusion tensor imaging of basal ganglia and thalamus in amyotrophic lateral sclerosis. 2013 , 23, 368-74	20
1690	An educational intervention to reduce the use of potentially inappropriate medications among older adults (EMPOWER study): protocol for a cluster randomized trial. 2013 , 14, 80	30
1689	The Alzheimer's disease-8 and Montreal Cognitive Assessment as screening tools for neurocognitive impairment in HIV-infected persons. 2013 , 19, 109-16	46
1688	Association of physical activity with the visuospatial/executive functions of the montreal cognitive assessment in patients with vascular cognitive impairment. 2013 , 22, e146-51	19
1687	Identifying cognitive impairment in heart failure: a review of screening measures. 2013 , 42, 92-7	53
1686	The contribution of postural control and bilateral coordination to the impact of dual tasking on gait. 2013 , 226, 81-93	54
1685	A comparison of the ICECAP-O with EQ-5D in a falls prevention clinical setting: are they complements or substitutes?. 2013 , 22, 969-77	69
1684	Association between asymptomatic carotid stenosis and cognitive function: a systematic review. 2013 , 37, 1493-9	33
1683	Vascular cognitive impairment: most useful subtests of the Montreal Cognitive Assessment in minor stroke and transient ischemic attack. 2013 , 36, 154-62	27
1682	Early Dementia Questionnaire (EDQ): a new screening instrument for early dementia in primary care practice. 2013 , 14, 49	10
1681	Gothenburg very early supported discharge study (GOTVED) NCT01622205: a block randomized trial with superiority design of very early supported discharge for patients with stroke. 2013 , 13, 66	23
1680	V-TIME: a treadmill training program augmented by virtual reality to decrease fall risk in older adults: study design of a randomized controlled trial. 2013 , 13, 15	97

1679	Strength Training for Arthritis Trial (START): design and rationale. 2013 , 14, 208	36
1678	Cancer survivor rehabilitation and recovery: protocol for the Veterans Cancer Rehabilitation Study (Vet-CaRes). 2013 , 13, 93	20
1677	Development of mental health quality indicators (MHQIs) for inpatient psychiatry based on the interRAI mental health assessment. 2013 , 13, 15	47
1676	Author's reply to Page: "Selective TNF inhibition for chronic stroke and traumatic brain injury: an observational study involving 629 consecutive patients treated with perispinal etanercept". 2013 , 27, 399-402	1
1675	The role of basal ganglia in language production: evidence from Parkinson's disease. 2013 , 3, 393-7	14
1674	Levels of metallic elements and their potential relationships to cognitive function among elderly from Federal Land Development Authority (FELDA) settlement in Selangor Malaysia. 2013 , 153, 16-21	17
1673	The Movement Disorders Society criteria for the diagnosis of Parkinson's disease dementia: their usefulness and limitations in elderly patients. 2013 , 260, 2569-79	13
1672	Drivers with Parkinson's disease: are the symptoms of PD associated with restricted driving practices?. 2013 , 260, 2562-8	12
1671	Predictive value of MoCA in the acute phase of stroke on the diagnosis of mid-term cognitive impairment. 2013 , 260, 2220-7	56
1670	Factors predicting the Montreal cognitive assessment (MoCA) applicability and performances in a stroke unit. 2013 , 260, 1518-26	42
1669	The neurological and ophthalmological manifestations of SPG4-related hereditary spastic paraplegia. 2013 , 260, 906-9	8
1668	Validation of the Addenbrooke's Cognitive Examination III in frontotemporal dementia and Alzheimer's disease. 2013 , 36, 242-50	479
1667	Proactive selective response suppression is implemented via the basal ganglia. 2013 , 33, 13259-69	88
1666	Rapid eye movement sleep behavior disorder: devising controlled active treatment studies for symptomatic and neuroprotective therapy--a consensus statement from the International Rapid Eye Movement Sleep Behavior Disorder Study Group. 2013 , 14, 795-806	159
1665	A drug education tool developed for older adults changes knowledge, beliefs and risk perceptions about inappropriate benzodiazepine prescriptions in the elderly. 2013 , 92, 81-7	37
1664	Non-high-density lipoprotein cholesterol and other risk factors of mild cognitive impairment among Chinese type 2 diabetic patients. 2013 , 27, 443-6	16
1663	A multistate model of cognitive dynamics in relation to resistance training: the contribution of baseline function. 2013 , 23, 463-8	5
1662	The Green, Amber, Red Delineation of Risk and Need (GARDIAN) management system: a pragmatic approach to optimizing heart health from primary prevention to chronic disease management. 2013 , 12, 337-45	16

1661	Movement disorder society unified Parkinson disease rating scale experiences in daily living: longitudinal changes and correlation with other assessments. 2013 , 28, 1980-6	31
1660	Validity and applications of the Montreal cognitive assessment for the assessment of vascular cognitive impairment. 2013 , 36, 6-18	62
1659	Cognitive screening improves the predictive value of stroke severity scores for functional outcome 3-6 months after mild stroke and transient ischaemic attack: an observational study. 2013 , 3, e003105	28
1658	Cognitive assessment in proximity to acute ischemic stroke/transient ischemic attack: comparison of the montreal cognitive assessment test and mindstreams computerized cognitive assessment battery. 2013 , 36, 36-42	10
1657	Practical geriatric assessment. 2013 , 9, 579-591	2
1656	Usefulness of the Montreal Cognitive Assessment (MoCA) in Huntington's disease. 2013 , 28, 1744-7	23
1655	Phase II safety, tolerability, and dose selection study of isradipine as a potential disease-modifying intervention in early Parkinson's disease (STEADY-PD). 2013 , 28, 1823-31	84
1654	The impact of subclinical sleep problems on self-reported driving patterns and perceived driving abilities in a cohort of active older drivers. 2013 , 61, 296-303	1
1653	Can we improve clinical prediction of at-risk older drivers?. 2013 , 59, 537-47	47
1652	Protocol for Candrive II/Ozcandrive, a multicentre prospective older driver cohort study. 2013 , 61, 245-52	87
1651	Clinical evaluation of early cognitive symptoms. 2013 , 29, 791-807	16
1650	Cognitive and emotional dysfunction in mild cognitive impairment. 2013 , 29, 773-89	6
1649	Advanced Parkinson's disease: Clinical characteristics and treatment (part 1). 2013 , 28, 503-521	
1648	Daytime sleepiness is associated with falls in Parkinson's disease. 2013 , 3, 387-91	9
1647	[Cognitive evaluation during brain radiotherapy in adults: a simple assessment is possible]. 2013 , 17, 413-8	6
1646	Alzheimer's Association recommendations for operationalizing the 'detection of cognitive impairment during the Medicare Annual Wellness Visit in a primary care setting. 2013 , 9, 141-50	319
1645	The mini-mental state examination and the Montreal Cognitive Assessment after traumatic brain injury: an early predictive study. 2013 , 27, 1428-34	28
1644	Motor cortex and gait in mild cognitive impairment: a magnetic resonance spectroscopy and volumetric imaging study. 2013 , 136, 859-71	76

1643	Codex (cognitive disorders examination) for the detection of dementia and mild cognitive impairment. 2013 , 42, e425-8	9
1642	The heterogeneity of cognitive symptoms in Parkinson's disease: a meta-analysis. 2013 , 84, 1265-72	36
1641	Impact of different operational definitions on mild cognitive impairment rate and MMSE and MoCA performance in transient ischaemic attack and stroke. 2013 , 36, 355-62	61
1640	Thalamic cholinergic innervation and postural sensory integration function in Parkinson's disease. 2013 , 136, 3282-9	105
1639	Premorbid IQ influence on screening tests' scores in healthy patients and patients with cognitive impairment. 2013 , 26, 117-26	21
1638	Mild cognitive impairment. 2013 , 13, 1247-61	9
1637	Fall risk and gait in Parkinson's disease: the role of the LRRK2 G2019S mutation. 2013 , 28, 1683-90	55
1636	Altered visual-spatial attention to task-irrelevant information is associated with falls risk in older adults. 2013 , 51, 3025-32	24
1635	Acute colonic pseudo-obstruction (Ogilvie syndrome) in progressive supranuclear palsy. 2013 , 54, 80-3	0
1634	An investigation of changes in regional gray matter volume in cardiovascular disease patients, pre and post cardiovascular rehabilitation. 2013 , 3, 388-95	25
1633	Functional connectivity changes in second language vocabulary learning. 2013 , 124, 56-65	35
1632	Home and health in people ageing with Parkinson's disease: study protocol for a prospective longitudinal cohort survey study. 2013 , 13, 142	29
1631	Parkinson disease phenotype in Ashkenazi Jews with and without LRRK2 G2019S mutations. 2013 , 28, 1966-71	98
1630	Cognitive impairment 3 years after neurological Varicella-zoster virus infection: a long-term case control study. 2013 , 260, 2761-9	15
1629	Memory loss during lenalidomide treatment: a report on two cases. 2013 , 14, 41	10
1628	Ascertainment bias in dementias: a secondary to tertiary centre analysis in Central Italy and conceptual review. 2013 , 25, 265-74	5
1627	Cortisol levels and neuropsychiatric diagnosis as markers of postoperative delirium: a prospective cohort study. 2013 , 17, R38	65
1626	Clinical utility of the cogstate brief battery in identifying cognitive impairment in mild cognitive impairment and Alzheimer's disease. 2013 , 1, 30	107

1625	Working memory training for adult hearing aid users: study protocol for a double-blind randomized active controlled trial. 2013 , 14, 417	11
1624	Vancouver At Home: pragmatic randomized trials investigating Housing First for homeless and mentally ill adults. 2013 , 14, 365	46
1623	Memory, fluency, and orientation (MEFO): A five-minute screening test for cognitive decline. 2013 , 28, 400-407	1
1622	[Advanced Parkinson's disease: clinical characteristics and treatment (part 1)]. 2013 , 28, 503-21	33
1621	Patterns of neuropsychological impairment in Alzheimer's disease and mixed dementia. 2013 , 333, 5-8	28
1620	Vascular Cognitive Impairment with No Dementia: Neuropsychology, Brain Imaging, and Event-Related Potentials. 2013 , 45, 323-328	3
1619	Performance of a French sample on the French translation of the BNI screen for higher cerebral functions. 2013 , 27, 1435-40	6
1618	Cognitive dysfunction in rapid eye movement sleep behavior disorder. 2013 , 11, 21-26	4
1617	Definitions of dementia and predementia states in Alzheimer's disease and vascular cognitive impairment: consensus from the Canadian conference on diagnosis of dementia. 2013 , 5, S2	81
1616	Errorless (re)learning of daily living routines by a woman with impaired memory and initiation: transferrable to a new home?. 2013 , 27, 1461-9	5
1615	Cross-cultural difference and validation of the Chinese version of Montreal Cognitive Assessment in older adults residing in Eastern China: preliminary findings. 2013 , 56, 38-43	57
1614	Can lifestyle modification improve neurocognition? Rationale and design of the ENLIGHTEN clinical trial. 2013 , 34, 60-9	17
1613	Cognitive impairment and dementia after intracerebral hemorrhage: a cross-sectional study of a hospital-based series. 2013 , 22, 80-6	58
1612	Attitudes of UK psychiatrists to the diagnosis of MCI in clinical practice. 2013 , 25, 286-91	6
1611	Telephone assessment of cognition after transient ischemic attack and stroke: modified telephone interview of cognitive status and telephone Montreal Cognitive Assessment versus face-to-face Montreal Cognitive Assessment and neuropsychological battery. 2013 , 44, 227-9	158
1610	The spectrum of nonmotor symptoms in early Parkinson disease. 2013 , 80, 276-81	281
1609	Cognitive profile in persons with systolic and diastolic heart failure. 2013 , 19, 44-50	28
1608	The fall rate of older community-dwelling cancer patients. 2013 , 21, 775-83	37

1607	Dementia and Systemic Disorders. 2013 , 51-76	0
1606	The IQCODE: Using Informant Reports to Assess Cognitive Change in the Clinic and in Older Individuals Living in the Community. 2013 , 165-182	3
1605	The Mini-Mental State Examination (MMSE): An Update on Its Diagnostic Validity for Cognitive Disorders. 2013 , 15-46	49
1604	The relationship of self-rated health with functional status, toxicity and mortality: results of a prospective pilot study of older patients with newly-diagnosed cancer. 2013 , 4, 319-26	10
1603	The effects of educational background on Montreal Cognitive Assessment screening for vascular cognitive impairment, no dementia, caused by ischemic stroke. 2013 , 20, 1406-10	31
1602	Suitability of the Montreal cognitive assessment versus the mini-mental state examination in detecting vascular cognitive impairment. 2013 , 22, 737-41	34
1601	Polysomnographic abnormalities in patients with vascular cognitive impairment-no dementia. 2013 , 14, 1071-5	13
1600	It is premature to test older drivers with the SIMARD-MD. 2013 , 61, 317-21	12
1599	A computational analysis of semantic structure in bilingual verbal fluency performance. 2013 , 69, 607-618	23
1598	Evaluation of white matter myelin water fraction in chronic stroke. 2013 , 2, 569-80	55
1597	Slowing progression of early stages of AD with alternative therapies: a feasibility study. 2013 , 34, 457-64	7
1596	Incorporating prosocial behavior to promote physical activity in older adults: rationale and design of the Program for Active Aging and Community Engagement (PACE). 2013 , 36, 284-97	11
1595	Development of a short form of Stroke-Specific Quality of Life Scale for patients after aneurysmal subarachnoid hemorrhage. 2013 , 335, 204-9	19
1594	Mild cognitive impairment, screening, and patient perceptions in heart failure patients. 2013 , 19, 641-6	24
1593	The effects of an aerobic and resistance exercise training program on cognition following stroke. 2013 , 27, 392-402	97
1592	Low macular pigment optical density is associated with lower cognitive performance in a large, population-based sample of older adults. 2013 , 34, 2449-56	102
1591	Neuropsychologic assessment in collaborative Parkinson's disease research: a proposal from the National Institute of Neurological Disorders and Stroke Morris K. Udall Centers of Excellence for Parkinson's Disease Research at the University of Pennsylvania and the University of Washington. 2013 , 9, 609-14	22
1590	Executive functions in mild cognitive impairment: emergence and breakdown of neural plasticity. 2013 , 49, 1268-79	52

1589	Reply from authors re: Jean-Nicolas Cornu. Overactive bladder medical management in the elderly: it is time to go beyond the tip of the iceberg. Eur Urol 2013;64:82-3. 2013 , 64, 83-4	0
1588	The Cooperative Lifestyle Intervention Program-II (CLIP-II): design and methods. 2013 , 36, 382-93	22
1587	Correlation of syncopal burden with anxiety symptoms score in recurrent vasovagal syncope. 2013 , 166, 266-7	5
1586	Decisions under risk in Parkinson's disease: preserved evaluation of probability and magnitude. 2013 , 51, 2679-89	8
1585	Rapid improvement of depression and psychotic symptoms in Huntington's disease: a retrospective chart review of seven patients treated with electroconvulsive therapy. 2013 , 35, 678.e3-5	18
1584	Resting functional connectivity reveals residual functional activity in Alzheimer's disease. 2013 , 74, 375-83	51
1583	Disrupted cortico-cerebellar connectivity in older adults. 2013 , 83, 103-19	63
1582	Age-related differences in attentional cost associated with postural dual tasks: increased recruitment of generic cognitive resources in older adults. 2013 , 37, 1824-37	172
1581	The pattern of striatal dopaminergic denervation explains sensorimotor synchronization accuracy in Parkinson's disease. 2013 , 257, 100-10	16
1580	Neuropsychological assessment and cerebral vascular disease: the new standards. 2013 , 169, 779-85	7
1579	Comparative accuracies of two common screening instruments for classification of Alzheimer's disease, mild cognitive impairment, and healthy aging. 2013 , 9, 529-37	196
1578	Degradation of stored movement representations in the Parkinsonian brain and the impact of levodopa. 2013 , 51, 1195-203	4
1577	Apathy, depression, and motor symptoms have distinct and separable resting activity patterns in idiopathic Parkinson disease. 2013 , 81, 484-495	105
1576	Cognitive impairments in patients with cerebrovascular risk factors: a comparison of Mini Mental Status Exam and Montreal Cognitive Assessment. 2013 , 115, 1276-80	15
1575	Recurrent status epilepticus associated with Hashimoto's encephalopathy. 2013 , 1, 113-7	8
1574	Aphasia with left occipitotemporal hypometabolism: a novel presentation of posterior cortical atrophy?. 2013 , 20, 1237-40	10
1573	Doxepin and cognitive behavioural therapy for insomnia in patients with Parkinson's disease -- a randomized study. 2013 , 19, 670-5	110
1572	The effects of healthy aging on mental imagery as revealed by egocentric and allocentric mental spatial transformations. 2013 , 143, 146-56	17

1571	A perceptual discrimination task results in greater facilitation of voluntary saccades in Parkinson's disease patients. 2013 , 37, 163-72	9
1570	Effects of off-pump and on-pump coronary-artery bypass grafting at 1 year. 2013 , 368, 1179-88	318
1569	Clinical, neurological, and electrophysiological features of nodding syndrome in Kitgum, Uganda: an observational case series. 2013 , 12, 166-74	91
1568	Validity of the Montreal Cognitive Assessment in the detection of cognitive dysfunction in Huntington's disease. 2013 , 20, 33-40	25
1567	Are core component processes of executive function dissociable within the frontal lobes? Evidence from humans with focal prefrontal damage. 2013 , 49, 1790-800	72
1566	Cerebrolysin for vascular dementia. 2013 , CD008900	26
1565	Slow gait in MCI is associated with ventricular enlargement: results from the Gait and Brain Study. 2013 , 120, 1083-92	25
1564	Cognitive decline and cerebral vasoreactivity in asymptomatic patients with severe internal carotid artery stenosis. 2013 , 113, 453-8	13
1563	Relationships between regional cerebellar volume and sensorimotor and cognitive function in young and older adults. 2013 , 12, 721-37	82
1562	A review of brief cognitive assessment tests. 2013 , 23, 164-176	7
1561	Dementia. 2013 , 109-154	
1560	Navigating the fine line between benefit and risk in chronic atrial fibrillation: rationale and design of the Standard versus Atrial Fibrillation spEcific managementT studY (SAFETY). 2013 , 166, 359-65	16
1559	Task-dependent interactions between dopamine D2 receptor polymorphisms and L-DOPA in patients with Parkinson's disease. 2013 , 245, 128-36	15
1558	Montreal Cognitive Assessment and Mini-Mental State Examination are both valid cognitive tools in stroke. 2013 , 128, 122-9	102
1557	Reliability analysis of the resting state can sensitively and specifically identify the presence of Parkinson disease. 2013 , 75, 249-261	79
1556	Rationale and design of the prospective German registry of outcome in patients with severe disorders of consciousness after acute brain injury. 2013 , 94, 1870-6	18
1555	Dementia and cancer: a review of the literature and current practice. 2013 , 9, 307-319	4
1554	Outcome of elderly patients undergoing awake-craniotomy for tumor resection. 2013 , 20, 1722-8	39

1553	Cognitive function is associated with impaired heart rate variability in ageing adults: the Irish longitudinal study on ageing wave one results. 2013 , 23, 313-23	60
1552	Sleep disturbance correlates with white matter hyperintensity in patients with subcortical ischemic vascular dementia. 2013 , 26, 158-64	22
1551	Determining the validity of the AMA guide: A historical cohort analysis of the assessment of driving related skills and crash rate among older drivers. 2013 , 61, 311-6	21
1550	[Memory, fluency, and orientation: a five-minute screening test for cognitive decline]. 2013 , 28, 400-7	8
1549	The relationship between cognitive performance, perceptions of driving comfort and abilities, and self-reported driving restrictions among healthy older drivers. 2013 , 61, 288-95	33
1548	Neural correlates of executive functions in healthy G2019S LRRK2 mutation carriers. 2013 , 49, 2501-11	38
1547	Kynurenines and other novel therapeutic strategies in the treatment of dementia. 2013 , 6, 386-97	14
1546	Complexity perplexity: a systematic review to describe the measurement of medication regimen complexity. 2013 , 12, 829-40	36
1545	The Clock Drawing Test: Portuguese norms, by age and education, for three different scoring systems. 2013 , 28, 375-87	19
1544	Normative data for the Dementia Rating Scale-2 in the French-Quebec population. 2013 , 27, 1150-66	10
1543	Applicability of the MoCA-S test in populations with little education in Colombia. 2013 , 28, 813-20	54
1542	Movement Disorders with Dementia in Older Adults. 2013 , 333-361	1
1541	Assessment in Acute Stroke Rehabilitation. 2013 , 295-312	
1540	Accurate Assessment of Behavioral Variant Frontotemporal Dementia. 2013 , 313-332	2
1539	Neuropsychological tests for the diagnosis of Alzheimer's disease dementia and other dementias: a generic protocol for cross-sectional and delayed-verification studies. 2013 ,	61
1538	Effects of T2-Weighted MRI Based Cranial Volume Measurements on Studies of the Aging Brain. 2013 , 8669,	4
1537	Case study: application of isometric progressive resistance oropharyngeal therapy using the Madison Oral Strengthening Therapeutic device. 2013 , 20, 450-70	10
1536	Frontotemporal dementia in southeast Asia: a comparative study. 2013 , 3, 1-9	7

1535	Reliability, validity, and optimal cutoff score of the montreal cognitive assessment (changsha version) in ischemic cerebrovascular disease patients of hunan province, china. 2013 , 3, 25-36	42
1534	Comparing diagnostic accuracy of cognitive screening instruments: a weighted comparison approach. 2013 , 3, 60-5	38
1533	Disturbance in uniformly 13C-labelled DHA metabolism in elderly human subjects carrying the apoE ϵ allele. 2013 , 110, 1751-9	62
1532	[Neuropsychological assessment early after stroke--an overview of diagnostic instruments available in German and introduction of a new screening tool]. 2013 , 81, 482-92	3
1531	Cognitive assessment: a guide for community nurses. 2013 , 18, 550-3	4
1530	Evaluation of a practical visual MRI rating scale of brain white matter hyperintensities for clinicians based on largest lesion size regardless of location. 2013 , 34, 797-801	10
1529	Auditory brainstem response to complex sounds predicts self-reported speech-in-noise performance. 2013 , 56, 31-43	71
1528	Vocabulary influences older and younger listeners' processing of dysarthric speech. 2013 , 134, 1358-68	40
1527	Montreal Cognitive Assessment is superior to Standardized Mini-Mental Status Exam in detecting mild cognitive impairment in the middle-aged and elderly patients with type 2 diabetes mellitus. 2013 , 2013, 186106	66
1526	Validity of the Montreal Cognitive Assessment for traumatic brain injury patients with intracranial haemorrhage. 2013 , 27, 394-8	31
1525	Indicators of childhood quality of education in relation to cognitive function in older adulthood. 2013 , 68, 198-204	45
1524	Screening for impulse control symptoms in patients with de novo Parkinson disease: a case-control study. 2013 , 80, 176-80	150
1523	Construct validity of the functionally simulated technology task: an exploratory study. 2013 , 27, 345-54	0
1522	Lithium and Valproate May Affect Motor and Sensory Speed in Patients with Bipolar Disorder. 2013 , 23, 305-314	9
1521	The mini-Kingston Standardized Cognitive Assessment. 2013 , 28, 239-44	2
1520	Factors that influence awareness and treatment of atrial fibrillation in older adults. 2013 , 106, 415-24	35
1519	Cognitive impairment and PD patients' capacity to consent to research. 2013 , 81, 801-7	53
1518	Pisa syndrome in Parkinson's disease: a mobile or fixed deformity?. 2013 , 84, 1400-3	30

1517	Dementia with Lewy bodies. 2013 , 33, 330-5	11
1516	Predicting the effect of hearing loss and audibility on amplified speech reception in a multi-talker listening scenario. 2013 , 133, 4268-78	30
1515	The human frontal lobes and frontal network systems: an evolutionary, clinical, and treatment perspective. 2013 , 2013, 892459	39
1514	Test accuracy of short screening tests for diagnosis of delirium or cognitive impairment in an acute stroke unit setting. 2013 , 44, 3078-83	67
1513	Cognitive performance on the mini-mental state examination and the montreal cognitive assessment across the healthy adult lifespan. 2013 , 26, 1-5	69
1512	Treatment of severe hand impairment following stroke by combining assisted movement, muscle vibration, and biofeedback. 2013 , 37, 194-203	23
1511	Blunted responses to heart failure symptoms in adults with mild cognitive dysfunction. 2013 , 28, 534-40	35
1510	Montreal cognitive assessment: validation study for mild cognitive impairment and Alzheimer disease. 2013 , 27, 37-43	262
1509	Effects of falls experience on cognitive functions and physical activities in community-dwelling individuals with chronic stroke. 2013 , 36, 134-9	14
1508	Screening for mild cognitive impairment in patients with heart failure: Montreal cognitive assessment versus mini mental state exam. 2013 , 12, 252-60	85
1507	Delirium: definition, epidemiology, and diagnosis. 2013 , 30, 438-42	37
1506	Aerobic exercise to improve executive function in Parkinson disease: a case series. 2013 , 37, 58-64	39
1505	Differential longitudinal decline on the Mini-Mental State Examination in frontotemporal lobar degeneration and Alzheimer disease. 2013 , 27, 310-5	23
1504	Phenotypic profiling of cognitive impairment risk among patients with heart failure: a literature review of the usefulness of cardiac-related variables. 2013 , 12, 109-31	10
1503	Elevated occipital Amyloid deposition is associated with widespread cognitive impairment in logopenic progressive aphasia. 2013 , 84, 1357-64	21
1502	Clock drawing test: is it useful for dementia screening in patients having Parkinson disease with and without depression?. 2013 , 26, 151-7	5
1501	Frontal network syndrome testing: clinical tests and positron emission tomography brain imaging help distinguish the 3 most common dementia subtypes. 2013 , 28, 477-84	5
1500	Cognitive screening in the acute stroke setting. 2013 , 42, 113-6	62

1499	Validity of predischARGE measures for predicting time to harm in older adults. 2013 , 80, 19-27	4
1498	COST: Cognitive State Test, a brief screening battery for Alzheimer disease in illiterate and literate patients. 2013 , 25, 403-12	35
1497	[In Process Citation]. 2013 , 32, 375-91	3
1496	Effectiveness of post-operative management strategies for adults with dementia following hip fracture surgery. 2013 ,	3
1495	Physical and sociopsychological characteristics of older community residents with mild cognitive impairment as assessed by the Japanese version of the Montreal Cognitive Assessment. 2013 , 26, 209-20	24
1494	A multicenter, randomized trial of a nurse-led, home-based intervention for optimal secondary cardiac prevention suggests some benefits for men but not for women: the Young at Heart study. 2013 , 6, 379-89	17
1493	Reversal of age-related neural timing delays with training. 2013 , 110, 4357-62	167
1492	Comparison of the Montreal Cognitive Assessment and the Mini-Mental State Examination in detecting multi-domain mild cognitive impairment in a Chinese sub-sample drawn from a population-based study. 2013 , 25, 1831-8	28
1491	Health and aging: development of the Irish Longitudinal Study on Ageing health assessment. <i>Journal of the American Geriatrics Society</i> , 2013 , 61 Suppl 2, S269-78	5.6 88
1490	The influence of aging on audiovisual temporal order judgments. 2013 , 39, 179-93	20
1489	High prevalence of HIV-associated neurocognitive disorder in HIV-infected patients with a baseline CD4 count ≥ 50 cells/ μ L in Shanghai, China. 2013 ,	
1488	Relationship between cerebral microbleeds and cognitive function in lacunar infarct. 2013 , 41, 347-55	16
1487	A Case of Elder Abuse and Undue Influence: Assessment and Treatment From a Geriatric Interdisciplinary Team. 2013 , 12, 373-387	5
1486	Alzheimer's disease clinical and research update for health care practitioners. 2013 , 2013, 207178	33
1485	The cog-4 subset of the national institutes of health stroke scale as a measure of cognition: relationship with baseline factors and functional outcome after stroke using data from the virtual international stroke trials archive. 2013 , 2013, 562506	4
1484	Physical activity improves verbal and spatial memory in older adults with probable mild cognitive impairment: a 6-month randomized controlled trial. 2013 , 2013, 861893	124
1483	Impact of mild cognitive impairment on health-related quality of life in Parkinson's disease. 2013 , 36, 67-75	36
1482	Young-onset dementia. 2013 , 33, 365-85	44

1481	Which part of the Quick mild cognitive impairment screen (Qmci) discriminates between normal cognition, mild cognitive impairment and dementia?. 2013 , 42, 324-30		42
1480	Oral trail making task as a discriminative tool for different levels of cognitive impairment and normal aging. 2013 , 28, 411-7		14
1479	Detection of memory impairment in a community-based system: a collaborative study. 2013 , 38, 89-96		1
1478	Limitations for interpreting failure on individual subtests of the Montreal Cognitive Assessment. 2013 , 26, 19-28		38
1477	Neural correlates of cognitive decline in ALS: an fNIRS study of the prefrontal cortex. 2013 , 4, 115-21		10
1476	Correlation between motor and cognitive functions in the progressive course of Parkinson's disease. 2013 , 1, 172-176		7
1475	Use of spatial communication in aphasia. 2013 , 48, 469-76		4
1474	Assessment of dentally related functional competency for older adults with cognitive impairment--a survey for special-care dental professionals. 2013 , 33, 48-55		12
1473	The Montreal Cognitive Assessment and Neurobehavioral Cognitive Status Examination are useful for screening mild cognitive impairment in Japanese patients with Parkinson's disease. 2013 , 1, 103-108		8
1472	The University of California at Los Angeles Alzheimer's and Dementia Care program for comprehensive, coordinated, patient-centered care: preliminary data. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 2214-2218	5.6	69
1471	Assessment of cognitive function in adult patients with hemorrhagic moyamoya disease who received no surgical revascularization. 2013 , 20, 1081-7		20
1470	Research priorities in geriatric palliative care: nonpain symptoms. 2013 , 16, 1001-7		13
1469	Delusional parasitosis as a presenting feature of HIV dementia: a case study. 2013 , 20, 66-72		6
1468	Validity of the Barrow Neurological Institute (BNI) screen for higher cerebral functions in stroke patients with good functional outcome. 2013 , 27, 667-80		14
1467	Failed awake craniotomy: a retrospective analysis in 424 patients undergoing craniotomy for brain tumor. 2013 , 118, 243-9		123
1466	Criterion and convergent validity of the Montreal cognitive assessment with screening and standardized neuropsychological testing. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 2181-2185 ^{5.6}		87
1465	Relationship between asthma and cognition: the Cooper Center Longitudinal Study. 2013 , 68, 545-8		36
1464	Elevated levels of interleukin 6 and C-reactive protein associated with cognitive impairment in heart failure. 2013 , 19, 92-8		37

1463	Cognitive function is preserved in older adults with a reported history of childhood sexual abuse. 2013 , 26, 735-43	24
1462	Age-related changes in frequency of mind-wandering and task-related interferences during memory encoding and their impact on retrieval. 2013 , 21, 818-31	32
1461	Exploring the utility of the Montreal Cognitive Assessment to detect HIV-associated neurocognitive disorder: the challenge and need for culturally valid screening tests in South Africa. 2013 , 27, 437-54	34
1460	Neural correlates of cognitive decline in older adults at-risk for developing MCI: evidence from the CDA and P300. 2013 , 4, 152-62	24
1459	The Kilimanjaro score for assessing fitness to fly paragliders at high altitude. 2013 , 14, 304-7	1
1458	Variance between walking speed and neuropsychological test scores during three gait tasks across the Irish Longitudinal study on Aging (TiLDA) dataset. 2013 , 2013, 6921-4	3
1457	Maladaptive bias for extrahippocampal navigation strategies in aging humans. 2013 , 33, 6012-7	99
1456	Older adults benefit from music training early in life: biological evidence for long-term training-driven plasticity. 2013 , 33, 17667-74	126
1455	Psychometric limitations of the mini-mental state examination among nondemented older adults: an evaluation of neurocognitive and magnetic resonance imaging correlates. 2013 , 39, 382-97	94
1454	Normative values of cognitive and physical function in older adults: findings from the Irish Longitudinal Study on Ageing. <i>Journal of the American Geriatrics Society</i> , 2013 , 61 Suppl 2, S279-90	5.6 114
1453	Stroke rehabilitation: recent advances and future therapies. 2013 , 106, 11-25	93
1452	Randomized trial of cognitive speed of processing training in Parkinson disease. 2013 , 81, 1284-90	70
1451	The cognitive side of essential tremor: what are the therapeutic implications?. 2013 , 6, 353-68	48
1450	Ambiguous idiom processing in Parkinson's disease patients. 2013 , 30, 495-506	5
1449	Cognitive outcomes after acute coronary syndrome: a population based comparison with transient ischaemic attack and minor stroke. 2013 , 99, 1509-14	32
1448	Longitudinal associations of need for cognition, cognitive activity, and depressive symptomatology with cognitive function in recent retirees. 2013 , 68, 655-64	25
1447	Montreal Cognitive Assessment and Mini-Mental State Examination performance in patients with mild-to-moderate dementia with Lewy bodies, Alzheimer's disease, and normal participants in Taiwan. 2013 , 25, 1839-48	24
1446	Improving staff reports of falls in assisted living. 2013 , 22, 448-60	5

1445	Subjective memory complaints, cognitive performance, and psychological factors in healthy older adults. 2013 , 28, 776-83	84
1444	DemTect, PANDA, EASY, and MUSIC: cognitive screening tools with age correction and weighting of subtests according to their sensitivity and specificity. 2013 , 34, 813-34	22
1443	Inhaled sevoflurane may promote progression of amnesic mild cognitive impairment: a prospective, randomized parallel-group study. 2013 , 345, 355-60	75
1442	The role of physiotherapy in the rehabilitation of people with movement disorders. 55-68	1
1441	The role of neuropsychology in the rehabilitation of people with movement disorders. 94-109	
1440	You don't say: dynamic aphasia, another variant of primary progressive aphasia?. 2013 , 34, 139-44	10
1439	Improvement of Cognitive Functions after Carotid Endarterectomy -Differences Dependent on the Lesion Side-. 2013 , 33, 388-394	
1438	Mild cognitive impairment in patients with Parkinson's disease is associated with increased cortical degeneration. 2013 , 28, 1360-9	48
1437	Role of endoscopic third ventriculostomy and ventriculoperitoneal shunt in idiopathic normal pressure hydrocephalus: preliminary results of a randomized clinical trial. 2013 , 72, 845-53; discussion 853-4	49
1436	Screening for cognitive impairment in a stroke prevention clinic using the MoCA. 2013 , 40, 192-7	16
1435	Value of the MoCA test as a screening instrument in multiple sclerosis. 2013 , 40, 410-5	48
1434	Cholinesterase inhibitors in vascular cognitive impairment. 2013 , 40, 446-7	
1433	Correcting the MoCA for education: effect on sensitivity. 2013 , 40, 678-83	29
1432	Detection of mild cognitive impairment and early stage dementia with an audio-recorded cognitive scale. 2013 , 25, 1325-33	3
1431	Atypical parkinsonism due to a D202N Gerstmann-Strüssler-Scheinker prion protein mutation: first in vivo diagnosed case. 2013 , 28, 241-4	10
1430	The Montreal Cognitive Assessment for the diagnosis of Alzheimer's disease and other dementia disorders. 2013 ,	8
1429	Cognition and motor impairment correlates with exercise test performance after stroke. 2013 , 45, 622-7	18
1428	A comparison of clinician-rated neuropsychological and self-rated cognitive assessments in patients with asthma and rheumatologic disorders. 2013 , 34, 170-5	16

1427	A brief and feasible paper-based method to screen for neurocognitive impairment in HIV-infected patients: the NEU screen. 2013 , 63, 585-92	24
1426	Introduction: what is vascular cognitive impairment?. 1-8	
1425	Vascular cognitive impairment in the memory clinic. 9-21	0
1424	Vascular cognitive impairment in the stroke unit and after the acute stage. 22-31	2
1423	Apolipoprotein E ϵ 4 is superior to apolipoprotein E ϵ 3 in predicting cognitive scores over 30 months. 2013 , 8, 1461-5	2
1422	[Are non-literal language comprehension deficits related to a theory of mind deficit in Parkinson's disease?]. 2013 , 11, 208-14	1
1421	Assessing Outcomes in Dementia Care. 2013 , 151-162	
1420	Executive dysfunction in patients with cerebral hypoperfusion after cerebral angiostenosis/occlusion. 2013 , 53, 141-7	6
1419	Cognitive function, neuropsychological evaluation, and syndromes of cognitive impairment. 1-22	
1418	Virtual Reality as a New Approach to Assess Cognitive Decline in the Elderly. 2013 ,	5
1417	Pacific Northwest Udall Center of excellence clinical consortium: study design and baseline cohort characteristics. 2013 , 3, 205-14	51
1416	Factors which are predictive of return work after stroke. 2013 , 69,	4
1415	Therapy Techniques for Mild Cognitive Impairment. 2013 , 23, 1-12	5
1414	Clinical utility of DaTscan [®] (123I-Ioflupane Injection) in the diagnosis of Parkinsonian Syndromes. 2013 , 3, 33-39	4
1413	Mild cognitive impairment. Part 1: clinical characteristics and predictors of dementia. 2013 , 35, 178-85	34
1412	[Brain metastasis: clinical and cognitive assessments]. 2013 , 100, 83-8	5
1411	White matter changes in patients with amnesic mild cognitive impairment detected by diffusion tensor imaging. 2013 , 8, e59440	27
1410	Women versus men with chronic atrial fibrillation: insights from the Standard versus Atrial Fibrillation spEcific managemenT studY (SAFETY). 2013 , 8, e65795	42

1409	Cut-off scores of a brief neuropsychological battery (NBACE) for Spanish individual adults older than 44 years old. 2013 , 8, e76436	43
1408	Faster metabolite (1)H transverse relaxation in the elder human brain. 2013 , 8, e77572	32
1407	Sleep-related declarative memory consolidation and verbal replay during sleep talking in patients with REM sleep behavior disorder. 2013 , 8, e83352	10
1406	Executive and memory disorders. 255-276	2
1405	Dementia and management of vascular cognitive impairment. 387-409	2
1404	Cognitive and behavioral assessment of vascular cognitive impairment. 410-422	1
1403	White matter hyperintensities in Parkinson's disease: do they explain the disparity between the postural instability gait difficulty and tremor dominant subtypes?. 2013 , 8, e55193	55
1402	Reliability and validity of the short form of the literacy-independent cognitive assessment in the elderly. 2013 , 9, 111-7	9
1401	The impact of cancer therapy on cognition in the elderly. 2013 , 4, 48	16
1400	Accelerated long-term forgetting in aging and intra-sleep awakenings. 2013 , 4, 750	23
1399	ERP measures of semantic richness: the case of multiple senses. 2013 , 7, 5	9
1398	Different mechanisms contributing to savings and anterograde interference are impaired in Parkinson's disease. 2013 , 7, 55	25
1397	Long-Term Effects of Serial Anodal tDCS on Motion Perception in Subjects with Occipital Stroke Measured in the Unaffected Visual Hemifield. 2013 , 7, 314	23
1396	Early detection of microstructural white matter changes associated with arterial pulsatility. 2013 , 7, 782	43
1395	Clinical trial of a home safety toolkit for Alzheimer's disease. 2013 , 2013, 913606	14
1394	Cognitive impairment and self-care in heart failure. 2013 , 5, 407-16	75
1393	P300 evoked potential in patients with mild cognitive impairment. 2013 , 21, 89-92	24
1392	Prevalence of depressive symptoms among elderly in the city of Trememb*, Brazil: preliminary findings of an epidemiological study. 2013 , 7, 252-257	2

1391 Geriatric psychiatry. 165-184

1390 Insomnia and sleepiness in Parkinson disease: associations with symptoms and comorbidities. **2013**, 9, 1131-7

57

1389 Effects of sleep disorders on the non-motor symptoms of Parkinson disease. **2013**, 9, 1119-29

72

1388 Assessing cognitive function among older patients with chronic atrial fibrillation. **2013**, 8, 221-221

1387 Solve the case: Infected flea bites in an older patient. **2014**, 12, 292-295

1386 Mental Status Testing. **2014**, 1095-1098

1385 Relationship between cognitive impairment and apparent diffusion coefficient values from magnetic resonance-diffusion weighted imaging in elderly hypertensive patients. **2014**, 9, 1223-31

3

1384 Cognitive function and 10 year mortality in an 85 year-old community-dwelling population. **2014**, 9, 1691-9

23

1383 Chapitre 3. Usage de cannabis et troubles cognitifs associés. **2014**, 43

1382 Pain-related mood influences pain perception differently in fibromyalgia and multiple sclerosis. **2014**, 7, 81-7

10

1381 Comparison of medial temporal measures between Binswanger's disease and Alzheimer's disease. **2014**, 9, e86423

4

1380 Vitamin D and caudal primary motor cortex: a magnetic resonance spectroscopy study. **2014**, 9, e87314

17

1379 Disruptions in brain networks of older fallers are associated with subsequent cognitive decline: a 12-month prospective exploratory study. **2014**, 9, e93673

27

1378 A pilot study to examine the correlation between cognition and blood biomarkers in a Singapore Chinese male cohort with type 2 diabetes mellitus. **2014**, 9, e96874

7

1377 Cognitive impairment in chronic obstructive pulmonary disease. **2014**, 9, e102468

31

1376 The pattern and loci of training-induced brain changes in healthy older adults are predicted by the nature of the intervention. **2014**, 9, e102710

49

1375 The Montreal Cognitive Assessment (MoCA) - a sensitive screening instrument for detecting cognitive impairment in chronic hemodialysis patients. **2014**, 9, e106700

96

1374 Asymmetrical effect of levodopa on the neural activity of motor regions in PD. **2014**, 9, e111600

13

1373	Microstructural white matter changes underlying cognitive and behavioural impairment in ALS--an in vivo study using DTI. 2014 , 9, e114543	39
1372	Changes in vowel articulation with subthalamic nucleus deep brain stimulation in dysarthric speakers with Parkinson's disease. 2014 , 2014, 487035	8
1371	The influence of education on Chinese version of Montreal cognitive assessment in detecting amnesic mild cognitive impairment among older people in a Beijing rural community. 2014 , 2014, 689456	29
1370	Utility of AD8 for cognitive impairment in a Chinese physical examination population: a preliminary study. 2014 , 2014, 804871	6
1369	Quality of life, disability, well-being, and coping strategies in patients undergoing neurosurgical procedures: preoperative results in an Italian sample. 2014 , 2014, 790387	9
1368	The effect of different types of walking on dual-task performance and task prioritization among community-dwelling older adults. 2014 , 2014, 259547	10
1367	The Takeda three colors combination test: a screening test for detection of very mild Alzheimer's disease. 2014 , 2014, 907316	3
1366	Computerized Neurocognitive Test (CNT) in mild cognitive impairment and Alzheimer's disease. 2014 , 8, 112-116	11
1365	Does the use of Nintendo Wii Sports improve arm function and is it acceptable to patients after stroke? Publication of the Protocol of the Trial of Wii in Stroke - TWIST. 2014 , 7, 475-81	16
1364	Effects of age and eccentricity on visual target detection. 2013 , 5, 101	13
1363	Relative power and coherence of EEG series are related to amnesic mild cognitive impairment in diabetes. 2014 , 6, 11	57
1362	Telephone-based screening tools for mild cognitive impairment and dementia in aging studies: a review of validated instruments. 2014 , 6, 16	78
1361	Reliability and validity of the Automatic Cognitive Assessment Delivery (ACAD). 2014 , 6, 34	6
1360	A new clinical tool for assessing numerical abilities in neurological diseases: numerical activities of daily living. 2014 , 6, 112	23
1359	Motor-Language Coupling in Huntington's Disease Families. 2014 , 6, 122	33
1358	Effects of caprylic triglyceride on cognitive performance and cerebral glucose metabolism in mild Alzheimer's disease: a single-case observation. 2014 , 6, 133	10
1357	Short-latency afferent inhibition is a poor predictor of individual susceptibility to rTMS-induced plasticity in the motor cortex of young and older adults. 2014 , 6, 182	34
1356	Cognition and gait show a selective pattern of association dominated by phenotype in incident Parkinson's disease. 2014 , 6, 249	52

1355	Resting-state functional connectivity in anterior cingulate cortex in normal aging. 2014 , 6, 280	35
1354	Vision of the active limb impairs bimanual motor tracking in young and older adults. 2014 , 6, 320	13
1353	Executive function and bilingualism in young and older adults. 2014 , 8, 250	52
1352	Cooking breakfast after a brain injury. 2014 , 8, 272	14
1351	5 Hz repetitive transcranial magnetic stimulation over the ipsilesional sensory cortex enhances motor learning after stroke. 2014 , 8, 143	45
1350	Sequencing at the syllabic and supra-syllabic levels during speech perception: an fMRI study. 2014 , 8, 492	8
1349	Implicit sequence learning in people with Parkinson's disease. 2014 , 8, 563	16
1348	A piano training program to improve manual dexterity and upper extremity function in chronic stroke survivors. 2014 , 8, 662	23
1347	Nature and extent of person recognition impairments associated with Capgras syndrome in Lewy body dementia. 2014 , 8, 726	8
1346	Training recollection in healthy older adults: clear improvements on the training task, but little evidence of transfer. 2014 , 8, 898	9
1345	The importance of being apt: metaphor comprehension in Alzheimer's disease. 2014 , 8, 973	9
1344	Increased microRNA-34c abundance in Alzheimer's disease circulating blood plasma. 2014 , 7, 2	91
1343	Assessment of cognitive impairment in patients with Parkinson's disease: prevalence and risk factors. 2014 , 9, 275-81	16
1342	Factors associated for mild cognitive impairment in older korean adults with type 2 diabetes mellitus. 2014 , 38, 150-7	22
1341	Effect of the Laughter Therapy Combined with Cognitive Reinforcement Program for the Elderly with Mild Cognitive Impairment. 2014 , 26, 34	5
1340	Effects of 12 Weeks High-Speed Elastic Band Training on Cognitive Function, Physical Performance and Muscle Strength in Older Women with Mild Cognitive Impairment: A Randomized Controlled Trial. 2014 , 14, 26	5
1339	Understanding the Outcomes Measures used in Huntington Disease Pharmacological Trials: A Systematic Review. 2014 , 3, 233-52	20
1338	Profound amnesia after temporal lobectomy: an autoimmune process resembling patient h.m.?. 2014 , 6, 251-5	9

1337	Funções executivas, atividades da vida diária e habilidade motora de idosos com doenças neurodegenerativas. 2014 , 63, 39-47	7
1336	Poder preditivo do MoCa na avaliação neuropsicológica de pacientes com diagnóstico de demência. 2014 , 17, 707-719	10
1335	Measuring cognition: the Chicago Cognitive Function Measure in the National Social Life, Health and Aging Project, Wave 2. 2014 , 69 Suppl 2, S166-76	47
1334	Evaluating research for clinical significance: using critically appraised topics to enhance evidence-based neuropsychology. 2014 , 28, 653-68	11
1333	When dementia progresses quickly: a practical approach to the diagnosis and management of rapidly progressive dementia. 2014 , 4, 41-56	17
1332	Dementia does not preclude very reliable responding on the MMPI-2 RF: a case report. 2014 , 28, 1019-29	2
1331	Transcatheter aortic valve replacement program development: recommendations for best practice. 2014 , 84, 859-67	25
1330	Validation of Montreal Cognitive Assessment and Discriminant Power of Montreal Cognitive Assessment Subtests in Patients With Mild Cognitive Impairment and Alzheimer Dementia in Turkish Population. 2014 , 27, 103-9	40
1329	Beyond and below the cortex: the contribution of striatal dysfunction to cognition and behaviour in neurodegeneration. 2014 , 85, 371-8	71
1328	Diagnostic accuracy of the Phototest for cognitive impairment and dementia in Argentina. 2014 , 28, 826-40	13
1327	Screening for markers of frailty and perceived risk of adverse outcomes using the Risk Instrument for Screening in the Community (RISC). 2014 , 14, 104	30
1326	Conceptual processing of distractors by older but not younger adults. 2014 , 25, 2252-8	31
1325	Normative data for a computer-assisted version of the auditory three-consonant Brown-Peterson paradigm in the elderly French-Quebec population. 2014 , 28, 317-32	3
1324	Virtual house calls for Parkinson disease (Connect.Parkinson): study protocol for a randomized, controlled trial. 2014 , 15, 465	16
1323	Cognitive intervention through a training program for picture book reading in community-dwelling older adults: a randomized controlled trial. 2014 , 14, 122	24
1322	Cognitive screening in patients with diabetes in primary care. 2014 , 19, 401-6	1
1321	Neurocognitive changes after lung transplantation. 2014 , 11, 1520-7	37
1320	The diagnosis and management of mild cognitive impairment: a clinical review. 2014 , 312, 2551-61	527

1319	Autonomy of patients with type 2 diabetes with an insulin pump device: is it predictable?. 2014 , 8, 760-5	4
1318	The trail making test as a screening instrument for driving performance in older drivers; a translational research. 2014 , 14, 123	32
1317	Feasibility study of the effects of art as a creative engagement intervention during stroke rehabilitation on improvement of psychosocial outcomes: study protocol for a single blind randomized controlled trial: the ACES study. 2014 , 15, 380	11
1316	Validation of the Test Your Memory (F-TYM Test) in a French memory clinic population. 2014 , 28, 994-1007	10
1315	Raised IL-2 and TNF- α concentrations are associated with postoperative delirium in patients undergoing coronary-artery bypass graft surgery. 2014 , 26, 845-55	47
1314	Validity of the dynamic Wisconsin Card Sorting Test for assessing learning potential in brain injury rehabilitation. 2014 , 20, 1034-44	7
1313	A validation study of memory and executive functions indexes in French-speaking healthy young and older adults. 2014 , 33, 60-71	4
1312	Characterizing mild cognitive impairment in incident Parkinson disease: the ICICLE-PD study. 2014 , 82, 308-16	288
1311	Improving screening for vascular cognitive impairment at three to six months after mild ischemic stroke and transient ischemic attack. 2014 , 26, 787-93	23
1310	Comparison of activities of daily living impairments in Parkinson's disease patients as defined by the Pill Questionnaire and assessments by neurologists. 2014 , 85, 969-73	8
1309	Neurocognitive Disorders in Aging: A Primer on DSM-5 Changes and Framework for Application to Practice. 2014 , 37, 317-346	2
1308	Supporting people with Parkinson's in later life. 2014 , 26, 29-38	1
1307	Quantitative application of the primary progressive aphasia consensus criteria. 2014 , 82, 1119-26	109
1306	Effects of Antiplatelet Agents on Functional Outcome and Cognitive Status in Patients with Acute Ischemic Stroke. 2014 , 8, 189-192	2
1305	Cognitive dysfunction and age-related macular degeneration. 2014 , 29, 256-62	19
1304	Neuropsychology of memory function: a guide for clinicians. 2014 , 5, 91-101	0
1303	Relative association of processing speed, short-term memory and sustained attention with task on gait speed: a study of community-dwelling people 50 years and older. 2014 , 69, 1407-14	33
1302	Clock Drawing Test and the diagnosis of amnesic mild cognitive impairment: can more detailed scoring systems do the work?. 2014 , 36, 1076-83	13

1301	Minor cognitive disturbances in X-linked spinal and bulbar muscular atrophy, Kennedy's disease. 2014 , 15, 15-20	11
1300	An adapted adult day centre for older adults with sensory impairment. 2014 , 32, 249-262	10
1299	Frequency of domain-specific cognitive impairment in sub-acute and chronic stroke. 2014 , 34, 305-12	41
1298	Opportunistic sensing and detection of mild cognitive impairment. 2014 ,	1
1297	Montreal Cognitive Assessment for the screening and prediction of cognitive decline in early Parkinson's disease. 2014 , 20, 1145-8	56
1296	Effect of aneurysmal subarachnoid hemorrhage on word generation. 2014 , 2014, 610868	6
1295	Habitual coffee consumption enhances attention and vigilance in hemodialysis patients. 2014 , 2014, 707460	9
1294	Motion facilitates face perception across changes in viewpoint and expression in older adults. 2014 , 40, 2266-80	5
1293	Caregiver burden in epilepsy: determinants and impact. 2014 , 2014, 808421	39
1292	Speech pathology services for people with aphasia: what is the current practice in Singapore?. 2014 , 36, 691-704	21
1291	Cognitive function and plasma BDNF levels among manganese-exposed smelters. 2014 , 71, 189-94	26
1290	Performance-based assessment of falls risk in older veterans with executive dysfunction. 2014 , 51, 263-74	8
1289	Training versus engagement as paths to cognitive enrichment with aging. 2014 , 29, 891-906	68
1288	Two-week virtual reality training for dementia: Single case feasibility study. 2014 , 51, 1069-76	29
1287	Dependency aspect of caregiver burden is uniquely related to cognitive impairment in Veterans. 2014 , 51, 1177-88	4
1286	Consensus statements on driving for persons with dementia. 2014 , 28, 132-9	17
1285	The Four Square Step Test in individuals with Parkinson's disease: association with executive function and comparison with older adults. 2014 , 35, 279-89	24
1284	The influence of dialect upon the perception of dysarthric speech. 2014 , 28, 573-89	9

1283	Mild cognitive impairment: Profile of a cohort from a private sector memory clinic. 2014 , 17, 340-4	
1282	Reporting standards for studies of diagnostic test accuracy in dementia: The STARDdem Initiative. 2014 , 83, 364-73	146
1281	Kidney disease and cognitive function: African American-diabetes heart study MIND. 2014 , 40, 200-7	11
1280	A case for the implementation of cognitive-communication screenings in acute stroke. 2014 , 23, 4-14	7
1279	Aerobic exercise as an adjunct therapy for improving cognitive function in heart failure. 2014 , 2014, 157508	8
1278	Major Cognitive Changes and Micrographia following Globus Pallidus Infarct. 2014 , 2014, 252486	2
1277	Neuropsychological Assessment and Treatment Following a Spinal Cord Injury and Alcohol Withdrawal. 2014 , 13, 167-180	1
1276	Feasibility of dual-task gait training for community-dwelling adults after stroke: a case series. 2014 , 2014, 538602	21
1275	European undergraduate curriculum in geriatric medicine developed using an international modified Delphi technique. 2014 , 43, 695-702	63
1274	The General Weakness Syndrome Therapy (GymNAST) study: protocol for a cohort study on recovery on walking function. 2014 , 4, e006168	7
1273	A randomised controlled trial of aerobic exercise after transient ischaemic attack or minor stroke to prevent cognitive decline: the MoveIT study protocol. 2014 , 4, e007065	20
1272	Comprehensive geriatric assessment. 2014 , 75 Suppl 8, C122-5	7
1271	Pulsion severity showed a good correlation with cognitive function in Parkinson's disease. 2014 , 36, 962-7	4
1270	Impact of regional white matter lesions on cognitive function in subcortical vascular cognitive impairment. 2014 , 36, 434-43	14
1269	Stroke Research Staff's Experiences of Seeking Consent from People with Communication Difficulties: Results of a National Online Survey. 2014 , 21, 443-51	7
1268	Cognitive function in adults aging with fabry disease: a case-control feasibility study using telephone-based assessments. 2015 , 18, 41-50	4
1267	Genetic impact on cognition and brain function in newly diagnosed Parkinson's disease: ICICLE-PD study. 2014 , 137, 2743-58	109
1266	Rationale, design and baseline results of the Guangxi manganese-exposed workers healthy cohort (GXMEWHC) study. 2014 , 4, e005070	15

1265	Subjective sleep quality in non-demented older adults with and without cognitive impairment. 2014 , 29, 970-7	7
1264	Longitudinal alteration of amygdalar functional connectivity in mild cognitive impairment subjects revealed by resting-state fMRI. 2014 , 4, 361-70	21
1263	Occupational performance coaching for stroke survivors: a pilot randomized controlled trial protocol. 2014 , 81, 279-88	11
1262	Screening for cognitive and affective dysfunction in patients suspected of mild cognitive impairment. 2014 , 29, 936-42	6
1261	The effects of a computer-based cognitive and physical training program in a healthy and mildly cognitive impaired aging sample. 2014 , 18, 838-46	47
1260	Primary sleep disorder prevalence in patients with newly diagnosed Parkinson's disease. 2014 , 29, 259-62	29
1259	Cognitive function, mental health, and health-related quality of life after lung transplantation. 2014 , 11, 522-30	48
1258	The association between mild cognitive impairment and doing housework. 2014 , 18, 212-6	12
1257	Study protocol of the Restore4Stroke self-management study: a multicenter randomized controlled trial in stroke patients and their partners. 2014 , 9, 818-23	10
1256	Opt2mise: a randomized controlled trial to compare insulin pump therapy with multiple daily injections in the treatment of type 2 diabetes-research design and methods. 2014 , 16, 414-20	17
1255	Cognitive status in patients hospitalized with acute decompensated heart failure. 2014 , 168, 917-23	20
1254	The Application of Adapted TICS (Telephone Interview for Cognitive Status) for Diagnostics of Cognitive Function Disturbances in Elderly Patients. A Pilot Study. 2014 , 115-123	1
1253	Criteria for validation and selection of cognitive tests for investigating the effects of foods and nutrients. 2014 , 72, 162-79	46
1252	Stroke service: how can we improve and measure outcomes? Consensus summary from a global stroke forum. 2014 , 130, 73-80	1
1251	Feasibility of the Montreal Cognitive Assessment in acute stroke patients. 2014 , 21, 1387-93	30
1250	Health-related quality of life in early Parkinson's disease: the impact of nonmotor symptoms. 2014 , 29, 195-202	224
1249	DYT16 revisited: exome sequencing identifies PRKRA mutations in a European dystonia family. 2014 , 29, 1504-10	28
1248	SNCA variants rs2736990 and rs356220 as risk factors for Parkinson's disease but not for amyotrophic lateral sclerosis and multiple system atrophy in a Chinese population. 2014 , 35, 2882.e1-2882.e6	18

1247	Voluntary control of facial musculature in Parkinson's disease. 2014 , 347, 332-6	9
1246	Parahippocampal gray matter alterations in Spinocerebellar Ataxia Type 2 identified by voxel based morphometry. 2014 , 347, 50-8	26
1245	People with Parkinson's disease and normal MMSE score have a broad range of cognitive performance. 2014 , 29, 1258-64	50
1244	Test Your Memory-Spanish version (TYM-S): a validation study of a self-administered cognitive screening test. 2014 , 29, 730-40	14
1243	Electroconvulsive therapy for catatonia in an 18-year-old patient presenting with mixed features of schizophrenia and obsessive-compulsive disorder. 2014 , 24, 411-3	1
1242	Cognitive screening for dementia in primary care: a systematic review. 2014 , 26, 1783-804	60
1241	Dementia in older people: an update. 2014 , 44, 1066-73	34
1240	Piloting and validation of a novel self-administered online cognitive screening tool in normal older persons: the Cognitive Function Test. 2014 , 29, 198-206	23
1239	Early detection of dementia in the community under a community-based integrated care system. 2014 , 14 Suppl 2, 2-10	14
1238	Comparing the Montreal Cognitive Assessment with Mini-Mental State Examination in Japanese Parkinson's disease patients. 2014 , 2, 44-49	2
1237	Metabolic syndrome, executive dysfunction, and late-onset depression: just a matter of white matter?. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1607-9	5.6 6
1236	The design and rationale of a multicenter clinical trial comparing two strategies for control of systolic blood pressure: the Systolic Blood Pressure Intervention Trial (SPRINT). 2014 , 11, 532-46	300
1235	Functioning of long-term survivors of first-ever intracerebral hemorrhage. 2014 , 129, 269-75	30
1234	Decline of fiber tract integrity over the adult age range: a diffusion spectrum imaging study. 2014 , 40, 348-59	7
1233	The hard Test Your Memory. Evaluation of a short cognitive test to detect mild Alzheimer's disease and amnesic mild cognitive impairment. 2014 , 29, 272-80	16
1232	Predictors of cognitive impairment in an early stage Parkinson's disease cohort. 2014 , 29, 351-9	105
1231	Hoarding severity predicts functional disability in late-life hoarding disorder patients. 2014 , 29, 741-6	21
1230	Cognitive executive impairment and dopaminergic deficits in de novo Parkinson's disease. 2014 , 29, 1802-8	55

1229	The affective modulation of motor awareness in anosognosia for hemiplegia: behavioural and lesion evidence. 2014 , 61, 127-40		25
1228	The arm motion detection (AMD) test. 2014 , 2014, 5349-52		2
1227	Cognitive impairment in heart failure: towards a consensus on screening. 2014 , 16, 235-7		13
1226	Olfactory identification in LRRK2 G2019S mutation carriers: a relevant marker?. 2014 , 1, 670-8		28
1225	Contribution of generative leisure activities to cognitive function in elderly Sri Lankan adults. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1707-13	5.6	12
1224	Veterans Affairs Saint Louis University Mental Status examination compared with the Montreal Cognitive Assessment and the Short Test of Mental Status. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1341-6	5.6	40
1223	Cognitive impairment is associated with high coated-platelet levels in individuals with carotid atherosclerosis. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1393-5	5.6	2
1222	Factors associated with cognition recovery among elders with mild cognitive impairment in Korea. 2014 , 61, 318-26		5
1221	Prognostic value of changes in resting-state functional connectivity patterns in cognitive recovery after stroke: A 3T fMRI pilot study. 2014 , 35, 3819-31		36
1220	The Montreal Cognitive Assessment in persons with traumatic brain injury. 2014 , 21, 128-35		35
1219	Use of the Montreal Cognitive Assessment in Evaluations of Adjudicative Competency. 2014 , 14, 342-354		
1218	HIV-associated neurocognitive disorder in HIV-infected Koreans: the Korean NeuroAIDS Project. 2014 , 15, 470-7		33
1217	False action memories in older adults: relationship with executive functions?. 2014 , 21, 560-76		7
1216	Severe domestic squalor: Time to sort out the mess. 2014 , 48, 682-4		1
1215	Validity of the montreal cognitive assessment as a screen for mild cognitive impairment and dementia in African Americans. 2014 , 27, 199-203		53
1214	Severity of mild cognitive impairment in early Parkinson's disease contributes to poorer quality of life. 2014 , 20, 1071-5		87
1213	Amyloid burden, neuroinflammation, and links to cognitive decline after ischemic stroke. 2014 , 45, 2825-9		78
1212	A novel computer test to assess driving-relevant cognitive functions--a pilot study. 2014 , 26, 229-38		7

1211	[Association between anxiety and cognitive decline in community-dwelling elderly]. 2014 , 33, 296-306	2
1210	Predictors of low bone mineral density of the stroke-affected hip among ambulatory individuals with chronic stroke. 2014 , 25, 2631-8	12
1209	Trial of a family-based education program for heart failure patients in rural Thailand. 2014 , 14, 173	7
1208	Cognitive function in a general population of men and women: a cross sectional study in the European Investigation of Cancer-Norfolk cohort (EPIC-Norfolk). 2014 , 14, 142	20
1207	A research-based strategy for managing housing adaptations: study protocol for a quasi-experimental trial. 2014 , 14, 602	12
1206	BrainCheck - a very brief tool to detect incipient cognitive decline: optimized case-finding combining patient- and informant-based data. 2014 , 6, 69	13
1205	Naltrexone for impulse control disorders in Parkinson disease: a placebo-controlled study. 2014 , 83, 826-33	59
1204	Perioperative education in geriatrics. 2014 , 52, 1-13	
1203	Factors associated with primary care physicians' recognition of cognitive impairment in their older patients. 2014 , 28, 320-5	16
1202	Blood pressure and low-density lipoprotein-cholesterol lowering for prevention of strokes and cognitive decline: a review of available trial evidence. 2014 , 32, 1741-50	31
1201	Background and design of the profiling biobehavioral responses to mechanical support in advanced heart failure study. 2014 , 29, 405-15	16
1200	Comparative analysis of the Alzheimer questionnaire (AQ) with the CDR sum of boxes, MoCA, and MMSE. 2014 , 28, 296-8	8
1199	Development, validity, and normative data study for the 12-word Philadelphia Verbal Learning Test [czP(r)VLT-12] among older and very old Czech adults. 2014 , 28, 1162-81	25
1198	Cerebral subcortical small vessel disease in subjects with pathologically confirmed Alzheimer disease: a clinicopathologic study in the Oxford Project to Investigate Memory and Ageing (OPTIMA). 2014 , 28, 30-5	27
1197	Powered wheelchair skills training for persons with stroke: a randomized controlled trial. 2014 , 93, 1031-43	19
1196	Understanding Parkinson disease: an evolving case study. 2014 , 39, 1-10	3
1195	Does upper limb coordination predict walking speed in older adults? A cross-sectional study. 2014 , 37, 106-15	1
1194	Feasibility and validity of the self-administered computerized assessment of mild cognitive impairment with older primary care patients. 2014 , 28, 311-9	25

1193	Dopamine transporter SLC6A3 genotype affects cortico-striatal activity of set-shifts in Parkinson's disease. 2014 , 137, 3025-35	20
1192	Effects of amplitude cueing on postural responses and preparatory cortical activity of people with Parkinson disease. 2014 , 38, 207-15	15
1191	Physical, cognitive and social activity levels of stroke patients undergoing rehabilitation within a mixed rehabilitation unit. 2014 , 28, 91-101	56
1190	Correlational analysis of 5 commonly used measures of cognitive functioning and mental status: an update. 2014 , 29, 718-22	17
1189	A Bahasa Malaysia version of the Montreal Cognitive Assessment: validation in stroke. 2014 , 26, 781-6	13
1188	Grooved pegboard predicates more of cognitive than motor involvement in Parkinson's disease. 2014 , 21, 723-30	28
1187	Neurological complications of breast cancer: study protocol of a prospective cohort study. 2014 , 4, e006301	21
1186	Evidence of the sensitivity of the MoCA alternate forms in monitoring cognitive change in early Alzheimer's disease. 2014 , 37, 95-103	33
1185	Cognitive deterioration and functional compensation in ALS measured with fMRI using an inhibitory task. 2014 , 34, 14260-71	40
1184	The contribution of apathy and increased learning trials to risky decision-making in Parkinson's disease. 2014 , 29, 100-9	17
1183	Normative data for the Rappel libre/Rappel indic ^é ^ 16 items (16-item Free and Cued Recall) in the elderly Quebec-French population. 2015 , 28 Suppl 1, S1-19	26
1182	Variability of cognitive performance during hemodialysis: standardization of cognitive assessment. 2014 , 38, 31-8	22
1181	How to implement a geriatric assessment in your clinical practice. 2014 , 19, 1056-68	48
1180	Associations between social participation and subjective quality of life for adults with moderate to severe traumatic brain injury. 2014 , 36, 1409-18	59
1179	Use of Montreal Cognitive Assessment in patients with stroke. 2014 , 45, 3135-40	72
1178	Conversion between mini-mental state examination, montreal cognitive assessment, and dementia rating scale-2 scores in Parkinson's disease. 2014 , 29, 1809-15	62
1177	Improvements to executive function during exercise training predict maintenance of physical activity over the following year. 2014 , 8, 353	69
1176	Performance of the NINDS-CSN 5-minute protocol in a national population-based sample. 2014 , 20, 856-67	13

1175	Detection of early cognitive impairment using AD8 in a young patient with stroke with cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy syndrome: a case report. 2014 , 29, 133-7	1
1174	The Suitability of the Montreal Cognitive Assessment as a Screening Tool to Identify People with Dysfunction in Occupational Performance after Mild Stroke. 2014 , 77, 526-532	6
1173	Screening for Mild Cognitive Impairment Using the Dementia Rating Scale-2. 2014 , 27, 139-44	25
1172	Effect of Verb Network Strengthening Treatment (VNeST) in persons with aphasia: extension and replication of previous findings. 2014 , 23, S312-29	58
1171	Letter by regal regarding article, "serial montreal cognitive assessments demonstrate reversible cognitive impairment in patients with acute transient ischemic attack and minor stroke". 2014 , 45, e193	
1170	Orthostatic hypotension is associated with lower cognitive performance in adults aged 50 plus with supine hypertension. 2014 , 69, 878-85	47
1169	A novel mutation in the CSF1R gene causes a variable leukoencephalopathy with spheroids. 2014 , 15, 289-94	16
1168	Mutations in GNAL: a novel cause of craniocervical dystonia. 2014 , 71, 490-4	57
1167	Associative learning and regional white matter deficits in mild cognitive impairment. 2014 , 41, 421-30	3
1166	Development of the Heart Failure Screening Tool (Heart-FaST) to measure barriers that impede engagement in self-care. 2014 , 13, 408-17	10
1165	Preoperative assessment of the older surgical patient: honing in on geriatric syndromes. 2015 , 10, 13-27	58
1164	Course of psychiatric symptoms and global cognition in early Parkinson disease. 2014 , 83, 1096-103	82
1163	Influence of depressive symptoms on dopaminergic treatment of Parkinson's disease. 2014 , 5, 188	5
1162	An Exploration of the Effect of Hemodynamic Changes Due to Normal Aging on the fNIRS Response to Semantic Processing of Words. 2014 , 5, 249	17
1161	Mild cognitive impairment and depressive symptoms in elderly patients with diabetes: prevalence, risk factors, and comorbidity. 2014 , 2014, 179648	45
1160	Effectiveness and Acceptability within a Skilled Nursing Facility Setting. 2014 , 32, 152-168	1
1159	The Lawton Instrumental Activities Daily Living/Activities Daily Living Scales: A Sensitive Test to Alzheimer Disease in Community-Dwelling Elderly People?. 2014 , 27, 85-93	15
1158	Engagement in Personally Valued Occupations Following Stroke and a Move to Assisted Living. 2014 , 32, 25-41	11

1157	Cognitive function and self-care management in older patients with heart failure. 2014 , 13, 277-84	62
1156	Feasibility and diagnostic accuracy of early mood screening to diagnose persisting clinical depression/anxiety disorder after stroke. 2014 , 37, 323-9	17
1155	Dementia. 2014 , 70-92	
1154	An enriched environment increases activity in stroke patients undergoing rehabilitation in a mixed rehabilitation unit: a pilot non-randomized controlled trial. 2014 , 36, 255-62	131
1153	Donepezil improves gait performance in older adults with mild Alzheimer's disease: a phase II clinical trial. 2015 , 43, 193-9	44
1152	The Montreal Cognitive Assessment (MoCA) is superior to the Mini Mental State Examination (MMSE) in detection of Korsakoff's syndrome. 2014 , 28, 1123-32	28
1151	The Montreal cognitive assessment to screen for cognitive impairment in HIV patients older than 60 years. 2014 , 67, 67-70	34
1150	Impact of 5-Hz rTMS over the primary sensory cortex is related to white matter volume in individuals with chronic stroke. 2014 , 40, 3405-12	24
1149	Is cognitive function a concern in independent elderly adults discharged home from the emergency department in Canada after a minor injury?. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 2130-5	5.6 13
1148	Use of the Tailored Activities Program to reduce neuropsychiatric behaviors in dementia: an Australian protocol for a randomized trial to evaluate its effectiveness. 2014 , 26, 857-69	25
1147	Contributions of the Computer-Administered Neuropsychological Screen for Mild Cognitive Impairment (CANS-MCI) for the diagnosis of MCI in Brazil. 2014 , 1-9	12
1146	A longitudinal cohort study on quality of life in stroke patients and their partners: Restore4Stroke Cohort. 2014 , 9, 148-54	41
1145	Validation and attempts of revision of the MDS-recommended tests for the screening of Parkinson's disease dementia. 2014 , 20, 32-6	15
1144	Eye Blink Rate as a biological marker of Mild Cognitive Impairment. 2014 , 93, 12-6	32
1143	Post-stroke driving: examining the effect of executive dysfunction. 2014 , 49, 33-8	18
1142	Age-related changes in the subcortical-cortical encoding and categorical perception of speech. 2014 , 35, 2526-2540	134
1141	Patient and caregiver quality of life in psychogenic non-epileptic seizures compared to epileptic seizures. 2014 , 23, 47-54	51
1140	Cerebral white matter disease is independently associated with BPSD in Alzheimer's disease. 2014 , 337, 162-6	12

1139	How cognitive aging affects multisensory integration of navigational cues. 2014 , 35, 2761-2769	61
1138	Effect of cognitive dysfunction on the relationship between age and health literacy. 2014 , 95, 218-25	26
1137	An assessment by the Statin Cognitive Safety Task Force: 2014 update. 2014 , 8, S5-16	72
1136	Depression, C-reactive protein and length of post-operative hospital stay in coronary artery bypass graft surgery patients. 2014 , 37, 115-21	23
1135	Knowledge of and interest in genetic results among Parkinson disease patients and caregivers. 2014 , 23, 114-20	18
1134	Full diffusion characterization implicates regionally disparate neuropathology in mild cognitive impairment. 2014 , 219, 367-79	9
1133	A case of bilateral frontal tumors without "frontal syndrome". 2014 , 20, 671-83	6
1132	Comprehensive morphometry of subcortical grey matter structures in early-stage Parkinson's disease. 2014 , 35, 1681-90	66
1131	Delirium in elderly people. 2014 , 383, 911-22	1684
1130	Effect of mild cognitive impairment on the patterns of neural activity in early Parkinson's disease. 2014 , 35, 223-31	67
1129	Progranulin-associated PiB-negative logopenic primary progressive aphasia. 2014 , 261, 604-14	48
1128	Cognitive demand does not influence the responsiveness of homonymous Ia afferents pathway during postural dual task in young and elderly adults. 2014 , 114, 295-303	7
1127	The ability of people with Parkinson's disease to modify dual-task performance in response to instructions during simple and complex walking tasks. 2014 , 232, 263-71	12
1126	Dopamine-agonists and impulsivity in Parkinson's disease: impulsive choices vs. impulsive actions. 2014 , 35, 2499-506	59
1125	Validation of the Turkish Version of the Montreal Cognitive Assessment Scale (MoCA-TR) in patients with Parkinson's disease. 2014 , 28, 333-43	43
1124	The effects of dual tasking on handwriting in patients with Parkinson's disease. 2014 , 263, 193-202	47
1123	A man with urethral polyembolokoilamania successfully treated with electroconvulsive therapy. 2014 , 43, 1203-7	4
1122	Making general internal medicine research relevant to the older patient with multiple chronic comorbidities. 2014 , 29, 915-9	2

1121	Serum levels of 25-hydroxyvitamin D are associated with cognitive impairment in type 2 diabetic adults. 2014 , 45, 319-24	15
1120	Regional alterations in cortical thickness and white matter integrity in amyotrophic lateral sclerosis. 2014 , 261, 412-21	28
1119	Tai Chi-based exercise program provided via telerehabilitation compared to home visits in a post-stroke population who have returned home without intensive rehabilitation: study protocol for a randomized, non-inferiority clinical trial. 2014 , 15, 42	24
1118	Cognitive and neuropsychiatric impairment in cerebral radionecrosis patients after radiotherapy of nasopharyngeal carcinoma. 2014 , 14, 10	13
1117	Age and task difficulty differences in dual tasking using circle tracing and serial subtraction tasks. 2014 , 26, 201-11	9
1116	Spatial variability during gait initiation while dual tasking is increased in individuals with mild cognitive impairment. 2014 , 18, 307-12	26
1115	Mild cognitive impairment with associated inflammatory and cortisol alterations as independent risk factor for postoperative delirium. 2014 , 38, 65-78	47
1114	Mild cognitive impairment is linked with faster rate of cortical thinning in patients with Parkinson's disease longitudinally. 2014 , 137, 1120-9	128
1113	The tools of the trade: a state of the art "How to Assess Cognition" in the patient with Parkinson's disease. 2014 , 29, 584-96	42
1112	Parkinson's disease with and without preceding essential tremor-similar phenotypes: a pilot study. 2014 , 261, 884-8	5
1111	A voxel-based morphometry and diffusion tensor imaging analysis of asymptomatic Parkinson's disease-related G2019S LRRK2 mutation carriers. 2014 , 29, 823-7	16
1110	Selective preservation of the beat in apperceptive music agnosia: a case study. 2014 , 53, 27-33	13
1109	The prevalence of dementia in urban and rural areas of China. 2014 , 10, 1-9	224
1108	MoCA-assessed cognitive function and excellent outcome after aneurysmal subarachnoid hemorrhage at 1 year. 2014 , 21, 725-30	23
1107	Observation of social behavior in frontotemporal dementia. 2014 , 29, 215-21	32
1106	Psychiatric disorders impacting critical illness. 2014 , 26, 115-38	5
1105	Comment on: The Mini-Mental State Exam (MMSE) is not sensitive to cognitive impairment in bariatric surgery candidates. 2014 , 10, 557-9	1
1104	Development of the Addiction Dimensions for Assessment and Personalised Treatment (ADAPT). 2014 , 139, 121-31	18

1103	The prevalence of mild cognitive impairment and its etiological subtypes in elderly Chinese. 2014 , 10, 439-447	100
1102	Advanced age, cardiovascular risk burden, and timed up and go test performance in Parkinson disease. 2014 , 69, 1569-75	10
1101	Serial montreal cognitive assessments demonstrate reversible cognitive impairment in patients with acute transient ischemic attack and minor stroke. 2014 , 45, 1709-15	56
1100	The Mini-Mental State Exam (MMSE) is not sensitive to cognitive impairment in bariatric surgery candidates. 2014 , 10, 553-7	5
1099	How age-related strategy switching deficits affect wayfinding in complex environments. 2014 , 35, 1095-102	58
1098	Sparse canonical correlation analysis relates network-level atrophy to multivariate cognitive measures in a neurodegenerative population. 2014 , 84, 698-711	54
1097	Should the mini-mental state examination be retired?. 2014 , 29, 473-81	74
1096	Effect of impulse control disorders on disability and quality of life in Parkinson's disease patients. 2014 , 21, 63-6	59
1095	Mobility, mood and site of care impact health related quality of life in Parkinson's disease. 2014 , 20, 274-9	8
1094	The impact of inhibition capacities and age on number-space associations. 2014 , 15, 329-42	27
1093	The 5 Objects Test: a novel, minimal-language, memory screening test. 2014 , 261, 422-31	13
1092	Brief screening for mild cognitive impairment in subcortical ischemic vascular disease: a comparison study of the Montreal Cognitive Assessment with the Mini-Mental State Examination. 2014 , 71, 106-14	31
1091	Quality of Life after Brain Injury (QOLIBRI) Overall Scale for patients after aneurysmal subarachnoid hemorrhage. 2014 , 21, 954-6	15
1090	Discriminating facial expressions of emotion and its link with perceiving visual form in Parkinson's disease. 2014 , 346, 149-55	11
1089	Retrieval practice and testing improve memory in older adults. 2014 , 28, 381-400	6
1088	Use of diffusion tensor imaging for evaluating changes in the microstructural integrity of white matter over 3 years in patients with amnesic-type mild cognitive impairment converting to Alzheimer's disease. 2014 , 24, 343-8	19
1087	Aging effects on the resting state motor network and interlimb coordination. 2014 , 35, 3945-61	45
1086	A comparison of neuropsychological performance between US and Russia: preparing for a global clinical trial. 2014 , 10, 760-768.e1	12

1085	Cognitive insight in schizophrenia patients and their biological parents: a pilot study. 2014 , 159, 471-7	10
1084	Central white matter degeneration in bulbar- and limb-onset amyotrophic lateral sclerosis. 2014 , 261, 1961-7	26
1083	The effect of cognitive stimulation on nursing home elders: a randomized controlled trial. 2014 , 46, 157-66	29
1082	Cognitive function in the prefrailty and frailty syndrome. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 2118-24	5.6 103
1081	Story recall and word lists: differential and combined utilities in predicting cognitive diagnosis. 2014 , 36, 569-76	9
1080	Acute evaluation of conversational discourse skills in traumatic brain injury. 2014 , 16, 582-93	12
1079	Minimal functional brain differences between older adults with and without mild cognitive impairment during the stroop. 2014 , 21, 346-69	6
1078	Orientation and disorientation: lessons from patients with epilepsy. 2014 , 41, 149-57	20
1077	Diabetes and dementia in older people: a Best Clinical Practice Statement by a multidisciplinary National Expert Working Group. 2014 , 31, 1024-31	39
1076	Extra-nigral pathological conditions are common in Parkinson's disease with freezing of gait: an in vivo positron emission tomography study. 2014 , 29, 1118-24	85
1075	Discovering affect-laden requirements to achieve system acceptance. 2014 ,	8
1074	Predictors of memory performance among Taiwanese postmenopausal women with heart failure. 2014 , 20, 679-88	2
1073	The prevalence of cognitive impairment in emergency general surgery. 2014 , 12, 1031-5	25
1072	Hippocampal volume and white matter disease in the prediction of dementia in Parkinson's disease. 2014 , 20, 1203-8	65
1071	A pilot study to measure cognitive impairment in patients with severe schizophrenia with the Montreal Cognitive Assessment (MoCA). 2014 , 158, 151-5	39
1070	Validation of the Montreal cognitive assessment versus mini-mental state examination against hypertension and hypertensive arteriopathy after transient ischemic attack or minor stroke. 2014 , 45, 3337-42	51
1069	The MoCA and MMSE as screeners for cognitive impairment in a heart failure population: a study with comprehensive neuropsychological testing. 2014 , 43, 462-8	50
1068	Hippocampal degeneration in patients with amyotrophic lateral sclerosis. 2014 , 35, 2639-2645	52

1067	The prevalence and impact of undiagnosed cognitive impairment in older vascular surgical patients. 2014 , 60, 1002-11.e3	84
1066	Psychometric properties of the Montreal Cognitive Assessment (MoCA): an analysis using the Rasch model. 2014 , 28, 65-83	29
1065	Investigation of the Montreal Cognitive Assessment (MoCA) as a cognitive screener in severe mental illness. 2014 , 220, 664-8	36
1064	Mild cognitive impairment and mild dementia: a clinical perspective. 2014 , 89, 1452-9	139
1063	Material-specific interference control is dissociable and lateralized in human prefrontal cortex. 2014 , 64, 310-9	18
1062	Cognitive impairment is associated with medication nonadherence in asymptomatic carotid stenosis. 2014 , 127, 1243-6	15
1061	Cognitive functioning in complicated grief. 2014 , 58, 20-5	22
1060	Altered spontaneous brain activity in type 2 diabetes: a resting-state functional MRI study. 2014 , 63, 749-60	136
1059	[Geriatric assessment tools in Spanish Geriatric Departments]. 2014 , 49, 235-42	5
1058	Study design and baseline characteristics of participants in the Vitamin D in Vulnerable Adults at the VA (the VIVA Study). 2014 , 39, 66-73	5
1057	Psychiatric care of the older adult: an overview for primary care. 2014 , 98, 1145-68	3
1056	Abnormal MoCA and normal range MMSE scores in Parkinson disease without dementia: cognitive and neurochemical correlates. 2014 , 20, 1076-80	51
1055	Review of brief cognitive tests for patients with suspected dementia. 2014 , 26, 1247-62	127
1054	Glaucomatous retinal nerve fiber layer thickness loss is associated with slower reaction times under a divided attention task. 2014 , 158, 1008-17	18
1053	Models of Care in Geriatric Oncology. 2014 , 3, 182-189	57
1052	Role of cognitive enhancer therapy in Alzheimer's disease with concomitant cerebral white matter disease: findings from a long-term naturalistic study. 2014 , 14, 195-203	2
1051	Can a tailored exercise and home hazard reduction program reduce the rate of falls in community dwelling older people with cognitive impairment: protocol paper for the i-FOCIS randomised controlled trial. 2014 , 14, 89	23
1050	The synergistic effect of acupuncture and computer-based cognitive training on post-stroke cognitive dysfunction: a study protocol for a randomized controlled trial of 2 × 2 factorial design. 2014 , 14, 290	23

1049	Comparison of cognitive and UHDRS measures in monitoring disease progression in Huntington's disease: a 12-month longitudinal study. 2014 , 3, 15		10
1048	A clinical classification acknowledging neuropsychiatric and cognitive impairment in Huntington's disease. 2014 , 9, 114		37
1047	Medical conditions in geriatric hoarding disorder patients. 2014 , 18, 148-51		30
1046	Evaluation of mild cognitive impairment subtypes in Parkinson's disease. 2014 , 29, 756-64		48
1045	[Hereditary diffuse leukoencephalopathy with spheroids: a microgliopathy due to CSF1 receptor impairment]. 2014 , 85, 465-70		6
1044	Statistical and perceptual updating: correlated impairments in right brain injury. 2014 , 232, 1971-87		13
1043	Visually encoded working memory is closely associated with mobility in older adults. 2014 , 232, 2035-43		11
1042	A motor learning-based intervention to ameliorate freezing of gait in subjects with Parkinson's disease. 2014 , 261, 1329-39		27
1041	Apathy and associated factors in Mexican patients with Parkinson's disease. 2014 , 35, 729-34		8
1040	Clustering mild cognitive impairment by mini-mental state examination. 2014 , 35, 1353-8		4
1039	Delusional jealousy in Parkinson's disease patients with and without dementia. 2014 , 35, 1307-8		1
1038	Edentulism associates with worse cognitive performance in community-dwelling elders in rural Ecuador: results of the Atahualpa project. 2014 , 39, 1097-100		29
1037	Association Between Sleep Characteristics and Mild Cognitive Impairment in Elderly People. 2014 , 46, 88-94		7
1036	Randomized controlled trials in frontotemporal dementia: cognitive and behavioral outcomes. 2014 , 3, 12		13
1035	The effects of exercise on cognition in Parkinson's disease: a systematic review. 2014 , 3, 5		114
1034	Montreal Cognitive Assessment Memory Index Score (MoCA-MIS) as a predictor of conversion from mild cognitive impairment to Alzheimer's disease. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 679-84	5.6	114
1033	The role of polysemy on metaphor comprehension processing: The example of Parkinson's disease. 2014 , 30, 1-13		3
1032	Insulin pump treatment compared with multiple daily injections for treatment of type 2 diabetes (OpT2mise): a randomised open-label controlled trial. 2014 , 384, 1265-72		134

1031	Uric formaldehyde levels are negatively correlated with cognitive abilities in healthy older adults. 2014 , 30, 172-84	33
1030	Early MoCA-assessed cognitive impairment after aneurysmal subarachnoid hemorrhage and relationship to 1-year functional outcome. 2014 , 5, 286-91	23
1029	Identifying recreational physical activities associated with muscle quality in men and women aged 50 years and over. 2014 , 5, 221-8	14
1028	Cognitive reserve in a cross-cultural population: the case of Italian emigrants in Montreal. 2014 , 26, 655-9	11
1027	The effects of increased therapy time on cognition and mood in frail patients with a stroke who rehabilitate on rehabilitation units of nursing homes in the Netherlands: a protocol of a comparative study. 2014 , 14, 68	5
1026	Study protocol: The Whitehall II imaging sub-study. 2014 , 14, 159	58
1025	A robotic object hitting task to quantify sensorimotor impairments in participants with stroke. 2014 , 11, 47	61
1024	Increased frontal brain activation during walking while dual tasking: an fNIRS study in healthy young adults. 2014 , 11, 85	141
1023	Acupuncture for acute stroke: study protocol for a multicenter, randomized, controlled trial. 2014 , 15, 214	14
1022	Is the Mini Mental Status Examination (MMSE) Associated with Inpatients' Functional Performance?. 2014 , 32, 228-240	5
1021	Cognitive dysfunction in older adults hospitalized for acute heart failure. 2014 , 20, 669-78	17
1020	An association analysis of the rs1572931 polymorphism of the RAB7L1 gene in Parkinson's disease, amyotrophic lateral sclerosis and multiple system atrophy in China. 2014 , 21, 1337-43	14
1019	Analytic morphomics corresponds to functional status in older patients. 2014 , 192, 19-26	21
1018	Freezing of gait in Chinese patients with Parkinson disease. 2014 , 345, 56-60	18
1017	Phenotypic variability of PINK1 expression: 12 Years' clinical follow-up of two Italian families. 2014 , 29, 1561-6	33
1016	Frequency-dependent changes in the amplitude of low-frequency fluctuations in subcortical ischemic vascular disease (SIVD): a resting-state fMRI study. 2014 , 274, 205-10	22
1015	Should the Mini-Mental State Examination be retired?. 2014 , 29, 473-481	11
1014	Cortical thinning and its relation to cognition in amyotrophic lateral sclerosis. 2014 , 35, 240-6	59

1013	Executive dysfunction and gray matter atrophy in amnestic mild cognitive impairment. 2014 , 35, 548-55	35
1012	Fatigue, psychological and cognitive impairment following transient ischaemic attack and minor stroke: a systematic review. 2014 , 21, 1258-67	100
1011	Memory self-efficacy in schizophrenia. 2014 , 156, 56-9	2
1010	Cog-4 has limited diagnostic test accuracy and validity for cognitive assessment in stroke survivors. 2014 , 23, 1604-10	9
1009	Paranoid psychosis and cognitive impairment associated with hepatitis C antiviral therapy. 2014 , 36, 126.e3-5	2
1008	Elevated C-reactive protein levels may be a predictor of persistent unfavourable symptoms in patients with mild traumatic brain injury: a preliminary study. 2014 , 38, 111-7	46
1007	Improvement of cognitive function after carotid endarterectomy--a new strategy for the evaluation of cognitive function. 2014 , 23, 1332-6	11
1006	Underestimation of cognitive impairments by the Montreal Cognitive Assessment (MoCA) in an acute stroke unit population. 2014 , 343, 176-9	43
1005	The predictive value of different reasons for saving and acquiring on hoarding disorder symptoms. 2014 , 3, 220-227	8
1004	Dissociable roles of default-mode regions during episodic encoding. 2014 , 89, 244-55	29
1003	Neuropsychological screening as a standard of care during discharge from psychiatric hospitalization: the preliminary psychometrics of the CNS Screen. 2014 , 215, 790-6	6
1002	Developing physician consensus on the reporting of patients with mild cognitive impairment and mild dementia to transportation authorities in a region with mandatory reporting legislation. 2014 , 22, 1530-43	16
1001	Risk factors for dementia in highly educated elderly people in Tianjin, China. 2014 , 122, 4-8	13
1000	Parkinson's disease and REM sleep behavior disorder result in increased non-motor symptoms. 2014 , 15, 959-66	39
999	A comparison of medication management between older and younger adults living with HIV. 2014 , 25, 414-26	6
998	Is the Bahasa Malaysia version of the Montreal Cognitive Assessment (MoCA-BM) a better instrument than the Malay version of the Mini Mental State Examination (M-MMSE) in screening for mild cognitive impairment (MCI) in the elderly?. 2014 , 55 Suppl 1, S70-5	28
997	Automated algorithm to measure changes in medial temporal lobe volume in Alzheimer disease. 2014 , 227, 35-46	11
996	Comment faire passer le MoCA ?. 2014 , 5, 57-60	1

995	Screening for frontal lobe and general cognitive impairment in patients with amyotrophic lateral sclerosis. 2014 , 336, 191-6	39
994	Diagnostic accuracy and practice effects in the National Alzheimer's Coordinating Center Uniform Data Set neuropsychological battery. 2014 , 10, 675-83	28
993	A need for a standardized cognitive outcome measure in subarachnoid hemorrhage clinical studies. 2014 , 81, 252-4	6
992	Novel treatment for geriatric hoarding disorder: an open trial of cognitive rehabilitation paired with behavior therapy. 2014 , 22, 248-52	67
991	The influence of glycemic index on cognitive functioning: a systematic review of the evidence. 2014 , 5, 119-30	39
990	An occupation-based strategy training approach to managing age-related executive changes: a pilot randomized controlled trial. 2014 , 28, 118-27	31
989	Cognitive dysfunctions in elderly cancer patients: a new challenge for oncologists. 2014 , 40, 810-7	76
988	Cognitive impairments associated with periventricular white matter hyperintensities are mediated by cortical atrophy. 2014 , 130, 178-87	15
987	Psychiatric disturbances in patients with progressive supranuclear palsy: a case-control study. 2014 , 20, 965-8	19
986	Telemedicine and the evaluation of cognitive impairment: the additive value of neuropsychological assessment. 2014 , 15, 600-6	57
985	Feasibility of the cognitive assessment scale for stroke patients (CASP) vs. MMSE and MoCA in aphasic left hemispheric stroke patients. 2014 , 57, 422-35	25
984	Dementia and cognitive impairment: epidemiology, diagnosis, and treatment. 2014 , 30, 421-42	354
983	Is the emotion recognition deficit associated with frontotemporal dementia caused by selective inattention to diagnostic facial features?. 2014 , 60, 84-92	10
982	Cognitive function, depression, anxiety and quality of life in Chinese patients with untreated unruptured intracranial aneurysms. 2014 , 21, 1734-9	14
981	Behavioral and experiential avoidance in patients with hoarding disorder. 2014 , 45, 408-14	28
980	Exploring the role of muscle mass, obesity, and age in the relationship between muscle quality and physical function. 2014 , 15, 303.e13-20	46
979	Clinical predictors of individual cognitive fluctuations in patients undergoing hemodialysis. 2014 , 64, 434-42	43
978	Information processing speed and 8-year mortality among community-dwelling elderly Japanese. 2014 , 24, 52-9	8

977	Inhibition, executive function, and freezing of gait. 2014 , 4, 111-22	61
976	Using mice to model Alzheimer's dementia: an overview of the clinical disease and the preclinical behavioral changes in 10 mouse models. 2014 , 5, 88	413
975	Influence of stent-assisted angioplasty on cognitive function and affective disorder in elderly patients with symptomatic vertebrobasilar artery stenosis. 2014 , 20, 1129-36	3
974	Assessment of Cognitive Status in Geriatric Neurology. 2014 , 85-117	1
973	Definition and classification of small vessel diseases. 1-3	4
972	3D-CAM: derivation and validation of a 3-minute diagnostic interview for CAM-defined delirium: a cross-sectional diagnostic test study. 2014 , 161, 554-61	187
971	Screening for impaired cognitive domains in a large Parkinson's disease population and its application to the diagnostic procedure for Parkinson's disease dementia. 2014 , 4, 147-59	10
970	Pathologic aspects of the ischemic consequences of small vessel disease on brain parenchyma. 16-28	3
969	Acute stroke syndromes caused by small vessel disease. 217-235	
968	Cognitive consequences of cerebral small vessel disease. 236-250	
967	Integrative medicine for subacute stroke rehabilitation: a study protocol for a multicentre, randomised, controlled trial. 2014 , 4, e007080	4
966	Examining Executive Dysfunction with the Institute of Cognitive Neurology (INECO) Frontal Screening (IFS): normative values from a healthy sample and clinical utility in Alzheimer's disease. 2014 , 42, 261-73	18
965	Improved Executive Function and Callosal White Matter Microstructure after Rhythm Exercise in Huntington's Disease. 2014 , 3, 273-83	24
964	Effect Size (Cohen's d) of Cognitive Screening Instruments Examined in Pragmatic Diagnostic Accuracy Studies. 2014 , 4, 236-41	43
963	Alcohol related brain damage â a case of neglect?. 2014 , 7, 129-136	
962	Comparison of the diagnostic accuracy of neuropsychological tests in differentiating Alzheimer's disease from mild cognitive impairment: can the montreal cognitive assessment be better than the cambridge cognitive examination?. 2014 , 4, 113-21	16
961	Community-based adapted tango dancing for individuals with Parkinson's disease and older adults. 2014 ,	17
960	Measuring life space in older adults with mild-to-moderate Alzheimer's disease using mobile phone GPS. 2014 , 60, 154-62	59

959 Cognitive Impairment and the Dementias. **2014**, 181-286

958 Discrimination and recognition of facial expressions of emotion and their links with voluntary control of facial musculature in Parkinson's disease. **2014**, 28, 917-28 18

957 High prevalence of mild cognitive impairment in the elderly: a community-based study in four cities of the Hebei province, china. **2014**, 42, 123-30 25

956 Developing a serious game for cognitive assessment. **2014**, 20

955 Cognitive dysfunction and its impact on the person with heart failure. **2014**, 9, 382-386 4

954 Continuous positive airway pressure improves sleep and daytime sleepiness in patients with Parkinson disease and sleep apnea. **2014**, 37, 177-85 90

953 Gray matter atrophy and freezing of gait in Parkinson's disease: Is the evidence black-on-white?. **2014**, 29, 134-9 52

952 Blood pressure and LDL-cholesterol targets for prevention of recurrent strokes and cognitive decline in the hypertensive patient: design of the European Society of Hypertension-Chinese Hypertension League Stroke in Hypertension Optimal Treatment randomized trial. **2014**, 32, 1888-97 55

951 Identifying balance and fall risk in community-dwelling older women: the effect of executive function on postural control. **2014**, 66, 179-86 29

950 Haemodynamics during dialysis and cognitive performance. **2014**, 19, 771-6 10

949 Factors associated with cognitive decline in transient ischemic attack patients. **2014**, 41, 303-13 4

948 Cognitive screening among acute respiratory failure survivors: a cross-sectional evaluation of the Mini-Mental State Examination. **2015**, 19, 220 28

947 [The evaluation of the retrograde memory in the Quebec population aged: PUB-40 and PUB-12]. **2015**, 34, 411-21 3

946 Experimental examination of worry among older and young adults. **2015**, 27, 1177-90 8

945 Correlation between age and MMSE in schizophrenia. **2015**, 27, 1769-75 8

944 Age Differences in Reaction Times and a Neurophysiological Marker of Cholinergic Activity. **2015**, 34, 471-480 8

943 Predictors of hoarding severity in older adults with hoarding disorder. **2015**, 27, 1147-56 21

942 Aerobic and Cognitive Exercise (ACE) Pilot Study for Older Adults: Executive Function Improves with Cognitive Challenge While Exergaming. **2015**, 21, 768-79 62

941	Routine cognitive screening in older patients admitted to acute medicine: abbreviated mental test score (AMTS) and subjective memory complaint versus Montreal Cognitive Assessment and IQCODE. 2015 , 44, 1000-5	36
940	Virtual research visits and direct-to-consumer genetic testing in Parkinson's disease. 2015 , 1, 2055207615592998	
939	The five key things you need to know to manage adult patients with sickle cell disease. 2015 , 2015, 420-5	6
938	Cognitive impairment in schizophrenia: the great unmet need. 2015 , 20 Suppl 1, 35-9; quiz 40	11
937	A better screening tool for HIV-associated neurocognitive disorders: is it what clinicians need?. 2015 , 29, 895-902	38
936	What are the correlates of cognition and participation to return to work after first ever mild stroke?. 2015 , 22, 317-25	56
935	Rare Variants in PLD3 Do Not Affect Risk for Early-Onset Alzheimer Disease in a European Consortium Cohort. 2015 , 36, 1226-35	20
934	Patients' expectations of coming home with Very Early Supported Discharge and home rehabilitation after stroke - an interview study. 2015 , 15, 235	17
933	A practical algorithm for managing Alzheimer's disease: what, when, and why?. 2015 , 2, 307-23	52
932	Sleep deficits but no metabolic deficits in premanifest Huntington's disease. 2015 , 78, 630-48	70
931	Canadian Stroke Best Practice Recommendations: Mood, Cognition and Fatigue Following Stroke practice guidelines, update 2015. 2015 , 10, 1130-40	71
930	Development of a patient-centred, patient-reported outcome measure (PROM) for post-stroke cognitive rehabilitation: qualitative interviews with stroke survivors to inform design and content. 2015 , 18, 3213-24	9
929	Assessment of stroke survivors on an inpatient rehabilitation unit. 2015 , 11, 179-184	
928	Blink Reflex May Help Discriminate Alzheimer Disease From Vascular Dementia. 2015 , 32, 505-11	4
927	The Effect of Age on Listening Effort. 2015 , 58, 1592-600	24
926	Age differences in the association of physical activity, sociocognitive engagement, and TV viewing on face memory. 2015 , 34, 83-8	15
925	Psychological distress and intensive care unit stay after cardiac surgery: The role of illness concern. 2015 , 34, 283-7	8
924	Stressful life events and orthostatic blood pressure recovery in older adults. 2015 , 34, 765-74	7

923	Characterization and prediction of theory of mind disorders in temporal lobe epilepsy. 2015 , 29, 485-92	24
922	Stimulus-dependent modulation of visual neglect in a touch-screen cancellation task. 2015 , 29, 417-20	3
921	Dual task performance in Huntington's disease: A comparison of choice reaction time tasks. 2015 , 29, 703-12	5
920	Lexicality judgements in healthy aging and in individuals with Alzheimer's disease. 2015 , 10, 286-311	1
919	How your executive functioning impacts me: Findings from a normative sample of older couples. 2015 , 30, 589-97	2
918	The BCoS cognitive profile screen: Utility and predictive value for stroke. 2015 , 29, 638-48	32
917	The Oxford Cognitive Screen (OCS): validation of a stroke-specific short cognitive screening tool. 2015 , 27, 883-94	141
916	Finding the middle ground: Curvilinear associations between positive affect variability and daily cortisol profiles. 2015 , 15, 705-20	19
915	Betting on DBS: Effects of subthalamic nucleus deep brain stimulation on risk taking and decision making in patients with Parkinson's disease. 2015 , 29, 622-631	22
914	Diagnostic processes and therapeutic decision-making. 2015 , 13, 407-412	1
913	Cost Related to Dementia in the Young and the Impact of Etiological Subtype on Cost. 2016 , 49, 277-85	16
912	Activities of Daily Living and Depressive Symptoms in Patients with Subjective Cognitive Decline, Mild Cognitive Impairment, and Alzheimer's Disease. 2016 , 49, 1043-50	33
911	Development and preliminary evaluation of the anxiety in cognitive impairment and dementia (ACID) scales. 2015 , 27, 1825-38	12
910	Clinical utility of the informant AD8 as a dementia case finding instrument in primary healthcare. 2016 , 49, 121-7	25
909	NK Cells are Activated in Amnestic Mild Cognitive Impairment but not in Mild Alzheimer's Disease Patients. 2015 , 46, 93-107	36
908	A correlativity study of plasma APL128 and clusterin levels with MMSE/MoCA/CASI in aMCI patients. 2015 , 5, 15546	7
907	Sensitivity of Neuropsychological Tests to Identify Cognitive Decline in Highly Educated Elderly Individuals: 12 Months Follow up. 2016 , 49, 607-16	15
906	Evaluating the effectiveness of a home-based exercise programme delivered through a tablet computer for preventing falls in older community-dwelling people over 2 years: study protocol for the Standing Tall randomised controlled trial. 2015 , 5, e009173	37

905	Functional Cognitive Disorder: A Common Cause of Subjective Cognitive Symptoms. 2015 , 48 Suppl 1, S19-24	25
904	Short and Long-term Effects of rTMS Treatment on Alzheimer's Disease at Different Stages: A Pilot Study. 2015 , 9, 43-51	51
903	Lexical access in mild cognitive impairment. 2015 , 10, 271-285	1
902	Psychiatric assessment of patients with dementia in the community. 2015 , 65, 416	
901	Small effects of smoking on visual spatiotemporal processing. 2014 , 4, 7316	17
900	The design and progress of a multidomain lifestyle intervention to improve brain health in middle-aged persons to reduce later Alzheimer's disease risk: The Gray Matters randomized trial. 2015 , 1, 53-62	10
899	The relationship between speech segment duration and vowel centralization in a group of older speakers. 2015 , 138, 2132-9	15
898	Alterations of the Neuroinflammatory Markers IL-6 and TRAIL in Alzheimer's Disease. 2015 , 5, 424-34	39
897	Detection of cognitive impairment using mobile devices. 2015 ,	
896	The motor-semantic meanings of verbs generated by Parkinson's disease patients on/off dopamine medication in a verbal fluency task. 2015 , 36, 72-78	5
895	Cognitieve stoornissen en dementie bij de ziekte van Parkinson. 2015 , 3, 4-13	
894	Concordance of the Montreal cognitive assessment with standard neuropsychological measures. 2015 , 1, 289-94	41
893	Festination in Chinese patients with Parkinson's disease. 2015 , 139, 172-6	3
892	Frailty and Short-Term Outcomes in Patients With Hip Fracture. 2015 , 6, 209-14	51
891	Kognitives Defizit und Fahrtauglichkeit – wie viel Testung ist notwendig?. 2015 , 16, 43-47	
890	Mobility predicts change in older adults' health-related quality of life: evidence from a Vancouver falls prevention prospective cohort study. 2015 , 13, 101	37
889	Neurostimulation for cognitive rehabilitation in stroke (NeuroCog): study protocol for a randomized controlled trial. 2015 , 16, 435	3
888	Investigating the role of filamin C in Belgian patients with frontotemporal dementia linked to GRN deficiency in FTLT-TDP brains. 2015 , 3, 68	12

887	Exploring the effects of coexisting amyloid in subcortical vascular cognitive impairment. 2015 , 15, 197	7
886	The effect of a therapeutic regimen of Traditional Chinese Medicine rehabilitation for post-stroke cognitive impairment: study protocol for a randomized controlled trial. 2015 , 16, 272	4
885	Examining the effects of adjuvant chemotherapy on cognition and the impact of any cognitive impairment on quality of life in colorectal cancer patients: study protocol. 2015 , 3, 43	4
884	The Last Word: A Comparison of Younger and Older Adults' Brain Responses to Reminders of Death. 2018 , 73, 555-563	6
883	Evolving Roles, Innovative Practice, and Rapid Technology Growth: Remaining Ethical in Modern Clinical Neuropsychology. 2015 , 8, 281-288	3
882	Establishing Measurement-based Care in Integrated Primary Care: Monitoring Clinical Outcomes Over Time. 2015 , 22, 213-27	14
881	THE STRUCTURED CLINICAL INTERVIEW FOR COMPLICATED GRIEF: RELIABILITY, VALIDITY, AND EXPLORATORY FACTOR ANALYSIS. 2015 , 32, 485-92	36
880	Preliminary development of an ultrabrief two-item bedside test for delirium. 2015 , 10, 645-50	51
879	Pain in Parkinson's Disease: Current Concepts and a New Diagnostic Algorithm. 2015 , 2, 357-364	29
878	Patterns of cortical thinning in idiopathic rapid eye movement sleep behavior disorder. 2015 , 30, 680-7	60
877	Correlates of excessive daytime sleepiness in de novo Parkinson's disease: A case control study. 2015 , 30, 1371-81	53
876	Performance of the 16-Item Informant Questionnaire on Cognitive Decline for the Elderly (IQCODE) in an Arabic-Speaking Older Population. 2015 , 40, 276-89	22
875	Montreal Cognitive Assessment for the diagnosis of Alzheimer's disease and other dementias. 2015 , CD010775	91
874	Incubation of alcohol craving during abstinence in patients with alcohol dependence. 2015 , 20, 513-22	113
873	Functional dysconnection in the prefrontal-amygdala circuitry in unaffected siblings of patients with bipolar I disorder. 2015 , 17, 626-35	32
872	Amyloid- α Peptide in olfactory mucosa and mesenchymal stromal cells of mild cognitive impairment and Alzheimer's disease patients. 2015 , 25, 136-45	12
871	PACES in epilepsy: Results of a self-management randomized controlled trial. 2015 , 56, 1264-74	64
870	Adapted Tango Improves Mobility, Motor-Cognitive Function, and Gait but Not Cognition in Older Adults in Independent Living. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2105-13	5.6 38

869	Feasibility of Recommended Cognitive Screening Tools for Older Adults in Carehomes. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2432-4	5.6	1
868	Validation of the Chinese version of the CogState computerised cognitive assessment battery in Taiwanese patients with heart failure. 2015 , 24, 3147-54		2
867	Feasibility study of an attention training application for older adults. 2015 , 10, 241-9		10
866	Improving the Ergonomics of Cognitive Assessment with Serious Games. 2015 , 4, 1-5		4
865	Mobility and cognition are associated with wellbeing and health related quality of life among older adults: a cross-sectional analysis of the Vancouver Falls Prevention Cohort. 2015 , 15, 75		41
864	Relationship between the Montreal Cognitive Assessment and Mini-mental State Examination for assessment of mild cognitive impairment in older adults. 2015 , 15, 107		290
863	Validation of the Dutch version of the quick mild cognitive impairment screen (Qmci-D). 2015 , 15, 115		20
862	Street crossing behavior in younger and older pedestrians: an eye- and head-tracking study. 2015 , 15, 176		46
861	Association between vestibulo-ocular reflex suppression, balance, gait, and fall risk in ageing and neurodegenerative disease: protocol of a one-year prospective follow-up study. 2015 , 15, 192		11
860	Do cognitive measures and brain circuitry predict outcomes of exercise in Parkinson Disease: a randomized clinical trial. 2015 , 15, 218		23
859	Quantifying cognition at the bedside: a novel approach combining cognitive symptoms and signs in HIV. 2015 , 15, 224		13
858	EpiBrainRad: an epidemiologic study of the neurotoxicity induced by radiotherapy in high grade glioma patients. 2015 , 15, 261		13
857	Effect of augmenting cholinergic function on gait and balance. 2015 , 15, 264		17
856	A multi-faceted knowledge translation approach to support persons with stroke and cognitive impairment: evaluation protocol. 2015 , 10, 157		7
855	Improved predictive ability of the Montreal Cognitive Assessment for diagnosing dementia in a community-based study. 2015 , 7, 69		17
854	Symptom-Hemodynamic Mismatch and Heart Failure Event Risk. 2015 , 30, 394-402		12
853	Antihypertensive withdrawal for the prevention of cognitive decline. 2015 ,		
852	The Montreal Cognitive Assessment-Basic: A Screening Tool for Mild Cognitive Impairment in Illiterate and Low-Educated Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2550-2554 ^{5,6}		112

851	Evaluating the relationship between education level and cognitive impairment with the Montreal Cognitive Assessment Test. 2015 , 15, 186-90	17
850	A Novel APP M722K Mutation Affects Amyloid- β Secretion and Tau Phosphorylation and May Cause Early-Onset Familial Alzheimer's Disease in Chinese Individuals. 2015 , 47, 157-65	10
849	Distinct patterns of brain activity in progressive supranuclear palsy and Parkinson's disease. 2015 , 30, 1248-58	34
848	Dysfunction of social cognition and behavior. 2015 , 21, 660-77	7
847	Effects of viewing a preferred nature image and hearing preferred music on engagement, agitation, and mental status in persons with dementia. 2015 , 3, 2050312115602579	19
846	Identification and assessment of functional performance in mild cognitive impairment: a survey of occupational therapy practices. 2015 , 62, 187-96	13
845	Nurse-led cognitive screening model for older adults in primary care. 2015 , 15, 721-8	8
844	Circadian sleep/wake rhythm abnormalities as a risk factor of a poststroke apathy. 2015 , 10, 710-5	13
843	Effects of Aging on the Encoding of Dynamic and Static Components of Speech. 2015 , 36, e352-63	25
842	Cognitive outcome after radiotherapy in brain tumor. 2015 , 27, 510-5	27
841	Gender-Specific Physical Symptom Biology in Heart Failure. 2015 , 30, 517-21	12
840	C-TOC (Cognitive Testing on Computer): investigating the usability and validity of a novel self-administered cognitive assessment tool in aging and early dementia. 2015 , 29, 213-21	10
839	The utility of the Dementia Severity Rating Scale in differentiating mild cognitive impairment and Alzheimer disease from controls. 2015 , 29, 222-8	5
838	Evaluation of a Brief Survey Instrument for Assessing Subtle Differences in Cognitive Function Among Older Adults. 2015 , 29, 317-24	35
837	Comparison of an Electronic and Paper-based Montreal Cognitive Assessment Tool. 2015 , 29, 325-9	13
836	Validation of a brief screening tool for alcohol-related neuropsychological impairments. 2015 , 39, 2249-60	20
835	Transcranial direct current stimulation (tDCS) for improving aphasia in patients with aphasia after stroke. 2015 , CD009760	48
834	Psychometric properties of the General Self-Efficacy Scale in Parkinson's disease. 2015 , 132, 89-96	26

833	The Montreal Cognitive Assessment: Creating a Crosswalk with the Mini-Mental State Examination. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2370-4	5.6	60
832	Association Between Objectively Measured Physical Activity and Cognitive Function in Older Adults-The Reasons for Geographic and Racial Differences in Stroke Study. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2447-2454	5.6	35
831	Effect of Mild Cold Exposure on Cognition in Persons with Tetraplegia. 2015 , 32, 1168-75		8
830	Vascular risk factor burden correlates with cerebrovascular reactivity but not resting state coactivation in the default mode network. 2015 , 42, 1369-76		11
829	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. 2015 , CD010569		23
828	Environmental enrichment for stroke and other non-progressive brain injury. 2015 ,		2
827	Reduced cerebrospinal fluid mitochondrial DNA is a biomarker for early-stage Parkinson's disease. 2015 , 78, 1000-4		67
826	Altered brain network centrality in depressed Parkinson's disease patients. 2015 , 30, 1777-84		63
825	One-Year Change in the Japanese Version of the Montreal Cognitive Assessment Performance and Related Predictors in Community-Dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1874-9	5.6	17
824	Superficial Vein Thrombosis in Frail Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2434-5	5.6	
823	Mild Neurocognitive Disorder: An Old Wine in a New Bottle. 2015 , 23, 368-76		40
822	The Association Between Mild Cognitive Impairment and Self-care in Adults With Chronic Heart Failure: A Systematic Review and Narrative Synthesis. 2015 , 30, 382-93		42
821	Neurocognitive deficits increase risk of poor retention in care among older adults with newly diagnosed HIV infection. 2015 , 29, 1711-4		31
820	A new delirium phenotype with rapid high amplitude onset and nearly as rapid reversal: Central Coast Australia Delirium Intervention Study. 2015 , 10, 473-80		4
819	Methods for transition toward computer assisted cognitive examination. 2015 , 54, 256-61		1
818	Relationship Between Motor Vehicle Collisions and Results of Perimetry, Useful Field of View, and Driving Simulation in Drivers With Glaucoma. 2015 , 4, 5		17
817	Reversion to Normal Cognition and Its Correlates among the Community-dwelling Elderly with Mild Cognitive Impairment: the Longitudinal Cohort Study. 2015 , 27, 656		4
816	Cognitive reserve and Aβ-42 in mild cognitive impairment (Argentina-Alzheimer's Disease Neuroimaging Initiative). 2015 , 11, 2599-604		11

815	Visual-spatial perception: a comparison between instruments frequently used in the primary care setting and a computerized cognitive assessment battery. 2015 , 10, 1881-6	1
814	Emotional face recognition deficit in amnesic patients with mild cognitive impairment: behavioral and electrophysiological evidence. 2015 , 11, 1973-87	10
813	The Mini-Mental State Examination and Other Neuropsychological Assessment Tools for Detecting Cognitive Decline. 2015 , 1159-1174	3
812	Assessment of Dementia. 2015 , 8, 11	5
811	Connection between competence, usability, environment and risk of falls in elderly adults. 2015 , 23, 1139-48	1
810	Restless legs syndrome: associated non-motor symptoms and medical comorbidities: a controlled study. 2015 , 33	1
809	Occupation and the risk of chronic toxic leukoencephalopathy. 2015 , 131, 73-91	0
808	Dual Task Performance May be a Better Measure of Cognitive Processing in Huntington's Disease than Traditional Attention Tests. 2015 , 4, 119-30	6
807	Feasibility of Virtual Research Visits in Fox Trial Finder. 2015 , 5, 505-15	30
806	Altered Neural Activity during Semantic Object Memory Retrieval in Amnesic Mild Cognitive Impairment as Measured by Event-Related Potentials. 2015 , 46, 703-17	10
805	The Effects of the A Matter of Balance Program on Falls and Physical Risk of Falls, Tampa, Florida, 2013. 2015 , 12, E157	13
804	Spectrum Effect and Spectrum Bias in the Screening Test Performance for Amnesic Mild Cognitive Impairment: What are the Clinical Implications?. 2015 , 48, 385-93	4
803	Focus group reflections on the current and future state of cognitive assessment tools in geriatric health care. 2015 , 11, 1455-66	5
802	Risk management and how dementia affects ability: Article 1/4. Assessing risk. 2015 , 9, 276-282	1
801	Effects of APOE rs429358, rs7412 and GSTM1/GSTT1 Polymorphism on Plasma and Erythrocyte Antioxidant Parameters and Cognition in Old Chinese Adults. 2015 , 7, 8261-73	10
800	Visuospatial characteristics of an elderly Chinese population: results from the WAIS-R block design test. 2015 , 7, 17	14
799	Gray matter blood flow and volume are reduced in association with white matter hyperintensity lesion burden: a cross-sectional MRI study. 2015 , 7, 131	34
798	Elevated body mass index and maintenance of cognitive function in late life: exploring underlying neural mechanisms. 2015 , 7, 155	18

797	Age-related deficit in a bimanual joint position matching task is amplitude dependent. 2015 , 7, 162	11
796	Measuring sleep quality in older adults: a comparison using subjective and objective methods. 2015 , 7, 166	202
795	C-Reactive Protein, Advanced Glycation End Products, and Their Receptor in Type 2 Diabetic, Elderly Patients with Mild Cognitive Impairment. 2015 , 7, 209	32
794	Rapid Responsiveness to Practice Predicts Longer-Term Retention of Upper Extremity Motor Skill in Non-Demented Older Adults. 2015 , 7, 214	15
793	Executive Dysfunctions and Event-Related Brain Potentials in Patients with Amyotrophic Lateral Sclerosis. 2015 , 7, 225	15
792	Assessment and rehabilitation of neglect using virtual reality: a systematic review. 2015 , 9, 226	59
791	Dual-task and electrophysiological markers of executive cognitive processing in older adult gait and fall-risk. 2015 , 9, 200	27
790	Altered cerebellar connectivity in Parkinson's patients ON and OFF L-DOPA medication. 2015 , 9, 214	37
789	How native-like can you possibly get: fMRI evidence for processing accent. 2015 , 9, 587	7
788	A Behavioral and Electrophysiological Investigation of the Effect of Bilingualism on Lexical Ambiguity Resolution in Young Adults. 2015 , 9, 682	5
787	The Effects of Near-Infrared Spectroscopy on the Neurocognitive Functions in the Patients Undergoing Coronary Artery Bypass Grafting with Asymptomatic Carotid Artery Disease: A Randomized Prospective Study. 2015 , 21, 544-50	32
786	Comparison of integrated traditional Chinese and western medicine therapy on vascular cognitive impairment with no dementia. 2015 , 14, 4896-902	5
785	Effects of physical therapy delivery via home video telerehabilitation on functional and health-related quality of life outcomes. 2015 , 52, 361-70	63
784	Action processing and mirror neuron function in patients with amyotrophic lateral sclerosis: an fMRI study. 2015 , 10, e0119862	20
783	Serum levels of inflammatory markers in depressed elderly patients with diabetes and mild cognitive impairment. 2015 , 10, e0120433	46
782	Increased cerebral water content in hemodialysis patients. 2015 , 10, e0122188	14
781	Mild cognitive impairment: vascular risk factors in community elderly in four cities of Hebei Province, China. 2015 , 10, e0124566	19
780	Management of the Patient in Geriatric Psychiatry. 2015 , 2439-2452	

779	Reliability and Validity of the Beijing Version of the Montreal Cognitive Assessment in the Evaluation of Cognitive Function of Adult Patients with OSAHS. 2015 , 10, e0132361	24
778	Sleep Disorders in Parkinsonian and Nonparkinsonian LRRK2 Mutation Carriers. 2015 , 10, e0132368	50
777	Effects of Aging on Arm Swing during Gait: The Role of Gait Speed and Dual Tasking. 2015 , 10, e0136043	41
776	Predicting Risk of Motor Vehicle Collisions in Patients with Glaucoma: A Longitudinal Study. 2015 , 10, e0138288	19
775	Selectivity of Face Perception to Horizontal Information over Lifespan (from 6 to 74 Year Old). 2015 , 10, e0138812	15
774	Working memory and intelligibility of hearing-aid processed speech. 2015 , 6, 526	41
773	Cross-age effects on forensic face construction. 2015 , 6, 1237	1
772	Associations between speech understanding and auditory and visual tests of verbal working memory: effects of linguistic complexity, task, age, and hearing loss. 2015 , 6, 1394	33
771	Social and Cultural Elements Associated with Neurocognitive Dysfunctions in Spinocerebellar Ataxia Type 2 Patients. 2015 , 6, 90	5
770	Anticholinergic Load: Is there a Cognitive Cost in Early Parkinson's Disease?. 2015 , 5, 743-7	12
769	Preliminary findings on the reliability and validity of the Cantonese Birmingham Cognitive Screen in patients with acute ischemic stroke. 2015 , 11, 2377-90	6
768	Anodal direct current stimulation in the healthy aged: Effects determined by the hemisphere stimulated. 2015 , 33, 509-19	15
767	Effects of momentum-based dumbbell training on cognitive function in older adults with mild cognitive impairment: a pilot randomized controlled trial. 2016 , 11, 9-16	23
766	Cognitive function and living situation in COPD: is there a relationship with self-management and quality of life?. 2015 , 10, 1883-9	18
765	Screening of cognitive impairment in patients with Parkinson's disease: diagnostic validity of the Brazilian versions of the Montreal Cognitive Assessment and the Addenbrooke's Cognitive Examination-Revised. 2015 , 73, 929-33	21
764	Applying Automated MR-Based Diagnostic Methods to the Memory Clinic: A Prospective Study. 2015 , 47, 939-54	43
763	Transcranial Magnetic Stimulation to Address Mild Cognitive Impairment in the Elderly: A Randomized Controlled Study. 2015 , 2015, 287843	53
762	Relationship between Cognitive Performance and Motor Dysfunction in Patients with Parkinson's Disease: A Pilot Cross-Sectional Study. 2015 , 2015, 365959	31

761	Serum Soluble Adhesion Molecules and Markers of Systemic Inflammation in Elderly Diabetic Patients with Mild Cognitive Impairment and Depressive Symptoms. 2015 , 2015, 826180	12
760	Articulatory Changes in Vowel Production following STN DBS and Levodopa Intake in Parkinson's Disease. 2015 , 2015, 382320	8
759	Neural Plastic Effects of Cognitive Training on Aging Brain. 2015 , 2015, 535618	26
758	A hybrid intelligent diagnosis approach for quick screening of Alzheimer's disease based on multiple neuropsychological rating scales. 2015 , 2015, 258761	5
757	Trying to Put the Puzzle Together: Age and Performance Level Modulate the Neural Response to Increasing Task Load within Left Rostral Prefrontal Cortex. 2015 , 2015, 415458	10
756	Association between Plasma Leptin and Estrogen in Female Patients of Amnesic Mild Cognitive Impairment. 2015 , 2015, 450237	8
755	Predicting Early Bulbar Decline in Amyotrophic Lateral Sclerosis: A Speech Subsystem Approach. 2015 , 2015, 183027	62
754	The impact of breast cancer on social cognition in female Colombian patients. 2022 , 10,	0
753	EEG-Based Mapping of Resting-State Functional Brain Networks in Patients with Parkinson's Disease. 2022 , 7, 231	0
752	Prevalence of cognitive impairment in patients with rheumatoid arthritis: a cross sectional study. 2022 , 22,	0
751	Altered Spontaneous Brain Activity Following Moxibustion in Mild Cognitive Impairment.	0
750	Long-Term Seizure Outcomes and Predictors in Patients with Dysembryoplastic Neuroepithelial Tumors Associated with Epilepsy. 2023 , 13, 24	0
749	Sex differences in default mode network connectivity in healthy aging adults.	0
748	Sleep spindles and slow waves are physiological markers for age-related changes in gray matter in brain regions supporting problem-solving skills. 2023 , 30, 12-24	0
747	Home-Based Individualized Cognitive Stimulation (iCS) Therapy in Portuguese Psychiatric Patients: A Randomized Controlled Trial. 2022 , 12, 1655	0
746	Beyond the Dorsal Column Medial Lemniscus in Proprioception and Stroke: A White Matter Investigation. 2022 , 12, 1651	0
745	Cognitive Impairment is Common in a Veterans Affairs Population with Peripheral Arterial Disease. 2022 ,	0
744	Social concepts and the cerebellum: behavioural and functional connectivity signatures in cerebellar ataxic patients. 2023 , 378,	1

- 743 Suicide Risk in Post-COVID-19 Syndrome. **2022**, 12, 2019 1
- 742 Changes in both top-down and bottom-up effective connectivity drive visual hallucinations in Parkinson's disease. 1
- 741 Neurocognitive patterns across genetic levels in behavioral variant frontotemporal dementia: a multiple single cases study. **2022**, 22, 0
- 740 Verbal Reasoning Impairment in Parkinson's Disease. **2022**, 2022, 1-5 0
- 739 Impact of Depression on Cognitive Function and Disease Severity in Idiopathic Cervical Dystonia Patients: One-Center Data in Cross-Sectional Study. **2022**, 58, 1793 0
- 738 Vitamin D Status Over Time and Cognitive Function in Norwegian Older Adults: A Prospective Cohort of the HUNT Study. 0
- 737 Cognitive assessment in patients treated by immunotherapy: the prospective Cog-Immuno trial. **2022**, 22, 0
- 736 APOE alleles are associated with sex-specific structural differences in brain regions affected in Alzheimer's disease and related dementia. **2022**, 20, e3001863 0
- 735 Motor symptoms in Parkinson's disease are related to the interplay between cortical curvature and thickness. **2022**, 103300 0
- 734 Effects of Dapagliflozin on Echocardiographic Measures of Cardiac Structure and Function in Patients with CKD. 10.34067/KID.0006982022 0
- 733 Handgrip Strength is Related to Hippocampal and Lobar Brain Volumes in a Cohort of Cognitively Impaired Older Adults with Confirmed Amyloid Burden. **2022**, 1-8 0
- 732 Restless legs syndrome and cognitive function among adults: a systematic review and meta-analysis. 0
- 731 Digitally Assisted Standard Diagnostics in Insurance Medicine (DASDIM): psychometric data in psychiatric work disability evaluations. 1-14 0
- 730 Normative data for the Color Trails Test in middle-aged and elderly Quebec-French people. 1-9 1
- 729 Integrating data analytics, peer support, and whole health coaching to improve the health outcomes of homeless veterans: Study protocol for an effectiveness-implementation trial. **2022**, 107065 0
- 728 Association between antedementia medication use and mortality in people diagnosed with dementia with Lewy bodies in the UK: A retrospective cohort study. **2022**, 19, e1004124 0
- 727 A group-based exercise and behavioural maintenance intervention for adults over 65 years with mobility limitations: the REACT RCT. **2022**, 10, 1-172 0
- 726 Postoperative pain and pain management and neurocognitive outcomes after non-cardiac surgery: a protocol for a series of systematic reviews. **2022**, 11, 0

725	Responsiveness of Daily Life Gait Quality Characteristics over One Year in Older Adults Who Experienced a Fall or Engaged in Balance Exercise. 2023 , 23, 101	o
724	Learning and vulnerability to phonological and semantic interference in normal aging: an experimental study. 1-18	o
723	The Effects of Transcutaneous Vagus Nerve Stimulation on Functional Connectivity Within Semantic and Hippocampal Networks in Mild Cognitive Impairment.	o
722	The Influence of Age on the Intermanual Transfer and Retention of Implicit Visuomotor Adaptation. 1-16	o
721	New methods for the diagnosis and monitoring of cognitive function in patients with type 2 diabetes. 13,	o
720	Factors Predicting Adherence to Artistic-Singing Groups for Older Adults and their Role as Moderators of the Intervention Outcomes. 1-13	o
719	The Usefulness of Optical Coherence Tomography in Disease Progression Monitoring in Younger Patients with Relapsing-Remitting Multiple Sclerosis: A Single-Centre Study. 2023 , 12, 93	o
718	Age-related changes in midfrontal theta activity during steering control: A driving simulator study. 2022 ,	o
717	Neuropsychiatric Symptoms after Liver Transplantation in a 65-Year-Old Male Patient. 2022 , 12, 1721	o
716	Lived experience of older adults with type 1 diabetes using closed-loop automated insulin delivery in a randomised trial.	o
715	Neuropsychological Assessment of Community-Dwelling Older Adults in Almaty, Kazakhstan. 2022 , 19, 16189	o
714	Gamma frequency sensory stimulation in mild probable Alzheimer's dementia patients: Results of feasibility and pilot studies. 2022 , 17, e0278412	1
713	Association between loneliness and its components and cognitive function among older Chinese adults living in nursing homes: A mediation of depressive symptoms, anxiety symptoms, and sleep disturbances. 2022 , 22,	o
712	The helping older people engage (HOPE) study: Protocol & COVID modifications for a randomized trial. 2022 , 30, 101040	1
711	Decline in Other Instrumental Activities of Daily Living as Indicators of Driving Risk in Older Adults at an Academic Memory Clinic. 2023 , 8, 7	o
710	â€œI am feeling tension in my whole bodyâ€An experimental phenomenological study of empathy for pain. 13,	o
709	Feasibility of bioelectrical impedance analysis in routine clinical care to assess body composition in geriatric rehabilitation inpatients: RESORT.	o
708	Lower corticospinal excitability and greater fatigue among people with multiple sclerosis experiencing pain. 2023 , 9, 205521732211433	o

- 707 The relationship between cadmium and cognition in the elderlyâA Systematic Review. 1-36 o
- 706 Development of a simple screening tool for determining cognitive status in Alzheimerâ disease. **2023**, 18, e0280178 o
- 705 Effect of experimentally introduced interaural frequency mismatch on sentence recognition in bilateral cochlear-implant listeners. o
- 704 Global variation in tests of cognitive and physical function: analysis of six international randomized controlled trials. o
- 703 Using clinical psychologists to upskill occupational therapists in cognitive management after stroke. **2020**, 1, 30-35 o
- 702 Psychiatric Evaluation of the Liver Transplant Candidate with Alcohol-Associated Hepatitis. **2022**, 145-152 o
- 701 Memory Loss and Cognitive Impairment. **2022**, 667-680 o
- 700 Relationship between cognitive and motor functions, and dual task performance in community dwelling older adults: gender differences. o
- 699 The Fast Cognitive Evaluation (FaCE): a screening tool to detect cognitive impairment in patients with cancer. **2023**, 23, o
- 698 Virtual Reality in the Rehabilitation of Cognitive Impairment after Stroke. **2023**, 7, 3 1
- 697 Longitudinal relationships between non-motor symptoms and biomarkers as a function of motor symptom asymmetry in early Parkinsonâ disease. o
- 696 Optimizing the Effect of tDCS on Motor Sequence Learning in the Elderly. **2023**, 13, 137 o
- 695 Selective auditory attention modulates cortical responses to sound location change for speech in quiet and in babble. **2023**, 18, e0268932 o
- 694 Overactivation of posterior insular, postcentral, and temporal regions during preserved experience of envy in autism. o
- 693 Evaluating the treatment outcomes of repetitive transcranial magnetic stimulation in patients with moderate-to-severe Alzheimerâ disease. 14, o
- 692 Differential contributions of depression, apathy, and anxiety to neuropsychological performance in Parkinsonâ disease versus essential tremor. 1-14 o
- 691 Evaluation of altered brain activity in type 2 diabetes using various indices of brain function: A resting-state functional magnetic resonance imaging study. 16, o
- 690 High-density transcranial direct current stimulation to improve upper limb motor function following stroke: study protocol for a double-blind randomized clinical trial targeting prefrontal and/or cerebellar cognitive contributions to voluntary motion. o

- 689 Exposure to the Dutch Famine in Early Gestation and Cognitive Function and Decline in Older Age. **2023**, 15, 293 o
- 688 Cognitive retraining and functional treatment (CRAFT) for adults with cancer related cognitive impairment: A randomized controlled trial. o
- 687 Case Study 4: A 68-Year-Old Woman With Progressive Cognitive Decline and Anxiety. **2023**, 35, 4-11 o
- 686 Feasibility of a combined intermittent theta-burst stimulation and video game-based dexterity training in Parkinson's disease. **2023**, 20, o
- 685 Community Choir Improves Vocal Production Measures in Individuals Living with Parkinson's Disease. **2023**, o
- 684 Shared functional network abnormality in patients with temporal lobe epilepsy and their siblings. o
- 683 Reduced Serum Levels of Klotho are Associated with Mild Cognitive Impairment in Patients with Type 2 Diabetes Mellitus. Volume 16, 129-137 o
- 682 The Rossy Progressive Supranuclear Palsy Centre: creation and initial experience. 1-28 o
- 681 The contribution of discursive and cognitive factors in referential choices made by elderly people during a narrative task. 1-22 o
- 680 Longitudinal clinical decline and baseline predictors in progressive supranuclear palsy. **2023**, 105290 o
- 679 Aging alters across-hemisphere cortical dynamics during binaural temporal processing. 16, o
- 678 Motor and respiratory functions are main challenges to patients with multiple sclerosis. 36, o
- 677 A comparison of the immediate effects of the Andago over ground body weight support trainer versus over ground walking on selected gait parameters in a post-acute rehabilitation population. 1-11 o
- 676 The Greifswald Post COVID Rehabilitation Study and Research (PoCoRe) - Study Design, Characteristics and Evaluation Tools. **2023**, 12, 624 1
- 675 Interaction of Depressive Status and Cognitive Ability Predicts Psychological Resilience of Young Adults in Taiwan. o
- 674 Effect of CPAP on cognitive function in stroke patients with obstructive sleep apnoea: a meta-analysis of randomised controlled trials. **2023**, 13, e060166 o
- 673 Virtual reality-based monitoring test for MCI: A multicenter feasibility study. 13, o
- 672 High-intensity training in patients with lacunar stroke: A one-year follow-up. **2023**, 106973 o

- 671 The Association of the Oral Microbiota with the Effects of Acid Stress Induced by an Increase of Brain Lactate in Schizophrenia Patients. **2023**, 11, 240 ○
- 670 Gender differences in motor and non-motor symptoms in individuals with mild-moderate Parkinson's disease. **2023**, 18, e0272952 ○
- 669 Evaluation of the Effectiveness of Neurocognitive Rehabilitation of Patients with Mild Cognitive Decline under Restrictions during the COVID-19 Pandemic. **2023**, 20, 36-43 ○
- 668 Changes in gamma-aminobutyric acid and glutamate/glutamine levels in the right thalamus of patients with episodic and chronic migraine: A proton magnetic resonance spectroscopy study. ○
- 667 Cognitive Profile in Patients Admitted to Intensive Rehabilitation after Stroke Is Associated with the Recovery of Dysphagia: Preliminary Results from the RIPS (Intensive Post-Stroke Rehabilitation) Study. **2023**, 44, 015-025 ○
- 666 Feasibility of a meditation intervention for stroke survivors and informal caregivers: a randomized controlled trial. **2023**, 11, ○
- 665 Ultrasound quadriceps muscle thickness is variably associated with frailty in haemodialysis recipients. **2023**, 24, 1
- 664 Anesthetic Concerns for Spinal Surgery in the Elderly. **2023**, 59-71 ○
- 663 Contributions of age and clinical depression to metacognitive performance. **2023**, 107, 103458 ○
- 662 Progressive structural and covariance connectivity abnormalities in patients with Alzheimer's disease. 14, ○
- 661 Androstadienone sensitivity is associated with attention to emotions, social interactions, and sexual behavior in older U.S. adults. **2023**, 18, e0280082 ○
- 660 Brain connectivity in frailty: insights from The Irish Longitudinal Study on Ageing (TILDA). **2023**, ○
- 659 Transcranial alternating current stimulation combined with sound stimulation improves cognitive function in patients with Alzheimer's disease: Study protocol for a randomized controlled trial. 14, ○
- 658 Prospective comparison of three methods for detecting peri-operative neurocognitive disorders in older adults undergoing cardiac and non-cardiac surgery. ○
- 657 Social Cognition in Parkinson's Disease: A Case-Control Study. ○
- 656 Mediation effects of cognitive, physical, and motivational reserves on cognitive performance in older people. 13, ○
- 655 High (130 Hz)- and mid (60 Hz)-frequency deep brain stimulation in the subthalamic nucleus differentially modulate response inhibition: A preliminary combined EEG and eye tracking study. **2023**, 37, 103314 ○
- 654 Olfactory Impairment Correlates with Executive Functions Disorders and Other Specific Cognitive Dysfunctions in Parkinson's Disease. **2023**, 12, 112 1

- 653 Neuropsychiatric Symptom Burden across Neurodegenerative Disorders and its Association with Function. 070674372211474 ○
- 652 Lifelong exposure to high-altitude hypoxia in humans is associated with improved redox homeostasis and structural-functional adaptations of the neurovascular unit. ○
- 651 Asymptomatic carotid stenosis is associated with both edge and network reconfigurations identified by single-subject cortical thickness networks. 14, ○
- 650 Effects of familiar music exposure on deliberate retrieval of remote episodic and semantic memories in healthy aging adults. 1-29 ○
- 649 Impact of Rehabilitation on Physical and Neuropsychological Health of Patients Who Acquired COVID-19 in the Workplace. **2023**, 20, 1468 ○
- 648 Clinical Burden of Angiographic Vasospasm and Its Complications After Aneurysmal Subarachnoid Hemorrhage: A Systematic Review. ○
- 647 Perceptual and Acoustic Analysis of Speech in Spinocerebellar ataxia Type 1. ○
- 646 The Design Preferences for a Serious Game-based Cognitive Assessment of Older People in Prison: Thematic Analysis (Preprint). ○
- 645 Development of risk prediction model for cognitive impairment in patients with coronary heart disease: A study protocol for a prospective, cross-sectional analysis. 9, ○
- 644 Parkinson's Disease-Cognitive Rating Scale (PD-CRS): normative data and mild cognitive impairment assessment in Brazil. ○
- 643 Hippocampal neurochemicals are associated with exercise group and intensity, psychological health, and general cognition in older adults. ○
- 642 Impact of Music Therapy on Post-stroke Cognitive Impairment: A Randomized Control Study. ○
- 641 Searching for Biomarkers in the Blood of Patients at Risk of Developing Parkinson's Disease at the Prodromal Stage. **2023**, 24, 1842 ○
- 640 Visuoconstructional Abilities of Patients With Subjective Cognitive Decline, Mild Cognitive Impairment and Alzheimer's Disease. 089198872211355 ○
- 639 Functional connectivity and mild behavioral impairment in dementia-free elderly. **2023**, 9, ○
- 638 Piloting HealthScore : Feasibility and acceptability of a clinically integrated health coaching program for people living with cancer. ○
- 637 R4Alz-Revised: A Tool Able to Strongly Discriminate "Subjective Cognitive Decline" from Healthy Cognition and "Minor Neurocognitive Disorder"**2023**, 13, 338 ○
- 636 Mobile digital gait analysis objectively measures progression in hereditary spastic paraplegia. ○

- 635 Cognitive Deficits in the Acute Phase of COVID-19: A Review and Meta-Analysis. **2023**, 12, 762 ○
- 634 Age and Technology Readiness Influences on Adults's Experiences with Highly Automated Vehicles. 036119812211451 ○
- 633 Different peripheral expression patterns of the nicotinic acetylcholine receptor in dementia with Lewy bodies and Alzheimer's disease. **2023**, 20, ○
- 632 Mediterranean Diet, Ketogenic Diet or MIND Diet for Aging Populations with Cognitive Decline: A Systematic Review. **2023**, 13, 173 ○
- 631 Relationship between key continuous glucose monitoring-derived metrics and specific cognitive domains in patients with type 2 diabetes mellitus. ○
- 630 Prevalence and Predictors of Post-stroke Cognitive Impairment among Stroke Survivors in Uganda. ○
- 629 Recurrent syncope in long survivors and its association with geriatric syndromes. ○
- 628 Cerebrospinal fluid ceramides and cognition as a function of striatal asymmetry in early Parkinson's disease. ○
- 627 Activity-related pain predicts pain and functional outcomes in people with knee osteoarthritis: A longitudinal study. 3, ○
- 626 Baseline Function and Rehabilitation Are as Important as Stroke Severity as Long-term Predictors of Cognitive Performance Post-stroke. **2023**, 102, S43-S50 ○
- 625 Can vigilance predict the status of safe functional gait and risk of falls in patients with peripheral vestibular disorders? A cross-sectional study. **2023**, 445, 120547 ○
- 624 Assess the documentation of cognitive tests and biomarkers in electronic health records via natural language processing for Alzheimer's disease and related dementias. **2023**, 170, 104973 ○
- 623 Multiple sclerosis-related heat sensitivity linked to absence of DMT prescription and subjective hand impairment but not autonomic or corticospinal dysfunction. **2023**, 70, 104514 ○
- 622 Structural and metabolic correlates of neuropsychological profiles in multiple system atrophy and Parkinson's disease. **2023**, 107, 105277 ○
- 621 Organization of neurochemical interactions in young and older brains as revealed with a network approach: Evidence from proton magnetic resonance spectroscopy (1H-MRS). **2023**, 266, 119830 ○
- 620 Anosognosia in HD: Comparison of self-report and caregiver ratings with objective performance measures. **2023**, 107, 105272 ○
- 619 Associations of subjective and objective cognitive functioning after COVID-19: A six-month follow-up of ICU, ward, and home-isolated patients. **2023**, 27, 100587 ○
- 618 Self-reported pain and fatigue are associated with physical and cognitive function in middle to older-aged adults. **2023**, 50, 7-14 ○

- 617 Neurochemical and functional reorganization of the cognitive-ear link underlies cognitive impairment in presbycusis. **2023**, 268, 119861 o
- 616 Distracted driving behavior in patients with insomnia. **2023**, 183, 106971 o
- 615 Previously independent patients with mild-symptomatic COVID-19 are at high risk of developing cognitive impairment but not depression or anxiety. **2023**, 324, 645-651 o
- 614 Test user experience: The Oxford Cognitive Screen. **2018**, 1, 18-20 o
- 613 Delirium. **2022**, o
- 612 The Psychiatric Interview of Older Adults. **2022**, o
- 611 Validity evidence for the Cognitive Screening Test in Stroke Patients. **2022**, 27, 735-749 o
- 610 Motivational interviewing for enhancing self-care in patients with Heart Failure: protocol for a Randomized Controlled Trial (Preprint). o
- 609 Case report of anosognosia for hemiplegia: A fMRI study. **2022**, 101, e32526 o
- 608 Paroxysmal slow wave events are associated with cognitive impairment in patients with obstructive sleep apnea. **2022**, 14, o
- 607 Application of Immersive Virtual-Reality-Based Puzzle Games in Elderly Patients with Post-Stroke Cognitive Impairment: A Pilot Study. **2023**, 13, 79 1
- 606 PI3K polymorphism in patients with sporadic Parkinson's disease. **2022**, 101, e32349 o
- 605 Psychometric Evaluation of the Chinese Version of Mild Cognitive Impairment Questionnaire among Older Adults with Mild Cognitive Impairment. **2023**, 20, 498 o
- 604 Clinical value of the Montreal Cognitive Assessment free recall condition alone versus cued recall and recognition conditions to detect true memory impairment. 1-6 o
- 603 Psychometric Properties of a New Measure of Upper Limb Performance in Post-Stroke Individuals: Trunk-Based Index of Performance. 154596832211434 o
- 602 Involvement of limbic structures in patients with isolated rapid eye movement sleep behavior disorder. o
- 601 Hyperacute immune responses associate with immediate neuropathology and motor dysfunction in large vessel occlusions. o
- 600 Predictive Accuracy of Inpatient Cognitive Screening for Correctly Classifying Mild Cognitive Impairment at 4 Months Using A Full Neurocognitive Battery in Acute Coronary Syndrome. **2023**, 43, 74-75 o

- 599 A case study on the application evaluation of integrative medical service model for the improvement of quality of life for dementia patients and caregivers. **2022**, 101, e32282 ○
- 598 Limits on using the clock drawing test as a measure to evaluate patients with neurological disorders. **2022**, 22, ○
- 597 Development and Validation of a Mobile Application as an Adjuvant Treatment for People Diagnosed with Long COVID-19: Protocol for a Co-Creation Study of a Health Asset and an Analysis of Its Effectiveness and Cost-Effectiveness. **2023**, 20, 462 ○
- 596 Depressive symptoms, social support, cognitive function, and stigma: predictors of resilience in caregivers of children with intellectual disabilities. **2022**, 9, 361-369 ○
- 595 Comparison of multiple acupoints combination in the treatment of post-stroke cognitive impairment: A network meta-analysis. **2022**, 101, e32383 ○
- 594 Cognitive Behavioral Therapy for Anxiety in Parkinson's Disease Induces Functional Brain Changes. **2022**, 1-11 ○
- 593 Communication Partner Intervention for Cognitive and Pragmatic Skills in Traumatic Brain Injury. **2022**, 5, 254-273 ○
- 592 Associations between cortical β-amyloid burden, fornix microstructure and cognitive processing of faces, places, bodies and other visual objects in early Alzheimer's disease. ○
- 591 In-hospital rehabilitation with the Geriatric Activation Program Pellenberg improves functional performance in a heterogeneous geriatric population. 1-12 ○
- 590 Sex-Specific Interactions Between Hearing and Memory in Older Adults With Mild Cognitive Impairment: Findings From the COMPASS-ND Study. Publish Ahead of Print, ○
- 589 Effects of a 12-week Vivifrail exercise program on intrinsic capacity among frail cognitively impaired community-dwelling older adults: secondary analysis of a multicentre randomised clinical trial. **2022**, 51, ○
- 588 Evaluation of cognitive functions in adult individuals with COVID-19. ○
- 587 Probability Distributions for Associations Between Cognitive Screening and Pure-tone Thresholds in Older Adults. Publish Ahead of Print, ○
- 586 The effect of information and communications technology use on the well-being of older Hong Kong Chinese adults. 1-16 ○
- 585 Prophylaxe postoperativer neurokognitiver Störungen. **2022**, 229-236 ○
- 584 Turning when using a smartphone in persons with and without neurologic conditions: an observational study (Preprint). ○
- 583 Protocol for Shenzhen Ageing Cohort Study (SZ-ageing): a prospective observational cohort study of elderly disability and cognitive impairment. **2023**, 13, e065761 ○
- 582 Comparison of falls and cost-effectiveness of the group versus individually delivered Lifestyle-integrated Functional Exercise (LiFE) program: final results from the LiFE-is-LiFE non-inferiority trial. **2023**, 52, ○

581	Strength gains after 12 weeks of resistance training correlate with neurochemical markers of brain health in older adults: a randomized control 1H-MRS study.	o
580	Lost in space(s): multimodal neuroimaging of disorientation along the Alzheimer's disease continuum.	o
579	Association between balance confidence and basic walking abilities in people with unilateral transtibial lower-limb amputations: A cross-sectional study. 2023 , Publish Ahead of Print,	o
578	Association between cognition and olfaction-specific parameters in patients with chronic rhinosinusitis.	o
577	Deep phenotyping and genomic data from a nationally representative study on dementia in India. 2023 , 10,	o
576	The effect of 12 weeks of Baduanjin exercise on cognitive function, lower limb balance and quality of life of the elderly with mild cognitive impairment: a randomized controlled trial. 2023 , 181,	o
575	Complement proteins levels in serum astrocyte-derived exosomes are associated with cognitive impairment in obstructive sleep apnea.	o
574	Association between social comparison orientation and hippocampal properties in older adults: A multimodal MRI study. 1-14	1
573	Wearable technology to capture arm use of stroke survivors in home and community settings: feasibility and insights on motor performance.	o
572	Assessment of white matter hyperintensity severity using multimodal MRI in Alzheimer's Disease.	o
571	How an Intergenerational Book Club Can Prevent Cognitive Decline in Older Adults: A Pilot Study. 2023 , 9, 233372142211500	o
570	Fall history in older adults impacts acceleration profiles after a near collision with a moving pedestrian hazard.	o
569	Importancia y generalidades de la valoración geriátrica integral como herramienta de abordaje de la persona mayor en atención domiciliaria. 2022 , 63,	o
568	Leisure-Related Social Work Interventions for Patients with Cognitive Impairment: A Systematic Review and Meta-Analysis. 2023 , 20, 1906	o
567	Using a generic quality of life measure to determine adherence thresholds: a cross-sectional study on older adults with neurological disorders in Germany. 2023 , 13, e067326	o
566	Fatigue and Cognitive Decline Associated With Depressive Symptoms Among Community-Dwelling Adults. 2023 , 60, 004695802311535	o
565	Effect of Cognitive Reserve on Physiological Measures of Cognitive Workload in Older Adults with Cognitive Impairments. 2023 , 1-11	o
564	Patient-Centered Approaches to Cognitive Assessment in Acute TBI.	o

- 563 Altered dynamic functional architecture in type 2 diabetes mellitus. 13, ○
- 562 Identification of Factors Affecting the Increased Percentage of CGA Recommendations among Patients on Geriatric Ward. **2023**, 20, 2065 ○
- 561 The Design Preferences for a Serious Game-based Cognitive Assessment of Older People in Prison: Thematic Analysis (Preprint). ○
- 560 Set-valued uncertain process: definition and some properties. ○
- 559 Emotional descriptions increase accidental harm punishment and its cortico-limbic signatures during moral judgment in autism. **2023**, 13, ○
- 558 Gait Characteristics Associated with Fear of Falling in Hospitalized People with Parkinson's Disease. **2023**, 23, 1111 ○
- 557 Memory for the News: Does Event Transience Matter?. Publish Ahead of Print, ○
- 556 Changes in Coordination and Its Variability with an Increase in Functional Performance of the Lower Extremities. **2023**, 13, 156 ○
- 555 Reading alterations in Parkinson's Disease indicate worse cognitive status. ○
- 554 Dual-Tasking in Daily Activities Among Adults With and Without Stroke. **2023**, 77, ○
- 553 Insomnia and risk of dementia in a large population-based study with 11-year follow-up: The HUNT study. ○
- 552 Older Adult. **2023**, 245-265 ○
- 551 Oscillatory markers of neuroHIV-related cognitive impairment and Alzheimer's disease during attentional interference processing. **2022**, 15, 524-541 ○
- 550 Detecting Medication Risks among People in Need of Care: Performance of Six Instruments. **2023**, 20, 2327 ○
- 549 Audiovisual integration is preserved in older adults across the cortical hierarchy. ○
- 548 The effect of COVID rehabilitation for ongoing symptoms Post HOSPitalisation with COVID-19 (PHOSP-R): protocol for a randomised parallel group controlled trial on behalf of the PHOSP consortium. **2023**, 24, ○
- 547 Effects of frailty, geriatric syndromes, and comorbidity on mortality and quality of life in older adults with HIV. **2023**, 23, ○
- 546 Cognitive impairment in diffuse axonal injury patients with favorable outcome. 17, ○

- 545 Positive changes to written language following phonological treatment in logopenic variant primary progressive aphasia: Case report. 16, ○
- 544 The phenotype and prediction of long-term physical, mental and cognitive COVID-19 sequelae 20 months after recovery, a community-based cohort study in China. ○
- 543 Identifying Cognitive Impairment in the Acute Care Hospital Setting: Finding an Appropriate Screening Tool. **2023**, 77, ○
- 542 Low Levels of Adenosine and GDNF Are Potential Risk Factors for Parkinson's Disease with Sleep Disorders. **2023**, 13, 200 ○
- 541 Both Motor and Non-Motor Fluctuations Matter in the Clinical Management of Patients with Parkinson's Disease: An Exploratory Study. **2023**, 13, 242 ○
- 540 A Central Auditory Test reveals differences between drug treatment regimens in adults living with HIV. 1-6 ○
- 539 Supporting the Detection of Early Alzheimer's Disease with a Four-Channel EEG Analysis. ○
- 538 The Use of Teach Back at Hospital Discharge to Support Self-Management of Prescribed Medication for Secondary Prevention after Stroke—Findings from A Feasibility Study. **2023**, 11, 391 ○
- 537 References. **2023**, 251-252 ○
- 536 Psychosocial factors as main predictors of quality of life 5 years after stroke: a cross-sectional study from a third-level Italian center. Publish Ahead of Print, ○
- 535 A Systematic Review of Cognition in Cervical Dystonia. ○
- 534 Clinical efficacy of Danshen preparation in the treatment of vascular cognitive impairment: A systematic review and meta-analysis. 14, ○
- 533 The effect of damage to the white matter network and premorbid intellectual ability on postoperative verbal short-term memory and functional outcome in patients with brain lesions. **2023**, 18, e0280580 ○
- 532 Multidimensional Health Impact of Multicomponent Exercise and Sustainable Healthy Diet Interventions in the Elderly (MED-E): Study Protocol. **2023**, 15, 624 ○
- 531 Characteristics of behavioural addiction in Parkinson's disease patients with self-reported impulse control disorder and controls matched for levodopa equivalent dose: a matched case-control study. **2023**, 130, 125-133 ○
- 530 Bilateral Pallidal Deep Brain Stimulation in Meige Syndrome: Effects on Motor Function, Neuropsychological Status, and Mood. **2023**, Publish Ahead of Print, ○
- 529 Moral Emotions and Their Brain Structural Correlates Across Neurodegenerative Disorders. **2023**, 1-17 ○
- 528 Aging and Alzheimer's Disease Have Dissociable Effects on Medial Temporal Lobe Connectivity. ○

- 527 Effect of early mobilisation on long-term cognitive impairment in critical illness in the USA: a randomised controlled trial. **2023**, o
- 526 Salivary Huntingtin protein is uniquely associated with clinical features of Huntington's disease. **2023**, 13, o
- 525 The impact of aging on morphometric changes in the cerebellum: A voxel-based morphometry study. 15, o
- 524 Modulatory Effect of Levodopa on the Basal Ganglia-Cerebellum Connectivity in Parkinson's Disease. o
- 523 Altered structural-functional coupling in Parkinson's disease. o
- 522 Relationship between occlusal force and psychological frailty in Japanese community-dwelling older adults: The Septuagenarians, Octogenarians, Nonagenarians Investigation with Centenarians study. o
- 521 Use of immunoabsorption to treat patients with severe post-COVID syndrome. o
- 520 Older adults can use memory for distinctive objects, but not distinctive scenes, to rescue associative memory deficits. 1-25 o
- 519 Living as a Survivor: Sleep Disturbance, Fatigue, Depressive Mood, and Cognitive Dysfunction After Breast Cancer Treatment. Publish Ahead of Print, o
- 518 Reinforcement Learning Is Impaired in the Sub-acute Post-stroke Period. o
- 517 Assessing the risks of treatment in Parkinson disease psychosis: An in-depth analysis. **2023**, 18, e0278262 o
- 516 On the Influence of Aging on Classification Performance in the Visual EEG Oddball Paradigm Using Statistical and Temporal Features. **2023**, 13, 391 o
- 515 Dual Roles of Cardiorespiratory Fitness and Fatigability in the Life-Space Mobility of Older Adults: The Study of Muscle Mobility and Aging (SOMMA). o
- 514 Quantifying Pharyngeal Residue Across the Adult Life Span: Normative Values by Age, Gender, and Swallow Task. 1-12 o
- 513 Assessment and Diagnosis of HIV-Associated Dementia. **2023**, 15, 378 o
- 512 TEMPORAL IRREVERSIBILITY OF LARGE-SCALE BRAIN DYNAMICS IN ALZHEIMER'S DISEASE. JN-RM-1312-22 1
- 511 Frailty Improvement by Multicomponent Drug, Nintedanib, in Mild Cognitive Impairment and Mild Alzheimer's Disease Patients: An Open-Label Exploratory Study (FRAMINGO). **2023**, 7, 107-117 o
- 510 Cognitive impairment and its adverse outcomes in older surgical patients: an under-recognized problem!. Publish Ahead of Print, o

- 509 Executive function abilities in cognitively healthy young and older adultsâA cross-sectional study. 15, o
- 508 Combining Neuropsychological Assessment with Neuroimaging to Distinguish Early-Stage AlzheimerâDisease from Frontotemporal Lobar Degeneration in Non-Western Tonal Native Language-Speaking Individuals Living in Taiwan: A Case Series. **2023**, 12, 1322 o
- 507 Clinical Evidence and Evidence-based Dental Treatment of Special Populations: Patients with AlzheimerâDisease. **2006**, 34, 439-447 o
- 506 Computerized Block Games for Automated Cognitive Assessment: Development and Evaluation Study (Preprint). o
- 505 Technology assisted cognitive-motor dual-task rehabilitation in chronic age-related conditions: a systematic review (Preprint). o
- 504 Alz-Sense+: An Auto Time-synchronized Multi-class Algorithm for Dementia Detection. **2022**, o
- 503 The Frail Patient in the Operating Room: Practical Steps to Reduce the Operative Risk. **2023**, 9-17 o
- 502 Human Leukocyte Antigen (HLA) Modulates the Dependence on Age of the Variability of Synchronous Neural Interactions. **2023**, 18, 263310552311596 o
- 501 The dilemma between milestones of progression versus clinical scales in Parkinsonâs disease. **2023**, 169-185 o
- 500 Multimodal technology in the correction of post-stroke motor disorders. **2023**, 123, 58 o
- 499 Cognitive and behavioral abnormalities in individuals with Alzheimerâdisease, mild cognitive impairment, and subjective memory complaints. o
- 498 Language discordance as a marker of disparities in cerebrovascular risk and stroke outcomes: A multi-center Canadian study. **2023**, 4, 100163 o
- 497 Glymphatic system impairment in nonathlete older male adults who played contact sports in their youth associated with cognitive decline: A diffusion tensor image analysis along the perivascular space study. 14, o
- 496 The Executive-Function-Related CognitiveâMotor Dual Task Walking Performance and Task Prioritizing Effect on People with ParkinsonâDisease. **2023**, 11, 567 o
- 495 Correlation of inflammatory biomarkers with cognitive function and glycemic and lipid profiles in patients with type 2 diabetes mellitus: A meta-analysis. o
- 494 New Cerebral Microbleeds After Catheter-Based Structural Heart Interventions: An Exploratory Analysis. **2023**, 12, o
- 493 The effect of Computer Assisted Rehabilitation Environment (CAREN) in cognitive impairment and coping strategies in Parkinsonâs disease: a preliminary study. **2023**, 13, o
- 492 Study of gray matter atrophy pattern with subcortical ischemic vascular disease-vascular cognitive impairment no dementia based on structural magnetic resonance imaging. 15, o

- 491 Integrated care for older multimorbid heart failure patients: protocol for the ESCAPE randomized trial and cohort study. ○
- 490 DementiaBank: Theoretical Rationale, Protocol, and Illustrative Analyses. **2023**, 32, 426-438 ○
- 489 Linguistic Features in the Connected Speech for Primary Progressive Aphasia: Evidence from a Meta-analysis. **2023**, 28, 111-126 ○
- 488 Relationship between Lower Extremity Peripheral Arterial Disease and Mild Cognitive Impairment in Hemodialysis Patients. **2023**, 12, 2145 ○
- 487 Deep phenotyping as a contribution to personalized depression therapy: the GEPaD and DaCFail protocols. ○
- 486 Northern Ireland Cohort for the Longitudinal Study of Ageing (NICOLA): health assessment protocol, participant profile and patterns of participation. **2023**, 23, ○
- 485 Plasma Soluble ST2 Levels Are Higher in Neurodegenerative Disorders and Associated with Poorer Cognition. **2023**, 92, 573-580 ○
- 484 A Comparison of Voice Amplifiers and Personal Communication Systems for Hypophonia: An Exploration of Communicative Participation. 1-16 ○
- 483 Supplementation with Flaxseed Oil Rich in Alpha-Linolenic Acid Improves Verbal Fluency in Healthy Older Adults. **2023**, 15, 1499 ○
- 482 Cerebral hypoperfusion in post-COVID-19 cognitively impaired subjects revealed by arterial spin labeling MRI. **2023**, 13, ○
- 481 Cognitive Impairment, Frailty, and Adverse Outcomes Among Prevalent Hemodialysis Recipients: Results From a Large Prospective Cohort Study in the United Kingdom. **2023**, 5, 100613 ○
- 480 A characteristic N-glycopeptide signature associated with diabetic cognitive impairment identified in a longitudinal cohort study. **2023**, 1867, 130316 ○
- 479 Aging exerts a limited influence on the perception of self-generated and externally generated touch. ○
- 478 Intraoperative Electroencephalography Alpha-Band Power Is a Better Proxy for Preoperative Low MoCA Under Propofol Compared With Sevoflurane. Publish Ahead of Print, ○
- 477 Aerobic exercise improves executive functions in females, but not males, without the BDNF Val66Met polymorphism. **2023**, 14, ○
- 476 The indirect effect of positive aspects of caregiving on the relationship between cognitive decline and dementia caregiver burden. ○
- 475 Cleveland Clinic Cognitive Battery (C3B): Normative, Reliability, and Validation Studies of a Self-Administered Computerized Tool for Screening Cognitive Dysfunction in Primary Care. **2023**, 92, 1051-1066 ○
- 474 Impact of Mild Behavioral Impairment on Longitudinal Changes in Cognition. ○

- 473 Telehealth delivery of group-format cognitive rehabilitation to older veterans with TBI: a mixed-methods pilot study. 1-13 ○
- 472 Abnormal higher-order network interactions in Parkinson's disease visual hallucinations. ○
- 471 Transcranial focused ultrasound selectively increases perfusion and modulates functional connectivity of deep brain regions in humans. 17, ○
- 470 Aberrant neurophysiological signaling associated with speech impairments in Parkinson's disease. 2023, 9, ○
- 469 Associations between baseline cognitive status and motor outcomes after treadmill training in people with Parkinson's disease: a pilot study. 1-10 ○
- 468 How are HIV services in the UK currently identifying and managing patients with cognitive impairment? Results of a national survey. ○
- 467 The Mediating Role of Instrumental Activities of Daily Living in The Relation Between Cognitive Function and Life Satisfaction Among Malaysian Community-Dwelling Older Adults: Do Gender and Age Matter?. ○
- 466 Evaluating depressive symptoms, BDNF Val66Met, and APOE- ϵ 4 as moderators of response to computerized cognitive training in heart failure. 2023, 59, 146-156 ○
- 465 Cognitive Assessment Tools for Dementia in Healthcare. 2023, 170-191 ○
- 464 Interaction between aluminum exposure and ApoE ϵ 4 gene on cognitive function of in-service workers.. 2023, 323, 138282 ○
- 463 Cognitive follow-up in anti-N-methyl-D-aspartate receptor encephalitis: Hospital discharge, 4, 8, and 12 months. 2023, 228, 107701 ○
- 462 Vascular dementia subtypes, pathophysiology, genetics, neuroimaging, biomarkers, and treatment updates along with its association with Alzheimer's dementia and diabetes mellitus. 2023, 69, 101557 ○
- 461 YKL-40 as a novel biomarker related to white matter damage and cognitive impairment in patients with cerebral small vessel disease. 2023, 1807, 148318 ○
- 460 Proof-of-concept trial of Goal Management Training+ to improve executive functions and treatment outcomes in methamphetamine use disorder. 2023, 246, 109846 ○
- 459 Disturbance of functional brain networks and cognitive decline in Parkinson's disease: Severe cerebral small vessel disease aggravates this relationship. 2023, 110, 105386 ○
- 458 Long-term survival, functional capacity and quality of life after refractory out-of-hospital cardiac arrest treated with mechanical circulatory support. 2023, 14, 100387 ○
- 457 Geriatric Syndromes in Older Adults with Diabetes. 2023, 52, 341-353 ○
- 456 Neuropsychological Assessment and Financial Capacity in Older Adults. 2023, 21-47 ○

- 455 Associations of blood UCH-L1 and NFL levels with cognitive dysfunction in Parkinson's disease patients. **2023**, 804, 137219 ○
- 454 Age and walking conditions differently affect domains of gait. **2023**, 89, 103075 ○
- 453 Cerebellar oscillatory dysfunction during lower-limb movement in Parkinson's disease with freezing of gait. **2023**, 1808, 148334 ○
- 452 Semantic cognition in healthy ageing: Neural signatures of representation and control mechanisms in naming typical and atypical objects. **2023**, 184, 108545 ○
- 451 Cognitive and psychological recovery patterns across different care pathways 12 months after hospitalization for COVID-19: A multicenter cohort study (CO-FLOW). **2023**, 66, 101737 ○
- 450 Valutazione neuropsicologica negli adulti. **2023**, 30, 1-12 ○
- 449 Using wrist-worn accelerometers to identify the impact of medicines with anticholinergic or sedative properties on sedentary time: A 12-month prospective analysis. **2023**, 172, 9-14 ○
- 448 Characterization of attentional event-related potential from REM sleep behavior disorder patients based on explainable machine learning. **2023**, 234, 107496 ○
- 447 Sarcopenia, malnutrition and cognition affect physiotherapy frequency during geriatric rehabilitation: RESORT cohort. **2023**, 66, 101735 ○
- 446 Dopamine differentially modulates medial temporal lobe activity and behavior during spatial navigation in young and older adults. **2023**, 273, 120099 ○
- 445 Age-related changes to electroencephalographic markers of visuomotor error processing and learning in prism adaptation. **2023**, 184, 108546 ○
- 444  **2016**, 87-90 ○
- 443 Diagnosis of Alzheimer's disease: recommendations of the Scientific Department of Cognitive Neurology and Aging of the Brazilian Academy of Neurology. **2022**, 16, 25-39 ○
- 442 Automated Computerized Neuropsychological Diagnostics in Multiple Sclerosis. **2022**, 33, 138-148 ○
- 441 Autonomous Virtual Cognitive Assessment via NLP and Hand Gesture Recognition. **2022**, ○
- 440 Sleep Quantity and Quality During Inpatient Rehabilitation After Stroke. ○
- 439 Geriatric Screening. **2023**, 638-657 ○
- 438 Using a smartwatch and smartphone to assess early Parkinson's disease in the WATCH-PD study. **2023**, 9, ○

- 437 Dynamic flexibility and controllability of network communities in juvenile myoclonic epilepsy. **2023**, 179, 106055 ○
- 436 Left and Right Cortical Activity Arising from Preferred Walking Speed in Older Adults. **2023**, 23, 3986 ○
- 435 Thinking versus feeling: How interoception and cognition influence emotion recognition in behavioural-variant frontotemporal dementia, Alzheimer's disease, and Parkinson's disease. **2023**, 163, 66-79 ○
- 434 Body fat and components of sarcopenia relate to inflammation, brain volume, and neurometabolism in older adults. **2023**, 127, 1-11 ○
- 433 Evaluation and Management of Dementia. **2022**, 112-128 ○
- 432 Improved cognitive-motor processing speed and decreased functional connectivity after high intensity aerobic exercise in individuals with chronic stroke. ○
- 431 Mind Your Heart-II: Protocol for a behavioral randomized controlled trial of mindfulness training to promote self-care in patients with comorbid heart failure and cognitive impairment. **2023**, 126, 107094 ○
- 430 Association of caregiver strain with the trajectory of quality of life in Parkinson's disease. **2023**, 108, 105292 ○
- 429 Different neuroanatomical correlates for temporal and spectral supra-threshold auditory tasks and speech in noise recognition in older adults with hearing impairment. **2023**, 57, 981-1002 ○
- 428 Early- to late-life environmental factors and late-life global cognition in septuagenarian and octogenarians: The SONIC study. **2023**, 233, 103844 ○
- 427 Characteristics of Mid-Term Post-Intensive Care Syndrome in Patients Attending a Follow-Up Clinic: A Prospective Comparison Between COVID-19 and Non-COVID-19 Survivors. **2023**, 5, e0850 ○
- 426 Happy and sad music acutely modulate different types of attention in older adults. 14, ○
- 425 Effect of 3D-MOT training on the execution of manual dexterity skills in a population of older adults with mild cognitive impairment and mild dementia. 1-10 ○
- 424 Physical frailty related to cognitive impairment and COPD exacerbation: A cross-sectional study. **2023**, 208, 107129 ○
- 423 Placebo-Controlled Effectiveness of Idiopathic Normal Pressure Hydrocephalus Shunting: A Randomized Pilot Trial. **2023**, 92, 481-489 ○
- 422 Does GERAS DANCE improve gait in older adults?. **2023**, 3, 100120 ○
- 421 Altered binaural hearing in pre-ataxic and ataxic mutation carriers of spinocerebellar ataxia type 3. ○
- 420 Multiscale functional connectivity patterns of the aging brain learned from harmonized rsfMRI data of the multi-cohort iSTAGING study. **2023**, 269, 119911 ○

- 419 Association between White Matter Hyperintensities Burden and Cognitive Function in Adult Asymptomatic Moyamoya Disease. **2023**, 12, 1143 o
- 418 Do Personality Traits Predict Mobility Outcomes among Community-Dwelling Older Adults in Nigeria?. 1-17 o
- 417 Posterior white matter integrity and self-reported posterior cortical symptoms using the Colorado Posterior Cortical Questionnaire. 14, o
- 416 Carotid intima media thickness and white matter hyperintensity volume among midlife women. o
- 415 Irreversible Alterations of Susceptibility in Cushing's Disease: A Longitudinal QSM Study. o
- 414 Examining the Vietnamese Montreal cognitive assessment in healthy and moderate-to-severe traumatic brain injury populations. 1-16 o
- 413 Development and validation of the Montreal cognitive assessment for people with hearing impairment (MoCA-H). o
- 412 Preliminary study of assessing cognitive impairment in older patients with chronic obstructive pulmonary disease by using a cognitive functional assessment tool & via a touchscreen personal computer. 18, o
- 411 Implementing circuit class training can increase therapy time and functional independence in people with stroke receiving inpatient rehabilitation: findings from a retrospective observational clinical audit. 1-7 o
- 410 Drawing a line? Visuo-constructive function as discriminator between healthy individuals, subjective cognitive decline, mild cognitive impairment and Alzheimer's disease and predictor of disease progress compared to a multimodal approach. o
- 409 Palliative Care Needs of Physically Frail Community-Dwelling Older Adults With Heart Failure. **2023**, o
- 408 Ten dollars today or 50 dollars after one month? Temporal discounting in Korsakoff syndrome. **2023**, 28, 116-129 o
- 407 Impaired cognitive performance in older adults is associated with deficits in item memory and memory for object features. **2023**, 166, 105957 1
- 406 The Nebulous Association between Cognitive Impairment and Falls in Older Adults: A Systematic Review of the Literature. **2023**, 20, 2628 o
- 405 Preservation of long-term memory in older adults using a spaced learning paradigm. **2023**, 20, o
- 404 Correlates of participation six months after stroke in an Italian population: results from the RIPS (Post-Stroke Intensive Rehabilitation) Study. **2023**, 59, o
- 403 Examining the intersection of cognitive and physical function measures: Results from the brain networks and mobility (B-NET) study. 15, o
- 402 Cognitive interventions for memory and psychological well-being in aging and dementias. 14, o

- 401 Disrupted resting-state functional connectivity of the thalamus in patients with coronary heart disease. **2023**, 9, e13423 o
- 400 Age and Marital Status Predict Mild Cognitive Impairment During Acute Coronary Syndrome Admission. Publish Ahead of Print, o
- 399 Association between olfactory dysfunction and mood disturbances with objective and subjective cognitive deficits in long-COVID. 14, o
- 398 Assessing learning potential in elderly stroke patients: The validity of the dynamic Clock Drawing Task in comparison with the dynamic Wisconsin Card Sorting Test. 1-11 o
- 397 Cerebellar functional disruption and compensation in mesial temporal lobe epilepsy. 14, o
- 396 Complement system changes in blood in Parkinson's disease and progressive Supranuclear Palsy/Corticobasal Syndrome. **2023**, 108, 105313 o
- 395 OLDER ADULTS'S SUBJECTIVE WELL-BEING EXPERIENCING THE EXERGAME "AM DOLPHIN"**2023**, 18, o
- 394 Comprehensive geriatric assessment "the main tool for the work of a geriatrician. **2023**, 210-227 o
- 393 Microstructure of Brain Nuclei in Early Parkinson's Disease: Longitudinal Diffusion Kurtosis Imaging. **2023**, 13, 233-242 o
- 392 An Intervention on Anxiety Symptoms in Moderate Alzheimer's Disease through Virtual Reality: A Feasibility Study and Lessons Learned. **2023**, 20, 2727 2
- 391 Protein-Balanced Dietary Habits Benefit Cognitive Function in Japanese Older Adults. **2023**, 15, 770 o
- 390 Usefulness of the Cognitive Composition Test as an Early Discriminator of Mild Cognitive Impairment. **2023**, 12, 1203 o
- 389 Higher stress response and altered quality of life in schizophrenia patients with low membrane levels of docosahexaenoic acid. 14, o
- 388 Design and feasibility of an Alzheimer's disease blood test study in a diverse community-based population. o
- 387 Newly self-administered two-step tool for screening cognitive function in an ageing Chinese population: an exploratory cross-sectional study. **2023**, 36, e100837 o
- 386 Instruments Assessing Cognitive Impairment in Survivors of Critical Illness and Reporting of Race Norms: A Systematic Review. **2022**, 4, e0830 o
- 385 Mindfulness and Care Experience in Family Caregivers of Persons Living with Dementia. **2023**, 7, 151-164 o
- 384 Safety and tolerability of adjunct non-invasive vagus nerve stimulation in people with parkinson's: a study protocol. **2023**, 23, o

- 383 Frailty, falls and poor functional mobility predict new onset of activity restriction due to concerns about falling in older adults: a prospective 12-month cohort study. **2023**, 14, 345-351 1
- 382 New balance capability index as a screening tool for mild cognitive impairment. **2023**, 23, 0
- 381 Cortical thickness and diffusion tensor imaging in patients with neuropsychiatric systemic lupus erythematosus, with normal structure on brain MRI. **2023**, 32, 489-499 0
- 380 The neural correlates of emotional conflict monitoring as an early manifestation of affective and cognitive declines in persons with Type 2 diabetes. **2022**, 5, 0
- 379 Examining the Validity and Utility of Montreal Cognitive Assessment Domain Scores for Early Neurocognitive Disorders. **2023**, 24, 314-320.e2 0
- 378 Association between Cognitive Impairment and Malnutrition in Hemodialysis Patients: Two Sides of the Same Coin. **2023**, 15, 813 0
- 377 Musical and psychomotor interventions for cognitive, sensorimotor, and cerebral decline in patients with Mild Cognitive Impairment (COPE): a study protocol for a multicentric randomized controlled study. **2023**, 23, 0
- 376 Stuttering-Like Dysfluencies as a Consequence of Long COVID-19. **2023**, 66, 415-430 0
- 375 Cerebrospinal Fluid Panel of Synaptic Proteins in Cerebral Amyloid Angiopathy and Alzheimer's Disease. **2023**, 92, 467-475 0
- 374 Cognitive deficit in post-acute COVID-19: an opportunity for EEG evaluation?. **2023**, 44, 1491-1498 0
- 373 Core protocol development for phase 2/3 clinical trials in the leukodystrophy Vanishing White Matter. 0
- 372 Validating virtual administration of neuropsychological testing in Parkinson disease: a pilot study. 0
- 371 The cerebellum is causally involved in episodic memory under aging. 0
- 370 A dual-task gait test detects mild cognitive impairment with a specificity of 91.2%. 16, 0
- 369 Arterial spin labeling reveals disordered cerebral perfusion and cerebral blood flow-based functional connectivity in primary open-angle glaucoma. 0
- 368 Cognitive Retraining and Functional Treatment (CRAFT) for adults with cancer related cognitive impairment: a preliminary efficacy study. **2023**, 31, 0
- 367 Egyptian adaptation and validation of the Edinburgh Cognitive and Behavioral Amyotrophic Lateral Sclerosis Screen (ECAS-EG). 0
- 366 Classification and staging of Parkinson's disease using video-based eye tracking. **2023**, 105316 0

- 365 Predictive language comprehension in Parkinson's disease. **2023**, 18, e0262504 o
- 364 Persistent Central Hypoventilation Following Probable Remission from Anti-N-methyl-D-aspartate Receptor Encephalitis. 1-2 o
- 363 Informing the development of diagnostic criteria for differential diagnosis of alcohol-related cognitive impairment (ARCI) among heavy drinkers: A systematic scoping review. **2023**, 18, e0280749 o
- 362 Neurophysiological brain-fingerprints of motor and cognitive decline in Parkinson's disease. o
- 361 Orthostatic Hypotension Is a Predictor of Fatigue in Drug-Naïve Parkinson's Disease. **2023**, 2023, 1-6 o
- 360 Vestibulo-spatial navigation: pathways and sense of direction. **2023**, 129, 672-684 o
- 359 Strategy and Core Cognitive Training Effects on Working Memory Performance: A Systematic Review and Meta-Analysis. 1-28 o
- 358 The analysis of gestural and verbal pragmatic markers produced by Mild Cognitive Impaired participants during longitudinal and autobiographical interviews. 1-22 o
- 357 Automatic Cluster Analysis using a Semantic Relatedness Model for the Phonematic and Semantic Verbal Fluency Task in Parkinson's Disease: Results from a Prospective Multicenter Study (Preprint). o
- 356 Does neurocognition contribute to age-related deficits in the online navigation of electronic patient health portals?. 1-8 o
- 355 Medication preventing postictal hypoperfusion and cognitive side-effects in electroconvulsive therapy: A retrospective cohort study. 14, o
- 354 Visual-spatial processing impairment in the occipital-frontal connectivity network at early stages of Alzheimer's disease. 15, o
- 353 Working Memory Precision and Associative Binding in Mild Cognitive Impairment. 1-19 o
- 352 Assessing Patients and Care Partner Ratings of Communication-Related Participation Restrictions: Insights From Degenerative Disease. 1-13 o
- 351 Association of GBA genotype with motor and cognitive decline in Chinese Parkinson's disease patients. 15, o
- 350 Quantifying Impairments in Swallowing Safety and Efficiency in Progressive Supranuclear Palsy and Parkinson's Disease. o
- 349 Long-term levodopa ameliorates sequence effect in simple, but not complex walking in early Parkinson's disease patients. **2023**, 108, 105322 o
- 348 "Please Don't Assess Him to Destruction" The R.A.I.S.E. Assessment Framework for Primary Progressive Aphasia. **2023**, 32, 391-410 o

- 347 Project MOVE: A randomized controlled trial of interventions for initiating and maintaining physical activity in depressed individuals. **2023**, 24, 100508 ○
- 346 Genetic Liability, Exposure Severity, and Post-Traumatic Stress Disorder Predict Cognitive Impairment in World Trade Center Responders. **2023**, 92, 701-712 ○
- 345 A proteogenomic view of Parkinson's disease causality and heterogeneity. **2023**, 9, 1
- 344 Correlates of Healthy Aging in Geriatric HIV (CHANGE HIV)â€”TN 314. **2023**, 15, 517 ○
- 343 Role of L-Alanine Supplementation on Cognitive Function, Mood, and Physical Function in Older Adults; Double-Blind Randomized Controlled Study. **2023**, 15, 923 ○
- 342 Sex-specific relationships between obesity, physical activity, and gray and white matter volume in cognitively unimpaired older adults. ○
- 341 The effects of high versus low frequency of combined physical and cognitive training on cognitive function in older adults with cognitive decline: a quasi-experimental study. **2023**, 23, ○
- 340 Emotional, inflammatory, and genetic factors of resilience and vulnerability to depression in patients with premenopausal breast cancer: A longitudinal study protocol. **2023**, 18, e0279344 ○
- 339 Visual-Motor Processing Speed and Reaction Time Differences between Medically-At-Risk Drivers and Healthy Controls. 1-17 ○
- 338 Physical-cognitive training with dietary intervention to improve cognitive function and circulating biomarkers in postmenopausal women with obesity: Study protocol for a randomized controlled trial. **2023**, ○
- 337 Accurate Detection of α -Synuclein Seeds in Cerebrospinal Fluid from Isolated Rapid Eye Movement Sleep Behavior Disorder and Patients with Parkinson's Disease in the DeNovo Parkinson (DeNoPa) Cohort. **2023**, 38, 567-578 ○
- 336 Geriatric syndromes and health-related quality of life in older adults with chronic kidney disease. **2023**, Publish Ahead of Print, ○
- 335 Psychosocial needs of older patients with metastatic breast cancer treated at community centers. **2023**, 14, 101444 ○
- 334 Motor and cognitive deficits limit the ability to flexibly modulate spatiotemporal gait features in older adults with mild cognitive impairment. 17, ○
- 333 Analysis of clinical characteristics of mirror and TV signs in Alzheimer's disease and dementia with Lewy bodies. **2023**, 51, 030006052311560 ○
- 332 Serum inflammatory cytokines levels and the correlation analyses in Parkinson's disease. 11, ○
- 331 Linking structural and functional changes during aging using multilayer brain network analysis. ○
- 330 Cerebral white matter lesions and regional blood flow are associated with reduced cognitive function in early-stage cognitive impairment. 15, ○

- 329 A public data set of walking full-body kinematics and kinetics in individuals with Parkinson's disease. 17, ○
- 328 Cognitive function and inhaler technique following recovery from exacerbations of COPD. 00627-2022 ○
- 327 Enhancing Inhibitory Control in Older Adults: A Biofeedback Study. **2023**, 13, 335 ○
- 326 Multimodal Imaging of Substantia Nigra in Parkinson's Disease with Levodopa-Induced Dyskinesia. **2023**, 38, 616-625 ○
- 325 Effectiveness of a telerehabilitation intervention using Recovery APP of Long COVID patients: A randomized, three-month follow-up clinical trial. ○
- 324 Two-year clinical progression in focal and diffuse subtypes of Parkinson's disease. **2023**, 9, ○
- 323 Transient cognitive impairment in the acute phase of stroke – prevalence, risk factors and influence on long-term prognosis in population of patients with stroke (research study – part of the PROPOLIS study). **2023**, 23, ○
- 322 C9orf72 expansions are the most common cause of genetic frontotemporal dementia in a Southeast Asian cohort. **2023**, 10, 568-578 ○
- 321 Effects of aging on face processing: An ERP study of the own-age bias with neutral and emotional faces. **2023**, 161, 13-25 ○
- 320 Neuropsychological functioning of homeless people in Paris: An exploratory study. 1-12 ○
- 319 New possibilities for the treatment of mild cognitive impairment and prevention of dementia in patients with cerebrovascular disease. Results of the PRIORITET Observation Program. **2023**, 15, 65-70 ○
- 318 Age-related changes in network controllability are mitigated by redundancy in large-scale brain networks. ○
- 317 Dual-tasking interference is exacerbated outdoors: A pilot study. 5, ○
- 316 Neuroimaging features of depression-frailty phenotype in older adults: a pilot study. 1-7 ○
- 315 Associations between Autonomic Function and Cognitive Performance among Patients with Cerebral Small Vessel Disease. **2023**, 13, 344 ○
- 314 Early Strokes Are Associated with More Global Cognitive Deficits in Adults with Sickle Cell Disease. **2023**, 12, 1615 ○
- 313 Reader Response: Cognitive-Driven Activities of Daily Living Impairment as a Predictor for Dementia in Parkinson Disease: A Longitudinal Cohort Study. **2023**, 100, 399.2-400 ○
- 312 Predicting conversion of patients with Mild Cognitive Impairment to Alzheimer's disease using bedside cognitive assessments. **2022**, 44, 703-712 ○

- 311 Psychometric Calibration of a Tool Based on 360 Degree Videos for the Assessment of Executive Functions. **2023**, 12, 1645 ○
- 310 Predicting later categories of upper limb activity from earlier clinical assessments following stroke: an exploratory analysis. **2023**, 20, ○
- 309 Bilateral Hippocampal Volume Mediated the Relationship Between Plasma BACE1 Concentration and Memory Function in the Early Stage of Alzheimer's Disease: A Cross-Sectional Study. **2023**, 92, 1001-1013 ○
- 308 Development of a co-created online self-management program for people with lower limb loss: self-management for amputee rehabilitation using technology (SMART). 1-10 ○
- 307 Frontotemporal dementia presentation in patients with heterozygous p.H157Y variant of TREM2. *jmedgenet-2022-10862* ○
- 306 Revealing the combined roles of Aβ and tau in Alzheimer's disease via a pathophysiological activity decoder. ○
- 305 Rates of Undiagnosed Cognitive Impairment and Performance on the Montreal Cognitive Assessment Among Older Adults in Primary Care. ○
- 304 Functional Connectivity Changes in the Insular Subregions of Patients with Obstructive Sleep Apnea after 6 Months of Continuous Positive Airway Pressure Treatment. **2023**, 2023, 1-10 ○
- 303 The Interaction Effect of 27-Hydroxycholesterol Metabolism Disorder and CYP27A1 Single Nucleotide Polymorphisms in Mild Cognitive Impairment: Evidence from a Case-Control Study. ○
- 302 Implementation of a free water protocol at a long term acute care hospital. **2023**, 13, ○
- 301 Examining the Impact of Socioeconomic Position Across the Life Course on Cognitive Function and Brain Structure in Healthy Aging. ○
- 300 Patterns of Objectively Measured Sedentary Behavior and Physical Activity and Their Association with Changes in Physical and Functional Performance in Geriatric Rehabilitation Inpatients. **2023**, ○
- 299 MidCog study: a prospective, observational cohort study investigating health literacy, self-management skills and cognitive function in middle-aged adults. **2023**, 13, e071899 ○
- 298 Sarcopenia, obesity, and their association with selected behavioral factors in active older adults. 14, ○
- 297 With or without the Mask: Age Differences in Perceived Trustworthiness and Health during the COVID-19 Pandemic. **2023**, 13, 195 ○
- 296 Effects of continuous positive airway pressure on comprehensive geriatric assessment and cognitive function in elderly patients with obstructive sleep apnea syndrome. **2023**, 18, 769-779 ○
- 295 Role of nerve growth factor on cognitive impairment in Alzheimer's disease patients carrying apolipoprotein E ε4. ○
- 294 Exploring impaired self-awareness of motor symptoms in Parkinson's disease: Resting-state fMRI correlates and the connection to mindfulness. **2023**, 18, e0279722 ○

- 293 White matter hyperintensities and cerebral microbleeds in persistent post-traumatic headache attributed to mild traumatic brain injury: a magnetic resonance imaging study. **2023**, 24, ○
- 292 Comparing the gut microbiome of obese, African American, older adults with and without mild cognitive impairment. **2023**, 18, e0280211 ○
- 291 Dyadic Archetypes of Patient Self-Care and Caregiver Contribution to Self-Care in Dyads With Multiple Chronic Conditions: An Observational Study. 073346482311599 ○
- 290 Home calligraphic exercises as manual dexterity training in patients with Parkinson's disease: a pilot feasibility study. 1-5 ○
- 289 Impact of Face Masks on Speech in Parkinson's Disease: Effect of Clear and Loud Speech Styles. 1-24 ○
- 288 The Effects of Language Teaching Pedagogy on Cognitive Functioning in Older Adults. **2023**, 13, 199 ○
- 287 THINC-Integrated Tool (THINC-it): A Brief Measurement of Changes in Cognitive Functioning and Its Correlation with the Life Quality of Patients with Schizophrenia and Related Disorders—A Pilot Study. **2023**, 13, 389 ○
- 286 The feasibility of a stepping exergame prototype for older adults with major neurocognitive disorder residing in a long-term care facility: a mixed methods pilot study. 1-15 ○
- 285 Normative Scores on the Norwegian Version of the Mini-Mental State Examination. **2023**, 92, 831-842 ○
- 284 Circular RNAs in Parkinson's Disease: Reliable Biological Markers and Targets for Rehabilitation. ○
- 283 Psychological well-being in persons with dementia: The role of caregiver expressed emotion. ○
- 282 Study on the Effect of 40 Hz Non-Invasive Light Therapy System. A Protocol for a Randomized, Double-Blinded, Placebo-Controlled Clinical Trial.. ○
- 281 Diagnóstico da doença de Alzheimer: recomendações do Departamento Científico de Neurologia Cognitiva e do Envelhecimento da Academia Brasileira de Neurologia. **2022**, 16, 25-39 ○
- 280 Use of Intrinsic Capacity Domains as a Screening Tool in Public Health. **2023**, 20, 4227 ○
- 279 Utility of the international HIV dementia scale in the assessment of neurocognitive impairment amongst HIV patients in a Southeast Nigerian Tertiary Hospital: A comparative study. **2023**, 15, 19-25 ○
- 278 Hand Dexterity Is Associated with the Ability to Resolve Perceptual and Cognitive Interference in Older Adults: Pilot Study. **2023**, 8, 31 ○
- 277 Dopamine dysregulation in Parkinson's disease flattens the pleasurable urge to move to musical rhythms. ○
- 276 Proactive and Integrated Management and Empowerment in Parkinson's Disease protocol for a randomised controlled trial (PRIME-UK) to evaluate a new model of care. **2023**, 24, ○

- 275 Editorial: Early detection of neurodegenerative disorders using behavioral markers and new technologies: New methods and perspectives. 15, ○
- 274 Shared and unique effects of ApoE ϵ 4 and pathogenic gene mutation on cognition and imaging in preclinical familial Alzheimer's disease. **2023**, 15, ○
- 273 Protocolised reduction of non-resuscitation fluids versus usual care in patients with septic shock (REDUSE): a protocol for a multicentre feasibility trial. **2023**, 13, e065392 ○
- 272 Laboratory-Based Examination of the Reliability and Validity of Kinematic Measures of Wrist and Finger Function Collected by a Telerehabilitation System in Persons with Chronic Stroke. **2023**, 23, 2656 ○
- 271 The efficacy of nalmefene on anesthetic recovery of patients: a study protocol for a multicenter randomized controlled trial. **2023**, 24, ○
- 270 Identification of a Link between Suspected Metabolic Syndrome and Cognitive Impairment within Pharmaceutical Care in Adults over 75 Years of Age. **2023**, 11, 718 ○
- 269 Vascular Factors in Patients with Midlife Sensorineural Hearing Loss and the Progression to Mild Cognitive Impairment. **2023**, 59, 481 ○
- 268 Gait and turning characteristics from daily life increase ability to predict future falls in people with Parkinson's disease. 14, ○
- 267 Blood Pressure and Self-Management in Black Women with Hypertension: Protocol Revisions to the BRAINS Study due to the COVID-19 Pandemic (Preprint). ○
- 266 Fecal microbiota transplantation in Parkinson's disease—a randomized repeat-dose, placebo-controlled clinical pilot study. 14, ○
- 265 Role of the subthalamic nucleus in perceiving and estimating the passage of time. 15, ○
- 264 Cognition and BDNF levels in prediabetes and diabetes: A mediation analysis of a cross-sectional study. 14, ○
- 263 Sex differences in mild vascular cognitive impairment: A multimodal transcranial magnetic stimulation study. **2023**, 18, e0282751 ○
- 262 Performance of machine learning algorithms for dementia assessment: impacts of language tasks, recording media, and modalities. **2023**, 23, ○
- 261 Rate control deficits during pinch grip and ankle dorsiflexion in early-stage Parkinson's disease. **2023**, 18, e0282203 ○
- 260 Subclinical memory impairment in unaffected siblings of patients with dementia. 1-17 ○
- 259 Effects of dance video game training on cognitive functions of community-dwelling older adults with mild cognitive impairment. ○
- 258 Midfrontal Theta and Cognitive Control During Interlimb Coordination Across the Adult Lifespan. **2023**, 55, 278-288 ○

- 257 Cognitive correlates of antisaccade behaviour across multiple neurodegenerative diseases. **2023**, 5, ○
- 256 Neurophysiological and other features of working memory in older adults at risk for dementia. ○
- 255 Clinicopathological associations of hemispheric dominance in primary progressive apraxia of speech. **2023**, 30, 1209-1219 ○
- 254 Smartphone use as an efficient tool to improve anomia in primary progressive aphasia. 1-26 ○
- 253 Editorial: Post-Acute Sequelae of COVID-19 infection (PASC): Implications for geriatric and neurological care. 15, ○
- 252 Collaborative Care and Geriatric Psychiatry. **2023**, 1-15 ○
- 251 Resolving Cross-modal Semantic Interference among Object Concepts Requires Medial Temporal Lobe Cortex. **2023**, 35, 869-884 ○
- 250 Aging-related changes in reward-based decision-making depend on punishment frequency: An fMRI study. 15, ○
- 249 A Single-Center, Randomized Controlled Trial to Test the Efficacy of Nurse-Led Motivational Interviewing for Enhancing Self-Care in Adults with Heart Failure. **2023**, 11, 773 ○
- 248 Dentate Gyrus Integrity Is Necessary for Behavioral Pattern Separation But Not Statistical Learning. **2023**, 35, 900-917 ○
- 247 iTex Gloves: Design and In-Home Evaluation of an E-Textile Glove System for Tele-Assessment of Parkinson's Disease. **2023**, 23, 2877 ○
- 246 Neuronal glutamate transporters are associated with cognitive impairment in obstructive sleep apnea patients without dementia. **2023**, 802, 137168 ○
- 245 Evaluation of upper limb perception after stroke: a prevalence and longitudinal study with the new Affected Limb Perception Questionnaire (ALPQ). ○
- 244 Educational Information Improves Listener Attitudes Toward People With Dysarthria Secondary to Parkinson's Disease. 1-11 ○
- 243 A cognitive function test utilizing eye tracking technology in virtual reality. **2023**, 60, 43-50 ○
- 242 Cognitive trends in an urban Indian elderly community: Glycated hemoglobin and geriatric depression play a bigger role than age. ○
- 241 Bispectral EEG (BSEEG) Algorithm Captures High Mortality Risk Among 1,077 Patients: Its Relationship to Delirium Motor Subtype. **2023**, ○
- 240 Inflammatory biomarkers and lipid metabolism parameters in women with mild cognitive impairment and dementia. **2023**, 63, 285-295 ○

- 239 Plasma amyloid beta 40/42, phosphorylated tau 181, and neurofilament light are associated with cognitive impairment and neuropathological changes among World Trade Center responders: A prospective cohort study of exposures and cognitive aging at midlife. **2023**, 15, ○
- 238 Cortical activation and functional connectivity during locomotion tasks in Parkinson's disease with freezing of gait. 15, ○
- 237 Relationship between the interlimb transfer of a visuomotor learning task and interhemispheric inhibition in healthy humans. ○
- 236 Further Evidence of Relationship Between Thiamine Blood Level and Cognition in Chronic Alcohol-Dependent Adults: Prospective Pilot Study of an Inpatient Detoxification with Oral Supplementation Protocol. **2023**, ○
- 235 Central retinal microvasculature damage is associated with orthostatic hypotension in Parkinson's disease. **2023**, 9, ○
- 234 Left ventricular hypertrophy, carotid atherosclerosis, and cognitive impairment in peritoneal dialysis patients. **2023**, 23, ○
- 233 A risk prediction model based on machine learning for early cognitive impairment in hypertension: Development and validation study. 11, ○
- 232 The impact of visuospatial and executive function on activity performance and outcome after robotic or conventional gait training, long-term after stroke's part of a randomized controlled trial. **2023**, 18, e0281212 ○
- 231 Association between Systemic Immune Inflammation Index and Cognitive Impairment after Acute Ischemic Stroke. **2023**, 13, 464 ○
- 230 The Impact of COVID-19 Lockdown Measures and COVID-19 Infection on Cognitive Functions: A Review in Healthy and Neurological Populations. **2023**, 20, 4889 ○
- 229 Effects of Resistance Exercise on Cognitive Performance and Depressive Symptoms in Community-Dwelling Older Chinese Americans: A Pilot Randomized Controlled Trial. **2023**, 13, 241 ○
- 228 High spatial overlap but diverging age-related trajectories of cortical magnetic resonance imaging markers aiming to represent intracortical myelin and microstructure. ○
- 227 Delirium and Behavioral Symptoms in Persons With Dementia at Hospital Admission. Publish Ahead of Print, ○
- 226 The effect of ageing on confrontation naming in healthy older adults: a three-level meta-analysis. 1-29 ○
- 225 Patient-reported experiences with migraine-related cognitive symptoms: Results of the MiCOAS qualitative study. **2023**, 63, 441-454 1
- 224 Synergistic associations of depressive symptoms and aging on cognitive decline in early Parkinson's disease. **2023**, 8, 100192 ○
- 223 Electrical stimulation to regain lower extremity muscle perfusion and endurance in patients with post-acute sequelae of SARS CoV -2: A randomized controlled trial. **2023**, 11, ○
- 222 Work-Related Psychosocial Factors and Global Cognitive Function: Are Telomere Length and Low-Grade Inflammation Potential Mediators of This Association?. **2023**, 20, 4929 ○

- 221 Teleneuropsychology during the COVID-19 pandemic in Mexico: the perspective from a middle-income country. **2023**, 45, 12-30 o
- 220 High Homocysteine Levels Are Associated with Cognitive Impairment in Patients Who Recovered from COVID-19 in the Long Term. **2023**, 13, 503 o
- 219 Functional and Cognitive Occupational Therapy (FaCoT) Improves Self-Efficacy and BehavioralâEmotional Status of Individuals with Mild Stroke; Analysis of Secondary Outcomes. **2023**, 20, 5052 o
- 218 Varied performance of picture description task as a screening tool across MCI subtypes. **2023**, 2, e0000197 o
- 217 Comparison of the Six Item Cognitive Impairment Test (6CIT) to Commonly-Used Short Cognitive Screening Instruments in a Memory Clinic Population. **2023**, 7, 299-306 o
- 216 Low serum uric acid levels and levodopa-induced dyskinesia in Parkinson's disease. **2023**, 81, 040-046 o
- 215 Implicit Motor Sequence Learning in People with Mild to Moderate Parkinson's Disease: Behavior and Related Brain Function. **2023**, 1-12 o
- 214 Visuospatial abilities and cervical spine range of motion improvement effects of a non-goal-oriented VR travel program at an older adults facility:A pilot randomized controlled trial. **2023**, o
- 213 Early motor skill acquisition in healthy older adults: brain correlates of the learning process. o
- 212 Wrist Accelerometer Estimates of Physical Activity Intensity During Walking in Older Adults and People Living With Complex Health Conditions: Retrospective Observational Data Analysis Study. 7, e41685 o
- 211 TRANSLATION, CULTURALADAPTATION AND VALIDATION OF GUJARATI VERSION OF MONTREAL COGNITIVE ASSESSMENT (MOCA) IN OLDER ADULTS. **2023**, 80-82 o
- 210 Specific but not general declines in attention and executive function with aging: Converging cross-sectional and longitudinal evidence across the adult lifespan. 14, o
- 209 Cognitive impairment after cancer treatment: mechanisms, clinical characterization, and management. e071726 o
- 208 Electric Field, Ictal Theta Power, and Clinical Outcomes in Electroconvulsive Therapy. **2023**, o
- 207 Wrist Accelerometer Estimates of Physical Activity Intensity During Walking in Older Adults and People Living With Complex Health Conditions: Retrospective Observational Data Analysis Study (Preprint). o
- 206 Feasibility and usability of a digital health technology system to monitor mobility and assess medication adherence in mild-to-moderate Parkinson's disease. 14, o
- 205 Feasibility of a Modified Otago Exercise Program for Older Adults With Cognitive Vulnerability. 073346482311630
- 204 A highly challenging balance training intervention for people with multiple sclerosis: a feasibility trial. **2023**, 9, o

- 203 Prevalence of Cognitive Decline in Type 2 Diabetes Mellitus Patients: A Real-World Cross-Sectional Study in Mysuru, India. **2023**, 13, 524 ○
- 202 Prefrontal Cortex Hemodynamics and Functional Connectivity Changes during Performance Working Memory Tasks in Older Adults with Sleep Disorders. **2023**, 13, 497 ○
- 201 Longitudinal cognitive changes in patients with early Parkinson's disease and neuropsychiatric symptoms. ○
- 200 Magnetic resonance evidence of increased iron content in subcortical brain regions in asymptomatic Alzheimer's disease. ○
- 199 Ontology-Driven Knowledge Sharing in Alzheimer's Disease Research. **2023**, 14, 188 ○
- 198 The longitudinal relationship between hearing loss and cognitive decline in tonal language-speaking older adults in China. 15, ○
- 197 Effects of spinal stabilization exercises delivered using telerehabilitation on outcomes in patients with chronic neck pain: a randomized controlled trial. **2023**, 23, 269-280 ○
- 196 Molecular determinants of neurocognitive deficits in glioma: based on 2021 WHO classification. ○
- 195 Screening for cognitive impairment in older adults with hypertension: the HYPER-COG study. ○
- 194 Plasma extracellular vesicles and cell-free mitochondrial DNA are associated with cognitive dysfunction in treated older adults with HIV. ○
- 193 Experiences and understanding of apathy in people with neurocognitive disorders and their carers: a qualitative interview study. **2023**, 52, ○
- 192 Comparison of the telephone-Montreal Cognitive Assessment (T-MoCA) and Telephone Interview for Cognitive Status (TICS) as screening tests for early Alzheimer's disease. ○
- 191 COVID-19 severity is related to poor executive function in people with post-COVID conditions. ○
- 190 Resting-state EEG measures cognitive impairment in Parkinson's disease. ○
- 189 Cognitive issues in patients with IDH mutant gliomas: from neuroscience to clinical neuropsychology. ○
- 188 Can thiamine substitution restore cognitive function in alcohol use disorder?. ○
- 187 Connectome-based predictive modeling shows sex differences in brain-based predictors of memory performance. 2, ○
- 186 Prevalência de Disfunções Cognitivas em Pacientes com Diabetes Tipo 2. **2021**, 24, 39-50 ○

- 185 Benefits of the PRISM Shelter-Based Program for Attainment of Stable Housing and Functional Outcomes by People Experiencing Homelessness and Mental Illness: A Quantitative Analysis. 070674372311624
- 184 Cognitive Impairment in Neurodegenerative Movement Disorders. **2023**, 43, 081-094
- 183 Investigating Compensatory Brain Activity in Older Adults with Subjective Cognitive Decline. **2023**, 1-18
- 182 Measures of Maximal Tactile Pressures during a Sustained Grasp Task Using a TactArray Device Have Satisfactory Reliability and Concurrent Validity in People with Stroke. **2023**, 23, 3291
- 181 Sleep Disturbances Predict Cognitive Decline in Cognitively Healthy Adults. **2023**, 92, 1427-1438
- 180 A Novel Movement-Evoked Pain Provocation Test for Older Adults With Persistent Low Back Pain. **2023**, 39, 166-174
- 179 Linguistic profile automated characterisation in pluripotential clinical high-risk mental state (CHARMS) conditions: methodology of a multicentre observational study. **2023**, 13, e066642
- 178 Creativity across the lifespan: changes with age and with dementia. **2023**, 23,
- 177 Enfermedad de Alzheimer. **2023**, 13, 4360-4371
- 176 Improving the effectiveness of pharmacotherapy in comorbid patients with chronic cerebral ischemia on an outpatient basis. **2023**, 123, 51
- 175 Nonlinear relationship between glycated hemoglobin and cognitive impairment after acute mild ischemic stroke. **2023**, 23,
- 174 Visual and cognitive functioning among older adults with low vision before vision rehabilitation: A pilot study. 14,
- 173 Higher Functional Connectivity of Ventral Attention and Visual Network to Maintain Cognitive Performance in White Matter Hyperintensity. **2022**, 0
- 172 Effects of oral semaglutide on cardiovascular outcomes in individuals with type 2 diabetes and established atherosclerotic cardiovascular disease and/or chronic kidney disease: Design and baseline characteristics of SOUL , a randomized trial.
- 171 Health-Related Quality of Life in People Living With HIV With Cognitive Symptoms: Assessing Relevant Domains and Associations. **2023**, 22, 232595822311642
- 170 Identifying an Appropriate Picture Stimulus for a Bangla Picture Description Task. **2023**, 66, 1334-1350
- 169 Engagement in a structured physical activity program and its effects upon health-related quality of life in elderly women: An observational study. 14,
- 168 Age and Sex Affect Essential Tremor (ET) Plus: Clinical Heterogeneity in ET Based on the National Survey in China. **2022**, 0

- 167 Hazardous Drinking Interventions Delivered During Medical-Surgical Care: Patient and Provider Views. ○
- 166 Patient-specific multi-modal modeling uncovers neurotransmitter receptor involvement in motor and non-motor axes of Parkinson's disease. ○
- 165 The Behavioural Dysfunction Questionnaire discriminates behavioural variant frontotemporal dementia from Alzheimer's disease dementia and major depressive disorder. ○
- 164 Detecting mild cognitive impairment remotely with the modified memory impairment screen by telephone. 1-13 ○
- 163 Patient-tailored transcranial direct current stimulation to improve stroke rehabilitation: study protocol of a randomized sham-controlled trial. **2023**, 24, ○
- 162 Demenz und kognitive Einschränkungen. **2023**, 173-204 ○
- 161 Effectiveness of rehabilitation with virtual reality and biofeedback in recovery of hand function after stroke. **2023**, 123, 68 ○
- 160 Development of a UK core dataset for geriatric medicine research: a position statement and results from a Delphi consensus process. **2023**, 23, ○
- 159 Structural connectivity and brain network analyses in Parkinson's disease: A cross-sectional and longitudinal study. 14, ○
- 158 Outcome Scales and Neuropsychological Outcome. **2013**, 107-113.e2 ○
- 157 Autobiographical memories cued by self-statements in patients with alcohol use disorder: linking self-conceptions to past events. **2023**, 31, 732-746 ○
- 156 Edmonton Frail Scale predicts mortality in older patients with cancer undergoing radiotherapy: a prospective observational study. **2023**, 18, e0283507 ○
- 155 Post-Intensive Care Syndrome Revisited in Light of the COVID-19 Pandemic. **2023**, 533-545 ○
- 154 Neurofunctional Correlates of Activities of Daily Living in Patients with Posterior Cortical Atrophy. **2023**, 1-11 ○
- 153 Bone, cognitive, and anthropometric profiles and their relation to fracture sites in fallers: a cross-sectional study. **2023**, 34, 901-913 ○
- 152 The Future of Cognitive Screening in Neurodegenerative Diseases. **2023**, 1-13 ○
- 151 Effects of transcranial direct current stimulation (tDCS) in "Kiss nightclub fire" patients with post-traumatic stress disorder (PTSD): A phase II clinical trial. **2023**, 11, 205031212311609 ○
- 150 Emotional symptoms and cognitive function outcomes of subthalamic stimulation in Parkinson's disease depend on location of active contacts and the volume of tissue activated. ○

- 149 Global prevalence of mild cognitive impairment among older adults living in nursing homes: a meta-analysis and systematic review of epidemiological surveys. **2023**, 13, ○
- 148 Homocysteine and nutritional biomarkers in cognitive impairment. ○
- 147 The Effects of Piano Training on Auditory Processing, Cognition, and Everyday Function. ○
- 146 Sensitivity and specificity of the ECAS in identifying executive function and social cognition deficits in MND. 1-9 ○
- 145 Effectiveness of Repetitive Transcranial Magnetic Stimulation (rTMS) Add-On Therapy to a Standard Treatment in Individuals with Multiple Sclerosis and Concomitant Symptoms of Depression—Results from a Randomized Clinical Trial and Pilot Study. **2023**, 12, 2525 ○
- 144 Coordination and Cognition in Pure Nutritional Wernicke’s Encephalopathy with Cerebellar Degeneration after COVID-19 Infection: A Unique Case Report. **2023**, 12, 2511 ○
- 143 Cognitive Decline and Its Associated Factors in Patients with Major Depressive Disorder. **2023**, 11, 950 ○
- 142 MMP2 rs243866 and rs2285053 Polymorphisms and Alzheimer’s Disease Risk in Slovak Caucasian Population. **2023**, 13, 882 ○
- 141 Long-term psychological outcomes following stroke: The OX-CHRONIC study. ○
- 140 Cognitive Functioning, Dependency, and Quality of Life Among Older Adults. 1-26 ○
- 139 Association of Urinary Biomarkers of Renal Tubular Injury with Cognitive Dysfunction in Older Patients with Chronic Kidney Disease: A Cross-Sectional Observational Study. **2023**, 13, 551 ○
- 138 Health Literacy predicts incident foot ulcers after 4 years – the SHELLED cohort study. ○
- 137 Neuropsychological Functions and Audiological Findings in Elderly Cochlear Implant Users: The Role of Attention in Postoperative Performance. **2023**, 13, 236-253 ○
- 136 The effect of the tumour necrosis factor-alpha-inhibitor etanercept on microglial activation in patients with mild cognitive impairment – PET study. 52-66 ○
- 135 Physical activity based on daily step-count in inpatient setting in stroke and traumatic brain injury patients in subacute stage: A cross-sectional observational study. **2023**, 52, 435-450 ○
- 134 Characteristics of older cyclists with self-perceived needs for improvement in cycling competence: SiFAr trial. ○
- 133 Long-term effects of restriction of intravenous fluid in adult ICU patients with septic shock. ○
- 132 Spatial patterns of elevated magnetic susceptibility in progressive apraxia of speech. **2023**, 38, 103394 ○

- 131 Association Between the Frailty and Cognitive Impairment Among Patients With Hypertension: A Post Hoc Analysis of the SPRINT Trial. **2023**, 12, ○
- 130 Assessing how Age, Sex, Race, and Education Affect the Relationships Between Cognitive Domains and Odor Identification. Publish Ahead of Print, ○
- 129 Ginkgo biloba extract EGb 761 improves cognition and overall condition after ischemic stroke: Results from a pilot randomized trial. 14, ○
- 128 Clinical trials for cognition in Parkinson's disease: Where are we and how can we do better?. **2023**, 105385 ○
- 127 Using shoe-mounted inertial sensors and stepping exergames to assess the motor-cognitive status of older adults: A correlational study. **2023**, 9, 205520762311670 ○
- 126 3D-real-world pointing test for spatial orientation: influences of sex and cognitive impairment on the shape configuration of mental target representation. ○
- 125 Association of cognitive function very early after stroke with subjective cognitive complaints after 3 months, a register-based study. **2023**, 18, e0283667 ○
- 124 Dependence of cognitive ability on synchronous neural interactions determined by magnetoencephalography. **2023**, 129, 963-967 ○
- 123 Posttraumatic stress symptom severity predicts cognitive decline beyond the effect of Alzheimer's disease biomarkers in Veterans. **2023**, 13, ○
- 122 Olfactory Bulb Volume, Olfactory Sulcus Depth in Parkinson's Disease, Atypical Parkinsonism. ○
- 121 Uptake of pharmacist recommendations by patients after discharge: Implementation study of a patient-centered medicines review service. **2023**, 23, ○
- 120 Transparency in hip fracture recovery over institutional boundaries: The transmural monitoring pathway. 026921552311661 ○
- 119 Intermittent theta burst stimulation vs. high-frequency repetitive transcranial magnetic stimulation for post-stroke cognitive impairment: Protocol of a pilot randomized controlled double-blind trial. 17, ○
- 118 Visual-somatosensory integration (VSI) as a novel marker of Alzheimer's disease: A comprehensive overview of the VSI study. 15, ○
- 117 Can Virtual Reality Cognitive Rehabilitation Improve Executive Functioning and Coping Strategies in Traumatic Brain Injury? A Pilot Study. **2023**, 13, 578 ○
- 116 Evaluation of a clinical method for selective electrode deactivation in cochlear implant programming. 17, ○
- 115 The Association of Calcium Signaling Pathway Gene Variants, Bone Mineral Density and Mild Cognitive Impairment in Elderly People. **2023**, 14, 828 ○
- 114 Left Cerebellar Lesions may be Associated with an Increase in Spatial Neglect-like Symptoms. ○

- 113 The relationship between pre-surgery self-rated health and changes in functional and mental health in older adults: insights from a prospective observational study. **2023**, 23, ○
- 112 Feasibility of Remote Unsupervised Cognitive Screening With SATURN in Older Adults. 073346482311668 ○
- 111 Measuring the Potential Effects of Mirror therapy Added to the Gold Standard Facial Neuromuscular Retraining (fNMR) in Long-Term Peripheral Facial Palsy Patients: a Protocol for a Randomized Controlled Trial (Preprint). ○
- 110 Value of white matter hyperintensity volume and total white matter volume for evaluating cognitive impairment in patients with cerebral small-vessel disease. 15, ○
- 109 The Relationship Between Sarcopenia, Cognitive Impairment, and Cerebral White Matter Hyperintensity in the Elderly. Volume 18, 547-555 ○
- 108 Data-driven subtyping of Parkinson's disease: comparison of current methodologies and application to the Bochum PNS cohort. ○
- 107 Cognitive testing following transient ischaemic attack: A systematic review of clinical assessment tools. **2023**, 10, ○
- 106 Effect of experimentally introduced interaural frequency mismatch on sentence recognition in bilateral cochlear-implant listeners. **2023**, 3, 044401 ○
- 105 Olfactory Impairment Is the Main Predictor of Higher Scores at REM Sleep Behavior Disorder (RBD) Screening Questionnaire in Parkinson's Disease Patients. **2023**, 13, 599 ○
- 104 Remote assessment of cognition and quality of life following radiotherapy for nasopharyngeal carcinoma: deep-learning-based predictive models and MRI correlates. ○
- 103 Assessing the impact of sleep restriction on the attention and executive functions of medical students: a prospective cohort study. ○
- 102 Feasibility of an Intelligent Algorithm Based on an Assist-as-Needed Controller for a Robot-Aided Gait Trainer (Lokomat) in Neurological Disorders: A Longitudinal Pilot Study. **2023**, 13, 612 ○
- 101 Analysis of cognitive function and its related factors after treatment in Meniere's disease. 17, ○
- 100 Remote assessment of cognition and quality of life following radiotherapy for glioma: deep-learning-based predictive models and MRI correlates. ○
- 99 Prolonged Corticosteroids Without Maintenance Immunotherapy for Treatment of Anti-LGI1 Encephalitis. **2023**, 10, e200115 ○
- 98 Associations of a biopsychosocial frailty phenotype with all-cause dementia, Alzheimer's disease, vascular dementia, and other dementias: the Italian PROject on the Epidemiology of Alzheimer's disease (IPREA). ○
- 97 Comparisons of 25 cerebrospinal fluid cytokines in a case-control study of 106 patients with recent-onset depression and 106 individually matched healthy subjects. **2023**, 20, ○
- 96 Éducation Thérapeutique du Patient (ETP) dans la maladie d'Alzheimer et les maladies apparentées en France: État des lieux et retours d'expérience. **2022**, 14, 20204 ○

- 95 Well-being therapy and sleep hygiene in a non-clinical population of adults reporting poor sleep quality and distress: A remote pilot randomized controlled study. 1-14 ○
- 94 Structural and neurophysiological alterations in Parkinson's disease are aligned with cortical neurochemical systems. ○
- 93 Prefrontal oxygenation and working memory in patients with type 2 diabetes mellitus following integrated yoga: a randomized controlled trial. ○
- 92 Acoustic analysis and neuroimaging correlates of diadochokinetic rates in mild-moderate primary progressive apraxia of speech. **2023**, 240, 105254 ○
- 91 Nutrition intervention informed by indirect calorimetry compared to predictive equations to achieve weight goals in geriatric rehabilitation inpatients: The NEED study. ○
- 90 Altered nucleus accumbens functional connectivity precedes apathy in Parkinson's disease. ○
- 89 Do Epilepsy Patients with Cognitive Impairment Have Alzheimer's Disease-like Brain Metabolism?. **2023**, 11, 1108 ○
- 88 Olfactory function reflects episodic memory performance and atrophy in the medial temporal lobe in individuals at risk for Alzheimer's disease. **2023**, ○
- 87 Affective Norms for Chinese Words of Typical Life Scenes Rated by Older Adults (ANCO). ○
- 86 Altered Resting-State Functional Networks in Nondialysis Patients with Stage 5 Chronic Kidney Disease: A Graph-Theoretical Analysis. **2023**, 13, 628 ○
- 85 Disruptions of default mode network and precuneus connectivity associated with cognitive dysfunctions in tinnitus. **2023**, 13, ○
- 84 Local Brain Network Alterations and Olfactory Impairment in Alzheimer's Disease: An fMRI and Graph-Based Study. **2023**, 13, 631 ○
- 83 Exercise snacking to improve physical function in pre-frail older adult memory clinic patients: a 28-day pilot study. ○
- 82 Index of consciousness monitoring during general anesthesia may effectively enhance rehabilitation in elderly patients undergoing laparoscopic urological surgery: a randomized controlled clinical trial. ○
- 81 Copy number analysis from whole-exome sequencing data revealed a novel homozygous deletion in PARK7 leads to severe early-onset Parkinson's disease. **2023**, 9, e15393 ○
- 80 Imaging the lower limb network in Parkinson's disease. **2023**, 38, 103399 ○
- 79 Associations of internalized stigma with psychosocial functioning and quality of life in people with schizophrenia. 002076402311640 ○
- 78 What are key characteristics of adults with advanced heart failure discharged from ICU ?. ○

- 77 Comorbid Cognitive Impairment in Chronic Obstructive Pulmonary Disease (COPD): Current Understanding, Risk Factors, Implications for Clinical Practice, and Suggested Interventions. **2023**, 59, 732 ○
- 76 Digital Health and Mixed Realities: An Introduction. **2023**, 1-6 ○
- 75 Relationship of the Behavior of Older Participants with Body Composition Change: Results of the Second Wave of the Cognition of Older People, Education, Recreational Activities, Nutrition, Comorbidities, and Functional Capacity Studies (COPERNICUS). **2023**, 15, 1834 ○
- 74 Alterations of peripheral cytokines, BDNF, and surface-based morphometry indices in T2DM patients without cognitive impairment. 17, ○
- 73 Can the fNIRS-derived neural biomarker better discriminate mild cognitive impairment than a neuropsychological screening test?. 15, ○
- 72 Upregulation of APAF1 and CSF1R in Peripheral Blood Mononuclear Cells of Parkinson's Disease. **2023**, 24, 7095 ○
- 71 Capturing postural blood pressure dynamics with near-infrared spectroscopy-measured cerebral oxygenation. ○
- 70 Experience of drivers of all age groups in accepting autonomous vehicle technology. 1-17 ○
- 69 Psychometry in Dementia. ○
- 68 Gender-Related Differences in the Correlation between Odor Threshold, Discrimination, Identification, and Cognitive Reserve Index in Healthy Subjects. **2023**, 12, 586 ○
- 67 A decade of aging in healthy older adults: longitudinal findings on cerebrovascular and cognitive health. ○
- 66 In vivo detection of substantia nigra and locus coeruleus volume loss in Parkinson's disease using neuromelanin-sensitive MRI: Replication in two cohorts. **2023**, 18, e0282684 ○
- 65 Understanding preferences of stroke survivors for feedback provision about functional movement behavior from wearable sensors: a mixed-methods study. ○
- 64 Evaluating the feasibility of cognitive impairment detection in Alzheimer's disease screening using a computerized visual dynamic test. **2023**, 20, ○
- 63 Hand-Arm Bimanual Intensive Therapy Including Lower Extremities (HABIT-ILE) in adults with chronic stroke: protocol of a randomised controlled trial. **2023**, 13, e070642 ○
- 62 Topological differences and confounders of mental rotation in cervical dystonia and blepharospasm. **2023**, 13, ○
- 61 Comparative analysis of the effectiveness and safety of anesthetic care during neurosurgical interventions on the lumbar spine in patients with high-risk factors. **2023**, 25, 95-106 ○
- 60 Sex and age affect acute and persisting COVID-19 illness. **2023**, 13, ○

- 59 Moderating effects of uric acid and sex on cognition and psychiatric symptoms in asymmetric Parkinson's disease. ○
- 58 Participation in daily life activities at two months after stroke predicts long-term health-related quality of life. 1-10 ○
- 57 Pharmacists as patient advocates: A series of case studies illustrating the impacts of a regular pharmacist service in residential aged care (nursing homes). **2023**, 10, 100268 ○
- 56 Altered brain networks and connections in chronic heart failure patients complicated with cognitive impairment. 15, ○
- 55 Structural and functional activities of brain in patients with vascular cognitive impairment: A case-controlled magnetic resonance imaging study. **2023**, 102, e33534 ○
- 54 Effects of subjective perceptions of indoor visual environment on visual-related physical health of older people in residential care homes. **2023**, 110301 ○
- 53 Changes in motor activity level in individuals with frontotemporal dementia. ○
- 52 Neuromuscular assessment of force development, postural, and gait performance under cognitive-motor dual-tasking in healthy older adults and early Parkinson's disease patients: Study protocol for a cross-sectional Mobile Brain/Body Imaging (MoBI) study. 3, 58 ○
- 51 Informal Caregiving Networks of Older Adults with Dementia Superimposed on Multimorbidity: A Social Network Analysis Study. ○
- 50 Cancer History Avoids the Increase of Senescence Markers in Peripheral Cells of Amnestic Mild Cognitive Impaired Patients. **2023**, 24, 7364 ○
- 49 Impact of non-motor fluctuations on QOL in patients with Parkinson's disease. 14, ○
- 48 Zooming in on abnormal local and global processing biases after stroke: Frequency, lateralization, and associations with cognitive functions. 1-10 ○
- 47 Young Nonalcoholic Wernicke Encephalopathy Patient Achieves Remission Following Prolonged Thiamine Treatment and Cognitive Rehabilitation. **2023**, 12, 2901 ○
- 46 The Longitudinal Relationships between Social Relationships and Physical, Mental, and Cognitive Health: The Role of Frailty. ○
- 45 The Association of Cognitive Impairment With Depressive Symptoms, Function, and Pain in Hospitalized Older Patients With Dementia. 073346482311684 ○
- 44 Coupling Between Hippocampal Parenchymal Fraction and Cortical Grey Matter Atrophy at Different Stages of Cognitive Decline. **2023**, 1-11 ○
- 43 Therapeutic education for empowerment and engagement in patients with Parkinson's disease: A non-pharmacological, interventional, multicentric, randomized controlled trial. 14, ○
- 42 Antihypertensive therapy is associated with improved visuospatial, executive, attention, abstraction, memory, and recall scores on the Montreal Cognitive Assessment in geriatric hypertensive patients. **2023**, 100165 ○

- 41 Synergy through integration of digital cognitive tests and wearable devices for mild cognitive impairment screening. 17, ○
- 40 Correlations between Cognitive Evaluation and Metabolic Syndrome. **2023**, 13, 570 ○
- 39 A survey of mobile phone addiction with concentration, emotion, sleep quality, cognition, self-value, and academic performance among college students. ○
- 38 Usefulness of the Visual Cognitive Assessment Test in Detecting Mild Cognitive Impairment in the Community. **2023**, 1-9 ○
- 37 Vitamin D supplementation and muscle power, strength and physical performance in older adults: a randomized controlled trial. **2023**, ○
- 36 Virtually-delivered Emotion Focused Mindfulness Therapy (EFMT) group vs. wait-list control for late-life anxiety: A randomized controlled trial. **2023**, ○
- 35 Cost-utility analysis of a multispecialty interprofessional team dementia care model in Ontario, Canada. **2023**, 13, e064882 ○
- 34 Prevalence of cognitive frailty among older adults in China: a systematic review and meta-analysis. **2023**, 13, e066630 ○
- 33 Cognitive Stimulation Therapy in a Veteran Sample: A Program Evaluation Study. 1-13 ○
- 32 Bifrontal electroconvulsive therapy leads to improvement of cerebral glucose hypometabolism in frontotemporal dementia with comorbid psychotic depression – a case report. **2023**, 23, ○
- 31 Gamma neuromodulation improves episodic memory and its associated network in amnesic mild cognitive impairment: A pilot study. **2023**, ○
- 30 Designing Virtual Environments for Social Engagement in Older Adults: A Qualitative Multi-site Study. **2023**, ○
- 29 Association between apathy in patients with maintenance dialysis and hospitalization or mortality: a prospective cohort study. 14, ○
- 28 A resting-state functional magnetic resonance imaging study of altered functional brain activity in cardiac arrest survivors with good neurological outcome. 14, ○
- 27 Effect of self-determination theory-based integrated creative art (SDTICA) program on older adults with mild cognitive impairment in nursing homes: Study protocol for a cluster randomised controlled trial. **2023**, 23, ○
- 26 Antisaccadic eye movements in middle-aged individuals with a family history of Alzheimer's disease. 17, ○
- 25 The Spatial Performance Assessment for Cognitive Evaluation (SPACE): A Novel Game for the Early Detection of Cognitive Impairment. **2023**, ○
- 24 Randomizing a clinical trial in neuro-degenerative disease. **2023**, 101140 ○

- 23 Cortical thickness is related to cognitive-motor automaticity and attention allocation in individuals with Alzheimer's disease: a regions of interest study. ○
- 22 Normative data for the verb fluency test in the adult French-Quebec population and validation study in mild cognitive impairment. 1-7 ○
- 21 Could olfactory identification be a prognostic factor in detecting cognitive impairment risk in the elderly?. ○
- 20 Protocol of a randomized controlled trial investigating Deep Brain Stimulation for Motor symptoms in patients with Parkinson's disease Dementia (DBS-MODE). 2023, 23, ○
- 19 Methods to Identify Cognitive Alterations from Animals to Humans: A Translational Approach. 2023, 24, 7653 ○
- 18 Extended-release metformin improves cognitive impairment in frail older women with hypertension and diabetes: preliminary results from the LEOPARDESS Study. 2023, 22, ○
- 17 The Psychiatric Interview: General Structures and Techniques. 2023, 1-22 ○
- 16 Left Ventricular Assist Device as a Destination Therapy: Current Situation and the Importance of Patient Selection. 2023, 13, 1065 ○
- 15 Cycling in primary progressive multiple sclerosis (CYPRO): study protocol for a randomized controlled superiority trial evaluating the effects of high-intensity interval training in persons with primary progressive multiple sclerosis. 2023, 23, ○
- 14 Evaluaci3n neuropsicol3gica en adultos. 2023, 44, 1-13 ○
- 13 Caregiver burden before heart transplantation and long-term mechanical circulatory support: Findings from the Sustaining Quality of Life of the Aged: Transplant or Mechanical Support (SUSTAIN-IT) study. 2023, ○
- 12 Geriatriische Aspekte bei Diabetes mellitus (Update 2023). 2023, 135, 307-318 ○
- 11 Oxford cognitive screen: A critical review and independent psychometric evaluation. ○
- 10 Improving uptake of advance care planning through education and training in a public hospital geriatric clinic. ○
- 9 Can an online battery match in-person cognitive testing in predicting age-related cortical changes?. ○
- 8 Cognitive impairment according to Montreal Cognitive Assessment independently predicts the ability of chronic obstructive pulmonary disease patients to maintain proper inhaler technique. 2023, 23, ○
- 7 Computerised cognitive assessment in patients with traumatic brain injury: an observational study of feasibility and sensitivity relative to established clinical scales. 2023, 59, 101980 ○
- 6 Association Between Postoperative Delirium and Long-Term Subjective Cognitive Decline in Older Patients Undergoing Cardiac Surgery: A Secondary Analysis of the Minimizing Intensive Care Unit Neurological Dysfunction with Dexmedetomidine-Induced Sleep Trial. 2023, ○

- 5 The effects of strEngth aNd BaLance exercise on Executive function in people living with Dementia (ENABLED): Study protocol for a pilot randomized controlled trial. **2023**, 130, 107220 ○
- 4 Predictors of cognitive changes in patients with schizophrenia undergoing electroconvulsive therapy. **2023**, 18, e0284579 ○
- 3 Feasibility of a Home-Based Cognitive-Physical Exercise Program in Chronic Obstructive Pulmonary Disease Patients: Protocol for a Feasibility and Pilot Randomized Controlled Trial (Preprint). ○
- 2 Clinical characterization and factors associated with quality of life in Long COVID patients: Secondary data analysis from a randomized clinical trial. **2023**, 18, e0278728 ○
- 1 Relative Meaningfulness and Impacts of Symptoms in People with Early-Stage Parkinsonâs Disease. **2023**, 1-14 ○