

CITATION REPORT

List of articles citing

The broad-scale ecology of energy expenditure of endotherms

DOI: 10.1111/j.1461-0248.2005.00723.x
Ecology Letters, 2005, 8, 310-318.

Source: <https://exaly.com/paper-pdf/38174051/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
164	Effective evolutionary time and the latitudinal diversity gradient. 169-180		2
163	Expenditure freeze: the metabolic response of small mammals to cold environments. <i>Ecology Letters</i> , 2005 , 8, 1326-1333	10	83
162	Energy availability, abundance, energy-use and species richness in forest bird communities: a test of the species-energy theory. <i>Global Ecology and Biogeography</i> , 2006 , 15, 290-302	6.1	
161	Species richness and allometric scaling jointly determine biomass in model aquatic food webs. <i>Journal of Animal Ecology</i> , 2006 , 75, 1014-23	4.7	31
160	Climate, energy and diversity. 2006 , 273, 2257-66		303
159	Energy availability, abundance, energy-use and species richness in forest bird communities: a test of the species-energy theory. <i>Global Ecology and Biogeography</i> , 2006 , 15, 290-302	6.1	45
158	Phenotypic plasticity in the scaling of avian basal metabolic rate. 2006 , 273, 931-7		128
157	Water requirements as a bottleneck in the reintroduction of European roe deer to the southern edge of its range. <i>Canadian Journal of Zoology</i> , 2007 , 85, 1182-1192	1.5	11
156	Limits to sustained energy intake. X. Effects of fur removal on reproductive performance in laboratory mice. 2007 , 210, 4233-43		111
155	Tropical birds have a slow pace of life. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 9340-5	11.5	282
154	The Impact of Environmental Variability on Ecological Systems. 2007 ,		6
153	Allometric exponents do not support a universal metabolic allometry. 2007 , 88, 315-23		167
152	A macroevolutionary explanation for energy equivalence in the scaling of body size and population density. <i>American Naturalist</i> , 2007 , 169, 621-31	3.7	53
151	Recasting the species-energy hypothesis: the different roles of kinetic and potential energy in regulating biodiversity. 283-299		41
150	Climate and diversity: the role of history. 225-245		1
149	Regional-to-global patterns of biodiversity, and what they have to say about mechanisms. 258-282		7
148	Measuring the energy expenditure and water flux in free-ranging alpacas (<i>Lama pacos</i>) in the peruvian andes using the doubly labelled water technique. 2007 , 307, 667-75		11

147	Adaptive differences in plant physiology and ecosystem paradoxes: insights from metabolic scaling theory. 2007 , 13, 591-609		62
146	Energy metabolism and animal personality. <i>Oikos</i> , 2008 , 117, 641-653	4	564
145	Relationship between field metabolic rate and body weight in mammals: effect of the study. 2008 , 276, 187-194		8
144	Mass invariance of population nitrogen flux by terrestrial mammalian herbivores: an extension of the energetic equivalence rule. <i>Ecology Letters</i> , 2008 , 11, 898-903	10	9
143	Climate and resource determinants of fundamental and realized metabolic niches of hibernating chipmunks. 2008 , 89, 3306-16		83
142	FLORISTICS AND PHYSIOGNOMY DETERMINE MIGRANT LANDBIRD RESPONSE TO TAMARISK (TAMARIX RAMOSISSIMA) INVASION IN RIPARIAN AREAS. 2008 , 125, 520-531		22
141	Effects of metabolic level on the body size scaling of metabolic rate in birds and mammals. 2008 , 275, 1405-10		90
140	The space-lifetime hypothesis: viewing organisms in four dimensions, literally. <i>American Naturalist</i> , 2008 , 171, 125-31	3.7	25
139	Trade-offs between the metabolic rate and population density of plants. 2008 , 3, e1799		33
138	Environment, migratory tendency, phylogeny and basal metabolic rate in birds. 2008 , 3, e3261		76
137	Individually variable energy management during egg production is repeatable across breeding attempts. 2009 , 212, 1101-5		9
136	Genome size and wing parameters in passerine birds. 2009 , 276, 55-61		46
135	Latitude, elevation and the tempo of molecular evolution in mammals. 2009 , 276, 3353-9		67
134	Trade-offs between activity and thermoregulation in a small carnivore, the least weasel <i>Mustela nivalis</i> . 2009 , 276, 1921-7		36
133	Basal metabolic rate and risk-taking behaviour in birds. 2009 , 22, 2420-9		32
132	Herbivore metabolism and stoichiometry each constrain herbivory at different organizational scales across ecosystems. <i>Ecology Letters</i> , 2009 , 12, 516-27	10	124
131	Mammal Ecology as an Indicator of Climate Change. 2009 , 197-214		3
130	Seasonal Field Metabolic Rates of American Martens in Wisconsin. 2009 , 162, 327-334		21

129	The cold shoulder: free-ranging snowshoe hares maintain a low cost of living in cold climates. <i>Canadian Journal of Zoology</i> , 2009 , 87, 956-964	1.5	16
128	Energy metabolism used as a tool to model the transfer of ¹⁴ C and ³ H in animals. 2010 , 49, 657-72		7
127	Biogeography of body size in Pacific island birds. <i>Ecography</i> , 2010 , 33, no-no	6.5	9
126	Energetic costs of male reproduction in a scramble competition mating system. <i>Journal of Animal Ecology</i> , 2010 , 79, 27-34	4.7	63
125	Evidence for an intrinsic energetic ceiling in free-ranging kittiwakes <i>Rissa tridactyla</i> . <i>Journal of Animal Ecology</i> , 2010 , 79, 205-13	4.7	36
124	Maximal heat dissipation capacity and hyperthermia risk: neglected key factors in the ecology of endotherms. <i>Journal of Animal Ecology</i> , 2010 , 79, 726-46	4.7	249
123	Measuring energetics and behaviour using accelerometry in cane toads <i>Bufo marinus</i> . 2010 , 5, e10170		50
122	Giants on the landscape: modelling the abundance of megaherbivorous dinosaurs of the Morrison Formation (Late Jurassic, western USA). 2010 , 22, 403-429		23
121	Application of the two-sample doubly labelled water method alters behaviour and affects estimates of energy expenditure in black-legged kittiwakes. 2010 , 213, 2958-66		12
120	Avian distributions under climate change: towards improved projections. 2010 , 213, 862-9		83
119	Phylogeny and metabolic scaling in mammals. 2010 , 91, 2783-93		111
118	Avian distributions under climate change: towards improved projections. 2010 , 213, 1395-1395		2
117	Predicting animal performance through climatic and plant phenology variables: The case of an omnivore hibernating species in Finland. 2010 , 75, 151-159		11
116	Seasonality, the latitudinal gradient of diversity, and Eocene insects. 2010 , 36, 374-398		102
115	Intraspecific mass-scaling of field metabolic rates of a freshwater crayfish varies with stream land cover. 2011 , 2, art13		17
114	Metabolic rate throughout the annual cycle reveals the demands of an Arctic existence in great cormorants. 2011 , 92, 475-86		28
113	Allometric estimation of metabolic rates in animals. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2011 , 158, 346-57	2.6	52
112	Heat for nothing or activity for free? Evidence and implications of activity-thermoregulatory heat substitution. 2011 , 51, 419-31		66

111	Constraint lines and performance envelopes in behavioral physiology: the case of the aerobic dive limit. <i>Frontiers in Physiology</i> , 2012 , 3, 381	4.6	21
110	Does size matter? The effects of body size and declining oxygen tension on oxygen uptake in gastropods. 2012 , 92, 1603-1617		20
109	Do red squirrels (<i>Tamiasciurus hudsonicus</i>) use daily torpor during winter?. 2012 , 19, 127-132		10
108	Temperature dependence of evolutionary diversification: differences between two contrasting model taxa support the metabolic theory of ecology. 2012 , 25, 2449-56		10
107	Avian BMR in marine and non-marine habitats: a test using shorebirds. 2012 , 7, e42206		15
106	Food preferences of winter bird communities in different forest types. 2012 , 7, e53121		20
105	Global patterns of specialization and coexistence in bird assemblages. 2012 , 39, 193-203		60
104	Energy and water use by invasive goats (<i>Capra hircus</i>) in an Australian rangeland, and a caution against using broad-scale allometry to predict species-specific requirements. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2012 , 161, 216-29	2.6	11
103	Seasonal stage differences overwhelm environmental and individual factors as determinants of energy expenditure in free-ranging red squirrels. <i>Functional Ecology</i> , 2012 , 26, 677-687	5.6	29
102	Environmental and genetic influences on body mass and resting metabolic rates (RMR) in a natural population of weasel <i>Mustela nivalis</i> . 2012 , 21, 1283-93		21
101	The ecology of lizard reproductive output. <i>Global Ecology and Biogeography</i> , 2012 , 21, 592-602	6.1	65
100	Broad-scale ecological implications of ectothermy and endothermy in changing environments. <i>Global Ecology and Biogeography</i> , 2012 , 21, 873-885	6.1	176
99	Limits to sustained energy intake. XIX. A test of the heat dissipation limitation hypothesis in Mongolian gerbils (<i>Meriones unguiculatus</i>). 2013 , 216, 3358-68		30
98	A global heterothermic continuum in mammals. <i>Global Ecology and Biogeography</i> , 2013 , 22, 1029-1039	6.1	57
97	Bird species migration ratio in East Asia, Australia, and surrounding islands. 2013 , 100, 729-38		1
96	Thermoregulation in African Green Pigeons (<i>Treron calvus</i>) and a re-analysis of insular effects on basal metabolic rate and heterothermy in columbid birds. 2013 , 183, 969-82		10
95	The relationship between body mass and field metabolic rate among individual birds and mammals. <i>Journal of Animal Ecology</i> , 2013 , 82, 1009-20	4.7	74
94	Energy and spatial order in niche and community. 2013 , 110, 696-714		4

93	Determinants of inter-specific variation in basal metabolic rate. 2013 , 183, 1-26		126
92	Metabolic rates associated with membrane fatty acids in mice selected for increased maximal metabolic rate. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2013 , 165, 70-8	2.6	16
91	Adaptive thermoregulation during summer in two populations of an arid-zone passerine. 2013 , 94, 1142-54		63
90	Seasonal metabolic variation in two populations of an Afrotropical euplectid bird. 2013 , 86, 19-26		23
89	Special K: testing the potassium link between radioactive rubidium (⁸⁶ Rb) turnover and metabolic rate. 2014 , 217, 1040-5		5
88	Patterns of Evolutionary Speed: In Search of a Causal Mechanism. 2013 , 5, 811-823		7
87	Energy in-equivalence in Australian marsupials: evidence for disruption of the continent's mammal assemblage, or are rules meant to be broken?. 2013 , 8, e57449		9
86	. 2014 ,		12
85	The influence of feeding on the evolution of sensory signals: a comparative test of an evolutionary trade-off between masticatory and sensory functions of skulls in southern African horseshoe bats (Rhinolophidae). 2014 , 27, 2829-40		14
84	Barn Swallow <i>Hirundo rustica</i> parents work harder when foraging conditions are good. 2014 , 156, 777-787		18
83	Huddling behaviour and energetics of <i>Sminthopsis</i> spp. (Marsupialia, Dasyruidae) in response to environmental challenge. 2014 , 128, 9-15		5
82	Physiological underpinnings associated with differences in pace of life and metabolic rate in north temperate and neotropical birds. 2014 , 184, 545-61		33
81	Effects of reproductive status and high ambient temperatures on the body temperature of a free-ranging basoendotherm. 2014 , 184, 1041-53		22
80	Metabolic scaling in animals: methods, empirical results, and theoretical explanations. 2014 , 4, 231-56		104
79	Energetics of the acrobatic courtship in male golden-collared manakins (<i>Manacus vitellinus</i>). 2014 , 281, 20132482		35
78	Towards an energetic landscape: broad-scale accelerometry in woodland caribou. <i>Journal of Animal Ecology</i> , 2014 , 83, 916-22	4.7	24
77	Global variation in avian metabolic rates and the slow pace of life of tropical birds. <i>Functional Ecology</i> , 2015 , 29, 297-298	5.6	1
76	Field Metabolic Rate Is Dependent on Time-Activity Budget in Ring-Billed Gulls (<i>Larus delawarensis</i>) Breeding in an Anthropogenic Environment. 2015 , 10, e0126964		7

75	Thermoregulation in endotherms: physiological principles and ecological consequences. 2015 , 185, 709-27		42
74	Metabolic heat production and thermal conductance are mass-independent adaptations to thermal environment in birds and mammals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 15934-9	11.5	49
73	Global patterns of seasonal acclimatization in avian resting metabolic rates. 2015 , 156, 367-376		29
72	Life in the unthinking depths: energetic constraints on encephalization in marine fishes. 2015 , 28, 1080-90		4
71	Bayesian hierarchical models suggest oldest known plant-visiting bat was omnivorous. 2015 , 11,		8
70	Basal metabolism in tropical birds: latitude, altitude, and the pace of life. <i>Functional Ecology</i> , 2015 , 29, 338-346	5.6	77
69	Mammal Ecology. 2016 , 135-151		1
68	Disentangling environmental drivers of metabolic flexibility in birds: the importance of temperature extremes versus temperature variability. <i>Ecography</i> , 2016 , 39, 787-795	6.5	35
67	Associations between Resting, Activity, and Daily Metabolic Rate in Free-Living Endotherms: No Universal Rule in Birds and Mammals. 2016 , 89, 251-61		31
66	Temperature-dependent mutational robustness can explain faster molecular evolution at warm temperatures, affecting speciation rate and global patterns of species diversity. <i>Ecography</i> , 2016 , 39, 1025-1033	6.5	15
65	Limits to sustained energy intake. XXIII. Does heat dissipation capacity limit the energy budget of lactating bank voles?. 2016 , 219, 805-15		21
64	Daily activity pattern of reintroduced giant anteaters (<i>Myrmecophaga tridactyla</i>): effects of seasonality and experience. <i>Mammalia</i> , 2017 , 81,	1	8
63	How foraging allometries and resource dynamics could explain Bergmann's rule and the body-size diet relationship in mammals. <i>Oikos</i> , 2017 , 126,	4	7
62	Geographic variation in winter adaptations of snowshoe hares (<i>Lepus americanus</i>). <i>Canadian Journal of Zoology</i> , 2017 , 95, 539-545	1.5	10
61	Resting vs. active: a meta-analysis of the intra- and inter-specific associations between minimum, sustained, and maximum metabolic rates in vertebrates. <i>Functional Ecology</i> , 2017 , 31, 1728-1738	5.6	51
60	The natural selection of metabolism and mass selects allometric transitions from prokaryotes to mammals. <i>Theoretical Population Biology</i> , 2017 , 117, 23-42	1.2	8
59	Multiple stressors including contaminant exposure and parasite infection predict spleen mass and energy expenditure in breeding ring-billed gulls. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2017 , 200, 42-51	3.2	7
58	Is complex allometry in field metabolic rates of mammals a statistical artifact?. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2017 , 203, 322-327	2.6	13

57	Does habitat fragmentation promote climate-resilient phenotypes?. <i>Oikos</i> , 2018 , 127, 1069-1080	4	17
56	The large mean body size of mammalian herbivores explains the productivity paradox during the Last Glacial Maximum. <i>Nature Ecology and Evolution</i> , 2018 , 2, 640-649	12.3	25
55	The energetic consequences of behavioral variation in a marine carnivore. <i>Ecology and Evolution</i> , 2018 , 8, 4340-4351	2.8	12
54	Basal metabolic rate in free-living tropical birds: the influence of phylogenetic, behavioral, and ecological factors. <i>Environmental Epigenetics</i> , 2018 , 64, 33-43	2.4	18
53	Metabolic rate evolves rapidly and in parallel with the pace of life history. <i>Nature Communications</i> , 2018 , 9, 14	17.4	76
52	Eco-energetic consequences of evolutionary shifts in body size. <i>Ecology Letters</i> , 2018 , 21, 54-62	10	17
51	Plant and animal functional diversity drive mutualistic network assembly across an elevational gradient. <i>Nature Communications</i> , 2018 , 9, 3177	17.4	31
50	Resting metabolic rate in migratory and non-migratory geese following range expansion: go south, go low. <i>Oikos</i> , 2019 , 128, 1424-1434	4	3
49	Survival is negatively related to basal metabolic rate in tropical Andean birds. <i>Functional Ecology</i> , 2019 , 33, 1436-1445	5.6	14
48	Decreasing Predator Density and Activity Explains Declining Predation of Insect Prey along Elevational Gradients. <i>American Naturalist</i> , 2019 , 194, 334-343	3.7	12
47	Snow roosting reduces temperature-associated stress in a wintering bird. <i>Oecologia</i> , 2019 , 190, 309-321	2.9	16
46	Differences between temperate and tropical birds in seasonal acclimatization of thermoregulatory traits. <i>Journal of Avian Biology</i> , 2019 , 50,	1.9	11
45	Macroevolutionary Patterning in Glucocorticoids Suggests Different Selective Pressures Shape Baseline and Stress-Induced Levels. <i>American Naturalist</i> , 2019 , 193, 866-880	3.7	39
44	Combined effect of environmental temperature and density-dependent processes on the evolution of seasonal metabolic rate patterns. <i>Theoretical Population Biology</i> , 2019 , 127, 33-39	1.2	
43	Functional biogeography of dietary strategies in birds. <i>Global Ecology and Biogeography</i> , 2019 , 28, 1004-1017	6.17	7
42	The limits to population density in birds and mammals. <i>Ecology Letters</i> , 2019 , 22, 654-663	10	16
41	Non-invasive measurement of metabolic rates in wild, free-living birds using doubly labelled water. <i>Functional Ecology</i> , 2019 , 33, 162-174	5.6	6
40	Loss of Potential Aquatic-Terrestrial Subsidies Along the Missouri River Floodplain. <i>Ecosystems</i> , 2020 , 23, 111-123	3.9	5

39	Forest structure and snow depth alter the movement patterns and subsequent expenditures of a forest carnivore, the Pacific marten. <i>Oikos</i> , 2020 , 129, 356-366	4	8
38	Invasive macrophytes induce context-specific effects on oxygen, pH, and temperature in a hydropeaking reservoir. <i>River Research and Applications</i> , 2020 , 36, 1717-1729	2.3	2
37	Growing Up in a Changing Climate: How Temperature Affects the Development of Morphological, Behavioral and Physiological Traits of a Marsupial Mammal. <i>Frontiers in Physiology</i> , 2020 , 11, 49	4.6	3
36	Environmental and ecological correlates of avian field metabolic rate and water flux. <i>Functional Ecology</i> , 2020 , 34, 811-821	5.6	1
35	The role of brain size on mammalian population densities. <i>Journal of Animal Ecology</i> , 2021 , 90, 653-661	4.7	2
34	Limited Evidence for Parallel Evolution Among Desert-Adapted Peromyscus Deer Mice. <i>Journal of Heredity</i> , 2021 , 112, 286-302	2.4	4
33	Longer days enable higher diurnal activity for migratory birds. <i>Journal of Animal Ecology</i> , 2021 , 90, 2161-2171	4.7	4
32	Geographical bias in physiological data limits predictions of global change impacts. <i>Functional Ecology</i> , 2021 , 35, 1572-1578	5.6	4
31	Energetic constraints on mammalian distribution areas. <i>Journal of Animal Ecology</i> , 2021 , 90, 1854-1863	4.7	1
30	Determinants of heart rate in Svalbard reindeer reveal mechanisms of seasonal energy management. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2021 , 376, 20200215	5.8	5
29	Surviving winter on the Qinghai-Tibetan Plateau: Pikas suppress energy demands and exploit yak feces to survive winter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	9
28	Basal metabolic rate in free-ranging tropical birds lacks long-term repeatability and is influenced by ambient temperature. <i>Journal of Experimental Zoology Part A: Ecological and Integrative Physiology</i> , 2021 , 335, 668-677	1.9	0
27	Testing angular velocity as a new metric for metabolic demands of slow-moving marine fauna: a case study with Giant spider conchs <i>Lambis truncata</i> . <i>Animal Biotelemetry</i> , 2021 , 9,	2.8	0
26	Abiotic and biotic drivers of functional diversity and functional composition of bird and bat assemblages along a tropical elevation gradient. <i>Diversity and Distributions</i> , 2021 , 27, 2344	5	1
25	Diet influences latitudinal gradients in life-history traits, but not reproductive output, in ectotherms. <i>Global Ecology and Biogeography</i> ,	6.1	
24	Global topographic uplift has elevated speciation in mammals and birds over the last 3 million years. <i>Nature Ecology and Evolution</i> , 2021 , 5, 1530-1535	12.3	3
23	Allometry and Metabolic Scaling in Ecology.		5
22	Day length constrains the time budget of aphid predators. <i>Insect Science</i> , 2019 , 26, 164-170	3.6	2

21	Global gradients in vertebrate diversity predicted by historical area-productivity dynamics and contemporary environment. <i>PLoS Biology</i> , 2012 , 10, e1001292	9.7	185
20	Brain size varies with temperature in vertebrates. <i>PeerJ</i> , 2014 , 2, e301	3.1	11
19	References. 309-360		
18	The natural selection of metabolism and mass selects allometric transitions from prokaryotes to mammals.		2
17	Comparative physiology of five tropical montane songbirds reveals differential seasonal acclimatisation and cold adaption.		0
16	Limited evidence for parallel evolution among desert adapted <i>Peromyscus</i> deer mice.		
15	Evolution of bone cortical compactness in slow arboreal mammals.		
14	Behaviour, temperature and terrain slope impact estimates of energy expenditure using oxygen and dynamic body acceleration. <i>Animal Biotelemetry</i> , 2021 , 9,	2.8	
13	Activity, heart rate, and energy expenditure of a cold-climate mesocarnivore, the Canada lynx. <i>Canadian Journal of Zoology</i> ,	1.5	0
12	Proximate and evolutionary sources of variation in offspring energy expenditure in songbirds. <i>Global Ecology and Biogeography</i> , 2022 , 31, 765-775	6.1	1
11	Life history diversity in terrestrial animals is associated with metabolic response to seasonally fluctuating resources. <i>Ecography</i> , 2022 , 2022,	6.5	
10	Towards an animal economics spectrum for ecosystem research. <i>Functional Ecology</i> ,	5.6	0
9	Acceleration as a proxy for energy expenditure in a facultative-soaring bird: comparing dynamic body acceleration and time-energy budgets to heart rate. <i>Functional Ecology</i> ,	5.6	1
8	Fossil biomolecules reveal an avian metabolism in the ancestral dinosaur. <i>Nature</i> ,	50.4	2
7	Sex differences in the winter activity of desert hedgehogs (<i>Paraechinus aethiopicus</i>) in a resource-rich habitat in Qatar. <i>Scientific Reports</i> , 2022 , 12,	4.9	
6	Revisiting glucose regulation in birds – A negative model of diabetes complications. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2022 , 262, 110778	2.3	0
5	Can metabolic traits explain animal community assembly and functioning?.		0
4	Phenological drivers of ungulate migration in South America: characterizing the movement and seasonal habitat use of guanacos. 2022 , 10,		0

- 3 ESASEEDPARAM: A SEED TREATMENT MODEL FOR THREATENED AND ENDANGERED BIRD SPECIES IN THE UNITED STATES. ○
- 2 Energetic synchrony throughout the non-breeding season in common guillemots from four colonies. **2023**, 2023, ○
- 1 The fire of evolution: energy expenditure and ecology in primates and other endotherms. **2023**, 226, ○