

CITATION REPORT

List of articles citing

Fifteen-year follow-up of hand eczema: persistence and consequences

DOI: 10.1111/j.1365-2133.2005.06494.x

British Journal of Dermatology, 2005, 152, 975-80.

Source: <https://exaly.com/paper-pdf/38202934/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
161	Occupational skin disease in Sweden--a 12-year follow-up. <i>Contact Dermatitis</i> , 2005 , 53, 308-13	2.7	98
160	[Hand dermatitis]. 2006 , 97, 363-73		18
159	Quality of life and depression in a population of occupational hand eczema patients. <i>Contact Dermatitis</i> , 2006 , 54, 106-11	2.7	131
158	Self-reported skin exposure -- a population-based study. <i>Contact Dermatitis</i> , 2006 , 54, 272-7	2.7	24
157	Prognosis of occupational hand eczema: a follow-up study. 2006 , 142, 305-11		97
156	Incidence of hand eczema in female Swedish hairdressers. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 191-5	2.1	70
155	Contact dermatitis of the hands: cross-sectional analyses of North American Contact Dermatitis Group Data, 1994-2004. 2007 , 57, 301-14		74
154	Hand eczema extent and morphology--association and influence on long-term prognosis. 2007 , 127, 2147-51		27
153	Severity of hand eczema assessed by patients and dermatologist using a photographic guide. <i>British Journal of Dermatology</i> , 2007 , 156, 77-80	4	39
152	Etiology and prognosis of hand eczema in a dermatology clinic in China: a follow-up study. <i>Contact Dermatitis</i> , 2008 , 58, 88-92	2.7	5
151	Long-term results of radiotherapy in patients with chronic palmo-plantar eczema or psoriasis. 2008 , 184, 218-23		18
150	[Chronic hand eczema: epidemiology and therapeutic evidence]. 2008 , 59, 683-4, 686-9		8
149	Cytokine gene polymorphisms and susceptibility to chronic irritant contact dermatitis. <i>Contact Dermatitis</i> , 2008 , 58, 269-77	2.7	73
148	Occurrence and prognosis of hand eczema in the car industry: results from the PACO follow-up study (PACO II). <i>Contact Dermatitis</i> , 2008 , 58, 322-9	2.7	48
147	Clinical characteristics and consequences of hand eczema - an 8-year follow-up study of a population-based twin cohort. <i>Contact Dermatitis</i> , 2008 , 58, 210-6	2.7	83
146	Hand eczema: causes, course, and prognosis I. <i>Contact Dermatitis</i> , 2008 , 58, 330-4	2.7	87
145	Hand eczema: causes, course, and prognosis II. <i>Contact Dermatitis</i> , 2008 , 58, 335-9	2.7	42

144	Medical consultations in relation to severity of hand eczema in the general population. <i>British Journal of Dermatology</i> , 2008 , 158, 773-7	4	46
143	Loss-of-function polymorphisms in the filaggrin gene are associated with an increased susceptibility to chronic irritant contact dermatitis: a case-control study. <i>British Journal of Dermatology</i> , 2008 , 159, 621-7	4	156
142	Berufsdermatologie. <i>Aktuelle Dermatologie</i> , 2009 , 35, 463-477	0.1	0
141	The influence of depression on the outcome of treatment in occupational dermatoses workers. 2009 , 20, 203-7		
140	Hand eczema classification: a cross-sectional, multicentre study of the aetiology and morphology of hand eczema. <i>British Journal of Dermatology</i> , 2009 , 160, 353-8	4	161
139	Hand eczema and quality of life: a population-based study. <i>British Journal of Dermatology</i> , 2009 , 161, 397-403	4	108
138	Clinical severity and prognosis of hand eczema. <i>British Journal of Dermatology</i> , 2009 , 160, 1229-36	4	54
137	Delay in medical attention to hand eczema: a follow-up study. <i>British Journal of Dermatology</i> , 2009 , 161, 1294-300	4	37
136	A 6-month follow-up study of 1048 patients diagnosed with an occupational skin disease. <i>Contact Dermatitis</i> , 2009 , 61, 261-8	2.7	44
135	Alitretinoin (Toctino): new oral retinoid for chronic hand eczema. 2009 , 20, 29-32		2
134	Qualité de vie dans l'eczéma des mains. 2009 , 49, 371-375		2
133	Management of occupational dermatitis. 2009 , 27, 365-83, vii-viii		47
132	The Hand Eczema Trial (HET): Design of a randomised clinical trial of the effect of classification and individual counselling versus no intervention among health-care workers with hand eczema. 2010 , 10, 8		9
131	Redefining treatment options in chronic hand eczema (CHE). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010 , 24 Suppl 3, 1-20	4.6	36
130	The epidemiology of hand eczema in the general population--prevalence and main findings. <i>Contact Dermatitis</i> , 2010 , 62, 75-87	2.7	306
129	Long-term follow-up study of occupational hand eczema. <i>British Journal of Dermatology</i> , 2010 , 163, 999-1006		62
128	Frequency of occupational contact dermatitis in an ambulatory of dermatologic allergy. 2010 , 85, 455-9		19
127	The spongiotic reaction pattern. 2010 , 93-122.e23		2

126	Dermatology in public health--a model for surveillance of common skin diseases. 2010 , 38, 368-74		23
125	Interventions for preventing occupational irritant hand dermatitis. <i>The Cochrane Library</i> , 2010 , CD004414.2		28
124	[Update on chronic hand eczema]. 2010 , 137, 315-27		16
123	Alitretinoin for severe chronic hand eczema: a NICE single technology appraisal. 2010 , 28, 351-62		46
122	Alitretinoina nell'eczema cronico grave alle mani. Valutazione di tecnologia singola presso il NICE. 2011 , 13, 9-20		
121	Clinical Aspects of Irritant Contact Dermatitis. 2011 , 305-345		20
120	Do lifestyle factors influence the occurrence of hand eczema?. 2011 , 6, 333-335		
119	Diagnosing chronic hand eczema by an algorithm: a tool for classification in clinical practice. 2011 , 36, 595-601		42
118	Hand eczema in hairdressers: a Danish register-based study of the prevalence of hand eczema and its career consequences. <i>Contact Dermatitis</i> , 2011 , 65, 151-8	2.7	70
117	CARPE: a registry project of the German Dermatological Society (DDG) for the characterization and care of chronic hand eczema. 2011 , 9, 682-8		5
116	CARPE: ein Registerprojekt der Deutschen Dermatologischen Gesellschaft (DDG) zur Charakterisierung und Versorgung des chronischen Handekzems. 2011 , 9, 682-689		17
115	[Health services research: the example of hand eczema]. 2011 , 62, 196-200		5
114	Chronic diseases influence major life changing decisions: a new domain in quality of life research. 2011 , 104, 241-50		21
113	Quality of life, use of topical medications and socio-economic data in hand eczema: a Swedish nationwide survey. <i>Acta Dermato-Venereologica</i> , 2011 , 91, 452-8	2.2	28
112	Management of occupational dermatitis in healthcare workers: a systematic review. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 276-9	2.1	23
111	Eczema increases susceptibility to PM10 in office indoor environments. 2012 , 67, 15-21		11
110	Update on Hand Eczema with Special Focus on the Impact of Moisturisers. 2012 , 269-278		
109	Chronic hand eczema--self-management and prognosis: a study protocol for a randomised clinical trial. 2012 , 12, 6		11

108	Study of the frequency of allergens in cosmetics components in patients with suspected allergic contact dermatitis. 2012 , 87, 263-8		10
107	The effect of a corticosteroid cream and a barrier-strengthening moisturizer in hand eczema. A double-blind, randomized, prospective, parallel group clinical trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 597-601	4.6	27
106	On the lookout for precursor lesions: where does dry skin end and slight hand eczema begin?. <i>Contact Dermatitis</i> , 2012 , 66, 63-71	2.7	4
105	Occupational risk factors for hand dermatitis among professional cleaners in Spain. <i>Contact Dermatitis</i> , 2012 , 66, 188-96	2.7	28
104	Prevalence, incidence and predictive factors for hand eczema in young adults - a follow-up study. 2013 , 13, 14		34
103	Occupational allergic contact dermatitis diagnosed by a systematic stepwise exposure assessment of allergens in the work environment. <i>Contact Dermatitis</i> , 2013 , 69, 153-63	2.7	25
102	Cumulative life course impairment in other chronic or recurrent dermatologic diseases. 2013 , 44, 130-6		11
101	Knowledge, attitudes and behaviour in everyday life with chronic hand eczema: a qualitative study. <i>British Journal of Dermatology</i> , 2013 , 169, 1056-65	4	21
100	Hand eczema among healthcare professionals in the Netherlands: prevalence, absenteeism, and presenteeism. <i>Contact Dermatitis</i> , 2013 , 69, 164-71	2.7	35
99	Hand eczema and health-related quality of life; a comparison of EQ-5D and the Dermatology Life Quality Index (DLQI) in relation to the Hand Eczema Extent Score (HEES). <i>Contact Dermatitis</i> , 2013 , 69, 138-43	2.7	14
98	Economic evaluation of an integrated care programme for patients with hand dermatitis. <i>Contact Dermatitis</i> , 2013 , 69, 144-52	2.7	16
97	Satisfaction with medical treatment in patients with hand dermatitis - a cross-sectional study. 2013 , 11, 1007-13		3
96	Behandlungszufriedenheit von Patienten mit Handekzem Eine Querschnittstudie. 2013 , 11, 1007-1015		2
95	Prognosis of Hand Eczema. 2014 , 411-417		
94	Characteristics and provision of care in patients with chronic hand eczema: updated data from the CARPE registry. <i>Acta Dermato-Venereologica</i> , 2014 , 94, 163-7	2.2	36
93	Chronic disease influences over 40 major life-changing decisions (MLCDs): a qualitative study in dermatology and general medicine. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 1344-55	4.6	12
92	Fragrance allergy and quality of life - development and validation of a disease-specific quality of life instrument. <i>Contact Dermatitis</i> , 2013 , 70, 69	2.7	11
91	Skin symptoms in the construction industry: occurrence and determinants. 2014 , 57, 660-8		10

90	Cost and quality of life in patients with severe chronic hand eczema refractory to standard therapy with topical potent corticosteroids. <i>Contact Dermatitis</i> , 2014 , 70, 158-68	2.7	24
89	Hand eczema in The Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis (TOACS): prevalence, incidence and risk factors from adolescence to adulthood. <i>British Journal of Dermatology</i> , 2014 , 171, 313-23	4	56
88	Textbook of Hand Eczema. 2014 ,		4
87	Moisturizers in the Prevention and Treatment of Hand Eczema. 2014 , 279-293		
86	Severe occupational hand eczema, job stress and cumulative sickness absence. 2014 , 64, 509-15		20
85	[Hand eczema : disability and impact]. 2014 , 141 Suppl 1, S111-6		2
84	Hand eczema prognosis and consequences: a 7-year follow-up study. <i>British Journal of Dermatology</i> , 2014 , 171, 1428-33	4	33
83	An analysis of gender differences in patients with hand eczema - everyday exposures, severity, and consequences. <i>Contact Dermatitis</i> , 2014 , 71, 21-30	2.7	23
82	Hands4U: the effects of a multifaceted implementation strategy on hand eczema prevalence in a healthcare setting. Results of a randomized controlled trial. <i>Contact Dermatitis</i> , 2015 , 72, 312-24	2.7	26
81	Tobacco smoking and hand eczema - is there an association?. <i>Contact Dermatitis</i> , 2015 , 73, 326-35	2.7	37
80	De Hands4U studie: hoe handeczeem te voorkomen in de zorg?. 2015 , 23, 317-319		
79	Usage of gloves for hair shampooing in German hairdressing salons. 2015 , 10, 47		4
78	S1 guideline on occupational skin products: protective creams, skin cleansers, skin care products (ICD 10: L23, L24)--short version. 2015 , 13, 594-606		11
77	A booster for the varicella vaccine. <i>British Journal of Dermatology</i> , 2015 , 173, 1120-1	4	0
76	Onset and severity of atopic dermatitis, atopy and hand eczema in adolescents. <i>British Journal of Dermatology</i> , 2015 , 173, 1121-2	4	
75	Clinical profile and quality of life of patients with occupational contact dermatitis from New Delhi, India. <i>Contact Dermatitis</i> , 2015 , 73, 172-81	2.7	18
74	S1-Leitlinie Berufliche Hautmittel: Hautschutz, Hautpflege und Hautreinigung (ICD 10: L23, L24) Kurzversion. 2015 , 13, 594-607		15
73	Management of Chronic Hand Eczema. 2015 , 106, 533-544		4

72	Management of Chronic Hand Eczema. 2015 , 106, 533-44		22
71	Clinical epidemiology of hand eczema in patients accessing dermatological reference centres: results from Italy. <i>British Journal of Dermatology</i> , 2015 , 172, 187-95	4	11
70	Clinical Features and Awareness of Hand Eczema in Korea. 2016 , 28, 335-43		4
69	Occupational skin diseases from 1997 to 2004 at the Department of Dermatology, University Hospital of Northern Norway (UNN): an investigation into the course and treatment of occupational skin disease 10-15 years after first consultations with a dermatologist. 2016 , 75, 30100		4
68	Disability Pensions due to Skin Diseases: A Cohort Study in Swedish Construction Workers. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 232-6	2.2	5
67	A behavioural change package to prevent hand dermatitis in nurses working in the national health service (the SCIN trial): study protocol for a cluster randomised controlled trial. 2016 , 17, 145		19
66	Medical, psychological and socio-economic implications of chronic hand eczema: a cross-sectional study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 628-37	4.6	22
65	Occupational allergic contact dermatitis in a 2-year follow-up study: how well does the patient remember the result of patch testing?. <i>Contact Dermatitis</i> , 2016 , 75, 41-7	2.7	9
64	Hand eczema, atopic dermatitis and filaggrin mutations in adult Danes: a registry-based study assessing risk of disability pension. <i>Contact Dermatitis</i> , 2017 , 77, 95-105	2.7	15
63	Minimum standards on prevention, diagnosis and treatment of occupational and work-related skin diseases in Europe - position paper of the COST Action StanDerm (TD 1206). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31 Suppl 4, 31-43	4.6	67
62	Effectiveness of a secondary prevention protocol for occupational contact dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 656-663	4.6	7
61	Determinants of hand dermatitis, urticaria and loss of skin barrier function in professional cleaners in New Zealand. <i>International Journal of Occupational and Environmental Health</i> , 2017 , 23, 110-119		4
60	Scoring of Hand Eczema: Good Reliability of Hand Eczema Extent Score (HEES). <i>Acta Dermato-Venereologica</i> , 2017 , 97, 193-197	2.2	6
59	Hyperkeratotic hand eczema compared to other subgroups of hand eczema - a retrospective study with a follow-up questionnaire. <i>Contact Dermatitis</i> , 2018 , 78, 216-222	2.7	10
58	Interventions for preventing occupational irritant hand dermatitis. <i>The Cochrane Library</i> , 2018 , 4, CD004414	4.14	24
57	Wet Work and Occlusion. 2018 , 1-13		
56	Simple, low-cost group-counselling programme vs treatment as usual for patients with newly notified occupational hand eczema-Exploratory analyses of effects on knowledge, behaviour and personal resources of the randomized PREVEX clinical trial. <i>Contact Dermatitis</i> , 2018 , 79, 127-135	2.7	12
55	Chronic hand eczema: A prospective analysis of the Swiss CARPE registry focusing on factors associated with clinical and quality of life improvement. <i>Contact Dermatitis</i> , 2018 , 79, 136-148	2.7	9

54	Multispectral imaging of hand eczema. <i>Contact Dermatitis</i> , 2019 , 81, 438-445	2.7	1
53	Efficacy of alitretinoin depending on the concomitant use of topical corticosteroids in chronic hand eczema patients. <i>Journal of Dermatology</i> , 2019 , 46, 998-1005	1.6	5
52	Prediction of Skin Irritation by Noninvasive Bioengineering Methods. 2019 , 1-18		
51	Hand eczema patients' knowledge of skin protection following a guided talk-A retrospective study with a follow-up questionnaire. <i>Contact Dermatitis</i> , 2019 , 81, 117-123	2.7	4
50	Interventions for hand eczema. <i>The Cochrane Library</i> , 2019 , 4, CD004055	5.2	13
49	Prüfung im Hautschutzzentrum Ein Konzept zur erfolgreichen Vermeidung von Berufsunfähigkeit. <i>Aktuelle Dermatologie</i> , 2019 , 45, 511-519	0.1	2
48	Which outcomes have been measured in hand eczema trials? A systematic review. <i>Contact Dermatitis</i> , 2019 , 80, 201-207	2.7	10
47	Positive change in hand care habits using therapeutic patient education in chronic hand eczema. <i>Contact Dermatitis</i> , 2020 , 82, 10-17	2.7	9
46	Hand eczema: epidemiology, prognosis and prevention. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34 Suppl 1, 4-12	4.6	35
45	Beneficial Effects of Paraffin Bath Therapy as Additional Treatment of Chronic Hand Eczema: A Randomized, Single-Blind, Active-Controlled, Parallel-Group Study. <i>Journal of Alternative and Complementary Medicine</i> , 2020 , 26, 1144-1150	2.4	
44	Colonization with <i>Staphylococcus aureus</i> in patients with hand eczema: Prevalence and association with severity, atopic dermatitis, subtype and nasal colonization. <i>Contact Dermatitis</i> , 2020 , 83, 442-449	2.7	5
43	The Efficacy of Colloidal Oatmeal Cream 1% as Add-on Therapy in the Management of Chronic Irritant Hand Eczema: A Double-Blind Study. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2020 , 13, 241-251	2.9	4
42	A behaviour change package to prevent hand dermatitis in nurses working in the National Health Service: results of a cluster randomized controlled trial. <i>British Journal of Dermatology</i> , 2020 , 183, 462-470	4.0	5
41	Prognosis and Therapy. 2021 , 551-568		
40	Hand Dermatitis in the Time of COVID-19: A Review of Occupational Irritant Contact Dermatitis. <i>Dermatitis</i> , 2021 , 32, 86-93	2.6	3
39	Contact Dermatitis: Irritant. 1-26		6
38	Hand Eczema: Causative Factors, Diagnosis, Personal and Societal Consequences. 2021 , 331-354		1
37	Wet Work and Occlusion. 2020 , 1117-1129		2

36	Wet Work and Occlusion. 2012 , 839-846		2
35	Hand Eczema. 2011 , 395-406		5
34	Contact dermatitis and atopic dermatitis: two tales, an interwoven story. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019 , 154, 425-434	0.8	3
33	Alitretinoin for the treatment of severe chronic hand eczema. <i>Health Technology Assessment</i> , 2010 , 14, 39-45	4.4	10
32	A behaviour change package to prevent hand dermatitis in nurses working in health care: the SCIN cluster RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-92	4.4	6
31	Occupational Allergic Contact Dermatitis in Tunisia: Epidemiology and Occupational Outcome. <i>Occupational Diseases and Environmental Medicine</i> , 2018 , 06, 107-117	0.5	1
30	Berufsdermatologie. <i>Fortschritte Der Praktischen Dermatologie Und Venerologie</i> , 2009 , 446-451		
29	Irritant Contact Dermatitis. 2010 , 825-832		
28	Atopic Dermatitis, Eczema, and Noninfectious Immunodeficiency Disorders. 2011 , 62-87		1
27	Atopy as a Factor in the Prognosis of Hand Dermatitis. 2012 , 1113-1116		
26	Prognosis of Occupational Contact Dermatitis. 2012 , 1097-1102		
25	Prognosis of Irritant Contact Dermatitis. 2012 , 1103-1108		
24	Prediction of Skin Irritation by Noninvasive Bioengineering Methods. 2012 , 1119-1132		
23	Scope of the Problem: Epidemiology of Hand Eczema. 2014 , 75-84		
22	Clinical Analysis on the 219 cases of Dyshidrotic Eczema. <i>The Journal of Korean Medicine Ophthalmology and Otolaryngology and Dermatology</i> , 2014 , 27, 58-66		
21	Irritant Contact Dermatitis. 2015 , 1-11		
20	Irritant Contact Dermatitis. 2017 , 1433-1442		
19	Prognosis of Irritant Contact Dermatitis. 2018 , 1-9		

18	Atopy as a Factor in the Prognosis of Hand Dermatitis. 2018 , 1-7		
17	Prognosis of Occupational Contact Dermatitis. 2018 , 1-10		
16	Hand dermatitis among patients visited the Dermatology Clinic of Al-Sadder Teaching Hospital, Misan Province. <i>Mustansiriyah Journal of Science</i> , 2018 , 29, 44	1.2	
15	Hand Eczema. 2019 , 1-24		
14	MESLEK DERMATOZLARIN HALK SAĞLIĞINDAN NEMİ <i>Eskişehir Tık Döyas Uygulama Ve Araştırma Merkezi Halk Sağlığı Dergisi</i> , 4, 61-71	0.2	
13	Prognosis of Occupational Contact Dermatitis. 2020 , 1507-1515		
12	Atopy as a Factor in the Prognosis of Hand Dermatitis. 2020 , 1533-1539		
11	Prediction of Skin Irritation by Noninvasive Bioengineering Methods. 2020 , 1543-1559		0
10	Prognosis of Irritant Contact Dermatitis. 2020 , 1517-1525		
9	Hand Eczema: Causative Factors, Diagnosis, Personal and Societal Consequences. 2020 , 1-24		
8	5 The spongiotic reaction pattern. 2010 , 69-92		
7	Incorporation of a barrier protection cream in the management of chronic hand dermatitis: focus on data supporting an established hand protectant formulation and modifications designed to assist in barrier repair. <i>Journal of Clinical and Aesthetic Dermatology</i> , 2014 , 7, 40-8	1.2	3
6	The effectiveness of alitretinoin for the treatment of chronic hand eczema: A meta-analysis. <i>International Journal of Health Sciences</i> , 2018 , 12, 70-79	1.1	2
5	Can Dermatology Life Quality Index be used as a Prognostic Tool for Predicting Need of Health Care in Eczema Patients? A Pilot Study.. <i>Acta Dermato-Venereologica</i> , 2022 ,	2.2	
4	Comparison of ALitretinoin with PUVA as the first-line treatment in patients with severe chronic HAND eczema (ALPHA): study protocol for a randomised controlled trial.. <i>BMJ Open</i> , 2022 , 12, e060029	3	0
3	Economic Burden of Chronic Hand Eczema: A Review.. <i>American Journal of Clinical Dermatology</i> , 2022 , 1	7.1	1
2	Occupational hand eczema reduces career length in hairdressers: a prospective cohort study of Danish hairdressers graduating from 1985 to 2007. <i>Occupational and Environmental Medicine</i> , oemed-2022-108230	2.1	9
1	Behandlung nach Stufenschema. 2023 , 71, 44-55		0

