

CITATION REPORT

List of articles citing

Validity and reliability of SCREEN II (Seniors in the community: risk evaluation for eating and nutrition, Version II)

DOI: 10.1038/sj.ejcn.1602225

European Journal of Clinical Nutrition, 2005, 59, 1149-57.

Source: <https://exaly.com/paper-pdf/38216425/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 201 | Food security in older adults: community service provider perceptions of their roles. 2007 , 26, 317-28 | | 17 |
| 200 | Nutrition screen showed good agreement when self- and interviewer administered. 2007 , 60, 1085-9 | | 6 |
| 199 | Promoting food intake in older adults living in the community: a review. 2007 , 32, 991-1000 | | 55 |
| 198 | Process evaluation of bringing nutrition screening to seniors in Canada (BNSS). 2007 , 68, 86-91 | | 15 |
| 197 | Nutrition Screening Tool for Every Preschooler (NutriSTEP): validation and test-retest reliability of a parent-administered questionnaire assessing nutrition risk of preschoolers. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 770-80 | 5.2 | 67 |
| 196 | Evidence based practice guidelines for the nutritional management of malnutrition in adult patients across the continuum of care. 2009 , 66, S1-S34 | | 171 |
| 195 | P033 PERIOPERATIVE IMMUNONUTRITIONAL SUPPORT WITH IMMUNE-MODULATING NUTRIENT IMPROVES POSTOPERATIVE OUTCOMES IN PATIENTS WITH COLORECTAL CANCER. 2009 , 4, 38-39 | | |
| 194 | P034 NUTRITIONAL ADEQUACY OF FOOD CONSUMED BY COMMUNITY-DWELLING OLDER ADULTS RESIDING IN RURAL MANITOBA. 2009 , 4, 39 | | |
| 193 | P035 SURVEY ON PREVENTION, EARLY SCREENING AND TREATMENT OF MALNUTRITION IN ELDERLY HOMES. 2009 , 4, 39 | | |
| 192 | How is the risk of undernutrition associated with cardiovascular disease among individuals of advanced age?. 2010 , 14, 737-43 | | 5 |
| 191 | Nurse-based case management for aged patients with myocardial infarction: study protocol of a randomized controlled trial. 2010 , 10, 29 | | 16 |
| 190 | Determining knowledge and behaviour change after nutrition screening among older adults. 2010 , 71, 128-33 | | 15 |
| 189 | The effects and costs of a multifactorial and interdisciplinary team approach to falls prevention for older home care clients 'at risk' for falling: a randomized controlled trial. 2010 , 29, 139-61 | | 48 |
| 188 | Health Promotion for the Community-Living Older Adult. 2010 , 835-847 | | 2 |
| 187 | Nutrition screening index for older adults (SCREEN II) demonstrates sex and age invariance. 2010 , 29, 192-210 | | 6 |
| 186 | The validity of Nutrition Screening Initiative DETERMINE Checklist responses in older Georgians. 2010 , 29, 393-409 | | 13 |
| 185 | Nutrition in Aging. 2010 , 678-684 | | 1 |

| | | |
|-----|--|-----|
| 184 | A cross-sectional study of the prevalence, correlates, and costs of falls in older home care clients 'at risk' for falling. 2010 , 29, 119-37 | 22 |
| 183 | Novel approaches to perioperative assessment and intervention may improve long-term outcomes after colorectal cancer resection in older adults. 2011 , 253, 867-74 | 66 |
| 182 | Eating for health: Perspectives of older men who live alone. 2011 , 68, 221-226 | 20 |
| 181 | [Multimorbidity and successful aging: the population-based KORA-Age study]. 2011 , 44 Suppl 2, 41-54 | 64 |
| 180 | What is associated with nutrition risk in very old age?. 2011 , 15, 247-51 | 35 |
| 179 | Country of origin predicts nutrition risk among community living older people. 2011 , 15, 253-8 | 17 |
| 178 | Healthy eating perceptions of older adults living in Canadian rural and northern communities. 2011 , 30, 261-73 | 7 |
| 177 | Home-Living Elderly People's Views on Food and Meals. 2012 , 2012, 761291 | 49 |
| 176 | Relation between depressed mood, somatic comorbidities and health service utilisation in older adults: results from the KORA-Age study. 2012 , 41, 183-90 | 21 |
| 175 | Malnutrition self-screening by using MUST in hospital outpatients: validity, reliability, and ease of use. 2012 , 96, 1000-7 | 29 |
| 174 | Nutrition screening tools: an analysis of the evidence. 2012 , 36, 292-8 | 143 |
| 173 | Korero te kai o te Rangatira: Nutritional wellbeing of Māori at the pinnacle of life. 2012 , 69, 213-216 | 9 |
| 172 | Life and living in advanced age: a cohort study in New Zealand--e Puwāitanga o Nga Tapuwae Kia Ora Tonu, LiLACS NZ: study protocol. 2012 , 12, 33 | 57 |
| 171 | Nutrition initiatives in the context of population aging: where does the United States stand?. 2012 , 31, 1-15 | 4 |
| 170 | Nutritional risk amongst community-living Maori and non-Maori older people in Hawke's Bay. 2012 , 4, 299 | 13 |
| 169 | Learning you are "at risk": seniors' experiences of nutrition risk screening. 2012 , 9, 81-89 | 13 |
| 168 | Development and validation of criteria for determining undernutrition in community-dwelling older men and women: The Short Nutritional Assessment Questionnaire 65+. 2012 , 31, 351-8 | 75 |
| 167 | Assessment of nutritional status and meal-related situations among patients with chronic obstructive pulmonary disease in Primary health care - obese patients; a challenge for the future. 2013 , 22, 977-85 | 4 |

| | | |
|-----|---|----|
| 166 | Nurse-led health promotion interventions improve quality of life in frail older home care clients: lessons learned from three randomized trials in Ontario, Canada. 2013 , 19, 118-31 | 55 |
| 165 | Distribution and determinants of functioning and disability in aged adults--results from the German KORA-Age study. 2013 , 13, 137 | 36 |
| 164 | Nutritional risk and 5-year mortality of older community-dwelling Canadian men: the Manitoba Follow-Up Study. 2013 , 32, 317-29 | 12 |
| 163 | Rapid and reliable self-screening for nutritional risk in hospital outpatients using an electronic system. 2013 , 29, 693-6 | 25 |
| 162 | Association between sleep disturbances and falls among the elderly: results from the German Cooperative Health Research in the Region of Augsburg-Age study. 2013 , 14, 1356-63 | 46 |
| 161 | Physician and Nurse Perspectives of an Interprofessional and Integrated Primary Care-Based Program for Seniors. 2013 , 3, | 1 |
| 160 | The Physical Activity Scale for the Elderly (PASE) questionnaire; does it predict physical health?. 2013 , 10, 3967-86 | 48 |
| 159 | Nutritional risk in community-dwelling older men: the Manitoba follow-up study. 2014 , 75, 84-8 | 3 |
| 158 | Validation of the nutrition screening tool 'Seniors in the Community: Risk Evaluation for Eating and Nutrition, version II' among octogenarians. 2014 , 18, 39-43 | 16 |
| 157 | Determinants of protein-energy malnutrition in community-dwelling older adults: a systematic review of observational studies. 2014 , 18, 112-31 | 83 |
| 156 | Malnutrition and risk of falling among elderly without home-help service--a cross sectional study. 2014 , 18, 905-11 | 26 |
| 155 | Association between anemia and falls in community-dwelling older people: cross-sectional results from the KORA-Age study. 2014 , 14, 29 | 13 |
| 154 | New potential determinants of disability in aged persons with myocardial infarction: results from the KORINNA-study. 2014 , 14, 34 | 12 |
| 153 | Ability of existing Malnutrition Screening Tools to identify risk of starvation, sarcopenia and cachexia: A systematic review. 2014 , 9, e109-e122 | 7 |
| 152 | A protocol for a pragmatic randomized controlled trial using the Health Teams Advancing Patient Experience: Strengthening Quality (Health TAPESTRY) platform approach to promote person-focused primary healthcare for older adults. 2016 , 11, 49 | 27 |
| 151 | Usability of the Self-Mini Nutritional Assessment□ among Older Adults Receiving Home-delivered Meals in Texas. 2015 , 44, 159-171 | 1 |
| 150 | Nutrition as a Vital Sign: Progress Since the 1990 Multidisciplinary Nutrition Screening Initiative and Opportunities for Nursing. 2015 , 04, | 1 |
| 149 | Construct Validation of Three Nutrition Questions Using Health and Diet Ratings in Older Canadian Males Living in the Community. 2015 , 76, 194-9 | 5 |

| | | |
|-----|--|-----|
| 148 | Effects of a 3-year nurse-based case management in aged patients with acute myocardial infarction on rehospitalisation, mortality, risk factors, physical functioning and mental health. a secondary analysis of the randomized controlled KORINNA study. 2015 , 10, e0116693 | 12 |
| 147 | Cohort Profile: Te Puawaitanga o Nga Tapuwae Kia Ora Tonu, Life and Living in Advanced Age: a Cohort Study in New Zealand (LiLACS NZ). 2015 , 44, 1823-32 | 32 |
| 146 | Development, reliability, and validity testing of Toddler NutriSTEP: a nutrition risk screening questionnaire for children 18-35 months of age. 2015 , 40, 877-86 | 18 |
| 145 | A Swedish version of the SCREEN II for malnutrition assessment among community-dwelling elderly. 2015 , 43, 667-71 | 2 |
| 144 | Risk factors for falls among seniors: implications of gender. 2015 , 181, 521-31 | 109 |
| 143 | NutriSTEP is Reliable for Internet and Onscreen Use. 2015 , 76, 9-14 | 3 |
| 142 | Health and Social Factors Associated with Nutrition Risk: Results from Life and Living in Advanced Age: A Cohort Study in New Zealand (LiLACS NZ). 2015 , 19, 637-45 | 36 |
| 141 | Does nurse-based case management for aged myocardial infarction patients improve risk factors, physical functioning and mental health? The KORINNA trial. 2015 , 22, 442-50 | 15 |
| 140 | Malnutrition screening of older adults in the community setting: Practices reported by Australian dietitians. 2016 , 73, 383-388 | 10 |
| 139 | Gender differences in the association between grip strength and mortality in older adults: results from the KORA-age study. 2016 , 16, 201 | 46 |
| 138 | A high level of household physical activity compensates for lack of leisure time physical activity with regard to deficit accumulation: Results from the KORA-Age study. 2016 , 86, 64-9 | 11 |
| 137 | Evaluation of Handgrip Strength and Nutritional Risk of Congregate Nutrition Program Participants in Florida. 2016 , 35, 193-208 | 11 |
| 136 | Macronutrient intake in advanced age: Te Puawaitanga o Nga Tapuwae Kia ora Tonu, Life and Living in Advanced Age: A Cohort Study in New Zealand (LiLACS NZ). 2016 , 116, 1103-15 | 12 |
| 135 | Food security for community-living elderly people in Beijing, China. 2016 , 24, 747-757 | 7 |
| 134 | Nutri-eSCREEN : descriptive analysis of a self-management site for older adults (50+ years). 2016 , 2, | 9 |
| 133 | Weight stability in Parkinson's disease. 2016 , 19, 11-20 | 17 |
| 132 | Screening for Malnutrition in Community Dwelling Older Japanese: Preliminary Development and Evaluation of the Japanese Nutritional Risk Screening Tool (NRST). 2016 , 20, 114-20 | 20 |
| 131 | Outcomes related to nutrition screening in community living older adults: A systematic literature review. 2016 , 62, 9-25 | 46 |

| | | | |
|-----|--|-----|----|
| 130 | Development and Initial Reliability Testing of NAK-50+: A Nutrition Attitude and Knowledge Questionnaire for Adults 50+ Years of Age. 2016 , 77, 3-8 | | 2 |
| 129 | Prevalence and predictors of weight change post discharge from hospital: a study of the Canadian Malnutrition Task Force. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 766-772 | 5.2 | 8 |
| 128 | Sarcopenia is associated with disability status-results from the KORA-Age study. 2017 , 28, 2069-2079 | | 21 |
| 127 | Prevalence of Frailty Assessed by Fried and Kihon Checklist Indexes in a Prospective Cohort Study: Design and Demographics of the Kyoto-Kameoka Longitudinal Study. 2017 , 18, 733.e7-733.e15 | | 45 |
| 126 | Trajectories of Nutritional Risk: The Manitoba Follow-Up Study. 2017 , 21, 604-609 | | 7 |
| 125 | Making the Case for Nutrition Screening in Older Adults in Primary Care. 2017 , 52, 129-136 | | 6 |
| 124 | Relationship between sleep disturbances and multimorbidity among community-dwelling men and women aged 65-93 years: results from the KORA Age Study. 2017 , 33, 151-159 | | 25 |
| 123 | Sex-specific association between obesity and self-reported falls and injuries among community-dwelling Canadians aged 65 years and older. 2017 , 28, 483-494 | | 24 |
| 122 | Letter to the Editor: RE: Costa et al. ("Nutritional Risk is Associated with Chronic Musculoskeletal Pain in Community-Dwelling Older Persons: The PAINEL Study"). 2017 , 36, 199-203 | | 1 |
| 121 | Prevalence and Predictors of Subclinical Micronutrient Deficiency in German Older Adults: Results from the Population-Based KORA-Age Study. 2017 , 9, | | 24 |
| 120 | Nursing Minimum Data Sets for documenting nutritional care for adults in primary healthcare: a scoping review. 2018 , 16, 117-139 | | 7 |
| 119 | A review of the validity of malnutrition screening tools used in older adults in community and healthcare settings - A MaNuEL study. 2018 , 24, 1-13 | | 85 |
| 118 | Patient-reported dietetic care post hospital for free-living patients: a Canadian Malnutrition Task Force Study. 2018 , 31, 33-40 | | 10 |
| 117 | Community-Living Older Adults' Perceptions of Body Weight, Signs of Malnutrition and Sources of Information: a Descriptive Analysis of Survey Data. 2018 , 22, 393-399 | | 11 |
| 116 | Validation, reliability and operational equivalency of the nutritional screening method Determine The Nutritional Health Of The Elderly. 2018 , 21, 272-282 | | 1 |
| 115 | Nutrition Risk Measured Online in Community-Living Older Australians. 2018 , 37, 241-254 | | 2 |
| 114 | Een toenemend probleem: Ondervoeding bij thuiswonende ouderen. 2018 , 128, 20-22 | | |
| 113 | High nutrition risk related to dietary intake is associated with an increased risk of hospitalisation and mortality for older Māori: LiLACS NZ. 2018 , 42, 375-381 | | 3 |

| | | |
|-----|--|----|
| 112 | Active aging - resilience and external support as modifiers of the disablement outcome: AGNES cohort study protocol. 2018 , 18, 565 | 39 |
| 111 | A non-invasive modifiable Healthy Ageing Nutrition Index (HANI) predicts longevity in free-living older Taiwanese. 2018 , 8, 7113 | 5 |
| 110 | Comprehensive geriatric intervention program with and without weekly class-style exercise: research protocol of a cluster randomized controlled trial in Kyoto-Kameoka Study. 2018 , 13, 1019-1033 | 10 |
| 109 | Physical function-derived cut-points for the diagnosis of sarcopenia and dynapenia from the Canadian longitudinal study on aging. 2019 , 10, 985-999 | 18 |
| 108 | [Systematic review of nutritional screening methods for elderly Brazilians living at home]. 2019 , 24, 2307-2316 | 0 |
| 107 | The Association between Dietary Magnesium Intake and Magnetic Resonance Parameters for Knee Osteoarthritis. 2019 , 11, | 2 |
| 106 | The CONSUMEER study: a randomised trial towards the effectiveness of protein-rich ready-made meals and protein-rich dairy products in increasing protein intake of community-dwelling older adults after switching from self-prepared meals towards ready-made meals. 2019 , 8, e30 | 7 |
| 105 | Validity of Nutritional Screening Tools for Community-Dwelling Older Adults: A Systematic Review and Meta-Analysis. 2019 , 20, 1351.e13-1351.e25 | 24 |
| 104 | Rationale and protocol of the ENGAGE study: a double-blind randomized controlled preference trial using a comprehensive cohort design to measure the effect of a cognitive and leisure-based intervention in older adults with a memory complaint. 2019 , 20, 282 | 9 |
| 103 | Vitamin D in Relation to Incident Sarcopenia and Changes in Muscle Parameters Among Older Adults: The KORA-Age Study. 2019 , 105, 173-182 | 9 |
| 102 | Prevalence of protein-energy malnutrition risk in European older adults in community, residential and hospital settings, according to 22 malnutrition screening tools validated for use in adults ≥5 years: A systematic review and meta-analysis. 2019 , 126, 80-89 | 84 |
| 101 | Position of the Academy of Nutrition and Dietetics and the Society for Nutrition Education and Behavior: Food and Nutrition Programs for Community-Residing Older Adults. 2019 , 119, 1188-1204 | 2 |
| 100 | Prevalence and Determinants of Undernutrition in A Sample of Dutch Community-Dwelling Older Adults: Results from Two Online Screening Tools. 2019 , 16, | 8 |
| 99 | Position of the Academy of Nutrition and Dietetics and the Society for Nutrition Education and Behavior: Food and Nutrition Programs for Community-Residing Older Adults. 2019 , 51, 781-797 | 9 |
| 98 | How effective is nutrition education aiming to prevent or treat malnutrition in community-dwelling older adults? A systematic review. 2019 , 10, 339-358 | 3 |
| 97 | A review of nutrition screening tools used to assess the malnutrition-sarcopenia syndrome (MSS) in the older adult. 2019 , 32, 8-15 | 12 |
| 96 | SCREEN III: working towards a condensed screening tool to detect nutrition risk in community-dwelling older adults using CLSA data. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 1260-1269 | 5 |
| 95 | Undernutrition Risk Assessment in Elderly People: Available Tools in Clinical Practice. 2019 , | |

| | | |
|----|--|----|
| 94 | Handgrip Strength Cut-Off Values for the Undernutrition Risk Screening among Elderly Men and Women in Bosnia and Herzegovina. 2019 , 2019, 5726073 | 1 |
| 93 | Speaking the same language: Development of a Nutrition Minimum Data Set for healthcare professionals in primary healthcare. 2020 , 26, 248-263 | 7 |
| 92 | Screening Community-Living Older Adults for Protein Energy Malnutrition and Frailty: Update and Next Steps. 2020 , 45, 640-660 | 9 |
| 91 | Identifying older people at risk of malnutrition and treatment in the community: prevalence and concurrent validation of the Patients Association Nutrition Checklist with 'MUST'. 2020 , 33, 31-37 | 3 |
| 90 | Diet and Nutrition Risk Affect Mobility and General Health in Osteoarthritis: Data from the Canadian Longitudinal Study on Aging. 2020 , 75, 2147-2155 | 0 |
| 89 | Cautionary tails of grip strength in health inequality studies: An analysis from the Canadian longitudinal study on aging. 2020 , 265, 113382 | |
| 88 | Pressure Injuries Among Critical Care Patients. 2020 , 32, 573-587 | 1 |
| 87 | What do screening tools measure? Lessons learned from SCREEN II and SNAQ. 2020 , 38, 172-177 | 3 |
| 86 | A comprehensive analysis of factors related to lung function in older adults: Cross-sectional findings from the Canadian Longitudinal Study on Aging. 2020 , 173, 106157 | 3 |
| 85 | Health TAPESTRY Ontario: protocol for a randomized controlled trial to test reproducibility and implementation. 2020 , 21, 714 | 5 |
| 84 | Global Leadership Initiative on Malnutrition (GLIM): Guidance on validation of the operational criteria for the diagnosis of protein-energy malnutrition in adults. 2020 , 39, 2872-2880 | 44 |
| 83 | Nutrition, Immigration and Health Determinants Are Linked to Verbal Fluency among Anglophone Adults in the Canadian Longitudinal Study on Aging (CLSA). 2020 , 24, 672-680 | 2 |
| 82 | Global Leadership Initiative on Malnutrition (GLIM): Guidance on Validation of the Operational Criteria for the Diagnosis of Protein-Energy Malnutrition in Adults. 2020 , 44, 992-1003 | 28 |
| 81 | Cross-Country Differences and Similarities in Undernutrition Prevalence and Risk as Measured by SCREEN II in Community-Dwelling Older Adults. 2020 , 8, | 0 |
| 80 | Modifiable factors related to life-space mobility in community-dwelling older adults: results from the Canadian Longitudinal Study on Aging. 2020 , 20, 35 | 25 |
| 79 | The Role of Nutrition for Pressure Injury Prevention and Healing: The 2019 International Clinical Practice Guideline Recommendations. 2020 , 33, 123-136 | 21 |
| 78 | A randomized controlled trial examining consumers' perceptions and opinions on using different versions of a FoodFlip smartphone application for delivery of nutrition information. 2020 , 17, 22 | 7 |
| 77 | Building Nutrition into a Falls Risk Screening Program for Older Adults in Family Health Teams in North Eastern Ontario. 2021 , 40, 97-113 | 0 |

| | | |
|----|---|----|
| 76 | Self-reported Swallowing and Nutrition Status in Community-Living Older Adults. 2021 , 36, 198-206 | 3 |
| 75 | Comparison of Seniors in the Community: Risk Evaluation for Eating and Nutrition, version II and Mini Nutritional Assessment - Short Form in detecting nutritional risk among community-dwelling seniors in Bosnia and Herzegovina. 2021 , 24, 2681-2688 | 1 |
| 74 | The association between primary ovarian insufficiency and osteoporosis in the Canadian Longitudinal Study on Aging. 2021 , 28, 693-698 | 2 |
| 73 | Eating Alone or Together among Community-Living Older People-A Scoping Review. 2021 , 18, | 10 |
| 72 | County-Level Characteristics Driving Malnutrition Death Rates among Older Adults in Texas. 2021 , 25, 862-868 | 0 |
| 71 | Nutrition risk prevalence and associated health and social risk factors in Māori and non-Māori: Results from the New Zealand Health, Work and Retirement Study. 2021 , | 1 |
| 70 | Harnessing Stakeholder Perspectives and Experience to Address Nutrition Risk in Community-Dwelling Older Adults. 2021 , 9, | 0 |
| 69 | Protocol for the WARM Hearts study: examining cardiovascular disease risk in middle-aged and older women - a prospective, observational cohort study. 2021 , 11, e044227 | 0 |
| 68 | Correlates of memory and executive function in mid-aged and older adults in the CLSA: A minority stress approach. 2021 , | 4 |
| 67 | Opportunities for Adding Undernutrition and Frailty Screening Measures in US National Surveys. 2021 , 12, 2312-2320 | 1 |
| 66 | Milk, Yogurt, and Cheese Intake Is Positively Associated With Cognitive Executive Functions in Older Adults of the Canadian Longitudinal Study on Aging. 2021 , 76, 2223-2231 | 2 |
| 65 | Nutritional Risk in Oculopharyngeal Muscular Dystrophy: Beyond Dysphagia. 2021 , 82, 95-97 | |
| 64 | Clustering of Unhealthy Behaviors: Protocol for a Multiple Behavior Analysis of Data From the Canadian Longitudinal Study on Aging. 2021 , 10, e24887 | |
| 63 | Health concerns regarding malnutrition among the older populations: considerations from a Slovenian perspective. 2021 , | 1 |
| 62 | Identifying and Managing Malnutrition, Frailty and Sarcopenia in the Community: A Narrative Review. 2021 , 13, | 9 |
| 61 | Frailty differences across population characteristics associated with health inequality: a cross-sectional analysis of baseline data from the Canadian Longitudinal Study on Aging (CLSA). 2021 , 11, e047945 | 1 |
| 60 | The combined effect of behavioural risk factors on disability in aging adults from the Canadian Longitudinal Study on Aging (CLSA). 2021 , 149, 106609 | 3 |
| 59 | Social engagement and allostatic load mediate between adverse childhood experiences and multimorbidity in mid to late adulthood: the Canadian Longitudinal Study on Aging. 1-11 | 4 |

| | | |
|----|--|----|
| 58 | The intersectional impact of sex and social factors on subjective health: analysis of the Canadian longitudinal study on aging (CLSA). 2021 , 21, 473 | 1 |
| 57 | Nutrition strategies for pressure injury management: Implementing the 2019 International Clinical Practice Guideline. 2021 , | 1 |
| 56 | Clustering of obesity-related characteristics: A latent class analysis from the Canadian Longitudinal Study on Aging. 2021 , 153, 106739 | 0 |
| 55 | Multidisciplinary Nutrition Care: Benefitting Patients with Malnutrition Across Healthcare Sectors. 2021 , 177-188 | 1 |
| 54 | Update on Nutritional Assessment Strategies. 2009 , 65-75 | 1 |
| 53 | How Can Palliative Care Be Integrated Into Home-Based Primary Care Programs?. 2013 , 458-467 | 1 |
| 52 | Malnutrition and related risk factors in older adults from different health-care settings: an study. 2020 , 23, 446-456 | 10 |
| 51 | A Brief Intervention for Malnutrition among Older Adults:. 2020 , 17, | 6 |
| 50 | Comparison of Nutritional Status Between Nursing Home Residents and Community Dwelling Older Adults: a Cross-Sectional Study from Bosnia and Herzegovina. 2019 , 31, 19-24 | 3 |
| 49 | Reducing Fall Risk for Frail Older Home-Care Clients Using a Multifactorial and Interdisciplinary Team Approach. 2007 , 3, 149-157 | 2 |
| 48 | Serum Biomarkers Associated with Malnutrition and Nutritional Risk in Elderly Primary Care Patients: A Cross-sectional Study from Bosnia and Herzegovina. 2020 , 60, 30-37 | 1 |
| 47 | OARS Multidimensional Functional Assessment Questionnaire (OMFAQ). 2020 , 1-5 | 1 |
| 46 | Interprofessional and integrated care of the elderly in a family health team. 2012 , 58, e436-41 | 17 |
| 45 | Nutrition risk and items contributing to nutrition risk in naturally occurring retirement communities in Ontario, Canada. 2021 , 80, | |
| 44 | Encyclopedia of Gerontology and Population Aging. 2021 , 3567-3571 | |
| 43 | The Association between Malnutrition and Physical Performance in Older Adults: A Systematic Review and Meta-Analysis of Observational Studies.. 2022 , 6, nzac007 | 2 |
| 42 | Associations of functional disability and behavioural risk factors with social participation of older adults: a cross-sectional analysis from the Canadian Longitudinal Study on Aging.. 2022 , 12, e052173 | 0 |
| 41 | Cohort Profile: The IRanian Longitudinal Study on Ageing (IRLSA): the first comprehensive study on ageing in Iran.. 2022 , | 0 |

| | | |
|----|---|---|
| 40 | Nutritional Issues of Older People in Primary Care. 2022 , 59-69 | |
| 39 | Assessment of Functional Mobility After COVID-19 in Adults Aged 50 Years or Older in the Canadian Longitudinal Study on Aging.. 2022 , 5, e2146168 | 4 |
| 38 | Differentiation of Nutritional Risk among Polish Seniors Based on Selected Lifestyle Characteristics.. 2022 , 14, | 1 |
| 37 | The Aging, Community and Health Research Unit Community Partnership Program (ACHRU-CPP) for Older adults with diabetes and multiple chronic conditions: study protocol for a randomized controlled trial.. 2022 , 22, 99 | 0 |
| 36 | Sarcopenic Dysphagia, Malnutrition, and Oral Frailty in Elderly: A Comprehensive Review.. 2022 , 14, | 5 |
| 35 | Optimising function and well-being in older adults: protocol for an integrated research programme in Aotearoa/New Zealand.. 2022 , 22, 215 | |
| 34 | Prospective Associations between Physical Activity and Memory in the Canadian Longitudinal Study on Aging: Examining Social Determinants.. 2022 , 1640275211070001 | |
| 33 | Nutrition Risk, Resilience and Effects of a Brief Education Intervention among Community-Dwelling Older Adults during the COVID-19 Pandemic in Alberta, Canada.. 2022 , 14, | 0 |
| 32 | Impact of COVID-19 on mobility and participation of older adults living in Hamilton, Ontario, Canada: a multimethod cohort design protocol.. 2021 , 11, e053758 | 0 |
| 31 | Differentiation of the Nutritional Risk of Polish Elderly People According to Selected Demographic Characteristics and Declared Socioeconomic Status.. 2022 , 14, | 0 |
| 30 | Clinical Nutrition Assessment Tools. 2022 , 43-55 | |
| 29 | Group-based nutrition interventions to promote healthy eating and mobility in community-dwelling older adults: A systematic review.. 2022 , 1-133 | 0 |
| 28 | Needs of patients with parkinsonism and their caregivers: a protocol for the PRIME-UK cross-sectional study.. 2022 , 12, e057947 | |
| 27 | Malnutrition Risk: Four Year Outcomes from the Health, Work and Retirement Study 2014 to 2018. 2022 , 14, 2205 | 0 |
| 26 | Nutrition risk, physical activity and fibre intake are associated with body composition in OA: analysis of the Canadian Longitudinal Study on Aging. e000319 | 1 |
| 25 | Association of Low Muscle Mass With Cognitive Function During a 3-Year Follow-up Among Adults Aged 65 to 86 Years in the Canadian Longitudinal Study on Aging. 2022 , 5, e2219926 | 0 |
| 24 | Malnutrition risk screening: New insights in a new era. 2022 , | 0 |
| 23 | Does Shiftwork Impact Cognitive Performance? Findings from the Canadian Longitudinal Study on Aging (CLSA). 2022 , 19, 10124 | |

| | | |
|----|--|---|
| 22 | The relationship between sarcopenia, dysphagia, malnutrition, and frailty: making the case for proactive swallowing exercises to promote healthy aging. Publish Ahead of Print, | 0 |
| 21 | The socioecological correlates of meal skipping in community-dwelling older adults: a systematic review. | 0 |
| 20 | Factors Influencing Mobility During the COVID-19 Pandemic in Community-Dwelling Older Adults. 2022 , | 0 |
| 19 | Social network factors affect nutrition risk in middle-aged and older adults: results from the Canadian Longitudinal Study on Aging. | 0 |
| 18 | Determinants of loss to follow-up in the Canadian Longitudinal Study on Aging: a retrospective cohort study. jech-2022-219307 | 0 |
| 17 | MoveStrong at Home: A feasibility study of a model for remote delivery of functional strength and balance training combined with nutrition education for older pre-frail and frail adults. | 0 |
| 16 | Participation Among Community-Dwelling Older Adults During the COVID-19 Pandemic: A Cross-Sectional Analysis. | 0 |
| 15 | A Digital Smartphone-Based Self-administered Tool (R+ Dietitian) for Nutritional Risk Screening and Dietary Assessment in Hospitalized Patients With Cancer: Evaluation and Diagnostic Accuracy Study. 2022 , 6, e40316 | 0 |
| 14 | Loneliness is associated with nutrition risk after the first wave of COVID-19 in community-dwelling older Canadians. | 0 |
| 13 | Assessment Tools of Biopsychosocial Frailty Dimensions in Community-Dwelling Older Adults: A Narrative Review. 2022 , 19, 16050 | 1 |
| 12 | Frailty and the impacts of the COVID-19 pandemic on community-living middle-aged and older adults: an analysis of data from the Canadian Longitudinal Study on Aging (CLSA). 2022 , 51, | 0 |
| 11 | Is the Utility of the GLIM Criteria Used to Diagnose Malnutrition Suitable for Bicultural Populations? Findings from Life and Living in Advanced Age Cohort Study in New Zealand (LiLACS NZ). 2023 , 27, 67-74 | 0 |
| 10 | The association between adverse childhood experiences and epigenetic age acceleration in the Canadian longitudinal study on aging (CLSA). | 0 |
| 9 | Social Network Factors Affect Nutrition Risk in Middle-Aged and Older Adults: Results from the Canadian Longitudinal Study on Aging. 2023 , 27, 46-58 | 0 |
| 8 | Malnutrition in older adults. 2023 , | 3 |
| 7 | Nutrition risk varies according to social network type: data from the Canadian Longitudinal Study on Aging. 2023 , 11, e002112 | 0 |
| 6 | Nutrition in Older Adults. 2023 , 1-48 | 0 |
| 5 | Proactive and Integrated Management and Empowerment in Parkinson's Disease protocol for a randomised controlled trial (PRIME-UK) to evaluate a new model of care. 2023 , 24, | 0 |

- 4 The Evidence for Screening Older Adults for Nutrition Risk in Primary Care: An Umbrella Review. 1-8 ○
- 3 Determinants of a decline in a nutrition risk measure differ by baseline high nutrition risk status: targeting nutrition risk screening for frailty prevention in the Canadian Longitudinal Study on Aging (CLSA). ○
- 2 Supporting Supper: A Supportive Social Environment is Important for Healthy Nutrition in Middle-Aged and Older Adults. **2023**, ○
- 1 Perceptions and experiences of eating alone among community-living retired Swedes: Loss, routine and independence. **2023**, 106570 ○