# Plasma carotenoids as biomarkers of intake of fruits an
# correlations in the European Prospective Investigation

European Journal of Clinical Nutrition

59, 1387-1396

DOI: 10.1038/sj.ejcn.1602252

Citation Report

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | An Approach to Estimate Between- and Within-Group Correlation Coefficients in Multicenter Studies: Plasma Carotenoids as Biomarkers of Intake of Fruits and Vegetables. American Journal of Epidemiology, 2005, 162, 591-598. | 1.6 | 17 |
| 2 | Bioaccessibility of Î²-Carotene, Lutein, and Lycopene from Fruits and Vegetables. Journal of Agricultural and Food Chemistry, 2006, 54, 5382-5387. | 2.4 | 121 |
| 3 | Opinion of the Panel on additives and products or substances used in animal feed (FEEDAP) on the safety of use of colouring agents in animal nutrition PART II. Capsanthin, Citranaxanthin, and Cryptoxanthin. EFSA Journal, 2006, 4, 386. | 0.9 | 5 |
| 4 | Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. British Journal of Cancer, 2006, 95, 406-415. | 2.9 | 111 |
| 5 | Enteral feeding enriched with carotenoids normalizes the carotenoid status and reduces oxidative stress in long-term enterally fed patients. Clinical Nutrition, 2006, 25, 897-905. | 2.3 | 13 |
| 6 | A Comparison of Carotenoids, Retinoids, and Tocopherols in the Serum and Buccal Mucosa of Chronic Cigarette Smokers versus Nonsmokers. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 993-999. | 1.1 | 41 |
| 7 | High intake of fruit and vegetables is related to low oxidative stress and inflammation in a group of patients with type 2 diabetes. Food Nutrition Research, 2007, 51, 149-158. | 0.3 | 42 |
| 8 | Plasma Carotenoid Levels and Cognitive Performance in an Elderly Population: Results of the EVA Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 308-316. | 1.7 | 103 |
| 9 | Plasma and Dietary Carotenoids Are Associated with Reduced Oxidative Stress in Women Previously Treated for Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2008-2015. | 1.1 | 73 |
| 10 | Variations in Plasma Phytoestrogen Concentrations in European Adults. Journal of Nutrition, 2007, 137, 1294-1300. | 1.3 | 78 |
| 12 | Plasma concentrations of carotenoids and vitamin C are better correlated with dietary intake in normal weight than overweight and obese elderly subjects. British Journal of Nutrition, 2007, 97, 977-986. | 1.2 | 123 |
| 13 | Intake of specific carotenoids and the risk of epithelial ovarian cancer. British Journal of Nutrition, 2007, 98, 187-193. | 1.2 | 30 |
| 14 | The effect of an increased intake of vegetables and fruit on weight loss, blood pressure and antioxidant defense in subjects with sleep related breathing disorders. European Journal of Clinical Nutrition, 2007, 61, 1301-1311. | 1.3 | 52 |
| 15 | Relative validity of a food frequency questionnaire used in the Inter99 study. European Journal of Clinical Nutrition, 2008, 62, 1038-1046. | 1.3 | 80 |
| 16 | Dietary Modulation of Paraoxonase-1 Activity and Concentration in Humans. , 2008, , 283-293. | | 0 |
| 17 | Exercise Increases the Plasma Antioxidant Capacity of Adolescent Athletes. Annals of Nutrition and Metabolism, 2008, 53, 96-103. | 1.0 | 31 |
| 18 | Reliability of Plasma Carotenoid Biomarkers and Its Relation to Study Power. Epidemiology, 2008, 19, 338-344. | 1.2 | 29 |
| 19 | Low Plasma Carotenoids and Skeletal Muscle Strength Decline Over 6 Years. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2008, 63, 376-383. | 1.7 | 100 |

| # | Article | IF | Citations |
|---|---|---|---|
| 20 | Orange Palpebral Spots. Dermatology, 2008, 216, 166-170. | 0.9 | 8 |
| 21 | Plasma Carotenoids and Onset of Dysglycemia in an Elderly Population. Diabetes Care, 2008, 31, 1355-1359. | 4.3 | 39 |
| 22 | Relationships between different types of fruit and vegetable consumption and serum concentrations of antioxidant vitamins. British Journal of Nutrition, 2008, 100, 633-641. | 1.2 | 28 |
| 23 | Effect of short-term lycopene supplementation and postprandial dyslipidemia on plasma antioxidants and biomarkers of endothelial health in young, healthy individuals. Vascular Health and Risk Management, 2008, Volume 4, 213-222. | 1.0 | 2 |
| 24 | Dietary intake of vitamin K and risk of prostate cancer in the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Heidelberg). American Journal of Clinical Nutrition, 2008, 87, 985-992. | 2.2 | 74 |
| 25 | Dietary predictors of serum total carotene in low-income women living in SÃ£o Paulo, south-east Brazil. Public Health Nutrition, 2009, 12, 2133-2142. | 1.1 | 6 |
| 26 | Evaluation of an FFQ for assessment of antioxidant intake using plasma biomarkers in an ethnically diverse population. Public Health Nutrition, 2009, 12, 2438-2447. | 1.1 | 55 |
| 27 | Serum carotenoid, tocopherol and retinol concentrations and breast cancer risk in the E3Nâ€EPIC study. International Journal of Cancer, 2010, 127, 1188-1196. | 2.3 | 36 |
| 28 | Development and validation of a food frequency index using nutritional biomarkers in a sample of middleâ€aged and older adults. Journal of Human Nutrition and Dietetics, 2009, 22, 29-39. | 1.3 | 17 |
| 29 | Components of variation in serum carotenoid concentrations: the Polyp Prevention Trial. European Journal of Clinical Nutrition, 2009, 63, 763-770. | 1.3 | 6 |
| 30 | Variation in intakes of calcium, phosphorus, magnesium, iron and potassium in 10 countries in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S101-S121. | 1.3 | 93 |
| 31 | Dietary intakes of retinol, Î²-carotene, vitamin D and vitamin E in the European Prospective Investigation into Cancer and Nutrition cohort. European Journal of Clinical Nutrition, 2009, 63, S150-S178. | 1.3 | 60 |
| 32 | Genetic variation in bitter taste and plasma markers of anti-oxidant status in college women. International Journal of Food Sciences and Nutrition, 2009, 60, 35-45. | 1.3 | 30 |
| 33 | Carotenoids in Photooxidative Stress. Current Nutrition and Food Science, 2010, 6, 36-43. | 0.3 | 14 |
| 34 | Dietary Î²-carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Breast Cancer Research and Treatment, 2010, 119, 753-765. | 1.1 | 62 |
| 35 | Daily intake of antioxidants in relation to survival among adult patients diagnosed with malignant glioma. BMC Cancer, 2010, 10, 215. | 1.1 | 34 |
| 36 | Betaâ€carotene supplementation and cancer risk: a systematic review and metaanalysis of randomized controlled trials. International Journal of Cancer, 2010, 127, 172-184. | 2.3 | 235 |
| 37 | Reproducibility of Plasma, Red Blood Cell, and Urine Biomarkers among Premenopausal and Postmenopausal Women from the Nurses' Health Studies. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 938-946. | 1.1 | 109 |

| # | Article | IF | Citations |
|---|---|---|---|
| 38 | Metabolic profiling strategy for discovery of nutritional biomarkers: proline betaine as a marker of citrus consumption. American Journal of Clinical Nutrition, 2010, 92, 436-443. | 2.2 | 231 |
| 39 | Postradiotherapy Plasma Lutein, Î±-Carotene, and Î²-Carotene Are Positively Associated With Survival in Patients With Head and Neck Squamous Cell Carcinoma. Nutrition and Cancer, 2010, 62, 322-328. | 0.9 | 25 |
| 40 | Biomarker-based evaluation of two 24-h recalls for comparing usual fish, fruit and vegetable intakes across European centers in the EFCOVAL Study. European Journal of Clinical Nutrition, 2011, 65, S38-S47. | 1.3 | 42 |
| 41 | Biomarkers of Fruit and Vegetable Intake in Human Intervention Studies: A Systematic Review. Critical Reviews in Food Science and Nutrition, 2011, 51, 795-815. | 5.4 | 89 |
| 42 | Comparison of 24-h volume and creatinine-corrected total urinary polyphenol as a biomarker of total dietary polyphenols in the Invecchiare InCHIANTI study. Analytica Chimica Acta, 2011, 704, 110-115. | 2.6 | 63 |
| 43 | Lifestyle Behaviours and Plasma Vitamin C and<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>Î²</mml:mi></mml:math>-Carotene Levels from the ELAN Population (LiÃ¨ge, Belgium). Journal of Nutrition and Metabolism, 2011, 2011, 1-10. | 0.7 | 22 |
| 44 | A Carotenoid Health Index Based on Plasma Carotenoids and Health Outcomes. Nutrients, 2011, 3, 1003-1022. | 1.7 | 39 |
| 45 | Plasma carotenoids are associated with socioeconomic status in an urban Indigenous population: an observational study. BMC Public Health, 2011, 11, 76. | 1.2 | 19 |
| 46 | Mineral and Trace Elements Content in 30 Accessions of Tomato Fruits (Solanum lycopersicum L.,) and Wild Relatives (Solanum pimpinellifolium L., Solanum cheesmaniae L. Riley, and Solanum habrochaites) Tj ETQq0 0 0 rgBT /Overlock 10 T | 0.9 | 38 |
| 47 | A Prioriâ€"Defined Dietary Patterns Are Associated with Reduced Risk of Stroke in a Large Italian Cohort. Journal of Nutrition, 2011, 141, 1552-1558. | 1.3 | 140 |
| 49 | Serum Î±-Carotene Concentrations and Risk of Death Among US Adults. Archives of Internal Medicine, 2011, 171, 507-15. | 4.3 | 60 |
| 50 | Relative validity of fruit and vegetable intake estimated from an FFQ, using carotenoid and flavonoid biomarkers and the method of triads. British Journal of Nutrition, 2011, 105, 1530-1538. | 1.2 | 72 |
| 51 | Serum carotenoid concentrations predict lung function evolution in young adults: the Coronary Artery Risk Development in Young Adults (CARDIA) Study. American Journal of Clinical Nutrition, 2011, 94, 1211-1218. | 2.2 | 18 |
| 52 | Potential and requirements for a standardized pan-European food consumption survey using the EPIC-Soft software. European Journal of Clinical Nutrition, 2011, 65, S48-S57. | 1.3 | 24 |
| 53 | The standardized computerized 24-h dietary recall method EPIC-Soft adapted for pan-European dietary monitoring. European Journal of Clinical Nutrition, 2011, 65, S5-S15. | 1.3 | 106 |
| 54 | Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutritionâ€"Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. American Journal of Clinical Nutrition, 2012, 95, 184-193. | 2.2 | 79 |
| 55 | Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2012, 108, 552-569. | 1.2 | 48 |
| 56 | Present Status and Perspectives on the Use of Alkylresorcinols as Biomarkers of Wholegrain Wheat and Rye Intake. Journal of Nutrition and Metabolism, 2012, 2012, 1-12. | 0.7 | 106 |

| # | Article | IF | Citations |
|---|---|---|---|
| 57 | Retinoids, Carotenoids, and Tocopherols in Breast Adipose Tissue and Serum of Benign Breast Disease and Breast Cancer Patients. Nutrition and Cancer, 2012, 64, 956-963. | 0.9 | 17 |
| 58 | Dietary intakes of carotenoids and other nutrients in the risk of nasopharyngeal carcinoma: a caseâ€"control study in Italy. British Journal of Cancer, 2012, 107, 1580-1583. | 2.9 | 22 |
| 59 | Dietary compared with blood concentrations of carotenoids and breast cancer risk: a systematic review and meta-analysis of prospective studies. American Journal of Clinical Nutrition, 2012, 96, 356-363. | 2.2 | 124 |
| 60 | A Mediterranean-style low-glycemic-load diet increases plasma carotenoids and decreases LDL oxidation in women with metabolic syndrome. Journal of Nutritional Biochemistry, 2012, 23, 609-615. | 1.9 | 35 |
| 61 | Dietary, anthropometric, and lifestyle correlates of serum carotenoids in postmenopausal women. European Journal of Nutrition, 2013, 52, 1919-1926. | 1.8 | 24 |
| 63 | Non-Pro-Vitamin A and Pro-Vitamin A Carotenoids in Atopy Development. International Archives of Allergy and Immunology, 2013, 161, 99-115. | 0.9 | 26 |
| 64 | Lycopene. Studies in Natural Products Chemistry, 2013, 40, 383-426. | 0.8 | 39 |
| 65 | The Dutch Healthy Diet index as assessed by 24Âh recalls and FFQ: associations with biomarkers from a cross-sectional study. Journal of Nutritional Science, 2013, 2, e40. | 0.7 | 34 |
| 66 | Fruits and vegetables: measuring intake and encouraging increased consumption. Proceedings of the Nutrition Society, 2013, 72, 236-245. | 0.4 | 64 |
| 67 | Reply to E Giovannucci. American Journal of Clinical Nutrition, 2013, 97, 659-660. | 2.2 | 0 |
| 68 | Fruit and vegetable intake: issues with definition and measurement. Public Health Nutrition, 2013, 16, 2-7. | 1.1 | 52 |
| 69 | Food Consumption Data Collection Methodology for the EU Menu Survey (EMPâ€PANEU) Final Report. EFSA Supporting Publications, 2013, 10, 485E. | 0.3 | 2 |
| 70 | Effect of 8-Week Nutrition Counseling to Increase Phytochemical Rich Fruit and Vegetable Consumption in Korean Breast Cancer Patients: A Randomized Controlled Trial. Clinical Nutrition Research, 2014, 3, 39. | 0.5 | 10 |
| 71 | Vitamin A and Carotenoids and the Risk of Parkinson's Disease: A Systematic Review and Meta-Analysis. Neuroepidemiology, 2014, 42, 25-38. | 1.1 | 68 |
| 72 | Both genetic and dietary factors underlie individual differences in DNA damage levels and DNA repair capacity. DNA Repair, 2014, 16, 66-73. | 1.3 | 42 |
| 73 | The food metabolome: a window over dietary exposure. American Journal of Clinical Nutrition, 2014, 99, 1286-1308. | 2.2 | 411 |
| 74 | Skin Carotenoids: A Biomarker of Fruit and Vegetable Intake in Children. Journal of the Academy of Nutrition and Dietetics, 2014, 114, 1174-1180. | 0.4 | 62 |
| 75 | The association between a biomarker score for fruit and vegetable intake and incident type 2 diabetes: the EPIC-Norfolk study. European Journal of Clinical Nutrition, 2015, 69, 449-454. | 1.3 | 42 |

| # | Article | IF | Citations |
|---|---|---|---|
| 76 | Plasma carotenoid levels as biomarkers of dietary carotenoid consumption: A systematic review of the validation studies. Journal of Nutrition & Intermediary Metabolism, 2015, 2, 15-64. | 1.7 | 48 |
| 77 | The effect of kiwifruit consumption on blood pressure in subjects with moderately elevated blood pressure: A randomized, controlled study. Blood Pressure, 2015, 24, 48-54. | 0.7 | 20 |
| 78 | Comparison of plasma levels of nutrient-related biomarkers among Japanese populations in Tokyo, Japan, SÃ£o Paulo, Brazil, and Hawaii, USA. European Journal of Cancer Prevention, 2015, 24, 155-161. | 0.6 | 4 |
| 79 | Evaluation of dietary patterns among Norwegian postmenopausal women using plasma carotenoids as biomarkers. British Journal of Nutrition, 2015, 113, 672-682. | 1.2 | 20 |
| 80 | Effect of blue LED light intensity on carotenoid accumulation in citrus juice sacs. Journal of Plant Physiology, 2015, 188, 58-63. | 1.6 | 44 |
| 81 | Food Access, Chronic Kidney Disease, and Hypertension in the U.S.. American Journal of Preventive Medicine, 2015, 49, 912-920. | 1.6 | 89 |
| 82 | Independent positive association of plasma Î²-carotene concentrations with adiponectin among non-diabetic obese subjects. European Journal of Nutrition, 2015, 54, 447-454. | 1.8 | 26 |
| 83 | Plasma Carotenoids, Tocopherols, and Retinol in the Age-Stratified (35â€“74 Years) General Population: A Cross-Sectional Study in Six European Countries. Nutrients, 2016, 8, 614. | 1.7 | 48 |
| 84 | A national FFQ for the Netherlands (the FFQ-NL 1.0): validation of a comprehensive FFQ for adults. British Journal of Nutrition, 2016, 116, 913-923. | 1.2 | 38 |
| 85 | Validity and reliability of a brief self-reported questionnaire assessing fruit and vegetable consumption among pregnant women. BMC Public Health, 2016, 16, 982. | 1.2 | 8 |
| 86 | Specific serum carotenoids are inversely associated with breast cancer risk among Chinese women: a caseâ€“control study. British Journal of Nutrition, 2016, 115, 129-137. | 1.2 | 41 |
| 87 | Blood concentrations of carotenoids and retinol andÂlungÂcancer risk: an update of the <scp>WCRF</scp>â€“<scp>AICR</scp> systematic review of published prospective studies. Cancer Medicine, 2016, 5, 2069-2083. | 1.3 | 55 |
| 88 | Carotenoids as biomarkers of fruit and vegetable intake in men and women. British Journal of Nutrition, 2016, 116, 1206-1215. | 1.2 | 48 |
| 89 | Association of dietary variety with body composition and physical function in community-dwelling elderly Japanese. Journal of Nutrition, Health and Aging, 2016, 20, 691-696. | 1.5 | 44 |
| 90 | Lycopene and Its Antioxidant Role in the Prevention of Cardiovascular Diseasesâ€”A Critical Review. Critical Reviews in Food Science and Nutrition, 2016, 56, 1868-1879. | 5.4 | 177 |
| 91 | Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 103, 454-464. | 2.2 | 83 |
| 92 | Biomarkers of Dietary Intake Are Correlated with Corresponding Measures from Repeated Dietary Recalls and Food-Frequency Questionnaires in the Adventist Health Study-2. Journal of Nutrition, 2016, 146, 586-594. | 1.3 | 43 |
| 93 | Comparison of fruit and vegetable intakes during weight loss in males and females. European Journal of Clinical Nutrition, 2016, 70, 28-34. | 1.3 | 8 |

| # | Article | IF | Citations |
|---|---|---|---|
| 94 | Efficacy and Interaction of Antioxidant Supplements as Adjuvant Therapy in Cancer Treatment. Integrative Cancer Therapies, 2016, 15, 17-39. | 0.8 | 121 |
| 95 | Correlations between Fruit, Vegetables, Fish, Vitamins, and Fatty Acids Estimated by Web-Based Nonconsecutive Dietary Records and Respective Biomarkers of Nutritional Status. Journal of the Academy of Nutrition and Dietetics, 2016, 116, 427-438.e5. | 0.4 | 121 |
| 96 | Combining vitamin C and carotenoid biomarkers better predicts fruit and vegetable intake than individual biomarkers in dietary intervention studies. European Journal of Nutrition, 2016, 55, 1377-1388. | 1.8 | 14 |
| 97 | Gastrointestinal tolerance and plasma status of carotenoids, EPA and DHA with a fiber-enriched tube feed in hospitalized patients initiated on tube nutrition: Randomized controlled trial. Clinical Nutrition, 2017, 36, 380-388. | 2.3 | 12 |
| 98 | Serum carotenoids and colorectal cancer risk: A caseâ€control study in Guangdong, China. Molecular Nutrition and Food Research, 2017, 61, 1700267. | 1.5 | 19 |
| 99 | QTL mapping of fruit mineral contents provides new chances for molecular breeding of tomato nutritional traits. Theoretical and Applied Genetics, 2017, 130, 903-913. | 1.8 | 20 |
| 101 | Combining traditional dietary assessment methods with novel metabolomics techniques: present efforts by the Food Biomarker Alliance. Proceedings of the Nutrition Society, 2017, 76, 619-627. | 0.4 | 93 |
| 103 | A National Dietary Assessment Reference Database (NDARD) for the Dutch Population: Rationale behind the Design. Nutrients, 2017, 9, 1136. | 1.7 | 30 |
| 104 | A Possible Indicator of Oxidative Damage in Smokers: (13Z)-Lycopene?. Antioxidants, 2017, 6, 69. | 2.2 | 3 |
| 105 | A scheme for a flexible classification of dietary and health biomarkers. Genes and Nutrition, 2017, 12, 34. | 1.2 | 76 |
| 106 | Association of serum carotenoid, retinol, and tocopherol concentrations with the progression of Parkinson's Disease. Nutrition Research and Practice, 2017, 11, 114. | 0.7 | 38 |
| 107 | Inventory on the dietary assessment tools available and needed in africa: a prerequisite for setting up a common methodological research infrastructure for nutritional surveillance, research, and prevention of diet-related non-communicable diseases. Critical Reviews in Food Science and Nutrition, 2018, 58, 37-61. | 5.4 | 31 |
| 108 | Research Strategies for Nutritional and Physical Activity Epidemiology and Cancer Prevention. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 233-244. | 1.1 | 15 |
| 109 | Colonic Mucosal Bacteria Are Associated with Inter-Individual Variability in Serum Carotenoid Concentrations. Journal of the Academy of Nutrition and Dietetics, 2018, 118, 606-616.e3. | 0.4 | 27 |
| 110 | The value of facial attractiveness for encouraging fruit and vegetable consumption: analyses from a randomized controlled trial. BMC Public Health, 2018, 18, 298. | 1.2 | 14 |
| 111 | Dietary intake and blood concentrations of antioxidants and the risk of cardiovascular disease, total cancer, and all-cause mortality: a systematic review and dose-response meta-analysis of prospective studies. American Journal of Clinical Nutrition, 2018, 108, 1069-1091. | 2.2 | 232 |
| 112 | Carotenoid Intake and Serum Concentration in Young Finnish Children and Their Relation with Fruit and Vegetable Consumption. Nutrients, 2018, 10, 1533. | 1.7 | 13 |
| 113 | Dietary Antioxidants, Circulating Antioxidant Concentrations, Total Antioxidant Capacity, and Risk of All-Cause Mortality: A Systematic Review and Dose-Response Meta-Analysis of Prospective Observational Studies. Advances in Nutrition, 2018, 9, 701-716. | 2.9 | 91 |

| # | Article | IF | Citations |
|---|---|---|---|
| 114 | Shorter Time to Pregnancy With Increasing Preconception Carotene Concentrations Among Women With 1â€“2 Previous Pregnancy Losses. American Journal of Epidemiology, 2018, 187, 1907-1915. | 1.6 | 1 |
| 115 | Validity of a Short Food Frequency Questionnaire Assessing Macronutrient and Fiber Intakes in Patients of Han Chinese Descent with Type 2 Diabetes. International Journal of Environmental Research and Public Health, 2018, 15, 1142. | 1.2 | 15 |
| 116 | Serum untargeted metabolomic profile of the Dietary Approaches to Stop Hypertension (DASH) dietary pattern. American Journal of Clinical Nutrition, 2018, 108, 243-255. | 2.2 | 100 |
| 117 | Hyperglycemia and Carotenoid Intake Are Associated with Serum Carotenoids in Youth with Type 1 Diabetes. Journal of the Academy of Nutrition and Dietetics, 2019, 119, 1340-1348. | 0.4 | 13 |
| 118 | Fruit, vegetable intake and blood pressure trajectories in older age. Journal of Human Hypertension, 2019, 33, 671-678. | 1.0 | 12 |
| 119 | Serum and Erythrocyte Biomarkers of Nutrient Status Correlate with Short-Term Î²-Carotene, Î³-Carotene, Folate, and Vegetable Intakes Estimated by Food Frequency Questionnaire in Military Recruits. Journal of the American College of Nutrition, 2019, 38, 171-178. | 1.1 | 6 |
| 120 | The Maastricht FFQ: Development and validation of a comprehensive food frequency questionnaire for the Maastricht study. Nutrition, 2019, 62, 39-46. | 1.1 | 57 |
| 121 | The Food Exposome. , 2019, , 217-245. | | 7 |
| 122 | Unraveling the Exposome. , 2019, , . | | 9 |
| 123 | Vibrational spectroscopy as a powerful tool for follow-up immunoadsorption therapy treatment of dilated cardiomyopathy â€“ a case report. Analyst, The, 2020, 145, 486-496. | 1.7 | 7 |
| 124 | Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. BMJ, The, 2020, 370, m2194. | 3.0 | 75 |
| 125 | Plasma carotenoids, tocopherols and retinol - Association with age in the Berlin Aging Study II. Redox Biology, 2020, 32, 101461. | 3.9 | 15 |
| 126 | Effect of a Family-Based Intervention on Nutrient Biomarkers, Desaturase Enzyme Activities, and Cardiometabolic Risk Factors in Children with Overweight and Obesity. Current Developments in Nutrition, 2020, 4, nzz138. | 0.1 | 3 |
| 127 | From carotenoid intake to carotenoid blood and tissue concentrations â€“ implications for dietary intake recommendations. Nutrition Reviews, 2021, 79, 544-573. | 2.6 | 113 |
| 128 | Dietary and plasma carotenoids are positively associated with alpha diversity in the fecal microbiota of pregnant women. Journal of Food Science, 2021, 86, 602-613. | 1.5 | 24 |
| 129 | Development of a short food frequency questionnaire to assess diet quality in UK adolescents using the National Diet and Nutrition Survey. Nutrition Journal, 2021, 20, 5. | 1.5 | 6 |
| 130 | Higher circulating Î±-carotene was associated with better cognitive function: an evaluation among the MIND trial participants. Journal of Nutritional Science, 2021, 10, e64. | 0.7 | 15 |
| 131 | Skin carotenoid status and plasma carotenoids: biomarkers of dietary carotenoids, fruits and vegetables for middle-aged and older Singaporean adults. British Journal of Nutrition, 2021, 126, 1398-1407. | 1.2 | 14 |

| # | Article | IF | Citations |
|---|---|---|---|
| 132 | Biochemical Validation of a Self-Administered Food Frequency Questionnaire to Assess Diet Using Carotenoids and Vitamins E and D in Male Adolescents in Spain. Antioxidants, 2021, 10, 750. | 2.2 | 4 |
| 134 | High Prevalence of Stunting and Anaemia Is Associated with Multiple Micronutrient Deficiencies in School Children of Small-Scale Farmers from Chamwino and Kilosa Districts, Tanzania. Nutrients, 2021, 13, 1576. | 1.7 | 9 |
| 135 | Analysis of Repeated Measurements of Serum Carotenoid Levels and All-Cause and Cause-Specific Mortality in Japan. JAMA Network Open, 2021, 4, e2113369. | 2.8 | 7 |
| 136 | An Updated Comprehensive Review on Vitamin A and Carotenoids in Breast Cancer: Mechanisms, Genetics, Assessment, Current Evidence, and Future Clinical Implications. Nutrients, 2021, 13, 3162. | 1.7 | 22 |
| 137 | Dietary Intake Assessment: From Traditional Paper-Pencil Questionnaires to Technology-Based Tools. IFIP Advances in Information and Communication Technology, 2020, , 7-23. | 0.5 | 13 |
| 138 | Common SNP rs6564851 in the BCO1 Gene Affects the Circulating Levels of Î²-Carotene and the Daily Intake of Carotenoids in Healthy Japanese Women. PLoS ONE, 2016, 11, e0168857. | 1.1 | 25 |
| 139 | Effect of short-term lycopene supplementation and postprandial dyslipidemia on plasma antioxidants and biomarkers of endothelial health in young, healthy individuals. Vascular Health and Risk Management, 2008, 4, 213-222. | 1.0 | 32 |
| 140 | Use of a Web-Based Dietary Assessment Tool (RiksmatenFlex) in Swedish Adolescents: Comparison and Validation Study. Journal of Medical Internet Research, 2019, 21, e12572. | 2.1 | 24 |
| 141 | Relationship between Serum Antioxidative Vitamin Concentrations and Type 2 Diabetes in Japanese Subjects. Journal of Nutritional Science and Vitaminology, 2020, 66, 289-295. | 0.2 | 6 |
| 142 | Integrative Nutritional Therapy for Cardiovascular Disease. , 2015, , 143-188. | | 0 |
| 143 | 8 Integrative Nutritional Therapy for Cardiovascular Disease. , 2017, , 143-188. | | 0 |
| 146 | Adherence to the Mediterranean diet assessed by a novel dietary biomarker score and mortality in older adults: the InCHIANTI cohort study. BMC Medicine, 2021, 19, 280. | 2.3 | 8 |
| 147 | Association between Fruit and Vegetable Intake and Physical Activity among Breast Cancer Survivors: A Longitudinal Study. Current Oncology, 2021, 28, 5025-5034. | 0.9 | 1 |
| 148 | Dietary Carotenoids in Head and Neck Cancerâ€"Molecular and Clinical Implications. Nutrients, 2022, 14, 531. | 1.7 | 6 |
| 149 | DIetary ASSessment (DIASS) Study: Design of an Evaluation Study to Assess Validity, Usability and Perceived Burden of an Innovative Dietary Assessment Methodology. Nutrients, 2022, 14, 1156. | 1.7 | 2 |
| 150 | Common variant rs6564851 near the beta-carotene oxygenase 1Âgene is associated with plasma triglycerides levels in middle-aged Mexican men adults. Nutrition Research, 2022, 103, 30-39. | 1.3 | 4 |
| 151 | Spillover Effects of a Family-Based Childhood Weight-Management Intervention on Parental Nutrient Biomarkers and Cardiometabolic Risk Factors. Current Developments in Nutrition, 2022, 6, nzab152. | 0.1 | 3 |
| 152 | Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. BMC Medicine, 2021, 19, 312. | 2.3 | 8 |

| # | Article | IF | Citations |
|---|---|---|---|
| 153 | Carotenoid extraction and analysis from blood plasma/serum. Methods in Enzymology, 2022, , 423-457. | 0.4 | 3 |
| 154 | Valuing the Diversity of Research Methods to Advance Nutrition Science. Advances in Nutrition, 2022, 13, 1324-1393. | 2.9 | 16 |
| 155 | Associations of Serum Biomarkers of Fruit and Vegetable Intake With the Risk of Causeâ€"Specific Mortality and Allâ€"Cause Mortality: A National Prospective Cohort Study. Frontiers in Nutrition, 2022, 9, . | 1.6 | 1 |
| 157 | Carotenoid content and composition: A special focus on commercially important fish and shellfish. Critical Reviews in Food Science and Nutrition, 2024, 64, 544-561. | 5.4 | 6 |
| 158 | Intake of vegetables and fruits rich in provitamin A is positively associated with aryl hydrocarbon receptor repressor DNA methylation in a Japanese population. Nutrition Research, 2022, 107, 206-217. | 1.3 | 3 |
| 159 | Serum Î±-Carotene, but Not Other Antioxidants, Is Positively Associated with Muscle Strength in Older Adults: NHANES 2001â€"2002. Antioxidants, 2022, 11, 2386. | 2.2 | 3 |
| 160 | Evaluation of Modern Approaches for the Assessment of Dietary Carotenoids as Markers for Fruit and Vegetable Consumption. Nutrients, 2023, 15, 1665. | 1.7 | 2 |