Particle size and energetics of gouge from earthquake r

Nature 434, 749-752 DOI: 10.1038/nature03433

Citation Report

#	Article	IF	CITATIONS
1	Earthquake rupture dynamics frozen in exhumed ancient faults. Nature, 2005, 436, 1009-1012.	27.8	144
2	Fracture surface energy of the Punchbowl fault, San Andreas system. Nature, 2005, 437, 133-136.	27.8	287
3	Grain size distribution and thickness of breccia and gouge zones from thin (<1m) strike-slip fault cores in limestone. Journal of Structural Geology, 2005, 27, 1823-1837.	2.3	103
4	Gouge formation by dynamic pulverization during earthquake rupture. Earth and Planetary Science Letters, 2005, 235, 361-374.	4.4	166
5	Earthquake fracture energy inferred from kinematic rupture models on extended faults. Journal of Geophysical Research, 2005, 110, .	3.3	162
6	Energy partitioning during an earthquake. Geophysical Monograph Series, 2006, , 3-13.	0.1	141
7	Inferring earthquake source properties from laboratory observations and the scope of lab contributions to source physics. Geophysical Monograph Series, 2006, , 99-119.	0.1	20
8	The missing sinks: Slip localization in faults, damage zones, and the seismic energy budget. Geophysical Monograph Series, 2006, , 217-222.	0.1	30
9	On the mechanical work absorbed on faults during earthquake ruptures. Geophysical Monograph Series, 2006, , 237-254.	0.1	32
10	Frictional heat from faulting of the 1999 Chi-Chi, Taiwan earthquake. Geophysical Research Letters, 2006, 33, .	4.0	57
11	Pulverized rocks in the Mojave section of the San Andreas Fault Zone. Earth and Planetary Science Letters, 2006, 245, 642-654.	4.4	202
12	Grain size and grain shape analysis of fault rocks. Tectonophysics, 2006, 427, 199-216.	2.2	117
14	Slip zone and energetics of a large earthquake from the Taiwan Chelungpu-fault Drilling Project. Nature, 2006, 444, 473-476.	27.8	203
15	Geological Observations of Damage Asymmetry in the Structure of the San Jacinto, San Andreas and Punchbowl Faults in Southern California: A Possible Indicator for Preferred Rupture Propagation Direction. Pure and Applied Geophysics, 2006, 163, 301-349.	1.9	173
16	Surface resetting of thermoluminescence in milled quartz grains. Radiation Measurements, 2006, 41, 826-830.	1.4	13
17	Shallow crustal fault rocks from the Black Mountain detachments, Death Valley, CA. Journal of Structural Geology, 2006, 28, 1767-1784.	2.3	46
18	Effect of rolling on dissipation in fault gouges. Physical Review E, 2006, 74, 031306.	2.1	110
19	Comprehensive Overview. , 2007, , 1-58.		Ο

TATION REDO

#	Article	IF	CITATIONS
20	Fault Mechanics. , 2007, , 433-468.		1
21	Frictional properties of natural fault gouge from a low-angle normal fault, Panamint Valley, California. Tectonics, 2007, 26, n/a-n/a.	2.8	100
22	Fault gouge evolution and its dependence on normal stress and rock strength—Results of discrete element simulations: Gouge zone properties. Journal of Geophysical Research, 2007, 112, .	3.3	32
23	Effects of mesoscopicâ€scale fault structure on dynamic earthquake ruptures: Dynamic formation of geometrical complexity of earthquake faults. Journal of Geophysical Research, 2007, 112, .	3.3	49
24	Structure and mechanical properties of faults in the North Anatolian Fault system from InSAR observations of coseismic deformation due to the 1999 Izmit (Turkey) earthquake. Journal of Geophysical Research, 2007, 112, .	3.3	47
25	Permeability evolution in quartz fault gouges under hydrothermal conditions. Journal of Geophysical Research, 2007, 112, .	3.3	50
26	Dependence of surface fracture energy on earthquake size: A derivation from hierarchical selfâ€similar fault zone geometry. Geophysical Research Letters, 2007, 34, .	4.0	1
27	Fault Mechanics. , 2007, , 441-483.		5
28	Fracture and Frictional Mechanics $\hat{a} \in ``$ Theory. , 2007, , 83-106.		8
29	Grain size distributions of fault rocks: A comparison between experimentally and naturally deformed granitoids. Journal of Structural Geology, 2007, 29, 1282-1300.	2.3	137
30	On the extent of size range and power law scaling for particles of natural carbonate fault cores. Journal of Structural Geology, 2007, 29, 1512-1521.	2.3	20
31	Amorphous material formed by the mechanochemical effect in natural pseudotachylyte of crushing origin: A case study of the lida-Matsukawa Fault, Nagano Prefecture, Central Japan. Journal of Structural Geology, 2007, 29, 1855-1869.	2.3	39
32	Tectonics, fracturing of rock, and erosion. Journal of Geophysical Research, 2007, 112, .	3.3	228
33	Nano-texture of penetrative foliation in metamorphic rocks. Science in China Series D: Earth Sciences, 2008, 51, 1750-1758.	0.9	4
34	Nanogeoscience: From Origins to Cutting-Edge Applications. Elements, 2008, 4, 373-379.	0.5	86
35	Geological and geomorphologic asymmetry across the rupture zones of the 1943 and 1944 earthquakes on the North Anatolian Fault: possible signals for preferred earthquake propagation direction. Geophysical Journal International, 2008, 173, 483-504.	2.4	88
36	Recent progress in studies on the nano-sized particle layer in rock shear planes. Progress in Natural Science: Materials International, 2008, 18, 367-373.	4.4	19
37	Effect of a compliant fault zone on the inferred earthquake slip distribution. Journal of Geophysical Research 2008, 113	3.3	44

ARTICLE

38 Energy partitioning during seismic slip in pseudotachylyte-bearing faults (Gole Larghe Fault, Adamello,) Tj ETQq0 0 9 rgBT /Overlock 10 7

39	Scale dependence in the dynamics of earthquake propagation: Evidence from seismological and geological observations. Earth and Planetary Science Letters, 2008, 273, 123-131.	4.4	37
40	Nanominerals, Mineral Nanoparticles, and Earth Systems. Science, 2008, 319, 1631-1635.	12.6	768
41	On the structure and mechanical properties of large strike-slip faults. Geological Society Special Publication, 2008, 299, 139-150.	1.3	60
42	Avalanches in anisotropic sheared granular media. Granular Matter, 2009, 11, 243-252.	2.2	15
43	Chemical and Physical Characteristics of Pulverized Tejon Lookout Granite Adjacent to the San Andreas and Garlock Faults: Implications for Earthquake Physics. Pure and Applied Geophysics, 2009, 166, 1725-1746.	1.9	72
44	Characterization of Damage in Sandstones along the Mojave Section of the San Andreas Fault: Implications for the Shallow Extent of Damage Generation. Pure and Applied Geophysics, 2009, 166, 1747-1773.	1.9	38
45	The Energetics of Cataclasis Based on Breakage Mechanics. Pure and Applied Geophysics, 2009, 166, 1693-1724.	1.9	96
46	Three-dimensional models of elastostatic deformation in heterogeneous media, with applications to the Eastern California Shear Zone. Geophysical Journal International, 2009, 179, 500-520.	2.4	50
47	Rock pulverization at high strain rate near the SanÂAndreas fault. Nature Geoscience, 2009, 2, 709-712.	12.9	145
48	The role of rock fragmentation in the motion of large landslides. Engineering Geology, 2009, 109, 67-79.	6.3	210
49	Geometric and rheological asperities in an exposed fault zone. Journal of Geophysical Research, 2009, 114, .	3.3	120
50	Effect of thermal refraction on heat flow near the San Andreas Fault, Parkfield, California. Journal of Geophysical Research, 2009, 114, .	3.3	14
51	Effect of Thermal Pressurization on Radiation Efficiency. Bulletin of the Seismological Society of America, 2009, 99, 2293-2304.	2.3	13
52	Compressibility of nanocrystalline forsterite. Physics and Chemistry of Minerals, 2010, 37, 343-351.	0.8	11
53	Grain size distribution and microstructures of experimentally sheared granitoid gouge at coseismic slip rates – Criteria to distinguish seismic and aseismic faults?. Journal of Structural Geology, 2010, 32, 59-69.	2.3	45
54	Unlocking the effects of friction on fault damage zones. Journal of Structural Geology, 2010, 32, 1732-1741.	2.3	26
55	Impact of ephemeral cataclastic fabrics on laser diffraction particle size distribution analysis in loose carbonate fault breccia. Journal of Structural Geology, 2010, 32, 507-522	2.3	24

#	Article	IF	CITATIONS
56	Shear faulting and localized heating in ice: The influence of confinement. Acta Materialia, 2010, 58, 5043-5056.	7.9	33
57	Fault weakening and earthquake instability by powder lubrication. Nature, 2010, 467, 452-455.	27.8	249
58	Major intracontinental strike-slip faults and contrasts in lithospheric strength. , 2010, 6, 444-467.		140
59	Deformation processes adjacent to active faults: Examples from eastern California. Journal of Geophysical Research, 2010, 115, .	3.3	60
60	On the relations between fracture energy and physical observables in dynamic earthquake models. Journal of Geophysical Research, 2010, 115, .	3.3	26
61	Mechanics, Structure and Evolution of Fault Zones. , 2010, , .		4
62	Origin of pulverized rocks during earthquake fault rupture. Journal of Geophysical Research, 2011, 116, .	3.3	105
63	Simulating the recent evolution of the southern big bend of the San Andreas fault, Southern California. Journal of Geophysical Research, 2011, 116, .	3.3	41
64	High strain rate damage of Carrara marble. Geophysical Research Letters, 2011, 38, n/a-n/a.	4.0	54
66	Minimal fragmentation problem. Physical Review E, 2011, 84, 035101.	2.1	2
66 67	Minimal fragmentation problem. Physical Review E, 2011, 84, 035101. Origin, separation and identification of environmental nanoparticles: a review. Journal of Environmental Monitoring, 2011, 13, 1156.	2.1	2 56
	Origin, separation and identification of environmental nanoparticles: a review. Journal of		
67	Origin, separation and identification of environmental nanoparticles: a review. Journal of Environmental Monitoring, 2011, 13, 1156.	2.1	56
67 68	 Origin, separation and identification of environmental nanoparticles: a review. Journal of Environmental Monitoring, 2011, 13, 1156. Faults smooth gradually as a function of slip. Earth and Planetary Science Letters, 2011, 302, 185-193. Pulverized fault rocks and damage asymmetry along the Arima-Takatsuki Tectonic Line, Japan. Earth and 	2.1 4.4	56 148
67 68 69	 Origin, separation and identification of environmental nanoparticles: a review. Journal of Environmental Monitoring, 2011, 13, 1156. Faults smooth gradually as a function of slip. Earth and Planetary Science Letters, 2011, 302, 185-193. Pulverized fault rocks and damage asymmetry along the Arima-Takatsuki Tectonic Line, Japan. Earth and Planetary Science Letters, 2011, 308, 284-297. Experimental constraints on energy partitioning during stick–slip and stable sliding within analog 	2.1 4.4 4.4	56 148 165
67 68 69 70	Origin, separation and identification of environmental nanoparticles: a review. Journal of Environmental Monitoring, 2011, 13, 1156. Faults smooth gradually as a function of slip. Earth and Planetary Science Letters, 2011, 302, 185-193. Pulverized fault rocks and damage asymmetry along the Arima-Takatsuki Tectonic Line, Japan. Earth and Planetary Science Letters, 2011, 308, 284-297. Experimental constraints on energy partitioning during stick–slip and stable sliding within analog fault gouge. Earth and Planetary Science Letters, 2011, 308, 185-192. Characterization of pulverized granitoids in a shallow core along the San Andreas Fault, Littlerock,	2.1 4.4 4.4 4.4	56 148 165 27
67 68 69 70 71	Origin, separation and identification of environmental nanoparticles: a review. Journal of Environmental Monitoring, 2011, 13, 1156. Faults smooth gradually as a function of slip. Earth and Planetary Science Letters, 2011, 302, 185-193. Pulverized fault rocks and damage asymmetry along the Arima-Takatsuki Tectonic Line, Japan. Earth and Planetary Science Letters, 2011, 308, 284-297. Experimental constraints on energy partitioning during stick†slip and stable sliding within analog fault gouge. Earth and Planetary Science Letters, 2011, 308, 185-192. Characterization of pulverized granitoids in a shallow core along the San Andreas Fault, Littlerock, CA. Geophysical Journal International, 2011, 186, 401-417.	2.1 4.4 4.4 4.4 2.4	 56 148 165 27 45

#	ARTICLE Spatial distribution and characteristics of fracture zones near a long-lived active fault: A field-based	IF	Citations
75	study for understanding changes in underground environment caused by long-term fault activities. Engineering Geology, 2011, 119, 31-50.	6.3	12
76	Fault formation in porous sedimentary rocks at high strain rates: First results from the Upheaval Dome impact structure, Utah, USA. Bulletin of the Geological Society of America, 2011, 123, 1161-1170.	3.3	28
77	Structural Transformation and Physicochemical Properties of Environmental Nanoparticles by Comparison of Various Particle‧ize Fractions. Soil Science Society of America Journal, 2011, 75, 533-541.	2.2	16
78	Dynamic branched fractures in pulverized rocks from a deep borehole. Geology, 2012, 40, 799-802.	4.4	15
79	Naturally Occurring Inorganic Nanoparticles. , 2012, , 1-42.		19
80	Predicting rupture arrests, rupture jumps and cascading earthquakes. Journal of Geophysical Research, 2012, 117, .	3.3	15
81	Effect of initial damage on rock pulverization along faults. Journal of Structural Geology, 2012, 45, 113-124.	2.3	63
82	Rapid Acceleration Leads to Rapid Weakening in Earthquake-Like Laboratory Experiments. Science, 2012, 338, 101-105.	12.6	57
83	Thermal considerations in inferring frictional heating from vitrinite reflectance and implications for shallow coseismic slip within the Nankai Subduction Zone. Earth and Planetary Science Letters, 2012, 335-336, 206-215.	4.4	35
84	The influence of mechanical properties on the link between tectonic and topographic evolution. Geomorphology, 2012, 137, 168-180.	2.6	55
85	Degassing of primordial hydrogen and helium as the major energy source for internal terrestrial processes. Geoscience Frontiers, 2012, 3, 911-921.	8.4	29
86	Semi-brittle deformation of granitoid gouges in shear experiments at elevated pressures and temperatures. Journal of Structural Geology, 2012, 38, 200-221.	2.3	44
87	Elastic strain energy release from fragmenting grains: Effects on fault rupture. Journal of Structural Geology, 2012, 38, 265-277.	2.3	31
88	Energy partition for grain crushing in quartz gouge during subseismic to seismic fault motion: An experimental study. Journal of Structural Geology, 2012, 38, 139-155.	2.3	58
89	Reduction in BET surface area of Nojima fault gouge with seismic slip and its implication for the fracture energy of earthquakes. Journal of Structural Geology, 2012, 38, 117-138.	2.3	38
90	Inferring earthquake physics and chemistry using an integrated field and laboratory approach. Journal of Structural Geology, 2012, 39, 2-36.	2.3	125
91	Slip localization on the southern Alpine Fault, New Zealand. Tectonics, 2013, 32, 620-640.	2.8	55
92	Elastic properties of nanocrystalline forsterite under high pressure and high temperature. Applied Physics A: Materials Science and Processing, 2013, 113, 741-745.	2.3	4

#	Article	IF	CITATIONS
93	Frictional strength and wear-rate of carbonate faults during high-velocity, steady-state sliding. Earth and Planetary Science Letters, 2013, 381, 127-137.	4.4	65
94	11.10 Clay Deposits. , 2013, , 184-200.		0
95	Particle size distribution and strain rate attenuation in hypervelocity impact and shock recovery experiments. Journal of Structural Geology, 2013, 56, 20-33.	2.3	25
96	Fractal-geometry techniques in the quantification of complex rock structures: AÂspecial view on scaling regimes, inhomogeneity and anisotropy. Journal of Structural Geology, 2013, 46, 2-21.	2.3	92
97	Differences in magnetic properties of fragments and matrix of breccias from the rupture of the 2008 Wenchuan earthquake, China: Relationship to faulting. Tectonophysics, 2013, 601, 112-124.	2.2	10
98	Energy dissipation from particulate systems undergoing a single particle crushing event. Granular Matter, 2013, 15, 299-314.	2.2	36
99	Nanograins form carbonate fault mirrors. Geology, 2013, 41, 703-706.	4.4	151
100	A perspective on the emergence of modern structural geology: Celebrating the feedbacks between historical-based and process-based approaches. , 2013, , .		10
101	Energetics of glass fragmentation: Experiments on synthetic and natural glasses. Geochemistry, Geophysics, Geosystems, 2013, 14, 4936-4951.	2.5	12
102	Damage and seismic velocity structure of pulverized rocks near the San Andreas Fault. Journal of Geophysical Research: Solid Earth, 2013, 118, 2813-2831.	3.4	100
103	Automated Ultrafiltration Device for Environmental Nanoparticle Research and Implications: A Review. Micromachines, 2013, 4, 215-231.	2.9	3
104	On the puzzling feature of the silence of precursory electromagnetic emissions. Natural Hazards and Earth System Sciences, 2013, 13, 2381-2397.	3.6	24
105	Current challenges for pre-earthquake electromagnetic emissions: shedding light from micro-scale plastic flow, granular packings, phase transitions and self-affinity notion of fracture process. Nonlinear Processes in Geophysics, 2013, 20, 771-792.	1.3	32
106	Pulverization provides a mechanism for the nucleation of earthquakes at low stress on strong faults. Frontiers in Earth Science, 2014, 2, .	1.8	3
107	Nanogeochemistry: Nanostructures, emergent properties and their control on geochemical reactions and mass transfers. Chemical Geology, 2014, 378-379, 1-23.	3.3	111
108	Numerical Investigations of the Dynamic Shear Behavior of Rough Rock Joints. Rock Mechanics and Rock Engineering, 2014, 47, 1727-1743.	5.4	22
109	Fault Wear by Damage Evolution During Steady-State Slip. Pure and Applied Geophysics, 2014, 171, 3143-3157.	1.9	12
110	Snap, Crackle, Pop: Dilational fault breccias record seismic slip below the brittle–plastic transition. Earth and Planetary Science Letters, 2014, 403, 432-445.	4.4	41

#	Article	IF	CITATIONS
111	Evolution of Wear and Friction Along Experimental Faults. Pure and Applied Geophysics, 2014, 171, 3125-3141.	1.9	39
112	Features and genesis of micro-nanometer-sized grains on shear slip surface of the 2008 Wenchuan earthquake. Science China Earth Sciences, 2014, 57, 1961-1971.	5.2	7
113	Is the Earth Lazy? A review of work minimization in fault evolution. Journal of Structural Geology, 2014, 66, 334-346.	2.3	84
114	Identification and tectonic implications of nano-particle quartz (<50nm) by synchrotron X-ray diffraction in the Chelungpu fault gouge, Taiwan. Tectonophysics, 2014, 619-620, 36-43.	2.2	8
115	Coseismic thickness of principal slip zone from the Taiwan Chelungpu fault Drilling Project-A (TCDP-A) and correlated fracture energy. Tectonophysics, 2014, 619-620, 29-35.	2.2	15
116	Ejecta from experimental impact craters: Particle size distribution and fragmentation energy. Icarus, 2014, 237, 131-142.	2.5	40
117	Off-fault long-term damage: A condition to account for generic, triangular earthquake slip profiles. Geochemistry, Geophysics, Geosystems, 2014, 15, 1476-1493.	2.5	44
118	Dynamical weakening by fluidization under oscillatory viscous flows. Journal of Geophysical Research: Solid Earth, 2015, 120, 7641-7654.	3.4	2
119	Geodetic exploration of strain along the El Pilar Fault in northeastern Venezuela. Journal of Geophysical Research: Solid Earth, 2015, 120, 1993-2013.	3.4	22
120	Fracture and Frictional Mechanics: Theory. , 2015, , 73-91.		12
120 121	Fracture and Frictional Mechanics: Theory. , 2015, , 73-91. Co-seismic and/or a-seismic microstructures of JFAST 343 core samples from the Japan Trench. Marine Geology, 2015, 362, 33-42.	2.1	12 10
	Co-seismic and/or a-seismic microstructures of JFAST 343 core samples from the Japan Trench. Marine	2.1 2.2	
121	Co-seismic and/or a-seismic microstructures of JFAST 343 core samples from the Japan Trench. Marine Geology, 2015, 362, 33-42. Fracturing and rock pulverization along an exhumed seismogenic fault zone in dolostones: The		10
121 122	Co-seismic and/or a-seismic microstructures of JFAST 343 core samples from the Japan Trench. Marine Geology, 2015, 362, 33-42. Fracturing and rock pulverization along an exhumed seismogenic fault zone in dolostones: The Foiana Fault Zone (Southern Alps, Italy). Tectonophysics, 2015, 654, 56-74. Do faults preserve a record of seismic slip: A second opinion. Journal of Structural Geology, 2015, 78,	2.2	10 72
121 122 123	Co-seismic and/or a-seismic microstructures of JFAST 343 core samples from the Japan Trench. Marine Geology, 2015, 362, 33-42. Fracturing and rock pulverization along an exhumed seismogenic fault zone in dolostones: The Foiana Fault Zone (Southern Alps, Italy). Tectonophysics, 2015, 654, 56-74. Do faults preserve a record of seismic slip: A second opinion. Journal of Structural Geology, 2015, 78, 1-26. Rock pulverization and localization of a strike-slip fault zone in dolomite rocks	2.2 2.3	10 72 237
121 122 123 124	Co-seismic and/or a-seismic microstructures of JFAST 343 core samples from the Japan Trench. Marine Ceology, 2015, 362, 33-42. Fracturing and rock pulverization along an exhumed seismogenic fault zone in dolostones: The Foiana Fault Zone (Southern Alps, Italy). Tectonophysics, 2015, 654, 56-74. Do faults preserve a record of seismic slip: A second opinion. Journal of Structural Geology, 2015, 78, 1-26. Rock pulverization and localization of a strike-slip fault zone in dolomite rocks (Salzach–Ennstal–Mariazell—Puchberg fault, Austria). Journal of Structural Geology, 2015, 78, 67-85. Phase transformation and nanometric flow cause extreme weakening during fault slip. Nature	2.2 2.3 2.3	10 72 237 27
121 122 123 124 125	Co-seismic and/or a-seismic microstructures of JFAST 343 core samples from the Japan Trench. Marine Geology, 2015, 362, 33-42. Fracturing and rock pulverization along an exhumed seismogenic fault zone in dolostones: The Foiana Fault Zone (Southern Alps, Italy). Tectonophysics, 2015, 654, 56-74. Do faults preserve a record of seismic slip: A second opinion. Journal of Structural Geology, 2015, 78, 1-26. Rock pulverization and localization of a strike-slip fault zone in dolomite rocks (Salzach–Ennstal–Mariazell–Puchberg fault, Austria). Journal of Structural Geology, 2015, 78, 67-85. Phase transformation and nanometric flow cause extreme weakening during fault slip. Nature Geoscience, 2015, 8, 484-489. Ultrafine spherical quartz formation during seismic fault slip: Natural and experimental evidence and	2.2 2.3 2.3 12.9	10 72 237 27 106

#	Article	IF	CITATIONS
129	Temperature Dependent Equation of State for Solids. Oriental Journal of Chemistry, 2016, 32, 2193-2198.	0.3	6
130	Chemical and physical weathering in a hotâ€arid, tectonically active alluvial system of Anza Borrego Desert, California. Sedimentology, 2016, 63, 1065-1083.	3.1	9
131	Earthquake Source Properties from Pseudotachylite. Bulletin of the Seismological Society of America, 2016, 106, 2764-2776.	2.3	13
132	Shear heating and clumped isotope reordering in carbonate faults. Earth and Planetary Science Letters, 2016, 445, 136-145.	4.4	15
133	High Resistant Sand Injected Marl and Low Resistant Damaged Marl to Locate and Characterize the ThA©nia Fault Zone in Boumerdes City (North-Central Algeria). Pure and Applied Geophysics, 2017, 174, 103-115.	1.9	7
134	Fragmentation of wall rock garnets during deep crustal earthquakes. Science Advances, 2017, 3, e1602067.	10.3	56
137	Analysis of the thermoelastic properties of nanocrystalline Foresterite using a thermodynamic equation of state. Chinese Journal of Physics, 2017, 55, 760-768.	3.9	1
138	Volcanic avalanche fault zone with pseudotachylite and gouge in French Massif Central. Journal of Volcanology and Geothermal Research, 2017, 347, 112-135.	2.1	14
139	Experimental constraints on dynamic fragmentation as a dissipative process during seismic slip. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2017, 375, 20160002.	3.4	23
140	Carbonate hosted fault rocks: A review of structural and microstructural characteristic with implications for seismicity in the upper crust. Journal of Structural Geology, 2017, 103, 17-36.	2.3	39
141	Theoretical constraints on dynamic pulverization of fault zone rocks. Geophysical Journal International, 0, , ggx033.	2.4	11
142	Energy budget and propagation of faults via shearing and opening using work optimization. Journal of Geophysical Research: Solid Earth, 2017, 122, 6757-6772.	3.4	17
143	Pulverized granite at the brittle-ductile transition: An example from the Kellyland fault zone, eastern Maine, U.S.A Journal of Structural Geology, 2017, 101, 109-123.	2.3	16
144	Work Optimization Predicts Accretionary Faulting: An Integration of Physical and Numerical Experiments. Journal of Geophysical Research: Solid Earth, 2017, 122, 7485-7505.	3.4	17
145	Dissipative Intraplate Faulting During the 2016 M _w 6.2 Tottori, Japan Earthquake. Journal of Geophysical Research: Solid Earth, 2018, 123, 1631-1642.	3.4	26
146	Micro-scale damage characterized within part of a dismembered positive flower structure, San Jacinto fault, southern California, USA. Journal of Structural Geology, 2018, 112, 53-68.	2.3	5
147	Material characterisation by digital image analysis: a review. Environmental Geotechnics, 2018, 5, 249-262.	2.3	5
148	Microstructures in landslides in northwest China – Implications for creeping displacements?. Journal of Structural Geology, 2018, 106, 70-85.	2.3	24

TION

#	Article	IF	Citations
149	Localized Slip and Associated Fluidized Structures Record Seismic Slip in Clayâ€Rich Fault Gouge. Journal of Geophysical Research: Solid Earth, 2018, 123, 8568-8588.	3.4	6
150	Seismic moment and recurrence: Microstructural and mineralogical characterization of rocks in carbonate fault zones and their potential for luminescence and ESR dating. Journal of Structural Geology, 2018, 117, 186-202.	2.3	5
151	Four-Stage Model of Earthquake Generation in Terms of Fracture-Induced Electromagnetic Emissions. , 2018, , 437-502.		12
152	Voids and Rock Friction at Subseismic Slip Velocity. Pure and Applied Geophysics, 2018, 175, 611-631.	1.9	4
153	Weakening Mechanisms of Alpine Fault Gouge in Highâ€Velocity Shear Experiments. Journal of Geophysical Research: Solid Earth, 2019, 124, 7413-7428.	3.4	4
154	Grain Size Sensitive Creep During Simulated Seismic Slip in Nanogranular Fault Gouges: Constraints From Transmission Kikuchi Diffraction (TKD). Journal of Geophysical Research: Solid Earth, 2019, 124, 10197-10209.	3.4	15
155	Rupture Energetics in Crustal Rock From Laboratoryâ€ S cale Seismic Tomography. Geophysical Research Letters, 2019, 46, 7337-7344.	4.0	50
156	Calibration of the cloud and aerosol spectrometer for coal dust composition and morphology. Advanced Powder Technology, 2019, 30, 1805-1814.	4.1	9
157	Nanocrystalline Principal Slip Zones and Their Role in Controlling Crustal Fault Rheology. Minerals (Basel, Switzerland), 2019, 9, 328.	2.0	16
158	Nanoparticles and Nanofluids in Water–Rock Interactions. Geochemistry International, 2019, 57, 357-368.	0.7	8
159	The evolving energy budget of experimental faults within continental crust: Insights from in situ dynamic X-ray microtomography. Journal of Structural Geology, 2019, 123, 42-53.	2.3	11
160	Energy delocalization during dynamic rock fragmentation. Geophysical Journal International, 2019, 217, 1034-1046.	2.4	16
161	Occurrence and significance of natural ore-related Ag nanoparticles in groundwater systems. Chemical Geology, 2019, 515, 9-21.	3.3	14
162	An experimentally-based friction law for high-velocity, long-displacement slip-pulse events during earthquakes. Earth and Planetary Science Letters, 2019, 515, 209-220.	4.4	7
163	Seismotectonics. , 2019, , 278-336.		0
164	Earthquake prediction and hazard analysis. , 2019, , 337-380.		1
168	Brittle fracture of rock. , 2019, , 1-42.		0
169	Rock friction. , 2019, , 43-96.		2

#	Article	IF	CITATIONS
170	Mechanics of earthquakes. , 2019, , 166-227.		1
171	The seismic cycle. , 2019, , 228-277.		1
174	Mechanics of faulting. , 2019, , 97-165.		4
175	Energy budget for a rock avalanche: fate of fracture-surface energy. Landslides, 2020, 17, 3-13.	5.4	27
176	Assessing Energy Budget of Laboratory Fault Slip Using Rotary Shear Experiments and Micro omputed Tomography. Geophysical Research Letters, 2020, 47, e2019GL084787.	4.0	8
177	The initial high-energy phenomena of earthquake sources in fluid-saturated environments. Journal of Seismology, 2020, 24, 133-147.	1.3	1
178	Dynamic Compressive Strength and Fragmentation in Felsic Crystalline Rocks. Journal of Geophysical Research E: Planets, 2020, 125, e2020JE006561.	3.6	10
179	Faulting Processes Unveiled by Magnetic Properties of Fault Rocks. Reviews of Geophysics, 2020, 58, e2019RG000690.	23.0	16
180	Paleo-Seismicity in the Euganean Hills Province (Northeast Italy): Constraints From Geomechanical and Geophysical Tests in the Schio-Vicenza Fault Area. Frontiers in Earth Science, 2020, 8, .	1.8	0
181	Sliding mechanical properties of fault gouge studied from ring shear test-based microscopic morphology characterization. Engineering Geology, 2020, 279, 105879.	6.3	15
182	Conceptual Framework of Energy Dissipation During Disintegration in Rock Avalanches. Frontiers in Earth Science, 2020, 8, .	1.8	11
183	Study on the characteristics of naturally formed TiO2 nanoparticles in various surficial media from China. Chemical Geology, 2020, 550, 119703.	3.3	9
184	Nanoparticles in groundwater of the Qujia deposit, eastern China: Prospecting significance for deep-seated ore resources. Ore Geology Reviews, 2020, 120, 103417.	2.7	7
185	Grain size and grain size distribution of a lithified fault core in carbonates rocks using multi-scale image analysis: The example of the San Benedetto-Gioia dei Marsi fault (Central Italy). Journal of Structural Geology, 2020, 134, 104017.	2.3	7
186	Microscopic characterisation of metallic nanoparticles in ore rocks, fault gouge and geogas from the Shanggong gold deposit, China. Journal of Geochemical Exploration, 2020, 217, 106562.	3.2	6
187	Damage Evolution During Rock Pulverization Induced by Dynamic Compressive Loading. Journal of Geophysical Research: Solid Earth, 2020, 125, e2020JB019388.	3.4	15
188	Archaeotribology: The interaction of surfaces in relative motion in archaeology. Tribology International, 2020, 146, 106198.	5.9	1
189	The effect of a gouge layer on rupture propagation along brittle shear fractures in deep and high-stress mines. International Journal of Rock Mechanics and Minings Sciences, 2021, 137, 104454.	5.8	5

#	Article	IF	CITATIONS
190	Temporal evolution of a shear-type rock fracture process zone (FPZ) along continuous, sequential and spontaneously well-separated laboratory instabilities—from intact rock to thick gouged fault. Geophysical Journal International, 2021, 226, 351-367.	2.4	10
191	Characteristics and Implications of Nanocoatings on Gouges in a Seismically Active Fault Zone. Journal of Nanoscience and Nanotechnology, 2021, 21, 707-714.	0.9	0
192	Progressive Damage Behaviours of Triaxially Confined Rocks under Multiple Dynamic Loads. Rock Mechanics and Rock Engineering, 2021, 54, 3327-3358.	5.4	43
193	Creation and evolution of roughness on silica under unlubricated wear. Wear, 2021, 472-473, 203648.	3.1	11
194	Dynamic fault weakening during earthquakes: Rupture or friction?. Earth and Planetary Science Letters, 2021, 575, 117165.	4.4	11
195	Characterization of Damage in Sandstones along the Mojave Section of the San Andreas Fault: Implications for the Shallow Extent of Damage Generation. , 2009, , 1747-1773.		1
196	The Energetics of Cataclasis Based on Breakage Mechanics. , 2009, , 1693-1724.		5
197	Chemical and Physical Characteristics of Pulverized Tejon Lookout Granite Adjacent to the San Andreas and Garlock Faults: Implications for Earthquake Physics. , 2009, , 1725-1746.		1
200	Ortlepp Shears — Dynamic Brittle Shears of South African Gold Mines. , 2008, , .		7
201	DEM Simulation of Rock Fragmentation and Size Distribution Under Different Loading Conditions. , 2008, , .		1
202	Semi-controlled Earthquake-generation Experiments in Deep Gold Mines, South Africa ^ ^mdash; Monitoring at Closest Proximity to Elucidate Seismogenic Process ^ ^mdash;. Zisin (Journal of the) Tj ETQq0 0 0	rg 6. Þ/Ovei	flasck 10 Tf 5
203	What happens to fracture energy in brittle fracture? Revisiting the Griffith assumption. Solid Earth, 2019, 10, 1385-1395.	2.8	7
204	Seismic Fault Rheology and Earthquake Dynamics. , 2007, , 99-138.		30
205	Dynamically induced gouge degradation and implications for fault instability. , 2016, , 203-208.		0
206	Fluid-Flow Properties of Fault Zones. , 2018, , 51-71.		0
207	Chapter 2: The Dynamics of Permeability Enhancement and Fluid Flow in Overpressured, Fracture-Controlled Hydrothermal Systems. , 2020, , 25-82.		8
208	Energy Partitioning, Dynamic Fragmentation, and Offâ€Fault Damage in the Earthquake Source Volume. Journal of Geophysical Research: Solid Earth, 2021, 126, e2021JB022616.	3.4	14
209	Geomorphic Impacts of Large Earthquakes. , 2020, , .		0

# 211	ARTICLE Nanometric flow and earthquake instability. Nature Communications, 2021, 12, 6779.	IF 12.8	Citations
212	Evolution of co-seismic off-fault damage towards pulverisation. Earth and Planetary Science Letters, 2022, 579, 117353.	4.4	8
214	Dynamic compressive strength and fragmentation in sedimentary and metamorphic rocks. Tectonophysics, 2022, 824, 229221.	2.2	7
215	Timeâ€Lapse Record of an Earthquake in the Dry Felsic Lower Continental Crust Preserved in a Pseudotachylyteâ€Bearing Fault. Journal of Geophysical Research: Solid Earth, 2022, 127, .	3.4	7
216	Nanoparticles in the Earth surface systems and their effects on the environment and resource. Gondwana Research, 2022, 110, 370-392.	6.0	11
217	General friction law for velocityâ€stress dependent phase transition in granular flow. International Journal for Numerical and Analytical Methods in Geomechanics, 2022, 46, 1525-1543.	3.3	3
218	Low Dissipation of Earthquake Energy Where a Fault Follows Preâ€Existing Weaknesses: Field and Microstructural Observations of Malawi's Bililaâ€Mtakataka Fault. Geophysical Research Letters, 2022, 49, .	4.0	4
227	Grain-size-reducing- and mass-gaining processes in different hydrothermal fault rocks. Geological Magazine, 0, , 1-19.	1.5	0
228	The Effect of Quartz Particle Size on the Frictional and Electrically Conductive Properties of Mixed Graphite–Quartz Gouges. Frontiers in Earth Science, 0, 10, .	1.8	1
229	High Stress Deformation and Shortâ€Term Thermal Pulse Preserved in Pyroxene Microstructures From Exhumed Lower Crustal Seismogenic Faults (Lofoten, Norway). Journal of Geophysical Research: Solid Earth, 2022, 127, .	3.4	8
231	Evolution of Pulverized Fault Zone Rocks by Dynamic Tensile Loading During Successive Earthquakes. Geophysical Research Letters, 2022, 49, .	4.0	4
232	Nanoscale Damage Production by Dynamic Tensile Rupture in αâ€Quartz. Geophysical Research Letters, 2022, 49, .	4.0	4
233	Roles of Normal Stress, Roughness, and Slip Displacement in the Stability of Laboratory Fault in a Sandstone. Applied Sciences (Switzerland), 2022, 12, 11434.	2.5	2
234	Fracture Energy and Breakdown Work During Earthquakes. Annual Review of Earth and Planetary Sciences, 2023, 51, 217-252.	11.0	10
235	Fingerprints and energy budget of the earthquake cycle in shallow sediments. Journal of Structural Geology, 2023, 170, 104858.	2.3	1
236	Dolostone pulverization induced by coseismic rapid decompression of CO2-rich gas in nature (Matese,) Tj ETQq1	1 0.7843 4.4	14 ₂ rgBT /Ove
237	Earthquakes as Dynamic Fracture Phenomena. Journal of Geophysical Research: Solid Earth, 2023, 128, .	3.4	3
238	Identification of Natural Nearly or Nanoscale Particles in Bituminous Coal: An Important Form of Elements in Coal. Sustainability, 2023, 15, 6276.	3.2	1

#	Article	IF	CITATIONS
239	A closer look into slickensides: Deformation on and under fault surfaces. Journal of Structural Geology, 2023, 171, 104860.	2.3	0
240	Thermo-elastic properties of rare gas solids using equation of state. AIP Conference Proceedings, 2023, , .	0.4	0
241	Role of Minimum Adhesive Wear Particle Size in Third-Body Layer Properties. Tribology Letters, 2023, 71,	2.6	1
242	Deformation of columnar calcite within flowstone speleothem. Journal of Structural Geology, 2023, 174, 104924.	2.3	1
243	Thermal efficiency of stick slip events along experimental analog faults. Tectonophysics, 2024, 870, 230159.	2.2	0
244	Fractal-Based Pattern Quantification of Mineral Grains: A Case Study of Yichun Rare-Metal Granite. Fractal and Fractional, 2024, 8, 49.	3.3	1
245	Role of confinement in coseismic pulverization: Testing the rock record of rupture directivity on the San Jacinto fault, Southern California. Journal of Structural Geology, 2023, 177, 104999.	2.3	0
247	Dynamic Pulverization of Rock Under Triaxial Static-Stress and High-Rate Shearing. Rock Mechanics and Rock Engineering, 0, , .	5.4	0