

# CITATION REPORT

List of articles citing

## Fifteen-year follow-up of hand eczema: predictive factors

DOI: 10.1111/j.0022-202x.2005.23723.x

Journal of Investigative Dermatology, 2005, 124, 893-7.

**Source:** <https://exaly.com/paper-pdf/38245455/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
71	[Hand dermatitis]. <i>Actas Dermo-sifilograficas</i> , <b>2006</b> , 97, 363-73	0.5	18
70	Fifteen-Year Follow-up of Hand Eczema: Predictive Factors. <i>Yearbook of Dermatology and Dermatologic Surgery</i> , <b>2006</b> , 2006, 70		
69	Is the question 'Have you had childhood eczema?' useful for assessing childhood atopic eczema in adult population surveys?. <i>Contact Dermatitis</i> , <b>2006</b> , 54, 334-7	2.7	28
68	Remembering childhood atopic dermatitis as an adult: factors that influence recollection. <i>British Journal of Dermatology</i> , <b>2006</b> , 155, 557-60	4	23
67	Contact dermatitis of the hands: cross-sectional analyses of North American Contact Dermatitis Group Data, 1994-2004. <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 57, 301-14	4.5	74
66	Hand eczema extent and morphology--association and influence on long-term prognosis. <i>Journal of Investigative Dermatology</i> , <b>2007</b> , 127, 2147-51	4.3	27
65	Hand eczema prognosis. <i>Journal of Investigative Dermatology</i> , <b>2007</b> , 127, 2072	4.3	
64	Retesting with the TRUE Test in a population-based twin cohort with hand eczema - allergies and persistence in an 8-year follow-up study. <i>Contact Dermatitis</i> , <b>2007</b> , 57, 248-52	2.7	18
63	Secondary individual prevention of occupational skin diseases in health care workers, cleaners and kitchen employees: aims, experiences and descriptive results. <i>International Archives of Occupational and Environmental Health</i> , <b>2007</b> , 80, 477-84	3.2	53
62	Clinical characteristics and consequences of hand eczema - an 8-year follow-up study of a population-based twin cohort. <i>Contact Dermatitis</i> , <b>2008</b> , 58, 210-6	2.7	83
61	Hand eczema: causes, course, and prognosis I. <i>Contact Dermatitis</i> , <b>2008</b> , 58, 330-4	2.7	87
60	Classification of atopic hand eczema and the filaggrin mutations. <i>Contact Dermatitis</i> , <b>2008</b> , 59, 257-60	2.7	19
59	Chapter 4 Allergic Contact Dermatitis [A Common Skin Disease Caused by Allergic Reactions to Chemicals in Our Environment. <i>Advances in Molecular Toxicology</i> , <b>2008</b> , 87-121	0.4	2
58	Hand eczema classification: a cross-sectional, multicentre study of the aetiology and morphology of hand eczema. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 353-8	4	161
57	Delay in medical attention to hand eczema: a follow-up study. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 1294-300	4	37
56	Characterization of the polysensitized patient: a matched case-control study. <i>Contact Dermatitis</i> , <b>2009</b> , 61, 22-30	2.7	22
55	Allergens associated with severe symptoms of hand eczema and a poor prognosis. <i>Contact Dermatitis</i> , <b>2009</b> , 61, 101-8	2.7	39

54	A 6-month follow-up study of 1048 patients diagnosed with an occupational skin disease. <i>Contact Dermatitis</i> , <b>2009</b> , 61, 261-8	2.7	44
53	Contact sensitisation in hand eczema patients-relation to subdiagnosis, severity and quality of life: a multi-centre study. <i>Contact Dermatitis</i> , <b>2009</b> , 61, 291-6	2.7	48
52	IL-23 and T(H)17-mediated inflammation in human allergic contact dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , <b>2009</b> , 123, 486-92	11.5	118
51	Management of occupational dermatitis. <i>Dermatologic Clinics</i> , <b>2009</b> , 27, 365-83, vii-viii	4.2	47
50	Redefining treatment options in chronic hand eczema (CHE). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2010</b> , 24 Suppl 3, 1-20	4.6	36
49	The epidemiology of hand eczema in the general population--prevalence and main findings. <i>Contact Dermatitis</i> , <b>2010</b> , 62, 75-87	2.7	306
48	Hand dermatitis/eczema: current management strategy. <i>Journal of Dermatology</i> , <b>2010</b> , 37, 593-610	1.6	16
47	Successful retreatment with alitretinoin in patients with relapsed chronic hand eczema. <i>British Journal of Dermatology</i> , <b>2010</b> , 162, 420-6	4	68
46	Long-term follow-up study of occupational hand eczema. <i>British Journal of Dermatology</i> , <b>2010</b> , 163, 999-1006		62
45	Do lifestyle factors influence the occurrence of hand eczema?. <i>Expert Review of Dermatology</i> , <b>2011</b> , 6, 333-335		
44	Scoring of hand eczema: good agreement between patients and dermatological staff. <i>British Journal of Dermatology</i> , <b>2011</b> , 165, 123-8	4	10
43	Hand eczema guidelines based on the Danish guidelines for the diagnosis and treatment of hand eczema. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 3-12	2.7	121
42	On the lookout for precursor lesions: where does dry skin end and slight hand eczema begin?. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 63-71	2.7	4
41	Extended treatment with oral alitretinoin for patients with chronic hand eczema not fully responding to initial treatment. <i>Clinical and Experimental Dermatology</i> , <b>2012</b> , 37, 712-7	1.8	26
40	Hand and upper extremity function in workers with hand dermatitis. <i>Dermatitis</i> , <b>2013</b> , 24, 131-6	2.6	12
39	Categorization of fragrance contact allergens for prioritization of preventive measures: clinical and experimental data and consideration of structure-activity relationships. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 196-230	2.7	61
38	Prognosis of Hand Eczema. <b>2014</b> , 411-417		
37	Hand eczema prognosis and consequences: a 7-year follow-up study. <i>British Journal of Dermatology</i> , <b>2014</b> , 171, 1428-33	4	33

36	[Management of chronic hand eczema]. <i>Annales De Dermatologie Et De Venereologie</i> , <b>2014</b> , 141 Suppl 1, S143-50	0.3	2
35	Effects of systematic patient education in skin care and protection in a hand eczema clinic. <i>Dermatology</i> , <b>2014</b> , 228, 220-4	4.4	7
34	Tobacco smoking and hand eczema - is there an association?. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 326-35	2.7	37
33	Guidelines for diagnosis, prevention and treatment of hand eczema. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2015</b> , 13, e1-22	1.2	118
32	Hand Dermatitis: Utilizing Subtype Classification to Direct Intervention. <i>Current Treatment Options in Allergy</i> , <b>2016</b> , 3, 322-332	1	
31	Medical, psychological and socio-economic implications of chronic hand eczema: a cross-sectional study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 628-37	4.6	22
30	Predictive factors of self-reported hand eczema in adult Danes: a population-based cohort study with 5-year follow-up. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 287-95	4	29
29	The histopathological differentiation between palmar psoriasis and hand eczema: A retrospective review of 96 cases. <i>Journal of the American Academy of Dermatology</i> , <b>2017</b> , 77, 130-135	4.5	14
28	Methodological aspects of assessing hand eczema: comparison of two tools and three different categories of evaluators. <i>British Journal of Dermatology</i> , <b>2017</b> , 176, 1373-1375	4	1
27	Associations between lifestyle factors and hand eczema severity: are tobacco smoking, obesity and stress significantly linked to eczema severity?. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 138-145	2.7	30
26	Methylisothiazolinone allergic contact dermatitis: Assessment of relapses in 139 patients after avoidance advice. <i>Contact Dermatitis</i> , <b>2019</b> , 80, 304-310	2.7	8
25	Factors influencing prognosis for occupational hand eczema: new trends. <i>British Journal of Dermatology</i> , <b>2019</b> , 181, 1280-1286	4	18
24	Hand eczema: epidemiology, prognosis and prevention. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34 Suppl 1, 4-12	4.6	35
23	High incidence of hand eczema in Danish schoolchildren following intensive hand hygiene during the COVID-19 pandemic: a nationwide questionnaire study. <i>British Journal of Dermatology</i> , <b>2020</b> , 183, 975-976	4	7
22	Increased occurrence of hand eczema in young children following the Danish hand hygiene recommendations during the COVID-19 pandemic. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 144-152	2.7	15
21	Impact of mono-culture vs. Co-culture of keratinocytes and monocytes on cytokine responses induced by important skin sensitizers. <i>Journal of Immunotoxicology</i> , <b>2021</b> , 18, 74-84	3.1	1
20	Topical 0.05% clobetasol cream in the treatment of chronic hand eczema: A protocol for systematic review and meta-analysis. <i>Medicine (United States)</i> , <b>2021</b> , 100, e24418	1.8	1
19	Hand Eczema: Causative Factors, Diagnosis, Personal and Societal Consequences. <b>2021</b> , 331-354		1

18	Chronic Hand Eczema Guidelines From an Expert Panel of the International Eczema Council. <i>Dermatitis</i> , <b>2021</b> , 32, 319-326	2.6	4
17	Nickel Sensitization, Hand Eczema, and Loss-of-Function Mutations in the Filaggrin Gene. <i>Dermatitis</i> , <b>2008</b> , 19, 303-307	2.6	41
16	Berufsdermatologie. <i>Fortschritte Der Praktischen Dermatologie Und Venerologie</i> , <b>2009</b> , 446-451		
15	Atopic Dermatitis, Eczema, and Noninfectious Immunodeficiency Disorders. <b>2011</b> , 62-87		1
14	Atopy as a Factor in the Prognosis of Hand Dermatitis. <b>2012</b> , 1113-1116		
13	Prognosis of Irritant Contact Dermatitis. <b>2012</b> , 1103-1108		
12	Scope of the Problem: Epidemiology of Hand Eczema. <b>2014</b> , 75-84		
11	Prognosis of Irritant Contact Dermatitis. <b>2018</b> , 1-9		
10	Atopy as a Factor in the Prognosis of Hand Dermatitis. <b>2018</b> , 1-7		
9	Hand Eczema. <b>2019</b> , 1-24		
8	Atopy as a Factor in the Prognosis of Hand Dermatitis. <b>2020</b> , 1533-1539		
7	Prognosis of Irritant Contact Dermatitis. <b>2020</b> , 1517-1525		
6	Hand Eczema: Causative Factors, Diagnosis, Personal and Societal Consequences. <b>2020</b> , 1-24		
5	Alitretinoin for the treatment of severe chronic eczema of the hands. <i>Expert Opinion on Pharmacotherapy</i> , <b>2021</b> , 1-9	4	0
4	Guidelines for diagnosis, prevention and treatment of hand eczema.. <i>Contact Dermatitis</i> , <b>2021</b> ,	2.7	8
3	Irritant Contact Dermatitis - a Review.. <i>Current Dermatology Reports</i> , <b>2022</b> , 1-11	1.5	3
2	Work-Related and Occupational Hand Eczema (OHE), Diagnosis and Treatment. <b>2023</b> , 115-125		0
1	The impact of hand eczema severity on quality of life in workers engaged in lock making: A cross-sectional study from tertiary care hospital. <b>2023</b> , 18-24		0

