

Asymmetry of small joint involvement in rheumatoid arthritis towards symmetry over time

Joint Bone Spine

72, 241-247

DOI: [10.1016/j.jbspin.2004.08.013](https://doi.org/10.1016/j.jbspin.2004.08.013)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Commentaire sur l'article original de Philippe Zangger et al. : «Asymétrie de l'atteinte des petites articulations au cours de la polyarthrite rhumatoïde : prévalence et tendance à l'asymétrie avec le temps». Revue Du Rhumatisme (Edition Francaise), 2006, 73, 527.		0
4	Reply to the letter by Nicholas Shenker on the original article entitled: "Asymmetry of small joint involvement in rheumatoid arthritis: prevalence and tendency towards symmetry over time". Joint Bone Spine, 2006, 73, 338-339.	0.8	0
5	Comments on the original article by Philippe Zangger et al. entitled: "Asymmetry of small joint involvement in rheumatoid arthritis: prevalence and tendency towards symmetry over time". Joint Bone Spine, 2006, 73, 338.	0.8	2
6	BIOMECHANICS OF THE NORMAL AND DISEASED METACARPOPHALANGEAL JOINT: IMPLICATIONS ON THE DESIGN OF JOINT REPLACEMENT IMPLANTS. Journal of Mechanics in Medicine and Biology, 2007, 07, 163-174.	0.3	8
7	Sensory nerves have altered function contralateral to a monoarthritis and may contribute to the symmetrical spread of inflammation. European Journal of Neuroscience, 2007, 26, 935-942.	1.2	48
8	Tumour necrosis factor α mediates transient receptor potential vanilloid 1-dependent bilateral thermal hyperalgesia with distinct peripheral roles of interleukin-1 β , protein kinase C and cyclooxygenase-2 signalling. Pain, 2009, 142, 264-274.	2.0	57
9	Neurogenic Mechanisms in Arthritis. NeuroImmune Biology, 2009, 8, 211-241.	0.2	12
10	Development of a joint space width measurement method based on radiographic hand images. Computers in Biology and Medicine, 2011, 41, 987-998.	3.9	10
11	Evaluation of inflammatory change and bone erosion using a murine type II collagen-induced arthritis model. Rheumatology International, 2011, 31, 595-603.	1.5	12
12	Non-invasive screening of progressive joint defects in the Type II collagen-induced arthritis animal model using radiographic paw images. Inflammation Research, 2011, 60, 447-456.	1.6	6
13	A distinct role for transient receptor potential ankyrin 1, in addition to transient receptor potential vanilloid 1, in tumor necrosis factor α -induced inflammatory hyperalgesia and Freund's complete adjuvant-induced monoarthritis. Arthritis and Rheumatism, 2011, 63, 819-829.	6.7	151
14	Bilateral MR Imaging of the Hand and Wrist in Early and Very Early Inflammatory Arthritis: Tenosynovitis Is Associated with Progression to Rheumatoid Arthritis. Radiology, 2012, 264, 823-833.	3.6	67
15	Should modern imaging be part of remission criteria in rheumatoid arthritis?. Best Practice and Research in Clinical Rheumatology, 2012, 26, 767-785.	1.4	43
16	Analgesic Effect of the Neuropeptide Cortistatin in Murine Models of Arthritic Inflammatory Pain. Arthritis and Rheumatism, 2013, 65, 1390-1401.	6.7	24
17	Bilateral Evaluation of the Hand and Wrist in Untreated Early Inflammatory Arthritis: A Comparative Study of Ultrasonography and Magnetic Resonance Imaging. Journal of Rheumatology, 2013, 40, 1282-1292.	1.0	44
18	Environmental cold exposure increases blood flow and affects pain sensitivity in the knee joints of CFA-induced arthritic mice in a TRPA1-dependent manner. Arthritis Research and Therapy, 2016, 18, 7.	1.6	39
19	Distribution and symmetrical patellofemoral pain patterns as revealed by high-resolution 3D body mapping: a cross-sectional study. BMC Musculoskeletal Disorders, 2017, 18, 160.	0.8	27
20	Ankle Evaluation in Active Rheumatoid Arthritis by Ultrasound: A Cross-Sectional Study. Ultrasound in Medicine and Biology, 2017, 43, 2806-2813.	0.7	14

#	ARTICLE	IF	CITATIONS
21	Diagnostic value of 18F-fluorodeoxyglucose uptake parameters to differentiate rheumatoid arthritis from other types of arthritis. <i>Medicine (United States)</i> , 2017, 96, e7130.	0.4	19
22	Magnetic Resonance Imaging (MRI) Results Following Discontinuation of Methotrexate in Rheumatoid Arthritis Treated with Subcutaneous Tocilizumab: The COMP-ACT MRI Substudy. <i>Journal of Rheumatology</i> , 2020, 47, 325-332.	1.0	2
23	Local hyperalgesia, normal endogenous modulation with pain report beyond its origin: a pilot study prompting further exploration into plantar fasciopathy. <i>Scandinavian Journal of Pain</i> , 2020, 20, 375-385.	0.5	6
24	Hand dominance in early and established rheumatoid arthritis: evaluation by dynamometer, Ritchie index and musculoskeletal ultrasound: a cross sectional study. <i>Reumatismo</i> , 2020, 72, 131-144.	0.4	2
25	Symmetry Criterion for Patients with Rheumatoid Arthritis of the Foot: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3619.	1.2	4
26	Joint inflammation tends to recur in the same joints during the rheumatoid arthritis disease course. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 169-174.	0.5	14
27	Prospective evaluation of clinical profile and treatment outcome of patients presenting with polyarthritis diagnosed as rheumatoid arthritis. <i>Medical Journal of Shree Birendra Hospital</i> , 2012, 10, 22-28.	0.0	0
28	Ankle Joint in Active Rheumatoid Arthritis. <i>Sohag Medical Journal (SMJ)</i> , 2020, .	0.1	0
29	Deep learning-based automatic-bone-destruction-evaluation system using contextual information from other joints. <i>Arthritis Research and Therapy</i> , 2022, 24, .	1.6	5