

CITATION REPORT

List of articles citing

Negative impact of hypocaloric feeding and energy balance on clinical outcome in ICU patients

DOI: 10.1016/j.clnu.2005.03.006
Clinical Nutrition, 2005, 24, 502-9.

Source: <https://exaly.com/paper-pdf/38259986/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1309	A pilot study of the SPRINT protocol for tight glycemic control in critically ill patients. 2006 , 8, 449-62		78
1308	Yearbook of Intensive Care and Emergency Medicine. 2006 ,		2
1307	A novel, model-based insulin and nutrition delivery controller for glycemic regulation in critically ill patients. 2006 , 8, 174-90		67
1306	Prise en charge nutritionnelle de l'obèse en réanimation. 2006 , 15, 449-453		3
1305	Bibliography. Current world literature. Nutrition and physiological function. 2006 , 9, 763-70		
1304	Candida in the peritoneum: passenger or pathogen?. 2006 , 34, 902-3		22
1303	How cytomegalovirus reactivation could cause pulmonary pathology in septic hosts. 2006 , 34, 929-30		4
1302	Pharmacologic support of the failing circulation: practice, education, evidence, and future directions. 2006 , 34, 890-2		9
1301	The prevention and treatment of sepsis: is interleukin-6 a drug target or a drug?. 2006 , 34, 919-21		10
1300	Glutamine-containing parenteral nutrition: Another piece in the jigsaw?. 2006 , 34, 893-4		5
1299	A simple intervention that saves lives and money. 2006 , 34, 896-7		3
1298	Permissive Underfeeding in the Obese Hospitalized Patient. 2006 , 21, 320-327		2
1297	Is aggressive treatment of hyperglycemia for everyone?. 2006 , 34, 930-1		9
1296	Current world literature. Anabolic and catabolic signals. 2006 , 9, 324-30		
1295	Multiple beneficial actions of fructose 1,6-biphosphate in sepsis-associated liver injury. 2006 , 34, 927-9		4
1294	Intensive care unit physician staffing: seven days a week, 24 hours a day. 2006 , 34, 894-5		20
1293	Did the fat lady sing?. 2006 , 34, 915-6		2

1292	Management of perioperative nutrition support. 2006 , 12, 290-4	31
1291	The three tenors of subarachnoid hemorrhage: fever, anemia, and hyperglycemia. 2006 , 34, 897-8	15
1290	Fenoldopam: renal-dose dopamine redux?. 2006 , 34, 910-1	6
1289	Predicting mortality in the intensive care unit: man against machine. 2006 , 34, 932-3	2
1288	Bibliography. Current world literature. Small intestine. 2006 , 22, 171-83	
1287	To BEHAVE, or not to BEHAVE: that is the question. 2006 , 34, 908-10	
1286	Therapeutic hypothermia after cardiac arrest: now a standard of care. 2006 , 34, 923-4	12
1285	Causes and consequences of inadequate substrate supply to pediatric ICU patients. 2006 , 9, 297-303	54
1284	A low-volume, low-pressure tracheal tube may not solve the problem!. 2006 , 34, 900-2	4
1283	Unraveling the effect of age on outcomes in the intensive care unit. 2006 , 34, 912-3	1
1282	Disseminated intravascular coagulation scoring systems in the critically ill. 2006 , 34, 899-900	1
1281	Providing appropriate antimicrobial therapy in the intensive care unit: surveillance vs. de-escalation. 2006 , 34, 903-5	29
1280	Going for the gold: accuracy and precision in intra-abdominal pressure measurements?. 2006 , 34, 916-8	5
1279	Strategies for preventing catheter-related bloodstream infections: the role of new technologies. 2006 , 34, 905-7	3
1278	Epinephrine stimulates pulmonary fluid clearance: more than just an epiphenomenon?. 2006 , 34, 907-8	11
1277	Extracorporeal cytokine apheresis for sepsis: CTR as a new therapeutic adsorbent. 2006 , 34, 926-7	1
1276	From mice and MOF: rodent models, immune modulation, and outcome in the critically ill. 2006 , 34, 921-3	6
1275	Assessment of tissue oxygenation: ultimate endpoint or simply interesting?. 2006 , 34, 924-6	2

1274	Nutrition support in critically ill patients: switching to evidence based. 2006 , 9, 117-9		1
1273	Multifocal <i>Candida</i> species colonization as a trigger for early antifungal therapy in critically ill patients: what about other risk factors for fungal infection?. 2006 , 34, 913-4		20
1272	Nasointestinal intubation with tiger tubes: a case series indicates risk of mucosal damage. 2006 , 19, 147-51		5
1271	Model-based glycaemic control in critical care—a review of the state of the possible. 2006 , 1, 3-21		85
1270	Weight-adjusted resting energy expenditure is not constant in critically ill patients. 2006 , 32, 428-34		36
1269	[Nutrition and immunonutrition in septic patients]. 2006 , 47, 374, 376-82		0
1268	Nutrition des patients en insuffisance respiratoire aiguë. 2006 , 20, 208-214		2
1267	Computerized energy balance and complications in critically ill patients: an observational study. <i>Clinical Nutrition</i> , 2006 , 25, 37-44	5.9	301
1266	ESPEN Guidelines on Enteral Nutrition: Intensive care. <i>Clinical Nutrition</i> , 2006 , 25, 210-23	5.9	1050
1265	Hospitalized mechanically ventilated patients are at higher risk of enteral underfeeding than non-ventilated patients. <i>Clinical Nutrition</i> , 2006 , 25, 727-35	5.9	43
1264	Impact of a computerized information system on quality of nutritional support in the ICU. 2006 , 22, 221-9		56
1263	Ameliorating Conflicts Of Interest In Auditing: Effects Of Recent Reforms On Auditors And Their Clients. 2006 , 31, 30-42		69
1262	Energiebedarf des adipösen Patienten in der Klinik. 2006 , 31, 77-83		
1261	Nutrition support and the chronic critical illness syndrome. 2006 , 21, 587-604		41
1260	Intensive Care Medicine. 2006 ,		
1259	Hypocaloric feeding of the critically ill. 2006 , 21, 617-22		29
1258	Resting energy expenditure during mechanical ventilation and its relationship with the type of lesion. 2007 , 31, 58-62		23
1257	Controversies in the determination of energy requirements. 2007 , 66, 367-77		49

1256 Mechanisms of Sepsis-Induced Organ Dysfunction and Recovery. **2007,**

1255 Metabolic support in sepsis and multiple organ failure: more questions than answers. **2007, 35, S436-40** 23

1254 Feeding critically ill patients: what is the optimal amount of energy?. **2007, 35, S535-40** 95

1253 Hypocaloric feeding: pros and cons. **2007, 13, 180-6** 45

1252 Les infections intra-abdominales aiguës. **2007,**

1251 How many calories are necessary during critical illness?. **2007, 17, 703-10** 7

1250 Nutrition support in acute pancreatitis. **2007, 36, 65-74, vi** 21

1249 [Energy expenditure in critically ill children: correlation with clinical characteristics, caloric intake, and predictive equations]. **2007, 66, 229-39** 10

1248 Feeding practices of severely ill intensive care unit patients: an evaluation of energy sources and clinical outcomes. **2007, 107, 458-65** 45

1247 Poor agreement between continuous measurements of energy expenditure and routinely used prediction equations in intensive care unit patients. *Clinical Nutrition*, **2007, 26, 649-57** 5.9 63

1246 Metabolic Pathways. **2007, 311-320**

1245 Is it now time to promote mixed enteral and parenteral nutrition for the critically ill patient?. **2007, 33, 963-9** 76

1244 Ernährungsrichtlinien zur Behandlung unfallchirurgischer Intensivpatienten. **2007, 9, 186-190** 1

1243 Early supplemental parenteral nutrition is associated with increased infectious complications in critically ill trauma patients. **2008, 207, 459-67** 51

1242 Factors predicting adherence to the Canadian Clinical Practice Guidelines for nutrition support in mechanically ventilated, critically ill adult patients. **2008, 23, 301-7** 18

1241 Monitoring the clinical introduction of a glutamine and antioxidant solution in critically ill trauma and burn patients. **2008, 24, 1123-32** 33

1240 La nutrition peut-elle réduire la mortalité en réanimation ?. **2008, 12, 323-327**

1239 Enteral feeding practices in European ICUs: A survey from the European federation of critical care nursing associations (EFCCNa). **2008, 3, e33-e39** 6

1238	Stature estimation using the knee height determination in critically ill patients. 2008 , 3, e84-e88	9
1237	Controverses nutritionnelles en réanimation. 2008 , 17, 430-436	2
1236	Bench-to-bedside review: metabolism and nutrition. 2008 , 12, 222	37
1235	Hypermetabolism following moderate to severe traumatic acute brain injury: a systematic review. 2008 , 25, 1415-31	73
1234	The routine bridling of nasojejunal tubes is a safe and effective method of reducing dislodgement in the intensive care unit. 2008 , 23, 651-4	27
1233	The role of energy and nutritional support in the intensive care unit. 2008 , 4, 378-9	1
1232	Nutrition therapy in critically ill infants and children. 2008 , 32, 520-34	48
1231	Severe acute pancreatitis: a review. 2008 , 9, 573-8	20
1230	Early nutrition support in the intensive care unit: a US perspective. 2008 , 11, 152-5	23
1229	Enteral vs. parenteral nutrition for the critically ill patient: a combined support should be preferred. 2008 , 14, 408-14	52
1228	Feeding the injured intestine: enteral nutrition in the critically ill patient. 2008 , 14, 432-7	6
1227	Paradigm of early parenteral nutrition support in combination with insufficient enteral nutrition. 2008 , 11, 160-3	13
1226	Special commentary: a call for intensive metabolic support. 2008 , 11, 666-70	3
1225	Early nutrition support in critical care: a European perspective. 2008 , 11, 156-9	20
1224	Enteral vs. parenteral nutrition for the critically ill patient: a combined support should be preferred. 2008 , 7, 449-455	
1223	Intensive metabolic support: evolution and revolution. 2008 , 14, 1047-54	9
1222	Gastrointestinal surgery. 278-292	
1221	Dénutrition dans les pays développés. 2009 , 67, 65-73	

1220	Terapia nutricional enteral: aplicaçã de indicadores de qualidade. 2009 , 21, 376-383			6
1219	The physiologic response and associated clinical benefits from provision of early enteral nutrition. 2009 , 24, 305-15			200
1218	Enteral nutrition and cardiovascular failure: from myths to clinical practice. 2009 , 33, 702-9			32
1217	Impact of energy deficit calculated by a predictive method on outcome in medical patients requiring prolonged acute mechanical ventilation. 2009 , 101, 1079-87			132
1216	Improving intensive care unit outcome with total parenteral nutrition: Lessons from a case study. 2009 , 4, 9-12			
1215	Enteral and parenteral nutrition for critically ill patients: A logical combination to optimize nutritional support. 2009 , 4, 3-7			7
1214	ESPEN Guidelines on Parenteral Nutrition: intensive care. <i>Clinical Nutrition</i> , 2009 , 28, 387-400	5.9		900
1213	To have and to hold nutritional control: balancing between individual and routine care. A grounded theory study. 2009 , 25, 155-62			10
1212	Ernãrung und metabolische Kontrolle bei Sepsis. 2009 , 46, 541-548			
1211	Place de la calorimãrie indirecte et des formules estimant la dẽpense hẽrgãtique des malades de rãanimation. 2009 , 23, 192-197			9
1210	Mise en ãuvre de la nutrition entãrale prãcoce en rãanimation : pourquoi et ^ quel prix?. 2009 , 23, 198-205			2
1209	The relationship between nutritional intake and clinical outcomes in critically ill patients: results of an international multicenter observational study. 2009 , 35, 1728-37			711
1208	Review: nurses can improve patient nutrition in intensive care. 2009 , 18, 2406-15			22
1207	Nutritional support to patients within the pediatric intensive setting. 2009 , 19, 300-12			7
1206	Grasping the nutritional situation: a grounded theory study of patients' experiences in intensive care. 2009 , 14, 166-74			8
1205	Association nutrition entãrale et parentãrale en rãanimation : nouveau concept d'ãptimisation. 2009 , 23, 206-213			0
1204	Optimal nutrition during the period of mechanical ventilation decreases mortality in critically ill, long-term acute female patients: a prospective observational cohort study. 2009 , 13, R132			85
1203	Toward protein-energy goal-oriented therapy?. 2009 , 13, 188			8

1202	A randomised controlled comparison of early post-pyloric versus early gastric feeding to meet nutritional targets in ventilated intensive care patients. 2009 , 13, R187	71
1201	Parenteral nutrition â€“Guidelines of the Israeli Society for Clinical Nutrition (ISCN). 2009 , 4, e270-e288	
1200	Perforated peptic ulcer: how to improve outcome?. 2009 , 44, 15-22	60
1199	Parenteral nutrition in the critically ill patient. 2009 , 361, 1088-97	183
1198	Place de la nutrition parentfale en râˆnimation. 2009 , 18, 493-500	1
1197	Risk factors in patients surgically treated for peptic ulcer perforation. 2009 , 44, 145-52, 2 p following 152	29
1196	Normograde, minimally invasive technique for oesophagostomy in cats. 2009 , 11, 481-6	3
1195	Dpense hergtique en râˆnimation. 2009 , 18, 477-485	6
1194	Optimizing nutrition therapy in the ICU. 2009 , 12, 159-60	1
1193	Exocrine pancreatic involvement in critically ill patients. 2009 , 12, 168-74	10
1192	La malnutriciã en los païes desarrollados. 2009 , 67, 65-73	
1191	Nutrition support in the obese, diabetic patient: the role of hypocaloric feeding. 2009 , 25, 151-4	16
1190	Malnutrition in Developed Countries. 2009 , 67, 65-72	3
1189	Metabolic support of the obese intensive care unit patient: a current perspective. 2010 , 13, 184-91	51
1188	Providing optimal nutritional support on the intensive care unit: key challenges and practical solutions. 2010 , 69, 574-81	10
1187	Nasal bridling decreases feeding tube dislodgment and may increase caloric intake in the surgical intensive care unit: a randomized, controlled trial. 2010 , 38, 797-801	53
1186	Geriatric care in the surgical intensive care unit. 2010 , 38, S452-9	39
1185	Considering energy deficit in the intensive care unit. 2010 , 13, 170-6	55

1184	Nutrition therapy in the critical care setting: what is "best achievable" practice? An international multicenter observational study. 2010 , 38, 395-401	284
1183	Post-pyloric versus gastric tube feeding for preventing pneumonia and improving nutritional outcomes in critically ill adult patients. 2010 ,	3
1182	Benefits and Delivery of Enteral Nutrition. 2010 , 90-100	
1181	Lipid emulsions in parenteral nutrition of intensive care patients: current thinking and future directions. 2010 , 36, 735-49	150
1180	Gastric residual volume during enteral nutrition in ICU patients: the REGANE study. 2010 , 36, 1386-93	239
1179	Ernährung des Intensivpatienten. 2010 , 47, 276-278	0
1178	Perioperative nutritional support. 2010 , 28, 413-419	
1177	Before-after study of a standardized ICU protocol for early enteral feeding in patients turned in the prone position. <i>Clinical Nutrition</i> , 2010 , 29, 210-6	59 59
1176	Prise en charge nutritionnelle préopératoire du patient obèse. 2010 , 24, 196-205	7
1175	Review article: permissive underfeeding in short-term nutritional support. 2010 , 32, 628-36	15
1174	Nutrição enteral: diferenças entre volume, calorias e proteínas prescritos e administrados em adultos. 2010 , 22, 346-350	11
1173	Metabolic and Nutritional Complications of Acute Kidney Injury. 2010 , 654-667	
1172	Nutrition is metabolism. 2010 , 34, 471-2	2
1171	National malnutrition screening days in hospitalised children in The Netherlands. 2010 , 95, 141-5	68
1170	Analyzing ICU physician and dietitian adherence to nutrition therapy guidelines. 2010 , 34, 606-7	3
1169	Treating delayed gastric emptying in critical illness: metoclopramide, erythromycin, and bedside (cortrak) nasointestinal tube placement. 2010 , 34, 289-94	33
1168	Does Enteral Nutrition (Including Early Enteral) Result in Better Outcomes Than Parenteral Nutrition in Critically Ill Patients?. 2010 , 452-456	
1167	Is It Appropriate to Underfeed the Critically Ill Patient?. 2010 , 473-478	

1166	Nutrition and clinical outcome in intensive care patients. 2010 , 13, 177-83	51
1165	Continuing controversy in the intensive care unit: why tight glycemic control, nutrition support, and nutritional pharmacology are each necessary therapeutic considerations. 2010 , 13, 167-9	19
1164	Nutrition entrale et ventilation mcanique en d'ubitus ventral. 2010 , 19, 454-459	1
1163	The evolutionary role of nutrition and metabolic support in critical illness. 2010 , 26, 443-50, vii-viii	16
1162	Parenteral nutrition in critical illness: can it safely improve outcomes?. 2010 , 26, 467-80, viii	22
1161	Les « dix commandements » de la nutrition entrale en ranimation. 2010 , 19, 377-383	3
1160	Near-target caloric intake in critically ill medical-surgical patients is associated with adverse outcomes. 2010 , 34, 280-8	77
1159	Enhanced protein-energy provision via the enteral route in critically ill patients: a single center feasibility trial of the PEP uP protocol. 2010 , 14, R78	108
1158	Predicting resting energy expenditure (REE): Misapplying equations can lead to clinically significant errors. 2010 , 5, e254-e260	1
1157	Parenteral nutrition in the mature horse. 2010 , 22, 364-371	11
1156	Glycemic control and nutritional strategies in the cardiothoracic surgical intensive care unit--2010: state of the art. 2010 , 22, 230-5	1
1155	Current and future therapeutic prokinetic therapy to improve enteral feed intolerance in the ICU patient. 2010 , 25, 26-31	35
1154	Impact of not measuring residual gastric volume in mechanically ventilated patients receiving early enteral feeding: a prospective before-after study. 2010 , 34, 125-30	116
1153	Critical illness, gastrointestinal complications, and medication therapy during enteral feeding in critically ill adult patients. 2010 , 25, 32-49	77
1152	Metabolic vs nutrition support: a hypothesis. 2010 , 34, 546-8	14
1151	Physiopathologie de la d'nutrition en ranimation. 2010 , 19, 423-430	1
1150	Clinical guidelines and nutrition therapy: better understanding and greater application to patient care. 2010 , 26, 451-66, viii	17
1149	Feed the ICU patient 'gastric' first, and go post-pyloric only in case of failure. 2010 , 14, 123	2

1148	Erratum to: Increased levels of soluble triggering receptor expressed on myeloid cells sTREM1 in ICU patients with cardiovascular disease and associated organ dysfunction. 2011 , 15,	78
1147	Predictive value of tissue oxygen saturation upon mortality in Emergency Department patients with sepsis. 2011 , 15,	78
1146	Positive central-mixed venous oxygen saturation gradients: high oxygen saturation in the inferior vena cava confirms high splanchnic oxygen extraction. 2011 , 15,	78
1145	Lactate index and survival in hospital-acquired septic shock. 2011 , 15,	78
1144	Effect of minute ventilation on central venous-to-arterial carbon dioxide difference. 2011 , 15,	78
1143	A pulmonary artery catheter-based treatment algorithm changes therapeutic behaviour in septic patients. 2011 , 15,	78
1142	Performance of thermodilution catheters under control and extreme circulatory conditions in a pig model. 2011 , 15,	78
1141	Measurement of cardiac output using the transpulmonary thermodilution method in the presence of high extravascular lung water in a pediatric animal model. 2011 , 15,	78
1140	Hemodynamic effects of early endotoxemia on pulse pressure variation during experimental hemorrhagic shock. 2011 , 15,	78
1139	Delta central venous pressure and dynamic indices of preload in postsurgical ICU patients. 2011 , 15,	78
1138	Comparison between pulse pressure variation and conventional parameters as guides to resuscitation in a pig model of acute hemorrhagic shock with endotoxemia. 2011 , 15,	78
1137	Fluid resuscitation based on dynamic predictors of fluid responsiveness: closed loop algorithm versus anesthesiologists. 2011 , 15,	78
1136	A strong relationship between respiratory variations in pulse pressure (PPV) and airway pressure in fluid nonresponders: a potential explanation for false positive PPV values. 2011 , 15,	78
1135	Prediction of fluid responsiveness in septic shock patients: comparing automated pulse pressure variation by IntelliVue MP monitor and stroke volume variation by FloTrac [®] /Vigileo [®] 2011 , 15,	78
1134	Dynamic indices of preload in postcardiac surgery patients by pulse power analysis. 2011 , 15,	78
1133	Cardiac cycle efficiency as prognostic index in ICUs. 2011 , 15,	78
1132	Evaluation of pulse pressure variation with different inhaled concentrations of desflurane, sevoflurane and isoflurane in pigs. 2011 , 15,	78
1131	E/Ea ratio could not predict fluid response in ICU mechanically ventilated patients. 2011 , 15,	78

1130	Comparison between MostCare and echocardiography for cardiac output estimation in trauma patients. 2011, 15,	78
1129	Comparison of stroke volume changes of LiDCO ^{plus} and FloTrac ^{EV} during postoperative hemodynamic optimization. 2011, 15,	78
1128	A clinical pilot study to evaluate the correlation between pulse wave velocity and cardiac output during elective surgery. 2011, 15,	78
1127	LiDCOrapid and PiCCOplus preload response parameter validation study. 2011, 15,	1
1126	Comparison of cardiac index: LiDCOrapid and PiCCOplus in the ICU. 2011, 15,	78
1125	Pressure recording analytical method versus PiCCO in hemodynamic unstable patients. 2011, 15,	78
1124	Prediction of fluid responsiveness with the LiDCO system. 2011, 15,	78
1123	Predictors of fluid responsiveness in patients with acute liver failure. 2011, 15,	1
1122	Functional haemodynamic monitoring: the relative merits of SVV, SPV and PPV as measured by the LiDCOrapid in predicting fluid responsiveness in high-risk surgical patients. 2011, 15,	78
1121	Pressure recording analytical method for cardiac output monitoring in children with congenital heart disease. 2011, 15,	78
1120	Accuracy of stroke volume variation as a predictor of volume responsiveness in patients with raised intra-abdominal pressure. 2011, 15,	78
1119	Perfusion index as a predictor for central hypovolemia in humans. 2011, 15,	2
1118	Carotid blood flow is correlated with cardiac output but not with arterial blood pressure in porcine fecal peritonitis. 2011, 15,	78
1117	Afterload-related cardiac performance: a hemodynamic parameter with prognostic relevance in patients with sepsis in the Emergency Department. 2011, 15,	2
1116	Evaluation of a continuous non-invasive arterial blood pressure monitoring device in comparison with an arterial blood pressure measurement in the ICU. 2011, 15,	78
1115	Brachial cuff measurements for fluid responsiveness prediction in the critically ill. 2011, 15,	78
1114	Validation of non-invasive hemodynamic monitoring with Nexfin in critically ill patients. 2011, 15,	4
1113	Pleth Variability Index predicts fluid responsiveness in critically ill patients. 2011, 15,	78

1112	Dynamics of peripheral perfusion parameters in elective coronary artery bypass graft patients. 2011, 15,	78
1111	Maintenance of arterial catheters with heparin: should we continue?. 2011, 15,	2
1110	Validation of continuous intragastric pressure measurement and correlation with intramucosal pH in a pig model. 2011, 15,	78
1109	End-tidal carbon dioxide levels predict cardiac arrest. 2011, 15,	78
1108	NT-proBNP and troponin I in acute liver failure: do they predict cardiac dysfunction?. 2011, 15,	78
1107	Endothelial glycocalyx disruption after cardiac surgery in infants. 2011, 15,	1
1106	Microcirculatory changes during hyperoxia in a porcine model of ruptured abdominal aneurysm. 2011, 15,	78
1105	Impact of synthetic colloids on organ function in patients with severe sepsis. 2011, 15,	78
1104	Intraoperative effectiveness of crystalloid and colloid volume substitution in patients undergoing elective major urological surgery by maintenance of the cardiac index within normal range. 2011, 15,	78
1103	Dilution with three different solutions: plasmatic effects and quantity and quality of urinary output. 2011, 15,	78
1102	Efficacy and safety of 10% HES 130/0.4 versus 10% HES 200/0.5 for plasma volume expansion in cardiac surgery patients. 2011, 15,	78
1101	Nicorandil versus nitroglycerin: a pilot study. 2011, 15,	78
1100	Dopamine versus norepinephrine in septic shock: a meta-analysis. 2011, 15,	2
1099	Comparative evaluation of therapeutic interventions during hemorrhagic shock. 2011, 15,	78
1098	Effects of vasopressinergic V1 receptor agonists on sublingual microcirculatory blood flow in patients with catecholamine-dependent septic shock. 2011, 15,	78
1097	Vasopressin for the treatment of vasodilatory shock: an ESICM systematic review and a meta-analysis. 2011, 15,	78
1096	Effects of early versus delayed terlipressin infusion on hemodynamics and catecholamine requirements in ovine septic shock. 2011, 15,	1
1095	Levosimendan in trauma patients with acute cardiac failure. 2011, 15,	78

1094	Treatment of calcium channel blocker overdose with levosimendan. 2011 , 15,	1
1093	Effect of different antioxidants in ischemia-reperfusion syndrome. 2011 , 15,	1
1092	Searching for mechanisms that matter in septic acute kidney injury: an experimental study. 2011 , 15,	78
1091	Raised serum creatinine at admission to critical care is independently associated with mortality in patients with decompensated alcoholic liver disease. 2011 , 15,	78
1090	Contrast-induced nephropathy in ITU patients: outcomes of a university hospital re-audit. 2011 , 15,	78
1089	Evaluation of acute kidney injury with pediatric-modified RIFLE criteria after pediatric cardiac surgery. 2011 , 15,	78
1088	Acute kidney injury after coronary artery bypass grafting surgery. 2011 , 15,	78
1087	Increased severity of acute kidney injury does not increase long-term mortality. 2011 , 15,	78
1086	Any level of acute kidney injury may be associated with mortality in critically ill patients. 2011 , 15,	78
1085	A comparison of four methods to define timing of acute kidney injury. 2011 , 15,	78
1084	Validation of the AKIN criteria definition using high-resolution ICU data from the MIMIC-II database. 2011 , 15,	1
1083	Urine biomarkers for gentamicin-induced acute kidney injury in the neonatal ICU. 2011 , 15,	78
1082	Neutrophil gelatinase-associated lipocalin in ICU patients developing oliguria. 2011 , 15,	78
1081	Use of Doppler ultrasound renal resistive index and neutrophil gelatinase-associated lipocalin in prediction of acute kidney injury in patients with septic shock. 2011 , 15,	1
1080	Removal of drug delivered via a central venous catheter by a dual-lumen haemodiafiltration catheter inserted at the same site: a quantitative flow model. 2011 , 15,	78
1079	Effect of total parenteral nutrition on the duration of haemofilter circuit. 2011 , 15,	78
1078	Effects of ultrafiltration on systemic hemodynamics and microcirculatory perfusion in patients with end-stage kidney disease. 2011 , 15,	78
1077	Best prediction for need of dialysis following cardiac surgery is obtained with the Thakar model. 2011 , 15,	78

1076	Hypercalcemia during renal replacement therapy after liver transplantation. 2011, 15,	78
1075	In vitro evaluation of HMGB1 removal with various membranes for continuous hemofiltration. 2011, 15,	1
1074	Sustained high-efficiency daily diafiltration using a cytokine-adsorbing membrane in the treatment of patients with severe sepsis. 2011, 15,	1
1073	Model-based cardiovascular monitoring of large pore hemofiltration during endotoxic shock in pigs. 2011, 15,	78
1072	Different effect of CVVHDF and coupled plasma filtration and adsorption on IL-6 and procalcitonin in sepsis. 2011, 15,	2
1071	Effectiveness of continuous venovenous hemodiafiltration using a polymethylmethacrylate membrane hemofilter judging from a multiplex suspension array system in septic shock patients. 2011, 15,	78
1070	Re-evaluation of direct hemoperfusion with polymyxin-B immobilized fiber for severe sepsis and septic shock. 2011, 15,	78
1069	Extended duration of direct hemoperfusion with polymyxin B-immobilized fiber column improves hemodynamics in patients with septic shock. 2011, 15,	78
1068	Use of activated clotting time to monitor anticoagulation in patients receiving unfractionated heparin on renal replacement therapy. 2011, 15,	78
1067	Single-dose application of antithrombin III as alternative anticoagulation during extracorporeal therapy in critically ill patients with advanced liver cirrhosis: a retrospective data analysis. 2011, 15,	1
1066	Safety of drotrecogin alfa (activated) treatment in patients with severe sepsis on renal replacement therapy without additional anticoagulation. 2011, 15,	78
1065	Association between type of anticoagulation and blood transfusion requirements during renal replacement therapy in the ICU. 2011, 15,	78
1064	Economic argument for citrate haemofiltration. 2011, 15,	1
1063	Multicenter prospective observational study on safety and efficacy of regional citrate anticoagulation in CVVHD in the presence of liver failure: the Liver Citrate Anticoagulation Threshold Study (L-CAT). 2011, 15,	3
1062	Regional citrate anticoagulation in high-volume continuous venovenous hemodialysis. 2011, 15,	78
1061	Systemic citrate load during continuous renal replacement therapy is not negligible and can be predicted using indirect methods. 2011, 15,	78
1060	Use of 2-hourly creatinine clearance to inform cessation of renal replacement therapy. 2011, 15,	1
1059	NT-proBNP, troponin I and troponin T are elevated in ARDS patients without structural heart disease: a single initial reading of cardiac markers is not different from serial daily readings. 2011, 15,	78

1058	Comparison of three different multi-analyte point-of-care devices during clinical routine on a medical ICU. 2011, 15,	78
1057	Appropriate regulation of routine laboratory testing can reduce the costs associated with patient stay in intensive care. 2011, 15,	3
1056	Contribution of red blood cells to the compensation for hypocapnic alkalosis through plasmatic strong ion difference variations. 2011, 15,	1
1055	Interactive visual analysis of a large ICU database: a novel approach to data analysis. 2011, 15,	78
1054	Base excess can be misleading in acute respiratory acidosis. 2011, 15,	78
1053	Prescription and clinical impact of chest radiographs in 104 French ICUs: the RadioDay Study. 2011, 15,	78
1052	Intraosseous blood aspirates analysed by a portable cartridge-based device. 2011, 15,	1
1051	Capnography activation is improved by better ventilator interface ergonomics. 2011, 15,	1
1050	Impact of cardiac arrest duration on extravascular lung water and pulmonary vascular permeability in patients with postcardiac arrest syndrome: a prospective observational study. 2011, 15,	78
1049	Ultrasonography is a valuable non-invasive tool for determining extravascular lung water in severe sepsis. 2011, 15,	78
1048	Indexing extravascular lung water to predicted body weight increases the correlation with lung injury score in patients with acute lung injury/acute respiratory distress syndrome: a prospective, multicenter study conducted in a Japanese population. 2011, 15,	78
1047	Feasibility of continuous exhaled breath analysis in intubated and mechanically ventilated critically ill patients. 2011, 15,	78
1046	Pattern of cytokines and chemokines in exhaled breath condensate is related to the characteristics of mechanical ventilation. 2011, 15,	78
1045	Divergent changes in regional pulmonary filling characteristics during endotoxin-induced acute lung injury in pigs. 2011, 15,	78
1044	Electrical impedance tomography to monitor regional tidal ventilation at different pressure support levels. 2011, 15,	78
1043	Endotracheal cuff pressure: role of tracheal size and cuff volume. 2011, 15,	3
1042	A survey of healthcare professionals' knowledge of emergency oxygen use in adult patients. 2011, 15,	78
1041	Weaning from NIV: how rapidly can we go?. 2011, 15,	78

1040	Factors associated with non-invasive ventilation response on the first day of therapy in patients with hypercapnic respiratory failure. 2011, 15,	78
1039	Formal airway assessment prior to emergency tracheal intubation: a regional survey of usual practice. 2011, 15,	78
1038	Urgent orotracheal intubation in critically ill patients. 2011, 15,	78
1037	Propofol is the induction agent of choice for urgent intubations with UK physicians. 2011, 15,	78
1036	Frequency and significance of post-intubation hypotension during emergency airway management. 2011, 15,	3
1035	Clinical experiences with a new endobronchial blocking device: the EZ-Blocker. 2011, 15,	78
1034	Rohrer's constant, k2, as a factor for determining endotracheal tube obstruction. 2011, 15,	78
1033	Acute desaturation in intubated patients. 2011, 15,	1
1032	Continuous control of tracheal cuff pressure and microaspiration of gastric contents: a randomized controlled study. 2011, 15,	3
1031	Outcome of tracheostomy timing on critically ill adult patients undergoing mechanical ventilation: a retrospective observational study. 2011, 15,	78
1030	Duration of mechanical ventilation on the result of diaphragmatic function in weaning. 2011, 15,	78
1029	Hand-grip test is a good predictor of extubation success in adult ICU patients. 2011, 15,	1
1028	Use of NT-proBNP in weaning from mechanical ventilation. 2011, 15,	1
1027	Efficacy of implementation strategies of an evidenced-based awakening and breathing protocol. 2011, 15,	78
1026	Can we predict left ventricular dysfunction-induced weaning failure? Invasive and echocardiographic evaluation. 2011, 15,	78
1025	High-flow oxygen therapy through nasal cannulae versus low-flow oxygen therapy via Venturi mask after extubation in adult, critically ill patients. 2011, 15,	4
1024	Post-intubation tracheal stenosis in the ICU: diagnosis and treatment. 2011, 15,	78
1023	Can extubation failure be related to high unit activity?. 2011, 15,	78

1022	Decannulation: in the ICU or in the ward? Does it really matter?. 2011 , 15,	78
1021	Assessment of the impact of unplanned extubation on ICU patient outcome. 2011 , 15,	0
1020	Outcome and complications in infants with respiratory failure: venovenous two-site versus double-lumen ECMO. 2011 , 15,	78
1019	Weaning-induced alterations in cardiac function: invasive and echocardiographic assessment. 2011 , 15,	78
1018	Impact of open lung ventilation on right ventricular outflow impedance assessed by transoesophageal echocardiography. 2011 , 15,	78
1017	Lung sound amplitude measured by vibration response imaging is influenced by the presence of secretions. 2011 , 15,	78
1016	Continuous elevation of lung sound amplitudes, recorded at fixed flow rate, may indicate an increase in lung water content. 2011 , 15,	2
1015	Impact of normocapnic and permissive hypercapnic one-lung ventilation on arterial oxygenation. 2011 , 15,	78
1014	Titration of analgo-sedation with neurally adjusted ventilatory assist in the ICU. 2011 , 15,	78
1013	Early prognostic indices for weaning after long-term mechanical ventilation. 2011 , 15,	78
1012	Alveolar morphology depends on ventilator settings: lessons from in vivo alveolar microscopy under static and dynamic conditions. 2011 , 15,	78
1011	Ventilatory ratio: validation in an ex vivo model and analysis in ARDS/ALI patients. 2011 , 15,	78
1010	Therapy with recombinant human antithrombin, heparin and tissue plasminogen activator improves survival and reduces ventilation days in a long-term ovine model of cutaneous burn and smoke inhalation injury. 2011 , 15,	1
1009	Hypercapnic acidosis transiently weakens hypoxic pulmonary vasoconstriction in anesthetized pigs, without affecting the endogenous pulmonary nitric oxide production. 2011 , 15,	78
1008	<i>Stenotrophomonas maltophilia</i> in the respiratory tract of medical ICU patients. 2011 , 15,	78
1007	Hospital-acquired pneumonia is associated with deficient β -cytokine gene expression. 2011 , 15,	78
1006	Clinical aspects and predictors of mortality of <i>Pseudomonas aeruginosa</i> pneumonia in a cohort of critically ill patients. 2011 , 15,	78
1005	Safety and efficacy of intratracheal DNase with physiotherapy in severe status asthmaticus. 2011 , 15,	3

1004	Relation between mortality rate, duration of hospitalization and levels of TNF α and catalase at admission of cases to the emergency department with COPD attack. 2011 , 15,	1
1003	Induced hypothermia is protective in a rat model of pneumococcal pneumonia. 2011 , 15,	78
1002	Incidence of and risk factors for nonrespiratory acute organ failure in ICU patients receiving respiratory support: a pilot international cohort study. 2011 , 15,	78
1001	Pharmacological randomized controlled trials in acute respiratory distress syndrome mortality. 2011 , 15,	78
1000	Positive end-expiratory pressure improves oxygenation inducing ventral-to-dorsal tidal ventilation redistribution: an electrical impedance tomography study. 2011 , 15,	78
999	Neurally adjusted ventilatory assist reduces asynchrony and patient effort in severe acute respiratory distress syndrome patients undergoing extracorporeal membrane oxygenation. 2011 , 15,	78
998	Danger signal uric acid is involved in ventilator-induced lung injury pathogenesis. 2011 , 15,	2
997	High-frequency oscillatory ventilation in adults: experience in Chile. 2011 , 15,	78
996	Stress-strain relationship in pulmonary cells under bidirectional stretch application. 2011 , 15,	78
995	Optimal positive end-expiratory pressure in mechanically ventilated patients: a clinical study. 2011 , 15,	78
994	Flow-balanced expiration reduces oedema formation in a porcine oleic acid lung injury model. 2011 , 15,	78
993	Positive changes in the continuous desaturation index during mechanical ventilation are associated with mortality due to acute respiratory failure. 2011 , 15,	78
992	Strain threshold for ventilator-induced lung injury. 2011 , 15,	78
991	Do athletes require a higher tidal volume? An approach using predicted versus measured PFTs. 2011 , 15,	78
990	Potential reduction of ventilator-associated pneumonia by a novel peristaltic feeding tube: initial evaluation of safety and efficacy in a pig model and humans. 2011 , 15,	78
989	Respiratory variability in mechanically ventilated patients. 2011 , 15,	78
988	Suspended animation-inducer hydrogen sulphide protects against organ injury during endotoxemia, but aggravates systemic inflammation. 2011 , 15,	78
987	Dead space fraction indicates the titration of optimal positive end-expiratory pressure after recruitment in acute respiratory distress syndrome. 2011 , 15,	78

986	Dynamic distribution of conventional dendritic cells in the lung, blood and spleen from the early phase of sepsis-induced acute lung injury. 2011, 15,	1
985	A radiological visual scale to predict the potentially recruitable lung in ALI/ARDS patients. 2011, 15,	1
984	Interactions of nebulized heparin with intravenous antithrombin for combined therapy of acute lung injury. 2011, 15,	1
983	Thrombopoietin may enhance ventilator-induced lung injury. 2011, 15,	2
982	Indoleamine-2,3-dioxygenase activity induces neutrophil apoptosis. 2011, 15,	7
981	Defining sepsis in the ICU: a sensitivity analysis. 2011, 15,	78
980	Analysis of nosocomial bacteremia in an ICU during 16 months. 2011, 15,	1
979	Delayed ICU admission with community-acquired severe sepsis greatly increases mortality and resource use. 2011, 15,	3
978	Septic shock in a cohort of patients from the northeast of France: a preliminary epidemiological study, EPISS group. 2011, 15,	78
977	Long-term effects of an in-hospital program on sepsis management in the ICU. 2011, 15,	78
976	Extending the classification of healthcare-associated bloodstream infection to other main foci: respiratory, urinary and intra-abdominal. 2011, 15,	78
975	Healthcare-associated infection: do doctors recognize this group of patients?. 2011, 15,	78
974	Sustainability of an antimicrobial stewardship program in a community hospital ICU at 3 months post implementation. 2011, 15,	78
973	Attention to electronic prescription process improves time to first-dose antibiotics in patients on the ICU. 2011, 15,	78
972	An audit of antibiotic dosing according to renal function or renal replacement therapy in critical care. 2011, 15,	78
971	De-escalation of antimicrobial therapy in Gram-negative sepsis: easier said than done?. 2011, 15,	78
970	Impact of the adequacy of antibiotic therapy on the outcome of ventilator-associated pneumonia. 2011, 15,	78
969	Aetiology of pneumonia in the ICU: the need for early Gram-negative cover. 2011, 15,	78

968	Respiratory failure in cancer patients with influenza A (H1N1) is associated with poor prognosis. 2011, 15,	1
967	Hemodynamic and echocardiographic characteristics in severe novel influenza A (H1N1) pneumonia. 2011, 15,	78
966	Gram-positive nosocomial infections in a general ICU: emerging new clues. 2011, 15,	1
965	Prevalence of Gram-negative bacilli resistance in adult critically ill patients at admission screening. 2011, 15,	78
964	Risk factors to bloodstream infection due multidrug-resistant Results Acinetobacter baumannii in colonized patients in the ICU. 2011, 15,	78
963	Blood cultures at central line insertion: a comparison with peripheral venipuncture. 2011, 15,	78
962	Higher incidence of catheter-related bloodstream infection in femoral venous access than in subclavian venous access in the presence of tracheostomy. 2011, 15,	78
961	Polyhexanide anti-infective coating of central venous catheters in prevention of catheter colonization and bloodstream infection: Study HC-G-H-0507. 2011, 15,	5
960	Central line change in potential catheter-related bloodstream infection: target for intervention to reduce harm. 2011, 15,	78
959	Clostridium difficile-associated diarrhoea in a tertiary referral neurocritical care centre. 2011, 15,	2
958	A creep in the vancomycin minimum inhibitory concentration for Staphylococcus aureus in a tertiary care hospital in India. 2011, 15,	78
957	Prognostic impact of imported and newly-isolated methicillin-resistant Staphylococcus aureus in the ICU. 2011, 15,	78
956	Increased mortality associated with methicillin-resistant Staphylococcus aureus infection in the ICU: results from the EPIC II study. 2011, 15,	78
955	Intrathecal (intraventricular) polymyxin B in the treatment of patients with meningoencephalitis by Acinetobacter baumannii and Pseudomonas aeruginosa. 2011, 15,	1
954	Effects of tigecycline and doxycycline in porcine endotoxemia. 2011, 15,	78
953	Blood transfusions: an independent risk factor for the development of Candida infections in critically ill surgical patients. 2011, 15,	2
952	Demographic and outcome differences in ICU patients with proven invasive candidiasis, possible invasive candidiasis and probable candida colonization: analysis of the EPIC II study population. 2011, 15,	78
951	Chinese survey of candidiasis in ICUs: China-SCAN study. 2011, 15,	78

950	Anidulafungin for candidemia/invasive candidiasis in non-neutropenic ICU patients. 2011, 15,	78
949	Pharmacokinetics of micafungin in patients with severe burn injuries. 2011, 15,	78
948	Invasive aspergillosis in critically ill hematology patients: outcomes and prognostic factors associated with mortality. 2011, 15,	1
947	Effects of endotoxin on pacemaker funny current in HEK 293 cells. 2011, 15,	78
946	Influence of an immunoglobulin-enriched (IgG, IgA, IgM) solution on activation and immunomodulatory functions of peripheral blood mononuclear cells in a LPS second-hit model. 2011, 15,	2
945	Lipopolysaccharide induces mitochondrial dysfunction in rat cardiac microvascular endothelial cells. 2011, 15,	2
944	Monocyte subset recruitment to the peritoneum following abdominal surgical incision in mice. 2011, 15,	78
943	Influence of body mass index on the innate immune response during human endotoxemia. 2011, 15,	78
942	Effect of bacterial load versus duration of exposure to bacteria on plasma TNF α concentrations in porcine fecal peritonitis. 2011, 15,	78
941	Does leukocyte apoptosis play any role in the pathogenesis of experimental pancreatitis?. 2011, 15,	78
940	IFN γ prolongs survival in experimental Escherichia coli pyelonephritis: implications for favorable phagocytosis. 2011, 15,	78
939	Regulation of endothelial function by coagulation proteases in sepsis. 2011, 15,	1
938	Effect of HO-3089 PARP inhibitor on inflammatory response. 2011, 15,	78
937	Inflammatory mediator modulation with specific or selective adsorbents. 2011, 15,	78
936	Honokiol attenuates the severity of acute pancreatitis-associated lung injury by acceleration of acinar cell apoptosis. 2011, 15,	78
935	Impact of modulation of the endocannabinoid system on the intestinal microcirculation in experimental sepsis. 2011, 15,	1
934	Desmopressin improves intestinal functional capillary density and decreases leucocyte activation in experimental endotoxemia in the rat. 2011, 15,	78
933	Hypoxic NO-donor nitrite protects sGC-dependently against morbidity and mortality associated with sterile inflammatory shock in mice. 2011, 15,	78

932	Interplay between the innate immune response and heart rate variability in healthy human volunteers. 2011 , 15,	78
931	Different correlations between lymphocyte subsets from patients with intra-abdominal sepsis and pneumonia-derived sepsis. 2011 , 15,	78
930	AZD9773 is a novel and potent anti-TNF α polyclonal ovine immune Fab. 2011 , 15,	78
929	Preclinical pharmacodynamics and safety profiling of AZD9773: a novel anti-TNF α polyclonal immune ovine Fab similar to D-CytoFab. 2011 , 15,	78
928	Safety and tolerability of an ovine-derived polyclonal anti-TNF α Fab fragment (AZD9773) in patients with severe sepsis. 2011 , 15,	78
927	Evaluation of eritoran tetrasodium (E5564), a TLR4 antagonist, on the QTc interval in healthy subjects. 2011 , 15,	78
926	Safety, pharmacokinetics, and pharmacodynamics of 4-hour intravenous infusion of eritoran tetrasodium in healthy Japanese and Caucasian males. 2011 , 15,	78
925	Dipyridamole modulates the innate immune response during human endotoxemia. 2011 , 15,	78
924	Use of statins in community-acquired pneumonia in intensive care settings: is there a survival advantage?. 2011 , 15,	1
923	Atorvastatin for preventing the progression of sepsis to severe sepsis (ASEPSIS Trial): a randomised, double-blind, placebo-controlled trial (ISRCTN64637517). 2011 , 15,	4
922	Kinetics of immunoglobulins in septic shock patients. 2011 , 15,	1
921	Plasma DNA concentration as an early predictor of outcome in critically ill septic patients. 2011 , 15,	78
920	C-reactive protein as an early marker of sepsis resolution: results from the Portuguese Community-acquired Sepsis Study (SACiUCI study). 2011 , 15,	0
919	Effect of including procalcitonin and C-reactive protein in the Mortality in Emergency Department Sepsis risk prediction model. 2011 , 15,	78
918	Prognostic value of routinely assessed serum biomarkers in septic shock. 2011 , 15,	78
917	N-terminal pro-BNP predicts mortality better than procalcitonin in abdominal severe sepsis and septic shock. 2011 , 15,	78
916	Prognostic value of proadrenomedullin in severe sepsis and septic shock patients with community-acquired pneumonia. 2011 , 15,	1
915	Influence of TIMP-1/MMP-9 ratio on the severity and mortality in sepsis. 2011 , 15,	78

914	Impact of pro-domain stability of matrix metalloproteinase-8 on the outcome of sepsis. 2011 , 15,	3
913	Pentraxin 3 levels from bronchoalveolar lavage of critically ill patients predict lung infection. 2011 , 15,	78
912	Increased levels of soluble triggering receptor expressed on myeloid cells sTREM1 in ICU patients with cardiovascular disease and associated organ dysfunction. 2011 , 15,	1
911	Bronchoalveolar lavage/blood ratio of surface TREM-1 on CD14-positive monocytes is diagnostic of ventilator-associated pneumonia. 2011 , 15,	78
910	Angiotensin-converting enzyme (ACE) insertion/deletion polymorphism and circulating ACE levels are not associated with outcome in septic critically ill patients. 2011 , 15,	78
909	Comparison of the effects of recombinant human soluble thrombomodulin for systemic inflammatory response syndrome-associated coagulopathy with and without continuous hemodiafiltration. 2011 , 15,	78
908	Microcirculatory effect of hyperbaric oxygen therapy in septic patients. 2011 , 15,	2
907	Lipid metabolism in critically ill patients: a microdialysis study. 2011 , 15,	78
906	Does each element of the sepsis resuscitation bundle equally improve patient outcome?. 2011 , 15,	78
905	Multicenter trial of a perioperative protocol to reduce mortality in critically ill patients with peptic ulcer perforation: the PULP trial. 2011 , 15,	78
904	Effect of organ failure on outcomes in neutropenic sepsis. 2011 , 15,	78
903	Belgian dispatchers' telephone cardiopulmonary resuscitation protocol training: an evaluation study. 2011 , 15,	2
902	Comparison of the Mapleson C circuit, 500 ml and 1.6 l self-inflating bags for delivering guideline-compliant ventilation during simulated adult cardiopulmonary resuscitation. 2011 , 15,	78
901	Comparison of nifekalant and amiodarone for resuscitation after cardiopulmonary arrest due to shock-resistant ventricular fibrillation. 2011 , 15,	78
900	Implementation of the FAST emergency vehicle pre-emption system may improve the outcomes of out-of-hospital cardiac arrests: a 7-year observational study. 2011 , 15,	78
899	Responsiveness to EMT-performed basic CPR and its duration predict unachievable sustained return of spontaneous circulation and unavoidable hospital death in unwitnessed out-of-hospital cardiac arrests without bystander CPR. 2011 , 15,	78
898	Is intraosseous access a safe option in adult cardiac arrest? A review of the literature. 2011 , 15,	78
897	A survey on laypersons' willingness in performing cardiopulmonary resuscitation. 2011 , 15,	1

896	Effects and limitations of an automated external defibrillator with audiovisual feedback for cardiopulmonary resuscitation: a randomized manikin study. 2011 , 15,	78
895	Introduction of the 2005 cardiopulmonary resuscitation guidelines did not increase return of spontaneous circulation in a physician-staffed prehospital emergency medical system. 2011 , 15,	78
894	Subarachnoid hemorrhage and cardiac arrest: should every resuscitated patient receive cranial imaging?. 2011 , 15,	78
893	Predicting survival in cardiac arrest patients admitted to intensive care using the Prognosis After Resuscitation score. 2011 , 15,	1
892	Survival after cardiac arrest: what is the situation in Lithuania?. 2011 , 15,	78
891	Prognosis after cardiac arrest. 2011 , 15,	78
890	Incidence of lower respiratory tract infections in patients treated with post-cardiac arrest mild therapeutic hypothermia and selective digestive tract decontamination. 2011 , 15,	78
889	Earlier intra-arrest transnasal cooling may be beneficial. 2011 , 15,	78
888	Hyperoxia post cardiac arrest: experience of a UK ICU. 2011 , 15,	1
887	Ammonia and lactate blood levels on hospital arrival predict neurological outcome in patients with out-of-hospital cardiac arrest. 2011 , 15,	78
886	Use of the Medicooolâ€cooling system to increase efficacy of therapeutic hypothermia post cardiac arrest. 2011 , 15,	78
885	Choline kinetics in patients undergoing hypothermia treatment: a case observation in six cardiac arrest patients. 2011 , 15,	78
884	Employing knowledge translation interventions to increase the use of therapeutic hypothermia post arrest: the SPARC Network Trial. 2011 , 15,	78
883	Microvascular dysfunction in patients after successful resuscitation. 2011 , 15,	78
882	Application of high-frequency jet ventilation for patients with severe traumatic brain injury. 2011 , 15,	78
881	Efficacy and safety of dopamine agonists in traumatic brain injury: a systematic review of randomized controlled trials. 2011 , 15,	78
880	Update on the RESCUEicp decompressive craniectomy trial. 2011 , 15,	7
879	Cerebral oxygen monitoring in intensive care. 2011 , 15,	78

878	Optimising follow up and outcome assessments in traumatic brain injury trials. 2011, 15,	1
877	Optimising the consent process in severe traumatic brain injury trials. 2011, 15,	78
876	Early clinical indices predicting functional survival in severely head-injured patients. 2011, 15,	78
875	Prognostic value of prehospital single measurement of N-terminal pro-brain natriuretic peptide and troponin T after acute ischemic stroke. 2011, 15,	78
874	Stroke and thrombolysis: an old disease with a new approach. 2011, 15,	78
873	Cerebral vasoreactivity is not impaired in patients with severe sepsis. 2011, 15,	78
872	Significance of admission temperature and impact on mortality in critically ill neurological patients. 2011, 15,	78
871	Prognostic value of brain glucose levels in the outcome of patients with spontaneous cerebral hemorrhage. 2011, 15,	78
870	Potential use of transcranial sonography in the sick patient. 2011, 15,	78
869	Correlation of thermal Doppler flowmetry, brain tissue oxygen and microdialysis values in patients with severe subarachnoid hemorrhage and traumatic brain injury: a preliminary report. 2011, 15,	78
868	UK practice in management of patients with poor-grade subarachnoid haemorrhage. 2011, 15,	78
867	Increased plasma neutrophil gelatinase-associated lipocalin levels in poor-grade aneurysmal subarachnoid hemorrhage at admission to the ICU. 2011, 15,	78
866	Spontaneous subarachnoid hemorrhage: clinical impact, prognostic value and complications. 2011, 15,	1
865	Global cerebral edema and brain metabolism after subarachnoid hemorrhage. 2011, 15,	2
864	Incidence, risk factors, and impact on mortality of status epilepticus in sepsis in the United States. 2011, 15,	1
863	Seizure attacks in viral encephalitis: influence on a course and outcome. 2011, 15,	1
862	Incidence, risk factors, and impact on hospital mortality of status epilepticus after subdural hemorrhage in the United States. 2011, 15,	78
861	Electrographic seizures after subarachnoid hemorrhage lead to derangement of brain homeostasis in humans. 2011, 15,	78

860	Continuous electroencephalography in the surgical ICU. 2011 , 15,	78
859	Continuous electroencephalography in the medico-surgical intensive care setting in Brazil: initial experience after 4 months of implementation. 2011 , 15,	78
858	Nursing environment and delirium in ICU patients. 2011 , 15,	3
857	Development and validation of an eight-step flowchart based on the CAM-ICU: a quick and highly adaptable tool to determine the presence of delirium in ICU patients. 2011 , 15,	4
856	Delirium assessment in daily critical care with the CAM-ICU: a multicenter study. 2011 , 15,	3
855	Assessment of delirium in intensive care using the CAM-ICU. 2011 , 15,	78
854	Impact of delirium in critically ill patients on long-term health-related quality of life and cognitive functioning. 2011 , 15,	1
853	Effect of rivastigmine as an adjunct to usual care with haloperidol on duration of delirium and mortality in critically ill patients: a multicentre, double-blind, placebo-controlled randomised trial. 2011 , 15,	0
852	Biomarkers of delirium in critically ill patients. 2011 , 15,	1
851	Is delirium associated with pain and administered morphine in patients in the ICU after cardiac surgery?. 2011 , 15,	78
850	Modified Lund concept versus cerebral perfusion pressure-targeted therapy: a randomized controlled study in patients with secondary brain ischaemia. 2011 , 15,	78
849	Brain midline shift assessment using sonography in neurocritical care patients. 2011 , 15,	78
848	Hypernatremia in neurointensive care: results of a 5-year prospective study. 2011 , 15,	78
847	Paracetamol-induced skin blood flow and blood pressure changes. 2011 , 15,	1
846	Intravenous paracetamol pharmacokinetics in neonates: a pooled analysis. 2011 , 15,	78
845	Tramadol and O-demethyltramadol disposition in humans: a pooled study. 2011 , 15,	78
844	Bispectral index monitoring reduces sedative and vasopressor requirements during percutaneous tracheostomy. 2011 , 15,	78
843	How is sedation provided for percutaneous dilatational tracheostomy in English ICUs?. 2011 , 15,	1

842	Meta-analysis of detection of respiratory events during procedural sedation. 2011, 15,	1
841	Decreased postoperative nausea and vomiting with dexmedetomidine after off-pump coronary artery bypass grafting. 2011, 15,	3
840	Heart rate variability during infusion of dexmedetomidine. 2011, 15,	1
839	Pharmacokinetics of long-lasting, high-dose dexmedetomidine infusions in critically ill patients. 2011, 15,	78
838	Hemodynamic, metabolic and inflammatory effects of dexmedetomidine in a pig model of septic shock. 2011, 15,	78
837	Dexmedetomidine improves attention and recall in agitated critically ill patients. 2011, 15,	1
836	Skin conductance variability in ICU patients: an observational study of the relation to pain and Motor Activity Assessment Scale level. 2011, 15,	78
835	Change in hypnotic sedative choice over time as a surrogate marker of improved performance. 2011, 15,	78
834	What happens to all that propofol during prolonged sedation?. 2011, 15,	78
833	Psychological long-term effects of a no-sedation protocol in critically ill patients. 2011, 15,	78
832	Cannabinoid receptor-1 inhibition causes anesthetic-induced excitation in septic rats. 2011, 15,	78
831	Introduction of a remifentanyl-based analgo-sedation protocol leads to a reduction of duration of mechanical ventilation and ICU stay in critically ill patients. 2011, 15,	78
830	Validity and reliability of the Johns Hopkins Adapted Cognitive Exam for critically ill patients. 2011, 15,	78
829	UDP glucuronosyltransferase 2B7 single nucleotide polymorphism (rs7439366) influences heat pain response in human volunteers after i.v. morphine infusion. 2011, 15,	1
828	Metformin increases skeletal muscle lactate production in pigs: a microdialysis study. 2011, 15,	78
827	Bilirubin and carboxy-hemoglobin concentrations in critically ill patients: prognostic significance of free heme metabolites. 2011, 15,	0
826	Effects of N-acetylcysteine on the erythrocyte and liver cholinesterase, nitric oxide and malondialdehyde levels in acute organophosphate toxicity. 2011, 15,	1
825	Effects of CoQ10 on the erythrocyte and heart tissue cholinesterase, nitric oxide and malondialdehyde levels in acute organophosphate toxicity. 2011, 15,	78

824	Natriuretic peptide-induced hyponatremia in a patient with left atrial myxoma. 2011, 15,	2
823	Hypophosphatemia of prognostic value in acute exacerbation of COPD. 2011, 15,	78
822	Investigation and management of hypocalcaemia amongst critically ill patients. 2011, 15,	78
821	Seasonal vitamin D variability and its effects on the innate immune response during human endotoxemia. 2011, 15,	78
820	High bone turnover in critically vitamin-D-deficient patients. 2011, 15,	78
819	Low whole blood selenium level is associated with higher mortality and longer ICU and hospital stay in patients undergoing elective cardiac surgery. 2011, 15,	78
818	Effects of high doses of selenium on the antioxidant status after liver resection. 2011, 15,	1
817	Nutritional support in severe traumatic brain injury. 2011, 15,	78
816	Energy deficit and hospital length of stay can be reduced by quality management of nutrition therapy: the ICU dietitian is essential. 2011, 15,	78
815	Enteral feed absorption during therapeutic hypothermia following out-of-hospital cardiac arrest. 2011, 15,	2
814	Enteral nutrition in mechanically ventilated patients with cervical spinal cord injury. 2011, 15,	78
813	Nasogastric feeding intolerance in the critically ill. 2011, 15,	4
812	Enteral nutrition products in ICUs: data from NutritionDay. 2011, 15,	2
811	Protein losses and nitrogen balance during continuous renal replacement therapy. 2011, 15,	78
810	Impact of cumulative calorie and protein deficits in critically ill patients. 2011, 15,	3
809	Lipid-enriched and protein-enriched enteral nutrition limits inflammation in a human endotoxemia model. 2011, 15,	1
808	Inflammation causes arginine to become an essential amino acid in critically ill children. 2011, 15,	78
807	Comparison of the effects of intravenous, enteral and enteral + intravenous supply of glutamine on malnutrition in sepsis. 2011, 15,	1

806	Insufficient activation of autophagy allows accumulation of cellular damage and may contribute to sustained organ failure in prolonged critically ill patients. 2011, 15,	0
805	Glucose absorption following gastric and small intestinal nutrient administration in the critically ill. 2011, 15,	1
804	Enhanced insulin sensitivity variability in the first 3 days of ICU stay: implications for tight glycemic control. 2011, 15,	78
803	Endogenous insulin secretion and suppression during and after sepsis in critically ill patients: implications for tight glycemic control protocols. 2011, 15,	3
802	Effects of hyperglycemia and intensive insulin therapy on neurons and glial cells during critical illness. 2011, 15,	78
801	Errors in preparation of insulin infusions for critically ill patients. 2011, 15,	78
800	Blood glucose variability, measured as mean absolute glucose, strongly depends on the frequency of blood glucose level measurements. 2011, 15,	4
799	Validation of a virtual patient and virtual trials method for accurate prediction of tight glycemic control protocol performance. 2011, 15,	78
798	Intensive insulin therapy-associated costs differ substantially between ICUs. 2011, 15,	78
797	Tight glucose control managed by ICU nurses induces extremely low rates of hypoglycemia. 2011, 15,	2
796	Investigation of the blood glucose target for mortality reduction by means of bedside-type artificial pancreas. 2011, 15,	78
795	Mild hypoglycemia is independently associated with increased mortality in the critically ill. 2011, 15,	4
794	Malglycemia is strongly associated with increased risk of ICU-acquired infection. 2011, 15,	1
793	Intensive insulin therapy-induced severe hypoglycemia does not affect long-term functional and cognitive outcome or health-related quality of life. 2011, 15,	78
792	Decreased intravenous glucose intake safely prevents hyperglycemia in postsurgical children. 2011, 15,	78
791	Space GlucoseControl with the incorporated enhanced model predictive control algorithm is a safe and reliable tool for glycaemic control in medical ICU patients. 2011, 15,	78
790	Glucose variability and ICU outcome. 2011, 15,	78
789	Glycemic control in critically ill infants and children: achieved quality of control in daily clinical practice in Leuven after a RCT. 2011, 15,	78

788	Glycemia in blood, brain and subcutaneous tissue measured by a continuous glucose monitoring system. 2011, 15,	1
787	Evaluation of a continuous blood glucose monitoring system using central venous microdialysis. 2011, 15,	1
786	Accuracy of glucose measurements in critically ill patients. 2011, 15,	78
785	Comparison of glucose variability measures. 2011, 15,	78
784	Alarm performance in a novel continuous glucose monitor. 2011, 15,	78
783	Salivary cortisol measurements in mechanically ventilated patients. 2011, 15,	78
782	Plasma free cortisol and b-type natriuretic peptide in septic shock. 2011, 15,	78
781	Interstitial cortisol levels obtained by adipose tissue microdialysis in mechanically ventilated septic patients: correlations with total and free serum cortisol. 2011, 15,	78
780	Early administration of hydrocortisone replacement after advent of septic shock is a major determinant of final outcome. 2011, 15,	78
779	Low preoperative total lymphocyte count as a predictor of poor outcome in adult cardiac surgery. 2011, 15,	1
778	Usefulness of presepsin (sCD14-ST) measurements as a marker for the diagnosis and severity of sepsis in systemic inflammatory response syndrome. 2011, 15,	78
777	Assessment of IL-18 values in septic acute lung injury/acute respiratory distress syndrome patients. 2011, 15,	78
776	Activation of endothelial damage by TNF α and IFN γ in ischemia/reperfusion injury and systemic inflammation. 2011, 15,	78
775	SAPO-1/Fas and sFas-L ratio, level of Bcl-2 and p53 as a predictors of multiple organ dysfunction syndrome in polytrauma. 2011, 15,	78
774	Sulfonated immunoglobulin improves cardiopulmonary functions by promoting IGF-I production in ARDS patients with severe sepsis. 2011, 15,	78
773	Fluorinated groups mediate the immunomodulatory effects of volatile anesthetics in acute pulmonary inflammation. 2011, 15,	78
772	Soluble triggering receptor expressed on myeloid cells as a marker of non-infectious systemic inflammatory response syndrome. 2011, 15,	78
771	Anemia profile in critical septic patients hospitalized in the ICU. 2011, 15,	78

770	The normobaric oxygen paradox: does it increase haemoglobin?. 2011, 15,	4
769	Transfusion of red blood cells does not increase transcutaneous oxygen tension. 2011, 15,	78
768	Role of CD40 ligand in transfusion-related acute lung injury. 2011, 15,	78
767	Tissue oxygen monitoring leads to lower rates of blood transfusions. 2011, 15,	2
766	Central venous to arterial carbon dioxide gap as an indicator of oxygen debt in isovolemic anemia. 2011, 15,	78
765	Blood transfusion during cardiac surgery dose-dependently stimulates inflammation and coagulopathy in the lung: a case-control study. 2011, 15,	1
764	Red blood cell transfusion thresholds in pediatric septic patients. 2011, 15,	78
763	Accuracy of a continuous non-invasive hemoglobin monitor in the ICU. 2011, 15,	78
762	Safety and effectiveness of different treatment regimes with tranexamic acid in elective cardiopulmonary bypass patients. 2011, 15,	78
761	Anticoagulant effect of prothrombin complex concentrates: a whole blood in vitro study. 2011, 15,	78
760	Failure to correct the international normalized ratio in patients with anticoagulant-related major bleeding is associated with increased 90-day mortality. 2011, 15,	78
759	Thromboembolic risks of recombinant factor VIIa use in warfarin-associated intracranial hemorrhage. 2011, 15,	78
758	Does the coagulation profile really matter in central venous cannulation? A review of the literature. 2011, 15,	2
757	Monitoring of coagulation in patients after abdominal cancer surgery. 2011, 15,	78
756	Overuse of coagulation parameter testing in critically ill patients. 2011, 15,	78
755	Applying a new method for studying the functional state of hemostasis in clinical practice. 2011, 15,	78
754	Comparison of point-of-care thrombelastography versus conventional coagulation tests in the emergency department management of trauma. 2011, 15,	1
753	Effect of hypothermia on coagulation functions in Sprague-Dawley rats with uncontrolled hemorrhagic shock. 2011, 15,	78

752	Sepsis: thrombocytopenia is bad, not recovering thrombocytopenia is too bad. 2011 , 15,	1
751	Thrombocytopenia: incidence and clinical impact on ICU mortality. 2011 , 15,	78
750	Sepsis-induced thrombocytopenia: early prediction and modifiable mortality. 2011 , 15,	1
749	Biochemical and hematological parameters (including thromboelastography) differ in patients with sepsis and SIRS after esophagectomy. 2011 , 15,	78
748	Use of thromboelastography in severe sepsis: a case-control study. 2011 , 15,	1
747	Effect of anemia on coagulation and platelet function: a whole blood in vitro study. 2011 , 15,	4
746	Effect of pH levels on platelet aggregation and coagulation: a whole blood in vitro study. 2011 , 15,	2
745	Hemostasis system condition in progress of sepsis in severe burns. 2011 , 15,	78
744	Muscular compartment syndrome and in vivo optical spectroscopy monitoring: a new model. 2011 , 15,	78
743	Effects of sepsis on venous microcirculation: non-invasive evaluation by quantitative near-infrared spectroscopy. 2011 , 15,	78
742	Role of microcirculatory monitoring in polytraumatic patients. 2011 , 15,	78
741	Early trauma deaths in a level 1 trauma center: whole-body 16-MDCT is associated with a threefold increase in the time interval from hospital access to emergency surgery if compared with a US-based protocol. 2011 , 15,	78
740	Diagnostic value of duplex ultrasonography in comparison with conventional angiography in the assessment of traumatic arterial injuries of the extremities. 2011 , 15,	78
739	Simple predictive scoring system for ventilator-associated pneumonia in trauma patients. 2011 , 15,	78
738	Effect of a trauma proforma on the quality of documentation in the Emergency Department. 2011 , 15,	78
737	Efficiency of a French-language triage algorithm in the Emergency Department. 2011 , 15,	1
736	Optimized patient transfer using an innovative multidisciplinary assessment in the Kanton Aargau (OPTIMA I): an observational survey in lower respiratory tract infections. 2011 , 15,	2
735	Agreement of pain assessment between nurses and patients in the Emergency Department. 2011 , 15,	1

734	Effect of delayed ICU admission on mortality and morbidity. 2011 , 15,	78
733	Case note and chart review of mortality in patients with a predicted low risk of death on admission to the ICU. 2011 , 15,	78
732	Cost impact of blocking: predictability of ICU patient throughput and cost variance using process modeling. 2011 , 15,	78
731	ICU readmission: good or bad?. 2011 , 15,	78
730	Is the ASA physical status classification system a good prognostic index for ICU admissions?. 2011 , 15,	0
729	Factors and consequences associated with a delay in the discharge process of patients from an adult critical care unit. 2011 , 15,	1
728	Delayed ITU discharge: causes and impact. 2011 , 15,	1
727	Length of hospital stay prior to ICU admission and outcome. 2011 , 15,	78
726	Intensive care admission triage for a pandemic: are government tools acceptable to UK intensivists?. 2011 , 15,	78
725	Patients' profile admitted to the ICU after establishment of a regulatory policy system for ICU patient allocation at public hospitals in Rio de Janeiro, Brazil. 2011 , 15,	78
724	Changes in very older person admissions to an ICU over a decade. 2011 , 15,	78
723	Effect of introducing training in assessment tools for foundation trainees (F2) in intensive care and anaesthesia in a UK teaching hospital. 2011 , 15,	78
722	Model Team in the ICU: does the implementation of intensive care assistants affect ICU nursing activity?. 2011 , 15,	78
721	Impact of implementing a critical care team in an open general ICU. 2011 , 15,	78
720	Impact of a program of training on the performance of a track and trigger system and outcome of ICU admissions. 2011 , 15,	78
719	Impact of increased numbers of intensive care consultants on outcome in a central London teaching hospital. 2011 , 15,	78
718	Intensivist-led on-call service: key step in mortality reduction. 2011 , 15,	1
717	Mews Anesthesia Team: a project for in-hospital patient safety. 2011 , 15,	78

716	Does implementing a rapid response system decrease the number of in-hospital cardiac arrests?. 2011, 15,	78
715	Impact of training in the use of an early warning system on in-hospital cardiac arrests. 2011, 15,	78
714	Daily physiological goal-setting: medical prescription and nursing adherence in a London teaching hospital ICU. 2011, 15,	78
713	Automated reporting of safety bundles: streamlining the performance improvement process. 2011, 15,	78
712	Prevalence, clinical management and risks associated with acute faecal incontinence in the critical care setting: the FIRST questionnaire survey. 2011, 15,	0
711	Patient safety in ICUs: adverse events characterization and potential risk factors. 2011, 15,	2
710	Failure to define level 1 care. 2011, 15,	78
709	Robotic telepresence in acute care facilities in community hospitals in Mexico. 2011, 15,	78
708	System-level concentration of services for mechanically ventilated patients can mask substantial regional heterogeneity and disorganization. 2011, 15,	78
707	Understanding staff perspectives on collaborative quality improvement in the ICU: a qualitative exploration. 2011, 15,	78
706	Improving medication safety on critical care using an anonymous electronic medication incident reporting system. 2011, 15,	78
705	Reduction in the incidence of VAP and mortality rates in the ICU after implementation of hand hygiene education protocols and extensive ICU reconstruction work. 2011, 15,	78
704	Paediatric admissions to an adult ICU in a district general hospital in the UK. 2011, 15,	78
703	Factors associated with compassion fatigue among ICU nurses in Greece. 2011, 15,	5
702	Burnout in ICUs in Portugal: is there? Are there differences between doctors and nurses?. 2011, 15,	78
701	Medical handovers in the ICU: a snapshot of practice in the South West of France. 2011, 15,	1
700	Ratio of observed to predicted deaths in pediatric patients after introducing a closing policy in a general ICU. 2011, 15,	78
699	Safety programme reduces ICU mortality. 2011, 15,	78

698	Critical care outcome of pulmonary artery hypertension. 2011, 15,	78
697	Outcomes of haematopoietic stem cell transplant patients admitted to the ICU. 2011, 15,	78
696	Patterns of infection and impact on outcome in haematology patients admitted to intensive care. 2011, 15,	1
695	Outcome of haematology patients admitted to intensive care in a tertiary centre: primary haematological diagnosis, recent chemotherapy and bone marrow transplantation are not associated with outcome. 2011, 15,	1
694	New prognosis inflammatory and nutritional indexes: comparison with the Prognostic Inflammatory and Nutritional Index as reference index. 2011, 15,	78
693	Feasibility and utility of frailty assessment in the over 80s on critical care. 2011, 15,	1
692	Quality of life in the over-80-year-old medical patient following intensive care. 2011, 15,	78
691	Is age a predictor of mortality in medical high-dependency units?. 2011, 15,	78
690	Inadvisably presenting APACHE scores as parametric data: a study of 200 original articles from leading journals. 2011, 15,	1
689	ICU scoring systems: which one to use in oncology patients?. 2011, 15,	78
688	Do scoring systems predict mortality following emergency abdominal aortic aneurysm repair? The Norwich experience. 2011, 15,	78
687	Influence of resuscitation status on the performance of APACHE III, APACHE IV and SAPS III. 2011, 15,	78
686	Limitations of the use of the Glasgow Coma Scale in intensive care patients with non-neurological primary disease: a search for alternatives. 2011, 15,	6
685	ManChEWS: Royal Manchester Children's Hospital early warning score. 2011, 15,	2
684	Does an open level 2 medical high-dependency unit improve outcomes for critically ill patients? Using the APACHE II scoring system in a district general hospital in the UK. 2011, 15,	78
683	Gastrointestinal failure score alone and in combination with SOFA score in the assessment of the critically ill patients. 2011, 15,	1
682	How high must lactate be to predict an adverse outcome?. 2011, 15,	78
681	Outcome prediction in haematological patients requiring admission to the ICU. 2011, 15,	78

680	HIV-infected patients in the ICU in the current era of high-activity antiretroviral treatment. 2011, 15,	78
679	Clinical characteristics and outcomes of obstetric patients requiring ICU admission. 2011, 15,	1
678	Management and risk factors for maternal morbidity of eclampsia in a Moroccan teaching hospital. 2011, 15,	78
677	Clinical and diagnostic value of transcranial cerebral oximetry in the optimization of mechanical ventilation in newborn infants. 2011, 15,	78
676	Assessment of artificial ventilation in Salvadorian public hospitals. 2011, 15,	78
675	Comparison of the stated religious beliefs amongst UK intensive care physicians and the UK population. 2011, 15,	78
674	Characteristics of Outreach patients that received end-of-life counseling. 2011, 15,	1
673	Discussing end-of-life issues with terminally ill cancer patients and their families: our results. 2011, 15,	78
672	Factors associated with withdrawal of life-sustaining therapy in severe traumatic brain injury patients. 2011, 15,	78
671	Documenting end-of-life care plans on the ICU: using a digital proforma may improve compliance with nationally agreed standards. 2011, 15,	78
670	Gender influences end-of-life decisions. 2011, 15,	78
669	Survey of the use of ancillary tests in the diagnosis of brain stem death. 2011, 15,	1
668	Interactions of endotoxin, albumin function, albumin binding capacity and oxidative stress in brain-dead organ donors. 2011, 15,	78
667	Children visiting the ICU. 2011, 15,	78
666	Is there a difference in response rate and degree of satisfaction among family members of survivors and nonsurvivors at admission to intensive care?. 2011, 15,	78
665	Patient's families in the ICU: describing their strategies to face the situation. 2011, 15,	78
664	Communication with relatives in the ICU. 2011, 15,	78
663	Inter-observer agreement of Medical Research Council-sum score and handgrip strength in the ICU. 2011, 15,	2

662	Assessment of functional capacity after discharge from the ICU. 2011 , 15,	78
661	Rehabilitation after critical care: using audit to guide changes in practice, a multidisciplinary (MDT) approach. 2011 , 15,	78
660	An audit of adult critical care rehabilitation processes in a UK district general hospital based on NICE guidelines. 2011 , 15,	78
659	Follow-up after critical care. 2011 , 15,	78
658	Sunlight exposure does not influence ICU survival. 2011 , 15,	78
657	Incidents related to intrahospital transport of patients in the ICU. 2011 , 15,	1
656	Systematic review of industry-led versus investigator-led randomized controlled trials. 2011 , 15,	78
655	Female authors in top-rank journals of different medical specialties. 2011 , 15,	1
654	National survey of protective eye care practices in the critically ill. 2011 , 15,	6
653	Sleep disturbances in the ICU. 2011 , 15,	78
652	Inhaled colistin for the treatment of ventilator-associated tracheobronchitis in critically ill patients. 2011 , 15,	78
651	Erratum to: Prevalence, clinical management and risks associated with acute faecal incontinence in the critical care setting: The FIRST questionnaire survey. 2011 , 15,	78
650	"CAN WE FEED?" A mnemonic to merge nutrition and intensive care assessment of the critically ill patient. 2011 , 35, 643-59	25
649	Effect of enteral versus parenteral nutrition on outcome of medical patients requiring mechanical ventilation. 2011 , 26, 322-9	38
648	When early enteral feeding is not possible in critically ill patients: results of a multicenter observational study. 2011 , 35, 160-8	51
647	Comment On: Gastric Residual Volume During Enteral Nutrition in ICU Patients: The REGANE Study Montejo JC, Miãmbres E, Bordej`L, et al. 2011 , 26, 91-93	1
646	Optimal caloric intake for critically ill patients: first, do no harm. 2011 , 26, 48-54	27
645	Validation of an equation for resting metabolic rate in older obese, critically ill patients. 2011 , 35, 264-9	52

644	Effects of thyroid hormones on major cardiovascular risk in acute coronary syndromes. 2011 , 15,	1
643	Nutrition des traumatisés crâniens graves. 2011 , 25, 233-245	
642	Historical highlights of the development of enteral nutrition. 2011 , 91, 945-64, x	11
641	Comparaçã entre as necessidades energéticas prescritas e administradas a pacientes em terapia nutricional enteral. 2011 , 44, 177	0
640	Impacto da adequaçã da oferta energética sobre a mortalidade em pacientes de UTI recebendo nutriçã enteral. 2011 , 23, 183-189	7
639	Examining the Obese Patient. 2011 , 37, 7	
638	Central role of oxidative stress and its signaling pathways in causing and preventing acute lung injury. 2011 , 39, 2776-7	3
637	Bioinformatics assistance of metabolic and nutrition management in the ICU. 2011 , 14, 202-8	17
636	World Federation of Neurologic Surgeons grade V ... rationed care or rational care?. 2011 , 39, 2778-9	
635	Hypocaloric Feeding in the Obese Intensive Care Unit Patient. 2011 , 37, 1-5	1
634	Benefit for Elimination Diet in ADHD?. 2011 , 37, 8-9	
633	Optimal amount of calories for critically ill patients: depends on how you slice the cake!. 2011 , 39, 2619-26	184
632	Ultrasonographic evaluation of diaphragmatic function. 2011 , 39, 2760-1	13
631	Sedating the injured brain: searching for the "ideal" pharmacological recipe. 2011 , 39, 2780-2	
630	Walk this way. 2011 , 39, 2752-3	3
629	Sodium nitroprusside-enhanced cardiopulmonary resuscitation: are we out of the box yet?. 2011 , 39, 2775-6	0
628	Orally fed patients are at high risk of calorie and protein deficit in the ICU. 2011 , 14, 182-5	8
627	Energy imbalance and the risk of overfeeding in critically ill children. 2011 , 12, 398-405	95

626	Can we reliably predict the development of hospital acquired infections after septic shock?. 2011 , 39, 2769-71	
625	Nutritional support in critically ill patients: can we have the cake and the topping too?. 2011 , 39, 2757-9	5
624	To count for--mortality on intensive care unit and the allocation of ventilator-associated pneumonia. 2011 , 39, 2779-80	0
623	Should Guidelines Advise Older Adults to Lose Weight?. 2011 , 37, 6-8	1
622	NewsBites. 2011 , 37, 12	
621	More randomized controlled trials in acute lung injury? Not so fast, my friend. 2011 , 39, 2763-4	1
620	Airway pressure release ventilation: a mode of ventilation to consider in children with congenital heart disease. 2011 , 39, 2753-4	1
619	Adaptive alterations in metabolism: practical consequences on energy requirements in the severely ill patient. 2011 , 14, 171-5	18
618	Tolerance, safety, and effect on the faecal microbiota of an enteral formula supplemented with pre- and probiotics in critically ill children. 2011 , 53, 174-81	31
617	Early use of supplemental parenteral nutrition in critically ill patients: results of an international multicenter observational study. 2011 , 39, 2691-9	82
616	Sepsis and hypotension: enter kynurenine, move over nitric oxide. 2011 , 39, 2767-9	3
615	Supplemental parenteral nutrition in the critically ill: "different strokes for different folks". 2011 , 39, 2771-2	2
614	High-frequency oscillatory ventilation in adult patients with acute respiratory distress syndrome: where do we stand and where should we go?. 2011 , 39, 2761-2	
613	Defining acute kidney injury: further steps in the right direction but can dtente be maintained?. 2011 , 39, 2764-5	2
612	Clinical Nutrition INSIGHT. 2011 , 37, 10-11	
611	Away from the precipice. 2011 , 39, 2756-7	
610	Is there a role for soluble guanylate cyclase stimulators in acute pulmonary embolism?. 2011 , 39, 2773-4	1
609	Timing of fluid administration in critically ill patients with acute kidney injury: every good thing has an end. 2011 , 39, 2766-7	0

608	Go team go: recognizing the importance of team training in critical care. 2011 , 39, 2755-6		2
607	Identifying the factors that influence energy deficit in the adult intensive care unit: a mixed linear model analysis. 2011 , 24, 215-22		11
606	Treatment with growth hormone, somatostatin, and insulin in combination with hypocaloric parenteral nutrition in gastrointestinal cancer patients after surgery. 2011 , 27, 633-40		10
605	[Guidelines for specialized nutritional and metabolic support in the critically-ill patient. Update. Consensus of the Spanish Society of Intensive Care Medicine and Coronary Units-Spanish Society of Parenteral and Enteral Nutrition (SEMICYUC-SENPE): indications, timing and routes of nutrient delivery]. 2011 , 35 Suppl 1, 7-11		10
604	[Guidelines for specialized nutritional and metabolic support in the critically-ill patient. Update. Consensus of the Spanish Society of Intensive Care Medicine and Coronary Units-Spanish Society of Parenteral and Enteral Nutrition (SEMICYUC-SENPE): nutritional assessment]. 2011 , 35 Suppl 1, 12-6		2
603	[Guidelines for specialized nutritional and metabolic support in the critically-ill patient. Update. Consensus of the Spanish Society of Intensive Care Medicine and Coronary Units-Spanish Society of Parenteral and Enteral Nutrition (SEMICYUC-SENPE): macro-and micronutrient requirements]. 2011 , 35 Suppl 1, 17-21		14
602	Inadequate energy delivery during early critical illness correlates with increased risk of mortality in patients who survive at least seven days: a retrospective study. <i>Clinical Nutrition</i> , 2011 , 30, 209-14	5.9	49
601	The success of enteral nutrition and ICU-acquired infections: a multicenter observational study. <i>Clinical Nutrition</i> , 2011 , 30, 148-55	5.9	81
600	Assessment of food intake in hospitalised patients: a 10-year comparative study of a prospective hospital survey. <i>Clinical Nutrition</i> , 2011 , 30, 289-96	5.9	96
599	Tolerability and efficacy of a low-volume enteral supplement containing key nutrients in the critically ill. <i>Clinical Nutrition</i> , 2011 , 30, 599-603	5.9	27
598	Catecholamine index is a simple and useful marker for bacteremic patients treated by polymyxin B hemoperfusion therapy. 2011 , 15,		78
597	Kombinierte enterale und parenterale Ernährung. 2011 , 48, 109-116		1
596	Enteral nutrition in hemodynamic instability. 2011 , 48, 117-118		2
595	[Supplemental parenteral nutrition. Friend or foe? The EPaNIC study]. 2011 , 106, 218-20		1
594	[Nutritional management of severely injured patients : Treatment between guidelines and reality]. 2011 , 114, 973-80		
593	Cardiogenic shock and nutrition: safe?. 2011 , 37, 35-45		27
592	The tight calorie control study (TICACOS): a prospective, randomized, controlled pilot study of nutritional support in critically ill patients. 2011 , 37, 601-9		388
591	Individualized ICU nutrition for a better outcome. 2011 , 37, 564-5		7

590	Deficit calorique du patient de ranimation : ^traiter ou ^contempler?. 2011 , 20, 279-286	
589	Valuation de la composition corporelle en ranimation : avantages et limites. 2011 , 20, 287-296	1
588	Anthropometric measurements of nutritional status in chronic pancreatitis in India: comparison of tropical and alcoholic pancreatitis. 2011 , 30, 78-83	17
587	Inpatient enteral and parenteral [corrected] nutrition for patients with diabetes. 2011 , 11, 99-105	19
586	Appropriate protein and specific amino acid delivery can improve patient outcome: fact or fantasy?. 2011 , 13, 380-7	10
585	Carbohydrate provision in the era of tight glucose control. 2011 , 13, 388-94	2
584	Impact of early parenteral nutrition completing enteral nutrition in adult critically ill patients (EPaNIC trial): a study protocol and statistical analysis plan for a randomized controlled trial. 2011 , 12, 21	61
583	Malabsorption and nutritional balance in the ICU: fecal weight as a biomarker: a prospective observational pilot study. 2011 , 15, R264	41
582	Physiopathologie de la dhutrition en ranimation. 2011 , 25, 29-35	
581	Nutritional treatment a various clinical setting--practical considerations. 2011 , 83, 681-7	
580	[Nutrition in the critically ill]. 2011 , 136, 2251-62	5
579	Ernhrungstherapie des kritisch Kranken - Update 2010. 2011 , 7, 9-20	2
578	[Nutrition in intensive care]. 2011 , 136, 1180-3	1
577	Nutrition support for the acute lung injury/adult respiratory distress syndrome patient: a review. 2011 , 26, 14-25	16
576	Evidence-based practice strategy: increasing timely nutrition in mechanically ventilated trauma surgical patients. 2011 , 30, 346-55	2
575	Military nutrition: maintaining health and rebuilding injured tissue. 2011 , 366, 231-40	16
574	Early ICU energy deficit is a risk factor for Staphylococcus aureus ventilator-associated pneumonia. 2011 , 140, 1254-1260	50
573	Permissive underfeeding and intensive insulin therapy in critically ill patients: a randomized controlled trial. 2011 , 93, 569-77	245

572	Early versus late parenteral nutrition in critically ill adults. 2011 , 365, 506-17	2076
571	Current strategies of critical care assessment and therapy of the obese patient (hypocaloric feeding): what are we doing and what do we need to do?. 2011 , 35, 36S-43S	18
570	Physician-delivered malnutrition: why do patients receive nothing by mouth or a clear liquid diet in a university hospital setting?. 2011 , 35, 337-42	35
569	Assessment of body cell mass at bedside in critically ill patients. 2012 , 303, E389-96	49
568	Nutrition assessment and intervention in the patient with dysphagia: challenges for quality improvement. 2012 , 72, 77-83	6
567	Monitoring in the intensive care. 2012 , 2012, 473507	18
566	The impact of implementation of a nutrition support algorithm on nutrition care outcomes in an intensive care unit. 2012 , 27, 793-801	25
565	Nutrition risk assessment in the ICU. 2012 , 15, 174-80	36
564	Making a difference with early enteral feeding. 2012 , 7, 29-33	
563	Is Indirect Calorimetry the "Gold Standard" for Estimating Calorie Needs?. 2012 , 38, 1-4	
562	Combined enteral and parenteral nutrition. 2012 , 15, 161-5	7
561	Selection of top 10 quality indicators for nutrition therapy. 2012 , 27, 261-7	18
560	Frühe oder späte supplementierende parenterale Ernährung bei erwachsenen Intensivpatienten?. 2012 , 37, 28-30	
559	Wie viel "Ernährung" braucht der kritisch kranke Patient?. 2012 , 37, 22-27	5
558	Ernährung von Intensivpatienten. 2012 , 37, 36-57	3
557	Parenteral nutrition is not the false route in the intensive care unit. 2012 , 36, 12-4	6
556	Bloodstream infections in patients receiving manufactured parenteral nutrition with vs without lipids: is the use of lipids really deleterious?. 2012 , 36, 421-30	17
555	Metabolic and nutrition support in the chronic critical illness syndrome. 2012 , 57, 958-77; discussion 977-8	43

554	The effect of abdominal massage on gastric residual volume: a randomized controlled trial. 2012 , 35, 117-23	24
553	Nutritional practices and their relationship to clinical outcomes in critically ill children--an international multicenter cohort study*. 2012 , 40, 2204-11	255
552	Energy deficit and length of hospital stay can be reduced by a two-step quality improvement of nutrition therapy: the intensive care unit dietitian can make the difference. 2012 , 40, 412-9	96
551	Motility disorders of the upper gastrointestinal tract in the intensive care unit: pathophysiology and contemporary management. 2012 , 46, 449-56	32
550	Do we need an assessment of the nutrition risk in the critically ill patient?. 2012 , 16, 101	2
549	Best timing for energy provision during critical illness. 2012 , 16, 215	36
548	Comparative effects on glucose absorption of intragastric and post-pyloric nutrient delivery in the critically ill. 2012 , 16, R167	11
547	Nutrition support in critically ill children: underdelivery of energy and protein compared with current recommendations. 2012 , 112, 1987-92	41
546	Parenteral Nutrition in the Hospitalized Patient. 2012 , 1, e404-e415	1
545	Does artificial nutrition improve outcome of critical illness?. 2013 , 17, 302	57
544	From mitochondrial disturbances to energy requirements. 2013 , 105, 1-11	5
543	How to choose the route. 2013 , 105, 21-31	1
542	How to prescribe nutritional support using computers. 2013 , 105, 32-42	3
541	Parenteral nutrition. 2013 , 105, 59-68	7
540	Can nutrition support interfere with recovery from acute critical illness?. 2013 , 105, 69-81	10
539	Combined enteral feeding and total parenteral nutritional support improves outcome in surgical intensive care unit patients. 2012 , 75, 459-63	4
538	Why patients in critical care do not receive adequate enteral nutrition? A review of the literature. 2012 , 27, 702-13	73
537	Factors leading to discrepancies between prescription and intake of enteral nutrition therapy in hospitalized patients. 2012 , 28, 864-7	24

536 Specialized Nutrition Support. **2012**, 982-999

535 Intensive insulin therapy in the ICU--reconciling the evidence. **2012**, 8, 374-8

32

534 Nutrition intervention in the critically ill cardiothoracic patient. **2012**, 27, 323-34

475

533 Nutrition and the open abdomen. **2012**, 27, 499-506

22

532 Optimal protein and energy nutrition decreases mortality in mechanically ventilated, critically ill patients: a prospective observational cohort study. **2012**, 36, 60-8

248

531 Terapia nutricional enteral em politraumatizados sob ventilaçã mecânica e oferta energética. **2012**, 25, 695-705

1

530 Necessidades nutricionais do doente crítico. **2012**, 24, 270-277

7

529 La calorimétrie indirecte : un outil précis trop peu utilisé. **2012**, 21, 406-410

528 [Nutrition in intensive care medicine]. **2012**, 61, 553-64

4

527 Parenteral nutrition is not the false route in ICU. *Clinical Nutrition*, **2012**, 31, 153-5

5.9 4

526 A prospective randomised study comparing oral C-bicarbonate tracer technique versus indirect calorimetry for measurement of energy expenditure in adults. **2012**, 7, e1-e4

525 Adequacy of early enteral nutrition in adult patients in the intensive care unit. **2012**, 21, 2860-9

11

524 Multidisciplinary evaluation of a critical care enteral feeding algorithm. **2012**, 69, 242-249

8

523 Impact de la nutrition sur la morbidité et la mortalité en réanimation. **2012**, 21, 406-411

522 Timing of the initiation of parenteral nutrition in critically ill adults. **2012**, 7, 75-6

2

521 Periprocedural cessation of nutrition in the intensive care unit: opportunities for improvement. **2013**, 39, 1221-6

40

520 La reprise de la nutrition orale en réanimation. **2013**, 22, 389-394

519 Surveillance et évaluation de l'efficacité de la nutrition artificielle en réanimation. **2013**, 22, 399-406

518	When does nutrition impact respiratory function?. 2013 , 15, 327	4
517	Rolle des Gastrointestinaltrakts im Rahmen kardiochirurgischer Eingriffe. 2013 , 27, 193-205	
516	[Nutrition and acute respiratory failure]. 2013 , 108, 379-83	1
515	Enteral nutrition is associated with improved outcome in patients with severe sepsis. A secondary analysis of the VISEP trial. 2013 , 108, 223-33	39
514	Energy estimation and measurement in critically ill patients. 2013 , 37, 705-13	85
513	Perioperative nutritional support. 2013 , 31, 393-399	
512	Pharmaconutrition review: physiological mechanisms. 2013 , 37, 51S-65S	34
511	Impact de lâ'utilisation systématique d'un arbre d'cisionnel pour la nutrition entérale en r'animation. 2013 , 27, 5-9	6
510	Negative energy balance secondary to inadequate dietary intake of patients on the waiting list for liver transplantation. 2013 , 29, 1252-8	29
509	The evolution of nutrition in critical care: how much, how soon?. 2013 , 17 Suppl 1, S7	27
508	Why critically ill patients are protein deprived. 2013 , 37, 300-9	37
507	Effect of not monitoring residual gastric volume on risk of ventilator-associated pneumonia in adults receiving mechanical ventilation and early enteral feeding: a randomized controlled trial. 2013 , 309, 249-56	326
506	Role of disease and macronutrient dose in the randomized controlled EPaNIC trial: a post hoc analysis. 2013 , 187, 247-55	169
505	When should we add parenteral to enteral nutrition?. 2013 , 381, 354-5	37
504	Effect of tolerating macronutrient deficit on the development of intensive-care unit acquired weakness: a subanalysis of the EPaNIC trial. 2013 , 1, 621-629	190
503	Conduite à tenir lors d'une diarrhée sous nutrition entérale. 2013 , 27, 51-53	1
502	Adherence to the National Institute of Clinical Excellence guidance on parenteral nutrition screening is not enough to improve outcomes. <i>Clinical Nutrition</i> , 2013 , 32, 73-6	5.9 4
501	[Usefulness of refractometry as an indicator of enteral tube malpositioning]. 2013 , 37, 118-9	

500	Impaired gastrointestinal transit and its associated morbidity in the intensive care unit. 2013 , 28, 537.e11-7	36
499	Optimisation of energy provision with supplemental parenteral nutrition in critically ill patients: a randomised controlled clinical trial. 2013 , 381, 385-93	506
498	Introducing a new generation indirect calorimeter for estimating energy requirements in adult intensive care unit patients: feasibility, practical considerations, and comparison with a mathematical equation. 2013 , 28, 884.e1-6	30
497	What are the factors that influence the attainment of satisfactory energy intake in pediatric intensive care unit patients receiving enteral or parenteral nutrition?. 2013 , 29, 76-80	11
496	[Nutrition in intensive care medicine: Part 2: special nutritional problems]. 2013 , 62, 233-41; quiz 242-3	0
495	Mesenteric blood flow, glucose absorption and blood pressure responses to small intestinal glucose in critically ill patients older than 65 years. 2013 , 39, 258-66	30
494	Reducing interruptions to continuous enteral nutrition in the intensive care unit: a comparative study. 2013 , 22, 2838-48	13
493	A case of refeeding syndrome in a marine recruit. 2013 , 178, e511-5	5
492	Feeding ICU patients on invasive mechanical ventilation: designing the optimal protocol. 2013 , 41, 2825-6	3
491	Nutrition support in the critically ill. 2013 , 29, 208-15	16
490	Specialized nutritional support interventions in critically ill patients on renal replacement therapy. 2013 , 16, 217-24	37
489	Summary of the 2012 ABA Burn Quality Consensus conference. 2013 , 34, 361-85	78
488	Optimizing energy and protein balance in the ICU. 2013 , 16, 194-201	42
487	Nutrition support in the intensive care patient. 2013 , 36, 262-8	3
486	The nutrition swing. 2013 , 16, 241-2	2
485	Impact of two pulmonary enteral formulations on nutritional indices and outcomes. 2013 , 26, 286-93	1
484	A Nutrition Algorithm Incorporating Early Initiation of Nutrition With Higher Feeding Rates, Percentage of Gastric Residual Volume, Small-Bowel Feedings, and Compensatory Nighttime Feeds Leads to Reduced Energy Deficit in Critically Ill Patients. 2013 , 4, 285-290	1
483	The safety and efficacy of parenteral nutrition among pediatric patients with burn injuries. 2013 , 14, e120-5	15

- 482 Diarrhoea in the ICU: respective contribution of feeding and antibiotics. **2013**, 17, R153 77
- 481 Enteral nutritional therapy in septic patients in the intensive care unit: compliance with nutritional guidelines for critically ill patients. **2013**, 25, 17-24 13
- 480 Specialized nutrition support in the surgical patient. 13-25
- 479 Enteral nutrition discontinuation and outcomes in general critically ill patients. **2013**, 68, 173-8 8
- 478 Airway management. 179-186
- 477 Nutritional Intake and Timing of Initial Enteral Nutrition in Intensive Care Patients: A Pilot Study. **2013**, 25, 444 1
- 476 Nutrition. 203-216
- 475 Food for Thought: The Effects of Nutritional Support on Outcomes in Hospitalized Elderly Patients and the Critically Ill. **2014**, 2014, 1-7
- 474 Is omega-3 fatty acids enriched nutrition support safe for critical ill patients? A systematic review and meta-analysis. **2014**, 6, 2148-64 22
- 473 Malnutrition at the time of surgery affects negatively the clinical outcome of critically ill patients with gastrointestinal cancer. **2014**, 68, 263-7 32
- 472 Relationship of delayed parenteral nutrition protocol with the clinical outcomes in a medical intensive care unit. **2014**, 3, 33-8 3
- 471 4.6 Grundsätze der Ernährungstherapie. **2014**,
- 470 World Society of Emergency Surgery (WSES) guidelines for management of skin and soft tissue infections. **2014**, 9, 57 76
- 469 Nutrition and Acute Lung Injury in Critical Care: Focus on the Nutrition Care Process. **2014**, 1-15
- 468 Energy Balance in the Intensive Care Unit. **2014**, 1-13
- 467 Early Enteral Nutrition in Postoperative Cardiac Surgery Patients with Severe Hemodynamic Failure and Venoarterial (VA) Extracorporeal Membrane Oxygenation (ECMO). **2014**, 1-14
- 466 Calorie and Protein Deficit in the ICU. **2014**, 1-14
- 465 Aid to Enteral Feeding in Critical Care: Algorithm. **2014**, 1-21

464	Evaluation of delivery of enteral nutrition in mechanically ventilated Malaysian ICU patients. 2014 , 14, 127	13
463	Improvement of enteral nutrition in intensive care unit patients by a nurse-driven feeding protocol. 2014 , 19, 204-10	22
462	The Canadian Critical Care Nutrition Guidelines in 2013: Importance of Nasojejunal Enteral Feeding Tube Design in Improving Rates of Small Bowel Enteral Feeding in Patients With High Gastric Residual Volumes. 2014 , 29, 559-560	3
461	Impact of early enteral versus parenteral nutrition on mortality in patients requiring mechanical ventilation and catecholamines: study protocol for a randomized controlled trial (NUTRIREA-2). 2014 , 15, 507	14
460	The Japanese guidelines for the management of sepsis. 2014 , 2, 55	62
459	Safety of parenteral nutrition in patients receiving a ventricular assist device. 2014 , 60, 376-80	8
458	Nothing by mouth at midnight: saving or starving? A literature review. 2014 , 37, 14-23	10
457	Nutritional care of the obese adult burn patient: a U.K. Survey and literature review. 2014 , 35, 199-211	2
456	The application of electromagnetically guided post-pyloric feeding tube placement in critically ill patients. 2014 , 27, 21-6	15
455	Feeding the critically ill patient. 2014 , 42, 2600-10	94
454	Five recurrent misconceptions regarding cardiogenic shock management. 2014 , 22, 241-5	2
453	The 2013 Arvid Wretling lecture: evolving concepts in parenteral nutrition. <i>Clinical Nutrition</i> , 2014 , 33, 563-70	5.9 22
452	[Calories, proteins - what does the intensive care patient need?]. 2014 , 109, 52-8	1
451	Prise en charge nutritionnelle au cours du syndrome de détresse respiratoire de l'adulte. 2014 , 23, 76-83	
450	Energy expenditure in the critically ill performing early physical therapy. 2014 , 40, 548-55	46
449	Special nutrition challenges: current approach to acute kidney injury. 2014 , 29, 56-62	21
448	[Guidelines for nutrition support in critically ill patient]. 2014 , 33, 202-18	41
447	Comment optimiser la nutrition entérale du patient ventilé?. 2014 , 23, 450-457	

446	General Surgery Risk Reduction. 2014,	
445	Methicillin-resistant Staphylococcus aureus bloodstream infections are associated with a higher energy deficit than other ICU-acquired bacteremia. 2014, 40, 1878-87	15
444	Muscle wasting and early mobilization in acute respiratory distress syndrome. 2014, 35, 811-26	17
443	Obesity and nutrition in acute respiratory distress syndrome. 2014, 35, 655-71	26
442	Low energy intake during the first week in an emergency intensive care unit is associated with reduced duration of mechanical ventilation in critically ill, underweight patients: a single-center retrospective chart review. 2014, 29, 368-79	5
441	Texte long argumentaire à CHAMP 5 à Place des compléments nutritionnels oraux en réanimation. Recommandations formalisées d'experts. Nutrition artificielle en réanimation SFAR-SRLF-SFNEP. 2014, 28, 193-198	
440	Development and current use of parenteral nutrition in critical care - an opinion paper. 2014, 18, 478	19
439	Surgical Metabolism. 2014,	0
438	Introduction to Metabolism. 2014, 1-21	
437	The consequences of sudden fluid shifts on body composition in critically ill patients. 2014, 18, R49	24
436	Annual Update in Intensive Care and Emergency Medicine 2014. 2014,	3
435	Nutrition artificielle en réanimation. 2014, 23, 332-350	2
434	Core Knowledge in Critical Care Medicine. 2014,	
433	Endocrine responses to critical illness: novel insights and therapeutic implications. 2014, 99, 1569-82	72
432	Early ICU energy deficit: Is it a risk factor for ventilator-associated pneumonia?. 2014, 63, 3-7	
431	Protein/energy debt in critically ill children in the pediatric intensive care unit: acute kidney injury as a major risk factor. 2014, 24, 209-18	10
430	Malnutrition in the ICU patient population. 2014, 26, 227-42	12
429	Nutrition artificielle en réanimation. 2014, 28, 102-119	1

428	Nutritional support of critically ill burn patients. 109-116	
427	Nutritional support and implications for critically ill patients with sepsis. 187-198	
426	Nutrition in cardiac intensive care. 199-210	
425	Nutrition. 2014 , 205-227	
424	Oxygen delivery, cardiac function and monitoring. 1-12	
423	Nutrition. 95-104	
422	Early nutritional therapy for malnourished or nutritionally at-risk adult medical inpatients. 2014 ,	1
421	Low skeletal muscle area is a risk factor for mortality in mechanically ventilated critically ill patients. 2014 , 18, R12	222
420	Nutrition in the ICU: an evidence-based approach. 2014 , 145, 1148-1157	41
419	Basics in Clinical Medical Nutrition. 2015 , 82, 1-16	3
418	Nutritional Therapy for Critically Ill Patients. 2015 , 82, 103-16	2
417	Nutrition Support in the Chronically Critically Ill Patient. 2015 , 605-618	
416	Feeding the critically ill obese patient: a systematic review protocol. 2015 , 13, 95-109	11
415	Ventilator-derived carbon dioxide production to assess energy expenditure in critically ill patients: proof of concept. 2015 , 19, 370	49
414	Influence of supplemental parenteral nutrition approach on nosocomial infection in pediatric intensive care unit of Emergency Department: a retrospective study. 2015 , 14, 103	5
413	Effect of enteral diet enriched with eicosapentaenoic acid, gamma-linolenic acid, and antioxidants in patients with sepsis-induced acute respiratory distress syndrome. 2015 , 3, 24	25
412	Jordanian Critical Care Nurses' Practices Regarding Enteral Nutrition. 2015 , 38, 279-88	8
411	Nutrition support practices in South African ICUs: Results from a nationwide pilot survey. 2015 , 31, 42	1

410	Effect of Nutrient Formulations on Permeation of Proteins and Lipids through Porcine Intestine In vitro. 2015 , 14, 1161	
409	Changing how we confirm ngt placement: impact on nutrition delivered. 2015 , 3,	78
408	Nutrition in the neurocritical care unit. 2015 , 02, 88-96	1
407	Innate immunity gene expression changes in critically ill patients with sepsis and disease-related malnutrition. 2015 , 40, 311-24	11
406	Nutrition Assessment of the Intensive Care Unit Patient. 2015 , 30, 47-70	2
405	Post-pyloric versus gastric tube feeding for preventing pneumonia and improving nutritional outcomes in critically ill adults. 2015 , CD008875	47
404	Emerging Concepts in Critical Care Nutrition and the Provision of Enteral Nutrition Support. 2015 , 3, 1	
403	A J-shaped relationship between caloric intake and survival in critically ill patients. 2015 , 5, 37	15
402	Effect of initiating enteral protein feeding on whole-body protein turnover in critically ill patients. 2015 , 101, 549-57	39
401	Prise en charge nutritionnelle en ranimation: choc septique. 2015 , 29, 42-49	1
400	Energy requirements and the use of predictive equations versus indirect calorimetry in critically ill patients. 2015 , 40, 207-10	13
399	Volume-Based Feeding in the Critically Ill Patient. 2015 , 39, 707-12	50
398	Targeted Physician Education Positively Affects Delivery of Nutrition Therapy and Patient Outcomes: Results of a Prospective Clinical Trial. 2015 , 39, 948-52	7
397	Metabolic and nutritional support of critically ill patients: consensus and controversies. 2015 , 19, 35	230
396	Gradual sucrose gastric loading test: A method for the prediction of nonsuccess gastric enteral feeding in critically ill surgical patients. 2015 , 19, 92-8	4
395	Efecto de la nutrici3n en los resultados de pacientes con compromiso pulmonar en la Unidad de Cuidado Intensivo. 2015 , 15, 119-127	
394	Nutritional Support in Hospitalized Patients with Diabetes Mellitus. 2015 , 377-385	
393	Nutrition and Acute Lung Injury in Critical Care: Focus on Nutrition Care Process. 2015 , 49-61	

392	Early Enteral Nutrition in Postoperative Cardiac Surgery Patients with Severe Hemodynamic Failure and Venoarterial (VA) Extracorporeal Membrane Oxygenation (ECMO). 2015 , 1609-1621		1
391	The Current Role of Parenteral Nutrition in the Hospitalized Patient. 2015 , 3, 1		
390	Evolving paradigms in the nutritional support of critically ill surgical patients. 2015 , 52, 147-82		25
389	Gastric vs Small Bowel Feeding in Critically Ill Neurologically Injured Patients: Results of a Multicenter Observational Study. 2015 , 39, 910-6		1
388	Impact of early nutrition and feeding route on outcomes of mechanically ventilated patients with shock: a post hoc marginal structural model study. 2015 , 41, 875-86		43
387	Diarrhoea in the critically ill. 2015 , 21, 142-53		33
386	Lipid emulsions for parenteral nutrition in critical illness. 2015 , 60, 1-16		17
385	Pre-transplant arm muscle area: a simple measure to identify patients at risk. 2015 , 23, 3385-91		12
384	Lessons Learned from Nutrition Guidelines and Evidence-Based Medicine. 2015 , 4, 242-249		
383	Top Ten Quality Indicators for Nutritional Therapy. 2015 , 417-428		
382	Transition from Parenteral to Enteral Nutrition in Intensive Care Unit. 2015 , 507-520		
381	Parenteral Nutrition and Cardiogenic Shock. 2015 , 635-651		
380	Neurovascular Events After Subarachnoid Hemorrhage. 2015 ,		1
379	Evaluation of three indirect calorimetry devices in mechanically ventilated patients: which device compares best with the Deltatrac II(□)? A prospective observational study. <i>Clinical Nutrition</i> , 2015 , 34, 60-5	5.9	61
378	Interrelations of immunological parameters, nutrition, and healthcare-associated infections: prospective study in elderly in-patients. <i>Clinical Nutrition</i> , 2015 , 34, 79-85	5.9	20
377	Implementing the PEP uP Protocol in Critical Care Units in Canada: Results of a Multicenter, Quality Improvement Study. 2015 , 39, 698-706		40
376	The prevalence of iatrogenic underfeeding in the nutritionally 'at-risk' critically ill patient: Results of an international, multicenter, prospective study. <i>Clinical Nutrition</i> , 2015 , 34, 659-66	5.9	120
375	Indirect calorimetry reveals that better monitoring of nutrition therapy in pediatric intensive care is needed. 2015 , 39, 344-52		20

374	Enteral Nutrition in Patients Receiving Mechanical Ventilation in a Prone Position. 2016 , 40, 250-5	41
373	Nutrologia e nutriçã em unidade de terapia intensiva: sinergia em busca de excelência. 2016 , 09, 109-117	
372	Resting energy expenditure in critically ill patients: Evaluation methods and clinical applications. 2016 , 62, 672-679	2
371	Effectiveness of enteral feeding protocol on clinical outcomes in critically ill patients: a study protocol for before-and-after design. 2016 , 4, 308	16
370	The Effect of Continuous Enteral Nutrition on Nutrition Indices, Compared to the Intermittent and Combination Enteral Nutrition in Traumatic Brain Injury Patients. 2016 , 10, JC01-JC05	5
369	Inadequaç calórica e proteica e fatores associados em pacientes graves. 2016 , 29, 645-654	5
368	Japanese Guidelines for Nutrition Support Therapy in the Adult and Pediatric Critically Ill Patients. 2016 , 23, 185-281	17
367	Nutrition and Indirect Calorimetry. 2016 ,	0
366	Nutritional needs for the critically ill in relation to inflammation. 2016 , 19, 138-43	4
365	Nutritional/Growth Status in a Large Cohort of Medically Fragile Children Receiving Long-Term Enteral Nutrition Support. 2016 , 62, 157-60	10
364	Vitamin and Trace Element Loss from Negative-Pressure Wound Therapy. 2016 , 29, 20-25	2
363	The need to differentiate fear for energy overfeeding from future benefits of protein feeding: so much to gain!. 2016 , 19, 116-9	4
362	Resting energy expenditure, calorie and protein consumption in critically ill patients: a retrospective cohort study. 2016 , 20, 367	153
361	The Stress Response of Critical Illness: Metabolic and Hormonal Aspects. 2016 ,	4
360	The Stress Response of Critical Illness: Metabolic and Hormonal Aspects, Hormonal Regulation, Particular Clinical Situations and Morbid Obesity. 2016 , 217-225	
359	Early combined parenteral and enteral nutrition for pancreaticoduodenectomy - Retrospective cohort analysis. 2016 , 6, 68-73	19
358	Bioenergetics of the Stress Response. 2016 , 19-26	
357	Problems With Optimal Energy and Protein Delivery in the Pediatric Intensive Care Unit. 2016 , 31, 673-80	11

356	Early versus delayed enteral nutrition support for critically ill adults. 2016,	3
355	Terapia nutricional en el enfermo oncológico en estado crítico. 2016, 16, 1-25	
354	Perioperative nutritional support. 2016, 34, 376-381	
353	Clinical Outcomes of Inadequate Calorie Delivery and Protein Deficit in Surgical Intensive Care Patients. 2016, 25, 318-26	24
352	Indirect Calorimetry: Is it Required to Maximize Patient Outcome from Nutrition Therapy?. 2016, 5, 233-239	3
351	Lower versus higher dose of enteral caloric intake in adult critically ill patients: a systematic review and meta-analysis. 2016, 20, 358	43
350	Nutrition Support in Intensive Care. 2016, 517-525	
349	Intensive Care Society State of the Art 2016 Abstracts. 2016, 17, 1-217	3
348	Comparative Measures of Lean Body Tissues in the Clinical Setting. 2016, 5, 191-198	1
347	Should We Aim for Full Enteral Feeding in the First Week of Critical Illness?. 2016, 31, 425-31	19
346	Early Enteral Nutrition in Trauma: Is There Still Any Doubt?. 2016, 2, 73-78	6
345	Supplemental Parenteral Nutrition Is the Key to Prevent Energy Deficits in Critically Ill Patients. 2016, 31, 432-7	19
344	Déficit énergétique aigu et infections acquises en réanimation. 2016, 25, 44-52	
343	Prevalence of Underprescription or Overprescription of Energy Needs in Critically Ill Mechanically Ventilated Adults as Determined by Indirect Calorimetry: A Systematic Literature Review. 2016, 40, 212-25	65
342	Adequate Nutrition May Get You Home: Effect of Caloric/Protein Deficits on the Discharge Destination of Critically Ill Surgical Patients. 2016, 40, 37-44	81
341	Validation Study of Energy Requirements in Critically Ill, Obese Cancer Patients. 2016, 40, 806-13	5
340	Effects of implementation of a computerized nutritional protocol in mechanically ventilated critically ill patients: A single-centre before and after study. 2016, 11, e47-e54	14
339	Nutrition in acute pancreatitis: a critical review. 2016, 10, 571-80	32

338	Nutritional management in critically ill trauma patients is challenging. 2016 , 18, 231-236	3
337	Peri-operative nutrition. 2016 , 71 Suppl 1, 9-18	23
336	Evaluation of the effect on patient parameters of not monitoring gastric residual volume in intensive care patients on a mechanical ventilator receiving enteral feeding: A randomized clinical trial. 2016 , 33, 137-44	28
335	Be early for enteral, no rush for calories!. 2016 , 42, 451-452	2
334	Route of nutrition and risk of blood stream infections in critically ill patients; a comparative study. 2016 , 12, e14-e19	7
333	The dilemma of protein delivery in the intensive care unit. 2016 , 32, 985-8	2
332	ACG Clinical Guideline: Nutrition Therapy in the Adult Hospitalized Patient. 2016 , 111, 315-34; quiz 335	105
331	Timing and Indication for Parenteral Nutrition in the Critically Ill. 2016 , 81-97	
330	Clinical Guide for the Use of Metabolic Carts: Indirect Calorimetry--No Longer the Orphan of Energy Estimation. 2016 , 31, 30-8	30
329	Nutritional Support and Outcomes in Malnourished Medical Inpatients: A Systematic Review and Meta-analysis. 2016 , 176, 43-53	103
328	The Immunological Role of Nutrition in the Gut. 2016 , 9-35	
327	Nutrition Support for the Critically Ill. 2016 ,	5
326	Optimising enteral nutrition in critically ill patients by reducing fasting times. 2016 , 17, 38-43	17
325	Bleeding Associated With Feeding Tube Placement in Critically Ill Oncology Patients With Thrombocytopenia. 2016 , 31, 111-5	8
324	Enhanced Protein-Energy Provision via the Enteral Route in Critically Ill Patients (PEP uP Protocol): A Review of Evidence. 2016 , 31, 68-79	14
323	[Enteral nutrition therapy in critical care : Current knowledge, controversies, and practical implementation]. 2016 , 111, 330-40	2
322	Hypocaloric vs Normocaloric Nutrition in Critically Ill Patients: A Prospective Randomized Pilot Trial. 2016 , 40, 242-9	94
321	Validation of the Society of Critical Care Medicine and American Society for Parenteral and Enteral Nutrition Recommendations for Caloric Provision to Critically Ill Obese Patients: A Pilot Study. 2016 , 40, 713-21	13

320	Impact of the reduction of the recommended energy target in the ICU on protein delivery and clinical outcomes. <i>Clinical Nutrition</i> , 2017 , 36, 281-287	5.9	13
319	Structured triglycerides versus physical mixtures of medium- and long-chain triglycerides for parenteral nutrition in surgical or critically ill adult patients: Systematic review and meta-analysis. <i>Clinical Nutrition</i> , 2017 , 36, 150-161	5.9	24
318	Prevalence, Outcomes, and Management of Enteral Tube Feeding Intolerance: A Retrospective Cohort Study in a Tertiary Center. 2017 , 41, 959-967		26
317	Effect of Early Full-Calorie Nutrition Support Following Esophagectomy: A Randomized Controlled Trial. 2017 , 41, 1146-1154		13
316	Indirect calorimetry in nutritional therapy. A position paper by the ICALIC study group. <i>Clinical Nutrition</i> , 2017 , 36, 651-662	5.9	114
315	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. 2017 , 43, 304-377		3178
314	When Is Parenteral Nutrition Appropriate?. 2017 , 41, 324-377		95
313	Gastrointestinal system. 2017 , 9-50		
312	Critical Care Nutrition: Where's the Evidence?. 2017 , 33, 397-412		10
311	Both high and low plasma glutamine levels predict mortality in critically ill patients. 2017 , 47, 1331-1338		8
310	Considerations When Using Predictive Equations to Estimate Energy Needs Among Older, Hospitalized Patients: A Narrative Review. 2017 , 6, 102-110		11
309	Acute Respiratory Distress Syndrome: Metabolic Support. 2017 , 173-188		
308	Acute Respiratory Distress Syndrome. 2017 ,		0
307	High protein intake without concerns?. 2017 , 21, 106		16
306	Development and Validation of a New Cardio-Specific Resting Energy Expenditure Equation for Adults. 2018 , 42, 702-708		
305	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. 2017 , 45, 486-552		1683
304	Parenteral nutrition in the critically ill. 2017 , 23, 149-158		11
303	Role of Nutrition Support in Inflammatory Conditions [Formula: see text]. 2017 , 32, 310-317		6

302	The influence of metabolic imbalances and oxidative stress on the outcome of critically ill polytrauma patients: a review. 2017 , 5, 8	23
301	Effects of Energy Deficiency: A Focus on Hospitalized and Critically Ill Patients. 2017 , 1-18	
300	Current clinical nutrition practices in critically ill patients in Latin America: a multinational observational study. 2017 , 21, 227	36
299	Natural Bioactive Food Components for Improving Enteral Tube Feeding Tolerance in Adult Patient Populations. 2018 , 33, 107-120	3
298	The role of nutritional support in the physical and functional recovery of critically ill patients: a narrative review. 2017 , 21, 226	44
297	Frequency and Variables Associated with Fasting Orders in Inpatients with Ulcerative Colitis: The Audit of Diet Orders-Ulcerative Colitis (ADORE-UC) Study. 2017 , 23, 1790-1795	7
296	Controversies Surrounding Critical Care Nutrition: An Appraisal of Permissive Underfeeding, Protein, and Outcomes. 2018 , 42, 508-515	14
295	Does Propofol Sedation Contribute to Overall Energy Provision in Mechanically Ventilated Critically Ill Adults? A Retrospective Observational Study. 2018 , 42, 748-757	5
294	Will Availability of SMOF Lipid Emulsions for Parenteral Nutrition Change Surgical Nutrition Practice?. 2017 , 6, 266-273	
293	Enteral Nutrition Delivery Is Overestimated in Provider Documentation. 2018 , 39, 374-378	3
292	Early Exposure to Recommended Calorie Delivery in the Intensive Care Unit Is Associated With Increased Mortality in Patients With Acute Respiratory Distress Syndrome. 2018 , 42, 739-747	11
291	ASPEN Safe Practices for Enteral Nutrition Therapy [Formula: see text]. 2017 , 41, 15-103	170
290	Indirect Calorimetry in Mechanically Ventilated Patients: A Prospective, Randomized, Clinical Validation of 2 Devices Against a Gold Standard. 2017 , 41, 1272-1277	12
289	Evaluation of a non-invasive multisensor accelerometer for calculating energy expenditure in ventilated intensive care patients compared to indirect calorimetry and predictive equations. 2017 , 31, 1009-1017	2
288	Metabolic Requirement of Septic Shock Patients Before and After Liberation From Mechanical Ventilation. 2017 , 41, 993-999	5
287	Optimum nutritional support in adults receiving veno-venous extracorporeal membrane oxygenation is possible but underfeeding is common, especially in those with more severe organ dysfunction. 2017 , 22, 120	1
286	Nutrition training in UK medical undergraduate programmes – Has the situation improved?. 2017 , 22, 119-120	
285	Variability in Perioperative Fasting Practices Negatively Impacts Nutritional Support of Critically Ill Intubated Patients. 2017 , 83, 895-900	5

284	Parenteral nutrition including an omega-3 fatty-acid-containing lipid emulsion for intensive care patients in China: a pharmaco-economic analysis. 2017 , 9, 547-555	6
283	Optimal Energy Delivery, Rather than the Implementation of a Feeding Protocol, May Benefit Clinical Outcomes in Critically Ill Patients. 2017 , 9,	7
282	Early or Late Feeding after ICU Admission?. 2017 , 9,	10
281	Feeding adequacy among Critically Ill Patients in the Intensive Care Unit and Its Association with Clinical Outcomes: A Narrative Review. 2017 , 5, 113-121	
280	Hospital Based Nutrition Support: A Review of the Latest Evidence. 2017 , 03,	3
279	Nutritional care and balance of energy in patients hospitalized in Iranian intensive care units. 2018 , 32, 122-128	1
278	Early Enteral Nutrition Provided Within 24 Hours of ICU Admission: A Meta-Analysis of Randomized Controlled Trials. 2018 , 46, 1049-1056	52
277	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2016 (J-SSCG 2016). 2018 , 5, 3-89	50
276	Factors affecting the caloric and protein intake over time in critically ill trauma patients. 2018 , 226, 64-71	6
275	Comparison of Resting Energy Expenditure Assessment in Pediatric Oncology Patients. 2018 , 33, 224-231	1
274	Exploring fasting practices for critical care patients - A web-based survey of UK intensive care units. 2018 , 19, 188-195	6
273	Nutritional Requirements in Intensive Care Unit. 2018 , 401-419	
272	Nutrition therapy for critically ill patients across the Asia-Pacific and Middle East regions: A consensus statement. 2018 , 24, 156-164	21
271	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2016 (J-SSCG 2016). 2018 , 6, 7	55
270	Endocrine Responses to Critical Illness. 2018 , 60-82	
269	Measuring Energy Expenditure in extracorporeal lung support Patients (MEEP) - Protocol, feasibility and pilot trial. <i>Clinical Nutrition</i> , 2018 , 37, 301-307	5.9 24
268	Supplemental parenteral nutrition in intensive care patients: A cost saving strategy. <i>Clinical Nutrition</i> , 2018 , 37, 573-579	5.9 18
267	The CoCoS trial: Caloric Control in Cardiac Surgery patients promotes survival, an interventional trial with retrospective control. <i>Clinical Nutrition</i> , 2018 , 37, 864-869	5.9 7

266	Relationship of energy and protein adequacy with 60-day mortality in mechanically ventilated critically ill patients: A prospective observational study. <i>Clinical Nutrition</i> , 2018 , 37, 1264-1270	5.9	23
265	Short-term follow-up of the nutritional status of children with Fanconi anemia undergoing hematopoietic stem cell transplant. 2018 , 26, 895-903		1
264	Nutritional assessment of critically ill patients: validation of the modified NUTRIC score. 2018 , 72, 428-435		56
263	Prognostic value of respiratory quotients in severe polytrauma patients with nutritional support. 2018 , 49, 90-95		1
262	Major Predictors of Incidence of Congestive Heart Failure and the Responsive Character of Enteral Nutrition: Meta-Analysis. 2018 , 9, 273-278		
261	ICU Nurses' Perceived Barriers to Effective Enteral Nutrition Practices: A Multicenter Survey Study. 2018 , 12, 67-75		5
260	Targeted Energy Intake Is the Important Determinant of Clinical Outcomes in Medical Critically Ill Patients with High Nutrition Risk. 2018 , 10,		12
259	TARGET, PRESCRIPTION AND INFUSION OF ENTERAL NUTRITIONAL THERAPY OF CRITICAL PATIENTS IN INTENSIVE CARE UNIT. 2018 , 55, 283-289		3
258	Sport en réanimation. Intérêt des traitements adjuvants. 2018 , 22, 335-341		1
257	Energy-Dense versus Routine Enteral Nutrition in the Critically Ill. 2018 , 379, 1823-1834		133
256	Nutrition delivery, workload and performance in a model-based ICU glycaemic control system. 2018 , 166, 9-18		7
255	Energy Demands of Early Life Drive a Disease Tolerant Phenotype and Dictate Outcome in Neonatal Bacterial Sepsis. 2018 , 9, 1918		18
254	Nutrition and Clinical Outcomes of Nutrition Support in Multidisciplinary Team for Critically Ill Patients. 2018 , 33, 633-639		16
253	Persistently Increased Resting Energy Expenditure Predicts Short-Term Mortality in Patients with Acute-on-Chronic Liver Failure. 2018 , 73, 2-9		0
252	Supplemental Parenteral Nutrition: Review of the Literature and Current Nutrition Guidelines. 2018 , 33, 359-369		10
251	Family-centred care is acceptable for enhancing nutrition intake in critical care units. 2018 , 31, 331-333		
250	Abstracts of the AAGBI GAT Annual Scientific Meeting, Glasgow, UK, 04-06 July 2018. 2018 , 73 Suppl 3, 12-123		
249	Nutrition: reducing the hypermetabolic response to thermal injury. 2018 , 27, 661-670		2

248	Feeding During Phases of Altered Mitochondrial Activity: A Theory. 2018 , 42, 855-863	9
247	Comparison of Accuracy of NUTRIC and Modified NUTRIC Scores in Predicting 28-Day Mortality in Patients with Sepsis: A Single Center Retrospective Study. 2018 , 10,	18
246	Supplemental parenteral nutrition versus usual care in critically ill adults: a pilot randomized controlled study. 2018 , 22, 12	29
245	Nutrition delivery of a model-based ICU glycaemic control system. 2018 , 8, 4	20
244	Should we calculate or measure energy expenditure? practical aspects in the ICU. 2018 , 55-56, 71-75	6
243	Prescribed hypocaloric nutrition support for critically-ill adults. 2018 , 6, CD007867	6
242	Monitoring nutrition in the ICU. <i>Clinical Nutrition</i> , 2019 , 38, 584-593	5.9 59
241	The role of dietitians in critical care. 2019 , 20, 255-257	7
240	Parenteral nutrition in the ICU: Lessons learned over the past few years. 2019 , 59, 188-194	11
239	Use of Predictive Equations for Energy Prescription Results in Inaccurate Estimation in Trauma Patients. 2020 , 35, 927-932	1
238	Nutritional Management of Medical Inpatients. 2019 , 8,	9
237	The Interplay of Nutrition, Physical Activity, Severity of Illness, and Mortality in Critically Ill Burn Patients: Is There a Connection?. 2019 , 40, 936-942	1
236	Association between enteral nutrition support and neurological outcome in patients with acute intracranial haemorrhage: A retrospective cohort study. 2019 , 9, 16507	0
235	Le concept du «Baby stomach» appliqué à la nutrition du patient agressif 2019 , 33, 167-172	3
234	Efficacy and Efficiency of Nutritional Support Teams. 2019 , 8,	14
233	Relationship between Nutrition Intake and 28-Day Mortality Using Modified NUTRIC Score in Patients with Sepsis. 2019 , 11,	11
232	Medical Nutrition Therapy in Critically Ill Patients Treated on Intensive and Intermediate Care Units: A Literature Review. 2019 , 8,	8
231	Nutrition entérale intermittente en réanimation. 2019 , 33, 178-183	

230	Preserving the quality of life: nutrition in the ICU. 2019 , 23, 139	14
229	Enteral tolerance in critically ill patients. 2019 , 7, 30	15
228	Volume based feeding versus rate based feeding in the critically ill: A UK study. 2019 , 20, 299-308	1
227	Effect of Permissive Underfeeding with Intensive Insulin Therapy on MCP-1, sICAM-1, and TF in Critically Ill Patients. 2019 , 11,	0
226	Glycemic control in the intensive care unit: A control systems perspective. 2019 , 48, 359-368	21
225	Effect of Gastric Residual Evaluation on Enteral Intake in Extremely Preterm Infants: A Randomized Clinical Trial. 2019 , 173, 534-543	24
224	Associations between nutritional energy delivery, bioimpedance spectroscopy and functional outcomes in survivors of critical illness. 2019 , 32, 702-712	8
223	Trends and Development in Enteral Nutrition Application for Ventilator Associated Pneumonia: A Scientometric Research Study (1996-2018). 2019 , 10, 246	10
222	Smart Phone/Device Application to Improve Delivery of Enteral Nutrition in Adult Patients Admitted to the Medical Intensive Care Unit. 2019 , 12, 1178638818820299	2
221	Strategies for optimal calorie administration in critically ill patients. 2019 , 7, 15	3
220	Metabolic effects of beta-blockers in critically ill patients: A retrospective cohort study. 2019 , 48, 278-286	3
219	Safety and efficacy of volume-based feeding in critically ill, mechanically ventilated adults using the 'Protein & Energy Requirements Fed for Every Critically ill patient every Time' (PERFECT) protocol: a before-and-after study. 2019 , 23, 105	10
218	Insufficient Nutrition and Mortality Risk in Septic Patients Admitted to ICU with a Focus on Immune Dysfunction. 2019 , 11,	12
217	Nutrition Adherence in Critically Ill Patients; How is nutritional intake within the 1 week of hospitalization affecting the patient's Outcome?. 2019 , 2019, 1363-1366	
216	Significance of early enteral nutrition in critically ill patients. 2019 , 26, 85-92	
215	Early enteral nutrition (within 48 hours) versus delayed enteral nutrition (after 48 hours) with or without supplemental parenteral nutrition in critically ill adults. 2019 , 2019,	8
214	3D kernel-density stochastic model for more personalized glycaemic control: development and in-silico validation. 2019 , 18, 102	10
213	Energy Requirement and Consumption in the Critically Ill Patient. 2019 , 424-429.e1	

212	Prediction of Prolonged ICU Stay in Cardiac Surgery Patients as a Useful Method to Identify Nutrition Risk in Cardiac Surgery Patients: A Post Hoc Analysis of a Prospective Observational Study. 2019 , 43, 768-779			13
211	Metabolic and Nutritional Complications of Acute Kidney Injury. 2019 , 698-712.e6			
210	Indirect calorimetry as point of care testing. <i>Clinical Nutrition</i> , 2019 , 38, 2531-2544	5.9		10
209	Outcomes used in randomised controlled trials of nutrition in the critically ill: a systematic review. 2019 , 23, 12			13
208	Optimal amount of calories for critically ill patient. 2019 , 38, 103-104			1
207	Effects of not monitoring gastric residual volume in intensive care patients: A meta-analysis. 2019 , 91, 86-93			8
206	ESPEN guideline on clinical nutrition in the intensive care unit. <i>Clinical Nutrition</i> , 2019 , 38, 48-79	5.9		810
205	Dietary Management of Blood Glucose in Medical Critically Ill Overweight and Obese Patients: An Open-Label Randomized Trial. 2019 , 43, 471-480			7
204	Evaluation of implementation of fasting guidelines for enterally fed critical care patients. <i>Clinical Nutrition</i> , 2019 , 38, 252-257	5.9		5
203	Evaluation of the Safety of Rapid Parenteral Nutrition Titration. 2020 , 44, 534-540			
202	Energy Balance and Nutrition Status: A Prospective Assessment of Patients Undergoing Liver Transplantation. 2020 , 35, 126-132			6
201	Nutrition During Targeted Temperature Management After Cardiac Arrest: Observational Study of Neurological Outcomes and Nutrition Tolerance. 2020 , 44, 138-145			3
200	Causes of nasoenteral tube obstruction in tertiary hospital patients. 2020 , 74, 261-267			2
199	A Volume-Based Feeding Protocol Improves Nutrient Delivery and Glycemic Control in a Surgical Trauma Intensive Care Unit. 2020 , 44, 880-888			3
198	Transthyretin at Admission and Over Time as a Marker for Clinical Outcomes in Critically Ill Trauma Patients: A Prospective Single-Center Study. 2020 , 44, 115-123			0
197	Prise en charge nutritionnelle du patient hospitalis� dans le service des soins intensifs � l'h�pital Erasme. 2020 , 6, 54-58			
196	Is slower advancement of enteral feeding superior to aggressive full feeding regimens in the early phase of critical illness. 2020 , 23, 121-126			1
195	MECCIAS trial: Metabolic consequences of continuous veno-venous hemofiltration on indirect calorimetry. <i>Clinical Nutrition</i> , 2020 , 39, 3797-3803	5.9		12

194	Recommendations for specialized nutritional-metabolic management of the critical patient: Macronutrient and micronutrient requirements. Metabolism and Nutrition Working Group of the Spanish Society of Intensive and Critical Care Medicine and Coronary Units (SEMICYUC). 2020 , 44, 24-32	
193	Meeting nutritional targets of critically ill patients by combined enteral and parenteral nutrition: review and rationale for the EFFORTcombo trial. 2020 , 33, 312-320	6
192	Co-Administration of Drugs and Parenteral Nutrition: In Vitro Compatibility Studies of Loop Diuretics for Safer Clinical Practice. 2020 , 12,	1
191	Full Versus Trophic Feeds in Critically Ill Adults with High and Low Nutritional Risk Scores: A Randomized Controlled Trial. 2020 , 12,	2
190	First international meeting of early career investigators: Current opportunities, challenges and horizon in critical care nutrition research. 2020 , 40, 92-100	1
189	Oral Nutrition during and after Critical Illness: SPICES for Quality of Care!. 2020 , 12,	2
188	Nutrition During Critical Care: An Audit on Actual Energy and Protein Intakes. 2021 , 45, 951-960	3
187	Placement of Surgical Feeding Tubes Among Patients With Severe Traumatic Brain Injury Requiring Exploratory Abdominal Surgery : Better Early Than Late. 2020 , 86, 635-642	0
186	NUTRIC and Modified NUTRIC are Accurate Predictors of Outcome in End-Stage Liver Disease: A Validation in Critically Ill Patients with Liver Cirrhosis. 2020 , 12,	4
185	Hospital meal intake in acute heart failure patients and its association with long-term outcomes. 2020 , 7,	0
184	Intensive Care Unit-Acquired Weakness: Not just Another Muscle Atrophying Condition. 2020 , 21,	19
183	Nutrition and Micronutrient Therapy in Critical Illness Should Be Individualized. 2020 , 44, 1380-1387	4
182	Omega-3 fatty acid-containing parenteral nutrition in ICU patients: systematic review with meta-analysis and cost-effectiveness analysis. 2020 , 24, 634	9
181	Recommendations for specialized nutritional-metabolic management of the critical patient: Macronutrient and micronutrient requirements. Metabolism and Nutrition Working Group of the Spanish Society of Intensive and Critical Care Medicine and Coronary Units (SEMICYUC). 2020 , 44 Suppl 1, 24-32	1
180	Failure to achieve proteic goals in non-critical patients increases risk for death: Old discussion, ongoing problem. 2020 , 77, 110894	1
179	Validity of predictive equations to estimate RMR in females with varying BMI. 2020 , 9, e17	3
178	Randomized Controlled Trial of Comparative Hypocaloric vs Full-Energy Enteral Feeding During the First Week of Hospitalization in Neurosurgical Patients at the Intensive Care Unit. 2020 , 44, 1475-1483	3
177	Impact of Enteral Feeding on Vasoactive Support in Septic Shock: A Retrospective Observational Study. 2020 , 35, 540-547	3

176	Practical applications of nutritional scores. 2020 , 26, 329-334			1
175	Evaluating the TARGET and EAT-ICU trials: how important are accurate caloric goals? Point-counterpoint: the pro position. 2020 , 23, 91-95			2
174	The effects of an enteral nutrition feeding protocol on critically ill patients: A prospective multi-center, before-after study. 2020 , 56, 249-256			2
173	Novel Strategies to Prevent Total Parenteral Nutrition-Induced Gut and Liver Inflammation, and Adverse Metabolic Outcomes. 2021 , 65, e1901270			2
172	The clinical relevance and mechanism of skeletal muscle wasting. <i>Clinical Nutrition</i> , 2021 , 40, 27-37	5.9		11
171	Mortality associated with new risk classification of developing refeeding syndrome in critically ill patients: A cohort study. <i>Clinical Nutrition</i> , 2021 , 40, 1207-1213	5.9		2
170	Observational study evaluating the nutritional impact of changing from 1% to 2% propofol in a cardiothoracic adult critical care unit. 2021 , 34, 413-419			2
169	Should I Start With A Postpyloric Enteral Nutrition Modality?. 2021 , 36, 76-79			1
168	Nutritional treatment in the critically-ill complicated patient. 2021 , 99-114			
167	Energy expenditure and indirect calorimetry in critical illness and convalescence: current evidence and practical considerations. 2021 , 9, 8			10
166	[Critical deficiencies of energy and protein with a high provision of non-nutritional calories after one week in an intensive care unit]. 2021 ,			
165	Energy delivery guided by indirect calorimetry in critically ill patients: a systematic review and meta-analysis. 2021 , 25, 88			8
164	Hyperlactacidemia as a risk factor for intensive care unit-acquired weakness in critically ill adult patients. 2021 , 64, 77-82			0
163	ESPEN guideline on clinical nutrition in hospitalized patients with acute or chronic kidney disease. <i>Clinical Nutrition</i> , 2021 , 40, 1644-1668	5.9		18
162	Association Between Nutrition Delivery, Modified Nutrition Risk In Critically Ill Score, and 28-Day Mortality. 2021 , 36, 1020-1033			0
161	Review of evolution and current status of protein requirements and provision in acute illness and critical care. <i>Clinical Nutrition</i> , 2021 , 40, 2958-2973	5.9		3
160	Impact of early low-calorie low-protein versus standard-calorie standard-protein feeding on outcomes of ventilated adults with shock: design and conduct of a randomised, controlled, multicentre, open-label, parallel-group trial (NUTRIREA-3). 2021 , 11, e045041			1
159	Continuous enteral nutrition compared with a maximal gastric vacuity strategy at the time of extubation in the intensive care unit: protocol for a non-inferiority cluster randomised trial (the Ambrosie Project). 2021 , 11, e041799			0

158	The Influence of Timing in Critical Care Nutrition. 2021 , 41, 203-222	1
157	Combination of enteral and parenteral nutrition in the acute phase of critical illness: An updated systematic review and meta-analysis. 2021 ,	2
156	Assessing calorie and protein recommendations for survivors of critical illness weaning from prolonged mechanical ventilation - can we find a proper balance?. 2021 , 45, 449-453	
155	Nutrition in the Intensive Care Unit-A Narrative Review. 2021 , 13,	11
154	Resting Energy Expenditure Early after Cardiac Surgery and Validity of Predictive Equations: A Prospective Observational Study. 2021 , 77, 271-278	0
153	Safety and impact of peripheral parenteral nutrition on nutrient delivery in patients with nutrition risk: A prospective observational study. 2021 ,	0
152	Timing of parenteral nutrition in ICU patients: A transatlantic controversy. 2021 , 46, 532-538	1
151	Qualitative and quantitative muscle ultrasound changes in patients with COVID-19-related ARDS. 2021 , 91-92, 111449	3
150	?????????????????. 2021 , 55, 44-48	
149	Prescribed hypocaloric nutrition support for critically ill adults.	1
148	Tight Energy Balance Control for Preventing Complications in the ICU. 2006 , 561-568	2
147	Enteral Feeding during Circulatory Failure: Myths and Reality. 2009 , 683-694	1
146	Extent and Impact of Malnutrition in Critically Ill Patients. 2015 , 265-278	1
145	Cilostazol administration with combination enteral and parenteral nutrition therapy remarkably improves outcome after subarachnoid hemorrhage. 2015 , 120, 147-52	10
144	Short- and Long-Term Outcomes in Malnourished Patients After Laparoscopic or Open Radical Gastrectomy. 2018 , 42, 195-203	7
143	Nutrition-related outcomes and dietary intake in non-mechanically ventilated critically ill adult patients: A pilot observational descriptive study. 2020 , 33, 300-308	6
142	A simple widespread computer help improves nutrition support orders and decreases infection complications in critically ill patients. 2013 , 8, e63771	5
141	Healthcare-associated infections are associated with insufficient dietary intake: an observational cross-sectional study. 2015 , 10, e0123695	22

140	"Immunonutrition" Has Failed to Improve Peritonitis-Induced Septic Shock in Rodents. 2016 , 11, e0147644	5
139	Avaliaçã da eficiêcia da nutriçã parenteral quanto à oferta de energia em pacientes oncolôgicos pediâtricos. 2007 , 20, 181-190	3
138	Metabolic monitoring and nutritional support in prolonged mechanically ventilated (MV) patients. Clinical guidelines. 2019 , 5	6
137	A multicentre, randomised controlled trial comparing the clinical effectiveness and cost-effectiveness of early nutritional support via the parenteral versus the enteral route in critically ill patients (CALORIES). 2016 , 20, 1-144	47
136	Mechanisms underlying feed intolerance in the critically ill: implications for treatment. 2007 , 13, 3909-17	84
135	Current nutritional therapy in Japanese intensive care units: what did we learn from the International Nutritional Survey?. 2014 , 21, 243-252	2
134	Enteral nutrition in critical care. 2013 , 5, 1-11	22
133	Evaluation of a Nasoenteral Feeding Tube With Balloon to Facilitate Placement. 2020 , 40, 37-44	2
132	Effect of Calories Delivered on Clinical Outcomes in Critically Ill Patients: Systemic Review and Meta-analysis. 2017 , 21, 376-390	6
131	Reduced Fasting Protocol for Endoscopic Percutaneous Gastrostomy in Intubated Patients. 2013 , 04, 369-373	3
130	Nutrition Support in the Intensive Care Unit of 6 Korean Tertiary Teaching Hospitals: A National Multicenter Observational Study. 2012 , 27, 157	4
129	Implementation of enteral feeding protocol in an intensive care unit: Before-and-after study. 2017 , 6, 56-64	11
128	Adequacy of energy and protein balance of enteral nutrition in intensive care: what are the limiting factors?. 2014 , 26, 155-62	5
127	Adequacy of enteral nutritional support in intensive care units does not affect the short- and long-term prognosis of mechanically ventilated patients: a pilot study. 2019 , 31, 34-38	4
126	Administration of enteral nutrition in the prone position, gastric residual volume and other clinical outcomes in critically ill patients: a systematic review. 2020 , 32, 133-142	5
125	Modified Nutrition Risk in Critically Ill (mNUTRIC) Score to Assess Nutritional Risk in Mechanically Ventilated Patients: A Prospective Observational Study from the Pakistani Population. 2018 , 10, e3786	10
124	Effect of parenteral energy or amino acid doses on in-hospital mortality, among patients with aspiration pneumonia: a cohort medical claims database study. 2021 ,	0
123	Nasoenteric tube doppler guided insertion. A case report and review of literature. 2021 ,	

- 122 Nutrition and Wound Healing in Burns, Trauma, and Sepsis. **2006**, 219-260
- 121 Gut Absorption Capacity in the Critically Ill. **2007**, 627-639
- 120 Energy Requirement and Consumption in the Critically Ill Patient. **2009**, 697-702
- 119 Enteral and parenteral nutrition. **2009**, 981-991
- 118 Enteral Feeding during Circulatory Failure: Myths and Reality. **2009**, 683-694 1
- 117 Nutrition Support in Intensive Care. **2010**, 407-417
- 116 Nutrition Assessment and Nutrition Therapy in Intensive Care Unit Patients. **2010**, 470-490
- 115 Besoins nutritionnels en réanimation. **2011**, 397-412
- 114 Energy Goals in the Critically Ill Adult. **2011**, 694-707
- 113 Metabolism in Surgical Patients. **2012**, 120-150
- 112 Best Timing for Energy Provision during Critical Illness. **2012**, 661-671 2
- 111 Kombinierte parenterale und enterale Ernährung. **2013**, 103-112
- 110 Kalorienbedarf. **2013**, 35-45
- 109 Enterale Ernährung des Intensivpatienten. **2013**, 77-93
- 108 Ernährung in der Intensivmedizin. **2013**, 69-77
- 107 Ernährung in der Intensivmedizin. **2013**, 59-68
- 106 Intensive Care Complications. **2014**, 207-227
- 105 Top Ten Quality Indicators for Nutritional Therapy. **2014**, 1-15

104 Nutritional Therapy in the Hospitalized Patient: Is it better to Feed Less?. **2014**, 627-638

103 Burns. **2014**, 111-126

102 Extent and Impact of Malnutrition in Critically Ill Patients. **2014**, 1-16

101 Enteral and parenteral nutrition. **2014**, 960-969.e3

100 Nutrition in the PICU. **2014**, 69-79

99 Nutrition Monitoring in the PICU. **2014**, 579-601

98 Nutrition in Critical Illness. **2014**, 375-389

97 Transition from Parenteral to Enteral Nutrition in Intensive Care Unit. **2014**, 1-16

96 Enteral Decision Tree in Critical Illness. **2014**, 1-8

95 Mechanical Ventilation. **2014**, 1-98

94 Parenteral Nutrition and Cardiogenic Shock. **2014**, 1-19

93 Enteral Decision Tree in Critical Illness. **2015**, 1413-1420

92 Calorie and Protein Deficit in the ICU. **2015**, 1051-1063

91 Aid to Enteral Feeding in Critical Care: Algorithm. **2015**, 1393-1412

90 Energy Balance in the Intensive Care Unit. **2015**, 1767-1778

89 Complications relating to enteral and parenteral nutrition in trauma patients: a retrospective study at a level one trauma centre in South Africa. **2015**, 28, 62-68

88 Nutrition Support in the General Surgery ICU Patient. **2015**, 551-566

87 Instituting Professional Nutrition Practice Guidelines and Protocols: In the Intensive Care Unit. **2015**, 653-666

- 86 Ernährung und Dysfunktion von Leber und Magen-Darm-Trakt. **2016**, 179-196
- 85 ??????????????????????. **2016**, 50, 97-103
- 84 ??????????????????????. **2016**, 50, 111-126 1
- 83 Protein Metabolism and Requirement in Intensive Care Units and Septic Patients. **2016**, 125-132
- 82 The Impact of Rate of Feeding Advancement after Early Initiation of Enteral Nutrition in Critically Ill, Underweight Patients: A Single-Center Retrospective Chart Review. **2016**, 07, 939-954
- 81 ??????????????????????. **2016**, 50, 105-109
- 80 ??????????????????????. **2017**, 51, 309-315
- 79 Supplemental PN ????. **2017**, 51, 303-308
- 78 Principles of Nutrition in the Critically Ill Patient. **2017**, 575-579
- 77 Comment je prends en charge la nutrition d'un patient en état de choc. **2018**, 27, 501-509
- 76 Intravenous overload of fluids and sodium may contribute to the lower infusion of enteral nutrition in critically ill patients. **2019**, 31, 202-209 1
- 75 Effects of Energy Deficiency: A Focus on Hospitalized and Critically Ill Patients. **2019**, 1337-1354
- 74 Parenteral Nutrition. **2020**, 251-260 2
- 73 Current Nutritional Statuses and Gastrointestinal Complications in Critically Ill Patients Admitted to ICUs in Iran: A Cross-Sectional Study. **2020**, 7, 9-14 2
- 72 Evaluation of quality indicators for nutrition and metabolism in critically ill patients: role of the pharmacist. **2021**, 28, e62-e65 1
- 71 Principles of Nutrition in the Critically Ill Patient. **2020**, 545-550
- 70 Nutrition in Critical Illness During Pregnancy. **2020**, 435-449
- 69 Burns. **2020**, 145-163

68	Evaluation of energy intake compared with indirect calorimetry requirements in critically ill patients with acute brain injury. 2021 ,	0
67	Tight Energy Balance Control for Preventing Complications in the ICU. 2006 , 561-568	
66	Gut Absorption Capacity in the Critically Ill. 2007 , 627-639	
65	Principes de la détermination des apports caloriques et protéiques en nutrition artificielle. 2007 , 675-680	
64	Nutrition artificielle et insuffisance cardiaque. 2007 , 867-879	
63	Nutrition du patient septique abdominal. 2007 , 155-169	
62	Nutritional and pharmacological modulation of the metabolic response of severely burned patients: review of the literature (part 1). 2008 , 21, 63-72	7
61	Comparison the inflammatory effects of early supplemental parenteral nutrition plus enteral nutrition versus enteral nutrition alone in critically ill patients. 2010 , 18, 103-6	15
60	Improving the Practice of Nutrition Therapy in the NRITLD Critically Ill Patients: An International Quality Improvement Project. 2011 , 10, 31-7	8
59	Full or hypocaloric nutritional support for the critically ill patient: is less really more?. 2015 , 7, 1086-91	3
58	Please sir, may I have some more? The case against underfeeding. 2015 , 3, 173	
57	Nutrition Informatics Applications in Clinical Practice: a Systematic Review. 2015 , 2015, 963-72	1
56	Nutritional Assessment in Critically Ill Patients. 2016 , 41, 171-9	24
55	Initiation of nutrition. 2022 , 375-387	
54	Evaluation of Nutritional Practices in the Critical Care patient (The ENPIC study): Does nutrition really affect ICU mortality?. 2022 , 47, 325-332	0
53	C-reactive protein rise in response to macronutrient deficit early in critical illness: sign of inflammation or mediator of infection prevention and recovery. 2021 , 48, 25	1
52	Caloric adequacy of parenteral nutrition and its influence on the clinical outcome of hospitalised patients.. 2022 , 2601060211070108	
51	Nutritional Practices in Critically Ill Patients – A Review. 32, 42-49	

50	Estimated versus measured energy expenditure in ventilated surgical-trauma critically ill patients.. 2021,	0
49	Enteral nutrition interruptions in the intensive care unit: A prospective study.. 2021, 96, 111580	0
48	Nutritional management of ICU patients receiving mechanical ventilation: A retrospective cohort study using a medical claims database. 2022,	0
47	Continuous versus Intermittent Enteral Tube Feeding for Critically Ill Patients: A Prospective, Randomized Controlled Trial.. 2022, 14,	0
46	How much underfeeding can the critically ill adult patient tolerate?. 2022,	1
45	Protein intake early after liver transplantation and postoperative outcome: An observational study comparing two nutritional protocols.. 2022, 98, 111635	
44	AKUT AKCER HASARI (ALI)/AKUT SOLUNUM SIKINTISI SENDROMU(ARDS) VE ARDS'IN COVID-19 HASTALARINDA BESLENME DESTEĞİ	
43	Impact of oral or enteral nutritional support on clinical outcomes of patients subjected to cardiac surgery: A systematic review. 2022,	
42	Nutritional support practices at an intensive care unit in Johannesburg, South Africa. 1-6	
41	THE ROLE OF NUTRITIVE SUPPORT IN THE PHYSICAL AND FUNCTIONAL REHABILITATION OF CRITICAL PATIENTS: OVERVIEW.	
40	Nutrition support for critically ill patients.. 2021, 45, 47-59	2
39	Association between Neurologic Outcomes and Changes of Muscle Mass Measured by Brain Computed Tomography in Neurocritically Ill Patients.. 2021, 11,	
38	Energy expenditure in Covid 19 mechanical ventilated patients: A comparison of three methods of energy estimation.. 2022,	0
37	Trajectories of protein intake and 28-day mortality in critically ill patients: A secondary analysis of a cluster-randomized controlled trial. <i>Clinical Nutrition,</i> 2022,	5.9
36	Novel insights in endocrine and metabolic pathways in sepsis and gaps for future research. 2022, 136, 861-878	
35	Energy Metabolism and Balance.	
34	Incidence and risk factors of nasogastric feeding intolerance in moderately-severe to severe acute pancreatitis. 2022, 22,	1
33	Changes in nutritional status of patients with jaw deformities due to orthognathic surgery. 2022,	

32	Associations between parenteral energy/amino acids and clinical outcomes in long-term fasting ICU patients: A retrospective cohort study using a medical claims database.	
31	Fiberoptic endoscopic validation of a clinical screening test of swallowing function in critically ill patients performed within 24 h after extubation. 2022 , 72, 154119	0
30	Association of nitrogen balance trajectories with clinical outcomes in critically ill COVID-19 patients: A retrospective cohort study. 2022 ,	0
29	Administration of enteral nutrition and gastrointestinal complications in Covid-19 critical patients in prone position. 2022 , 45, 80-90	1
28	Ernring pIntensivavdelingen og proteinkvalitet i sondemat. 2021 , 19, 1-6	0
27	Nutrition Considerations in Emergency Surgery. 2022 , 505-530	0
26	Prognostic Value of C-Reactive Protein and Albumin in Neurocritically Ill Patients with Acute Stroke. 2022 , 11, 5067	1
25	Gastrointestinal and sensory manifestations, nutrition management, and energy-protein intake in hospitalized patients with COVID-19. 2022 , 37, 1152-1161	0
24	Association between caloric adequacy and short-term clinical outcomes in critically ill patients using a weight-based equation: Secondary analysis of a cluster-randomized controlled trial. 9,	0
23	Metabolic monitoring and nutritional support following long-term mechanical ventilation.. 2022 , 6	0
22	The effect of an intervention of porcine protein versus maltodextrin supplement on CONvalescence of FUnCtional outcomes after Icu Stay (CONFUCIUS): Study protocol for a randomized controlled, single-center, double-blind trial. 2022 ,	0
21	Comparison of mNUTRIC-S2 and mNUTRIC scores to assess nutritional risk and predict intensive care unit mortality.	0
20	Association of Obesity With Clinical Outcomes in Neurocritically Ill Patients. 2022 , 5, 48-53	0
19	Energy expenditure in critically ill patient. 2022 ,	0
18	Safety of increasing protein delivery with an enteral nutrition formula containing very high protein (VHP) and lower carbohydrate concentrations compared to conventional standard (SF) and high protein (HP) formulas. 2022 , 41, 2833-2842	0
17	Nutrition issues in the general medical ward patient: From general screening to specific diagnosis and individualized treatment.	0
16	Effect of abdominal massage on feeding intolerance in patients receiving enteral nutrition: A systematic review and meta-analysis.	0
15	Association between early nutrition support and 28-day mortality in critically ill patients: the FRANS prospective nutrition cohort study. 2023 , 27,	0

- 14 Impacto de la nutrición enteral temprana en la mortalidad y días de estancia en la unidad de cuidados intensivos. **2022**, 36, 496-499
- 13 The Caloric Necessities of Critical Care Patients During the First Week of Admission. **2023**,
- 12 High-protein delivery in mechanically ventilated patients: A study protocol for a randomized trial. **2023**,
- 11 The epigenetic legacy of ICU feeding and its consequences. **2023**, 29, 114-122
- 10 Immunmodulation durch Ernährung bei kritisch kranken Patienten. **2023**, 72, 229-244
- 9 Early Enteral Nutrition is Associated with Improved Outcomes in Critically Ill Mechanically Ventilated Medical and Surgical Patients.
- 8 Low versus standard calorie and protein feeding in ventilated adults with shock: a randomised, controlled, multicentre, open-label, parallel-group trial (NUTRIREA-3). **2023**,
- 7 Glucose and Nutrition. **2013**, 121-130.e3
- 6 Impact of early nutrition and feeding route on clinical outcomes of neurocritically ill patients. **2023**, 18, e0283593
- 5 The NUTRIC Score as a Tool to Predict Mortality and Increased Resource Utilization in Intensive Care Patients with Sepsis. **2023**, 15, 1648
- 4 Sepsis-like Energy Deficit Is Not Sufficient to Induce Early Muscle Fiber Atrophy and Mitochondrial Dysfunction in a Murine Sepsis Model. **2023**, 12, 529
- 3 Comparison of a volume-based feeding protocol with standard feeding for trauma patients in intensive care units in Korea: a retrospective cohort study. **2023**, 15, 22-29
- 2 Early or Supplemental Parenteral Nutrition vs. Enteral Nutrition Alone in the Critically Ill. **2023**, 331-339
- 1 Do Tradition-Borne Fasting Practices Apply to ICU Patients with a Protected Airway?. **2023**, 347-352